Message

From: Nonresponsive based on revised scope @erllc.com]
Sent: 2/26/2020 10:03:51 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]; Nonresponsive based on revised scope @westonsolutions.com]
Subject: FW: Shiloh Church Rd/3-S467[3087649]
Attachments: 3087649_935725_fr.PDF

See attached.
I'll count up the passing segments to see if we have 10.

Nonresponsive based on revised scope

-----Original Message-----
From: Nonresponsive based on revised scope @Alsglobal.com Nonresponsive based on revised scope @Alsglobal.com>
Sent: Wednesday, February 26, 2020 4:34 PM
To: Nonresponsive based on revised scope @erllc.com>
Subject: Shiloh Church Rd/3-S467[3087649]

The following reports are attached:

WO 3087649 , Work ID Shiloh Church Rd/3-S467 []

--- End Of List ---

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.