eog resources

10/30/2018

Nick Groves
EOG Resources, Inc.
1111 Bagby St, Sky Lobby 2
Houston, TX 77002

US EPA Region VIII
Director; Air and Toxics Technical Enforcement Program
Office of Enforcement, Compliance and Environmental Justice
Mail Code 8ENF-AT
1595 Wynkoop Street
Denver, CO 80202-1129

RECEIVED
NOV 2 - 2018
Office of Enforcement, Compliance and Environmental Justice

Dear Sir or Madam:

EOG Resources, Inc. (EOG) is submitting its annual compliance report for operating facilities located in North Dakota and Wyoming as required by 40 CFR Part 60, Subpart OOOOa - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification, or Reconstruction Commenced after September 18, 2015.

The attached reports cover the compliance period beginning August 2, 2017 and ending August 2, 2018 in accordance with §60.5420a(b).

Please contact me by phone at 713-651-6440 or by email at Nick_Groves@eogresources.com with any questions or concerns regarding the enclosed report.

Regards,

(b) (6) [redacted]

Nick Groves
VP, Safety & Environmental
EOG Resources, Inc.

Enclosures:

NSPS OOOOa Annual Report - North Dakota

NSPS OOOOa Annual Report - Wyoming

Cc:

North Dakota Department of Health
Division of Air Quality
918 E. Divide Avenue
Bismarck, ND 58501
701-328-2372

Wyoming Department of Environmental Quality
Air Quality Division
200 W. 17th Street
Cheyenne, WY 82001
307-777-7391

Utah Department of Environmental Quality
Air Quality Division
P.O. Box 14820
Salt Lake City, UT 84114

40 CFR Part 60, Subpart OOOOa Annual Report

§60.5420a (b)(iv) – Certification by a Certifying Official

I, Nick Groves certify that I am the VP, Safety & Environmental
(Certifier Name, printed or typed) *(Certifier Title, printed or typed)*

and that, based on information and belief formed after reasonable inquiry, the statements and information dated during the time period below, are true, accurate, and complete:

State(s) of: North Dakota, Wyoming

Compliance Reporting Period: From 08/02/2017 to 08/02/2018
Start Date (mm/dd/yyyy) *End Date (mm/dd/yyyy)*

Signature: (b) (6) [redacted] Signature Date: 10/30/2018
(mm/dd/yyyy)

Facility Record No. * [Field value will automatically generate if a value is not entered.]	Company Name * (§60.5420a(b)(1)(i))	Facility Site Name * (§60.5420a(b)(1)(ii))	US Well ID or US Well ID Associated with the Affected Facility, if applicable. * (§60.5420a(b)(1)(iii))	Address of Affected Facility * (§60.5420a(b)(1)(iv))	Address 2	City *	County *	State Abbreviation *	Zip Code *	Responsible Agency Facility ID (State Facility Identifier)	Description of Site Location (§60.5420a(b)(1)(v))	Latitude of the Site (decimal degrees to 5 decimals using the North American Datum of 1983) (§60.5420a(b)(1)(vi))	Longitude of the Site (decimal degrees to 5 decimals using the North American Datum of 1983) (§60.5420a(b)(1)(vii))	Beginning Date of Reporting Period.* (§60.5420a(b)(1)(viii))	Ending Date of Reporting Period.* (§60.5420a(b)(1)(viii))	Please provide the file name that contains the certification signed by a qualified professional engineer for each closed vent system routing to a control device or process. * (§60.5420a(b)(12)) Please provide only one file per record.
	e.g.: ABC Company	e.g.: XYZ Compressor Station	e.g.: 12-345-67890-12	e.g.: 123 Main Street	e.g.: Suite 100	e.g.: Brooklyn	e.g.: Kings County	e.g.: NY	e.g.: 11221		e.g.: 7 miles NE of the intersection of Hwy 123 and Hwy 456	e.g.: 34.12345	e.g.: -101.12345	e.g.: 01/01/2016	e.g.: 06/30/2016	e.g.: Certification.pdf or XYZCompressorStation.pdf
1	EOG Resources	CORMYLO LCS & CDP	N/A				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8		[redacted]		8/2/2017	8/1/2018	
2	EOG Resources	EHLERT LCS	N/A				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
3	EOG Resources	FERTILE LCS	N/A				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
4	EOG Resources	GEVING LCS (UNIT I & II)	N/A				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
5	EOG Resources	PARSHALL LCS (1, 2 3 & 4)	N/A				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
6	EOG Resources	CLARKS CREEK 7 SESE 1	API:				MCKENZIE	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
7	EOG Resources	AUSTIN 15 SWSE 2 PAD (59,454,455,463)	API: 33061037640000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
8	EOG Resources	AUSTIN 23 NWNW 1 PAD (439,440,441)	API: 33061038280000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
9	EOG Resources	AUSTIN 26 NWNW 2 PAD (436,437,438)	API: 33061038610000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
10	EOG Resources	AUSTIN 28 SESE PAD (421,422,423)	API: 33061039250000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
11	EOG Resources	AUSTIN 34 NENW 1 PAD (Fac 433,434,435)(Sat 53,54)	API: 33061037200000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
12	EOG Resources	CLARKS CREEK 7 SESE 1	API: 33053076640000; API: 33053076650000; API: 33053076660000; API: 33053076670000; API: 33053076780000				MCKENZIE	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
13	EOG Resources	FERTILE 10 SESE 1 PAD (63,64,65)	API: 33061034540000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
14	EOG Resources	FERTILE 3 SWSE 1 (Fac 4,55,102)(Sat 57,58,59)	API: 33061009520000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
15	EOG Resources	FERTILE 4 NWNW 1 (5,67,68)	API: 33061008990000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
16	EOG Resources	FERTILE 5 NWNE 1 (50,69,70)	API: 33061024850000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
17	EOG Resources	FERTILE 9 SWSE 1Pad (Fac 76,74)(Sat 72,77,79,80)	API: 33061033880000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
18	EOG Resources	LIBERTY 14 NWNE	API: 33061037400000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
19	EOG Resources	MANDAREE 7 SESE 1	API: 33053075010000				MCKENZIE	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
20	EOG Resources	PARSHALL 18 NWNW 1 (68,69,153)	API: 33061031090000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
21	EOG Resources	PARSHALL 18 NWSW 1 (30,31)	API: 33061031100100				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
22	EOG Resources	PARSHALL 19 SWSE 1 (3,70,71)	API: 33061006510000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
23	EOG Resources	PARSHALL 20 SESE 1 (4,78,158)	API: 33061029240000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
24	EOG Resources	PARSHALL 29 NENW 1 (10,86,161)	API: 33061009670000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
25	EOG Resources	PARSHALL 29 NWNE 1 (28,29,85)	API: 33061031780000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
26	EOG Resources	PARSHALL 33 SWSE 1 (Fac 17,96,97,98)(Sat 24,27,164)	API: 33061008710000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
27	EOG Resources	PARSHALL 34 NWNW 1 (18,406)	API: 33061008540000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
28	EOG Resources	PARSHALL 35 SWSE 1 (Fac 19,401,402)(Sat 403,404,405)	API: 33061009300000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
29	EOG Resources	ROSS 9 NWNE 2 PAD (42,43,106)	API: 33061036720000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
30	EOG Resources	ROUND PRAIRIE 27-1523H	API: 33105044680000				WILLIAMS	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
31	EOG Resources	SHELL 19 NWNW 1 (Pad,4,5,6,52)	API: 33061005330000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
32	EOG Resources	SHELL 28 SESW 1 PAD (Fac 22,23)(Sat 15,17,29,30)	API: 33061034960000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
33	EOG Resources	SHELL 32 SESE 1 Pad FAC 40,42/RP SENE 44,46	API: 33061036570000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
34	EOG Resources	SHELL 32 SESW 1 (11,12,13,14)	API: 33061036070000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
35	EOG Resources	VAN HOOK 14 SESE 3 Pad (Fac 70,71)(Sat 73,74,107)	API: 33061015170000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
36	EOG Resources	VAN HOOK 15 NENW 1 Pad (15,75,76,78,79)	API: 33061013610000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
37	EOG Resources	VAN HOOK 35 SESE 1 PAD (36,39)	API: 33061037240000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
38	EOG Resources	VAN HOOK 36 NWNE 1 PAD (22,66,67,68)	API: 33061037700000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
39	EOG Resources	VAN HOOK 36 SESW 1 PAD (Fac 47,48)(Sat 44,46)	API: 33061036810000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
40	EOG Resources	WAYZETTA 25 NWSW 1 (67,69)	API: 33061036220000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
41	EOG Resources	WAYZETTA 30 SESE 1 PAD (Fac 96,97,98)(Sat 99,400)	API: 33061012990000				MOUNTRAIL	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
42	EOG Resources	WEST CLARK 1 SWSW 1 PAD	API: 33053069540000				MCKENZIE	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
43	EOG Resources	WEST CLARK 200-01 SWD FAC	API: 33053903710000				MCKENZIE	ND		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
44	EOG Resources	STAGECOACH UNIT 20 SWNE PAD	API: API: 43047557440000; API: 43047557460000				UINTAH	UT		U.S. Environmental Protection Agency - Region 8				8/2/2017	8/1/2018	
45	EOG Resources	I-80 COMPRESSOR STATION	N/A				LARAMIE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
46	EOG Resources	ARBALEST 30 SESE	API: 49009290570000; API: 49009290810000; API: 49009290840000				CONVERSE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
47	EOG Resources	ARBALEST 36 NENE PAD	API: 49009292550000; API: 49009295790000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
48	EOG Resources	ARBALEST 6 NENE PAD	API: 49005617320000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
49	EOG Resources	ARBALEST 6 NWNW PAD	API: 49005617020000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
50	EOG Resources	BALLISTA 10 SWSW PAD	API: 49005618080000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
51	EOG Resources	BALLISTA 11 SWSW PAD	API: 49005618560000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
52	EOG Resources	BALLISTA 13 NWNW	API: 49005619310100				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
53	EOG Resources	BEHEMOTH FEDERAL COM 1PH	API: 49005623530000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
54	EOG Resources	BEHEMOTH FEDERAL COM 2 PAD	API: 49005627800000				CAMPBELL	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
55	EOG Resources	BIG SANDY 14 NWNE PAD	API: 49021253950000; API: 49021253960000; API: 49021253970000; API: 49021253980000				LARAMIE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
56	EOG Resources	BIG SANDY 25 NENW PAD	API: 49021215650000; API: 49021232480000; API: 49021232490000; API: 49021266690000				LARAMIE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
57	EOG Resources	BIG SANDY 25 NWNE PAD	API: 49021220320000				LARAMIE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
58	EOG Resources	BIG SANDY 26 NWNW (542, 543, 544)	API: 49021230670000; API: 49021230680000; API: 49021230690000				LARAMIE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
59	EOG Resources	BLADE 18 SWSW PAD	API: 49009309400000; API: 49009309410000; API: 49009309420000; API: 49009309430000				CONVERSE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
60	EOG Resources	BLADE 19 NENE PAD	API: 49009331590000; API: 49009331840000; API: 49009331850000				CONVERSE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
61	EOG Resources	BLADE 20 NENE PAD	API: 49009308700000; API: 49009308710000				CONVERSE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
62	EOG Resources	BLADE 21 SENW	API: 49009308790000; API: 49009308810000; API: 49009336580000				CONVERSE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	
63	EOG Resources	Blade 22 NWNW PAD	API: 49009307790000; API: 49009309260000; API: 49009309280000; API: 49009309290000				CONVERSE	WY		Wyoming Department of Environmental Quality				8/2/2017	8/1/2018	

(b) (9)

64	EOG Resources	BLADE 32 SWSW	API: 4900929993 0000	CONVERSE	WY	Wyoming Department of Environmental Quality	(b) (9) [redacted]	8/2/2017	8/1/2018
65	EOG Resources	BLADE 34 NWNE PAD (013, 212)	API: 4900929271 0000; API: 4900929272 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
66	EOG Resources	BOLT 22 NWNW	API: 4900562363 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
67	EOG Resources	BOLT 6 NWNW PAD	API: 4900561987 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
68	EOG Resources	BOLT 6 SESE PAD	API: 4900562947 0100	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
69	EOG Resources	BULL CANYON 5 NWNE	API: 4902121246 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
70	EOG Resources	BULL CANYON 5 NWNW PAD	API: 4902122038 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
71	EOG Resources	CATAPULT 01 SENW PAD	API: 4900933884 0100	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
72	EOG Resources	CATAPULT 13 NWSW PAD	API: 4900934056 0100; API: 4900934058 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
73	EOG Resources	CINEREOUS FEDERAL COM 2NH	API: 4900932812 0100	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
74	EOG Resources	COUSINS FEDERAL COM 23H	API: 4900562453 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
75	EOG Resources	DURHAM 10 SWSW PAD (151, 152, 547, 553)	API: 4902121949 0000; API: 4902121955 0000; API: 4902121960 0000; API: 4902121981 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
76	EOG Resources	DURHAM 30 NWNE (130, 131, 528, 529)	API: 4902121284 0000; API: 4902121381 0000; API: 4902122002 0000; API: 4902122008 0100	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
77	EOG Resources	FALCON 34 SESW (3, 4, 54)	API: 4900563585 0000; API: 4900564229 0100; API: 4900565007 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
78	EOG Resources	FLATBOW 13 NENE	API: 4900562622 0000; API: 4900562908 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
79	EOG Resources	FLATBOW 13 NWNW PAD	API: 4900562878 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
80	EOG Resources	FLATBOW 16 NENE	API: 4900562854 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
81	EOG Resources	FLATBOW 16 NWNW	API: 4900562853 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
82	EOG Resources	FLATBOW 17 NWNW PAD	API: 4900562570 0100	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
83	EOG Resources	FLATBOW 25 SESE	API: 4900561827 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
84	EOG Resources	FLATBOW 25 SWSW	API: 4900561816 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
85	EOG Resources	FLATBOW 26 SESE PAD	API: 4900563470 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
86	EOG Resources	FLATBOW 26 SWSW PAD	API: 4900563617 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
87	EOG Resources	FLATBOW 36 NENE PAD	API: 4900563112 0000; API: 4900563564 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
88	EOG Resources	FLATBOW 36 NWNW PAD	API: 4900563562 0000; API: 4900563563 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
89	EOG Resources	FOLKLORE COM 1H, 2PH	API: 4900562776 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
90	EOG Resources	JUBILEE 16 SWSW	API: 4902121081 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
91	EOG Resources	JUBILEE 21 NENW WEST	API: 4902121294 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
92	EOG Resources	JUBILEE 21 NWNE EAST	API: 4902121101 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
93	EOG Resources	JUBILEE 23 NENE	API: 4902121318 0000; API: 4902121416 0000; API: 4902125981 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
94	EOG Resources	JUBILEE 24 PEAK FAC (NENW-204, 600, 601, 205, 602, 603)	API: 4902121172 0000; API: 4902121397 0000; API: 4902121429 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
95	EOG Resources	JUBILEE 35 NENE	API: 4902121254 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
96	EOG Resources	JUBILEE 36 PEAK FACILITY	API: 4902121073 0100; API: 4902123818 0000; API: 4902123819 0000; API: 4902123821 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
97	EOG Resources	JUBILEE SEC 22 Peak & Decline Facility	API: 4902121299 0100	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
98	EOG Resources	JUBILEE SEC 24 PROD FAC (604, 605)	API: 4902121173 0100	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
99	EOG Resources	KATARA 9 NENE Pad	API: 4900930685 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
100	EOG Resources	MARYS DRAW 13 SWSE	API: 4900930934 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
101	EOG Resources	MARYS DRAW 15 SWSE	API: 4900929463 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
102	EOG Resources	MARYS DRAW 16 NENW (77, 432, 434, 435)	API: 4900928996 0000; API: 4900930878 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
103	EOG Resources	MARYS DRAW 16 NWNE	API: 4900929315 0000; API: 4900929317 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
104	EOG Resources	Marys Draw 22 NWNW	API: 4900928620 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
105	EOG Resources	MARYS DRAW 23 NWNE	API: 4900928641 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
106	EOG Resources	MARYS DRAW 3 NWNE	API: 4900929448 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
107	EOG Resources	MARYS DRAW 3 NWNW	API: 4900929667 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
108	EOG Resources	MARYS DRAW 32 SWSW	API: 4900929465 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
109	EOG Resources	MARYS DRAW 34 SESE (19, 467, 468, 56)	API: 4900929429 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
110	EOG Resources	MARYS DRAW 8 SWSE	API: 4900930875 0000; API: 4900930877 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
111	EOG Resources	MUSTANG STATE 22PH, 23PH, 24PH	API: 4900562759 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
112	EOG Resources	NYMAG FEDERAL COM 2PH	API: 4900932849 0000	CONVERSE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
113	EOG Resources	POLE CREEK 22 SESE	API: 4902121342 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
114	EOG Resources	POLE CREEK 24 SESW (525, 527, 571, 137)	API: 4902121128 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
115	EOG Resources	POLE CREEK 25 NENE PAD	API: 4902121303 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
116	EOG Resources	POLE CREEK 34 SESE	API: 4902121388 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
117	EOG Resources	TIBURON 17 NENW PAD	API: 4900563201 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
118	EOG Resources	TIBURON 29 NENW (7) PAD	API: 4900563236 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
119	EOG Resources	TIBURON 29 NENW (8) PAD	API: 4900563235 0100	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
120	EOG Resources	Trident 11 SWSE PAD	API: 4900562367 0000	CAMPBELL	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
121	EOG Resources	WINDY 31 SESW	API: 4902121287 0000; API: 4902122140 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
122	EOG Resources	Windy 34 SWSE	API: 4902124633 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
123	EOG Resources	WINDY SEC 17 NORTH PROD FACILITY	API: 4902125925 0000; API: 4902125976 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018
124	EOG Resources	WINDY SEC 17 SOUTH PROD FACILITY	API: 4902126047 0000; API: 4902126048 0000	LARAMIE	WY	Wyoming Department of Environmental Quality		8/2/2017	8/1/2018

For each well affected facility, an owner or operator must include the information specified in paragraphs (c)(1)(i) through (ii) of this section in all annual reports:

The asterisk (*) next to each field indicates that the corresponding field is required.

			§60.5432a Low Pressure Wells	All Well Completions	Well Affected Facilities Required to Comply with §60.5375a(a) and §60.5371a(f)															
Facility Record No. * [Select from Dropdown list - use need to scroll up]	United States Well Number* (§60.5420a(b)(1)(i))	Records of deviations where well completion operations with hydraulic fracturing were not performed in compliance with the requirements specified in § 60.5325a. * (§60.5420a(b)(7)(i) and §60.5420.e(1)(i))	Please provide the file name that contains the Record of Determination and Supporting Inputs and Calculations * (§60.5420a(b)(7)(i) and §60.5420a(c)(1)(ii)) Please provide only one file per record.	Well Completion ID * (§60.5420a(b)(7)(i) and §60.5420.e(1)(i))	Well Location * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Date of Onset of Flowback Following Hydraulic Fracturing or Refracturing * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Time of Onset of Flowback Following Hydraulic Fracturing or Refracturing * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Date of Each Attempt to Direct Flowback to a Separator * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Time of Each Attempt to Direct Flowback to a Separator * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Date of Each Occurrence of Returning to the Initial Flowback Stage * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Time of Each Occurrence of Returning to the Initial Flowback Stage * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Date Well Shut in and Flowback Equipment Permanently Disconnected or the Startup of Production * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Time Well Shut In and Flowback Equipment Permanently Disconnected or the Startup of Production * (§60.5420a(b)(2)(i) and §60.5420.e(1)(ii)(A)-(B))	Duration of Flowback in Hours * (§60.5420a(b)(7)(i) and §60.5420.e(1)(ii)(A)-(B))	Duration of Recovery in Hours * (Not Required for Wells Complying with §60.5375(g)) (§60.5420a(b)(7)(i) and §60.5420.e(1)(ii)(A))	Disposition of Recovery * (§60.5420a(b)(7)(i) and §60.5420.e(1)(ii)(A)-(B))	Duration of Combustion in Hours * (§60.5420a(b)(7)(i) and §60.5420.e(1)(ii)(A)-(B))	Duration of Venting in Hours * (§60.5420a(b)(7)(i) and §60.5420a.(c)(1)(ii)(A)-(B))
	e.g.: 12-345-67890-12	e.g.: On October 13, 2016, a separator was not made for the first 3 hours of the flowback period.	e.g.: lowpressure.pdf or NYCompressorStation.pdf	e.g.: Completion ABC	e.g.: 34.12345 latitude, 101.12345 longitude	e.g.: 10/16/14	e.g.: 10 a.m.	e.g.: 10/16/14	e.g.: 10 a.m.	e.g.: 10/16/16	e.g.: 10 a.m.	e.g.: 10/16/14	e.g.: 10 a.m.	e.g.: 5	e.g.: 5	e.g.: Used as onsite fuel	e.g.: 5	e.g.: 5		
	API: 3105108030000				1058707 (b) (9) [redacted]	6/29/2018	6:00 AM	6/29/2018	7:47 AM			6/29/2018	8:08 AM	2.13	0.35 Combusted		0.35	0		
	API: 3105107660000				925832	6/29/2018	3:00 PM	6/29/2018	10:00 PM			6/29/2018	10:30 PM	7.5	0.5 Combusted		0.5	0		
	API: 3105107685000				922529	7/6/2018	6:00 PM	7/6/2018	10:00 PM			7/6/2018	10:10 PM	4.17	0.17 Routed to gas sales or collection system		0	0		
	API: 3105107660000				922722	7/6/2018	10:00 AM	7/6/2018	6:00 PM			7/6/2018	6:10 PM	8.17	0.17 Combusted		0.17	0		
	API: 3105107664000				928322	7/6/2018	5:00 PM	7/6/2018	7:00 PM			7/6/2018	7:10 PM	2.17	0.17 Routed to gas sales or collection system		0	0		
	API: 3105104680000				994764	9/9/2017	11:00 PM	9/10/2017	1:30 AM			10/13/2017	6:00 AM	799	796.5 Combusted		76.5	0		
	API: 4304721740000				1010840	12/22/2017	2:00 PM	12/22/2017	3:00 PM			12/22/2017	7:00 PM	5	4 Combusted		4	0		
	API: 4304721746000				1016458	12/21/2017	1:45 PM	12/21/2017	2:30 PM			12/21/2017	8:30 PM	6.75	6 Combusted		6	0		
	API: 4900542780000				992421	1/14/2018	5:00 AM	1/14/2018	10:00 AM			1/15/2018	8:00 AM	27	22 Combusted		22	0		
	API: 4900542867000				1000821	1/16/2018	10:00 AM	1/16/2018	3:40 PM			1/17/2018	1:00 PM	27	21.33 Combusted		21.33	0		
	API: 4900542867000				1001249	1/18/2018	12:00 PM	1/19/2018	7:00 AM			1/19/2018	2:00 PM	26	7 Combusted		20	0		
	API: 4902125388000				1042222	2/5/2018	3:30 PM	2/8/2018	4:30 PM			2/10/2018	10:00 PM	30.5	29.5 Combusted		29.5	0		
	API: 4902125397000				1040127	2/12/2018	10:00 AM	2/15/2018	8:30 AM			2/16/2018	7:30 AM	93.5	23 Combusted		28.5	0		
	API: 4902125396000				1040126	2/15/2018	12:00 PM	2/15/2018	10:00 PM			2/16/2018	2:00 PM	26	16 Combusted		16	0		
	API: 4902135390000				1039962	2/16/2018	3:00 PM	2/16/2018	6:30 PM			2/17/2018	1:00 PM	22	18.5 Combusted		18.5	0		
	API: 4900579570000				1027047	2/17/2018	7:30 AM	2/19/2018	8:30 PM			2/20/2018	5:15 PM	81.75	20.92 Combusted		18.67	0		
	API: 4900579580000				1027759	2/22/2018	7:00 AM	2/23/2018	8:00 AM			2/23/2018	5:00 PM	10	9 Combusted		9	0		
	API: 4900579584000				1027760	2/23/2018	7:00 AM	2/23/2018	8:00 AM			2/23/2018	5:00 PM	10	9 Combusted		9	0		
	API: 4902121397000				953908	2/28/2018	1:30 PM	2/28/2018	1:30 PM			3/1/2018	10:30 AM	21	21 Combusted		21	0		
	API: 4902121172000				953943	3/1/2018	2:15 PM	3/1/2018	2:15 PM			3/2/2018	12:00 PM	21.75	21.75 Combusted		21.75	0		
	API: 4902121429000				953944	3/1/2018	12:30 PM	3/1/2018	12:30 PM			3/2/2018	12:00 PM	23.5	23.5 Combusted		23.5	0		
	API: 4900565640000				904475	3/3/2018	8:00 PM	3/5/2018	8:00 PM			3/6/2018	1:00 PM	137	137 Combusted		137	0		
	API: 4900565112000				904482	3/5/2018	1:00 PM	3/5/2018	6:00 PM			3/11/2018	10:10 PM	153.17	148.17 Combusted		148.17	0		
	API: 4902121538000				964064	3/8/2018	5:00 PM	3/9/2018	12:30 PM			3/10/2018	2:30 PM	45.5	26 Combusted		25.5	0		
	API: 4902121416000				964066	3/8/2018	11:00 AM	3/9/2018	11:00 AM			3/10/2018	12:30 PM	25.5	25.5 Combusted		25.5	0		
	API: 4902125901000				1028479	3/9/2018	10:00 AM	3/9/2018	10:00 AM			3/10/2018	12:30 PM	26.5	26.5 Combusted		26.5	0		
	API: 4900565620000				904431	3/10/2018	12:00 PM	3/10/2018	5:15 PM			3/11/2018	12:00 PM	24	18.75 Combusted		18.75	0		
	API: 4900565630000				904471	3/10/2018	12:00 PM	3/10/2018	4:00 PM			3/11/2018	2:00 PM	26	22 Combusted		22	0		
	API: 4900920255000				1048209	3/25/2018	5:00 AM	3/25/2018	4:30 PM			3/26/2018	4:47 PM	11.78	0.28 Combusted		0.28	0		
	API: 4900920579000				1050132	3/25/2018	5:00 AM	3/25/2018	10:30 AM			3/26/2018	6:00 PM	13	7.5 Combusted		7.5	0		
	API: 4902122140000				1072129	3/28/2018	10:30 AM	3/28/2018	10:30 AM			4/1/2018	8:00 PM	101	101 Combusted		101	0		
	API: 4902121287000				1070518	3/29/2018	1:30 PM	3/29/2018	1:30 PM			4/1/2018	8:30 PM	79	74 Combusted		74	0		
	API: 4900565850000				1006799	4/11/2018	6:00 AM	4/11/2018	1:40 PM			4/12/2018	1:00 PM	31	23.33 Combusted		23.33	0		
	API: 4900564279000				1006800	4/11/2018	6:00 AM	4/11/2018	2:30 PM			4/12/2018	1:00 PM	31	22.5 Combusted		17.5	0		
	API: 4900565007000				1010113	4/11/2018	6:00 AM	4/11/2018	5:15 PM			4/12/2018	1:00 PM	31	19.75 Combusted		19.75	0		
	API: 4902125825000				1064744	4/11/2018	5:00 PM	4/12/2018	5:00 PM			4/14/2018	9:00 AM	40	40 Combusted		40	0		

API: 49021359760000	1043607	(b) (9)	4/12/2018	5:00 PM	4/12/2018	5:00 PM	4/14/2018	9:00 AM	40	40 Combusted	40	0
API: 49009297710000	1070304		4/13/2018	7:00 AM	4/13/2018	10:00 AM	4/13/2018	2:00 PM	7	4 Combusted	3.5	0
API: 49009297720000	1070306		4/13/2018	7:00 AM	4/13/2018	10:00 AM	4/13/2018	2:30 PM	7.5	4.5 Combusted	4.5	0
API: 49021160470000	1008897		4/13/2018	4:00 PM	4/13/2018	4:00 PM	4/15/2018	10:00 AM	42	42 Combusted	42	0
API: 49021760480000	1008900		4/13/2018	3:30 PM	4/13/2018	3:30 PM	4/15/2018	10:00 AM	42.5	42.5 Combusted	42.5	0
API: 49009301790000	1015106		4/20/2018	7:00 AM	4/20/2018	11:00 AM	4/20/2018	3:00 PM	8	4 Combusted	4	0
API: 49009308280000	1015108		4/20/2018	8:30 AM	4/20/2018	1:00 PM	4/20/2018	3:30 PM	7	2.5 Combusted	2.5	0
API: 49021752810000	1029160		5/16/2018	11:00 AM	5/16/2018	1:00 PM	5/16/2018	1:00 PM	7	0 Routed to gas sales or collection system	0	0
API: 49021219490000	1029179		5/16/2018	11:30 AM	5/16/2018	11:30 AM	5/16/2018	11:30 AM	0	0 Routed to gas sales or collection system	0	0
API: 49021219800000	1029161		5/17/2018	1:30 PM	5/17/2018	1:30 PM	5/17/2018	1:30 PM	0	0 Routed to gas sales or collection system	0	0
API: 49021219550000	1029167		5/17/2018	9:00 AM	5/17/2018	9:00 AM	5/17/2018	9:00 AM	0	0 Routed to gas sales or collection system	0	0
API: 49009625700100	1065312		5/28/2018	5:00 AM	6/7/2018	8:30 AM	6/3/2018	8:00 AM	147	23.5 Combusted	23.5	0
API: 49009618560000	963191		6/13/2018	6:00 AM	6/15/2018	10:00 AM	6/16/2018	9:00 AM	75	23 Combusted	23	0
API: 49021720080100	1071182		7/13/2018	9:30 AM	7/13/2018	11:00 AM	7/14/2018	9:00 AM	23.5	22 Combusted	22	0
API: 49021217840000	1014595		7/13/2018	7:00 AM	7/13/2018	8:30 AM	7/14/2018	8:00 AM	25	23.5 Combusted	23.5	0
API: 49021220020000	1014596		7/13/2018	11:00 AM	7/13/2018	1:00 PM	7/14/2018	9:00 AM	22	20 Combusted	20	0
API: 49021213810000	1071181		7/16/2018	7:30 AM	7/16/2018	8:30 AM	7/17/2018	8:30 AM	25	24 Combusted	24	0
API: 49021230670000	1017492		7/23/2018	10:00 AM	7/23/2018	10:30 AM	7/24/2018	7:00 AM	21	20.5 Combusted	20.5	0
API: 49021730690000	926281		7/23/2018	7:00 AM	7/23/2018	8:00 AM	7/24/2018	7:00 AM	24	23 Combusted	23	0
API: 49021230680000	1017491		7/24/2018	4:00 PM	7/24/2018	4:30 PM	7/25/2018	10:00 AM	18	17.5 Combusted	17.5	0
API: 49021732490000	1014900		7/25/2018	1:30 PM	7/25/2018	3:00 PM	7/26/2018	1:00 PM	23.5	22 Combusted	22	0
API: 49021766680000	1068136		7/25/2018	1:00 PM	7/25/2018	1:00 PM	7/26/2018	1:00 PM	24	24 Combusted	24	0
API: 49021215650000	1014898		7/26/2018	12:00 PM	7/26/2018	1:00 PM	7/27/2018	12:00 PM	24	23 Combusted	23	0
API: 49021732480000	1014899		7/26/2018	2:00 PM	7/26/2018	7:30 PM	7/27/2018	12:00 PM	22	21.5 Combusted	21.5	0
API: 49009309200000	957023		8/1/2017	7:30 PM	8/8/2017	6:00 AM	8/17/2017	6:00 AM	231.5	216 Combusted	216	0
API: 49009309250000	957025		8/1/2017	7:30 PM	8/8/2017	6:00 AM	8/17/2017	6:00 AM	231.5	216 Combusted	432	0
API: 49009309340000	867851		8/12/2017	6:00 PM	8/13/2017	2:00 PM	8/13/2017	8:00 PM	26	6 Combusted	6	0
API: 49009309410000	788477		8/17/2017	7:10 AM	8/17/2017	2:00 PM	8/17/2017	6:00 PM	10.5	4 Combusted	4	0
API: 49009309420000	788478		8/17/2017	7:10 AM	8/17/2017	6:00 PM	8/17/2017	6:00 PM	10.5	0 Routed to gas sales or collection system	0	0
API: 49009309460000	788476		8/18/2017	7:00 PM	8/18/2017	8:00 PM	8/22/2017	2:00 PM	91	90 Combusted	90	0
API: 49009309430000	788479		8/18/2017	9:20 AM	8/18/2017	8:00 PM	8/22/2017	2:00 PM	100.67	90 Combusted	90	0
API: 49009311590000	788496		8/24/2017	11:30 AM	8/28/2017	6:00 PM	8/29/2017	9:00 PM	81.5	27 Combusted	27	0
API: 49009311850000	788488		8/24/2017	1:45 PM	8/28/2017	6:00 PM	8/29/2017	7:00 PM	77.25	25 Combusted	25	0
API: 49009311840000	788481		8/26/2017	7:05 PM	8/28/2017	6:00 PM	8/29/2017	1:45 PM	71.67	19.75 Combusted	19.75	0
API: 49009336280000	962511		8/29/2017	4:30 PM	8/30/2017	2:00 PM	8/30/2017	2:00 PM	21.5	0 Routed to gas sales or collection system	0	0
API: 49009308810000	825282		8/29/2017	3:00 PM	8/30/2017	1:00 PM	9/7/2017	3:00 PM	96	74 Combusted	74	0
API: 49009308790000	825281		8/30/2017	6:00 AM	8/30/2017	4:00 PM	8/30/2017	4:00 PM	10	0 Routed to gas sales or collection system	0	0
API: 49009308710000	789823		9/3/2017	10:50 AM	9/3/2017	10:00 AM	9/5/2017	12:00 PM	50	50 Combusted	50	0
API: 49009308700000	789828		9/3/2017	12:00 PM	9/4/2017	10:00 AM	9/4/2017	10:00 AM	22	0 Routed to gas sales or collection system	0.5	0
API: 49009340560100	917817		9/6/2017	1:35 PM	9/8/2017	6:15 PM	9/8/2017	6:15 PM	52.67	0 Routed to gas sales or collection system	0	0
API: 49009340580000	917825		9/6/2017	3:00 PM	9/8/2017	9:00 AM	9/11/2017	12:00 PM	117	52 Combusted	40	0
API: 49005626520000	942521		9/7/2017	2:00 PM	9/7/2017	2:30 PM	9/7/2017	2:40 PM	0.67	0.17 Combusted	0.17	0
API: 49005623080000	924948		9/7/2017	7:30 PM	9/7/2017	7:30 PM	9/7/2017	7:30 PM	0	0 Routed to gas sales or collection system	0	0
API: 49009305030000	933531		9/8/2017	11:00 AM	9/8/2017	8:00 AM	9/30/2017	3:30 PM	532.5	511.5 Combusted	511.5	0
API: 49005617320000	875295		9/14/2017	10:00 AM	9/14/2017	4:30 PM	9/14/2017	5:00 PM	7	0.5 Combusted	0.5	0
API: 49009293150000	922602		9/19/2017	2:00 PM	9/19/2017	7:08 PM	10/1/2017	8:30 AM	277.5	13.35 Combusted	13.35	0
API: 49021738710000	967612		9/26/2017	11:30 AM	9/26/2017	1:30 PM	9/27/2017	3:30 PM	28	26 Combusted	24	0
API: 49021238180000	953829		9/28/2017	10:30 AM	9/28/2017	10:30 AM	9/30/2017	8:00 AM	45.5	45.5 Combusted	45.5	0
API: 49009293170000	932600		9/29/2017	9:00 AM	9/29/2017	10:00 AM	9/30/2017	6:30 AM	21.5	20.5 Combusted	20.5	0
API: 49021210780100	953480		10/1/2017	1:00 PM	10/1/2017	2:00 PM	10/2/2017	7:30 PM	75.5	24.5 Combusted	24	0
API: 49021238190000	953484		10/3/2017	12:00 PM	10/3/2017	1:00 PM	10/4/2017	3:30 PM	27.5	26.5 Combusted	25.5	0
API: 49021720320000	878710		10/23/2017	1:00 PM	10/23/2017	4:00 PM	10/24/2017	12:00 PM	21	20 Combusted	20	0
API: 49009308750000	926468		11/1/2017	9:00 AM	11/1/2017	2:00 PM	11/2/2017	1:00 PM	28	23 Combusted	23	0
API: 49009308770000	926461		11/2/2017	2:00 AM	11/2/2017	2:00 AM	11/2/2017	12:00 PM	10	10 Combusted	21	0
API: 49009308780000	931754		11/4/2017	8:00 PM	11/4/2017	11:00 AM	11/5/2017	6:00 AM	34	19 Combusted	19	0
API: 49009289930000	932603		11/14/2017	5:00 AM	11/14/2017	2:30 PM	11/15/2017	9:30 PM	40.5	31 Combusted	31.5	0
API: 49009296670000	948091		11/17/2017	11:00 PM	11/18/2017	11:00 PM	11/18/2017	11:00 PM	24	0 Routed to gas sales or collection system	0	0
API: 49009294880000	1004500		11/17/2017	8:00 PM	11/17/2017	8:30 PM	11/18/2017	7:00 AM	11	10.5 Combusted	10.5	0
API: 49005632860000	959052		12/13/2017	6:00 PM	12/14/2017	3:00 AM	12/16/2017	5:00 PM	71	62 Combusted	61	0
API: 43047557450000	1016410		12/21/2017	1:45 PM	12/21/2017	2:30 PM	12/21/2017	8:30 PM	6.75	6 Combusted	6	0
API: 49005637010000	1018363		12/21/2017	3:00 AM	12/24/2017	6:00 PM	12/25/2017	8:00 AM	101	14 Combusted	14	0

Exceptions Under §60.5375a(a)(3) - Technically Infeasible to Route to the Gas Flow Line or Collection System, Re-Inject into a Well, Use as an Onsite Fuel Source, or Use for Another Useful Purpose Served By a Purchased Fuel or Raw Material													Well Affected Facilities Meeting the Criteria of §60.5375a(a)(1)(ii)(A) - Not Hydraulically Fractured/Refractured with Liquids or Do Not Generate Condensate, Intermedia								
Well Location * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(iv))	Specific Exception Claimed * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(vi))	Starting Date for the Period the Well Operated Under the Exception * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(vi))	Ending Date for the Period the Well Operated Under the Exception * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(vi))	Why the Well Meets the Claimed Exception * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(vi))	Name of Nearest Gathering Line * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Location of Nearest Gathering Line * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Technical Considerations Preventing Routing to this Line * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Capture, Reinjection, and Reuse Technologies Considered * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Aspects of Gas or Equipment Preventing Use of Recovered Gas as a Fuel Onsite * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Technical Consideration Preventing Use of Recovered Gas for Other Useful Purpose * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Additional Reasons for Technical Infeasibility * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(A)-(B))	Well Location* (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Date of Onset of Flowback Following Hydraulic Fracturing or Refracturing * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Time of Onset of Flowback Following Hydraulic Fracturing or Refracturing * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Date Well Shut-In and Flowback Equipment Permanently Disconnected or the Startup of Production * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Time Well Shut-In and Flowback Equipment Permanently Disconnected or the Startup of Production * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Duration of Flowback in Hours * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Duration of Combustion in Hours * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Duration of Venting in Hours * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))	Reason for Venting in lieu of Capture or Combustion * (§60.5420a(b)(2)(ii) and §60.5420a(c)(1)(ii)(A) and (C))
e.g.: 34.12345 latitude, -101.12345 longitude	e.g.: Technical infeasibility under 60.5375a(a)(3)	e.g.: 10/16/2016	e.g.: 10/18/2016	e.g.: As further described in this report, technical issues prevented the use of the gas for useful purposes.	e.g.: ABC Line	e.g.: 100 miles away at 34.12345 latitude, -101.12345 longitude	e.g.: right of use	e.g.: on-site generators	e.g.: gas quality	e.g. gas quality	e.g. well damage or clean-up	e.g.: 34.12345 latitude, -101.12345 longitude	e.g.: 10/16/16	e.g.: 10 a.m.	e.g.: 10/16/16	e.g.: 10 a.m.	e.g.: 5	e.g.: 5	e.g.: 5	e.g.: No onsite storage or combustion unit was available at the time of completion.

...e Hydrocarbon Liquids, or Produced Water (No Liquid Collection System or Separator Onsite)						Well Affected Facilities Required to Comply with Both §60.5375a(a)(1) and (3) Using a Digital Photo in lieu of Records Required by §60.5420a(c)(1)(i) through (iv)	Well Affected Facilities Meeting the Criteria of §60.5375a(g) - <300 scf of Gas per Stock Tank Barrel of Oil Produced		
Does well still meet the conditions of §60.5375a(1)(ii)(A)? * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(C)(7))	If applicable Date Well Completion Operation Stopped * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(C)(7))	If applicable: Time Well Completion Operation Stopped * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(C)(7))	If applicable: Date Separator Installed * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(C)(7))	If applicable: Time Separator Installed * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(C)(7))	Are there liquids collection at the well site? Based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete. * ((§60.5420a(b)(2)(i) and §60.5420a(c)(1)(ii)(C)(3))	Please provide the file name that contains the Digital Photograph with Date Taken and Latitude and Longitude Imbedded (or with Visible GPS), Showing Required Equipment (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(v)) Please provide only one file per record.	Well Location* (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(v)(B))	Please provide the file name that contains the Record of Analysis Performed to Claim Well Meets §60.5375a(g), including GOR Values for Established Leases and Data from Wells in the Same Basin and Field * (§60.5420a(b)(2)(i) and §60.5420a(c)(1)(v)(A)) Please provide only one file per record.	Does the well meet the requirements of §60.5375a(g)? Based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete. * ((§60.5420a(b)(2)(i) and §60.5420a(c)(1)(v)(C))
e.g.: Yes	e.g.: 10/16/16	e.g.: 10 a.m.	e.g.: 10/16/16	e.g.: 10 a.m.	e.g.: No	e.g.: completion1.pdf or XYZCompressorStation.pdf	e.g.: 34.12345 latitude, -101.12345 longitude	e.g.: GORcalcs.pdf or XYZCompressorStation.pdf	e.g.: Yes

Facility Record No. * **(Select from dropdown list** - *may need to scroll up* **)**	Compressor ID * (§60.5420a(b)(1)(ii))	Are emissions from the rod packing unit being routed to a process through a closed vent system under negative pressure? * (§60.5420a(b)(4)(i))	If emissions are not routed to a process through a closed vent system under negative pressure, what are the cumulative number of hours or months of operation since initial startup or the previous rod packing replacement (whichever is later)? * (§60.5420a(b)(4)(i))	Units of Time Measurement * (§60.5420a(b)(4)(i))	Deviations where the reciprocating compressor was not operated in compliance with requirements* (§60.5420(b)(4)(ii) and §60.5420a(c)(3)(iii))
	e.g.: Comp-12b	e.g.: no	e.g.: 2	e.g.: months	e.g.: Rod packing replacement exceeded 36 months. Replacement occurred after 37 months.
	4215539: FRICK TDSH 355 [for: Compressor Skid (300014075) PROCESS ASSEMBLY]	NO		4 months	
	4306457: ARIEL JGD -4 [for: Compressor Skid (806866) PROCESS ASSEMBLY]	NO		1 months	
1	4296135: ARIEL JGD -4 [for: Compressor Skid ENG002 (806771) PROCESS ASSEMBLY]	NO		1 months	
1	4296131: ARIEL JGD -4 [for: Compressor Skid ENG003 (806774) PROCESS ASSEMBLY]	NO		1 months	

For the collection of fugitive emissions components at each well site and the collection of fugitive emissions components at each compressor station within the company-defined area, as owner or operator must include the records of each monitoring survey including the information specified in paragraphs (b)(7)(i) through (xii) of this section in all annual reports:

- The asterisk (*) next to each field indicates that the corresponding field is required.

Facility Record No. * (Select from dropdown list - may need to scroll up)	Identification of Each Affected Facility * (§60.5420a(b)(1))	Date of Survey * (§60.5420a(b)(7)(i))	Survey Begin Time * (§60.5420a(b)(7)(ii))	Survey End Time * (§60.5420a(b)(7)(ii))	Name of Surveyor * (§60.5420a(b)(7)(iii))	Ambient Temperature During Survey * (§60.5420a(b)(7)(iv))	Sky Conditions During Survey * (§60.5420a(b)(7)(iv))	Maximum Wind Speed During Survey * (§60.5420a(b)(7)(iv))	Monitoring Instrument Used * (§60.5420a(b)(7)(v))	Deviations From Monitoring Plan (If none, state none.) * (§60.5420a(b)(7)(vi))	Type of Component for which Fugitive Emissions Detected * (§60.5420a(b)(7)(vii))	Number of Each Component Type for which Fugitive Emissions Detected * (§60.5420a(b)(7)(vii))	Type of Component Not Repaired as Required in §60.5397a(h) * (§60.5420a(b)(7)(viii))	Number of Each Component Type Not Repaired as Required in § 60.5397a(h) * (§60.5420a(b)(7)(viii))	Type of Difficult-to-Monitor Components Monitored * (§60.5420a(b)(7)(ix))	Number of Each Difficult-to-Monitor Component Type Monitored * (§60.5420a(b)(7)(ix))	Type of Unsafe-to-Monitor Component Monitored * (§60.5420a(b)(7)(ix))	Number of Each Unsafe-to-Monitor Component Type Monitored * (§60.5420a(b)(7)(ix))	Date of Successful Repair of Fugitive Emissions Component * (§60.5420a(b)(7)(x))	Type of Component Placed on Delay of Repair * (§60.5420a(b)(7)(xi))	Number of Each Component Type Placed on Delay of Repair * (§60.5420a(b)(7)(xi))	Explanation for Delay of Repair * (§60.5420a(b)(7)(xi))	Type of Instrument Used to Resurvey Repaired Components Not Repaired During Original Survey * (§60.5420a(b)(7)(xii))	OGI: Training and Experience of Surveyor * (§60.5420a(b)(7)(xiii))	Compressor Station Affected Facility Only: Was a monitoring survey waived under § 60.5397a(g)(5)? * (§60.5420a(b)(7))	Compressor Station Affected Facility Only: If a monitoring survey was waived, the calendar months that make up the quarterly monitoring period for which the monitoring survey was waived. * (§60.5420a(b)(7))
	e.g. Well Site ABC	e.g. 8/13/17	e.g. 10:00 am	e.g. 1:00 pm	e.g. John Smith	e.g. 30°F	e.g. Sunny, no clouds	e.g. 3 mph	e.g. Company ABC optical gas imaging camera	e.g. None	e.g. Valve	e.g. 3	e.g. Valve	e.g. 1	e.g. Valve	e.g. 3	e.g. Valve	e.g. 1	e.g. 11/10/16	e.g. Valve	e.g. 3	e.g. Unsafe to repair until next shutdown	e.g. Company ABC optical gas imaging camera	e.g. Trained thermographer, completed 40-hour course at XYZ Training Center. Has 10 years of experience with OGI camera.	e.g. Yes	e.g. January, February, and March
	EHLERT LCS	8/16/2017	1:33 PM	2:21 PM	(b) (6) [redacted]	77	Partly Cloudy	2	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE LCS	8/16/2017	10:30 AM	11:09 AM	[redacted]	76	Partly Cloudy	5	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL LCS (1, 2 3 & 4)	8/9/2017	2:00 PM	3:00 PM	[redacted]	67	Cloudy	8	FLIR GF320 (SC: 583521)	Digital photograph not taken during survey.		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	SEVING LCS (UNIT 1 & II)	8/16/2017	11:39 AM	12:09 PM	[redacted]	73	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	CORNRUD LCS & CDP	8/16/2017	12:44 PM	1:21 PM	[redacted]	75	Partly Cloudy	0	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	CORNRUD LCS & CDP	12/20/2017	2:28 PM	3:00 PM	[redacted]	11	Cloudy	19	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL LCS (1, 2 3 & 4)	12/20/2017	12:00 PM	12:32 PM	[redacted]	12	Cloudy	16	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE LCS	12/20/2017	11:14 AM	11:41 AM	[redacted]	13	Cloudy	19	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	EHLERT LCS	12/20/2017	1:38 PM	2:12 PM	[redacted]	12	Cloudy	18	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	SEVING LCS (UNIT 1 & II)	12/20/2017	12:50 PM	1:27 PM	[redacted]	13	Cloudy	19	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL LCS (1, 2 3 & 4)	3/7/2018	3:25 PM	4:00 PM	[redacted]	18	Sunny	4	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	SEVING LCS (UNIT 1 & II)	3/8/2018	11:03 AM	12:10 PM	[redacted]	8	Sunny	9	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	EHLERT LCS	3/8/2018	12:23 PM	1:11 PM	[redacted]	11	Sunny	10	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE LCS	3/7/2018	2:32 PM	3:00 PM	[redacted]	16	Sunny	8	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	CORNRUD LCS & CDP	3/6/2018	1:27 PM	2:08 PM	[redacted]	11	Sunny	10	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE LCS	5/15/2018	10:00 AM	11:50 AM	[redacted]	68	Partly Cloudy	3	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	SEVING LCS (UNIT 1 & II)	6/5/2018	12:22 PM	1:09 PM	[redacted]	65	Partly Cloudy	18	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	CORNRUD LCS & CDP	6/6/2018	1:17 PM	2:17 PM	[redacted]	80	Sunny	5	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL LCS (1, 2 3 & 4)	6/5/2018	11:34 AM	12:08 PM	[redacted]	65	Cloudy	18	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	EHLERT LCS	6/6/2018	11:18 AM	12:47 PM	[redacted]	70	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE LCS	7/19/2018	11:50 AM	12:26 PM	[redacted]	76	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL LCS (1, 2 3 & 4)	7/19/2018	3:07 PM	3:45 PM	[redacted]	76	Cloudy	8	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	SEVING LCS (UNIT 1 & II)	7/19/2018	2:01 PM	2:45 PM	[redacted]	80	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1											sell511	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VALDO LCS	7/19/2018	3:15 PM	3:50 PM	[redacted]	72	Cloudy	6	FLIR GF320 (SC: 583521)	None	Tank Hatch/Opening	1							7/19/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 9 SWSE 1Pad (Fac 76,78)(Sat 72,77,79,80)	5/15/2017	12:54 PM	1:34 PM	[redacted]	65	Partly Cloudy	11	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days.	Connection	1	Connection	1					9/30/2017	Connection	1	Unsafe to repair	FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 10 SESE 1 PAD (63,64,65)	5/15/2017	11:00 AM	12:06 PM	[redacted]	61	Partly Cloudy	10	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days. Leak not resurveyed within 30 days.	Connection	1	Connection	1					10/1/2017	Connection	1	Unsafe to repair	FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 14 SESE 5 Pad (Fac 70,71)(Sat 73,74,107)	8/9/2017	2:50 PM	3:40 PM	[redacted]	72	Partly Cloudy	5	FLIR GF320 (SC: 583521)	None	Connection	1							8/6/2017				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 14 SESE 5 Pad (Fac 70,71)(Sat 73,74,107)	8/9/2017	2:50 PM	3:40 PM	[redacted]	72	Partly Cloudy	5	FLIR GF320 (SC: 583521)	None	Connection	1							8/9/2017				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 14 SESE 5 Pad (Fac 70,71)(Sat 73,74,107)	8/9/2017	2:50 PM	3:40 PM	[redacted]	72	Partly Cloudy	3	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days.	Line Pipe	1	Line Pipe	1					10/19/2017	Line Pipe	1	Safety Concern	FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	WEST CLARK 200-01 SWD FAC	8/4/2017	11:40 AM	11:55 AM	[redacted]	69	Partly Cloudy	1	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 1-NWNE 1 (58,69,70)	8/7/2017	10:52 AM	11:40 AM	[redacted]	69	Sunny	8	FLIR GF320 (SC: 583521)	None	Valve	1							8/7/2017				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	CLARKS CREEK 7 SESE 1	8/7/2017	2:30 PM	3:20 PM	[redacted]	75	Partly Cloudy	3	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 15 NENW 1 Pad (15,75,76,78,79)	8/7/2017	12:28 PM	1:20 PM	[redacted]	75	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (88,89,150)	8/10/2017	1:25 PM	2:58 PM	[redacted]	73	Partly Cloudy	3	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days.	Connection	1	Connection	1					9/28/2017	Connection	1	Safety Concern	FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (88,89,150)	8/10/2017	1:25 PM	2:58 PM	[redacted]	73	Partly Cloudy	3	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days.	Connection	1	Connection	1					9/28/2017	Connection	1	Safety Concern	FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (88,89,150)	8/10/2017	1:25 PM	2:58 PM	[redacted]	73	Partly Cloudy	5	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days.	Valve	1	Valve	1					9/13/2017				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (30,31)	8/10/2017	3:08 PM	4:01 PM	[redacted]	73	Partly Cloudy	4	FLIR GF320 (SC: 583521)	None	Other	1							8/13/2017				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	ROSS 9 NWNE 2 PAD (42,43,106)	9/5/2017	9:51 AM	10:37 AM	[redacted]	73	Sunny	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 15 SWSE 2 PAD (59,454,455,463)	10/13/2017	3:10 PM	3:40 PM	[redacted]	51	Partly Cloudy	13	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 34 NENW 1 PAD (Fac 433,434,435)(Sat 53,54)	10/12/2017	9:27 AM	10:41 AM	[redacted]	43	Partly Cloudy	12	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 28 SESE PAD (421,422,423)	10/12/2017	10:47 AM	11:17 AM	[redacted]	43	Partly Cloudy	17	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 26 NWNW 2 PAD (436,437,438)	10/16/2017	1:00 PM	1:11 PM	[redacted]	60	Partly Cloudy	12	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 23 NWNW 1 PAD (439,440,441)	10/16/2017	11:00 AM	11:27 AM	[redacted]	55	Partly Cloudy	10	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	ROUND PRAIRIE 27-3523H	10/18/2017	10:00 AM	10:52 AM	[redacted]	55	Sunny	5	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 34 NWNW 1 (78,406)	10/24/2017	1:06 PM	1:43 PM	[redacted]	50	Partly Cloudy	6	FLIR GF320 (SC: 583521)	None	Other	1							10/24/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 33 SWSE 1 (Fac 17,96,97,98)(Sat 24,27,104)	10/24/2017	1:53 PM	3:00 PM	[redacted]	50	Partly Cloudy	6	FLIR GF320 (SC: 583521)	None	Connection	1							11/3/2017	Connection	1	Unsafe to repair	FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 35 SWSE 1 (Fac 35,401,402)(Sat 403,404,405)	10/24/2017	11:59 AM	12:21 PM	[redacted]	47	Partly Cloudy	9	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 20 SESE 1 (4,78,198)	10/24/2017	3:24 PM	3:47 PM	[redacted]	51	Partly Cloudy	15	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	LIBERTY 14 NWNE (38 & 35)	10/24/2017	10:52 AM	11:02 AM	[redacted]	42	Partly Cloudy	6	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 4 NWNW 1 (5,67,68)	10/24/2017	11:23 AM	11:40 AM	[redacted]	44	Partly Cloudy	7	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 29 NWNE 1 (26,29,85)	10/25/2017	11:12 AM	11:33 AM	[redacted]	41	Partly Cloudy	0	FLIR GF320 (SC: 583521)	None	Connection	1							10/25/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 3 SWSE 1 (Fac 4,55,102)(Sat 57,58,59)	10/25/2017	12:54 PM	1:49 PM	[redacted]	35	Cloudy	5	FLIR GF320 (SC: 583521)	None	Connection	1							10/25/2017				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 3 SWSE 1 (Fac 4,55,102)(Sat 57,58,59)	10/25/2017	12:54 PM	1:49 PM	[redacted]	35	Cloudy	5	FLIR GF320 (SC: 583521)	Leak not repaired within 30 days.	Connection	1	Connection	1					2/25/2018	Connection	1	Safety Concern		EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 19 SWSE 1 (1,70,71)	10/25/2017	9:47 AM	10:20 AM	[redacted]	41	Cloudy	0	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 29 NENW 1 (30,86,101)	10/25/2017	10:22 AM	10:55 AM	[redacted]	41	Partly Cloudy	0	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 28 SESW 1 PAD (Fac 22,23)(Sat 15,17,25,30)	11/8/2017	1:10 PM	2:00 PM	[redacted]	38	Cloudy	7	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 29 NWNW 1 (Pad 4,5,6,10)	11/8/2017	11:05 AM	11:47 AM	[redacted]	34	Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 32 SESW 1 (11,12,13,14)	11/9/2017	2:25 PM	2:51 PM	[redacted]	34	Partly Cloudy	7	FLIR GF320 (SC: 583521)	None	Other	1							11/9/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 32 SESE 1 Pad FAC 40,42(RP SENE 44,46)	11/9/2017	11:25 AM	12:15 PM	[redacted]	5	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None	Other	1							11/9/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	WAZZETTA 25 NWSW 1 (67,69)	11/9/2017	2:10 PM	2:35 PM	[redacted]	34	Partly Cloudy	7	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	WAZZETTA 30 SESE 1 PAD (Fac 96,97,98)(Sat 99,400)	11/14/2017	1:30 PM	2:08 PM	[redacted]	30	Sunny	0	FLIR GF320 (SC: 583521)	None	Other	1							11/14/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 9 SWSE 1Pad (Fac 76,78)(Sat 72,77,79,80)	11/15/2017	11:32 AM	12:10 PM	[redacted]	16	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None	Other	1							11/15/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 5 NWNE 1 (50,69,70)	11/15/2017	12:37 PM	1:22 PM	[redacted]	18	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 10 SESE 1 PAD (63,64,65)	11/15/2017	10:10 AM	10:40 AM	[redacted]	10	Partly Cloudy	9	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	MANDAREE 7 SESE 1 (32,34,36,35)	12/6/2017	11:34 AM	12:30 PM	[redacted]	9	Sunny	18	FLIR GF320 (SC: 583521)	None	Other	1							12/6/2017					EOG In-House IR Camera Training (Completed 09/20/2016)		
	CLARKS CREEK 7 SESE 1	12/6/2017	12:37 PM	1:28 PM	[redacted]	7	Sunny	9	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	WEST CLARK 1 SWSW 1 PAD (103,104,105,117)	12/6/2017	2:54 PM	3:46 PM	[redacted]	10	Sunny	14	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 14 SESE 3 Pad (Fac 70,71)(Sat 73,74,107)	12/11/2017	12:43 PM	1:01 PM	[redacted]	37	Cloudy	17	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 15 NENW 1 Pad (15,75,76,78,79)	12/11/2017	11:54 AM	12:13 PM	[redacted]	37	Cloudy	17	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 36 NWNE 1 PAD (22,66,67,68)	12/12/2017	10:25 AM	11:05 AM	[redacted]	36	Cloudy	18	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 35 SESE 1 PAD (36,39)	12/13/2017	10:04 AM	10:26 AM	[redacted]	45	Cloudy	19	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 36 SENW 1 PAD (Fac 42,48)(Sat 83,84)	12/13/2017	9:15 AM	10:00 AM	[redacted]	45	Cloudy	19	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (30,31)	2/7/2018	12:52 PM	1:11 PM	[redacted]	5	Cloudy	5	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (88,89,159)	2/7/2018	11:48 AM	12:10 PM	[redacted]	-4	Cloudy	4	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	LIBERTY 14 NWNE (33 & 35)	3/26/2018	12:43 PM	1:06 PM	[redacted]	35	Partly Cloudy	9	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 33 SWSE 1 (Fac 17,96,97,98)(Sat 24,27,104)	2/27/2018	2:17 PM	3:20 PM	[redacted]	31	Partly Cloudy	10	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 35 SWSE 1 (Fac 35,401,402)(Sat 403,404,405)	2/27/2018	12:06 PM	12:30 PM	[redacted]	28	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 3 SWSE 1 (Fac 4,55,102)(Sat 57,58,59)	2/27/2018	1:00 PM	1:46 PM	[redacted]	29	Partly Cloudy	10	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 34 NWNW 1 (26,406)	2/27/2018	[illegible]	11:55 AM	[redacted]	19	Partly Cloudy	3	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 20 SESE 1 (4,78,198)	2/28/2018	3:17 PM	3:37 PM	[redacted]	31	Sunny	13	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 4 NWNW 1 (5,67,68)	2/28/2018	2:51 PM	3:11 PM	[redacted]	30	Sunny	13	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 29 NWNE 1 (26,29,85)	4/3/2018	12:23 PM	12:55 PM	[redacted]	25	Sunny	6	FLIR GF320 (SC: 583521)	None	Connection	1							4/3/2018				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 19 SWSE 1 (1,70,71)	4/3/2018	1:33 PM	1:53 PM	[redacted]	29	Sunny	6	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 29 NENW 1 (30,86,101)	4/3/2018	1:15 PM	1:28 PM	[redacted]	26	Sunny	6	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 5 NWNE 1 (50,69,70)	3/7/2018	1:30 PM	1:40 PM	[redacted]	15	Sunny	3	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	ROSS 9 NWNE 2 PAD (42,43,106)	3/19/2018	1:50 PM	2:16 PM	[redacted]	27	Partly Cloudy	3	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 5 NWNE 1 (50,69,70)	3/26/2018	11:30 AM	11:47 AM	[redacted]	30	Cloudy	4	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 10 SESE 5 PAD (63,64,65)	3/26/2018	2:41 PM	3:02 PM	[redacted]	31	Cloudy	6	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	FERTILE 9 SWSE 1Pad (Fac 76,79)(Sat 73,77,79,80)	3/26/2018	2:18 PM	2:40 PM	[redacted]	31	Cloudy	6	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	MANDAREE 7 SESE 1 (32,34,36,35)	4/9/2018	11:54 AM	12:36 PM	[redacted]	25	Cloudy	6	FLIR GF320 (SC: 583521)	None	Other	1							4/9/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	WEST CLARK 1 SWSW 1 PAD (103,104,105,117)	4/19/2018	1:45 PM	2:05 PM	[redacted]	32	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	WEST CLARK 200-01 SWD FAC	4/19/2018	2:08 PM	2:16 PM	[redacted]	32	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	WEST CLARK 200-01 SWD FAC	4/19/2018	2:08 PM	2:16 PM	[redacted]	32	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 36 NWNE 1 PAD (22,66,67,68)	4/29/2018	11:54 AM	12:23 PM	[redacted]	48	Cloudy	8	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 35 SESE 1 PAD (36,39)	4/29/2018	11:06 AM	11:40 AM	[redacted]	48	Cloudy	8	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 36 SENW 1 PAD (Fac 42,48)(Sat 44,44)	4/29/2018	10:56 AM	11:00 AM	[redacted]	45	Cloudy	6	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	CLARKS CREEK 7 SESE 1	5/15/2018	1:23 PM	2:30 PM	[redacted]	79	Sunny	13	FLIR GF320 (SC: 583521)	None	Other	1							5/15/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 34 NENW 1 PAD (Fac 433,434,435)(Sat 53,54)	5/25/2018	10:56 AM	10:51 AM	[redacted]	65	Sunny	7	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 28 SESE PAD (421,422,423)	5/25/2018	10:57 AM	11:37 AM	[redacted]	60	Sunny	6	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 15 SWSE 2 PAD (59,454,455,463)	5/25/2018	8:42 AM	9:07 AM	[redacted]	48	Sunny	6	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 23 NWNW 1 PAD (439,440,441)	5/25/2018	9:15 PM	4:10 PM	[redacted]	75	Sunny	16	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	AUSTIN 26 NWNW 2 PAD (436,437,438)	5/22/2018	11:06 AM	12:18 PM	[redacted]	69	Partly Cloudy	7	FLIR GF320 (SC: 583521)	None	Connection	1							5/22/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	WAZZETTA 25 NWSW 1 (67,69)	6/13/2018	4:24 PM	5:11 PM	[redacted]	70	Partly Cloudy	17	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	WAZZETTA 30 SESE 1 PAD (Fac 96,97,98)(Sat 99,400)	6/13/2018	3:00 PM	3:30 PM	[redacted]	80	Partly Cloudy	15	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 32 SESE 1 Pad FAC 40,42(RP SENE 44,46)	6/14/2018	8:35 PM	4:00 PM	[redacted]	80	Cloudy	17	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 32 SESW 1 (11,12,13,14)	6/14/2018	2:23 PM	2:50 PM	[redacted]	78	Cloudy	19	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 07/24/2018)		
	SPELL 29 NWNW 1 (Pad 4,5,6,10)	6/14/2018	10:09 AM	11:08 AM	[redacted]	70	Partly Cloudy	14	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 15 NENW 1 Pad (15,75,76,78,79)	6/18/2018	11:21 AM	12:00 PM	[redacted]	72	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None	Connection	1							6/24/2018				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	VAN HOOK 15 NENW 1 Pad (15,75,76,78,79)	6/18/2018	11:21 AM	12:00 PM	[redacted]	72	Partly Cloudy	8	FLIR GF320 (SC: 583521)	None	Connection	1							7/5/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	SPELL 28 SESW 1 PAD (Fac 22,23)(Sat 15,17,25,30)	6/18/2018	10:46 AM	11:25 AM	[redacted]	73	Partly Cloudy	10	FLIR GF320 (SC: 583521)	None	Tank Hatch/Opening	1							6/18/2018					EOG In-House IR Camera Training (Completed 07/24/2018)		
	VAN HOOK 14 SESE 3 Pad (Fac 70,71)(Sat 73,74,107)	6/18/2018	2:52 PM	3:17 PM	[redacted]	75	Partly Cloudy	14	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	ROUND PRAIRIE 27-3523H	6/20/2018	10:00 AM	10:35 AM	[redacted]	72	Sunny	4	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 07/24/2018)		
	PARSHALL 18 NWNW 1 (88,89,159)	7/5/2018	9:56 AM	10:30 AM	[redacted]	62	Sunny	4	FLIR GF320 (SC: 583521)	None	Connection	1							7/5/2018				FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (30,31)	7/5/2018	10:41 AM	12:07 PM	[redacted]	63	Sunny	6	FLIR GF320 (SC: 583521)	None	Connection	1							7/9/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 18 NWNW 1 (30,31)	7/5/2018	10:41 AM	12:07 PM	[redacted]	63	Sunny	6	FLIR GF320 (SC: 583521)	None	Tank Hatch/Opening	1							7/5/2018					EOG In-House IR Camera Training (Completed 09/20/2016)		
	LIBERTY 14 NWNE (33 & 35)	7/5/2018	12:58 PM	1:30 PM	[redacted]	67	Sunny	2	FLIR GF320 (SC: 583521)	None		1											FLIR GF320 (SC: 583521)	EOG In-House IR Camera Training (Completed 09/20/2016)		
	PARSHALL 33 SWSE 1 (Fac 17,96,97,98)(Sat 24,27,104)	7/24/2018	11:20 AM	12:20 PM	[redacted]	82	Partly Cloudy	15	FLIR GF320 (SC: 583521)	None	Tank Hatch/Opening	1							7/24/2018					EOG In-House IR Camera Training (Completed 07/24/2018)		
	ROSS 9 NWNE 2 PAD (42,43,106)	7/31/2018	2:55 PM	3:05 PM	[redacted]	79	Partly Cloudy	10	FLIR GF320 (SC: 583521)	None		1												EOG In-House IR Camera Training (Completed 07/24/2018)		
	STAGECOACH UNIT 20 SWNE PAD	2/14/2018	11:28 AM	12:57 AM	[redacted]	48	Partly Cloudy	7.8	FLIR GF320 (SC: 585521)	None		1											FLIR GF320 (SC: 585521)			
	JUBILEE 16 SWSW	8/7/2017	2:35 PM	4:20 PM	[redacted]	62	Partly Cloudy	6.5	FLIR GF320 (SC: 585516)	None		1												Level I Thermography Certification (Completed 04/08/2015)		
	BOLT 6 NWNW PAD	8/7/2017	12:59 PM	1:34 PM	[redacted]	70	Partly Cloudy	4	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1												Level I Thermography Certification (Completed 07/30/2014)		
	JUBILEE SEC 22 Peak & Decline Facility	8/8/2017	10:15 AM	10:55 AM	[redacted]	64	Partly Cloudy	6.5	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							8/8/2017					Level I Thermography Certification (Completed 04/08/2015)		
	JUBILEE 21 NWNE EAST	8/9/2017	9:35 AM	9:55 AM	[redacted]	63	Partly Cloudy	5.5	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							8/9/2017					Level I Thermography Certification (Completed 04/08/2015)		
	JUBILEE SEC 34 PROD FAC (404, 305)	8/9/2017	12:00 PM	12:20 PM	[redacted]	67	Partly Cloudy	4.5	FLIR GF320 (SC: 585516)	None		1												Level I Thermography Certification (Completed 04/08/2015)		
	POLE CREEK 25 NENE PAD	8/9/2017	9:10 AM	9:40 AM	[redacted]	66	Partly Cloudy	6.5	FLIR GF320 (SC: 585516)	None		1											FLIR GF320 (SC: 585516)	Level I Thermography Certification (Completed 04/08/2015)		
	BOLT 6 SESE PAD	8/17/2017	11:57 AM	12:22 PM	[redacted]	79	Partly Cloudy	3	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1											FLIR GF320 (SC: 585509)	Level I Thermography Certification (Completed 07/30/2014)		
	FLATIRON 16 NWNW	8/18/2017	12:17 PM	12:58 PM	[redacted]	80	Partly Cloudy	4.8	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Other	1							8/21/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	FLATIRON 16 SWSW PAD	8/18/2017	1:58 PM	2:25 PM	[redacted]	82	Sunny	5.6	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Valve	1							8/18/2017					Level I Thermography Certification (Completed 07/30/2014)		
	FLATIRON 16 NENE	8/18/2017	1:14 PM	1:33 PM	[redacted]	80	Sunny	8.8	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1											FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	BALLISTA 13 NWNW	8/18/2017	3:09 PM	3:25 PM	[redacted]	84	Sunny	5.2	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1											FLIR GF320 (SC: 585509)	Level I Thermography Certification (Completed 07/30/2014)		
	BOLT 22 NWNW	8/23/2017	11:55 AM	12:06 PM	[redacted]	86	Sunny	2	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Scrubber	1	Scrubber	1					10/1/2017	Scrubber	1	Unavailable parts		Level I Thermography Certification (Completed 10/25/2014)		
	BLADE 32 SWSW	8/23/2017	2:54 PM	3:17 PM	[redacted]	91	Partly Cloudy	3.5	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Other	1	Other	1					9/26/2017	Other	1	Unavailable parts	FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	BLADE 32 SWSW	8/23/2017	2:54 PM	3:17 PM	[redacted]	91	Partly Cloudy	3.5	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Other	1	Other	1					10/12/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 32 SWSW	8/23/2017	1:34 PM	1:37 PM	[redacted]	91	Partly Cloudy	2	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Atmospheric Tank	1							9/14/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 32 SWSW	8/23/2017	1:34 PM	1:37 PM	[redacted]	91	Partly Cloudy	2	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Atmospheric Tank	1							9/14/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 32 SWSW	8/23/2017	1:34 PM	1:37 PM	[redacted]	91	Partly Cloudy	2	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Atmospheric Tank	1	Atmospheric Tank	1					10/18/2017	Atmospheric Tank	1	Unavailable parts	FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 32 SWSW	8/23/2017	1:34 PM	1:37 PM	[redacted]	91	Partly Cloudy	2	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Atmospheric Tank	1	Atmospheric Tank	1					9/26/2017					Level I Thermography Certification (Completed 10/25/2014)		
	BOLT 22 NWNW	8/23/2017	11:55 AM	12:06 PM	[redacted]	86	Sunny	2	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Atmospheric Tank	1	Atmospheric Tank	1					9/26/2017	Atmospheric Tank	1	Unavailable parts	FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	BOLT 22 NWNW	8/23/2017	11:55 AM	12:06 PM	[redacted]	86	Sunny	2	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Atmospheric Tank	1	Atmospheric Tank	1					10/24/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 24 SESE (19, 407, 408, 50)	8/23/2017	2:16 PM	2:38 PM	[redacted]	91	Partly Cloudy	1.5	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Other	1	Other	1					10/3/2017	Other	1	Unavailable parts		Level I Thermography Certification (Completed 10/25/2014)		
	POLE CREEK 33 NESE	8/24/2017	10:26 AM	11:01 AM	[redacted]	77	Partly Cloudy	6.5	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							8/24/2017					Level I Thermography Certification (Completed 04/08/2015)		
	MARYS DRAW 23 NWNE	8/30/2017	1:58 PM	2:51 PM	[redacted]	93	Sunny	17.5	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Heater Treater	1							8/30/2017					Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 23 NWNE	8/30/2017	1:58 PM	2:51 PM	[redacted]	93	Sunny	17.5	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Heater Treater	1							8/30/2017					Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 23 NWNE	8/30/2017	1:58 PM	2:51 PM	[redacted]	93	Sunny	17.5	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Atmospheric Tank	1							8/30/2017					Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 23 NWNE	8/30/2017	1:58 PM	2:51 PM	[redacted]	93	Sunny	17.5	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Heater Treater	1							8/30/2017					Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 23 NWNE	8/30/2017	1:58 PM	2:51 PM	[redacted]	93	Sunny	17.5	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Atmospheric Tank	1							8/30/2017					Level I Thermography Certification (Completed 10/25/2014)		
	MARYS DRAW 23 NWNE	8/30/2017	1:58 PM	2:51 PM	[redacted]	93	Sunny	17.5	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Other	1							8/30/2017					Level I Thermography Certification (Completed 10/25/2014)		
	FLATIRON 25 SESE	9/6/2017	3:29 PM	3:49 PM	[redacted]	76	Partly Cloudy	6.3	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Atmospheric Tank	1							9/6/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	FLATIRON 25 SESE	9/6/2017	3:29 PM	3:49 PM	[redacted]	76	Partly Cloudy	6.3	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Atmospheric Tank	1							10/6/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	FLATIRON 25 SWSW	9/6/2017	3:07 PM	3:26 PM	[redacted]	76	Partly Cloudy	6.1	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1											FLIR GF320 (SC: 585520)	Level I Thermography Certification (Completed 07/30/2014)		
	JUBILEE 21 NENW WEST	9/7/2017	9:20 AM	9:45 AM	[redacted]	61	Partly Cloudy	2	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							9/7/2017					Level I Thermography Certification (Completed 04/08/2015)		
	JUBILEE 21 NENW WEST	9/7/2017	9:20 AM	9:45 AM	[redacted]	65	Partly Cloudy	2	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							9/7/2017					Level I Thermography Certification (Completed 04/08/2015)		
	BULL CANYON 5 NWNE	9/7/2017	12:55 PM	1:20 PM	[redacted]	80	Partly Cloudy	4.5	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							9/7/2017					Level I Thermography Certification (Completed 04/08/2015)		
	BULL CANYON 5 NWNE	9/7/2017	12:55 PM	1:20 PM	[redacted]	80	Partly Cloudy	4.5	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							9/7/2017					Level I Thermography Certification (Completed 04/08/2015)		
	Windy 34 SWSE	9/7/2017	11:36 AM	12:00 PM	[redacted]	74	Partly Cloudy	4.5	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							9/7/2017					Level I Thermography Certification (Completed 04/08/2015)		
	JUBILEE 21 NENW WEST	9/7/2017	9:30 AM	9:45 AM	[redacted]	61	Partly Cloudy	2	FLIR GF320 (SC: 585516)	None	Atmospheric Tank	1							9/7/2017					Level I Thermography Certification (Completed 04/08/2015)		
	FLATIRON 26 SESE PAD	9/7/2017	1:03 PM	1:23 PM	[redacted]	75	Sunny	1.6	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1												Level I Thermography Certification (Completed 07/30/2014)		
	FLATIRON 13 NWNW PAD	9/7/2017	1:42 PM	1:59 PM	[redacted]	78	Sunny	1	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1											FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	WINDY SEC 17 NORTH PROD FACILITY	9/7/2017	11:02 AM	11:25 AM	[redacted]	68	Partly Cloudy	2.5	FLIR GF320 (SC: 585516)	None		1												Level I Thermography Certification (Completed 04/08/2015)		
	FLATIRON 13 NENE	9/7/2017	2:50 PM	3:27 PM	[redacted]	82	Sunny	3.2	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.		1												Level I Thermography Certification (Completed 07/30/2014)		
	MARYS DRAW 13 SWSE	9/12/2017	12:58 PM	1:43 PM	[redacted]	89	Partly Cloudy	0	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Valve	1							10/1/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	MARYS DRAW 13 SWSE	9/12/2017	12:38 PM	1:43 PM	[redacted]	89	Partly Cloudy	0	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Valve	1	Valve	1					10/21/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	MARYS DRAW 13 SWSE	9/12/2017	12:58 PM	1:43 PM	[redacted]	89	Partly Cloudy	0	FLIR GF320 (SC: 585517)	Leak not resurveyed within 30 days. Digital photograph not taken during survey.	Valve	1							9/12/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	MARYS DRAW 13 SWSE	9/12/2017	12:38 PM	1:43 PM	[redacted]	90	Partly Cloudy	0	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Other	1							9/14/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	MARYS DRAW 13 SWSE	9/12/2017	12:38 PM	1:43 PM	[redacted]	89	Partly Cloudy	0	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Connection	1	Connection	1					11/3/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	MARYS DRAW 13 SWSE	9/12/2017	12:38 PM	1:43 PM	[redacted]	89	Partly Cloudy	0	FLIR GF320 (SC: 585517)	Leak not repaired within 30 days. Digital photograph not taken during survey.	Valve	1	Valve	1					11/3/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	ARBALEST 6 NWNW PAD	9/22/2017	1:38 PM	2:18 PM	[redacted]	46	Cloudy	5.8	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Other	1							10/11/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	ARBALEST 6 NWNW PAD	9/22/2017	1:38 PM	2:18 PM	[redacted]	46	Cloudy	5.8	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Connection	1							10/11/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	ARBALEST 6 NWNW PAD	9/22/2017	1:38 PM	2:28 PM	[redacted]	46	Cloudy	5.8	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Other	1							10/11/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		
	ARBALEST 6 NENE PAD	9/22/2017	[illegible]	03:14 PM	[redacted]	46	Partly Cloudy	5.9	FLIR GF320 (SC: 585517)	Digital photograph not taken during survey.	Other	1							10/11/2017				FLIR GF320 (SC: 585517)	Level I Thermography Certification (Completed 07/30/2014)		

Facility	Date	Start	End		Weather	Wind / Camera	Comments	Component		Leak Component		Repair Date / Component		Camera	Training
ARBALEST 6 NWNW PAD	9/22/2017	1:18 PM	2:19 PM	(b) (9) [redacted]	48 Cloudy	1.1 FLIR GF320	Leak not repaired within 10 days. Digital photograph not taken during survey	Valve	1	Valve	1	11/7/2017		FLIR GF320	Level I Thermography Certification (Completed: 02/10/2014)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	49 Cloudy	1.1 FLIR GF320	None	Other	1			10/25/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	49 Cloudy	1.1 FLIR GF320	None	Heater Treater	1			10/17/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	49 Cloudy	1.1 FLIR GF320	None	Heater Treater	1			10/17/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	49 Cloudy	1.1 FLIR GF320	None	Heater Treater	1			10/17/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	49 Cloudy	1.1 FLIR GF320	None	Heater Treater	1			10/12/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	48 Cloudy	1.1 FLIR GF320	Leak not repaired within 10 days.	Other	1	Other	1	11/3/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSW	9/25/2017	12:19 PM	2:41 PM	[redacted]	45 Cloudy	1.1 FLIR GF320	Leak not repaired within 10 days.	Other	1	Other	1	11/3/2017			EOG In House IR Camera Training (Completed: 08/16/2017)
Marys Draw 22 NWNW	9/26/2017	10:49 AM	12:47 PM	[redacted]	56 Sunny	4.4 FLIR GF320	Leak not repaired within 10 days.	Atmospheric Tank	1	Atmospheric Tank	1	10/30/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
Marys Draw 22 NWNW	9/26/2017	10:49 AM	12:47 PM	[redacted]	56 Sunny	4.4 FLIR GF320	Leak not repaired within 10 days.	Other	1	Other	1	10/30/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 21 SENW	9/26/2017	1:42 PM	12:56 AM	[redacted]	67 Sunny	3.6 FLIR GF320	None	Other	1			10/24/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 21 SENW	9/26/2017	1:42 PM	12:56 AM	[redacted]	67 Sunny	3.6 FLIR GF320	None	Scrubber	1			10/24/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBLES 35 NENE	10/2/2017	[illegible]	[illegible]	[redacted]		NA	Digital photograph not taken during survey - FACILITY SHUT IN DURING QUARTER		1					FLIR GF320	Level I Thermography Certification (Completed: 04/06/2015)
Blade 22 NWNW PAD	10/3/2017	12:42 PM	1:00 PM	[redacted]	43 Partly Cloudy	4.4 FLIR GF320	None	Heater Treater	1			10/6/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 14 SWSW PAD	10/3/2017	2:00 PM	2:01 PM	[redacted]	45 Partly Cloudy	2.5 FLIR GF320	Leak not repaired within 10 days.	Connection	1	Connection	1	11/1/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
FLATIRON 25 SWSW	10/30/2017	10:15 AM	10:53 AM	[redacted]	53 Sunny	9 FLIR GF320	Digital photograph not taken during survey	Heater Treater	1			10/30/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 SESW PAD	10/30/2017	11:36 AM	11:43 AM	[redacted]	53 Sunny	12 FLIR GF320	Digital photograph not taken during survey	Non Heated Separator	1			10/30/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 25 SWSW	10/30/2017	10:15 AM	10:53 AM	[redacted]	53 Sunny	9 FLIR GF320	Digital photograph not taken during survey	Heater Treater	1			10/30/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 SESE PAD	10/30/2017	11:36 AM	11:43 AM	[redacted]	53 Sunny	12 FLIR GF320	Digital photograph not taken during survey	Non Heated Separator	1			10/31/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 SESE PAD	10/30/2017	11:36 AM	11:43 AM	[redacted]	53 Sunny	12 FLIR GF320	Digital photograph not taken during survey	Atmospheric Tank	1			10/31/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 25 SWSW	10/30/2017	10:15 AM	10:53 AM	[redacted]	53 Sunny	9 FLIR GF320	Digital photograph not taken during survey	Atmospheric Tank	1			10/31/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 NWSW PAD	10/30/2017	11:36 AM	11:43 AM	[redacted]	52 Sunny	12 FLIR GF320	Digital photograph not taken during survey	Non Heated Separator	1			10/30/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 NWSW	10/30/2017	10:14 AM	10:26 AM	[redacted]	49 Sunny	11 FLIR GF320	Digital photograph not taken during survey		1					FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
SCOUT 6 NESE PAD	10/30/2017	12:28 PM	12:43 PM	[redacted]	56 Sunny	21 FLIR GF320	Digital photograph not taken during survey		1					FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
SCOUT 6 NWNW PAD	10/30/2017	12:52 PM	1:00 PM	[redacted]	56 Sunny	16 FLIR GF320	Digital photograph not taken during survey		1						Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	10/19/2017	2:44 PM	1:16 PM	[redacted]	76 Partly Cloudy	13 FLIR GF320	Digital photograph not taken during survey	Other	1			11/3/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 12 SWSW	10/19/2017	12:34 PM	12:40 PM	[redacted]	74 Partly Cloudy	14.5 FLIR GF320	Digital photograph not taken during survey	Scrubber	1			10/19/2017			Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	10/19/2017	2:44 PM	1:16 PM	[redacted]	78 Partly Cloudy	11 FLIR GF320	Digital photograph not taken during survey	Heater Treater	1			11/1/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	10/19/2017	2:44 PM	1:16 PM	[redacted]	78 Partly Cloudy	11 FLIR GF320	Digital photograph not taken during survey	Connection	1			10/31/2017			Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	10/19/2017	2:44 PM	1:16 PM	[redacted]	78 Partly Cloudy	11 FLIR GF320	Digital photograph not taken during survey	Other	1			10/27/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	10/19/2017	2:44 PM	1:16 PM	[redacted]	78 Partly Cloudy	11 FLIR GF320	Digital photograph not taken during survey	Atmospheric Tank	1			10/23/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 05 SENW PAD	10/19/2017	01:34PM	01:57PM	[redacted]	77 Partly Cloudy	16 FLIR GF320	Digital photograph not taken during survey	Atmospheric Tank	1			10/26/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 05 SENW PAD	10/19/2017	01:34PM	01:57PM	[redacted]	77 Partly Cloudy	16 FLIR GF320	Digital photograph not taken during survey	Other	1			10/25/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 36 SWSW	10/23/2017	10:50 AM	11:13 AM	[redacted]	35 Partly Cloudy	11.5 FLIR GF320	None	Atmospheric Tank	1			10/23/2017			Level I Thermography Certification (Completed: 04/06/2015)
ARBLES 36 SWSW	10/23/2017	10:50 AM	11:13 AM	[redacted]	35 Partly Cloudy	11.5 FLIR GF320	None	Atmospheric Tank	1			10/23/2017			Level I Thermography Certification (Completed: 04/06/2015)
ARBLES 36 SWSW	10/23/2017	10:50 AM	11:13 AM	[redacted]	35 Partly Cloudy	11.5 FLIR GF320	None	Atmospheric Tank	1			10/23/2017			Level I Thermography Certification (Completed: 04/06/2015)
ARBLES 25 NWNW WEST	10/23/2017	10:27 AM	10:47 AM	[redacted]	35 Partly Cloudy	11 FLIR GF320	None		1						Level I Thermography Certification (Completed: 04/06/2015)
ARBLES SEC 24 PROD FAC (80H, 80S)	10/23/2017	12:00 PM	12:25 PM	[redacted]	46 Partly Cloudy	10.5 FLIR GF320	None		1						Level I Thermography Certification (Completed: 04/06/2015)
ARBLES 25 NWNE EAST	10/23/2017	10:00 AM	10:25 AM	[redacted]	34 Partly Cloudy	10.5 FLIR GF320	None		1						Level I Thermography Certification (Completed: 04/06/2015)
ARBLES SEC 25 Prod & Decline Facility	10/24/2017	9:25 AM	9:58 AM	[redacted]	34 Partly Cloudy	12 FLIR GF320	Digital photograph not taken during survey		1					FLIR GF320	Level I Thermography Certification (Completed: 04/06/2015)
BLADE 32 SWSW	10/24/2017	1:14 PM	2:15 PM	[redacted]	54 Partly Cloudy	13 FLIR GF320	None	Valve	1			11/20/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 32 SWSW	10/24/2017	1:14 PM	2:15 PM	[redacted]	54 Partly Cloudy	13 FLIR GF320	None	Other	1			11/16/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 32 SWSW	10/24/2017	1:14 PM	2:15 PM	[redacted]	54 Partly Cloudy	13 FLIR GF320	None	Scrubber	1			11/14/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 32 SWSW	10/24/2017	1:14 PM	2:15 PM	[redacted]	54 Partly Cloudy	13 FLIR GF320	None	Valve	1			10/26/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 32 SWSW	10/24/2017	1:14 PM	2:15 PM	[redacted]	54 Partly Cloudy	13 FLIR GF320	None	Other	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
SCOUT 32 NWNW	10/24/2017	10:18 AM	11:00 AM	[redacted]	50 Partly Cloudy	15 FLIR GF320	None		1					FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
FLATIRON 15 NWNW PAD	10/25/2017	02:00PM	02:32PM	[redacted]	75 Partly Cloudy	27 FLIR GF320	Digital photograph not taken during survey	Atmospheric Tank	1			10/30/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
POLE CREEK 34 SESW	10/25/2017	10:30 AM	11:11 AM	[redacted]	61 Sunny	6.5 FLIR GF320	None	Atmospheric Tank	1			10/30/2017			Level I Thermography Certification (Completed: 04/06/2015)
POLE CREEK 34 SESE	10/25/2017	10:30 AM	11:11 AM	[redacted]	60 Sunny	6.5 FLIR GF320	None	Connection	1			12/5/2017			Level I Thermography Certification (Completed: 04/06/2015)
FLATIRON 13 NWNW PAD	10/25/2017	02:00PM	02:32PM	[redacted]	75 Partly Cloudy	19 FLIR GF320	Digital photograph not taken during survey	Heater Treater	1			10/25/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 13 NWNW PAD	10/25/2017	02:00PM	02:32PM	[redacted]	75 Partly Cloudy	19 FLIR GF320	Digital photograph not taken during survey.	Non Heated Separator	1			10/31/2017			Level I Thermography Certification (Completed: 10/01/2014)
POLE CREEK 25 NENE PAD	10/25/2017	11:18 AM	11:53 AM	[redacted]	73 Sunny	6.5 FLIR GF320	None		1						Level I Thermography Certification (Completed: 04/06/2015)
POLE CREEK 22 SESE	10/25/2017	12:03 PM	12:22 PM	[redacted]	75 Sunny	7.5 FLIR GF320	None		1					FLIR GF320	Level I Thermography Certification (Completed: 04/06/2015)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Heater	1			11/3/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	51 Partly Cloudy	5 FLIR GF320	None	Heater Treater	1			11/3/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Valve	1			11/7/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Scrubber	1			11/7/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Heater	1			11/1/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Non Heated Separator	1			11/1/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Non Heated Separator	1			11/1/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Other	1			11/1/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	5 FLIR GF320	None	Scrubber	1			11/1/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 21 SENW	10/22/2017	10:30 AM	10:56 AM	[redacted]	53 Partly Cloudy	3 FLIR GF320	None	Valve	1			11/9/2017 Valve	1 Unavailable parts	FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 36 PCAR FACILITY	10/25/2017	2:50 PM	3:17 PM	[redacted]	48 Partly Cloudy	7.5 FLIR GF320	None	Other	1			10/25/2017			Level I Thermography Certification (Completed: 04/06/2015)
Windy 34 SWSE	10/25/2017	2:15 PM	4:25 PM	[redacted]	46 Partly Cloudy	7.5 FLIR GF320	None	Atmospheric Tank	1			10/26/2017			Level I Thermography Certification (Completed: 04/06/2015)
ARBLES 36 NENE	11/2/2017	12:57 PM	1:52 PM	[redacted]	38 Cloudy	4.5 FLIR GF320	None	Atmospheric Tank	1			11/3/2017			Level I Thermography Certification (Completed: 04/06/2015)
BLADE 20 NENE PAD	11/2/2017	12:53 PM	1:53 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Other	1			11/9/2017 Other	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:13 PM	1:54 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Connection	1			11/9/2017 Connection	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:13 PM	1:54 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Heater Treater	1			11/10/2017 Heater Treater	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:13 PM	1:56 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Connection	1			11/16/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:33 PM	1:53 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Connection	1			11/14/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:13 PM	1:51 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Connection	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:15 PM	1:51 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Connection	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:33 PM	1:53 PM	[redacted]	23 Partly Cloudy	6.5 FLIR GF320	None	Other	1			11/9/2017 Other	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:33 PM	1:53 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Valve	1			11/10/2017 Valve	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:33 PM	1:53 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Connection	1			11/13/2017			EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:33 PM	1:53 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Heater Treater	1			11/9/2017 Heater Treater	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:33 PM	1:53 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Other	1			11/9/2017 Other	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:43 PM	1:54 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Other	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:43 PM	1:54 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Atmospheric Tank	1			11/16/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BLADE 20 NENE PAD	11/2/2017	12:43 PM	1:54 PM	[redacted]	29 Partly Cloudy	6.5 FLIR GF320	None	Atmospheric Tank	1			11/9/2017 Atmospheric Tank	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
KULL CANYON 5 NWNE	11/2/2017	2:15 PM	3:00 PM	[redacted]	17 Cloudy	6.5 FLIR GF320	None		1						Level I Thermography Certification (Completed: 04/06/2015)
HB SHADY 25 NWNW PAD	11/6/2017	9:15 AM	10:39 AM	[redacted]	13 Cloudy	6 FLIR GF320	None	Atmospheric Tank	1			11/7/2017			Level I Thermography Certification (Completed: 04/06/2015)
HB SHADY 25 NWNW PAD	11/6/2017	9:15 AM	10:38 AM	[redacted]	13 Cloudy	6 FLIR GF320	None	Connection	1			11/7/2017			Level I Thermography Certification (Completed: 04/06/2015)
FLATIRON 13 NENE	11/6/2017	12:13 PM	12:58 PM	[redacted]	29 Cloudy	8 FLIR GF320	None	Connection	1			11/6/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 13 NENE	11/6/2017	12:13 PM	12:58 PM	[redacted]	24 Cloudy	8 FLIR GF320	None	Heater Treater	1			11/10/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 13 NENE	11/6/2017	12:13 PM	12:58 PM	[redacted]	29 Cloudy	8 FLIR GF320	None	Flare	1			11/10/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 13 NENE	11/6/2017	12:13 PM	12:58 PM	[redacted]	25 Cloudy	8 FLIR GF320	None	Other	1			11/10/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 13 NENE	11/6/2017	12:13 PM	12:58 PM	[redacted]	26 Cloudy	8 FLIR GF320	None	Atmospheric Tank	1			11/10/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
CATAMA 1 NENE Pad	11/7/2017	12:25 PM	12:57 PM	[redacted]	42 Sunny	8 FLIR GF320	None		1					FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:16 AM	12:16 PM	[redacted]	46 Cloudy	10.5 FLIR GF320	None	Other	1			11/13/2017 Other	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	46 Cloudy	10.5 FLIR GF320	None	Other	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	56 Cloudy	10.5 FLIR GF320	None	Other	1			11/20/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	45 Cloudy	10.5 FLIR GF320	None	Other	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	56 Cloudy	10.5 FLIR GF320	None	Other	1			11/20/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	56 Cloudy	10.5 FLIR GF320	None	Other	1			11/13/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	56 Cloudy	10.5 FLIR GF320	None	Other	1			11/20/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
CATAPULT 13 NWSW PAD	11/6/2017	11:34 AM	12:16 PM	[redacted]	36 Cloudy	10.5 FLIR GF320	None	Other	1			11/13/2017 Other	1 Unavailable parts	FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	12/13/2017	9:26 AM	10:00 AM	[redacted]	48 Sunny	4 FLIR GF320	None	Heater Treater	1			11/14/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	12/13/2017	9:26 AM	10:00 AM	[redacted]	48 Sunny	4 FLIR GF320	None	Other	1			12/7/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	12/13/2017	9:26 AM	10:00 AM	[redacted]	42 Sunny	4 FLIR GF320	None	Other	1			11/14/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NWNW PAD	12/15/2017	1:29 PM	2:11 PM	[redacted]	48 Sunny	4.6 FLIR GF320	Digital photograph not taken during survey	Other	1			11/14/2017		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
ARBALEST 6 NWNW PAD	12/15/2017	1:29 PM	2:11 PM	[redacted]	48 Sunny	4.6 FLIR GF320	Digital photograph not taken during survey	Valve	1			11/17/2017		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	49 Sunny	4 FLIR GF320	None	Atmospheric Tank	1			11/29/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	48 Sunny	4 FLIR GF320	None	Atmospheric Tank	1			11/28/2017			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Atmospheric Tank	1			11/29/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 13 NWNW	12/21/2017	9:50 AM	10:15 AM	[redacted]	12 Sunny	13 FLIR GF320	None	Heated Separator	1			11/29/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/28/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Valve	1			11/29/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 13 NWNW	12/28/2017	9:53 AM	10:13 AM	[redacted]	32 Sunny	13 FLIR GF320	None	Atmospheric Tank	1			11/29/2017			Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 13 NWNW	12/28/2017	9:53 AM	10:13 AM	[redacted]	32 Sunny	13 FLIR GF320	None	Line Pipe	1			11/29/2017			Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 10 SWSW PAD	12/28/2017	9:17 AM	9:50 AM	[redacted]	28 Sunny	2.5 FLIR GF320	None	Heater Treater	1			11/28/2017			Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 10 SWSW PAD	12/28/2017	9:17 AM	9:50 AM	[redacted]	28 Sunny	2.5 FLIR GF320	None	Atmospheric Tank	1			12/5/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 10 SWSW PAD	12/28/2017	9:17 AM	9:50 AM	[redacted]	28 Sunny	2.5 FLIR GF320	None	Heater Treater	1			11/29/2017			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Valve	1			11/29/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Other	1			11/29/2017			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Other	1			11/27/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Atmospheric Tank	1			11/29/2017			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	12/21/2017	1:13 PM	2:44 PM	[redacted]	43 Sunny	4 FLIR GF320	None	Atmospheric Tank	1			12/6/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
SPHINX FEDERAL COM 1PH	11/30/2017	2:25 PM	2:47 PM	[redacted]	53 Partly Cloudy	1 FLIR GF320	Digital photograph not taken during survey	Heater Treater	1			12/7/2017			EOG In House IR Camera Training (Completed: 08/16/2017)
CHENEYLUS FEDERAL COM 1NH	12/1/2017	10:04 AM	10:31 AM	[redacted]	44 Partly Cloudy	1.5 FLIR GF320	None	Heater	1			12/5/2017			Level I Thermography Certification (Completed: 10/01/2014)
SPHINX FEDERAL COM 2PH	12/1/2017	11:10 AM	11:31 AM	[redacted]	46 Partly Cloudy	2 FLIR GF320	None	Atmospheric Tank	1			12/1/2017			Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	12/1/2017	11:41 AM	12:27 PM	[redacted]	48 Sunny	2 FLIR GF320	None	Contactor Tower	1			12/1/2017			Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	12/1/2017	11:41 AM	12:27 PM	[redacted]	48 Sunny	2 FLIR GF320	None	Atmospheric Tank	1			12/5/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 SWSW PAD	12/5/2017	10:30 AM	10:54 AM	[redacted]	28 Partly Cloudy	11 FLIR GF320	None	Non Heated Separator	1			12/5/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW	12/5/2017	11:54 AM	12:27 PM	[redacted]	29 Partly Cloudy	16 FLIR GF320	None	Atmospheric Tank	1			12/5/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW	12/5/2017	11:54 AM	12:27 PM	[redacted]	29 Partly Cloudy	16 FLIR GF320	None	Non Heated Separator	1			12/7/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW	12/5/2017	11:54 AM	12:27 PM	[redacted]	29 Partly Cloudy	16 FLIR GF320	None	Heater	1			12/7/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 SWSW PAD	12/5/2017	10:30 AM	10:54 AM	[redacted]	29 Partly Cloudy	11 FLIR GF320	None	Scrubber	1			12/7/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 SWSW PAD	12/5/2017	10:30 AM	10:54 AM	[redacted]	29 Partly Cloudy	11 FLIR GF320	None	Scrubber	1			12/5/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW	12/5/2017	11:54 AM	12:27 PM	[redacted]	29 Partly Cloudy	16 FLIR GF320	None	Non Heated Separator	1			12/5/2017			Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 26 SWSW PAD	12/5/2017	10:30 AM	10:54 AM	[redacted]	29 Partly Cloudy	11 FLIR GF320	None	Atmospheric Tank	1			12/13/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NENE	12/5/2017	11:13 AM	11:47 AM	[redacted]	29 Partly Cloudy	14 FLIR GF320	None		1						Level I Thermography Certification (Completed: 10/01/2014)
COMANCHERO FEDERAL COM 2PH	12/7/2017	12:59 PM	1:30 PM	[redacted]	35 Partly Cloudy	9 FLIR GF320	None	Connection	1			12/7/2017			Level I Thermography Certification (Completed: 10/01/2014)
ICARUS COM 1H 3PH	12/14/2017	12:41PM	01:17PM	[redacted]	32 Cloudy	7.5 FLIR GF320	None	Heater Treater	1			1/5/2018			EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 3 NWNW	12/18/2017	01:30PM	02:30PM	[redacted]	38 Cloudy	11 FLIR GF320	None	Scrubber	1			12/26/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 15 SWSE	12/19/2017	12:44PM	01:05PM	[redacted]	42 Partly Cloudy	2.5 FLIR GF320	None	Other	1			1/2/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 13 SWSE	12/15/2017	10:00 AM	11:52 AM	[redacted]	28 Partly Cloudy	6.5 FLIR GF320	None	Other	1			12/19/2017		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
MARYS DRAW 15 SWSE	12/15/2017	12:44PM	02:05PM	[redacted]	42 Partly Cloudy	3.5 FLIR GF320	None	Connection	1			12/21/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 13 SWSE	12/15/2017	10:00 AM	11:52 AM	[redacted]	28 Partly Cloudy	4.5 FLIR GF320	None	Other	1			1/2/2018		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
MARYS DRAW 3 NWNW	12/15/2017	11:35AM	12:06PM	[redacted]	45 Partly Cloudy	4.5 FLIR GF320	None	Heater Treater	1			12/22/2017		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 13 SWSE	12/15/2017	10:00 AM	11:52 AM	[redacted]	28 Partly Cloudy	4.2 FLIR GF320	None	Connection	1			12/13/2017		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
MARYS DRAW 13 SWSE	12/15/2017	10:00 AM	11:52 AM	[redacted]	30 Partly Cloudy	4.5 FLIR GF320	None	Other	1			1/3/2018		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
MARYS DRAW 13 SWSE	12/15/2017	10:00 AM	11:52 AM	[redacted]	21 Partly Cloudy	4.5 FLIR GF320	None	Other	1			12/26/2017		FLIR GF320	Level I Thermography Certification (Completed: 07/10/2014)
MARYS DRAW 1 NWNE	12/15/2017	11:35AM	12:06PM	[redacted]	45 Partly Cloudy	4.5 FLIR GF320	None	Other	1			1/4/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 23 NWNE	12/20/2017	10:15AM	11:10AM	[redacted]	45 Sunny	12 FLIR GF320	None	Other	1			1/2/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 23 NWNE	12/20/2017	10:15AM	11:10AM	[redacted]	45 Sunny	12 FLIR GF320	None	Connection	1			1/4/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 23 NWNE	12/20/2017	10:15AM	11:10AM	[redacted]	45 Sunny	13 FLIR GF320	None	Valve	1			1/16/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 23 NWNE	12/20/2017	10:15AM	11:10AM	[redacted]	45 Sunny	12 FLIR GF320	None	Other	1			1/2/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 34 SESE (15, 467, 468, 16)	12/22/2017	7:52 AM	8:13 AM	[redacted]	9 Partly Cloudy	3 FLIR GF320	None	Heater	1			12/27/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 34 SESE (15, 467, 468, 16)	12/22/2017	7:52 AM	8:13 AM	[redacted]	9 Partly Cloudy	3 FLIR GF320	None	Atmospheric Tank	1			12/22/2017			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 34 SESE (15, 467, 468, 16)	12/22/2017	7:52 AM	8:13 AM	[redacted]	9 Partly Cloudy	3 FLIR GF320	None	Scrubber	1			1/12/2018 Scrubber	1	FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 34 SESE (15, 467, 468, 16)	12/22/2017	7:52 AM	8:13 AM	[redacted]	9 Partly Cloudy	3 FLIR GF320	None	Scrubber	1			12/27/2017		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 34 SESE (16, 467, 468, 16)	12/22/2017	7:52 AM	8:11 AM	[redacted]	9 Partly Cloudy	3 FLIR GF320	Leak not repaired within 30 days.	Scrubber	1	Scrubber	1	1/12/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	31 Cloudy	5 FLIR GF320	None	Other	1			1/8/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	31 Cloudy	5 FLIR GF320	None	Other	1			1/9/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	25 Cloudy	5 FLIR GF320	None	Heater Treater	1			1/9/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	25 Cloudy	5 FLIR GF320	None	Other	1			1/5/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	25 Cloudy	5 FLIR GF320	None	Other	1			1/5/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	26 Cloudy	5 FLIR GF320	None	Other	1			1/9/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	26 Cloudy	5 FLIR GF320	None	Atmospheric Tank	1			1/11/2018		FLIR GF320	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	12/26/2017	12:54 PM	1:15 PM	[redacted]	21 Cloudy	5 FLIR GF320	None	Other	1			12/26/2017			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Atmospheric Tank	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Heater	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Other	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Heater	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Scrubber	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Other	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Atmospheric Tank	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Connection	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 35 NENW (27, 432, 434, 435)	1/2/2018	11:50 AM	12:50 PM	[redacted]	21 Sunny	16 FLIR GF320	None	Other	1			1/2/2018			Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 6 NWNW PAD	1/6/2018	01:21PM	02:15PM	[redacted]	41 Cloudy	7.5 FLIR GF320	None	Other	1			1/15/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	1/6/2018	02:30PM	03:10PM	[redacted]	40 Cloudy	3 FLIR GF320	None	Heater	1			1/15/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BALLISTA 13 NWNW	1/6/2018	11:23AM	11:56AM	[redacted]	43 Partly Cloudy	5 FLIR GF320	None	Atmospheric Tank	1			1/15/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NWNW PAD	1/6/2018	01:21PM	02:15PM	[redacted]	41 Cloudy	7.5 FLIR GF320	None	Other	1			1/16/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	1/6/2018	02:30PM	03:10PM	[redacted]	40 Cloudy	3 FLIR GF320	None	Other	1			1/13/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	1/6/2018	02:30PM	03:10PM	[redacted]	40 Cloudy	3 FLIR GF320	None	Atmospheric Tank	1			1/13/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BALLISTA 13 NWNW	1/6/2018	11:23AM	11:56AM	[redacted]	42 Partly Cloudy	5 FLIR GF320	None	Heater Treater	1			1/13/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NWNW PAD	1/6/2018	01:21PM	02:15PM	[redacted]	41 Cloudy	7.5 FLIR GF320	None	Other	1			1/13/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NENE PAD	1/6/2018	02:30PM	03:10PM	[redacted]	40 Cloudy	7 FLIR GF320	None	Connection	1			1/6/2018			EOG In House IR Camera Training (Completed: 08/16/2017)
BALLISTA 13 NWNW	1/6/2018	11:23AM	11:56AM	[redacted]	40 Partly Cloudy	6 FLIR GF320	None	Atmospheric Tank	1			1/21/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NWNW PAD	1/6/2018	01:21PM	02:15PM	[redacted]	41 Cloudy	7.5 FLIR GF320	Leak not repaired within 30 days.	Valve	1	Valve	1	1/6/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
ARBALEST 6 NWNW PAD	1/6/2018	01:21PM	02:15PM	[redacted]	41 Cloudy	7.5 FLIR GF320	None	Valve	1			1/21/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)
BALLISTA 13 NWNW	1/6/2018	11:23AM	11:56AM	[redacted]	43 Partly Cloudy	5 FLIR GF320	None	Atmospheric Tank	1			1/21/2018		FLIR GF320	EOG In House IR Camera Training (Completed: 08/16/2017)

(b) (6)

[redacted]															

CATAPULT 13 NWSW PAD	4/4/2018	2:51 PM	3:09 PM	(b)(6) [redacted]	55 Partly Cloudy	12 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/10/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 13 NWSW PAD	4/4/2018	2:51 PM	3:09 PM		55 Partly Cloudy	17 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/5/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 13 NWSW PAD	4/4/2018	2:51 PM	3:09 PM		55 Partly Cloudy	17 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/5/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 27 NWNW	4/4/2018	11:21 AM	11:58 AM		47 Partly Cloudy	12 FLIR GF320 (BC: SE0520)	None	Combustion Engine	1			4/17/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 12 SWSW	4/5/2018	10:43 AM	11:05 AM		39 Cloudy	8 FLIR GF320 (BC: SE0520)	None	Other	1			5/1/2018	Other	1 Outside Service	FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 15 SWSE	4/5/2018	1:25 PM	1:50 PM		45 Cloudy	11 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/10/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 15 SWSE	4/5/2018	1:25 PM	1:50 PM		45 Cloudy	11 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/10/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 12 SWSW	4/5/2018	10:43 AM	11:06 AM		39 Cloudy	8 FLIR GF320 (BC: SE0520)	None	Valve	1			4/23/2018	Valve	1 Unavailable parts	FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 12 SWSW	4/5/2018	10:43 AM	11:05 AM		38 Cloudy	8 FLIR GF320 (BC: SE0520)	None	Valve	1			4/10/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 12 SWSW	4/5/2018	10:43 AM	11:05 AM		39 Cloudy	8 FLIR GF320 (BC: SE0520)	None	Other	1			4/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 12 SWSW	4/5/2018	10:43 AM	11:05 AM		39 Cloudy	8 FLIR GF320 (BC: SE0520)	None	Other	1			4/13/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 15 SWSE	4/5/2018	1:25 PM	1:50 PM		45 Cloudy	11 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	4/6/2018	1:35 PM	2:04 PM		20 Partly Cloudy	2 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	4/6/2018	1:35 PM	2:04 PM		20 Partly Cloudy	2 FLIR GF320 (BC: SE0520)	None	Connection	1			4/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	4/6/2018	1:35 PM	2:04 PM		20 Partly Cloudy	2 FLIR GF320 (BC: SE0520)	None	Non Heated Separator	1			4/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	4/6/2018	1:35 PM	2:04 PM		20 Partly Cloudy	2 FLIR GF320 (BC: SE0520)	None	Scrubber	1			4/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 16 NWNE	4/6/2018	1:36 PM	2:04 PM		20 Partly Cloudy	2 FLIR GF320 (BC: SE0520)	None	Other	1			4/23/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 16 NENE	4/9/2018	12:15PM	01:02PM		45 Partly Cloudy	6.5 FLIR GF320 (BC: SE0517)	None	Other	1			4/17/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 21 NWNE	4/9/2018	11:53 AM	12:28 PM		45 Partly Cloudy	11 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 16 NWNW	4/9/2018	09:43AM	10:18AM		41 Partly Cloudy	5 FLIR GF320 (BC: SE0517)	None	Other	1			4/10/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 16 NWNW	4/9/2018	09:43AM	10:18AM		43 Partly Cloudy	5 FLIR GF320 (BC: SE0517)	None	Valve	1			4/16/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 21 NWNE	4/9/2018	11:53 AM	12:28 PM		43 Partly Cloudy	11 FLIR GF320 (BC: SE0520)	None	Non Heated Separator	1			4/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 16 NENE	4/9/2018	12:15PM	01:02PM		48 Partly Cloudy	6.5 FLIR GF320 (BC: SE0517)	None	Other	1			4/17/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 21 NWNE	4/9/2018	11:53 AM	12:28 PM		43 Partly Cloudy	11 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 16 NWNW	4/9/2018	09:43AM	10:18AM		43 Partly Cloudy	5 FLIR GF320 (BC: SE0517)	None	Heater	1			4/11/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 21 NWNE	4/9/2018	11:53 AM	12:28 PM		45 Partly Cloudy	11 FLIR GF320 (BC: SE0520)	None	Non Heated Separator	1			4/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 16 NWNW	4/9/2018	09:43AM	10:18AM		43 Partly Cloudy	5 FLIR GF320 (BC: SE0517)	None	Other	1			4/17/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 16 NWNW	4/9/2018	09:43AM	10:18AM		43 Partly Cloudy	5 FLIR GF320 (BC: SE0517)	None	Other	1			4/10/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/15/2017)
MARYS DRAW 3 NWNW	4/10/2018	10:15AM	11:40AM		59 Partly Cloudy	10 FLIR GF320 (BC: SE0517)	None	Valve	1			4/17/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 3 NWNW	4/10/2018	10:15AM	11:40AM		58 Partly Cloudy	10 FLIR GF320 (BC: SE0517)	None	Valve	1			4/17/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 3 NWNW	4/10/2018	10:15AM	11:40AM		58 Partly Cloudy	10 FLIR GF320 (BC: SE0517)	None	Valve	1			4/30/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 13 SWSE	4/10/2018	12:22 PM	12:51 PM		57 Partly Cloudy	15 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/13/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 13 SWSE	4/10/2018	12:22 PM	12:51 PM		57 Partly Cloudy	16 FLIR GF320 (BC: SE0520)	None	Dehydrator	1			4/13/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 13 SWSE	4/10/2018	12:22 PM	12:51 PM		57 Partly Cloudy	16 FLIR GF320 (BC: SE0520)	None	Valve	1			4/10/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 13 SWSE	4/10/2018	12:22 PM	12:51 PM		57 Partly Cloudy	15 FLIR GF320 (BC: SE0520)	None	Heater	1			4/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 3 NWNW	4/10/2018	10:15AM	11:40AM		58 Partly Cloudy	10 FLIR GF320 (BC: SE0517)	None	Connection	1			4/17/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 3 NWNW	4/10/2018	10:15AM	11:40AM		58 Partly Cloudy	10 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			4/13/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 16 NENW (27, 432, 434, 435)	4/11/2018	09:10AM	10:00AM		60 Sunny	15 FLIR GF320 (BC: SE0517)	None	Other	1			4/11/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 16 NENW (27, 432, 434, 435)	4/11/2018	09:10AM	10:00AM		60 Sunny	15 FLIR GF320 (BC: SE0517)	None	Other	1			4/11/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 16 NENW (27, 432, 434, 435)	4/11/2018	09:10AM	10:00AM		60 Sunny	15 FLIR GF320 (BC: SE0517)	None	Other	1			4/23/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/15/2017)
MARYS DRAW 16 NENW (27, 432, 434, 435)	4/11/2018	09:10AM	10:00AM		60 Sunny	15 FLIR GF320 (BC: SE0517)	None	Line Pipe	1			4/26/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 16 NENW (27, 432, 434, 435)	4/11/2018	09:10AM	10:00AM		60 Sunny	15 FLIR GF320 (BC: SE0517)	None	Scrubber	1			4/11/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
MARYS DRAW 16 NENW (27, 432, 434, 435)	4/11/2018	09:10AM	10:00AM		60 Sunny	15 FLIR GF320 (BC: SE0517)	None	Other	1			4/11/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 26 SESE PAD	4/18/2018	02:15PM	03:30PM		51 Partly Cloudy	4 FLIR GF320 (BC: SE0517)	None	Other	1			4/13/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		56 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Connection	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SESE	4/18/2018	10:20AM	11:15AM		35 Cloudy	11 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		50 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Other	1			4/13/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		50 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Other	1			4/13/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 26 SESE PAD	4/18/2018	02:15PM	03:30PM		51 Partly Cloudy	4 FLIR GF320 (BC: SE0517)	None	Non Heated Separator	1			4/20/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		50 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Other	1			4/15/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/15/2017)
ARBALEST 6 NENE PAD	4/18/2018	10:50 AM	11:19 AM		43 Sunny	11 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/19/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 26 SESE PAD	4/18/2018	02:15PM	03:30PM		51 Partly Cloudy	4 FLIR GF320 (BC: SE0517)	None	Connection	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		50 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Connection	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		50 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Other	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25 SWSW	4/18/2018	12:22PM	01:17PM		50 Sunny	5.5 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			4/14/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 26 SESE PAD	4/18/2018	02:15PM	03:30PM		51 Partly Cloudy	4 FLIR GF320 (BC: SE0517)	None	Non Heated Separator	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
BALLISTA 13 NWNW	4/18/2018	2:34 PM	2:55 PM		50 Partly Cloudy	12 FLIR GF320 (BC: SE0520)	None	Heated Separator	1			5/14/2018	Heated Separator	1 Unavailable parts	FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 25 SESE	4/18/2018	10:20AM	11:15AM		35 Cloudy	11 FLIR GF320 (BC: SE0517)	None	Heater	1			4/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
BALLISTA 13 NWNW	4/18/2018	2:34 PM	2:55 PM		50 Partly Cloudy	12 FLIR GF320 (BC: SE0520)	None	Heated Separator	1			4/20/2018	Heated Separator	1 Unavailable parts	FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 6 NWNW PAD	4/18/2018	12:50 PM	1:23 PM		51 Partly Cloudy	9 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/18/2018				Level I Thermography Certification (Completed: 10/01/2014)
BOLT 6 SESE PAD	4/25/2018	10:50AM	12:00PM		48 Partly Cloudy	15 FLIR GF320 (BC: SE0517)	None	Heater	1			4/20/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
BOLT 6 SESE PAD	4/25/2018	10:50AM	12:00PM		48 Partly Cloudy	15 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			4/20/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
BOLT 6 SESE PAD	4/25/2018	10:50AM	12:00PM		41 Partly Cloudy	15 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			4/23/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
ARBALEST 30 SESE	4/19/2018	11:07 AM	11:58 AM		41 Partly Cloudy	10 FLIR GF320 (BC: SE0520)	None	Connection	1			4/19/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 30 SESE	4/19/2018	11:07 AM	11:58 AM		41 Partly Cloudy	18 FLIR GF320 (BC: SE0520)	None	Scrubber	1			4/19/2018				Level I Thermography Certification (Completed: 10/01/2014)
BOLT 6 NWNW PAD	4/19/2018	09:45AM	10:30AM		47 Cloudy	15 FLIR GF320 (BC: SE0517)	None		1							EOG In-House IR Camera Training (Completed: 08/16/2017)
JUBILEE 26 PEAK FAC (NENW-236, 600, 601, 205, 602, 107)	4/20/2018	10:10 AM	10:50 AM		43 Partly Cloudy	15.5 FLIR GF320 (BC: SE0515)	None	Connection	1			4/21/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
MYNAG FEDERAL COM 2PH	4/25/2018	9:53 AM	10:12 AM		53 Sunny	17 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 34 SESE (19, 467, 468, 56)	4/26/2018	9:10 AM	9:52 AM		49 Partly Cloudy	6 FLIR GF320 (BC: SE0520)	None	Heater	1			4/26/2018				Level I Thermography Certification (Completed: 10/01/2014)
Blade 22 NWNW PAD	4/26/2018	11:09 AM	11:42 AM		51 Partly Cloudy	8 FLIR GF320 (BC: SE0520)	None	Connection	1			4/26/2018				Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 34 SESE (19, 467, 468, 56)	4/26/2018	9:30 AM	9:52 AM		49 Partly Cloudy	8 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			4/26/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NENE	4/27/2018	11:49 AM	12:12 PM		66 Sunny	0 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			4/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NENE	4/27/2018	11:49 AM	12:12 PM		66 Sunny	0 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/7/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NENE	4/27/2018	11:49 AM	12:12 PM		66 Sunny	0 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/22/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NENE	4/27/2018	11:49 AM	12:12 PM		66 Sunny	0 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/14/2018	Atmospheric Tank	1 Technically infeasible to re	FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 35 NWNW PAD	4/30/2018	12:20PM	01:15PM		51 Cloudy	14 FLIR GF320 (BC: SE0517)	None	Other	1			5/4/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 36 NENE PAD	4/30/2018	10:00AM	11:10AM		47 Cloudy	14 FLIR GF320 (BC: SE0517)	None	Connection	1			5/2/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 07/30/2014)
FLATBOW 36 NENE PAD	4/30/2018	10:00AM	11:10AM		47 Cloudy	15 FLIR GF320 (BC: SE0517)	None	Other	1			5/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 07/30/2014)
FLATBOW 35 NWNW PAD	4/30/2018	12:20PM	01:15PM		51 Cloudy	14 FLIR GF320 (BC: SE0517)	None	Connection	1			5/7/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 35 NENE PAD	4/30/2018	10:00AM	11:10AM		47 Cloudy	15 FLIR GF320 (BC: SE0517)	None	Valve	1			5/3/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 07/30/2014)
FLATBOW 36 NWNW PAD	4/30/2018	12:20PM	01:15PM		51 Cloudy	14 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			5/4/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 35 NWNW PAD	4/30/2018	12:20PM	02:15PM		51 Cloudy	14 FLIR GF320 (BC: SE0517)	None	Heater	1			5/3/2018			FLIR GF320 (BC: SE0517)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 35 NENE PAD	4/30/2018	10:00AM	11:10AM		47 Cloudy	15 FLIR GF320 (BC: SE0517)	None	Other	1			5/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 07/30/2014)
FLATBOW 25SWSW PAD	5/1/2018	10:04 AM	10:28 AM		48 Partly Cloudy	5 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 25 SWSW PAD	5/1/2018	10:04 AM	10:28 AM		43 Partly Cloudy	6 FLIR GF320 (BC: SE0520)	None	Flare	1			5/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 25SWSW PAD	5/1/2018	10:04 AM	10:28 AM		43 Partly Cloudy	6 FLIR GF320 (BC: SE0520)	None	Other	1			5/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 26SWSW PAD	5/1/2018	10:04 AM	10:28 AM		48 Partly Cloudy	5 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/8/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 26 SWSW PAD	5/1/2018	10:04 AM	10:25 AM		41 Partly Cloudy	6 FLIR GF320 (BC: SE0520)	None	Other	1			5/8/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 25 SWSW PAD	5/1/2018	10:04 AM	10:28 AM		43 Partly Cloudy	6 FLIR GF320 (BC: SE0520)	None	Other	1			5/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 4 SWSE	5/1/2018	11:03AM	12:35PM		Cloudy	5 FLIR GF320 (BC: SE0517)	None	Other	1			5/3/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
FLATBOW 25SWSW PAD	5/1/2018	10:04 AM	10:28 AM		43 Partly Cloudy	6 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/14/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
JUBILEE 23 NENE	5/4/2018	10:00 AM	11:03 AM		53 Sunny	9 FLIR GF320 (BC: SE0518)	None	Other	1			5/7/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
JUBILEE 23 NENE	5/4/2018	10:00 AM	11:05 AM		53 Sunny	9 FLIR GF320 (BC: SE0516)	None	Heater	1			5/7/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
JUBILEE 23 NENE	5/4/2018	10:00 AM	11:05 AM		53 Sunny	9 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			5/4/2018				Level I Thermography Certification (Completed: 04/08/2015)
JUBILEE 23 NENE	5/4/2018	10:00 AM	11:05 AM		53 Sunny	9 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			5/10/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
JUBILEE 23 NENE	5/4/2018	10:00 AM	11:05 AM		53 Sunny	9 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			5/4/2018				Level I Thermography Certification (Completed: 04/08/2015)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:06 PM	1:50 PM		76 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/15/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:08 PM	1:50 PM		75 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Connection	1			5/15/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:08 PM	1:50 PM		74 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	Leak not repaired within 30 days.	Connection	1	Connection	1	7/3/2018	Connection	1 Technically infeasible to re	se0517	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:06 PM	1:50 PM		75 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Heated Separator	1			5/9/2018				Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:06 PM	1:50 PM		76 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Valve	1			5/23/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:08 PM	1:50 PM		76 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Connection	1			5/25/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:08 PM	1:50 PM		76 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Other	1			5/15/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 34 NWNE PAD (013, 212)	5/9/2018	1:08 PM	1:50 PM		76 Partly Cloudy	4 FLIR GF320 (BC: SE0520)	None	Line Pipe	1			5/23/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		66 Sunny	2 FLIR GF320 (BC: SE0520)	None	Other	1			5/18/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		68 Sunny	2 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			5/17/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		63 Sunny	2 FLIR GF320 (BC: SE0520)	None	Other	1			5/23/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		68 Sunny	2 FLIR GF320 (BC: SE0520)	None	Non Heated Separator	1			5/16/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		68 Sunny	2 FLIR GF320 (BC: SE0520)	None	Flange	1			5/23/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		63 Sunny	2 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			5/17/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		68 Sunny	2 FLIR GF320 (BC: SE0520)	Leak not repaired within 30 days.	Heater Treater	1	Heater Treater	1	7/9/2018	Heater Treater	1 Technically infeasible to re	FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 36 NENE PAD	5/16/2018	12:49 PM	1:19 PM		68 Sunny	2 FLIR GF320 (BC: SE0520)	None	Connection	1			5/30/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NWNW PAD	5/17/2018	1:41 PM	2:03 PM		74 Partly Cloudy	1 FLIR GF320 (BC: SE0520)	None	Connection	1			5/14/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NWNW PAD	5/17/2018	1:41 PM	2:03 PM		74 Partly Cloudy	1 FLIR GF320 (BC: SE0520)	None	Connection	1			5/14/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FLATBOW 13 NWNW PAD	5/17/2018	1:41 PM	2:03 PM		74 Partly Cloudy	1 FLIR GF320 (BC: SE0520)	None	Other	1			5/22/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 10 SWSW PAD	5/21/2018	2:01 PM	2:18 PM		76 Sunny	2 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/13/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 10 SWSW PAD	5/21/2018	2:01 PM	2:18 PM		71 Sunny	2 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/4/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
FOLKLORE COM 1H, 2PH	5/21/2018	11:18 AM	11:35 AM		64 Sunny	4 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			6/4/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FOLKLORE COM 1H, 2PH	5/21/2018	11:18 AM	11:35 AM		64 Sunny	4 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			6/4/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
JUBILEE 35 NENE	5/21/2018	11:05 AM	11:45 AM		67 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Other	1			5/22/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
JUBILEE 36 PEAK FACILITY	5/21/2018	12:25 PM	1:03 PM		66 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Heater Treater	1			5/22/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
FOLKLORE COM 1H, 2PH	5/21/2018	11:18 AM	11:35 AM		64 Sunny	4 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			6/12/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FOLKLORE COM 1H, 2PH	5/21/2018	11:18 AM	11:35 AM		64 Sunny	4 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/29/2018	Atmospheric Tank	1 Adverse Weather	FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
JUBILEE 36 PEAK FACILITY	5/21/2018	12:25 PM	1:03 PM		65 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Other	1			5/22/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
BALLISTA 10 SWSW PAD	5/21/2018	2:01 PM	2:18 PM		76 Sunny	2 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			5/29/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
WINDY 11 SESW	5/21/2018	1:35 PM	2:10 PM		72 Partly Cloudy	4.5 FLIR GF320 (BC: SE0518)	None	Atmospheric Tank	1			5/21/2018				Level I Thermography Certification (Completed: 04/08/2015)
JUBILEE 36 PEAK FACILITY	5/21/2018	12:25 PM	1:03 PM		66 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Heater Treater	1			5/22/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
FOLKLORE COM 1H, 2PH	5/21/2018	11:18 AM	11:35 AM		64 Sunny	4 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			5/23/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BALLISTA 10 SWSW PAD	5/21/2018	2:01 PM	2:18 PM		76 Sunny	2 FLIR GF320 (BC: SE0520)	None	Flare	1			5/25/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
WINDY 11 SESW	5/21/2018	1:35 PM	2:10 PM		72 Partly Cloudy	4.5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			5/22/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
FOLKLORE COM 1H, 2PH	5/21/2018	11:18 AM	11:35 AM		64 Sunny	4 FLIR GF320 (BC: SE0520)	None	Atmospheric Tank	1			5/28/2018	Atmospheric Tank	1 Adverse Weather	FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
POLE CREEK 22 SESE	5/22/2018	2:55 PM	3:25 PM		72 Partly Cloudy	11 FLIR GF320 (BC: SE0516)	None	Heater Treater	1			5/21/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
POLE CREEK 25 NENE PAD	5/22/2018	3:40 PM	4:15 PM		72 Partly Cloudy	11 FLIR GF320 (BC: SE0516)	None		1						FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
BIG SANDY 25 NWNE PAD	5/23/2018	11:52 AM	12:17 PM		71 Sunny	6 FLIR GF320 (BC: SE0516)	None	Scrubber	1			5/25/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 10/01/2014)
BIG SANDY 25 NWNE PAD	5/23/2018	11:52 AM	12:17 PM		71 Sunny	6 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			5/21/2018				Level I Thermography Certification (Completed: 10/01/2014)
BIG SANDY 25 NWNE PAD	5/23/2018	11:52 AM	12:17 PM		71 Sunny	6 FLIR GF320 (BC: SE0516)	None	Other	1			5/25/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 10/01/2014)
BIG SANDY 25 NWNE PAD	5/23/2018	11:52 AM	12:17 PM		71 Sunny	6 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			5/23/2018				Level I Thermography Certification (Completed: 10/01/2014)
POLE CREEK 34 SESE	5/24/2018	1:22 PM	1:46 PM		71 Partly Cloudy	4 FLIR GF320 (BC: SE0516)	None	Other	1			5/17/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 10/01/2014)
POLE CREEK 34 SESE	5/24/2018	1:22 PM	1:46 PM		71 Partly Cloudy	4 FLIR GF320 (BC: SE0516)	None	Connection	1			5/27/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 10/01/2014)
POLE CREEK 34 SESE	5/24/2018	1:22 PM	1:46 PM		71 Partly Cloudy	4 FLIR GF320 (BC: SE0516)	None	Heater Treater	1			5/27/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 SWSW PAD	5/30/2018	10:57 AM	11:28 AM		72 Sunny	1 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			5/30/2018				Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	5/30/2018	12:00 PM	12:29 PM		71 Sunny	1 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/5/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	5/30/2018	12:00 PM	12:29 PM		71 Sunny	1 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			6/6/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 SWSW PAD	5/30/2018	10:57 AM	11:28 AM		72 Sunny	1 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			5/30/2018				Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	5/30/2018	12:00 PM	12:29 PM		71 Sunny	2 FLIR GF320 (BC: SE0517)	None	Connection	1			6/5/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 SWSW PAD	5/30/2018	10:57 AM	11:28 AM		72 Sunny	1 FLIR GF320 (BC: SE0517)	None	Scrubber	1			5/30/2018				Level I Thermography Certification (Completed: 10/01/2014)
BLADE 19 NENE PAD	5/30/2018	12:00 PM	12:29 PM		72 Sunny	2 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			6/5/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BOLT 22 NWNW	6/4/2018	12:18 PM	12:36 PM		81 Sunny	7 FLIR GF320 (BC: SE0517)	None	Non Heated Separator	1			6/4/2018				Level I Thermography Certification (Completed: 10/01/2014)
BOLT 22 NWNW	6/4/2018	12:18 PM	12:56 PM		81 Sunny	7 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/15/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
BOLT 22 NWNW	6/4/2018	12:18 PM	12:36 PM		81 Sunny	7 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/4/2018				Level I Thermography Certification (Completed: 10/01/2014)
BOLT 22 NWNW	6/4/2018	12:18 PM	12:36 PM		81 Sunny	7 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/25/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BOLT 22 NWNW	6/4/2018	12:18 PM	12:36 PM		81 Sunny	7 FLIR GF320 (BC: SE0517)	Leak not repaired within 30 days.	Atmospheric Tank	1	Atmospheric Tank	1	7/9/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Non Heated Separator	1			6/7/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/7/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Other	1			6/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/22/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/14/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/14/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/7/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	None	Heater Treater	1			6/7/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 07/30/2014)
FALCON 34 SESW (3, 4, 54)	6/6/2018	11:15AM	12:45PM		72 Partly Cloudy	7 FLIR GF320 (BC: SE0520)	Leak not repaired within 30 days.	Heater Treater	1	Heater Treater	1					Level I Thermography Certification (Completed: 07/30/2014)
WINDY SEC 17 NORTH PROD FACILITY	6/6/2018	11:05 AM	11:30 AM		82 Partly Cloudy	5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			6/8/2018				Level I Thermography Certification (Completed: 04/08/2015)
WINDY SEC 17 SOUTH PROD FACILITY	6/6/2018	9:55 AM	10:25 AM		79 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			6/15/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
WINDY SEC 17 NORTH PROD FACILITY	6/6/2018	11:05 AM	11:30 AM		82 Partly Cloudy	5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			6/15/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
WINDY SEC 17 SOUTH PROD FACILITY	6/6/2018	9:55 AM	10:25 AM		79 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			6/16/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
WINDY SEC 17 NORTH PROD FACILITY	6/6/2018	11:05 AM	11:30 AM		82 Partly Cloudy	5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			6/8/2018				Level I Thermography Certification (Completed: 04/08/2015)
WINDY SEC 17 SOUTH PROD FACILITY	6/6/2018	9:55 AM	10:25 AM		79 Partly Cloudy	3.5 FLIR GF320 (BC: SE0516)	None	Atmospheric Tank	1			6/15/2018			FLIR GF320 (BC: SE0516)	Level I Thermography Certification (Completed: 04/08/2015)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/11/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			6/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/17/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/11/2018				Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			6/16/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			6/21/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			7/7/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/26/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Atmospheric Tank	1			6/21/2018			FLIR GF320 (BC: SE0520)	Level I Thermography Certification (Completed: 10/01/2014)
MUSTANG STATE 22PH, 23PH, 24PH	6/11/2018	1:19 PM	1:41 PM		73 Sunny	11 FLIR GF320 (BC: SE0517)	None	Heater Treater	1			7/3/2018				Level I Thermography Certification (Completed: 10/01/2014)
COUSINS FEDERAL COM 2PH	6/12/2018	12:19PM	02:25PM		64 Sunny	7.5 FLIR GF320 (BC: SE0520)	None	Connection	1			6/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
COUSINS FEDERAL COM 2PH	6/12/2018	12:19PM	02:25PM		64 Sunny	7.5 FLIR GF320 (BC: SE0520)	None	Flare	1			6/14/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
COUSINS FEDERAL COM 2PH	6/12/2018	12:19PM	02:25PM		64 Sunny	7.5 FLIR GF320 (BC: SE0520)	None	Valve	1			6/19/2018			FLIR GF320 (BC: SE0520)	EOG In-House IR Camera Training (Completed: 08/16/2017)
BLADE 33 NENE PAD	6/14/2018	12:22 PM	12:51 PM		94 Partly Cloudy	11 FLIR GF320 (BC: SE0517)	None	Connection	1			6/20/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 33 NENE PAD	6/14/2018	12:22 PM	12:51 PM		94 Partly Cloudy	11 FLIR GF320 (BC: SE0517)	None	Heater	1			6/21/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)
BLADE 33 NENE PAD	6/14/2018	12:22 PM	12:51 PM		94 Partly Cloudy	11 FLIR GF320 (BC: SE0517)	None	Heater	1			6/21/2018			FLIR GF320 (BC: SE0517)	Level I Thermography Certification (Completed: 10/01/2014)

				(b)(6)										
BEHEMOTH FEDERAL COM 1PH	6/14/2018	09:30AM	09:58AM	[redacted]	79 Sunny	5 FLIR GF320 (NC 5E0320)	None	Tank Hatch/Opening	1	6/20/2018			FLIR GF320 (NC 5E0320)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 20 NENE PAD	6/14/2018	12:22 PM	12:51 PM	[redacted]	94 Partly Cloudy	13 FLIR GF320 (NC 5E0317)	None	Atmospheric Tank	1	6/14/2018				Level I Thermography Certification (Completed: 10/01/2014)
BEHEMOTH FEDERAL COM 1PH	6/14/2018	09:30AM	09:58AM	[redacted]	79 Sunny	5 FLIR GF320 (NC 5E0320)	None	Heater Treater	1	6/20/2018			FLIR GF320 (NC 5E0320)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BEHEMOTH FEDERAL COM 1PH	6/14/2018	09:30AM	09:58AM	[redacted]	79 Sunny	5 FLIR GF320 (NC 5E0320)	None	Heater Treater	1	6/26/2018			FLIR GF320 (NC 5E0320)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BEHEMOTH FEDERAL COM 1PH	6/14/2018	09:30AM	09:58AM	[redacted]	79 Sunny	5 FLIR GF320 (NC 5E0320)	None	Valve	1	6/26/2018			FLIR GF320 (NC 5E0320)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 21 SENW	6/19/2018	11:40AM	12:53PM	[redacted]	61 Partly Cloudy	2 FLIR GF320 (NC 5E0520)	None	Non Heated Separator	1	6/21/2018			FLIR GF320 (NC 5E0517)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 21 NENW	6/19/2018	11:40AM	12:53PM	[redacted]	61 Partly Cloudy	2 FLIR GF320 (NC 5E0520)	None	Atmospheric Tank	1	6/29/2018			FLIR GF320 (NC 5E0517)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 21 NENW	6/19/2018	11:40AM	12:53PM	[redacted]	61 Partly Cloudy	2 FLIR GF320 (NC 5E0520)	None	Other	1	6/29/2018			FLIR GF320 (NC 5E0517)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 21 NWNW	6/19/2018	11:40AM	12:53PM	[redacted]	61 Partly Cloudy	2 FLIR GF320 (NC 5E0520)	None	Scrubber	1	6/19/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 21 NWNW	6/19/2018	11:40AM	12:53PM	[redacted]	61 Partly Cloudy	2 FLIR GF320 (NC 5E0520)	None	Connection	1	6/19/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
BLADE 21 NWNW	6/19/2018	11:40AM	12:53PM	[redacted]	61 Partly Cloudy	2 FLIR GF320 (NC 5E0520)	None	Tank Hatch/Opening	1	6/21/2018			FLIR GF320 (NC 5E0517)	EOG In-House IR Camera Training (Completed: 09/16/2017)
ARBLES SEC 22 Pad & Decline Facility	6/20/2018	1:36 PM	3:00 PM	[redacted]	68 Partly Cloudy	13 FLIR GF320 (NC 5E0534)	None	Other	1	6/21/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES SEC 22 Pad & Decline Facility	6/20/2018	1:36 PM	2:05 PM	[redacted]	68 Partly Cloudy	13 FLIR GF320 (NC 5E0534)	None	Connection	1	6/21/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES SEC 24 PROD FAC (804, 833)	6/20/2018	11:12 AM	11:36 AM	[redacted]	68 Sunny	12 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/20/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES SEC 24 PROD FAC (804, 833)	6/20/2018	11:12 AM	11:36 AM	[redacted]	68 Sunny	12 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/20/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES SEC 22 Pad & Decline Facility	6/20/2018	1:36 PM	2:05 PM	[redacted]	68 Partly Cloudy	13 FLIR GF320 (NC 5E0534)	None	Flare	1	6/20/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/22/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/21/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/22/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/21/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/21/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/22/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/23/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/23/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/21/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Flare	1	6/22/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Valve	1	6/23/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENW WEST	6/21/2018	2:36 PM	3:04 PM	[redacted]	74 Sunny	3 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/12/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/21/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NWNE EAST	6/21/2018	1:57 PM	3:53 PM	[redacted]	72 Sunny	2 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018				Level I Thermography Certification (Completed: 10/01/2014)
Woody 34 SWSE	6/25/2018	1:03 PM	1:42 PM	[redacted]	73 Partly Cloudy	10.5 FLIR GF320 (NC 5E0534)	None	Non Heated Separator	1	6/25/2018				Level I Thermography Certification (Completed: 04/04/2015)
Woody 34 SWSE	6/25/2018	1:03 PM	1:42 PM	[redacted]	73 Partly Cloudy	10.5 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/25/2018				Level I Thermography Certification (Completed: 04/04/2015)
HALL CANYON 5 NWNE	6/25/2018	2:10 PM	3:15 PM	[redacted]	75 Partly Cloudy	9 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/25/2018				Level I Thermography Certification (Completed: 04/04/2015)
HALL CANYON 5 NWNE	6/25/2018	2:10 PM	3:15 PM	[redacted]	75 Partly Cloudy	9 FLIR GF320 (NC 5E0534)	None	Atmospheric Tank	1	6/25/2018				Level I Thermography Certification (Completed: 04/04/2015)
HALL CANYON 5 NWNE	6/25/2018	2:10 PM	3:15 PM	[redacted]	75 Partly Cloudy	9 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/25/2018				Level I Thermography Certification (Completed: 04/04/2015)
TIBURON 29 NWNW (2) PAD	6/27/2018	05:15PM	08:05PM	[redacted]	61 Sunny	4.5 FLIR GF320 (NC 5E0520)	None	Connection	1	6/22/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
ARBLES 16 SWSW	6/27/2018	1:05 PM	3:53 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
TIBURON 29 NENW (1) PAD	6/27/2018	07:10PM	07:44PM	[redacted]	61 Sunny	5 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/3/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:53 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/28/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:53 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:53 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/11/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:53 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Valve	1	7/11/2018	Yes	1 Outside Vendor	FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
TIBURON 29 NENW (1) PAD	6/27/2018	07:10PM	08:44PM	[redacted]	61 Sunny	5 FLIR GF320 (NC 5E0520)	None	Non Heated Separator	1	7/9/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:56 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Tank Hatch/Opening	1	7/12/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:53 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	6/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:55 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Scrubber	1	6/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:55 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Valve	1	7/6/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:55 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Tank Hatch/Opening	1	7/6/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 16 SWSW	6/27/2018	3:05 PM	3:55 PM	[redacted]	92 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/12/2018				Level I Thermography Certification (Completed: 10/01/2014)
BIG SANDY 14 NWNE PAD	7/5/2018	12:50 PM	1:40 PM	[redacted]	83 Partly Cloudy	10.5 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 04/04/2015)
BIG SANDY 14 NWNE PAD	7/5/2018	12:50 PM	1:40 PM	[redacted]	83 Partly Cloudy	10.5 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/6/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 04/04/2015)
BIG SANDY 14 NWNE PAD	7/5/2018	12:50 PM	1:40 PM	[redacted]	83 Partly Cloudy	10.5 FLIR GF320 (NC 5E0534)	None	Meter	1	7/6/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 04/04/2015)
TIBURON 17 NENW PAD	7/10/2018	08:54AM	09:36AM	[redacted]	80 Rain	1 FLIR GF320 (NC 5E0520)	None	Non Heated Separator	1	7/19/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
TIBURON 17 NENW PAD	7/10/2018	08:54AM	09:36AM	[redacted]	80 Rain	1 FLIR GF320 (NC 5E0520)	None	Connection	1	7/10/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
TIBURON 17 NENW PAD	7/10/2018	08:54AM	09:36AM	[redacted]	80 Rain	1 FLIR GF320 (NC 5E0520)	None	Connection	1	7/13/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
DURHAM 10 SWSW PAD (153, 152, 147, 153)	7/11/2018	10:41 AM	11:28 AM	[redacted]	76 Sunny	2 FLIR GF320 (NC 5E0516)	None	Compressor Frame	1	7/20/2018			FLIR GF320 (NC 5E0516)	Level I Thermography Certification (Completed: 10/01/2014)
DURHAM 10 SWSW PAD (153, 152, 147, 153)	7/11/2018	10:41 AM	11:28 AM	[redacted]	76 Sunny	2 FLIR GF320 (NC 5E0516)	None	Compressor Frame	1	7/20/2018			FLIR GF320 (NC 5E0516)	Level I Thermography Certification (Completed: 10/01/2014)
DURHAM 10 SWSW PAD (153, 152, 147, 153)	7/11/2018	10:41 AM	11:28 AM	[redacted]	76 Sunny	2 FLIR GF320 (NC 5E0516)	None	Heater Treater	1	7/16/2018			FLIR GF320 (NC 5E0516)	Level I Thermography Certification (Completed: 10/01/2014)
DURHAM 10 SWSW PAD (153, 152, 147, 153)	7/11/2018	10:41 AM	11:28 AM	[redacted]	76 Sunny	2 FLIR GF320 (NC 5E0516)	None	Compressor Frame	1	7/16/2018			FLIR GF320 (NC 5E0516)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:21 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater	1	7/16/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:21 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/16/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 34 PEAK FAC (NENW 304, 601, 902, 205, 602, 603)	7/16/2018	01:42PM	02:59PM	[redacted]	78 Sunny	6 FLIR GF320 (NC 5E0534)	None	Valve	1	7/17/2018			FLIR GF320 (NC 5E0516)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:21 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Compressor Frame	1	7/17/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:21 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Scrubber	1	7/17/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:21 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Heater Treater	1	7/17/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:21 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Atmospheric Tank	1	7/16/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 21 NENE	7/16/2018	3:42 PM	4:22 PM	[redacted]	84 Partly Cloudy	4 FLIR GF320 (NC 5E0534)	None	Atmospheric Tank	1	7/16/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 10/01/2014)
WINDY 21 SESW	7/17/2018	1:42 PM	2:12 PM	[redacted]	82 Sunny	7 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/17/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBLES 8 PEAK FACILITY	7/18/2018	10:45 AM	11:11 AM	[redacted]	83 Sunny	8 FLIR GF320 (NC 5E0520)	None	Valve	1	7/20/2018			FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 06/22/2018)
ARBLES 8 NENE	7/18/2018	11:21 AM	12:02 PM	[redacted]	88 Sunny	9 FLIR GF320 (NC 5E0520)	None		1				FLIR GF320 (NC 5E0534)	Level I Thermography Certification (Completed: 06/22/2018)
FLATIRON 13 NWNW PAD	7/20/2018	10:15 AM	10:52 AM	[redacted]	77 Sunny	12 FLIR GF320 (NC 5E0513)	None	Heater	1	7/24/2018			FLIR GF320 (NC 5E0513)	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 13 NWNW PAD	7/20/2018	10:15 AM	10:52 AM	[redacted]	77 Sunny	12 FLIR GF320 (NC 5E0513)	None	Non Heated Separator	1	7/20/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW PAD	7/24/2018	1:50 PM	2:50 PM	[redacted]	84 Partly Cloudy	7 FLIR GF320 (NC 5E0513)	None	Atmospheric Tank	1	7/24/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 25 SESE	7/24/2018	11:51 AM	12:25 PM	[redacted]	83 Sunny	8 FLIR GF320 (NC 5E0513)	None	Atmospheric Tank	1	7/26/2018			FLIR GF320 (NC 5E0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 25 SESE	7/24/2018	11:51 AM	12:25 PM	[redacted]	83 Sunny	8 FLIR GF320 (NC 5E0513)	None	Heater	1	7/24/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 36 NENE PAD	7/24/2018	12:31 PM	12:50 PM	[redacted]	84 Sunny	8 FLIR GF320 (NC 5E0517)	None	Pressure Regulator	1	7/24/2018			FLIR GF320 (NC 5E0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 36 NENE PAD	7/24/2018	12:31 PM	12:50 PM	[redacted]	84 Sunny	8 FLIR GF320 (NC 5E0517)	None	Scrubber	1	7/24/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 36 NENE PAD	7/24/2018	12:31 PM	12:50 PM	[redacted]	84 Sunny	8 FLIR GF320 (NC 5E0517)	None	Non Heated Separator	1	7/24/2018				Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 8 SWSE	7/24/2018	12:25PM	01:35PM	[redacted]	90 Partly Cloudy	3.5 FLIR GF320 (NC 5E0520)	None	Tank Hatch/Opening	1	7/13/2018			FLIR GF320 (NC 5E0517)	EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 36 NENE PAD	7/24/2018	12:31 PM	12:50 PM	[redacted]	84 Sunny	8 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/26/2018			FLIR GF320 (NC 5E0520)	Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 8 SWSE	7/24/2018	12:25PM	01:30PM	[redacted]	90 Partly Cloudy	3.5 FLIR GF320 (NC 5E0520)	None	Other	1	7/10/2018			FLIR GF320 (NC 5E0517)	EOG In-House IR Camera Training (Completed: 09/16/2017)
MARYS DRAW 8 SWSE	7/24/2018	12:25PM	01:30PM	[redacted]	90 Partly Cloudy	3.5 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/26/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 25 SESE	7/24/2018	11:11 AM	12:01 PM	[redacted]	83 Sunny	3 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/24/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW	7/25/2018	12:30PM	01:30PM	[redacted]	75 Partly Cloudy	3.5 FLIR GF320 (NC 5E0520)	None	Heater	1	7/25/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 16 NENE	7/25/2018	01:20PM	01:54PM	[redacted]	75 Partly Cloudy	6 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/25/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
BEHEMOTH FEDERAL COM 2 PAD	7/25/2018	1:51 PM	1:53 PM	[redacted]	76 Partly Cloudy	6 FLIR GF320 (NC 5E0517)	None	Scrubber	1	7/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
BEHEMOTH FEDERAL COM 2 PAD	7/25/2018	1:51 PM	1:53 PM	[redacted]	76 Partly Cloudy	6 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/26/2018				Level I Thermography Certification (Completed: 10/01/2014)
BEHEMOTH FEDERAL COM 2 PAD	7/25/2018	1:51 PM	1:53 PM	[redacted]	76 Partly Cloudy	6 FLIR GF320 (NC 5E0517)	None	Scrubber	1	7/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 17 NWNW PAD	7/25/2018	11:30AM	12:10PM	[redacted]	74 Partly Cloudy	7.5 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/27/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 20 SESE PAD	7/25/2018	11:44 AM	12:10 PM	[redacted]	73 Partly Cloudy	9 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NENE	7/25/2018	01:20PM	01:54PM	[redacted]	75 Partly Cloudy	6 FLIR GF320 (NC 5E0520)	None	Valve	1	7/26/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 16 NWNW	7/25/2018	12:30PM	01:30PM	[redacted]	75 Partly Cloudy	7.5 FLIR GF320 (NC 5E0520)	None	Valve	1	7/31/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 20 SESE PAD	7/25/2018	11:44 AM	12:10 PM	[redacted]	73 Partly Cloudy	9 FLIR GF320 (NC 5E0517)	None	Heater Treater	1	7/30/2018			FLIR GF320 (NC 5E0520)	Level I Thermography Certification (Completed: 10/01/2014)
FLATIRON 16 NWNW	7/25/2018	12:30PM	01:30PM	[redacted]	75 Partly Cloudy	7.5 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/26/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
FLATIRON 16 NWNW	7/25/2018	12:30PM	01:10PM	[redacted]	75 Partly Cloudy	7.5 FLIR GF320 (NC 5E0520)	None	Tank Hatch/Opening	1	7/31/2018			FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
BEHEMOTH FEDERAL COM 2 PAD	7/25/2018	1:51 PM	1:53 PM	[redacted]	76 Partly Cloudy	9 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
ARBALEST 16 NENE PAD	7/25/2018	1:03 PM	1:54 PM	[redacted]	77 Partly Cloudy	5 FLIR GF320 (NC 5E0517)	None	Flare	1	7/25/2018				Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 01 SESW PAD	7/27/2018	10:04 AM	10:21 AM	[redacted]	70 Cloudy	6 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 01 SESW PAD	7/27/2018	10:04 AM	10:21 AM	[redacted]	70 Cloudy	6 FLIR GF320 (NC 5E0517)	None	Heater Treater	1	8/1/2018			FLIR GF320 (NC 5E0520)	Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 13 NWSW PAD	7/27/2018	11:36 AM	11:58 AM	[redacted]	68 Cloudy	7 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
CATAPULT 13 NWSW PAD	7/27/2018	11:36 AM	11:58 AM	[redacted]	68 Cloudy	7 FLIR GF320 (NC 5E0517)	None	Non Heated Separator	1	7/27/2018				Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	7/10/2018	11:57 AM	12:08 PM	[redacted]	73 Partly Cloudy	3 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/10/2018				Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	7/10/2018	11:57 AM	12:08 PM	[redacted]	73 Partly Cloudy	2 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/10/2018				Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	7/10/2018	11:57 AM	12:08 PM	[redacted]	73 Partly Cloudy	2 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/10/2018				Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	7/10/2018	11:57 AM	12:08 PM	[redacted]	73 Partly Cloudy	2 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/31/2018			FLIR GF320 (NC 5E0517)	Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	7/10/2018	11:57 AM	12:08 PM	[redacted]	73 Partly Cloudy	2 FLIR GF320 (NC 5E0517)	None	Compressor Frame	1	7/30/2018				Level I Thermography Certification (Completed: 10/01/2014)
Marys Draw 22 NWNW	7/10/2018	11:57 AM	12:08 PM	[redacted]	73 Partly Cloudy	2 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/10/2018				Level I Thermography Certification (Completed: 10/01/2014)
SCS 14 NWNW PAD	7/10/2018	02:58PM	03:45PM	[redacted]	80 Sunny	1 FLIR GF320 (NC 5E0520)	None	Heater Treater	1	7/10/2018				EOG In-House IR Camera Training (Completed: 09/16/2017)
SCS 14 NESE PAD	7/10/2018	12:30PM	12:58PM	[redacted]	78 Partly Cloudy	1 FLIR GF320 (NC 5E0520)	None		1				FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)
MARYS DRAW 12 SWSW	7/31/2018	11:57 AM	12:12 PM	[redacted]	79 Sunny	2 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/31/2018				Level I Thermography Certification (Completed: 10/01/2014)
MARYS DRAW 12 SWSW	7/31/2018	11:57 AM	12:12 PM	[redacted]	79 Sunny	2 FLIR GF320 (NC 5E0517)	None	Atmospheric Tank	1	7/31/2018			FLIR GF320 (NC 5E0517)	Level I Thermography Certification (Completed: 10/01/2014)
FALCON 36 ...	8/1/2018	12:04PM	01:00PM	[redacted]	94 Partly Cloudy	5.5 FLIR GF320 (NC 5E0520)	None		1				FLIR GF320 (NC 5E0520)	EOG In-House IR Camera Training (Completed: 09/16/2017)