
Pumpkinseed
Yellow Perch
Redbreast Sunfish
Smallmouth Bass
Largemouth Bass
Bluegill
Spottail Shiner
All Other
RELATIVE ABUNDANCE (percent)
60.0
50.0
40.0
30.0
20.0
10.0
0.0
1960's
1970's
1990's
2000's
DECADE

Changes in Resident Fish Community of the Hooksett Pool Trapnet Data




60
50
40
30
20
10
0
1960's
1970's
1990's
2000's
All Other
Largemouth Bass
Smallmouth Bass
Redbreasted Sunfish
Yellow Perch
Pumpkinseed
Pumpkinseed
Yellow Perch
Redbreasted Sunfish
Smallmouth Bass
Largemouth Bass
All Other


100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
2000
1990
1970
1960
Pumpkinseed
Yellow Perch
Redbreast Sunfish
Smallmouth Bass
Largemouth Bass
Bluegill
Spottail Shiner
All Other


All Other
Largemouth Bass
Smallmouth Bass
Redbreasted Sunfish
Yellow Perch
Pumpkinseed
60
50
40
30
20
10
0
1960's
1970's
1990's
2000's

	1960's	1970's	1990's	2000's
Pumpkinseed	37.8	51.6	0.4	2.8
Yellow Perch	19.8	9.8	0.2	6.6
Redbreast Sunfish	7.0	11.8	4.5	6.9
Smallmouth Bass	4.0	7.9	1.0	9.9
Largemouth Bass	20.7	7.4	4.0	23.7
Bluegill			41.7	15.9
Spottail Shiner			43.6	16.0
All Other	10.7	11.5	3.8	18.2

	1960's	1970's	2000's
Pumpkinseed	26.2	19.5	0.4
Yellow Perch	23.0	10.1	2.1
Brown Bullhead	13.2	36.0	0.8
Common White Sucker	16.2	18.2	2.1
Golden Shiner	8.2	0.9	0.0
Smallmouth Bass	2.5	5.1	42.8
Redbreast Sunfish	4.0	3.7	7.9
Bluegill			7.3
Spottail Shiner			18.4
Rock Bass			11.1
All Other	6.7	6.5	7.1