To: Egan, Robert[egan.robert@epa.gov]
Cc: Kamke, Sherry[Kamke.Sherry@epa.gov]; Manville, Jennifer[manville.jennifer@epa.gov]; Dee.allen@ldftribe.com[Dee.allen@ldftribe.com]
From: Hanson, Kristen
Sent: Thur 9/29/2016 1:40:29 PM
Subject: Todays 9am meeting call in information

Hi Bob,

Could you please provide call-in information for the 9 call today with Tom Kady?

Also, in advance of EPA's consultant's model debut webinar with S2C2 this afternoon, could you please provide the following:

1) What data was used to generate the model?

2) Have problems or limitations been identified with the model?

Also, please be aware that -like was mentioned in emails and the call yesterday- the Tribe has requested that the two enforcement authorities (EPA and the Tribe) get debriefed on EPA contractor's deliverable (the Model) and edits/comments are included in advance of sharing with the Responsible Party Representative.

Kristen

From: Hanson, Kristen
Sent: Wednesday, September 28, 2016 3:40 PM
To: 'Egan, Robert'; 'Kamke, Sherry'
Cc: 'Manville, Jennifer'; Allen, Dee
Subject: Tomorrows Meeting Call-in Information

Hi Bob,

Could you please provide call-in information for the 9 am tomorrow call with Tom Kady?

Also, in advance of EPA's consultant's model debut webinar with S2C2, could you please provide the following:

1) What data was used to generate the model?

2) Have problems or limitations been identified with the model?

Also, please be aware that -like was mentioned in emails and the call today- the Tribe has requested that the two enforcement authorities (EPA and the Tribe) get debriefed on EPA contractor's deliverable (the Model) and edits/comments are included in advance of sharing with the Responsible Party Representative.

Kristen

From: Hanson, Kristen
Sent: Tuesday, September 27, 2016 1:49 PM
To: 'Egan, Robert'; Kamke, Sherry
Cc: Manville, Jennifer; Allen, Dee
Subject: Haskell Lake Area Petroleum Contamination Site Model call and Active Task Order Request

Bob,

I am available at 9 am Thursday.

Please provide the Tribe with a copy of the Task Order that Bristol is currently working under so that we may better understand EPA's contractors capabilities.

Kristen

From: Egan, Robert [mailto:egan.robert@epa.gov]
Sent: Tuesday, September 27, 2016 1:39 PM
To: Hanson, Kristen; Kamke, Sherry
Cc: Manville, Jennifer; Allen, Dee
Subject: RE: recommendations report for Tower

Kristen,

That was not planned as part of the task.

However, I just got off the phone with Tom Kady. Prior to our webinar, he can walk us through the files that S2C2 will be using and we can discuss the images with him so we can be more prepared for the presentation by S2C2. I plan to use Tom as we go forward to provide additional support for answers to questions about the model product. I do not know how much experience Bristol has on this and using in-house expertise will, I believe, be more advantageous.

Are you available at 9 a.m. on Thursday?

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Hanson, Kristen [mailto:KHanson@ldftribe.com]
Sent: Tuesday, September 27, 2016 1:32 PM
To: Egan, Robert <egan.robert@epa.gov>; Kamke, Sherry <Kamke.Sherry@epa.gov>
Cc: Manville, Jennifer <manville.jennifer@epa.gov>; Dee.allen@ldftribe.com
Subject: RE: recommendations report for Tower

Bob,

Is there then an option to view the model, find out which data was used in the model, and any gaps or shortcoming that may need refinement in advance of the wider model distribution with S2C2 on Thursday. If S2c2 is not an option, certainly agency staff and/or Bristol should be able to meet the goal. I understand that you had told the state contractor that Bristol would be available for state contractor-state-tribe-epa calls. I would hope that explanation of their deliverable to epa and the Tribe would also be an option.

Your consideration is appreciated,

Kristen

From: Egan, Robert [mailto:egan.robert@epa.gov]
Sent: Monday, September 26, 2016 1:59 PM
To: Hanson, Kristen; Kamke, Sherry
Cc: Manville, Jennifer
Subject: RE: recommendations report for Tower

Kristen,

We will need to have everyone on for the presentation at the same time. We did not plan for two separate presentations in the budget.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Hanson, Kristen [mailto:KHanson@ldftribe.com]
Sent: Monday, September 26, 2016 1:25 PM
To: Egan, Robert <egan.robert@epa.gov>; Kamke, Sherry <Kamke.Sherry@epa.gov>
Cc: Manville, Jennifer <manville.jennifer@epa.gov>
Subject: FW: recommendations report for Tower

Good Afternoon,

I think it makes sense for just EPA and the Tribe to get a handle on the 1st viewing of the model deliverable and any problems before releasing this more broadly to the RP contractor.

Kristen

From: Faust, Matt [mailto:mfaust@bristol-companies.com]
Sent: Monday, September 26, 2016 1:17 PM
To: Egan, Robert; Hanson, Kristen; Allen, Bob
Subject: RE: recommendations report for Tower

All,

Jason Ruf with S2C2 is available lead a web session on Thursday afternoon between 1:00 and 4:30 pm eastern to present the Tower model.

That's 12:00-3:30 PM central, and 9:00 AM – 12:30 PM Alaska time.

Please let me know when you could be available in that window, and we'll finalize arrangements.

Thank you,

--Matt

Matt Faust, P.G.
Project Manager/Geologist
Bristol Environmental Remediation Services, LLC
Phone : (907) 743-9346

From: Faust, Matt
Sent: Thursday, September 22, 2016 8:38 AM
To: 'Egan, Robert' <egan.robert@epa.gov>
Subject: RE: recommendations report for Tower

Bob,

S2C2 is tentatively available for a web session either Wednesday or Thursday afternoon next week, but they won't be able to confirm until Monday. I'll check with them again on Monday and then maybe we can nail something down?

--Matt

Matt Faust, P.G.
Project Manager/Geologist
Bristol Environmental Remediation Services, LLC
Phone : (907) 743-9346

From: Egan, Robert [mailto:egan.robert@epa.gov]
Sent: Thursday, September 22, 2016 4:23 AM
To: Faust, Matt <mfaust@bristol-companies.com>
Subject: RE: recommendations report for Tower

Thanks, Matt. I believe that will work.

When can we have our session with S2C2 to go over their model?

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Faust, Matt [mailto:mfaust@bristol-companies.com]
Sent: Wednesday, September 21, 2016 7:36 PM
To: Egan, Robert <egan.robert@epa.gov>
Subject: RE: recommendations report for Tower

Bob,

I talked to Bob Allen today and we will have the recommendations report to you by the end of the month (next Friday). Will that be acceptable?

Thank you,

--Matt

Matt Faust, P.G.
Project Manager/Geologist
Bristol Environmental Remediation Services, LLC
Phone : (907) 743-9346

From: Faust, Matt
Sent: Wednesday, September 21, 2016 9:13 AM
To: 'Egan, Robert' <egan.robert@epa.gov>
Subject: RE: recommendations report for Tower

Hi Bob,

We just received the data visualization report from S2C2 (updated with the LIF data) this morning. I'll check with Bob to confirm when we can have our recommendations report complete and let you know today.

The tech memo summarizing the results of the August groundwater sampling is in the final stages of review right now and should be to you before the end of this week.

Thanks,

--Matt

Matt Faust, P.G.
Project Manager/Geologist
Bristol Environmental Remediation Services, LLC
Phone : (907) 743-9346

From: Egan, Robert [mailto:egan.robert@epa.gov]
Sent: Wednesday, September 21, 2016 4:01 AM
To: Faust, Matt <mfaust@bristol-companies.com>
Subject: recommendations report for Tower

Hi Matt,

Any idea of when we will see a draft report?

Thanks.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

CONFIDENTIAL NOTICE: This document is for the sole purpose of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender and destroy all copies of the original document.

--