To: Dave Larsen[dlarsen@reiengineering.com]; Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov)[Christopher.Saari@Wisconsin.gov]; Egan, Robert[egan.robert@epa.gov]; KHanson@ldftribe.com[KHanson@ldftribe.com]
From: Kady, Thomas
Sent: Thur 7/14/2016 6:00:48 PM
Subject: RE: Point To Point comparisons - REI- Tower Standard- Lac Du Flambeau, WI

Dave –

Some excellent boring locations over the last two days! The point to point comparisons are nice, too.

If the others agree (not my place to direct you), I recommend some point to point comparisons showing HPT Pressure overlain with the PID readings along transects.

Reasoning:

1. Since the PID and FID are matching so well, the PID is all that is needed on the P2P comparisons

2. Since the HPT Pressure is indicating the somewhat tighter lens really well, it would be great to see how this correlates to the PID readings as the transects step away from the source area.

Suggested transects:

Transect 1: Points 6 , 1 (would be nice to have a point in between those to 25 feet)

Transect 2: Points 11, 10, 9, 2 (in that order) both common scale and auto scale

Transect 3: Points 7, 8, 12 (in that order) both common scale and auto scale

Transect 4: Points 13, 3 (in that order) both common scale and auto scale

Again, it's not my place to direct your work. I'm just throwing out a suggestion for the group to consider.

Tom

Tom Kady

USEPA Environmental Response Team

2890 Woodbridge Ave.

Edison, NJ

732-735-5822

From: Dave Larsen [mailto:dlarsen@reiengineering.com]
Sent: Thursday, July 14, 2016 1:19 PM
To: Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov) <Christopher.Saari@Wisconsin.gov>; Egan, Robert <egan.robert@epa.gov>; KHanson@ldftribe.com; Kady, Thomas <Kady.Thomas@epa.gov>
Subject: FW: Point To Point comparisons - REI- Tower Standard- Lac Du Flambeau, WI

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

From: Brad Carlson [mailto:wcarlson@cascade-env.com]
Sent: Thursday, July 14, 2016 11:30 AM
To: Ryan Mulford <rmulford@cascade-env.com>; Dave Larsen <dlarsen@reiengineering.com>
Cc: Charles Terry <cterry@cascade-env.com>; William McAllister <wmcallister@cascade-env.com>
Subject: Point To Point comparisons - REI- Tower Standard- Lac Du Flambeau, WI

Project Team,

I have attached the ***Point To Point comparisons*** for the Tower Standard site in Lac Du Flambeau, WI. Also attached is a common scale log, in which the scale of each data set is set to the greatest detection observed, for each respective detector, to this point. Please feel free to contact me or Brad Carlson with any questions or concerns.

•□□□□□□□□ Point To Point comparisons PID/FID Auto Scale

•□□□□□□□□ Point To Point comparisons PID/FID Common Scale

•□□□□□□□□ Point To Point PID and Electrical Conductivity Auto Scale

•□□□□□□□□ Point To Point PID and Electrical Conductivity Common Scale

Please note my new email address

CASCADE
DRILLING | TECHNICAL SERVICES

BRAD CARLSON EAST HRSC MANAGER

CASCADE | 1020 SOUTH 82nd STREET, TAMPA FL, 33619

C (813) 731-5916 | wcarlson@cascade-env.com

EXCELLENCE ON EVERY LEVEL™ -www.cascade-env.com

go green™ Please consider the environment before printing this e-mail

****

This communication, including any attachments, is for the exclusive use of the addressee and may contain proprietary, confidential and/or privileged information and is protected by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this communication and destroy all copies.