UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Mr. William D Laut
14436 Haskell Heights Drive
Lac du Flambeau, Wisconsin 54538

Dear Mr. Laut:

The purpose of this letter is to inform you of the results of the drinking water sample collected from the well at 14436 Haskell Heights Drive on November 13, 2014. The U.S. Environmental Protection Agency (U.S. EPA) collected this sample as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for both volatile organic compounds (VOCs) and lead which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of VOCs attributable to contaminants at the Tower Standard site. Lead was detected at a very low level, 0.78 parts per billion, which is well below the health-based screening level of 15 parts per billion. Lead is naturally occurring and commonly found in well water samples at low levels. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-06-1114 **Lab ID: 10288974006** Collected: 11/13/14 12:55 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011								
1,2-Dibromoethane (EDB)	ND	ug/L	0.0098	0.0044	1	11/18/14 01:48	11/22/14 02:23	106-93-4	
Surrogates									
4-Bromofluorobenzene (S)	115	%.	70-130		1	11/18/14 01:48	11/22/14 02:23	460-00-4	
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020								
Lead	**0.78**	ug/L	0.10	0.046	1	11/22/14 16:50	11/24/14 13:27	7439-92-1	
524.2 MSV	Analytical Method: EPA 524.2								
Acetone	ND	ug/L	20.0	10.0	1		11/23/14 23:09	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1.0	1		11/23/14 23:09	107-13-1	
Benzene	ND	ug/L	0.50	0.073	1		11/23/14 23:09	71-43-2	
Bromobenzene	ND	ug/L	0.50	0.18	1		11/23/14 23:09	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.16	1		11/23/14 23:09	74-97-5	
Bromodichloromethane	ND	ug/L	0.50	0.11	1		11/23/14 23:09	75-27-4	
Bromoform	ND	ug/L	4.0	2.0	1		11/23/14 23:09	75-25-2	
Bromomethane	ND	ug/L	4.0	2.0	1		11/23/14 23:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	2.5	1		11/23/14 23:09	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	0.12	1		11/23/14 23:09	104-51-8	
sec-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	135-98-8	
tert-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	98-06-6	
Carbon disulfide	ND	ug/L	1.0	0.18	1		11/23/14 23:09	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	0.17	1		11/23/14 23:09	56-23-5	
Chlorobenzene	ND	ug/L	0.50	0.066	1		11/23/14 23:09	108-90-7	
Chloroethane	ND	ug/L	1.0	0.27	1		11/23/14 23:09	75-00-3	
Chloroform	ND	ug/L	0.50	0.20	1		11/23/14 23:09	67-66-3	
Chloromethane	ND	ug/L	4.0	0.34	1		11/23/14 23:09	74-87-3	
2-Chlorotoluene	ND	ug/L	0.50	0.064	1		11/23/14 23:09	95-49-8	
4-Chlorotoluene	ND	ug/L	0.50	0.10	1		11/23/14 23:09	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	2.0	1		11/23/14 23:09	96-12-8	
Dibromochloromethane	ND	ug/L	0.50	0.25	1		11/23/14 23:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	0.50	0.097	1		11/23/14 23:09	106-93-4	
Dibromomethane	ND	ug/L	0.50	0.25	1		11/23/14 23:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.082	1		11/23/14 23:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	10.0	0.37	1		11/23/14 23:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	1.0	0.50	1		11/23/14 23:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	0.50	0.087	1		11/23/14 23:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	0.50	0.10	1		11/23/14 23:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	0.50	0.17	1		11/23/14 23:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.11	1		11/23/14 23:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.15	1		11/23/14 23:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	0.10	1		11/23/14 23:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	0.50	0.25	1		11/23/14 23:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.17	1		11/23/14 23:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	0.50	0.11	1		11/23/14 23:09	563-58-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-06-1114 **Lab ID: 10288974006** Collected: 11/13/14 12:55 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2								
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.093	1		11/23/14 23:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	10061-02-6	
Ethylbenzene	ND	ug/L	0.50	0.096	1		11/23/14 23:09	100-41-4	
Ethyl methacrylate	ND	ug/L	4.0	1.2	1		11/23/14 23:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.50	1		11/23/14 23:09	87-68-3	
2-Hexanone	ND	ug/L	5.0	2.5	1		11/23/14 23:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	0.50	0.087	1		11/23/14 23:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	0.25	1		11/23/14 23:09	99-87-6	
Methylene Chloride	ND	ug/L	4.0	2.0	1		11/23/14 23:09	75-09-2	
Methyl methacrylate	ND	ug/L	5.0	0.94	1		11/23/14 23:09	80-62-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	2.5	1		11/23/14 23:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	0.50	0.12	1		11/23/14 23:09	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.50	1		11/23/14 23:09	91-20-3	
2-Nitropropane	ND	ug/L	10.0	5.5	1		11/23/14 23:09	79-46-9	
n-Propylbenzene	ND	ug/L	0.50	0.077	1		11/23/14 23:09	103-65-1	
Styrene	ND	ug/L	0.50	0.069	1		11/23/14 23:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.10	1		11/23/14 23:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.086	1		11/23/14 23:09	79-34-5	
Tetrachloroethene	ND	ug/L	0.50	0.12	1		11/23/14 23:09	127-18-4	
Toluene	ND	ug/L	0.50	0.11	1		11/23/14 23:09	108-88-3	
Total Trihalomethanes (Calc.)	ND	ug/L	4.0		1		11/23/14 23:09		
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.17	1		11/23/14 23:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.14	1		11/23/14 23:09	79-00-5	
Trichloroethene	ND	ug/L	0.50	0.084	1		11/23/14 23:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.12	1		11/23/14 23:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1.2	1		11/23/14 23:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 23:09	108-67-8	
Vinyl chloride	ND	ug/L	0.20	0.082	1		11/23/14 23:09	75-01-4	
Xylene (Total)	ND	ug/L	1.5	0.21	1		11/23/14 23:09	1330-20-7	
m&p-Xylene	ND	ug/L	1.0	0.12	1		11/23/14 23:09	179601-23-1	
o-Xylene	ND	ug/L	0.50	0.091	1		11/23/14 23:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%.	75-125		1		11/23/14 23:09	460-00-4	pH
Toluene-d8 (S)	108	%.	75-125		1		11/23/14 23:09	2037-26-5	
1,2-Dichloroethane-d4 (S)	104	%.	75-125		1		11/23/14 23:09	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Mark Lelonek and Sandy Lelonek
Post Office Box 154
Minocqua, Wisconsin 54548

Dear Sandy and Mark Lelonek:

The purpose of this letter is to inform you of the results of the drinking water sample collected from your well at 1428-1432 Highway D on November 13, 2014. The U.S. Environmental Protection Agency (U.S. EPA) collected this sample as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for volatile organic compounds (VOCs) and lead, which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of VOCs attributable to contaminants at the Tower Standard site. Lead was detected at a very low level, 0.26 parts per billion, well below the health-based screening level of 15 parts per billion and poses no health risk at this level. Lead is commonly found at low levels in drinking water. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-01-1114 **Lab ID: 10288974001** Collected: 11/13/14 09:45 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011								
1,2-Dibromoethane (EDB)	ND	ug/L	0.0098	0.0044	1	11/18/14 01:48	11/22/14 00:13	106-93-4	
Surrogates									
4-Bromofluorobenzene (S)	135	%.	70-130		1	11/18/14 01:48	11/22/14 00:13	460-00-4	S3
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020								
Lead	**0.26**	ug/L	0.10	0.046	1	11/22/14 16:50	11/24/14 13:16	7439-92-1	
524.2 MSV	Analytical Method: EPA 524.2								
Acetone	ND	ug/L	20.0	10.0	1		11/23/14 22:22	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1.0	1		11/23/14 22:22	107-13-1	
Benzene	ND	ug/L	0.50	0.073	1		11/23/14 22:22	71-43-2	
Bromobenzene	ND	ug/L	0.50	0.18	1		11/23/14 22:22	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.16	1		11/23/14 22:22	74-97-5	
Bromodichloromethane	ND	ug/L	0.50	0.11	1		11/23/14 22:22	75-27-4	
Bromoform	ND	ug/L	4.0	2.0	1		11/23/14 22:22	75-25-2	
Bromomethane	ND	ug/L	4.0	2.0	1		11/23/14 22:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	2.5	1		11/23/14 22:22	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	0.12	1		11/23/14 22:22	104-51-8	
sec-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	135-98-8	
tert-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	98-06-6	
Carbon disulfide	ND	ug/L	1.0	0.18	1		11/23/14 22:22	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	0.17	1		11/23/14 22:22	56-23-5	
Chlorobenzene	ND	ug/L	0.50	0.066	1		11/23/14 22:22	108-90-7	
Chloroethane	ND	ug/L	1.0	0.27	1		11/23/14 22:22	75-00-3	
Chloroform	ND	ug/L	0.50	0.20	1		11/23/14 22:22	67-66-3	
Chloromethane	ND	ug/L	4.0	0.34	1		11/23/14 22:22	74-87-3	
2-Chlorotoluene	ND	ug/L	0.50	0.064	1		11/23/14 22:22	95-49-8	
4-Chlorotoluene	ND	ug/L	0.50	0.10	1		11/23/14 22:22	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	2.0	1		11/23/14 22:22	96-12-8	
Dibromochloromethane	ND	ug/L	0.50	0.25	1		11/23/14 22:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	0.50	0.097	1		11/23/14 22:22	106-93-4	
Dibromomethane	ND	ug/L	0.50	0.25	1		11/23/14 22:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.082	1		11/23/14 22:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	10.0	0.37	1		11/23/14 22:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	1.0	0.50	1		11/23/14 22:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	0.50	0.087	1		11/23/14 22:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	0.50	0.10	1		11/23/14 22:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	0.50	0.17	1		11/23/14 22:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.11	1		11/23/14 22:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.15	1		11/23/14 22:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	0.10	1		11/23/14 22:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	0.50	0.25	1		11/23/14 22:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.17	1		11/23/14 22:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	0.50	0.11	1		11/23/14 22:22	563-58-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-01-1114 **Lab ID: 10288974001** Collected: 11/13/14 09:45 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2								
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.093	1		11/23/14 22:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	10061-02-6	
Ethylbenzene	ND	ug/L	0.50	0.096	1		11/23/14 22:22	100-41-4	
Ethyl methacrylate	ND	ug/L	4.0	1.2	1		11/23/14 22:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.50	1		11/23/14 22:22	87-68-3	
2-Hexanone	ND	ug/L	5.0	2.5	1		11/23/14 22:22	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	0.50	0.087	1		11/23/14 22:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	0.25	1		11/23/14 22:22	99-87-6	
Methylene Chloride	ND	ug/L	4.0	2.0	1		11/23/14 22:22	75-09-2	
Methyl methacrylate	ND	ug/L	5.0	0.94	1		11/23/14 22:22	80-62-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	2.5	1		11/23/14 22:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	0.50	0.12	1		11/23/14 22:22	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.50	1		11/23/14 22:22	91-20-3	
2-Nitropropane	ND	ug/L	10.0	5.5	1		11/23/14 22:22	79-46-9	
n-Propylbenzene	ND	ug/L	0.50	0.077	1		11/23/14 22:22	103-65-1	
Styrene	ND	ug/L	0.50	0.069	1		11/23/14 22:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.10	1		11/23/14 22:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.086	1		11/23/14 22:22	79-34-5	
Tetrachloroethene	ND	ug/L	0.50	0.12	1		11/23/14 22:22	127-18-4	
Toluene	ND	ug/L	0.50	0.11	1		11/23/14 22:22	108-88-3	
Total Trihalomethanes (Calc.)	ND	ug/L	4.0		1		11/23/14 22:22		
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.17	1		11/23/14 22:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.14	1		11/23/14 22:22	79-00-5	
Trichloroethene	ND	ug/L	0.50	0.084	1		11/23/14 22:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.12	1		11/23/14 22:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1.2	1		11/23/14 22:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 22:22	108-67-8	
Vinyl chloride	ND	ug/L	0.20	0.082	1		11/23/14 22:22	75-01-4	
Xylene (Total)	ND	ug/L	1.5	0.21	1		11/23/14 22:22	1330-20-7	
m&p-Xylene	ND	ug/L	1.0	0.12	1		11/23/14 22:22	179601-23-1	
o-Xylene	ND	ug/L	0.50	0.091	1		11/23/14 22:22	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%.	75-125		1		11/23/14 22:22	460-00-4	pH
Toluene-d8 (S)	108	%.	75-125		1		11/23/14 22:22	2037-26-5	
1,2-Dichloroethane-d4 (S)	103	%.	75-125		1		11/23/14 22:22	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Mr. Eric Chapman
Post Office Box 923
Lac du Flambeau, Wisconsin 54538

Dear Mr. Chapman:

The purpose of this letter is to inform you of the results of the drinking water sample collected from the well at 1167 Haskell Lake Landing on November 13, 2014 and September 24, 2015. The U.S. Environmental Protection Agency (U.S. EPA) collected this sample as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of VOCs or cadmium attributable to contaminants at the Tower Standard site. Lead was found at very low levels, 0.069 parts per billion (ppb) and 0.15 ppb, well below the health-based screening level of 15 ppb. Lead is naturally occurring and commonly found in well water samples at low levels. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the compound or metal was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-05-1114 **Lab ID: 10288974005** Collected: 11/13/14 11:50 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011								
1,2-Dibromoethane (EDB)	ND	ug/L	0.0098	0.0044	1	11/18/14 01:48	11/22/14 01:57	106-93-4	
Surrogates									
4-Bromofluorobenzene (S)	122	%.	70-130		1	11/18/14 01:48	11/22/14 01:57	460-00-4	
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020								
Lead	**0.069J**	ug/L	0.10	0.046	1	11/22/14 16:50	11/24/14 13:25	7439-92-1	
524.2 MSV	Analytical Method: EPA 524.2								
Acetone	ND	ug/L	20.0	10.0	1		11/23/14 21:35	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1.0	1		11/23/14 21:35	107-13-1	
Benzene	ND	ug/L	0.50	0.073	1		11/23/14 21:35	71-43-2	
Bromobenzene	ND	ug/L	0.50	0.18	1		11/23/14 21:35	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.16	1		11/23/14 21:35	74-97-5	
Bromodichloromethane	ND	ug/L	0.50	0.11	1		11/23/14 21:35	75-27-4	
Bromoform	ND	ug/L	4.0	2.0	1		11/23/14 21:35	75-25-2	
Bromomethane	ND	ug/L	4.0	2.0	1		11/23/14 21:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	2.5	1		11/23/14 21:35	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	0.12	1		11/23/14 21:35	104-51-8	
sec-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	135-98-8	
tert-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	98-06-6	
Carbon disulfide	ND	ug/L	1.0	0.18	1		11/23/14 21:35	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	0.17	1		11/23/14 21:35	56-23-5	
Chlorobenzene	ND	ug/L	0.50	0.066	1		11/23/14 21:35	108-90-7	
Chloroethane	ND	ug/L	1.0	0.27	1		11/23/14 21:35	75-00-3	
Chloroform	ND	ug/L	0.50	0.20	1		11/23/14 21:35	67-66-3	
Chloromethane	ND	ug/L	4.0	0.34	1		11/23/14 21:35	74-87-3	
2-Chlorotoluene	ND	ug/L	0.50	0.064	1		11/23/14 21:35	95-49-8	
4-Chlorotoluene	ND	ug/L	0.50	0.10	1		11/23/14 21:35	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	2.0	1		11/23/14 21:35	96-12-8	
Dibromochloromethane	ND	ug/L	0.50	0.25	1		11/23/14 21:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	0.50	0.097	1		11/23/14 21:35	106-93-4	
Dibromomethane	ND	ug/L	0.50	0.25	1		11/23/14 21:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.082	1		11/23/14 21:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	10.0	0.37	1		11/23/14 21:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	1.0	0.50	1		11/23/14 21:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	0.50	0.087	1		11/23/14 21:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	0.50	0.10	1		11/23/14 21:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	0.50	0.17	1		11/23/14 21:35	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.11	1		11/23/14 21:35	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.15	1		11/23/14 21:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	0.10	1		11/23/14 21:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	0.50	0.25	1		11/23/14 21:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.17	1		11/23/14 21:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	0.50	0.11	1		11/23/14 21:35	563-58-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-05-1114 **Lab ID: 10288974005** Collected: 11/13/14 11:50 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2								
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.093	1		11/23/14 21:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	10061-02-6	
Ethylbenzene	ND	ug/L	0.50	0.096	1		11/23/14 21:35	100-41-4	
Ethyl methacrylate	ND	ug/L	4.0	1.2	1		11/23/14 21:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.50	1		11/23/14 21:35	87-68-3	
2-Hexanone	ND	ug/L	5.0	2.5	1		11/23/14 21:35	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	0.50	0.087	1		11/23/14 21:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	0.25	1		11/23/14 21:35	99-87-6	
Methylene Chloride	ND	ug/L	4.0	2.0	1		11/23/14 21:35	75-09-2	
Methyl methacrylate	ND	ug/L	5.0	0.94	1		11/23/14 21:35	80-62-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	2.5	1		11/23/14 21:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	0.50	0.12	1		11/23/14 21:35	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.50	1		11/23/14 21:35	91-20-3	
2-Nitropropane	ND	ug/L	10.0	5.5	1		11/23/14 21:35	79-46-9	
n-Propylbenzene	ND	ug/L	0.50	0.077	1		11/23/14 21:35	103-65-1	
Styrene	ND	ug/L	0.50	0.069	1		11/23/14 21:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.10	1		11/23/14 21:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.086	1		11/23/14 21:35	79-34-5	
Tetrachloroethene	ND	ug/L	0.50	0.12	1		11/23/14 21:35	127-18-4	
Toluene	ND	ug/L	0.50	0.11	1		11/23/14 21:35	108-88-3	
Total Trihalomethanes (Calc.)	ND	ug/L	4.0		1		11/23/14 21:35		
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.17	1		11/23/14 21:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.14	1		11/23/14 21:35	79-00-5	
Trichloroethene	ND	ug/L	0.50	0.084	1		11/23/14 21:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.12	1		11/23/14 21:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1.2	1		11/23/14 21:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:35	108-67-8	
Vinyl chloride	ND	ug/L	0.20	0.082	1		11/23/14 21:35	75-01-4	
Xylene (Total)	ND	ug/L	1.5	0.21	1		11/23/14 21:35	1330-20-7	
m&p-Xylene	ND	ug/L	1.0	0.12	1		11/23/14 21:35	179601-23-1	
o-Xylene	ND	ug/L	0.50	0.091	1		11/23/14 21:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%.	75-125		1		11/23/14 21:35	460-00-4	
Toluene-d8 (S)	104	%.	75-125		1		11/23/14 21:35	2037-26-5	
1,2-Dichloroethane-d4 (S)	100	%.	75-125		1		11/23/14 21:35	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1167 HASHELL LAKE RD **Lab ID: 10324016005** Collected: 09/24/15 04:40 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/07/15 15:07	10/09/15 18:28	7440-43-9	
Lead	**0.15**	ug/L	0.10	1	10/07/15 15:07	10/09/15 18:28	7439-92-1	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	20.0	1		10/02/15 21:29	67-64-1	
Allyl chloride	ND	ug/L	5.0	1		10/02/15 21:29	107-05-1	
Benzene	ND	ug/L	1.0	1		10/02/15 21:29	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		10/02/15 21:29	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		10/02/15 21:29	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		10/02/15 21:29	75-27-4	
Bromoform	ND	ug/L	1.0	1		10/02/15 21:29	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/02/15 21:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	20.0	1		10/02/15 21:29	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		10/02/15 21:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/02/15 21:29	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		10/02/15 21:29	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	1		10/02/15 21:29	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		10/02/15 21:29	108-90-7	
Chloroethane	ND	ug/L	1.0	1		10/02/15 21:29	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/02/15 21:29	67-66-3	
Chloromethane	ND	ug/L	1.0	1		10/02/15 21:29	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 21:29	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 21:29	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		10/02/15 21:29	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		10/02/15 21:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		10/02/15 21:29	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		10/02/15 21:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 21:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 21:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 21:29	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		10/02/15 21:29	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		10/02/15 21:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		10/02/15 21:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		10/02/15 21:29	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 21:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 21:29	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 21:29	75-43-4	
1,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 21:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		10/02/15 21:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 21:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		10/02/15 21:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 21:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 21:29	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	5.0	1		10/02/15 21:29	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		10/02/15 21:29	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/02/15 21:29	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		10/02/15 21:29	98-82-8	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical S
1700 Elm Stre
Minneapol
(6

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1167 HASHELL LAKE RD **Lab ID: 10324016005** Collected: 09/24/15 04:40 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.
8260 MSV	Analytical Method: EPA 8260						
p-Isopropyltoluene	ND	ug/L	1.0	1		10/02/15 21:29	99-87-6
Methylene Chloride	ND	ug/L	1.0	1		10/02/15 21:29	75-09-2
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		10/02/15 21:29	108-10-1
Methyl-tert-butyl ether	ND	ug/L	1.0	1		10/02/15 21:29	1634-04-4
Naphthalene	ND	ug/L	5.0	1		10/02/15 21:29	91-20-3
n-Propylbenzene	ND	ug/L	1.0	1		10/02/15 21:29	103-65-1
Styrene	ND	ug/L	1.0	1		10/02/15 21:29	100-42-5
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 21:29	630-20-6
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 21:29	79-34-5
Tetrachloroethene	ND	ug/L	1.0	1		10/02/15 21:29	127-18-4
Tetrahydrofuran	ND	ug/L	5.0	1		10/02/15 21:29	109-99-9
Toluene	ND	ug/L	1.0	1		10/02/15 21:29	108-88-3
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 21:29	87-61-6
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 21:29	120-82-1
1,1,1-Trichloroethane	ND	ug/L	1.0	1		10/02/15 21:29	71-55-6
1,1,2-Trichloroethane	ND	ug/L	1.0	1		10/02/15 21:29	79-00-5
Trichloroethene	ND	ug/L	1.0	1		10/02/15 21:29	79-01-6
Trichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 21:29	75-69-4
1,2,3-Trichloropropane	ND	ug/L	1.0	1		10/02/15 21:29	96-18-4
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/02/15 21:29	76-13-1
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 21:29	95-63-6
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 21:29	108-67-8
Vinyl chloride	ND	ug/L	1.0	1		10/02/15 21:29	75-01-4
m&p-Xylene	ND	ug/L	2.0	1		10/02/15 21:29	179601-23-1
o-Xylene	ND	ug/L	1.0	1		10/02/15 21:29	95-47-6
Surrogates							
4-Bromofluorobenzene (S)	94	%	70-130	1		10/02/15 21:29	460-00-4
Dibromofluoromethane (S)	114	%	70-130	1		10/02/15 21:29	1868-53-7
Toluene-d8 (S)	98	%	70-130	1		10/02/15 21:29	2037-26-5

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Mr. Stephen Yach
690 West Nelson Road
Mosinee, Wisconsin 54455

Dear Mr. Yach:

The purpose of this letter is to inform you of the results of the drinking water sample collected from the well at the Haskell Lake Lodge at 14277 State Highway 70 West on November 13, 2014 and September 24, 2015. The U.S. Environmental Protection Agency (U.S. EPA) collected this sample as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of VOCs or cadmium attributable to contaminants at the Tower Standard site. Lead was found at very low levels, 0.14 parts per billion (ppb) and 0.37 ppb, well below the health-based screening level of 15 ppb. Lead is naturally occurring and commonly found in well water samples at low levels. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-03-1114 **Lab ID: 10288974003** Collected: 11/13/14 11:15 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011								
1,2-Dibromoethane (EDB)	ND	ug/L	0.0097	0.0044	1	11/18/14 01:48	11/22/14 01:05	106-93-4	
Surrogates									
4-Bromofluorobenzene (S)	5	%.	70-130		1	11/18/14 01:48	11/22/14 01:05	460-00-4	C0,S2
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020								
Lead	**0.14**	ug/L	0.10	0.046	1	11/22/14 16:50	11/24/14 13:19	7439-92-1	
524.2 MSV	Analytical Method: EPA 524.2								
Acetone	ND	ug/L	20.0	10.0	1		11/23/14 21:12	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1.0	1		11/23/14 21:12	107-13-1	
Benzene	ND	ug/L	0.50	0.073	1		11/23/14 21:12	71-43-2	
Bromobenzene	ND	ug/L	0.50	0.18	1		11/23/14 21:12	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.16	1		11/23/14 21:12	74-97-5	
Bromodichloromethane	ND	ug/L	0.50	0.11	1		11/23/14 21:12	75-27-4	
Bromoform	ND	ug/L	4.0	2.0	1		11/23/14 21:12	75-25-2	
Bromomethane	ND	ug/L	4.0	2.0	1		11/23/14 21:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	2.5	1		11/23/14 21:12	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	0.12	1		11/23/14 21:12	104-51-8	
sec-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	135-98-8	
tert-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	98-06-6	
Carbon disulfide	ND	ug/L	1.0	0.18	1		11/23/14 21:12	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	0.17	1		11/23/14 21:12	56-23-5	
Chlorobenzene	ND	ug/L	0.50	0.066	1		11/23/14 21:12	108-90-7	
Chloroethane	ND	ug/L	1.0	0.27	1		11/23/14 21:12	75-00-3	
Chloroform	ND	ug/L	0.50	0.20	1		11/23/14 21:12	67-66-3	
Chloromethane	ND	ug/L	4.0	0.34	1		11/23/14 21:12	74-87-3	
2-Chlorotoluene	ND	ug/L	0.50	0.064	1		11/23/14 21:12	95-49-8	
4-Chlorotoluene	ND	ug/L	0.50	0.10	1		11/23/14 21:12	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	2.0	1		11/23/14 21:12	96-12-8	
Dibromochloromethane	ND	ug/L	0.50	0.25	1		11/23/14 21:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	0.50	0.097	1		11/23/14 21:12	106-93-4	
Dibromomethane	ND	ug/L	0.50	0.25	1		11/23/14 21:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.082	1		11/23/14 21:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	10.0	0.37	1		11/23/14 21:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	1.0	0.50	1		11/23/14 21:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	0.50	0.087	1		11/23/14 21:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	0.50	0.10	1		11/23/14 21:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	0.50	0.17	1		11/23/14 21:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.11	1		11/23/14 21:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.15	1		11/23/14 21:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	0.10	1		11/23/14 21:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	0.50	0.25	1		11/23/14 21:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.17	1		11/23/14 21:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	0.50	0.11	1		11/23/14 21:12	563-58-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-03-1114 **Lab ID: 10288974003** Collected: 11/13/14 11:15 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2								
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.093	1		11/23/14 21:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	10061-02-6	
Ethylbenzene	ND	ug/L	0.50	0.096	1		11/23/14 21:12	100-41-4	
Ethyl methacrylate	ND	ug/L	4.0	1.2	1		11/23/14 21:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.50	1		11/23/14 21:12	87-68-3	
2-Hexanone	ND	ug/L	5.0	2.5	1		11/23/14 21:12	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	0.50	0.087	1		11/23/14 21:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	0.25	1		11/23/14 21:12	99-87-6	
Methylene Chloride	ND	ug/L	4.0	2.0	1		11/23/14 21:12	75-09-2	
Methyl methacrylate	ND	ug/L	5.0	0.94	1		11/23/14 21:12	80-62-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	2.5	1		11/23/14 21:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	0.50	0.12	1		11/23/14 21:12	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.50	1		11/23/14 21:12	91-20-3	
2-Nitropropane	ND	ug/L	10.0	5.5	1		11/23/14 21:12	79-46-9	
n-Propylbenzene	ND	ug/L	0.50	0.077	1		11/23/14 21:12	103-65-1	
Styrene	ND	ug/L	0.50	0.069	1		11/23/14 21:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.10	1		11/23/14 21:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.086	1		11/23/14 21:12	79-34-5	
Tetrachloroethene	ND	ug/L	0.50	0.12	1		11/23/14 21:12	127-18-4	
Toluene	ND	ug/L	0.50	0.11	1		11/23/14 21:12	108-88-3	
Total Trihalomethanes (Calc.)	ND	ug/L	4.0		1		11/23/14 21:12		
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.17	1		11/23/14 21:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.14	1		11/23/14 21:12	79-00-5	
Trichloroethene	ND	ug/L	0.50	0.084	1		11/23/14 21:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.12	1		11/23/14 21:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1.2	1		11/23/14 21:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 21:12	108-67-8	
Vinyl chloride	ND	ug/L	0.20	0.082	1		11/23/14 21:12	75-01-4	
Xylene (Total)	ND	ug/L	1.5	0.21	1		11/23/14 21:12	1330-20-7	
m&p-Xylene	ND	ug/L	1.0	0.12	1		11/23/14 21:12	179601-23-1	
o-Xylene	ND	ug/L	0.50	0.091	1		11/23/14 21:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%.	75-125		1		11/23/14 21:12	460-00-4	
Toluene-d8 (S)	105	%.	75-125		1		11/23/14 21:12	2037-26-5	
1,2-Dichloroethane-d4 (S)	104	%.	75-125		1		11/23/14 21:12	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: HASHELL LAKE LODGE **Lab ID: 10324016007** Collected: 09/24/15 03:15 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/07/15 15:07	10/09/15 18:34	7440-43-9	
Lead	**0.37**	ug/L	0.10	1	10/07/15 15:07	10/09/15 18:34	7439-92-1	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	20.0	1		10/02/15 21:51	67-64-1	
Allyl chloride	ND	ug/L	5.0	1		10/02/15 21:51	107-05-1	
Benzene	ND	ug/L	1.0	1		10/02/15 21:51	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		10/02/15 21:51	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		10/02/15 21:51	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		10/02/15 21:51	75-27-4	
Bromoform	ND	ug/L	1.0	1		10/02/15 21:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/02/15 21:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	20.0	1		10/02/15 21:51	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		10/02/15 21:51	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/02/15 21:51	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		10/02/15 21:51	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	1		10/02/15 21:51	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		10/02/15 21:51	108-90-7	
Chloroethane	ND	ug/L	1.0	1		10/02/15 21:51	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/02/15 21:51	67-66-3	
Chloromethane	ND	ug/L	1.0	1		10/02/15 21:51	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 21:51	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 21:51	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		10/02/15 21:51	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		10/02/15 21:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		10/02/15 21:51	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		10/02/15 21:51	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 21:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 21:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 21:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		10/02/15 21:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		10/02/15 21:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		10/02/15 21:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		10/02/15 21:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 21:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 21:51	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 21:51	75-43-4	
1,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 21:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		10/02/15 21:51	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 21:51	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		10/02/15 21:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 21:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 21:51	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	5.0	1		10/02/15 21:51	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		10/02/15 21:51	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/02/15 21:51	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		10/02/15 21:51	98-82-8	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Serv
1700 Elm Street -
Minneapolis, M
(612)

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: HASHELL LAKE LODGE **Lab ID: 10324016007** Collected: 09/24/15 03:15 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.
8260 MSV	Analytical Method: EPA 8260						
p-Isopropyltoluene	ND	ug/L	1.0	1		10/02/15 21:51	99-87-6
Methylene Chloride	ND	ug/L	1.0	1		10/02/15 21:51	75-09-2
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		10/02/15 21:51	108-10-1
Methyl-tert-butyl ether	ND	ug/L	1.0	1		10/02/15 21:51	1634-04-4
Naphthalene	ND	ug/L	5.0	1		10/02/15 21:51	91-20-3
n-Propylbenzene	ND	ug/L	1.0	1		10/02/15 21:51	103-65-1
Styrene	ND	ug/L	1.0	1		10/02/15 21:51	100-42-5
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 21:51	630-20-6
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 21:51	79-34-5
Tetrachloroethene	ND	ug/L	1.0	1		10/02/15 21:51	127-18-4
Tetrahydrofuran	ND	ug/L	5.0	1		10/02/15 21:51	109-99-9
Toluene	ND	ug/L	1.0	1		10/02/15 21:51	108-88-3
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 21:51	87-61-6
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 21:51	120-82-1
1,1,1-Trichloroethane	ND	ug/L	1.0	1		10/02/15 21:51	71-55-6
1,1,2-Trichloroethane	ND	ug/L	1.0	1		10/02/15 21:51	79-00-5
Trichloroethene	ND	ug/L	1.0	1		10/02/15 21:51	79-01-6
Trichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 21:51	75-69-4
1,2,3-Trichloropropane	ND	ug/L	1.0	1		10/02/15 21:51	96-18-4
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/02/15 21:51	76-13-1
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 21:51	95-63-6
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 21:51	108-67-8
Vinyl chloride	ND	ug/L	1.0	1		10/02/15 21:51	75-01-4
m&p-Xylene	ND	ug/L	2.0	1		10/02/15 21:51	179601-23-1
o-Xylene	ND	ug/L	1.0	1		10/02/15 21:51	95-47-6
Surrogates							
4-Bromofluorobenzene (S)	95	%	70-130	1		10/02/15 21:51	460-00-4
Dibromofluoromethane (S)	114	%	70-130	1		10/02/15 21:51	1868-53-7
Toluene-d8 (S)	95	%	70-130	1		10/02/15 21:51	2037-26-5

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Phil and Noel Poitra
Post Office Box 992
Lac du Flambeau, Wisconsin 54538

Dear Phil and Noel Poitra:

The purpose of this letter is to inform you of the results of the drinking water samples collected from the well at 1161 Haskell Lake Landing on November 26, 2014 and September 24, 2015. The U.S. Environmental Protection Agency (U.S. EPA) had these samples collected as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of cadmium or VOCs attributable to contaminants at the Tower Standard site. Lead was found at 0.12 parts per billion (ppb) and 0.78 ppb, well below the health-based screening level of 15 ppb. Lead is naturally occurring and is commonly found at low levels in well water. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" or "<" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard
Pace Project No.: 10290131

Sample: Tower-09-1114 **Lab ID: 10290131003** Collected: 11/26/14 09:25 Received: 11/29/14 09:30 Matrix: Water

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011							
1,2-Dibromoethane (EDB)	**<0.0044**	ug/L	0.0098	1	12/01/14 02:55	12/02/14 07:33	106-93-4	
Surrogates								
4-Bromofluorobenzene (S)	94	%.	70-130	1	12/01/14 02:55	12/02/14 07:33	460-00-4	
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Lead	**0.12**	ug/L	0.10	1	12/03/14 13:14	12/04/14 14:54	7439-92-1	B
524.2 MSV	Analytical Method: EPA 524.2							
Acetone	**<10.0**	ug/L	20.0	1		12/05/14 12:31	67-64-1	
Acrylonitrile	**<1.0**	ug/L	10.0	1		12/05/14 12:31	107-13-1	
Benzene	**<0.073**	ug/L	0.50	1		12/05/14 12:31	71-43-2	
Bromobenzene	**<0.18**	ug/L	0.50	1		12/05/14 12:31	108-86-1	
Bromochloromethane	**<0.16**	ug/L	1.0	1		12/05/14 12:31	74-97-5	
Bromodichloromethane	**<0.11**	ug/L	0.50	1		12/05/14 12:31	75-27-4	
Bromoform	**<2.0**	ug/L	4.0	1		12/05/14 12:31	75-25-2	
Bromomethane	**<2.0**	ug/L	4.0	1		12/05/14 12:31	74-83-9	
2-Butanone (MEK)	**<2.5**	ug/L	5.0	1		12/05/14 12:31	78-93-3	
n-Butylbenzene	**<0.12**	ug/L	1.0	1		12/05/14 12:31	104-51-8	
sec-Butylbenzene	**<0.25**	ug/L	1.0	1		12/05/14 12:31	135-98-8	
tert-Butylbenzene	**<0.25**	ug/L	0.50	1		12/05/14 12:31	98-06-6	
Carbon disulfide	**<0.18**	ug/L	1.0	1		12/05/14 12:31	75-15-0	
Carbon tetrachloride	**<0.17**	ug/L	1.0	1		12/05/14 12:31	56-23-5	
Chlorobenzene	**<0.066**	ug/L	0.50	1		12/05/14 12:31	108-90-7	
Chloroethane	**<0.27**	ug/L	1.0	1		12/05/14 12:31	75-00-3	
Chloroform	**<0.20**	ug/L	0.50	1		12/05/14 12:31	67-66-3	
Chloromethane	**<0.34**	ug/L	4.0	1		12/05/14 12:31	74-87-3	
2-Chlorotoluene	**<0.064**	ug/L	0.50	1		12/05/14 12:31	95-49-8	
4-Chlorotoluene	**<0.10**	ug/L	0.50	1		12/05/14 12:31	106-43-4	
1,2-Dibromo-3-chloropropane	**<2.0**	ug/L	4.0	1		12/05/14 12:31	96-12-8	
Dibromochloromethane	**<0.25**	ug/L	0.50	1		12/05/14 12:31	124-48-1	
1,2-Dibromoethane (EDB)	**<0.097**	ug/L	0.50	1		12/05/14 12:31	106-93-4	
Dibromomethane	**<0.25**	ug/L	0.50	1		12/05/14 12:31	74-95-3	
1,2-Dichlorobenzene	**<0.082**	ug/L	0.50	1		12/05/14 12:31	95-50-1	
1,3-Dichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 12:31	541-73-1	
1,4-Dichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 12:31	106-46-7	
trans-1,4-Dichloro-2-butene	**<0.37**	ug/L	10.0	1		12/05/14 12:31	110-57-6	
Dichlorodifluoromethane	**<0.50**	ug/L	1.0	1		12/05/14 12:31	75-71-8	
1,1-Dichloroethane	**<0.087**	ug/L	0.50	1		12/05/14 12:31	75-34-3	
1,2-Dichloroethane	**<0.10**	ug/L	0.50	1		12/05/14 12:31	107-06-2	
1,1-Dichloroethene	**<0.17**	ug/L	0.50	1		12/05/14 12:31	75-35-4	
cis-1,2-Dichloroethene	**<0.11**	ug/L	0.50	1		12/05/14 12:31	156-59-2	
trans-1,2-Dichloroethene	**<0.15**	ug/L	0.50	1		12/05/14 12:31	156-60-5	
1,2-Dichloropropane	**<0.10**	ug/L	4.0	1		12/05/14 12:31	78-87-5	
1,3-Dichloropropane	**<0.25**	ug/L	0.50	1		12/05/14 12:31	142-28-9	
2,2-Dichloropropane	**<0.17**	ug/L	1.0	1		12/05/14 12:31	594-20-7	
1,1-Dichloropropene	**<0.11**	ug/L	0.50	1		12/05/14 12:31	563-58-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard
Pace Project No.: 10290131

Sample: Tower-09-1114 **Lab ID: 10290131003** Collected: 11/26/14 09:25 Received: 11/29/14 09:30 Matrix: Water

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2							
cis-1,3-Dichloropropene	**<0.093**	ug/L	0.50	1		12/05/14 12:31	10061-01-5	
trans-1,3-Dichloropropene	**<0.25**	ug/L	0.50	1		12/05/14 12:31	10061-02-6	
Ethylbenzene	**<0.096**	ug/L	0.50	1		12/05/14 12:31	100-41-4	
Ethyl methacrylate	**<1.2**	ug/L	4.0	1		12/05/14 12:31	97-63-2	
Hexachloro-1,3-butadiene	**<0.50**	ug/L	1.0	1		12/05/14 12:31	87-68-3	
2-Hexanone	**<2.5**	ug/L	20.0	1		12/05/14 12:31	591-78-6	
Isopropylbenzene (Cumene)	**<0.087**	ug/L	1.0	1		12/05/14 12:31	98-82-8	
p-Isopropyltoluene	**<0.25**	ug/L	1.0	1		12/05/14 12:31	99-87-6	
Methylene Chloride	**<2.0**	ug/L	4.0	1		12/05/14 12:31	75-09-2	
Methyl methacrylate	**<0.94**	ug/L	5.0	1		12/05/14 12:31	80-62-6	
4-Methyl-2-pentanone (MIBK)	**<2.5**	ug/L	20.0	1		12/05/14 12:31	108-10-1	
Methyl-tert-butyl ether	**<0.12**	ug/L	0.50	1		12/05/14 12:31	1634-04-4	
Naphthalene	**<0.50**	ug/L	1.0	1		12/05/14 12:31	91-20-3	
2-Nitropropane	**<5.5**	ug/L	10.0	1		12/05/14 12:31	79-46-9	
n-Propylbenzene	**<0.077**	ug/L	1.0	1		12/05/14 12:31	103-65-1	
Styrene	**<0.069**	ug/L	1.0	1		12/05/14 12:31	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.10**	ug/L	0.50	1		12/05/14 12:31	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.086**	ug/L	0.50	1		12/05/14 12:31	79-34-5	
Tetrachloroethene	**<0.12**	ug/L	0.50	1		12/05/14 12:31	127-18-4	
Toluene	**<0.11**	ug/L	0.50	1		12/05/14 12:31	108-88-3	
Total Trihalomethanes (Calc.)	**0.00000000 010J**	ug/L	4.0	1		12/05/14 12:31		
1,2,3-Trichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 12:31	87-61-6	
1,2,4-Trichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 12:31	120-82-1	
1,1,1-Trichloroethane	**<0.17**	ug/L	0.50	1		12/05/14 12:31	71-55-6	
1,1,2-Trichloroethane	**<0.14**	ug/L	0.50	1		12/05/14 12:31	79-00-5	
Trichloroethene	**<0.084**	ug/L	0.50	1		12/05/14 12:31	79-01-6	
Trichlorofluoromethane	**<0.12**	ug/L	0.50	1		12/05/14 12:31	75-69-4	
1,2,3-Trichloropropane	**<1.2**	ug/L	4.0	1		12/05/14 12:31	96-18-4	
1,2,4-Trimethylbenzene	**<0.25**	ug/L	1.0	1		12/05/14 12:31	95-63-6	
1,3,5-Trimethylbenzene	**<0.25**	ug/L	1.0	1		12/05/14 12:31	108-67-8	
Vinyl chloride	**<0.082**	ug/L	0.20	1		12/05/14 12:31	75-01-4	
Xylene (Total)	**<0.21**	ug/L	3.0	1		12/05/14 12:31	1330-20-7	
m&p-Xylene	**<0.12**	ug/L	2.0	1		12/05/14 12:31	179601-23-1	
o-Xylene	**<0.091**	ug/L	1.0	1		12/05/14 12:31	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	97	%.	75-125	1		12/05/14 12:31	460-00-4	
Toluene-d8 (S)	99	%.	75-125	1		12/05/14 12:31	2037-26-5	
1,2-Dichloroethane-d4 (S)	96	%.	75-125	1		12/05/14 12:31	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1161 HASHELL LAKE LAND **Lab ID: 10324016003** Collected: 09/24/15 01:40 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/07/15 15:07	10/09/15 18:13	7440-43-9	
Lead	**0.78**	ug/L	0.10	1	10/07/15 15:07	10/09/15 18:13	7439-92-1	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	20.0	1		10/02/15 15:28	67-64-1	
Allyl chloride	ND	ug/L	5.0	1		10/02/15 15:28	107-05-1	
Benzene	ND	ug/L	1.0	1		10/02/15 15:28	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		10/02/15 15:28	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		10/02/15 15:28	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		10/02/15 15:28	75-27-4	
Bromoform	ND	ug/L	1.0	1		10/02/15 15:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/02/15 15:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	20.0	1		10/02/15 15:28	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		10/02/15 15:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/02/15 15:28	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		10/02/15 15:28	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	1		10/02/15 15:28	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		10/02/15 15:28	108-90-7	
Chloroethane	ND	ug/L	1.0	1		10/02/15 15:28	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/02/15 15:28	67-66-3	
Chloromethane	ND	ug/L	1.0	1		10/02/15 15:28	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 15:28	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 15:28	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		10/02/15 15:28	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		10/02/15 15:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		10/02/15 15:28	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		10/02/15 15:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 15:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 15:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 15:28	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		10/02/15 15:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		10/02/15 15:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		10/02/15 15:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		10/02/15 15:28	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 15:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 15:28	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 15:28	75-43-4	
1,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 15:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		10/02/15 15:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 15:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		10/02/15 15:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 15:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 15:28	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	5.0	1		10/02/15 15:28	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		10/02/15 15:28	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/02/15 15:28	87-68-3	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical :
1700 Elm Stre
Minneapc
(

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1161 HASHELL LAKE LAND **Lab ID: 10324016003** Collected: 09/24/15 01:40 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.
8260 MSV	Analytical Method: EPA 8260						
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		10/02/15 15:28	98-82-8
p-Isopropyltoluene	ND	ug/L	1.0	1		10/02/15 15:28	99-87-6
Methylene Chloride	ND	ug/L	1.0	1		10/02/15 15:28	75-09-2
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		10/02/15 15:28	108-10-1
Methyl-tert-butyl ether	ND	ug/L	1.0	1		10/02/15 15:28	1634-04-4
Naphthalene	ND	ug/L	5.0	1		10/02/15 15:28	91-20-3
n-Propylbenzene	ND	ug/L	1.0	1		10/02/15 15:28	103-65-1
Styrene	ND	ug/L	1.0	1		10/02/15 15:28	100-42-5
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 15:28	630-20-6
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 15:28	79-34-5
Tetrachloroethene	ND	ug/L	1.0	1		10/02/15 15:28	127-18-4
Tetrahydrofuran	ND	ug/L	5.0	1		10/02/15 15:28	109-99-9
Toluene	ND	ug/L	1.0	1		10/02/15 15:28	108-88-3
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 15:28	87-61-6
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 15:28	120-82-1
1,1,1-Trichloroethane	ND	ug/L	1.0	1		10/02/15 15:28	71-55-6
1,1,2-Trichloroethane	ND	ug/L	1.0	1		10/02/15 15:28	79-00-5
Trichloroethene	ND	ug/L	1.0	1		10/02/15 15:28	79-01-6
Trichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 15:28	75-69-4
1,2,3-Trichloropropane	ND	ug/L	1.0	1		10/02/15 15:28	96-18-4
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/02/15 15:28	76-13-1
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 15:28	95-63-6
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 15:28	108-67-8
Vinyl chloride	ND	ug/L	1.0	1		10/02/15 15:28	75-01-4
m&p-Xylene	ND	ug/L	2.0	1		10/02/15 15:28	179601-23-1
o-Xylene	ND	ug/L	1.0	1		10/02/15 15:28	95-47-6
Surrogates							
4-Bromofluorobenzene (S)	94	%	70-130	1		10/02/15 15:28	460-00-4
Dibromofluoromethane (S)	113	%	70-130	1		10/02/15 15:28	1868-53-7
Toluene-d8 (S)	97	%	70-130	1		10/02/15 15:28	2037-26-5

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Sam and Gail Wells
12001 43rd Avenue
Pleasant Prairie, Wisconsin 53158

Dear Sam and Gail Wells:

The purpose of this letter is to inform you of the results of the drinking water sample collected from the well at 14299 State Highway 70 West on October 3, 2015. The U.S. Environmental Protection Agency (U.S. EPA) had this sample collected as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of cadmium or VOCs attributable to contaminants at the Tower Standard site. Lead was found at a very low level, 0.49 parts per billion (ppb), well below the health-based screening level of 15 ppb. Lead is naturally occurring and is commonly found in well water samples at low levels. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: Bers# 34160024:EPA 2015 TOWER
Pace Project No.: 10325028

Sample: 14299 STATE HIGHWAY 70 **Lab ID: 10325028001** Collected: 10/03/15 09:17 Received: 10/06/15 12:20 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/09/15 08:49	10/09/15 19:13	7440-43-9	
Lead	**0.49**	ug/L	0.10	1	10/09/15 08:49	10/09/15 19:13	7439-92-1	
8270D MSSV PAH by SIM	Analytical Method: EPA 8270D by SIM Preparation Method: EPA 3510C							
Acenaphthene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	83-32-9	
Acenaphthylene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	208-96-8	
Anthracene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	120-12-7	
Benzo(a)anthracene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	56-55-3	
Benzo(a)pyrene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	207-08-9	
Chrysene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	53-70-3	
Fluoranthene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	206-44-0	
Fluorene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	193-39-5	
Naphthalene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	91-20-3	
Phenanthrene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	85-01-8	
Pyrene	ND	ug/L	0.043	1	10/07/15 07:58	10/07/15 16:13	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	79	%.	52-125	1	10/07/15 07:58	10/07/15 16:13	321-60-8	
p-Terphenyl-d14 (S)	93	%.	62-125	1	10/07/15 07:58	10/07/15 16:13	1718-51-0	
8260B MSV	Analytical Method: EPA 8260B							
Acetone	ND	ug/L	20.0	1		10/14/15 05:28	67-64-1	
Allyl chloride	ND	ug/L	4.0	1		10/14/15 05:28	107-05-1	
Benzene	ND	ug/L	1.0	1		10/14/15 05:28	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		10/14/15 05:28	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		10/14/15 05:28	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		10/14/15 05:28	75-27-4	
Bromoform	ND	ug/L	4.0	1		10/14/15 05:28	75-25-2	
Bromomethane	ND	ug/L	4.0	1		10/14/15 05:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		10/14/15 05:28	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	1		10/14/15 05:28	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		10/14/15 05:28	108-90-7	
Chloroethane	ND	ug/L	1.0	1		10/14/15 05:28	75-00-3	
Chloroform	ND	ug/L	1.0	1		10/14/15 05:28	67-66-3	
Chloromethane	ND	ug/L	4.0	1		10/14/15 05:28	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		10/14/15 05:28	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		10/14/15 05:28	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		10/14/15 05:28	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		10/14/15 05:28	124-48-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, In
1700 Elm Street - Suite 20
Minneapolis, MN 5541
(612)607-170

Pace Analytical®
www.pacelabs.com

ANALYTICAL RESULTS

Project: Bers# 34160024:EPA 2015 TOWER
Pace Project No.: 10325028

Sample: 14299 STATE HIGHWAY 70 **Lab ID: 10325028001** Collected: 10/03/15 09:17 Received: 10/06/15 12:20 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260B MSV	Analytical Method: EPA 8260B							
Dibromomethane	ND	ug/L	4.0	1		10/14/15 05:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		10/14/15 05:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		10/14/15 05:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		10/14/15 05:28	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		10/14/15 05:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		10/14/15 05:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		10/14/15 05:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		10/14/15 05:28	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		10/14/15 05:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		10/14/15 05:28	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		10/14/15 05:28	75-43-4	
1,2-Dichloropropane	ND	ug/L	4.0	1		10/14/15 05:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		10/14/15 05:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		10/14/15 05:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		10/14/15 05:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		10/14/15 05:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		10/14/15 05:28	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	4.0	1		10/14/15 05:28	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		10/14/15 05:28	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		10/14/15 05:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		10/14/15 05:28	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		10/14/15 05:28	75-09-2	
2-Methylnaphthalene	ND	ug/L	5.0	1		10/14/15 05:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		10/14/15 05:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		10/14/15 05:28	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		10/14/15 05:28	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	103-65-1	
Styrene	ND	ug/L	1.0	1		10/14/15 05:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		10/14/15 05:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		10/14/15 05:28	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		10/14/15 05:28	127-18-4	
Tetrahydrofuran	ND	ug/L	10.0	1		10/14/15 05:28	109-99-9	
Toluene	ND	ug/L	1.0	1		10/14/15 05:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		10/14/15 05:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		10/14/15 05:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		10/14/15 05:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		10/14/15 05:28	79-00-5	
Trichloroethene	ND	ug/L	0.40	1		10/14/15 05:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		10/14/15 05:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1		10/14/15 05:28	96-18-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	1.0	1		10/14/15 05:28	76-13-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		10/14/15 05:28	108-67-8	
Vinyl chloride	ND	ug/L	0.40	1		10/14/15 05:28	75-01-4	
Xylene (Total)	ND	ug/L	3.0	1		10/14/15 05:28	1330-20-7	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: Bers# 34160024:EPA 2015 TOWER
Pace Project No.: 10325028

Sample: 14299 STATE HIGHWAY 70 **Lab ID: 10325028001** Collected: 10/03/15 09:17 Received: 10/06/15 12:20 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260B MSV	Analytical Method: EPA 8260B							
Surrogates								
1,2-Dichloroethane-d4 (S)	86	%.	75-125	1		10/14/15 05:28	17060-07-0	
Toluene-d8 (S)	100	%.	75-125	1		10/14/15 05:28	2037-26-5	
4-Bromofluorobenzene (S)	104	%.	75-125	1		10/14/15 05:28	460-00-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Lac du Flambeau Tribe
Land Management Office
Attention: Zoya Mayo
Post Office Box 67
Lac du Flambeau, Wisconsin 54538

Dear Ms. Zoya:

The purpose of this letter is to inform you of the results of the drinking water sample collected from the well at 1175 Haskell Lake Landing on September 24, 2015. The U.S. Environmental Protection Agency (U.S. EPA) collected this sample as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Sample results from the well on your property showed no detections of VOCs or cadmium attributable to contaminants at the Tower Standard site. Lead was found at a very low level, 1.3 parts per billion (ppb), well below the health-based screening level of 15 ppb. Lead is naturally occurring and commonly found in well water samples at low levels. The results from this well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the compound or metal was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as this private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1175 HASHELL LAKE LANDING **Lab ID: 10324016001** Collected: 09/24/15 01:00 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/07/15 15:07	10/09/15 18:07	7440-43-9	
Lead	**1.3**	ug/L	0.10	1	10/07/15 15:07	10/09/15 18:07	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1175 HASHELL LAKE LANDING **Lab ID: 10324016002** Collected: 09/24/15 01:00 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/07/15 15:07	10/09/15 18:10	7440-43-9	
Lead	ND	ug/L	0.10	1	10/07/15 15:07	10/09/15 18:10	7439-92-1	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	20.0	1		10/02/15 20:44	67-64-1	
Allyl chloride	ND	ug/L	5.0	1		10/02/15 20:44	107-05-1	
Benzene	ND	ug/L	1.0	1		10/02/15 20:44	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		10/02/15 20:44	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		10/02/15 20:44	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		10/02/15 20:44	75-27-4	
Bromoform	ND	ug/L	1.0	1		10/02/15 20:44	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/02/15 20:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	20.0	1		10/02/15 20:44	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		10/02/15 20:44	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/02/15 20:44	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		10/02/15 20:44	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	1		10/02/15 20:44	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		10/02/15 20:44	108-90-7	
Chloroethane	ND	ug/L	1.0	1		10/02/15 20:44	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/02/15 20:44	67-66-3	
Chloromethane	ND	ug/L	1.0	1		10/02/15 20:44	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 20:44	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 20:44	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		10/02/15 20:44	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		10/02/15 20:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		10/02/15 20:44	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		10/02/15 20:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 20:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 20:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 20:44	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		10/02/15 20:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		10/02/15 20:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		10/02/15 20:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		10/02/15 20:44	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 20:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 20:44	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 20:44	75-43-4	
1,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 20:44	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		10/02/15 20:44	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 20:44	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		10/02/15 20:44	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 20:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 20:44	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	5.0	1		10/02/15 20:44	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		10/02/15 20:44	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/02/15 20:44	87-68-3	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: 1175 HASHELL LAKE LANDING **Lab ID: 10324016002** Collected: 09/24/15 01:00 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		10/02/15 20:44	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		10/02/15 20:44	99-87-6	
Methylene Chloride	ND	ug/L	1.0	1		10/02/15 20:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		10/02/15 20:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		10/02/15 20:44	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/02/15 20:44	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		10/02/15 20:44	103-65-1	
Styrene	ND	ug/L	1.0	1		10/02/15 20:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 20:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 20:44	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		10/02/15 20:44	127-18-4	
Tetrahydrofuran	ND	ug/L	5.0	1		10/02/15 20:44	109-99-9	
Toluene	ND	ug/L	1.0	1		10/02/15 20:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 20:44	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 20:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		10/02/15 20:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		10/02/15 20:44	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		10/02/15 20:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 20:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		10/02/15 20:44	96-18-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/02/15 20:44	76-13-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 20:44	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 20:44	108-67-8	
Vinyl chloride	ND	ug/L	1.0	1		10/02/15 20:44	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		10/02/15 20:44	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		10/02/15 20:44	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	95	%	70-130	1		10/02/15 20:44	460-00-4	
Dibromofluoromethane (S)	113	%	70-130	1		10/02/15 20:44	1868-53-7	
Toluene-d8 (S)	96	%	70-130	1		10/02/15 20:44	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Harv and Susan Burman
23 N. Park
Fond du Lac, Wisconsin 54935

Dear Mr. and Ms. Burman:

The purpose of this letter is to inform you of the results of the drinking water samples collected from the well at 1285 Haskell Lake Landing on November 25, 2014 and October 12, 2015. The U.S. Environmental Protection Agency (U.S. EPA) had these samples collected as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact your well. The samples have been collected as a precaution to protect private well owners in your area.

Lead was found at 5.1 parts per billion (ppb) in the sample collected in 2014, well below the health-based screening level of 15 ppb. The 2015 sample analysis did not detect lead. Lead is naturally occurring and is commonly found at low levels in well water. Total xylenes and o-xylene, both VOCs, were also found in the 2014 sample at very low concentrations (1.4 ppb). This result is shown with a 'J' qualifier, meaning that the concentration was estimated by the laboratory, because the result was below the level that the analytical method could quantify with greater accuracy. The health-based screening level for total xylenes and for o-xylene is 19 ppb. No xylene compounds were detected in the 2015 sample. The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" or "<" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as your private well water. No detections were found to be above these screening levels.

The U.S. EPA appreciates your cooperation with the testing of your well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard
Pace Project No.: 10290131

Sample: Tower-07-1114 **Lab ID: 10290131001** Collected: 11/25/14 14:45 Received: 11/29/14 09:30 Matrix: Water

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011							
1,2-Dibromoethane (EDB)	**<0.0044**	ug/L	0.0098	1	12/01/14 02:55	12/02/14 06:40	106-93-4	
Surrogates								
4-Bromofluorobenzene (S)	71	%.	70-130	1	12/01/14 02:55	12/02/14 06:40	460-00-4	
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Lead	**5.1**	ug/L	0.10	1	12/03/14 13:14	12/04/14 14:48	7439-92-1	
524.2 MSV	Analytical Method: EPA 524.2							
Acetone	**<10.0**	ug/L	20.0	1		12/05/14 11:43	67-64-1	
Acrylonitrile	**<1.0**	ug/L	10.0	1		12/05/14 11:43	107-13-1	
Benzene	**<0.073**	ug/L	0.50	1		12/05/14 11:43	71-43-2	
Bromobenzene	**<0.18**	ug/L	0.50	1		12/05/14 11:43	108-86-1	
Bromochloromethane	**<0.16**	ug/L	1.0	1		12/05/14 11:43	74-97-5	
Bromodichloromethane	**<0.11**	ug/L	0.50	1		12/05/14 11:43	75-27-4	
Bromoform	**<2.0**	ug/L	4.0	1		12/05/14 11:43	75-25-2	
Bromomethane	**<2.0**	ug/L	4.0	1		12/05/14 11:43	74-83-9	
2-Butanone (MEK)	**<2.5**	ug/L	5.0	1		12/05/14 11:43	78-93-3	
n-Butylbenzene	**<0.12**	ug/L	1.0	1		12/05/14 11:43	104-51-8	
sec-Butylbenzene	**<0.25**	ug/L	1.0	1		12/05/14 11:43	135-98-8	
tert-Butylbenzene	**<0.25**	ug/L	0.50	1		12/05/14 11:43	98-06-6	
Carbon disulfide	**<0.18**	ug/L	1.0	1		12/05/14 11:43	75-15-0	
Carbon tetrachloride	**<0.17**	ug/L	1.0	1		12/05/14 11:43	56-23-5	
Chlorobenzene	**<0.066**	ug/L	0.50	1		12/05/14 11:43	108-90-7	
Chloroethane	**<0.27**	ug/L	1.0	1		12/05/14 11:43	75-00-3	
Chloroform	**<0.20**	ug/L	0.50	1		12/05/14 11:43	67-66-3	
Chloromethane	**<0.34**	ug/L	4.0	1		12/05/14 11:43	74-87-3	
2-Chlorotoluene	**<0.064**	ug/L	0.50	1		12/05/14 11:43	95-49-8	
4-Chlorotoluene	**<0.10**	ug/L	0.50	1		12/05/14 11:43	106-43-4	
1,2-Dibromo-3-chloropropane	**<2.0**	ug/L	4.0	1		12/05/14 11:43	96-12-8	
Dibromochloromethane	**<0.25**	ug/L	0.50	1		12/05/14 11:43	124-48-1	
1,2-Dibromoethane (EDB)	**<0.097**	ug/L	0.50	1		12/05/14 11:43	106-93-4	
Dibromomethane	**<0.25**	ug/L	0.50	1		12/05/14 11:43	74-95-3	
1,2-Dichlorobenzene	**<0.082**	ug/L	0.50	1		12/05/14 11:43	95-50-1	
1,3-Dichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 11:43	541-73-1	
1,4-Dichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 11:43	106-46-7	
trans-1,4-Dichloro-2-butene	**<0.37**	ug/L	10.0	1		12/05/14 11:43	110-57-6	
Dichlorodifluoromethane	**<0.50**	ug/L	1.0	1		12/05/14 11:43	75-71-8	
1,1-Dichloroethane	**<0.087**	ug/L	0.50	1		12/05/14 11:43	75-34-3	
1,2-Dichloroethane	**<0.10**	ug/L	0.50	1		12/05/14 11:43	107-06-2	
1,1-Dichloroethene	**<0.17**	ug/L	0.50	1		12/05/14 11:43	75-35-4	
cis-1,2-Dichloroethene	**<0.11**	ug/L	0.50	1		12/05/14 11:43	156-59-2	
trans-1,2-Dichloroethene	**<0.15**	ug/L	0.50	1		12/05/14 11:43	156-60-5	
1,2-Dichloropropane	**<0.10**	ug/L	4.0	1		12/05/14 11:43	78-87-5	
1,3-Dichloropropane	**<0.25**	ug/L	0.50	1		12/05/14 11:43	142-28-9	
2,2-Dichloropropane	**<0.17**	ug/L	1.0	1		12/05/14 11:43	594-20-7	
1,1-Dichloropropene	**<0.11**	ug/L	0.50	1		12/05/14 11:43	563-58-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard
Pace Project No.: 10290131

Sample: Tower-07-1114 **Lab ID: 10290131001** Collected: 11/25/14 14:45 Received: 11/29/14 09:30 Matrix: Water

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2							
cis-1,3-Dichloropropene	**<0.093**	ug/L	0.50	1		12/05/14 11:43	10061-01-5	
trans-1,3-Dichloropropene	**<0.25**	ug/L	0.50	1		12/05/14 11:43	10061-02-6	
Ethylbenzene	**<0.096**	ug/L	0.50	1		12/05/14 11:43	100-41-4	
Ethyl methacrylate	**<1.2**	ug/L	4.0	1		12/05/14 11:43	97-63-2	
Hexachloro-1,3-butadiene	**<0.50**	ug/L	1.0	1		12/05/14 11:43	87-68-3	
2-Hexanone	**<2.5**	ug/L	20.0	1		12/05/14 11:43	591-78-6	
Isopropylbenzene (Cumene)	**<0.087**	ug/L	1.0	1		12/05/14 11:43	98-82-8	
p-Isopropyltoluene	**<0.25**	ug/L	1.0	1		12/05/14 11:43	99-87-6	
Methylene Chloride	**<2.0**	ug/L	4.0	1		12/05/14 11:43	75-09-2	
Methyl methacrylate	**<0.94**	ug/L	5.0	1		12/05/14 11:43	80-62-6	
4-Methyl-2-pentanone (MIBK)	**<2.5**	ug/L	20.0	1		12/05/14 11:43	108-10-1	
Methyl-tert-butyl ether	**<0.12**	ug/L	0.50	1		12/05/14 11:43	1634-04-4	
Naphthalene	**<0.50**	ug/L	1.0	1		12/05/14 11:43	91-20-3	
2-Nitropropane	**<5.5**	ug/L	10.0	1		12/05/14 11:43	79-46-9	
n-Propylbenzene	**<0.077**	ug/L	1.0	1		12/05/14 11:43	103-65-1	
Styrene	**<0.069**	ug/L	1.0	1		12/05/14 11:43	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.10**	ug/L	0.50	1		12/05/14 11:43	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.086**	ug/L	0.50	1		12/05/14 11:43	79-34-5	
Tetrachloroethene	**<0.12**	ug/L	0.50	1		12/05/14 11:43	127-18-4	
Toluene	**<0.11**	ug/L	0.50	1		12/05/14 11:43	108-88-3	
Total Trihalomethanes (Calc.)	**0.00000000 010J**	ug/L	4.0	1		12/05/14 11:43		
1,2,3-Trichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 11:43	87-61-6	
1,2,4-Trichlorobenzene	**<0.25**	ug/L	0.50	1		12/05/14 11:43	120-82-1	
1,1,1-Trichloroethane	**<0.17**	ug/L	0.50	1		12/05/14 11:43	71-55-6	
1,1,2-Trichloroethane	**<0.14**	ug/L	0.50	1		12/05/14 11:43	79-00-5	
Trichloroethene	**<0.084**	ug/L	0.50	1		12/05/14 11:43	79-01-6	
Trichlorofluoromethane	**<0.12**	ug/L	0.50	1		12/05/14 11:43	75-69-4	
1,2,3-Trichloropropane	**<1.2**	ug/L	4.0	1		12/05/14 11:43	96-18-4	
1,2,4-Trimethylbenzene	**<0.25**	ug/L	1.0	1		12/05/14 11:43	95-63-6	
1,3,5-Trimethylbenzene	**<0.25**	ug/L	1.0	1		12/05/14 11:43	108-67-8	
Vinyl chloride	**<0.082**	ug/L	0.20	1		12/05/14 11:43	75-01-4	
Xylene (Total)	**1.4J**	ug/L	3.0	1		12/05/14 11:43	1330-20-7	
m&p-Xylene	**1.4J**	ug/L	2.0	1		12/05/14 11:43	179601-23-1	
o-Xylene	**<0.091**	ug/L	1.0	1		12/05/14 11:43	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	100	%.	75-125	1		12/05/14 11:43	460-00-4	
Toluene-d8 (S)	99	%.	75-125	1		12/05/14 11:43	2037-26-5	
1,2-Dichloroethane-d4 (S)	95	%.	75-125	1		12/05/14 11:43	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#34160024; EPA TO 2012 Tow
Pace Project No.: 10326135

Sample: 1285 Hakell Lake Landing **Lab ID: 10326135001** Collected: 10/12/15 11:00 Received: 10/14/15 12:29 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010								
Cadmium	ND	ug/L	3.0	0.65	1	10/22/15 06:40	10/23/15 15:17	7440-43-9	
Lead	ND	ug/L	10.0	2.0	1	10/22/15 06:40	10/23/15 15:17	7439-92-1	
8270D MSSV PAH by SIM	Analytical Method: EPA 8270D by SIM Preparation Method: EPA 3510C								
Acenaphthene	ND	ug/L	0.045	0.0036	1	10/19/15 08:37	10/19/15 15:01	83-32-9	
Acenaphthylene	ND	ug/L	0.045	0.0044	1	10/19/15 08:37	10/19/15 15:01	208-96-8	
Anthracene	ND	ug/L	0.045	0.0050	1	10/19/15 08:37	10/19/15 15:01	120-12-7	
Benzo(a)anthracene	ND	ug/L	0.045	0.0033	1	10/19/15 08:37	10/19/15 15:01	56-55-3	
Benzo(a)pyrene	ND	ug/L	0.045	0.0034	1	10/19/15 08:37	10/19/15 15:01	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	0.045	0.0086	1	10/19/15 08:37	10/19/15 15:01	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	0.045	0.0061	1	10/19/15 08:37	10/19/15 15:01	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	0.045	0.0042	1	10/19/15 08:37	10/19/15 15:01	207-08-9	
Chrysene	ND	ug/L	0.045	0.0059	1	10/19/15 08:37	10/19/15 15:01	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	0.045	0.011	1	10/19/15 08:37	10/19/15 15:01	53-70-3	
Fluoranthene	ND	ug/L	0.045	0.0064	1	10/19/15 08:37	10/19/15 15:01	206-44-0	
Fluorene	ND	ug/L	0.045	0.0063	1	10/19/15 08:37	10/19/15 15:01	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.045	0.0062	1	10/19/15 08:37	10/19/15 15:01	193-39-5	
Naphthalene	ND	ug/L	0.045	0.010	1	10/19/15 08:37	10/19/15 15:01	91-20-3	
Phenanthrene	ND	ug/L	0.045	0.014	1	10/19/15 08:37	10/19/15 15:01	85-01-8	
Pyrene	ND	ug/L	0.045	0.0072	1	10/19/15 08:37	10/19/15 15:01	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	68	%.	52-125		1	10/19/15 08:37	10/19/15 15:01	321-60-8	
p-Terphenyl-d14 (S)	82	%.	62-125		1	10/19/15 08:37	10/19/15 15:01	1718-51-0	
8260B VOC	Analytical Method: EPA 8260B								
Acetone	ND	ug/L	20.0	7.1	1		10/20/15 02:54	67-64-1	
Allyl chloride	ND	ug/L	4.0	0.58	1		10/20/15 02:54	107-05-1	
Benzene	ND	ug/L	1.0	0.21	1		10/20/15 02:54	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.25	1		10/20/15 02:54	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.34	1		10/20/15 02:54	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		10/20/15 02:54	75-27-4	
Bromoform	ND	ug/L	4.0	0.41	1		10/20/15 02:54	75-25-2	
Bromomethane	ND	ug/L	4.0	0.36	1		10/20/15 02:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	2.5	1		10/20/15 02:54	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	0.083	1		10/20/15 02:54	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	0.16	1		10/20/15 02:54	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.18	1		10/20/15 02:54	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	0.35	1		10/20/15 02:54	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		10/20/15 02:54	108-90-7	
Chloroethane	ND	ug/L	4.0	0.34	1		10/20/15 02:54	75-00-3	
Chloroform	ND	ug/L	1.0	0.27	1		10/20/15 02:54	67-66-3	
Chloromethane	ND	ug/L	4.0	0.64	1		10/20/15 02:54	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.22	1		10/20/15 02:54	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.24	1		10/20/15 02:54	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	0.70	1		10/20/15 02:54	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.16	1		10/20/15 02:54	124-48-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

Pace Analytical®
www.pacelabs.com

ANALYTICAL RESULTS

Project: BERS#34160024; EPA TO 2012 Tow
Pace Project No.: 10326135

Sample: 1285 Hakell Lake Landing **Lab ID: 10326135001** Collected: 10/12/15 11:00 Received: 10/14/15 12:29 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC	Analytical Method: EPA 8260B								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.23	1		10/20/15 02:54	106-93-4	
Dibromomethane	ND	ug/L	4.0	0.31	1		10/20/15 02:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.22	1		10/20/15 02:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.21	1		10/20/15 02:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.16	1		10/20/15 02:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.49	1		10/20/15 02:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.22	1		10/20/15 02:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.17	1		10/20/15 02:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.22	1		10/20/15 02:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.25	1		10/20/15 02:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.21	1		10/20/15 02:54	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	0.22	1		10/20/15 02:54	75-43-4	
1,2-Dichloropropane	ND	ug/L	4.0	0.42	1		10/20/15 02:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.24	1		10/20/15 02:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	0.36	1		10/20/15 02:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.16	1		10/20/15 02:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	0.21	1		10/20/15 02:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	0.22	1		10/20/15 02:54	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	4.0	0.38	1		10/20/15 02:54	60-29-7	
Ethylbenzene	ND	ug/L	1.0	0.23	1		10/20/15 02:54	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.48	1		10/20/15 02:54	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.17	1		10/20/15 02:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	0.16	1		10/20/15 02:54	99-87-6	
Methylene Chloride	ND	ug/L	4.0	0.56	1		10/20/15 02:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	2.4	1		10/20/15 02:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.20	1		10/20/15 02:54	1634-04-4	
Naphthalene	ND	ug/L	4.0	0.14	1		10/20/15 02:54	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	0.21	1		10/20/15 02:54	103-65-1	
Styrene	ND	ug/L	1.0	0.11	1		10/20/15 02:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.20	1		10/20/15 02:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.22	1		10/20/15 02:54	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	0.19	1		10/20/15 02:54	127-18-4	
Tetrahydrofuran	ND	ug/L	10.0	4.0	1		10/20/15 02:54	109-99-9	
Toluene	ND	ug/L	1.0	0.13	1		10/20/15 02:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.23	1		10/20/15 02:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.22	1		10/20/15 02:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.20	1		10/20/15 02:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.24	1		10/20/15 02:54	79-00-5	
Trichloroethene	ND	ug/L	0.40	0.14	1		10/20/15 02:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.18	1		10/20/15 02:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	0.50	1		10/20/15 02:54	96-18-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	1.0	0.42	1		10/20/15 02:54	76-13-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.16	1		10/20/15 02:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.20	1		10/20/15 02:54	108-67-8	
Vinyl chloride	ND	ug/L	0.40	0.15	1		10/20/15 02:54	75-01-4	
Xylene (Total)	ND	ug/L	3.0	0.60	1		10/20/15 02:54	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Date: 10/26/2015 05:12 PM

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#34160024; EPA TO 2012 Tow
Pace Project No.: 10326135

Sample: 1285 Hakell Lake Landing **Lab ID: 10326135001** Collected: 10/12/15 11:00 Received: 10/14/15 12:29 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC	Analytical Method: EPA 8260B								
Surrogates									
1,2-Dichloroethane-d4 (S)	97	%.	75-125		1		10/20/15 02:54	17060-07-0	
Toluene-d8 (S)	98	%.	75-125		1		10/20/15 02:54	2037-26-5	
4-Bromofluorobenzene (S)	100	%.	75-125		1		10/20/15 02:54	460-00-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

SEP 08 2016

REPLY TO THE ATTENTION OF

Brent McFarland
BDC
Lac du Flambeau Tribe
P.O. Box 155
Lac du Flambeau, Wisconsin 54538

Dear Mr. McFarland:

The purpose of this letter is to inform you of the results of the drinking water samples collected from the well at 14284 Highway 70 West on November 13, 2014 and September 24, 2015. The U.S. Environmental Protection Agency (U.S. EPA) had these samples collected as part of the investigation of the Tower Standard Leaking Underground Storage Tank site located at Highway 70 West that we have undertaken with the Lac du Flambeau Tribal Natural Resources Department. We have tested for lead, cadmium, and volatile organic compounds (VOCs) which would be related to the release of gasoline constituents into soil and groundwater at the site. Please be aware that we do not expect site related contaminants to impact this well. The samples have been collected as a precaution to protect private well owners in your area.

No detections of VOCs or cadmium were found in either sampling event. Lead was found at 118 parts per billion (ppb) in the sample collected in 2014, and at 0.18 ppb in the sample collected in 2015. The 2014 sample result is above the health-based screening level of 15 ppb. Please note that the screening level is calculated for drinking water in a residential setting over a long period of exposure. Also, at the time of sampling, it was explained to us that the well at this office building was not used for drinking water. The 2015 sample analysis detected lead at a much lower amount, 0.18 ppb, well below the screening level. Sampling was performed in the same manner both days, and it is not known why the sample results varied to this degree. Lead is naturally occurring and is commonly found at low levels in well water.

The results from your well, analyzed by Pace Laboratories, Inc., may be found enclosed with this letter. Results marked with an "ND" indicate that the metal or compound was not detected by the laboratory. All results have been compared with U.S. EPA's health-based screening levels, which we use to evaluate results from samples such as the well water from the office building.

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on 100% Recycled Paper (100% Post-Consumer)

The U.S. EPA appreciates your cooperation with the testing of this well. I apologize for the delay in getting results sent to you. If you have any questions regarding the sample results, please contact me at (312) 886-6212.

Sincerely,

Robert J. Egan
Corrective Action Manager
Underground Storage Tanks Section

Enclosure

cc: Kristen Hanson, Lac du Flambeau NRD

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-02-1114 **Lab ID: 10288974002** Collected: 11/13/14 10:30 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011								
1,2-Dibromoethane (EDB)	ND	ug/L	0.0096	0.0043	1	11/18/14 01:48	11/22/14 00:39	106-93-4	
Surrogates									
4-Bromofluorobenzene (S)	106	%.	70-130		1	11/18/14 01:48	11/22/14 00:39	460-00-4	
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020								
Lead	**118**	ug/L	0.10	0.046	1	11/22/14 16:50	11/24/14 13:41	7439-92-1	
524.2 MSV	Analytical Method: EPA 524.2								
Acetone	ND	ug/L	20.0	10.0	1		11/23/14 20:25	67-64-1	M1,R1
Acrylonitrile	ND	ug/L	10.0	1.0	1		11/23/14 20:25	107-13-1	M1,R1
Benzene	ND	ug/L	0.50	0.073	1		11/23/14 20:25	71-43-2	M1,R1
Bromobenzene	ND	ug/L	0.50	0.18	1		11/23/14 20:25	108-86-1	M1,R1
Bromochloromethane	ND	ug/L	1.0	0.16	1		11/23/14 20:25	74-97-5	M1,R1
Bromodichloromethane	ND	ug/L	0.50	0.11	1		11/23/14 20:25	75-27-4	M1,R1
Bromoform	ND	ug/L	4.0	2.0	1		11/23/14 20:25	75-25-2	M1,R1
Bromomethane	ND	ug/L	4.0	2.0	1		11/23/14 20:25	74-83-9	R1
2-Butanone (MEK)	ND	ug/L	5.0	2.5	1		11/23/14 20:25	78-93-3	M1,R1
n-Butylbenzene	ND	ug/L	1.0	0.12	1		11/23/14 20:25	104-51-8	M1
sec-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	135-98-8	
tert-Butylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	98-06-6	M1
Carbon disulfide	ND	ug/L	1.0	0.18	1		11/23/14 20:25	75-15-0	M1,R1
Carbon tetrachloride	ND	ug/L	1.0	0.17	1		11/23/14 20:25	56-23-5	M1,R1
Chlorobenzene	ND	ug/L	0.50	0.066	1		11/23/14 20:25	108-90-7	M1,R1
Chloroethane	ND	ug/L	1.0	0.27	1		11/23/14 20:25	75-00-3	R1
Chloroform	ND	ug/L	0.50	0.20	1		11/23/14 20:25	67-66-3	M1,R1
Chloromethane	ND	ug/L	4.0	0.34	1		11/23/14 20:25	74-87-3	R1
2-Chlorotoluene	ND	ug/L	0.50	0.064	1		11/23/14 20:25	95-49-8	M1
4-Chlorotoluene	ND	ug/L	0.50	0.10	1		11/23/14 20:25	106-43-4	M1
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	2.0	1		11/23/14 20:25	96-12-8	M1,R1
Dibromochloromethane	ND	ug/L	0.50	0.25	1		11/23/14 20:25	124-48-1	M1,R1
1,2-Dibromoethane (EDB)	ND	ug/L	0.50	0.097	1		11/23/14 20:25	106-93-4	M1,R1
Dibromomethane	ND	ug/L	0.50	0.25	1		11/23/14 20:25	74-95-3	M1,R1
1,2-Dichlorobenzene	ND	ug/L	0.50	0.082	1		11/23/14 20:25	95-50-1	M1
1,3-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	541-73-1	M1
1,4-Dichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	106-46-7	M1
trans-1,4-Dichloro-2-butene	ND	ug/L	10.0	0.37	1		11/23/14 20:25	110-57-6	M1,R1
Dichlorodifluoromethane	ND	ug/L	1.0	0.50	1		11/23/14 20:25	75-71-8	R1
1,1-Dichloroethane	ND	ug/L	0.50	0.087	1		11/23/14 20:25	75-34-3	M1,R1
1,2-Dichloroethane	ND	ug/L	0.50	0.10	1		11/23/14 20:25	107-06-2	M1,R1
1,1-Dichloroethene	ND	ug/L	0.50	0.17	1		11/23/14 20:25	75-35-4	M1,R1
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.11	1		11/23/14 20:25	156-59-2	M1,R1
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.15	1		11/23/14 20:25	156-60-5	M1,R1
1,2-Dichloropropane	ND	ug/L	4.0	0.10	1		11/23/14 20:25	78-87-5	M1,R1
1,3-Dichloropropane	ND	ug/L	0.50	0.25	1		11/23/14 20:25	142-28-9	M1,R1
2,2-Dichloropropane	ND	ug/L	1.0	0.17	1		11/23/14 20:25	594-20-7	M1,R1
1,1-Dichloropropene	ND	ug/L	0.50	0.11	1		11/23/14 20:25	563-58-6	M1,R1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 6822 (REI) Tower Standard LUST
Pace Project No.: 10288974

Sample: Tower-02-1114 **Lab ID: 10288974002** Collected: 11/13/14 10:30 Received: 11/17/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV	Analytical Method: EPA 524.2								
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.093	1		11/23/14 20:25	10061-01-5	M1,R1
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	10061-02-6	M1,R1
Ethylbenzene	ND	ug/L	0.50	0.096	1		11/23/14 20:25	100-41-4	M1
Ethyl methacrylate	ND	ug/L	4.0	1.2	1		11/23/14 20:25	97-63-2	M1,R1
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.50	1		11/23/14 20:25	87-68-3	
2-Hexanone	ND	ug/L	5.0	2.5	1		11/23/14 20:25	591-78-6	M1,R1
Isopropylbenzene (Cumene)	ND	ug/L	0.50	0.087	1		11/23/14 20:25	98-82-8	M1
p-Isopropyltoluene	ND	ug/L	1.0	0.25	1		11/23/14 20:25	99-87-6	M1
Methylene Chloride	ND	ug/L	4.0	2.0	1		11/23/14 20:25	75-09-2	M1
Methyl methacrylate	ND	ug/L	5.0	0.94	1		11/23/14 20:25	80-62-6	M1,R1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	2.5	1		11/23/14 20:25	108-10-1	M1,R1
Methyl-tert-butyl ether	ND	ug/L	0.50	0.12	1		11/23/14 20:25	1634-04-4	M1,R1
Naphthalene	ND	ug/L	1.0	0.50	1		11/23/14 20:25	91-20-3	M1,R1
2-Nitropropane	ND	ug/L	10.0	5.5	1		11/23/14 20:25	79-46-9	M1,R1
n-Propylbenzene	ND	ug/L	0.50	0.077	1		11/23/14 20:25	103-65-1	M1
Styrene	ND	ug/L	0.50	0.069	1		11/23/14 20:25	100-42-5	M1,R1
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.10	1		11/23/14 20:25	630-20-6	M1,R1
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.086	1		11/23/14 20:25	79-34-5	M1,R1
Tetrachloroethene	ND	ug/L	0.50	0.12	1		11/23/14 20:25	127-18-4	M1
Toluene	ND	ug/L	0.50	0.11	1		11/23/14 20:25	108-88-3	M1,R1
Total Trihalomethanes (Calc.)	ND	ug/L	4.0		1		11/23/14 20:25		
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	87-61-6	M1
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	120-82-1	M1
1,1,1-Trichloroethane	ND	ug/L	0.50	0.17	1		11/23/14 20:25	71-55-6	M1,R1
1,1,2-Trichloroethane	ND	ug/L	0.50	0.14	1		11/23/14 20:25	79-00-5	M1,R1
Trichloroethene	ND	ug/L	0.50	0.084	1		11/23/14 20:25	79-01-6	M1
Trichlorofluoromethane	ND	ug/L	1.0	0.12	1		11/23/14 20:25	75-69-4	M1,R1
1,2,3-Trichloropropane	ND	ug/L	4.0	1.2	1		11/23/14 20:25	96-18-4	M1,R1
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	95-63-6	M1
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.25	1		11/23/14 20:25	108-67-8	M1
Vinyl chloride	ND	ug/L	0.20	0.082	1		11/23/14 20:25	75-01-4	R1
Xylene (Total)	ND	ug/L	1.5	0.21	1		11/23/14 20:25	1330-20-7	MS,RS
m&p-Xylene	ND	ug/L	1.0	0.12	1		11/23/14 20:25	179601-23-1	M1,R1
o-Xylene	ND	ug/L	0.50	0.091	1		11/23/14 20:25	95-47-6	M1,R1
Surrogates									
4-Bromofluorobenzene (S)	104	%.	75-125		1		11/23/14 20:25	460-00-4	
Toluene-d8 (S)	105	%.	75-125		1		11/23/14 20:25	2037-26-5	
1,2-Dichloroethane-d4 (S)	101	%.	75-125		1		11/23/14 20:25	17060-07-0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: TRIBAL OFFICE **Lab ID: 10324016008** Collected: 09/24/15 03:40 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020A MET ICPMS	Analytical Method: EPA 6020A Preparation Method: EPA 3020							
Cadmium	ND	ug/L	0.080	1	10/07/15 15:07	10/09/15 18:36	7440-43-9	
Lead	**0.18**	ug/L	0.10	1	10/07/15 15:07	10/09/15 18:36	7439-92-1	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	20.0	1		10/02/15 22:14	67-64-1	
Allyl chloride	ND	ug/L	5.0	1		10/02/15 22:14	107-05-1	
Benzene	ND	ug/L	1.0	1		10/02/15 22:14	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		10/02/15 22:14	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		10/02/15 22:14	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		10/02/15 22:14	75-27-4	
Bromoform	ND	ug/L	1.0	1		10/02/15 22:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/02/15 22:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	20.0	1		10/02/15 22:14	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		10/02/15 22:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/02/15 22:14	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		10/02/15 22:14	98-06-6	
Carbon tetrachloride	ND	ug/L	1.0	1		10/02/15 22:14	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		10/02/15 22:14	108-90-7	
Chloroethane	ND	ug/L	1.0	1		10/02/15 22:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/02/15 22:14	67-66-3	
Chloromethane	ND	ug/L	1.0	1		10/02/15 22:14	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 22:14	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		10/02/15 22:14	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		10/02/15 22:14	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		10/02/15 22:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		10/02/15 22:14	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		10/02/15 22:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 22:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 22:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		10/02/15 22:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		10/02/15 22:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		10/02/15 22:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		10/02/15 22:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		10/02/15 22:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 22:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		10/02/15 22:14	156-60-5	
Dichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 22:14	75-43-4	
1,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 22:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		10/02/15 22:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		10/02/15 22:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		10/02/15 22:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 22:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		10/02/15 22:14	10061-02-6	
Diethyl ether (Ethyl ether)	ND	ug/L	5.0	1		10/02/15 22:14	60-29-7	
Ethylbenzene	ND	ug/L	1.0	1		10/02/15 22:14	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/02/15 22:14	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		10/02/15 22:14	98-82-8	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services,
1700 Elm Street - Suite
Minneapolis, MN 5
(612)607-

ANALYTICAL RESULTS

Project: BERS#31160024.EPA2012 TOWER ST
Pace Project No.: 10324016

Sample: TRIBAL OFFICE **Lab ID: 10324016008** Collected: 09/24/15 03:40 Received: 09/28/15 10:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qu
8260 MSV	Analytical Method: EPA 8260							
p-Isopropyltoluene	ND	ug/L	1.0	1		10/02/15 22:14	99-87-6	
Methylene Chloride	ND	ug/L	1.0	1		10/02/15 22:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		10/02/15 22:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		10/02/15 22:14	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/02/15 22:14	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		10/02/15 22:14	103-65-1	
Styrene	ND	ug/L	1.0	1		10/02/15 22:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 22:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		10/02/15 22:14	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		10/02/15 22:14	127-18-4	
Tetrahydrofuran	ND	ug/L	5.0	1		10/02/15 22:14	109-99-9	
Toluene	ND	ug/L	1.0	1		10/02/15 22:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 22:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/02/15 22:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		10/02/15 22:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		10/02/15 22:14	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		10/02/15 22:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		10/02/15 22:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		10/02/15 22:14	96-18-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/02/15 22:14	76-13-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 22:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		10/02/15 22:14	108-67-8	
Vinyl chloride	ND	ug/L	1.0	1		10/02/15 22:14	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		10/02/15 22:14	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		10/02/15 22:14	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	94	%	70-130	1		10/02/15 22:14	460-00-4	
Dibromofluoromethane (S)	111	%	70-130	1		10/02/15 22:14	1868-53-7	
Toluene-d8 (S)	98	%	70-130	1		10/02/15 22:14	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..