**To:** lwawronowicz@ldftribe.com[lwawronowicz@ldftribe.com]
**Cc:** Kaplan, Robert[kaplan.robert@epa.gov]
**From:** Harris, Michael
**Sent:** Thur 8/31/2017 7:47:11 PM
**Subject:** RE: Materials For Todays Call- Updated Excavation Saparge Vent Pros and Cons

Will do. Thank you Larry.

Michael D. Harris

Deputy Director

Land and Chemicals Division

U. S. Environmental Protection Agency, Region 5
77 West Jackson Blvd.
Chicago, IL 60604
(312) 886-0760

**From:** Wawronowicz, Larry [mailto:lwawronowicz@ldftribe.com]
**Sent:** Thursday, August 31, 2017 1:03 PM
**To:** Harris, Michael <harris.michael@epa.gov>
**Cc:** Kaplan, Robert <kaplan.robert@epa.gov>
**Subject:** FW: Materials For Todays Call- Updated Excavation Saparge Vent Pros and Cons

Michael, Here is a copy of a revised Pros and Cons document for today's meeting. Please distribute to appropriate EPA staff. Thanks Larry

<:((>< <:((>< <:((><

Larry Wawronowicz

Natural Resource Director

Lac du Flambeau Tribe

PO Box 67

2549 HWY 47 North

Lac du Flambeau, Wisconsin 54538

715-588-4160 Office

715-604-2064 Cell

715-588-3207 Fax

lwawronowicz@ldftribe.com

<:((>< <:((>< <:((><

**From:** Hanson, Kristen
**Sent:** Thursday, August 31, 2017 8:33 AM
**To:** Wawronowicz, Larry <lwawronowicz@ldftribe.com>
**Cc:** Allen, Dee <dee.allen@ldftribe.com>
**Subject:** Materials Fpor Todays Call- Updated Excavation Saprge Vent Pros and Cons

Good Morning Larry,

Attached is Weston's updated table that may be useful to today's pilot contracting discussion.

Kristen