To: Patel, Manojkumar[patel.manojkumar@epa.gov]; Letuchy, Alexandra[letuchy.alexandra@epa.gov]
From: Geoff Westphal
Sent: Fri 10/13/2017 2:09:47 PM
Subject: RE: CLCM St. Francis Source Test Report - Update

Hi-

I am following up on this question. Please let me know if the revised timeline is acceptable. If it's not, I will need to do quite a few things to try to meet the original deadline. The sooner you can provide confirmation one way or the other, the better for us – thanks!

Geoffrey Westphal | EHS Manager – North America | Greif | North America
366 Greif Parkway | Delaware, Ohio 43015 USA | O: 1+ (740) 657 6616 | M: 1+ (614) 318 3866
www.greif.com

PACKAGING SUCCESS **TOGETHER**

From: Geoff Westphal
Sent: Monday, October 09, 2017 4:23 PM
To: Patel, Manojkumar (patel.manojkumar@epa.gov); Letuchy, Alexandra (letuchy.alexandra@epa.gov)
Subject: CLCM St. Francis Source Test Report - Update

Hi Manoj/Sasha-

It turns out we will not be receiving the lab data for the TO-15 analysis conducted during the September 19th stack test at our St. Francis location until October 17th. The analysis is taking longer than originally anticipated. Given that, we are planning on submitting the Final Report to you on October 23rd. Do you have any issue with this revised timeline? Please let me know. Thanks!

Geoffrey Westphal | EHS Manager – North America | Greif | North America
366 Greif Parkway | Delaware, Ohio 43015 USA | O: 1+ (740) 657 6616 | M: 1+ (614) 318 3866
www.greif.com

PACKAGING SUCCESS **TOGETHER**

CONFIDENTIALITY NOTICE: This message and its contents are confidential and are intended solely for the use of the addressee. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution, or copying of this message and its contents is strictly prohibited. In addition, please contact the sender by e-mail and delete the original message immediately. Thank you for your cooperation.