Wolverine World Wide Former Tannery Site
PRELIMINARY Results

		Sample Location:	**Ex. 6 - Personal Privacy**								
		Sample Name:									
		Sample Type:	**Pre-filter Whole House Filter**			**Pre-filter Whole House Filter**			**Drinking Water (Post-filter)**		
		Date Collected:	**12/27/2017**			**9/28/2017**			**12/27/2017**		
Analyte (ng/L)	**CAS #**	**Criteria[1]**	**Result**	**Qualifier**	**MDL**	**Result**	**Qualifier**	**PQL**	**Result**	**Qualifier**	**MDL**
NEtFOSAA	2991-50-6	--	ND		2	NA			ND		2
NMeFOSAA	2355-31-9	--	ND		2	NA			ND		2
Perfluorobutanesulfonate	375-73-5	--	3	J	2	ND	U	5.1	ND		2
Perfluorodecanoic acid	335-76-2	--	ND		2	ND	U	5.1	ND		2
Perfluorododecanoic acid	307-55-1	--	ND		2	ND	U	5.1	ND		2
Perfluoroheptanoic acid	375-85-9	--	ND		2	ND	U	5.1	ND		2
Perfluorohexanesulfonate	355-46-4	--	ND		2	ND	U	5.1	ND		2
Perfluorohexanoic acid	307-24-4	--	ND		2	ND	U	5.1	ND		2
Perfluorononanoic acid	375-95-1	--	ND		2	ND	U	5.1	ND		2
Perfluoro-octanesulfonate (PFOS)	1763-23-1	--	ND		2	ND	U	5.1	ND		2
Perfluorooctanoic acid (PFOA)	335-67-1	--	ND		2	2.4		2	ND		2
Perfluorotetradecanoic acid	376-06-7	--	ND		3	ND	U	5.1	ND		3
Perfluorotridecanoic acid	72629-94-8	--	ND		2	ND	U	5.1	ND		2
Perfluoroundecanoic acid	2058-94-8	--	ND		2	ND	U	5.1	ND		2
PFOS and PFOA combined	--	70	ND		4	2.4		7.1	ND		4
Additional PFAS analytes not included in Method 537:											
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	--	NA			ND	U	5.1	NA		
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	--	NA			ND	U	5.1	NA		
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	--	NA			ND	U	5.1	NA		
N-Ethyl perfluorooctane sulfonamidoethanol	1691-99-2	--	NA			ND	U	5.1	NA		
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	--	NA			ND	U	5.1	NA		
N-Methyl perfluorooctane sulfonamidoethanol	24448-09-7	--	NA			ND	U	5.1	NA		
Perfluorobutanoic acid (PFBA)	375-22-4	--	NA			ND	U	10	NA		
Perfluorodecane sulfonic acid (PFDS)	335-77-3	--	NA			ND	U	5.1	NA		
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	--	NA			ND	U	5.1	NA		
Perfluorooctane sulfonamide (FOSA)	754-91-6	--	NA			ND	U	5.1	NA		
Perfluoropentanoic acid (PFPeA)	2706-90-3	--	NA			ND	U	5.1	NA		

Notes

MDL = Method detection limit
PQL = Practical quantitation limit (equivalent to method reporting limit)
ND = Non detect
NA = Not analyzed
U = Not detected above the PQL
J = Estimated value >= the MDL (or DL) and > the Limit of Quantitation (LOQ or RL)
all results reported in ng/L = nanograms per liter
Wolverine Samples collected from homes with whole house filters were collected prior to filter installation
1. Generic Residential and Nonresidential Drinking Water criteria, MDEQ January 10, 2018.
Highlighted cells indicated an excedance of MDEQ criteria

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagent Blank		
12/27/2017			11/16/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		2	NA			ND		2	ND		2
ND		2	NA			ND		2	ND		2
56		2	46		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
77		20	120		4.3	ND		2	ND		20
78		20	120		4.3	ND		2	ND		20
60		2	63		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
8		2	5.7		4.3	6		2	ND		2
360		20	400		1.7	ND		2	ND		20
ND		3	ND	U	4.3	ND		3	ND		3
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
368		22	405.7		6	6		4	ND		22
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			18		8.6	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			6.7		4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			20		4.3	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)		
12/27/2017			9/18/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL
ND		2	NA			ND		2
ND		2	NA			ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	5	J	2
ND		2	ND	U	1.7	ND		2
ND		3	ND	U	4.2	ND		3
ND		2	ND	U	4.2	ND		2
ND		2	ND	U	4.2	ND		2
ND		4	ND		5.9	5	J	4
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	8.3	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		
NA			ND	U	4.2	NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter - Duplicate Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagent Blank		
12/27/2017			12/27/2017			11/17/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		5	ND		2	NA			ND		2	ND		2
ND		5	ND		2	NA			ND		2	ND		2
12	J	5	16		2	10		4.2	ND		2	ND		2
ND		5	ND		2	ND	U	4.2	ND		2	ND		2
ND		5	ND		2	ND	U	4.2	ND		2	ND		2
15		5	13		2	14		4.2	ND		2	ND		2
30		5	36		2	36		4.2	ND		2	ND		2
12	J	5	11		2	11		4.2	ND		2	ND		2
ND		5	ND		2	ND	U	4.2	ND		2	ND		2
520		50	530		20	430		85	ND		2	ND		2
140		5	110		20	120		1.7	ND		2	ND		2
ND		7	ND		3	ND	U	4.2	ND		3	ND		3
ND		5	ND		2	ND	U	4.2	ND		2	ND		2
ND		5	ND		2	ND	U	4.2	ND		2	ND		2
660		55	640		40	550		86.7	ND		4	ND		4
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			ND	U	8.5	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			21		4.2	NA			NA		
NA			NA			ND	U	4.2	NA			NA		
NA			NA			5.8		4.2	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagant Blank		
12/27/2017			10/2/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		3	NA			ND		2	ND		2
ND		3	NA			ND		2	ND		2
4	J	3	5		4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	6		2	ND		2
ND		3	2.2		1.7	ND		2	ND		2
ND		5	ND	U	4.2	ND		3	ND		3
ND		3	ND	U	4.2	ND		2	ND		2
ND		3	ND	U	4.2	ND		2	ND		2
ND		6	2.2		5.9	6		4	ND		4
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	8.5	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		
NA			ND	U	4.2	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagent Blank		
12/27/2017			11/16/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		2	NA			ND		2	ND		2
ND		2	NA			ND		2	ND		2
7	J	2	6.1		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
7		2	8.1		4.3	ND		2	ND		2
18		2	17		4.3	ND		2	ND		2
6		2	5		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
260		20	240		4.3	3	J	2	ND		2
62		2	50	U	1.7	ND		2	ND		2
ND		3	ND	U	4.3	ND		3	ND		3
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
322		22	290		6	3	J	4	ND		4
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	8.6	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			12		4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter - Duplicate Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagent Blank		
12/27/2017			12/27/2017			11/21/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		20	ND		10	NA			ND		2			
ND		20	ND		10	NA			ND		2			
41	J	20	43	J	10	33		4.2	ND		2			
ND		20	ND		10	ND	U	4.2	ND		2			
ND		20	ND		10	ND	U	4.2	ND		2			
95		20	99	J	10	120		4.2	ND		2			
320		20	350	J	10	310		4.2	ND		2			
48		20	49		10	50		4.2	ND		2			
ND		20	ND		10	14		4.2	ND		2			
4,500		200	4,700		100	5,300		210	ND		2			
1,200		200	1,300		100	1,500		85	ND		2			
ND		30	ND		10	ND	U	4.2	ND		3			
ND		20	ND		10	ND	U	4.2	ND		2			
ND		20	ND		10	ND	U	4.2	ND		2			
5,700		400	6,000		200	6,800		295	ND		4			
NA			NA			ND	U	4.2	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			19		8.5	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			160		4.2	NA					
NA			NA			ND	U	4.2	NA					
NA			NA			21		4.2	NA					

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagent Blank		
12/27/2017			11/16/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		2	NA			ND		2	ND		2
ND		2	NA			ND		2	ND		2
3	J	2	ND	U	4.4	ND		2	ND		2
ND		2	ND	U	4.4	ND		2	ND		2
ND		2	ND	U	4.4	ND		2	ND		2
ND		2	ND	U	4.4	ND		2	ND		2
3	J	2	ND	U	4.4	ND		2	ND		2
ND		2	ND	U	4.4	ND		2	ND		2
ND		2	ND	U	4.4	ND		2	ND		2
4	J	2	ND	U	4.4	10		2	ND		2
7		2	7.9	U	1.8	ND		2	ND		2
ND		3	ND	U	4.4	ND		3	ND		3
ND		2	ND	U	4.4	ND		2	ND		2
ND		2	ND	U	4.4	ND		2	ND		2
11	J	4	7.9		6.2	10		4	ND		4
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	8.8	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Post-filter)			Field Reagent Blank		
12/27/2017			11/15/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		20	NA			ND		2			
ND		20	NA			ND		2			
69		20	52		4.3	ND		2			
ND		20	ND	U	4.3	ND		2			
ND		20	ND	U	4.3	ND		2			
120		20	180		4.3	ND		2			
480		20	530		4.3	ND		2			
63		20	67		4.3	ND		2			
ND		20	19		4.3	ND		2			
7,100		2,000	8,200		210	ND		2			
1,600		200	1,600		86	ND		2			
ND		30	ND	U	4.3	ND		3			
ND		20	ND	U	4.3	ND		2			
ND		20	ND	U	4.3	ND		2			
8,700		2,200	9,800		296	ND		4			
NA			ND	U	4.4	NA					
NA			ND	U	4.4	NA					
NA			ND	U	4.4	NA					
NA			ND	U	4.4	NA					
NA			ND	U	4.4	NA					
NA			ND	U	4.4	NA					
NA			24		8.6	NA					
NA			ND	U	4.4	NA					
NA			280		4.4	NA					
NA			ND	U	4.4	NA					
NA			29		4.4	NA					

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Drinking Water (Kitchen Sink)			Drinking Water (Kitchen Sink)			Drinking Water (Outdoor Spigot)			Drinking Water (Outdoor Spigot)		
12/27/2017			12/27/2017			12/27/2017			11/15/2017		
Result	Qualifier	MDL	Result	Qualifier	MDL	Result	Qualifier	MDL	Result	Qualifier	PQL
ND		2	ND		2	ND		2	NA		
ND		2	ND		2	ND		2	NA		
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	1.7
ND		3	ND		3	ND		3	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		2	ND		2	ND		2	ND	U	4.3
ND		4	ND		4	ND		4	0		6
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	8.6
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4
NA			NA			NA			ND	U	4.4

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Drinking Water (Kitchen Sink)			Drinking Water (Kitchen Sink)			Drinking Water (Kitchen Sink)		
12/27/2017			12/27/2017			11/15/2017		
Result	Qualifier	MDL	Result	Qualifier	MDL	Result	Qualifier	PQL
ND		2	ND		2	NA		
ND		2	ND		2	NA		
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	1.7
ND		3	ND		3	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		2	ND		2	ND	U	4.2
ND		4	ND		4	0		5.9
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	8.3
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2
NA			NA			ND	U	4.2

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Drinking Water (Kitchen Sink)			Drinking Water (Kitchen Sink)			Field Reagent Blank		
12/27/2017			11/15/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL
ND		2	NA					
ND		2	NA					
14		2						
ND		2						
ND		2						
7		2						
34		2						
7		2						
ND		2						
600		20						
78		20						
ND		3						
ND		2						
ND		2						
678		40						
NA								
NA								
NA								
NA								
NA								
NA								
NA								
NA								
NA								
NA								
NA								
NA								
NA								

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Single Particulate Filter			Pre-filter Single Particulate			Drinking Water (Kitchen Sink)		
12/27/2017			11/15/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL
ND		2	NA			ND		2
ND		2	NA			ND		2
4	J	2				3	J	2
ND		2				ND		2
ND		2				ND		2
ND		2				ND		2
4	J	2				3	J	2
ND		2				ND		2
ND		2				ND		2
ND		2				ND		2
ND		2				ND		2
ND		3				ND		3
ND		2				ND		2
ND		2				ND		2
ND		4				ND		4
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Kitchen Sink)			Field Reagent Blank		
12/27/2017			11/1/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		2	NA			ND		2	ND		2
ND		2	NA			ND		2	ND		2
15		2	14		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
4	J	2	ND	U	4.3	ND		2	ND		2
5		2	7.4		4.3	ND		2	ND		2
8		2	7.7		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
9		2	6.6		4.3	ND		2	ND		2
14		2	13		1.7	ND		2	ND		2
ND		3	ND	U	4.3	ND		3	ND		3
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
23		4	19.6		6	ND		4	ND		4
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	8.7	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			ND	U	4.4	NA			NA		
NA			5.2		4.4	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Pre-filter Whole House Filter			Pre-filter Whole House Filter			Drinking Water (Kitchen Sink)			Field Reagent Blank		
12/27/2017			10/31/2017			12/27/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL	Result	Qualifier	MDL
ND		2	NA			ND		2	ND		2
ND		2	NA			ND		2	ND		2
14		2	12		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
4	J	2	ND	U	4.3	ND		2	ND		2
4	J	2	ND	U	4.3	ND		2	ND		2
8		2	7.8		4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
7		2	ND	U	4.3	ND		2	ND		2
12		2	7.2		1.7	ND		2	ND		2
ND		3	ND	U	4.3	ND		3	ND		3
ND		2	ND	U	4.3	ND		2	ND		2
ND		2	ND	U	4.3	ND		2	ND		2
19		4	7.2		6	ND		4	ND		4
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	8.6	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			ND	U	4.3	NA			NA		
NA			6.1		4.3	NA			NA		

Wolverine World Wide Former Tannery Site
PRELIMINARY Results

Ex. 6 - Personal Privacy

Drinking Water (Kitchen Sink)			Drinking Water (Kitchen Sink)			Field Reagent Blank		
12/27/2017			11/15/2017			12/27/2017		
Result	Qualifier	MDL	Result	Qualifier	PQL	Result	Qualifier	MDL
ND		2				ND		2
ND		2				ND		2
6		2				ND		2
ND		2				ND		2
ND		2				ND		2
4	J	2				ND		2
9		2				ND		2
4	J	2				ND		2
ND		2				ND		2
48		2				ND		2
25		2				ND		2
ND		3				ND		3
ND		2				ND		2
ND		2				ND		2
73		4				ND		4
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		
NA						NA		