Appointment

From: Holst, Linda [holst.linda@epa.gov]
Sent: 3/31/2016 2:13:52 PM
To: Holst, Linda [holst.linda@epa.gov]; Pfeifer, David [pfeifer.david@epa.gov]; Marko, Katharine [Marko.Katharine@epa.gov]; Poleck, Thomas [poleck.thomas@epa.gov]; Swenson, Peter [swenson.peter@epa.gov]; Melgin, Wendy [melgin.wendy@epa.gov]; McKim, Krista [mckim.krista@epa.gov]; Westlake, Kenneth [westlake.kenneth@epa.gov]; Sedlacek, Michael [Sedlacek.Michael@epa.gov]; Wester, Barbara [wester.barbara@epa.gov]; Burdick, Melanie [Burdick.Melanie@epa.gov]; R5WD-ConfCallLine-B/Conference-Call-Line/R5-WATER [r5wd-confcallLine-b@epa.gov]; R5WD-ConfCallLine-A/Conference-Call-Line/R5-WATER [r5wd-confcallLine-a@epa.gov]; R5WD-ConfCallLine-C/Conference-Call-Line/R5-WATER [r5wd-confcallLine-c@epa.gov]; R5WD-ConfCallLine-D/Conference-Call-Line/R5-WATER [r5wd-confcallLine-d@epa.gov]

Subject: Call with WaterLegacy on PolyMet Methylmercury Assessment Outline
Location: R5Metcalfe-ConfRm-R1600/R5-Metcalfe---16th-Floor

Start: 4/11/2016 6:00:00 PM
End: 4/11/2016 7:00:00 PM
Show Time As: Busy