Message

From: Abdul Zehraoui [azehraoui@eastchicago.com]
Sent: 4/27/2017 6:07:33 PM
To: Korleski, Christopher [korleski.christopher@epa.gov]; Hollingsworth, Mary [MHolling@idem.IN.gov]; Crowley Engineering [crowley@eastchicago.com]
CC: CLARK METTLER, MARTHA [MCLARK@idem.IN.gov]; Henry, Timothy [henry.timothy@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]; Kaplan, Robert [kaplan.robert@epa.gov]
Subject: RE: Letter to East Chicago and IDEM Offering to Meet

Importance: High

Dear ALL;

Thank you for the emails. I am proposing Wednesday May, 3th at 9 or 9:30 am for meeting. Please let me know your suggestions.

Thank you

Abderrahman Zehraoui, PhD
Director of Utilities
City of East Chicago, IN
cell 513-748-7237

From: Korleski, Christopher [mailto:korleski.christopher@epa.gov]
Sent: Thursday, April 27, 2017 12:06 PM
To: Hollingsworth, Mary; Crowley Engineering; Abdul Zehraoui
Cc: CLARK METTLER, MARTHA; Henry, Timothy; Poy, Thomas; Kaplan, Robert
Subject: RE: Letter to East Chicago and IDEM Offering to Meet

EPA will be happy to come to East Chicago for the meeting.

From: Hollingsworth, Mary [mailto:MHolling@idem.IN.gov]
Sent: Thursday, April 27, 2017 9:50 AM
To: Crowley Engineering <crowley@eastchicago.com>; Korleski, Christopher <korleski.christopher@epa.gov>; Abdul Zehraoui <azehraoui@eastchicago.com>
Cc: CLARK METTLER, MARTHA <MCLARK@idem.IN.gov>; Henry, Timothy <henry.timothy@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>
Subject: RE: Letter to East Chicago and IDEM Offering to Meet

Is there any way we can meet in East Chicago. It would work out best for me and the plant has a great meeting room.

Mary E. Hollingsworth
Drinking Water Branch Chief
Office of Water Quality
Indiana Department of Environmental Management
IGCN 1201
100 North Senate Avenue
Indianapolis, IN 46204-2251
317-232-8741

From: Crowley Engineering [mailto:crowley@eastchicago.com]
Sent: Thursday, April 27, 2017 9:26 AM
To: Hollingsworth, Mary; Korleski, Christopher; Abdul Zehraoui
Cc: CLARK METTLER, MARTHA; Henry, Timothy; Poy, Thomas
Subject: RE: Letter to East Chicago and IDEM Offering to Meet

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

I'm also available to meet on Monday, Tuesday, or Wednesday next week.

Thanks,
Greg Crowley, P.E.

From: Hollingsworth, Mary [MHolling@idem.IN.gov]
Sent: Thursday, April 27, 2017 7:44 AM
To: Korleski, Christopher; Abdul Zehraoui
Cc: CLARK METTLER, MARTHA; Crowley Engineering; Henry, Timothy; Poy, Thomas
Subject: RE: Letter to East Chicago and IDEM Offering to Meet

Monday, Tuesday or Wednesday of next week will work for me.

Mary E. Hollingsworth
Drinking Water Branch Chief
Office of Water Quality
Indiana Department of Environmental Management
IGCN 1201
100 North Senate Avenue
Indianapolis, IN 46204-2251
317-232-8741

From: Korleski, Christopher [mailto:korleski.christopher@epa.gov]
Sent: Wednesday, April 26, 2017 11:01 AM
To: Hollingsworth, Mary; azehraoui@eastchicago.com
Cc: CLARK METTLER, MARTHA; 'Crowley Engineering'; Henry, Timothy; Poy, Thomas; Korleski, Christopher
Subject: Letter to East Chicago and IDEM Offering to Meet

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Hello Abdul and Mary:

Attached please find a letter from me proposing a meeting to discuss drinking water issues in the City and the provision of requested technical support.

Thank you for your attention to this matter.

Sincerely,

Chris

_____
Chris Korleski

Director, Water Division, Region 5
U.S. Environmental Protection Agency
77 W. Jackson Blvd. (W-15J)
Chicago, IL 60604
312 886-1432 (Liz Rosado, Assistant)
312 353-5498 (General Office Number)
korleski.christopher@epa.gov

Disclaimer
The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more Click Here.

Disclaimer
The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more Click Here.