Appointment

From: Bury, Carolyn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DE91ECB9B8C044A4BF4C350615AE3633-CBURY]
Sent: 3/25/2019 8:07:22 PM
To: Bury, Carolyn [bury.carolyn@epa.gov]; Sundar, Bhooma [sundar.bhooma@epa.gov]; Neal Smith [Smith.NealLNDU@usepa.onmicrosoft.com]; Caudill, Debra [caudill.debral@epa.gov]; Joe Bianchi (jbian@amphenol-aao.com) [jbian@amphenol-aao.com]; Brad Gentry (bgentry@iwmconsult.com) [bgentry@iwmconsult.com]; Chris Parks [cparks@iwmconsult.com]
BCC: R5Metcalfe-ConfRm-R1600/R5-Metcalfe---16th-Floor [r5metcalfe-confrm-r1600@epa.gov]

Subject: Amphenol Meeting
Location: R5Metcalfe-ConfRm-R1600/R5-Metcalfe---16th-Floor

Start: 4/11/2019 2:00:00 PM
End: 4/11/2019 7:00:00 PM
Show Time As: Busy

We will be collaborating on the final agenda; so far, we will discuss these topics:

1) Sewer line remedial measure
2) Homes data review and follow-up measures

You will need to go through security in the lobby which is similar to the process at airports (shoe removal, etc.). Go to the 16th floor and give me a call because the door is locked. You will be turning right after leaving the elevator part of the hallway and entering the door at the end of the hallway. I'll meet you there.
Carolyn