Message

From: Nordine, John [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6F082FB004BA4D818FE3276686C84C63-JNORDINE]
Sent: 3/24/2016 6:21:11 PM
To: Gerry Ruopp [gerry.ruopp@centralwire.com]
CC: Karen Peaceman [Peaceman.Karen@epa.gov]; Bob Kay [rtkay@usgs.gov]; Jack Thorsen [jack@autumnwoodesh.com]
Subject: EPA comments on the December Monthly Progress Report Revision 1 for the Techalloy facility in Union, Illinois
Attachments: EPA Ltr Autumwood 2016 RCRA CMI Field Investigation Work Plan CW Union Illinois 1-26-2015.pdf

Mr. Ruopp,

The United States Environmental Protection Agency (EPA) has made comments on the December Monthly Progress Report Revision 1 for the Techalloy facility in Union, Illinois prepared by Autumwood Consultants, LLC, dated January 2016. See the attached letter for details. A hard copy has been sent through the U.S. Mail. A reply is required in 30-days. Should you have any questions, regarding this letter, need any additional information, or wish to discuss this matter further, please contact me at (312) 353-1243 or contact me by email to nordine.john@epa.gov.

Respectfully,

John Nordine, CPG, LPG
U.S. EPA, Region 5
RCRA Corrective Action Section
77 W. Jackson Blvd. LU-9J
Chicago, Illinois 60604

Phone: 312-353-1243
Fax: 312-385-5338

"The great end of education is to discipline rather than finish the mind; to train it to use of its own powers rather than to fill it with the accumulation of others." Tryon Edwards
"Don't interfere with anything in the Constitution. That must be maintained, for it is the only safeguard of our liberties" Abraham Lincoln

Warning: This communication, along with any attachments, is covered by federal and state law governing electronic communications and may contain confidential and legally privileged information. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, use or copying of this message is strictly prohibited. If you have received this in error, please reply immediately to the sender and delete this message.