Message

From: Nordine, John [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6F082FB004BA4D818FE3276686C84C63-JNORDINE]
Sent: 3/22/2013 4:49:58 PM
To: Jack Thorsen [jack@autumnwoodesh.com]
CC: Bob Kay [rtkay@usgs.gov]
Subject: RE: Groundwater Potentiometric Map Downgradient from Central Wire

Mr. Thorsen;

Bob and I are available on Tuesdays and Thursdays after 10:00 am, for the next couple of weeks. Please send a conference call number and code with the day and time.

Respectfully,

John Nordine, CPG, LPG
U.S. EPA, Region 5
RCRA Corrective Action Section
77 W. Jackson Blvd. LU-9J
Chicago, Illinois 60604

Phone: 312-353-1243
Fax: 312-385-5338

"The great end of education is to disciplne rather than finish the mind; to train it to use of its own powers rather than to fill it with the accumulation of others." Tryon Edwards
"Don't interfere with anything in the Constitution. That must be maintained, for it is the only safeguard of our liberties" Abraham Lincoln

---

From: Jack Thorsen [mailto:jack@autumnwoodesh.com]
Sent: Friday, March 22, 2013 9:02 AM
To: Nordine, John
Cc: Gerald Ruopp; Bob Johnson; Robert Kay
Subject: Groundwater Potentiometric Map Downgradient from Central Wire

John:

Three things:

Attached is the groundwater potentiometric map without specifics at DGW-1 because the surveying information from its installation is not available.

In light of your most recent comment letter, Central Wire and Autumnwood Consultants would like to discuss this with you in a conference call to come to some final understanding of what you need. Please let me know two or three good times for you to do discuss your comment letter.

Central Wire has now been "banned" on using the Techalloy moniker. How do we change all of the EPA documents and records to reflect the entity as Central Wire?

Ex. 6 Personal Privacy (PP)

Ex. 6 Personal Privacy (PP)

Please let me know your availability and we will schedule a call.

Regards,

Jack

John W. Thorsen, P.E.
Autumnwood ESH Consultants
262.237.1130