Message

From: Jack Thorsen [jack@autumnwoodesh.com]
Sent: 3/22/2013 2:45:23 PM
To: Nordine, John [nordine.john@epa.gov]
CC: Gerald Ruopp [gruopp@centralwire.com]; Bob Johnson [rjohnson@centralwire.com]; Robert Kay [rtkay@usgs.gov]
Subject: RE: Groundwater Potentiometric Map Downgradient from Central Wire
Attachments: Central Wire GW Poteniometric Map - 3-2013.pdf

John:

That's my most common email error – not attaching files. Here you go. I just checked my last known version of this drawing from 1996 and they are almost identical.

Regards,

Jack

John W. Thorsen, P.E.
Autumnwood ESH Consultants
262.237.1130

From: Nordine, John [mailto:nordine.john@epa.gov]
Sent: Friday, March 22, 2013 9:08 AM
To: Jack Thorsen
Subject: RE: Groundwater Potentiometric Map Downgradient from Central Wire

Jack, the attachment did not go through.

Respectfully,

John Nordine, CPG, LPG
U.S. EPA, Region 5
RCRA Corrective Action Section
77 W. Jackson Blvd. LU-9J
Chicago, Illinois 60604

Phone: 312-353-1243
Fax: 312-385-5338

"The great end of education is to disciplne rather than finish the mind; to train it to use of its own powers rather than to fill it with the accumulation of others." Tryon Edwards
"Don't interfere with anything in the Constitution. That must be maintained, for it is the only safeguard of our liberties" Abraham Lincoln

---

From: Jack Thorsen [mailto:jack@autumnwoodesh.com]
Sent: Friday, March 22, 2013 9:02 AM
To: Nordine, John
Cc: Gerald Ruopp; Bob Johnson; Robert Kay
Subject: Groundwater Potentiometric Map Downgradient from Central Wire

John:

Three things:

Attached is the groundwater potentiometric map without specifics at DGW-1 because the surveying information from its installation is not available.

In light of your most recent comment letter, Central Wire and Autumnwood Consultants would like to discuss this with you in a conference call to come to some final understanding of what you need. Please let me know two or three good times for you to do discuss your comment letter.

Central Wire has now been "banned" on using the Techalloy moniker. How do we change all of the EPA documents and records to reflect the entity as Central Wire?

A fourth item of information. Ex. 6 Personal Privacy (PP) has decided to abandon its Ex. 6 Personal Privacy (PP) activities. Their office trailer is no longer there and The Manager has been moved down to Kankakee. That means the irrigation well on Ex. 6 Personal Privacy (PP) will no longer be used, at least not in the foreseeable future. The Ex. 6 Personal Privacy (PP) well will still be used for their golf course turf grass operation, but that well is about 3,250 ft (per Google Earth) from the leading edge of the plume so I do not believe there is any way that this irrigation well that occasionally pumps about 250 gallons a minute will influence a plume that far away.

Please let me know your availability and we will schedule a call.

Regards,

Jack

John W. Thorsen, P.E.
Autumnwood ESH Consultants
262.237.1130