Message

**From**: Wilson, Jennifer [wilson.jenniferA@epa.gov]
**Sent**: 10/3/2017 6:46:31 PM
**To**: Zolnierczyk, Kenneth [zolnierczyk.kenneth@epa.gov]; Steketee, John [steketee.john@epa.gov]
**Subject**: RE: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

I still prefer one briefing, but if Ken wants two, I will work with that. Ken, do you have a Microsoft Word document from your last briefing that we can edit? Also, I don't think we really need two different briefing documents. Yes, we have different concerns, but the concerns are because of the same problem. Ken, if you want to take a stab at editing the briefing document first, I think that would make sense as you know more than I do about this issue. I am definitely not getting to that today and I may not get to it this week either. I have something to do today on another large enforcement case and I really want to get a primacy package into signature this week. I can look at it after you and I imagine John will want to look at it after that.

If we are doing two separate briefings, I would still like you two to come to the briefing for my Division because you know much more about the background and history of this case than I do. Thus, you will probably respond to historical questions better than I will.

---

**From:** Zolnierczyk, Kenneth
**Sent:** Tuesday, October 3, 2017 1:09 PM
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>; Steketee, John <steketee.john@epa.gov>
**Subject:** Re: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

I think we should we should do separate briefings, just because of the logistics of trying to get so many managers available at the same time. I also agree that the briefings should follow the meeting, because we don't know how the meeting may change things. We'll look at the week of the 23rd for our briefing(s).

- Ken

---

**From:** Wilson, Jennifer
**Sent:** Tuesday, October 3, 2017 12:02:54 PM
**To:** Steketee, John; Zolnierczyk, Kenneth
**Subject:** RE: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

I agree, we should get the meeting with WDNR completed first. I will be on work travel all week the week of the 16th, so meeting the week of the 23rd would be better. I would say the middle or the end of that week so we have time to prepare because I will have time to do very little work during the week of the 16th as I will be in a conference or a training session all day. The week of the 30th is blocked for a file review of our Direct Implementation program. Thus, I think we should probably try to hit the week of the 23rd.

---

**From:** Steketee, John
**Sent:** Tuesday, October 3, 2017 12:58 PM
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>; Zolnierczyk, Kenneth <zolnierczyk.kenneth@epa.gov>
**Subject:** RE: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

Yes. Both divisions at same time. I don't think this can be set up by next week. Plu,s I think we want to have our call with WDNR (on 13th)before the briefing so we have the latest info from the State prior to the briefing. The week of the 16th or 23rd would work. Ken? What are your thoughts? Thx.

---

**From:** Wilson, Jennifer
**Sent:** Tuesday, October 03, 2017 12:52 PM
**To:** Steketee, John <steketee.john@epa.gov>; Zolnierczyk, Kenneth <zolnierczyk.kenneth@epa.gov>
**Subject:** RE: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

John,

Should we just brief WD and LCD management at the same time? I think it would be more efficient to do it that way. If you two are okay with that, I will ask Chris, Linda, Tom, and Janette Hansen (she starts Acting Section Chief duties next week) to come to the briefing. Will it be next week? I think that would be best so we have the time to prepare for it. I am guessing we should write a summary. Ken, do you have one from when you briefed your management before? We could start with that and edit it.

Thank you,
Jenny

---

**From:** Steketee, John
**Sent:** Tuesday, October 3, 2017 12:47 PM
**To:** Zolnierczyk, Kenneth <zolnierczyk.kenneth@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>
**Subject:** RE: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

10am on the 13th works better for me for call with WDNR.

We also need to set up a briefing for LCD & WD management as part of our issuance of a letter from the LCD Director to the parties. Ken, could you get that process going as well,
as those meeting take some time to set up. FYI, I will be out of the office or not available on October 26 & 31 and work from home on Mondays and Fridays. From ORC, you should invite Steve Mendoza, Deb Klassman, Ignacio Arrazola & Rett Nelson. Thx.

---

**From:** Zolnierczyk, Kenneth
**Sent:** Tuesday, October 03, 2017 12:33 PM
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>; Steketee, John <steketee.john@epa.gov>
**Subject:** Re: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

Thanks Jenny. I'm going to try and set up our call to the WDNR for either 10 or 2 next Friday the 13th. Can you both let me know your availability.

- Ken

---

**From:** Wilson, Jennifer
**Sent:** Tuesday, October 3, 2017 11:17:14 AM
**To:** Zolnierczyk, Kenneth; Steketee, John
**Subject:** RE: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

Hi Ken,

I will contact Milo and see if he or someone else can do the work. I will let you know what he says.

Thank you,
Jenny

---

**From:** Zolnierczyk, Kenneth
**Sent:** Tuesday, October 3, 2017 12:15 PM
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>; Steketee, John <steketee.john@epa.gov>
**Subject:** Re: Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

Jenny, I don't have a specific person in Superfund to do the modeling. I'll need to contact an RPM and then see who they have available (and agrees to do the work) before I get a request from my division director. So I agree, it would be faster if you just contact Milo.

- Ken

---

**From:** Wilson, Jennifer
**Sent:** Tuesday, October 3, 2017 10:38:30 AM
**To:** Steketee, John; Zolnierczyk, Kenneth
**Subject:** Ground Water Data from Madison's Well 8, Finding Someone to Run VMODFLOW, and the Meeting Next Week

Hi John and Ken,

WDNR forwarded me the attached sampling data from Well 8 (the well in Madison's Drinking Water System) that is near the Madison-Kipp facility. You will see that the City sampled for PCE, all of its byproducts, and PCBs and nothing has been detected. The sampling appears to occur biannually on average with the exception of the PCBs. The PCBs were last sampled in 2011 and 2005 before that. I am going to ask Steve what sampling method was used for PCBs because Peter Ramanaskus, who is in LCD in the Remediation and Reuse Branch with Dave Petrovski, told me that there are a couple different sampling methods that can be used.

I e-mailed my boss about the meeting you are scheduling with WDNR's RCRA people and that you want to invite Steve Elmore. I asked my boss, Tom Poy, if I can invite him. I wanted to ask Tom since he wanted to contact him initially about sampling Madison's well. Tom has not replied yet.

With regards to the ground water modeling, Andi Hodaj said he has not used the model in a long time either (sorry, I was not aware of that before) and he is not comfortable doing the analysis for us. He suggested contacting Milo Anderson or Simon. However, I need to figure out who Simon is – Andi is out of the office today. However, Ken, do you want to use the person you know in Superfund or do you want me to ask Milo? If you have to do the interdivision agreement again, I should probably ask someone in the Water Division first to avoid the time spent doing the agreement.

Thank you,
Jenny

---

**From:** Elmore, Steve B - DNR [mailto:Steve.Elmore@wisconsin.gov]
**Sent:** Friday, September 29, 2017 2:31 PM
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>

**Cc:** Poy, Thomas <poy.thomas@epa.gov>
**Subject:** RE: Map Showing Madison's Drinking Water Well and the Madison-Kipp Facility

Hello Jennifer,
Attached are the results you requested for Well #8 at Madison Water Utility. The utility has done testing in this regard for some time. This information is also available on our website by using the search query at:

http://prodoasext.dnr.wi.gov/inter1/pws29$.startup (by contaminant)
http://prodoasext.dnr.wi.gov/inter1/pws2$.startup (by water system)

Let me know if you have additional questions.

Have a great weekend!

Thanks,
Steve

**We are committed to service excellence.**
Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

Steven B. Elmore
Phone: (608) 264-9246
Steve.Elmore@wisconsin.gov

---

**From:** Wilson, Jennifer [mailto:wilson.jenniferA@epa.gov]
**Sent:** Thursday, September 28, 2017 10:18 AM
**To:** Elmore, Steve B - DNR
**Cc:** Poy, Thomas
**Subject:** Map Showing Madison's Drinking Water Well and the Madison-Kipp Facility

Hi Steve,

Tom told me to send you the attached map showing Madison-Kipp's Facility and the location of Madison's drinking water well. Madison's well is in the bottom right corner of the map and you will see that it is about a third of a mile from the Facility. The Facility is treating a PERC plume and has PCB contamination that the data suggests is in the ground water. Thus, we believe Madison's drinking water well should be tested for:

- Tetrachloroethylene
- Trichloroethene
- Dichloroethene
- Vinyl chloride
- PCBs

Please let us know if Madison has tested their wells for this contamination and if they have not, if they are going to do the testing. Also, please let us know the results of the testing.

If you have any questions, please do not hesitate to ask.

Thank you,
Jenny

Jennifer Wilson, P.E.
Ground Water and Drinking Water Branch

U.S. EPA Region 5
WG-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751