Message

From: Zolnierczyk, Kenneth [zolnierczyk.kenneth@epa.gov]
Sent: 10/5/2017 2:40:07 PM
To: Wilson, Jennifer [wilson.jenniferA@epa.gov]; Steketee, John [steketee.john@epa.gov]
Subject: Re: Meeting on October 13 - Can We Meet at 2:00 P.M.?

My mistake Jenny, I thought you were talking about your branch chief. I'll get ahold of Mike's boss and try to push for the 2:00 time. All I know is Mike is on a hunting trip.

- Ken

From: Wilson, Jennifer
Sent: Thursday, October 5, 2017 8:24:44 AM
To: Zolnierczyk, Kenneth; Steketee, John
Subject: RE: Meeting on October 13 - Can We Meet at 2:00 P.M.?

Hi Ken,

I know it is not associated with the management briefing, but Steve Elmore is the Director at WDNR. Since he is a Manager, I invited Tom. I already told Tom that I am confident I can cover the meeting myself, I was just offering it to him in case he wants to go.

Wasn't Schmoller just out of town? I know he could be on work travel, but it would help if he would check his e-mail if he is traveling for work.

Have a good day,
Jenny

From: Zolnierczyk, Kenneth
Sent: Thursday, October 5, 2017 9:20 AM
To: Wilson, Jennifer <wilson.jenniferA@epa.gov>; Steketee, John <steketee.john@epa.gov>
Subject: Re: Meeting on October 13 - Can We Meet at 2:00 P.M.?

Hi Jenny,

The October 13th meeting is just to discuss our new findings with the WDNR staff involved with the settlement with Kipp. The meeting should just be a technical discussion and was not associated with the management briefing we talked about. Mike Schmoller, their hydrogeologist, is out of town so I gave them two different times on Friday (10 AM and 2 PM) for flexibility. I won't know until next week if both times are available for the WDNR.

- Ken

From: Wilson, Jennifer
Sent: Wednesday, October 4, 2017 7:42:32 PM
To: Steketee, John; Zolnierczyk, Kenneth
Subject: Meeting on October 13 - Can We Meet at 2:00 P.M.?

Hi John and Ken,

The WDNR Drinking Water Branch Chief, Steve Elmore, is not available at 10:00 A.M. on October 13 for a meeting. My boss is not available then either. Thus, may we meet at 2:00 P.M.?

Thank you,
Jenny

Jennifer Wilson, P.E.
Ground Water and Drinking Water Branch
U.S. EPA Region 5
WG-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751