Message

From: Moore, John (Matthew) [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=264A024849974F5E9ECBCD8F9FCB2731-JMOORE10]
Sent: 5/11/2017 1:34:47 PM
To: Theis, Joseph [Theis.Joseph@epa.gov]
CC: Glazer, Thomas [glazer.thomas@epa.gov]; Levine, MaryEllen [levine.maryellen@epa.gov]
Subject: RE: Milwaukee Metro Sewage District Draft AOC

Good Morning,

Ex. 5 Deliberative Process (DP)

Thanks for your help.

- Matt Moore

From: Theis, Joseph
Sent: Thursday, May 4, 2017 4:42 PM
To: Moore, John (Matthew) <moore.johnm@epa.gov>
Cc: Glazer, Thomas <glazer.thomas@epa.gov>; Levine, MaryEllen <levine.maryellen@epa.gov>
Subject: Re: Milwaukee Metro Sewage District Draft AOC

Ex. 5 Deliberative Process (DP)

Sent from my iPhone

On May 4, 2017, at 4:20 PM, Moore, John (Matthew) <moore.johnm@epa.gov> wrote:

Ex. 5 Deliberative Process (DP)

From: Theis, Joseph
Sent: Thursday, May 4, 2017 2:58 PM
To: Moore, John (Matthew) <moore.johnm@epa.gov>; Glazer, Thomas <glazer.thomas@epa.gov>; Levine, MaryEllen <levine.maryellen@epa.gov>
Subject: RE: Milwaukee Metro Sewage District Draft AOC

Ex. 5 Deliberative Process (DP)

Joseph G. Theis
Associate Director
Water Enforcement Division
Office of Enforcement and Compliance Assurance
U.S. EPA (2243A)
1200 Pennsylvania Ave, NW
Washington, D.C. 20460

Ex. 5 Deliberative Process (DP)

From: Moore, John (Matthew)
Sent: Thursday, May 04, 2017 3:00 PM
To: Glazer, Thomas <glazer.thomas@epa.gov>; Levine, MaryEllen <levine.maryellen@epa.gov>; Theis, Joseph <Theis.Joseph@epa.gov>
Subject: Milwaukee Metro Sewage District Draft AOC

Good Afternoon,

Ex. 5 Deliberative Process (DP)

-Matt Moore

J. Matthew Moore
Assistant Regional Counsel
Office of Regional Counsel
U.S. EPA Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Phone: (312) 353-5624

CONFIDENTIAL: This email message and any attachment(s) may contain information that is privileged or otherwise exempt from disclosure under applicable law. Do not disclose without consulting the Office of Regional Counsel. If you have received this message in error, please contact the sender immediately.