NATIONAL POLLUTANT DISCHAR 'LIMINATION SYSTEM (NPDES)
DISCHARGE MONITO..NG REPORT (DMR)

Approved
..d No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: ALBUQUERQUE, CITY OF(JOINT W/)
ADDRESS: UNKNOWN
UNKNOWN, NM 00000
FACILITY: ALBUQUERQUE, CITY OF
LOCATION: UNKNOWN
, NM 00000
ATTN:~~ED ADAMS~~,DIR,DEPT.MUN.DEV.
mRiordan

NMS000101
PERMIT NUMBER

005Y
DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	~~05~~ 08	~~06~~ 10	01	TO	~~07~~ 09	05	31

DMR MAILING ZIP CODE: 87103
MAJOR

BIANNUALLY REPORTING - 005 DRY SEASOI
External Outfall

No Discharge ☐

< = less than detection limit

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Benzo(a)anthracene	SAMPLE MEASUREMENT	******	******		******	<0.19	<0.19	ug/L		3	C
34526 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
1,2-Dichloroethane, total weight	SAMPLE MEASUREMENT	******	******		******	<0.16	<0.17	ug/L		3	C
34531 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
1,2-Dichlorobenzene	SAMPLE MEASUREMENT	******	******		******	<0.14	<0.29	ug/L		3	C
34536 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
1,2-Dichloropropane	SAMPLE MEASUREMENT	******	******		******	<0.14	<0.21	ug/L		3	C
34541 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
1,2,4-Trichlorobenzene	SAMPLE MEASUREMENT	******	******		******	<0.13	<0.24	ug/L		3	C
34551 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
Dibenzo(a,h)anthracene	SAMPLE MEASUREMENT	******	******		******	<0.24	<0.26	ug/L		3	C
34556 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	20 DAILY AV	20 DAILY MX	ug/L		Once Per Season	COMPOS
1,3-Dichlorobenzene	SAMPLE MEASUREMENT	******	******		******	<0.15	<0.30	ug/L		3	C
34566 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Roland Penttila	TELEPHONE		DATE		
Roland Penttila, Stormwater Mgr.		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	(505) 768-2778		2010	01	12
TYPED OR PRINTED			AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEASONAL MONITORING PERIODS ARE: WET SEASON = JUNE 1-SEPT. 30 AND DRY SEASON = OCT. 1-MAY 31. 1ST YEAR REPORT PERIOD COVERS THE EFF. DATE OF PERMIT THRU SEPT. SUBSEQUENT YRS. COVER OCT.-SEPT. SEPARATE DMRS REQUIRE FOR EACH SEASON. BIANNUALLY DMRS (EVERY OTHER YEAR) TO BE SUBMITTED DUE FEB. 1ST.

NATIONAL POLLUTANT DISCHAR LIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Approved
No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: ALBUQUERQUE, CITY OF(JOINT W/)
ADDRESS: UNKNOWN
UNKNOWN, NM 00000
FACILITY: ALBUQUERQUE, CITY OF
LOCATION: UNKNOWN
, NM 00000
ATTN:~~ED ADAMS,DIR,DEPT.MUN.DEV.~~
mRiordan

NMS000101
PERMIT NUMBER

005Y
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 87103
MAJOR

BIANNUALLY REPORTING - 005 DRY SEASOI
External Outfall

No Discharge ☐

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	~~05~~ 08	~~06~~ 10	01	TO	~~07~~ 09	05	31

<= less than detection limit

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
1,4-Dichlorobenzene	SAMPLE MEASUREMENT	******	******		******	<0.03	<0.05	ug/L		3	C
34571 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
2-Chloroethyl vinyl ether, (mixed)	SAMPLE MEASUREMENT	******	******		******	<5	<5	ug/L		3	C
34576 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
2-Chloronaphthalene	SAMPLE MEASUREMENT	******	******		******	<0.14	<0.30	ug/L		3	C
34581 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
Di-n-octyl phthalate	SAMPLE MEASUREMENT	******	******		******	<0.67	<1.65	ug/L		3	C
34596 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
2,4-Dinitrotoluene	SAMPLE MEASUREMENT	******	******		******	<0.116	<0.19	ug/L		3	C
34611 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
2,6-Dinitrotoluene	SAMPLE MEASUREMENT	******	******		******	<0.13	<0.14	ug/L		3	C
34626 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
3,3'-Dichlorobenzidine	SAMPLE MEASUREMENT	******	******		******	<0.23	<0.29	ug/L		3	C
34631 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	50 DAILY AV	50 DAILY MX	ug/L		Once Per Season	COMPOS

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Roland Penttila, Stormwater Mgr.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Roland Penttila	(505) 768-2778		2010	01	12
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEASONAL MONITORING PERIODS ARE: WET SEASON = JUNE 1-SEPT. 30 AND DRY SEASON = OCT. 1-MAY 31. 1ST YEAR REPORT PERIOD COVERS THE EFF. DATE OF PERMIT THRU SEPT. SUBSEQUENT YRS. COVER OCT.-SEPT. SEPARATE DMRS REQUIRE FOR EACH SEASON. BIANNUALLY DMRS (EVERY OTHER YEAR) TO BE SUBMITTED DUE FEB. 1ST.

NATIONAL POLLUTANT DISCHAR LIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Approved
Form No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: ALBUQUERQUE, CITY OF(JOINT W/)
ADDRESS: UNKNOWN
UNKNOWN, NM 00000

FACILITY: ALBUQUERQUE, CITY OF
LOCATION: UNKNOWN
, NM 00000

ATTN:~~ED ADAMS~~,DIR,DEPT.MUN.DEV.
M Riordan

NMS000101	005Y
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	~~05~~ 08	~~06~~ 10	01	TO	~~07~~ 09	05	31

DMR MAILING ZIP CODE: 87103
MAJOR

BIANNUALLY REPORTING - 005 DRY SEASOI
External Outfall

No Discharge ☐

< = less than detection limit

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
4-Bromophenyl phenyl ether	SAMPLE MEASUREMENT	******	******		******	<0.15	<0.28	ug/L		3	C
34636 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
4-Chlorophenyl phenyl ether	SAMPLE MEASUREMENT	******	******		******	<0.12	<0.24	ug/L		3	C
34641 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
Naphthalene	SAMPLE MEASUREMENT	******	******		******	<0.17	<0.30	ug/L		3	C
34696 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
Bis(2-ethylhexyl) phthalate	SAMPLE MEASUREMENT	******	******		******	2.9	5.1	ug/L		3	C
39100 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
Di-n-butyl phthalate	SAMPLE MEASUREMENT	******	******		******	0.1	0.1	ug/L		3	C
39110 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
4,4'-DDT	SAMPLE MEASUREMENT	******	******		******	<0.20	<0.27	ug/L		3	C
39300 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	1 DAILY AV	1 DAILY MX	ug/L		Once Per Season	COMPOS
4,4'-DDD	SAMPLE MEASUREMENT	******	******		******	<0.23	<0.31	ug/L		3	C
39310 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	1 DAILY AV	1 DAILY MX	ug/L		Once Per Season	COMPOS

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
Roland Penttila, Stormwater Mgr.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Roland Penttila	(505) 768-2778		2010	01	12
TYPED OR PRINTED			AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEASONAL MONITORING PERIODS ARE: WET SEASON = JUNE 1-SEPT. 30 AND DRY SEASON = OCT. 1-MAY 31. 1ST YEAR REPORT PERIOD COVERS THE EFF. DATE OF PERMIT THRU SEPT. SUBSEQUENT YRS. COVER OCT.-SEPT. SEPARATE DMRS REQUIRE FOR EACH SEASON. BIANNUALLY DMRS (EVERY OTHER YEAR) TO BE SUBMITTED DUE FEB. 1ST.

NATIONAL POLLUTANT DISCHAR LIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Approved
Form No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: ALBUQUERQUE, CITY OF(JOINT W/)
ADDRESS: UNKNOWN
UNKNOWN, NM 00000
FACILITY: ALBUQUERQUE, CITY OF
LOCATION: UNKNOWN
, NM 00000
ATTN:ED ADAMS,DIR,DEPT.MUN.DEV.
m Riordan

NMS000101
PERMIT NUMBER

005Y
DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	~~08~~ 08	~~06~~ 10	01	TO	~~07~~ 09	05	31

DMR MAILING ZIP CODE: 87103
MAJOR

BIANNUALLY REPORTING - 005 DRY SEASOI
External Outfall

No Discharge ☐

< = less than detection limit

PARAMETER		QUANTITY OR LOADING VALUE	QUANTITY OR LOADING VALUE	QUANTITY OR LOADING UNITS	QUALITY OR CONCENTRATION VALUE	QUALITY OR CONCENTRATION VALUE	QUALITY OR CONCENTRATION VALUE	QUALITY OR CONCENTRATION UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
4,4'-DDE	SAMPLE MEASUREMENT	******	******		******	<0.17	<0.22	ug/L		3	C
39320 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.1 DAILY AV	.1 DAILY MX	ug/L		Once Per Season	COMPOS
Aldrin	SAMPLE MEASUREMENT	******	******		******	<0.26	<0.26	ug/L		3	C
39330 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.05 DAILY AV	.05 DAILY MX	ug/L		Once Per Season	COMPOS
.alpha.-BHC	SAMPLE MEASUREMENT	******	******		******	<0.22	<0.27	ug/L		3	C
39337 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.05 DAILY AV	.05 DAILY MX	ug/L		Once Per Season	COMPOS
.beta.-BHC	SAMPLE MEASUREMENT	******	******		******	<0.26	<0.31	ug/L		3	C
39338 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.05 DAILY AV	.05 DAILY MX	ug/L		Once Per Season	COMPOS
Gamma-BHC	SAMPLE MEASUREMENT	******	******		******	<0.22	<0.27	ug/L		3	C
39340 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.05 DAILY AV	.05 DAILY MX	ug/L		Once Per Season	COMPOS
Chlordane (tech mix. and metabolites)	SAMPLE MEASUREMENT	******	******		******	<0.02	<0.02	ug/L		3	C
39350 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.2 DAILY AV	.2 DAILY MX	ug/L		Once Per Season	COMPOS
Dieldrin	SAMPLE MEASUREMENT	******	******		******	<0.20	<0.24	ug/L		3	C
39380 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	.1 DAILY AV	.1 DAILY MX	ug/L		Once Per Season	COMPOS

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Roland Penttila	TELEPHONE		DATE		
Roland Penttila, Stormwater Mgr.		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	(505) 768-2778		2010	01	12
TYPED OR PRINTED			AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEASONAL MONITORING PERIODS ARE: WET SEASON = JUNE 1-SEPT. 30 AND DRY SEASON = OCT. 1-MAY 31. 1ST YEAR REPORT PERIOD COVERS THE EFF. DATE OF PERMIT THRU SEPT. SUBSEQUENT YRS. COVER OCT.-SEPT. SEPARATE DMRS REQUIRE FOR EACH SEASON. BIANNUALLY DMRS (EVERY OTHER YEAR) TO BE SUBMITTED DUE FEB. 1ST.

NATIONAL POLLUTANT DISCHAR(.IMINATION SYSTEM (NPDES)
DISCHARGE MONITO.ING REPORT (DMR)

Approved
No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: ALBUQUERQUE, CITY OF(JOINT W/)
ADDRESS: UNKNOWN
UNKNOWN, NM 00000
FACILITY: ALBUQUERQUE, CITY OF
LOCATION: UNKNOWN
, NM 00000
ATTN:~~ED~~ ADAMS,DIR,DEPT.MUN.DEV.
mRiordan

NMS000101	005Y
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	~~05~~ 08	~~06~~ 10	01	TO	~~07~~ 09	05	31

DMR MAILING ZIP CODE: 87103
MAJOR

BIANNUALLY REPORTING - 005 DRY SEASOI
External Outfall

No Discharge ☐

< = less than detection limit

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Polychlorinated biphenyls (PCBs)	SAMPLE MEASUREMENT	******	******		******	<0.1	<0.1	ug/L		C	3
39516 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	1 DAILY AV	1 DAILY MX	ug/L		Once Per Season	COMPOS
Hexachlorobenzene	SAMPLE MEASUREMENT	******	******		******	<0.17	<0.27	ug/L		C	3
39700 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS
1,3-Dichloropropylene	SAMPLE MEASUREMENT	******	******		******	<0.11	<0.18	ug/L		C	3
51044 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	10 DAILY AV	10 DAILY MX	ug/L		Once Per Season	COMPOS

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Roland Penttila, Stormwater Mgr.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Roland Penttila	(505) 768-2778		2010	01	12
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEASONAL MONITORING PERIODS ARE: WET SEASON = JUNE 1-SEPT. 30 AND DRY SEASON = OCT. 1-MAY 31. 1ST YEAR REPORT PERIOD COVERS THE EFF. DATE OF PERMIT THRU SEPT. SUBSEQUENT YRS. COVER OCT.-SEPT. SEPARATE DMRS REQUIRE FOR EACH SEASON. BIANNUALLY DMRS (EVERY OTHER YEAR) TO BE SUBMITTED DUE FEB. 1ST.