Message

From: Brown, Jamesr [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6F64739EE90E4087B2A77B32C4E4549F-BROWN, JAMESR]
Sent: 10/8/2018 9:08:14 PM
To: Ngo, Kim [Ngo.Kim@epa.gov]
Subject: Re: Lab Update - Craft-Turney, Monday 10/8

200 ppb For children. 500 ppb for adults.

Sent from my iPhone

On Oct 8, 2018, at 4:07 PM, Ngo, Kim <Ngo.Kim@epa.gov> wrote:

> I guess the 1-day or 10-day HA is more applicable, 200 ppb
>
> Sent from my iPhone
>
> On Oct 8, 2018, at 3:57 PM, Ngo, Kim <Ngo.Kim@epa.gov> wrote:
>
> > Jim, chlorothalonil health advisory (cancer risk) is 150 ppb

epa.gov

Drinking Water Standards and Health Advisories

March 2018 **Page 2 of 12**

Chemicals	CASRN Number	Standards			Status HA Document	Health Advisories						Cancer Descriptor
		Status Reg.	MCLG (mg/L)	MCL (mg/L)		10-kg Child One-day (mg/L)	10-kg Child Ten-day (mg/L)	RfD (mg/kg/day)	DWEL (mg/L)	Life-time (mg/L)	mg/L at 10^{-4} Cancer Risk	
Bromochloromethane	74-97-5	-	-	-	F '89	50	1	0.01	0.5	0.09	-	D
Bromodichloromethane (THM)	75-27-4	F	zero	0.08[1]	-	1	0.6	0.003	0.1	-	0.1	L
Bromoform (THM)	75-25-2	F	zero	0.08[1]	-	5	0.2	0.03	1	-	0.8	L
Bromomethane	74-83-9	-	-	-	D '89	0.1	0.1	0.001	0.03	0.01	-	D
Butyl benzyl phthalate	85-68-7	-	-	-	-	-	-	0.2	7	-	-	C
Butylate	2008-41-5	-	-	-	F '89	2	2	0.05	2	0.4	-	D
Carbaryl	63-25-2	-	-	-	F '88	1	1	***0.01***	0.4	-	4	L
Carbofuran	1563-66-2	F	0.04	0.04	F '87	-	-	***0.00006***	-	-	-	N
Carbon tetrachloride	56-23-5	F	zero	0.005	F '87	4	0.2	**0.004**	0.1	**0.03**	**0.05**	L
Carboxin	5234-68-4	-	-	-	F '88	1	1	0.1	3.5	0.7	-	D
Chlorazinben	133-90-4	-	-	-	F '88	3	3	0.015	0.5	0.1	-	D
Chlordane	12798-03-6	F	zero	0.002	F '87	0.06	0.06	**0.0005**	0.02	**0.004**	**0.01**	B2
Chloroform (THM)	67-66-3	F	0.07	0.08[1]	-	4	4	**0.01**	0.35	0.07	-	L/N
Chloromethane	74-87-3	-	-	-	F '89	9	0.4	-	-	-	-	I
Chlorophenol (2-)	95-57-8	-	-	-	D '94	0.5	0.5	0.005	0.2	0.04	-	D
Chlorothalonil	1897-45-6	-	-	-	F '88	0.2	0.2	0.015	0.5	-	0.15	B2
Chlorotoluene o-	95-49-8	-	-	-	F '89	2	2	0.02	0.7	0.1	-	D
Chlorotoluene p-	106-43-4	-	-	-	F '89	2	2	0.02	0.7	0.1	-	D
Chlorpyrifos	2921-88-2	-	-	-	F '92	0.03	0.03	***0.0003***	0.01	0.002	-	***D***
Chrysene (PAH)	218-01-9	-	-	-	-	-	-	-	-	-	-	B2
Cyanazine	21725-46-2	-	-	-	D '96	0.1	0.1	0.002	0.07	0.001	-	

[1] 1998 Final Rule for Disinfectants and Disinfection By-products: The total for trihalomethanes (THM) is 0.08 mg/L.

Sent from my iPhone

On Oct 8, 2018, at 1:40 PM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:

> Thanks

Sent from my iPhone

On Oct 8, 2018, at 1:36 PM, Cari-Michel Lacaille <cari-michel.lacaille@tceq.texas.gov> wrote:

> No that's the MTB. EPA has health advisory for the chloro
>
> Sent from my iPhone
>
> On Oct 8, 2018, at 12:43 PM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
>
>> Thanks. 50 ppb is your health standard, correct?
>>
>> Sent from my iPhone
>>
>> On Oct 8, 2018, at 12:21 PM, Cari-Michel Lacaille <cari-michel.lacaille@tceq.texas.gov> wrote:
>>
>>> Highest of the samples for chlorothalonil was 101 ppm
>>>
>>> Sent from my iPhone
>>>
>>> On Oct 8, 2018, at 11:37 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
>>>
>>>> Great! Thank you. Jim
>>>>
>>>> Sent from my iPhone
>>>>
>>>> On Oct 8, 2018, at 10:58 AM, Cari-Michel Lacaille <cari-michel.l

acaille
@tceq.t
exas.go
v>
wrote:

T
h
e
r
e
g
i
o
n
h
a
s
g
o
t
t
h
e
i
n
f
o
.
T
h
a
n
k
y
o
u
v
e
r
y
m
u
c
h
.
W
e
l
l
s
t
a

r
t
d
i
s
c
u
s
s
i
n
g
t
r
a
n
s
p
o
r
t
a
n
d
h
o
w
s
o
o
n
w
e
c
a
n
h
a
v
e
t
h
e
m
i
n
H
o
u
s
t
o
n

a
n
d
l
e
t
y
o
u
k
n
o
w
.

S
e
n
t
f
r
o
m
m
y
i
P
h
o
n
e

O
n
O
c
t
8
,
2
0
1
8
,
a
t
1
0
:
3
3
A

M, Brown, James <brown.jamesr@epa.gov> wrote:

Hi Cari-Mic

h
e
l
,
O
u
r
l
a
b
h
a
s
t
h
e
s
a
m
p
l
e
a
n
d
h
a
s
b
e
g
u
n
w
o
r
k
.
C
a
n
y
o
u
p
a
s
s
a
l
o
n
g

t
h
e
s
a
m
p
l
i
n
g
r
e
q
u
e
s
t
t
o
t
h
e
f
i
e
l
d
p
e
r
s
o
n
n
e
l
:
1
L
s
a
m
p
l
e
s
,
p
o
l
y
e

t
h
y
l
e
n
e
b
o
t
t
l
e
s
,
a
n
d
d
e
c
h
l
o
r
i
n
a
t
e
t
h
e
s
a
m
p
l
e
s
i
f
p
o
s
s
i
b
l
e
.
M
a

r
k
s
a
m
p
l
e
s
e
i
t
h
e
r
w
a
y
(
d
i
c
h
l
o
r
o
r
n
o
t
d
e
c
h
l
o
r
)
.
T
h
a
n
k
s
.
J
i
m

S
e

n
t
f
r
o
m
m
y
i
P
h
o
n
e

B
e
g
i
n
f
o
r
w
a
r
d
e
d
m
e
s
s
a
g
e
:

F
r
o
m
:
"
M
c
Q
u
i
d
d
y
,

D
a
v
i
d
"
<
M
c
g
u
i
d
d
y
.
D
a
v
i
d
@
e
p
a
.
g
o
v
>
D
a
t
e
:
O
c
t
o
b
e
r
8
,
2
0
1
8
a
t
1
0
:

29:31 AM CDT **To:** "Brown, James r" <brown.jamesr@epa.gov> **Cc:** "

Maguire, Charles" <maguire.charles@epa.gov>, "Gray, David

"<gray.david@epa.gov>, "Edlund, Carl" <edlund.carl@epa.gov>

o
v
>
,
"
R
h
o
t
e
n
b
e
r
r
y
,
W
i
l
l
i
a
m
"
<
R
h
o
t
e
n
b
e
r
r
y
.
W
i
l
l
i
a
m
@
e
p
a
.
g
o
v

>
,
"
S
m
a
l
l
e
y
,
B
r
y
a
n
t
"
<
s
m
a
l
l
e
y
.
b
r
y
a
n
t
@
e
p
a
.
g
o
v
>
,
"
C
r
o
s
s
l
a
n
d

,
R
o
n
n
i
e
"
<
C
r
o
s
s
l
a
n
d
,
R
o
n
n
i
e
@
e
p
a
.
g
o
v
>
,
"
S
m
i
t
h
,
M
o
n
i
c
a
"
<
s
m
i

t
h
.
m
o
n
.
c
a
@
e
p
a
.
g
o
v
>
,
"
N
g
o
,
K
i
m
"
<
N
g
o
.
K
.
m
@
e
p
a
.
g
o
v
>
,
"
M
c
M
i
l
l

i
n
,
R
i
c
k
"
<
M
c
M
i
l
l
i
n
.
R
i
c
k
@
e
p
a
.
g
o
v
>
,
"
M
c
D
o
n
a
l
d
,
J
a
m
e
s
"
<
M
c
D
o

n a l d . j a m e s @ e p a . g o v >
Subject: Re: LabUpdate-Craft-Turney,

Monday 10/8

Samples need to be de-chlorinated during collect

i
o
n
o
r
n
o
t
e
d
o
t
h
e
r
w
i
s
e
s
o
w
e
c
a
n
d
e
-
c
h
l
o
r
i
n
a
t
e
a
t
L
a
b
.
A
l
s
o
,
u
t
i

l
i
z
e
1
l
i
t
e
r
p
o
l
y
e
t
h
y
l
e
n
e
s
a
m
p
l
e
b
o
t
t
l
e
s
i
f
p
o
s
s
i
b
l
e
.

S
e
n
t
f
r

o
m
m
y
i
P
h
o
n
e

O
n
O
c
t
8
,
2
0
1
8
,
a
t
1
0
:
2
3
A
M
,
B
r
o
w
n
,
J
a
m
e
s
r
<
b
r
o
w
n
.
j

a m e s r @ e p a . g o v > w r o t e :

W e s ,

I n t h e p a s t w i t h t h e s e e x o t i c c h e

m
i
c
a
l
s
w
e
’
v
e
a
l
w
a
y
s
b
e
e
n
s
t
u
n
g
b
y
t
h
e
p
r
e
s
e
n
c
e
o
f
c
h
l
o
r
i
n
e
i
n
t
h

e
s
a
m
p
l
e
n
e
g
a
t
i
n
g
a
n
y
r
e
c
o
v
e
r
y
a
t
t
e
m
p
t
s
b
y
t
h
e
c
h
e
m
i
s
t
s
a
n
d
w
e
l

o
s
t
h
o
u
r
s
o
f
a
n
a
l
y
t
i
c
a
l
t
i
m
e
.
S
o
,
t
h
i
s
t
i
m
e
c
a
n
w
e
r
u
n
a
s
e
t
o
f
d
e
c

h
l
o
r
i
n
a
t
e
d
s
a
m
p
l
e
s
w
i
t
h
t
h
e
c
h
l
o
r
i
n
a
t
e
d
s
a
m
p
l
e
s
i
n
c
a
s
e
w
e
e
x
p

e
r
i
e
n
c
e
t
h
e
s
a
m
e
s
e
t
b
a
c
k
?
T
h
a
n
k
s
,
J
i
m

S
e
n
t
f
r
o
m
m
y
i
P
h
o
n
e

O
n
O

c
t
8
,
2
0
1
8
,
a
t
1
0
:
1
5
A
M
,
M
c
Q
u
i
d
d
y
,
D
a
v
i
d
<
M
c
q
u
i
d
d
y
.
D
a
v
i
d
@
e
p
a
.

gov>wrote:

MBT received at Lab. Chemists sbegin ning work.

See

n
t
f
r
o
m
m
y
i
P
h
o
n
e

O
n
O
c
t
7
,
2
0
1
8
,
a
t
1
:
1
7
P
M
,
B
r
o
w
n
,
J
a
m
e
s
r
<
b
r
o
w

n.jamesr@epa.gov> wrote:

Seeattachedupdate.

Cari-Miche

l
s
a
i
d
t
h
e
p
r
e
l
i
m
i
n
a
r
y
r
e
s
u
l
t
s
o
f
t
h
e
s
a
m
p
l
e
s
s
h
o
w
e
d
s
o
m
e
d
e
t
e
c

t
s
f
o
r
t
h
e
c
h
l
o
r
o
t
h
a
l
o
n
i
l
,
b
u
t
b
e
l
o
w
t
h
e
T
C
E
Q
c
a
l
c
u
l
a
t
e
d
h
e
a
l
t

h
a
d
v
i
s
o
r
y
o
f
5
0
p
p
b
.
S
a
m
p
l
e
s
f
o
r
c
y
a
n
i
d
e
(
a
d
e
g
r
a
d
a
t
i
o
n
p
r
o
d
u
c

t
o
f
M
B
T
)
s
h
o
w
e
d
s
o
m
e
d
e
t
e
c
t
s
b
u
t
b
e
l
o
w
t
h
e
M
C
L
o
f
2
0
0
p
p
b
.

M
a
y
h
a

v
e
m
o
r
e
o
n
t
h
e
r
e
s
u
l
t
s
l
a
t
e
r
t
h
i
s
e
v
e
n
i
n
g
.

J
a
m
e
s
R
.
B
r
o
w
n
,
P
.
G
.

Associate Director Safe Drinking Water Branch Water Division

U.S.EPARegion6 1445 Ross Avenue (Mail Code: 6WQ-S) Dallas, Te

x
a
s
7
5
2
0
2
-
2
7
3
3
P
h
o
n
e
:
(
2
1
4
)
6
6
5
-
3
1
7
5

h
t
t
p
:
/
/
w
w
w
.
e
p
a
.
g
o
v
/
r

e
g
i
o
n
6
/
w
a
t
e
r
/
i
n
d
e
x
.
h
t
m

<image001.jpg>

<image002.jpg

>

From: Maguire, Charles **Sent:** Saturday, October 06, 2018 2:

0
0
P
M
T
o
:
G
r
a
y
,
D
a
v
i
d
<
g
r
a
y
.
d
a
v
i
d
@
e
p
a
.
g
o
v
>
C
c
:
B
r
o
w
n
,
J
a
m
e
s
r
<

brown.jamesr@epa.gov>;Edlund,Carl<Edlund.Carl@epa.gov

>
;
R
h
o
t
e
n
b
e
r
r
y
,
W
i
l
l
i
a
m
<
R
h
o
t
e
n
b
e
r
r
y
.
W
i
l
l
i
a
m
@
e
p
a
.
g
o
v
>
;
S
m

a
l
l
e
y
,
B
r
y
a
n
t
<
s
m
a
l
l
e
y
.
b
r
y
a
n
t
@
e
p
a
.
g
o
v
>
;
C
r
o
s
s
l
a
n
d
,
R
o
n
n
i
e

< C r o s s l a n d . R o n n i e @ e p a . g o v > ; S m i t h , M o n i c a < s m i t h . m o n i c a @

epa.gov>;Ngo,Kim<Ngo.Kim@epa.gov>;McMillin,Rick<McMill

l
i
n
.
R
i
c
k
@
e
p
a
.
g
o
v
>
;
M
c
Q
u
i
d
d
y
,
D
a
v
i
d
<
M
c
q
u
i
d
d
y
.
D
a
v
i
d
@
e
p
a
.
g

o
v
>
Subject: Re: Craft-Turney Update, October 6, 2018, 12:10

p
m

T
h
a
n
k
s
J
i
m
f
o
r
s
t
a
y
i
n
g
o
n
t
o
p
o
f
t
h
i
s
f
o
r
u
p
!
!
G
o
o
d
w
o
r
k
!
C
h
a
r

l
e
s

S
e
n
t
f
r
o
m
m
y
i
P
h
o
n
e

O
n
O
c
t
6
,
2
0
1
8
,
a
t
1
2
:
1
8
P
M
,
G
r
a
y
,
D
a
v
i
d

<gray.david@epa.gov> wrote:

Thank you

Sent from my iPhone

On Oct 6, 2018, at 12:12 PM, Brown, James <brown.jamesr@epa.

gov>wrote:

Attached are the Craft-Turney Updates and the New

Release issued by TCEQ last evening. I'll continue to monitor e

mailtoseeifanyupdatesoccurthroughouttheweekendandMond

a
y
.
J
i
m

J
a
m
e
s
R
.
B
r
o
w
n
,
P
.
G
.
A
s
s
o
c
i
a
t
e
D
i
r
e
c
t
o
r
S
a
f
e
D
r
i
n
k
i
n
g

W
a
t
e
r
B
r
a
n
c
h
W
a
t
e
r
D
i
v
i
s
i
o
n
U
.
S
.
E
P
A
R
e
g
i
o
n
6
1
4
4
5
R
o
s
s
A
v
e
n
u
e
(

M
a
i
l
C
o
d
e
:
6
W
Q
-
S
)
D
a
l
l
a
s
,
T
e
x
a
s
7
5
2
0
2
-
2
7
3
3
P
h
o
n
e
:
(
2
1
4
)
6
6
5
-
3

175

http://www.epa.gov/region6/water/index.html

<image

e
0
0
1
.
j
p
g
>

<
i
m
a
g
e
0
0
2
.
j
p
g
>

<
C
r
a
f
t
T
u
r
n
e
y
O
c
t
6
2
0
1
8
.
d
o
c
x
>

<NewsRelease-Craft-Turney-2018-10-5(003)(002).docx>

<C

r
a
f
t
T
u
r
n
e
y
O
c
t
7
2
0
1
8
.
d
o
c
x
>