Message

From: Brown, Jamesr [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6F64739EE90E4087B2A77B32C4E4549F-BROWN, JAMESR]
Sent: 10/8/2018 4:37:50 PM
To: Cari-Michel Lacaille [cari-michel.lacaille@tceq.texas.gov]
CC: Ngo, Kim [Ngo.Kim@epa.gov]
Subject: Re: Lab Update - Craft-Turney, Monday 10/8

Great! Thank you.
Jim

Sent from my iPhone

On Oct 8, 2018, at 10:58 AM, Cari-Michel Lacaille <cari-michel.lacaille@tceq.texas.gov> wrote:

> The region has got the info. Thank you very much. Well start discussing transport and how soon we can have them in Houston and let you know.
>
> Sent from my iPhone
>
> On Oct 8, 2018, at 10:33 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
>
> > Hi Cari-Michel,
> > Our lab has the sample and has begun work.
> > Can you pass along the sampling request to the field personnel: 1 L samples, polyethylene bottles, and dechlorinate the samples if possible. Mark samples either way (dichlor or not dechlor).
> > Thanks.
> > Jim
> >
> > Sent from my iPhone
> >
> > Begin forwarded message:
> >
> > > **From:** "McQuiddy, David" <Mcquiddy.David@epa.gov>
> > > **Date:** October 8, 2018 at 10:29:31 AM CDT
> > > **To:** "Brown, Jamesr" <brown.jamesr@epa.gov>
> > > **Cc:** "Maguire, Charles" <maguire.charles@epa.gov>, "Gray, David" <gray.david@epa.gov>, "Edlund, Carl" <Edlund.Carl@epa.gov>, "Rhotenberry, William" <Rhotenberry.William@epa.gov>, "Smalley, Bryant" <smalley.bryant@epa.gov>, "Crossland, Ronnie" <Crossland.Ronnie@epa.gov>, "Smith, Monica" <smith.monica@epa.gov>, "Ngo, Kim" <Ngo.Kim@epa.gov>, "McMillin, Rick" <McMillin.Rick@epa.gov>, "McDonald, James" <McDonald.James@epa.gov>
> > > **Subject: Re: Lab Update - Craft-Turney, Monday 10/8**
> > >
> > > Samples need to be de-chlorinated during collection or noted otherwise so we can de-chlorinate at Lab.
> > > Also, utilize 1 liter polyethylene sample bottles if possible.
> > >
> > > Sent from my iPhone

On Oct 8, 2018, at 10:23 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:

> Wes,
> In the past with these exotic chemicals we've always been stung by the presence of chlorine in the sample negating any recovery attempts by the chemists and we lost hours of analytical time. So, this time can we run a set of dechlorinated samples with the chlorinated samples in case we experience the same set back?
> Thanks,
> Jim
>
> Sent from my iPhone
>
> On Oct 8, 2018, at 10:15 AM, McQuiddy, David <Mcquiddy.David@epa.gov> wrote:
>
>> MBT received at Lab.
>> Chemists beginning work.
>>
>> Sent from my iPhone
>>
>> On Oct 7, 2018, at 1:17 PM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
>>
>>> See attached update.
>>>
>>> Cari-Michel said the preliminary results of the samples showed some detects for the chlorothalonil, but below the TCEQ calculated health advisory of 50 ppb. Samples for cyanide (a degradation product of MBT) showed some detects but below the MCL of 200 ppb.
>>>
>>> May have more on the results later this evening.
>>>
>>> James R. Brown, P.G.
>>> Associate Director
>>> Safe Drinking Water Branch
>>> Water Division
>>> U.S. EPA Region 6

1445 Ross Avenue (Mail Code: 6WQ-S)
Dallas, Texas 75202-2733
Phone: (214) 665-3175

http://www.epa.gov/region6/water/index.htm

<image002.jpg>

From: Maguire, Charles
Sent: Saturday, October 06, 2018 2:00 PM
To: Gray, David <gray.david@epa.gov>
Cc: Brown, Jamesr <brown.jamesr@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>; Rhotenberry, William <Rhotenberry.William@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Smith, Monica <smith.monica@epa.gov>; Ngo, Kim <Ngo.Kim@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>
Subject: Re: Craft-Turney Update, October 6, 2018, 12:10 pm

Thanks Jim for staying on top of this for up!! Good work!
Charles

Sent from my iPhone

On Oct 6, 2018, at 12:18 PM, Gray, David

<gray.david@epa.gov>
wrote:

Thank
you

Sent
from
my
iPhone

On Oct
6, 2018,
at
12:12
PM,
Brown,
Jamesr
<brown
.jamesr
@epa.g
ov>
wrote:

A
t
t
a
c
h
e
d
a
r
e
t
h
e
C
r
a
f
t
-
T
u
r
n
e
y
U
p
d

a
t
e
s
a
n
d
t
h
e
N
e
w
R
e
l
e
a
s
e
i
s
s
u
e
d
b
y
T
C
E
Q
l
a
s
t
e
v
e
n
i
n
g
.
I
’
l
l
c
o
n
t
i

n
u
e
t
o
m
o
n
i
t
o
r
e
m
a
i
l
t
o
s
e
e
i
f
a
n
y
u
p
d
a
t
e
s
o
c
c
u
r
t
h
r
o
u
g
h
o
u
t
t
h
e
w

e
e
k
e
n
d
a
n
d
M
o
n
d
a
y
.
J
i
m

J
a
m
e
s
R
.
B
r
o
w
n
,
P
.
G
.
A
s
s
o
c
i
a
t
e
D
i
r
e
c
t

o
r
S
a
f
e
D
r
i
n
k
i
n
g
W
a
t
e
r
B
r
a
n
c
h
W
a
t
e
r
D
i
v
i
s
i
o
n
U
.
S
.
E
P
A
R
e
g
i
o
n
6

1
4
4
5
R
o
s
s
A
v
e
n
u
e
(
M
a
i
l
C
o
d
e
:
6
W
Q
-
S
)
D
a
l
l
a
s
,
T
e
x
a
s
7
5
2
0
2
-
2
7
3
3

Phone: (214) 665-3175

http://www.epa.gov/region6/water/

index.html

<image001.jpg>

<image002.jpg>

<CraftTurne

y
O
c
t
6
2
0
1
8
.
d
o
c
x
>
<
N
e
w
s
R
e
l
e
a
s
e
-
C
r
a
f
t
-
T
u
r
n
e
y
-
2
0
1
8
-
1
0
-
5
(
0
0

3
)
(
0
0
2
)
.
d
o
c
x
>

<Craft Turney Oct 7 2018.docx>