Message

From: Brown, Jamesr [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6F64739EE90E4087B2A77B32C4E4549F-BROWN, JAMESR]
Sent: 10/8/2018 5:43:26 PM
To: Cari-Michel Lacaille [cari-michel.lacaille@tceq.texas.gov]
CC: Ngo, Kim [Ngo.Kim@epa.gov]
Subject: Re: Lab Update - Craft-Turney, Monday 10/8

Thanks. 50 ppb is your health standard, correct?

Sent from my iPhone

On Oct 8, 2018, at 12:21 PM, Cari-Michel Lacaille <cari-michel.lacaille@tceq.texas.gov> wrote:

> Highest of the samples for chlorothalonil was 101 ppm
>
> Sent from my iPhone
>
> On Oct 8, 2018, at 11:37 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
>
> > Great! Thank you.
> > Jim
> >
> > Sent from my iPhone
> >
> > On Oct 8, 2018, at 10:58 AM, Cari-Michel Lacaille <cari-michel.lacaille@tceq.texas.gov> wrote:
> >
> > > The region has got the info. Thank you very much. Well start discussing transport and how soon we can have them in Houston and let you know.
> > >
> > > Sent from my iPhone
> > >
> > > On Oct 8, 2018, at 10:33 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
> > >
> > > > Hi Cari-Michel,
> > > > Our lab has the sample and has begun work.
> > > > Can you pass along the sampling request to the field personnel: 1 L samples, polyethylene bottles, and dechlorinate the samples if possible. Mark samples either way (dichlor or not dechlor).
> > > > Thanks.
> > > > Jim
> > > >
> > > > Sent from my iPhone
> > > >
> > > > Begin forwarded message:
> > > >
> > > > > **From:** "McQuiddy, David" <Mcquiddy.David@epa.gov>
> > > > > **Date:** October 8, 2018 at 10:29:31 AM

CDT
To: "Brown, Jamesr" <brown.jamesr@epa.gov>
Cc: "Maguire, Charles" <maguire.charles@epa.gov>, "Gray, David" <gray.david@epa.gov>, "Edlund, Carl" <Edlund.Carl@epa.gov>, "Rhotenberry, William" <Rhotenberry.William@epa.gov>, "Smalley, Bryant" <smalley.bryant@epa.gov>, "Crossland, Ronnie" <Crossland.Ronnie@epa.gov>, "Smith, Monica" <smith.monica@epa.gov>, "Ngo, Kim" <Ngo.Kim@epa.gov>, "McMillin, Rick" <McMillin.Rick@epa.gov>, "McDonald, James" <McDonald.James@epa.gov>
Subject: Re: Lab Update - Craft-Turney, Monday 10/8

Samples need to be de-chlorinated during collection or noted otherwise so we can de-chlorinate at Lab.
Also, utilize 1 liter polyethylene sample bottles if possible.

Sent from my iPhone

On Oct 8, 2018, at 10:23 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:

> Wes,
> In the past with these exotic chemicals we've always been stung by the presence of chlorine in the sample negating any recovery attempts by the chemists and we lost hours of analytical time.
> So, this time can we run a set of dechlorinated samples with the chlorinated samples in case we experience the same set back?
> Thanks,
> Jim
>
> Sent from my iPhone

On Oct 8, 2018, at 10:15 AM, McQuiddy, David <Mcquiddy.David@epa.gov> wrote:

> MBT received at Lab. Chemists beginning work.
>
> Sent from my iPhone
>
> On Oct 7, 2018, at 1:17 PM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:
>
> > See attached update.

C
a
r
i
-
M
i
c
h
e
l
s
a
i
d
t
h
e
p
r
e
l
i
m
i
n
a
r
y
r
e
s
u
l
t
s
o
f
t
h
e
s
a
m
p
l
e
s
s
h
o
w
e

d
s
o
m
e
d
e
t
e
c
t
s
f
o
r
t
h
e
c
h
l
o
r
o
t
h
a
l
o
n
i
l
,
b
u
t
b
e
l
o
w
t
h
e
T
C
E
Q
c
a
l
c
u

l
a
t
e
d
h
e
a
l
t
h
a
d
v
i
s
o
r
y
o
f
5
0
p
p
b
.
S
a
m
p
l
e
s
f
o
r
c
y
a
n
i
d
e
(
a
d
e
g
r
a
d
a

t
i
o
n
p
r
o
d
u
c
t
o
f
M
B
T
)
s
h
o
w
e
d
s
o
m
e
d
e
t
e
c
t
s
b
u
t
b
e
l
o
w
t
h
e
M
C
L
o
f
2
0
0

p
p
b
.

M
a
y
h
a
v
e
m
o
r
e
o
n
t
h
e
r
e
s
u
l
t
s
l
a
t
e
r
t
h
i
s
e
v
e
n
i
n
g
.

J
a
m
e
s
R
.

B
r
o
w
n
,
P
.
G
.
A
s
s
o
c
i
a
t
e
D
i
r
e
c
t
o
r
S
a
f
e
D
r
i
n
k
i
n
g
W
a
t
e
r
B
r
a
n
c
h
W
a
t

e
r
D
i
v
i
s
i
o
n
U
.
S
.
E
P
A
R
e
g
i
o
n
6
1
4
4
5
R
o
s
s
A
v
e
n
u
e
(
M
a
i
l
C
o
d
e
:
6
W
Q
-

S
)
D
a
l
l
a
s
,
T
e
x
a
s
7
5
2
0
2
-
2
7
3
3
P
h
o
n
e
:
(
2
1
4
)
6
6
5
-
3
1
7
5

h
t
t
p
:
/
/
w
w

w
.
e
p
a
.
g
o
v
/
r
e
g
i
o
n
6
/
w
a
t
e
r
/
i
n
d
e
x
.
h
t
m

<
i
m
a
g
e
0
0
1
.
j
p
g
>

<
i
m

a
g
e
0
0
2
.
j
p
g
>

F
r
o
m
:
M
a
g
u
i
r
e
,
C
h
a
r
l
e
s
S
e
n
t
:
S
a
t
u
r
d
a
y
,
O
c
t
o
b
e

r
0
6
,
2
0
1
8
2
:
0
0
P
M
T
o
:
G
r
a
y
,
D
a
v
i
d
<
g
r
a
y
.
d
a
v
i
d
@
e
p
a
.
g
o
v
>
C
c
:
B
r
o

w
n
,
J
a
m
e
s
r
<
b
r
o
w
n
:
j
a
m
e
s
r
@
e
p
a
.
g
o
v
>
;
E
d
l
u
n
d
,
C
a
r
l
<
E
d
l
u
n
d
:
C
a

r
l
@
e
p
a
.
g
o
v
>
;
R
h
o
t
e
n
b
e
r
r
y
,
W
i
l
l
i
a
m
<
R
h
o
t
e
n
b
e
r
r
y
.
W
i
l
l
i
a
m
@
e

p
a
.
g
o
v
>
;
S
m
a
l
l
e
y
,
B
r
y
a
n
t
<
s
m
a
l
l
e
y
.
b
r
y
a
n
t
@
e
p
a
.
g
o
v
>
;
C
r
o
s
s
l

and, Ronnie <Cross-and-Ronnie@epa.gov>; Smith, Monica <smi-

t
h
.
m
o
n
i
c
a
@
e
p
a
.
g
o
v
>
;
N
g
o
,
K
i
m
<
N
g
o
.
K
i
m
@
e
p
a
.
g
o
v
>
;
M
c
M
i
l
l
i
n
,

R
i
c
k
<
M
c
M
i
l
l
i
n
,
R
i
c
k
@
e
p
a
.
g
o
v
>
;
M
c
Q
u
i
d
d
y
,
D
a
v
i
d
<
M
c
q
u
i
d
d
y
,
D

a
v
i
d
@
e
p
a
.
g
o
v
>
S
u
b
j
e
c
t
:
R
e
:
C
r
a
f
t
-
T
u
r
n
e
y
U
p
d
a
t
e
,
O
c
t
o
b
e
r
6
,
2

0
1
8
,
1
2
:
1
0
p
m

T
h
a
n
k
s
J
i
m
f
o
r
s
t
a
y
i
n
g
o
n
t
o
p
o
f
t
h
i
s
f
o
r
u
p
!
!
G
o
o
d

w
o
r
k
!
C
h
a
r
l
e
s

S
e
n
t
f
r
o
m
m
y
i
P
h
o
n
e

O
n
O
c
t
6
,
2
0
1
8
,
a
t
1
2
:
1
8
P
M
,
G

ray, David <gray.david@epa.gov> wrote:

Thank you

Sent from

m
y
i
P
h
o
n
e

O
n
O
c
t
6
,
2
0
1
8
,
a
t
1
2
:
1
2
P
M
,
B
r
o
w
n
,
J
a
m
e
s
r
<
b
r
o
w
n
.
j
a
m

esr@epa.gov wrote:

Attached are the Craft-Turney Updates a

n
d
t
h
e
N
e
w
R
e
l
e
a
s
e
i
s
s
u
e
d
b
y
T
C
E
Q
l
a
s
t
e
v
e
n
i
n
g
.
I
’
l
l
c
o
n
t
i
n
u
e
t
o

m
o
n
i
t
o
r
e
m
a
i
l
t
o
s
e
e
i
f
a
n
y
u
p
d
a
t
e
s
o
c
c
u
r
t
h
r
o
u
g
h
o
u
t
t
h
e
w
e
e
k
e
n

d
a
n
d
M
o
n
d
a
y
.
J
i
m

J
a
m
e
s
R
.
B
r
o
w
n
,
P
.
G
.
A
s
s
o
c
i
a
t
e
D
i
r
e
c
t
o
r
S
a
f
e

D
r
i
n
k
i
n
g
W
a
t
e
r
B
r
a
n
c
h
W
a
t
e
r
D
i
v
i
s
i
o
n
U
.
S
.
E
P
A
R
e
g
i
o
n
6
1
4
4
5
R
o
s

s
A
v
e
n
u
e
(
M
a
i
l
C
o
d
e
:
6
W
Q
-
S
)
D
a
l
l
a
s
,
T
e
x
a
s
7
5
2
0
2
-
2
7
3
3
P
h
o
n
e
:
(
2

14)665-3175

http://www.epa.gov/region6/water/index.ht

m

<image001.jpg>

<image002.jpg>

<Craft Turney Oct 6 2011

8.docx><NewsRelease-Craft-Turney-2018-10-5(003)(002).

d
o
c
x
>

<
C
r
a
f
t
T
u
r
n
e
y
O
c
t
7
2
0
1
8
.
d
o
c
x
>