From:	Thompson, Steve
To:	Jeff Lewis
Subject:	FW: Community meeting in LaPlace, LA to discuss chloroprene risks from Denka (formerly Dupont)
Date:	Friday, July 1, 2016 11:28:00 AM

Jeff,
Below are the logistics for the meeting next week that will be published externally tomorrow. Feel free to pass along to Dorinda.
Steve

From: Gray, David
Sent: Friday, July 01, 2016 11:08 AM
To: Thompson, Steve <thompson.steve@epa.gov>; Stenger, Wren <stenger.wren@epa.gov>
Cc: Blevins, John <Blevins.John@epa.gov>; Osbourne, Margaret <osbourne.margaret@epa.gov>
Subject: RE: Community meeting in LaPlace, LA to discuss chloroprene risks from Denka (formerly Dupont)

This will be published tomorrow. Yes – they should come.

PUBLIC NOTICE
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY (LDEQ)
NOTICE OF PUBLIC MEETING

LDEQ hereby provides notice of a public meeting to discuss air quality issues around the Denka Performance Elastomer LLC plant in LaPlace. Informational presentations will be made by LDEQ officials, EPA officials, plant officials and local parish government officials. Following the presentations a professional facilitator will guide a question and answer session.

The public meeting will be conducted on Thursday, July 7, 2016, from 6:30 p.m. until 8:30 p.m., in the Our Lady of Grace School gym, located at 780 Louisiana Highway 44, LaPlace, Louisiana 70084.

Questions or comments about the public meeting may be directed to LDEQ Press Secretary Greg Langley at 225-219-3964..

From: Thompson, Steve
Sent: Friday, July 01, 2016 11:02 AM
To: Gray, David <gray.david@epa.gov>
Cc: Blevins, John <Blevins.John@epa.gov>; Osbourne, Margaret <osbourne.margaret@epa.gov>
Subject: FW: Community meeting in LaPlace, LA to discuss chloroprene risks from Denka (formerly Dupont)

See below. OSHA is inquiring with their area office in Baton Rouge to see if they can send someone to the meeting.

Do we have an external agenda with the meeting logistics that I can forward to OSHA?

From: Lewis, Jeffrey - OSHA [mailto:Lewis.Jeffrey@dol.gov]
Sent: Friday, July 01, 2016 10:21 AM
To: Thompson, Steve <thompson.steve@epa.gov>
Subject: RE: Community meeting in LaPlace, LA to discuss chloroprene risks from Denka (formerly Dupont)

Steve,

Ideally a representative from the Baton Rouge Area Office should be able to cover this. I have reached out to the area director, Dorinda Folse. She is out of the office today and most likely will not respond until Tuesday.

I apologize for the delay responding, I was out of the office most of the week.

Thanks,

From: Thompson, Steve [mailto:thompson.steve@epa.gov]
Sent: Wednesday, June 29, 2016 4:05 PM
To: Lewis, Jeffrey - OSHA
Cc: Cole, Howard - OSHA
Subject: Community meeting in LaPlace, LA to discuss chloroprene risks from Denka (formerly Dupont)

Jeff,
I also left you a voicemail message about this but I thought I would also send an email. EPA and LDEQ are planning a community meeting for July 7th in LaPlace, LA to discuss the NATA results, provide an update on EPA, LDEQ and Denka's efforts to evaluate the risks from chloroprene emissions and to share the initial results from ambient monitoring conducted in the community surrounding the facility.

In preparing for the meeting, we discussed the likelihood of receiving questions related to worker exposures to chloroprene and what their risks might be. Would you all be the appropriate contacts to field these types of questions? If so, would you have someone that might be able to attend the community meeting?

Please give me a call if you have any questions.
Steve

Steve Thompson
Branch Chief
Air Enforcement Branch
Compliance Assurance and Enforcement Division
U.S. EPA Region 6

Dallas,TX 75202
214-665-2769
thompson.steve@epa.gov

From: Lewis, Jeffrey - OSHA [mailto:Lewis.Jeffrey@dol.gov]
Sent: Wednesday, December 09, 2015 7:46 AM
To: Thompson, Steve <thompson.steve@epa.gov>
Cc: Cole, Howard - OSHA <Cole.Howard@dol.gov>
Subject: RE: Upcoming EPA National Air Toxics Assessment release and information regarding potential risks associated with Dupont facility in LaPlace, LA

Steve,

Thank you for the information. We have been at the facility in the past year or so. I plan to pass the information to the Baton Rouge office for review.

Jeff

From: Thompson, Steve [mailto:thompson.steve@epa.gov]
Sent: Monday, December 07, 2015 4:05 PM
To: Cole, Howard - OSHA; Lewis, Jeffrey - OSHA
Subject: Upcoming EPA National Air Toxics Assessment release and information regarding potential risks associated with Dupont facility in LaPlace, LA

Jeff and Howard,

I wanted to pass along the following information as an FYI to you all in case you all get questions regarding worker safety/exposures at the Dupont LaPlace, LA facility.

Please give me a call if you have any questions.

Hope all is well.
Steve

Steve Thompson
Branch Chief
Air Enforcement Branch
Compliance Assurance and Enforcement Division
U.S. EPA Region 6
Dallas,TX 75202
214-665-2769
thompson.steve@epa.gov

EPA has recently completed their 2011 National Air Toxics Assessment (NATA) and are scheduled to release their results on December 15th. As a heads-up to OSHA, they may want to look into on-site worker exposures to chloroprene (CAS # 126-99-8) at the Dupont facility in LaPlace, LA. The NATA study shows offsite cancer risks ranging from 1,800 to 3,000 in a million. EPA's regulatory level of concern ranged between 1 and 100 in a million. Emissions of chloroprene at the facility have not changed since the last NATA study was completed utilizing data from 2009, however in 2010, EPA determined that chloroprene was a likely human carcinogen and a Unit Risk Estimate was developed. Since, about 1/3 of the emissions are coming from fugitive emissions and sources like building exhaust fans, it would appear to be prudent to evaluate worker exposure. Below is a summary from the NATA study.

- The 2011 NATA results, publically available at the census tract level, contain a tract with a cancer risk of 900-in-1 million.
- In this tract, the census block driving the risk has a cancer risk of 1,800-in-1 million.
    - Census block risks have been shared with state partners as part of the NATA review process; they will not be publically available.
- The cancer risk of the census block/tract is mainly due to chloroprene emissions from a stationary point source, the Dupont facility, with a cancer risk of 1,800 to 3,000-in-1 million.
    - The cancer risk for this source is currently 1,800-in-1 million at a polar grid receptor. There are some large area sources overlapping census block receptors with higher risks, resulting in those census blocks not being chosen as the MIR receptor.
    - We are working with the facility on the modeling parameters and when the area sources are corrected, a census block receptor should be selected as the MIR receptor. This could result in facility risks of 3,000-in-1 million.
- An IRIS URE (0.0003 per $\mu g/m^3$) was developed for chloroprene in 2010. The assessment noted that chloroprene is "likely to be carcinogenic to humans."
    - There are five current weight of evidence descriptors: carcinogenic to humans, likely to be carcinogenic to humans, suggestive evidence of carcinogenic potential, inadequate information to assess carcinogenic potential, and not likely to be carcinogenic to humans.
    - Previously, EPA classified chloroprene as Group D, not classifiable as to human carcinogenicity, because of the absence of adequate data
- The IRIS URE was used in the 2011 NATA, with a modification to account for chloroprene having a mutagenic mode of action. The actual value used was 0.00048 per $\mu g/m^3$.
- Prior to 2010, chloroprene was not assessed for cancer risks because there was not a

URE.

- An IRIS RfC (0.02 mg/m^3) was also developed for chloroprene in 2010. The critical effects, seen in male and female mice and rates, include an increase of incidence in olfactory atrophy, alveolar hyperplasia, and splenic hematopoietic proliferation.