COATING, ADHESIVE, and SOLVENT USAGE CHART RULE 109

**Beta Offshore** WAVELAND SERVICES, JOHN VIGERS

PERIOD 4/1/2014

## COATING, ADHESIVE, CATALYST

## THINNER, REDUCER, DILUENT

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) | DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/14 | JV | Safety Yellow - Carboline- Carbothane | 1 Gal | 54 LBS GR/LTR | 4/1/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/1/14 | JV | 134 White-Carbothane-Carboline | 1 1/2 Gals | 54 LBS.GR/LTR | 4/1/14 | JV | 236-E Thinner Carboline 0910 | 5 0z | GR/LTR - 0 |
| 4/1/14 | JV | Rust Grip | 1 Gal | 10.07 LBS. | 4/1/14 | JV | 236-E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/2/2014 | JV | Safety Yellow - Carboline- Carbothane | 1 Gal | 54 LBS.GR/LTR | 4/2/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/2/14 | JV | Carboguard 890 Carboline Wite | 4 Gals | 180 LBS.GR/LTR | 4/2/14 | JV | 236 -E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/3/14 | JV | 134 White-Carbothane-Carboline | 1 Gal | 54 LBS.GR/LTR | 4/3/14 | JV | 236 -E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/3/14 | JV | Rust Grip | 1 Gal | 10.7 LBS.G | 4/3/14 | JV | 236-E Thinner Carboline 0910 | 5 oz | GR/LTR - 0 |
| 4/5/14 | JV | Carboguard 890-carbline | 1/2 Gal | 180 LBS.GR/LTR | 4/5/14 | JV | 236 -E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/6/14 | JV | Carboguard 890-carbline | 1/2 Gal | 180 LBS.GR/LTR | 4/6/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/6/14 | JV | 1209 Carbothane-Carboline | 3 Gals | 96 LBS.GR/LTR | 4/6/14 | JV | 225-E Thinner Carboline 0910 | 32 oz | GR/LTR - 0 |
| 4/6/14 | JV | Safety Yellow-Carboline-Carbothane | 1 1/2 Gals | 54 LBS.GR/LTR | 4/6/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/7/14 | JV | 1 1/2 Safety Yellow-Carboline-Carbothane | 1/2 Gal | 54 LBS.GR/LTR | 4/7/14 | JV | 236-E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/7/14 | JV | Carboguard 890 Carboline Wite | 9 GalS | 180 LBS.GR/LTR | 4/7/14 | JV | 236 -E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/7/14 | JV | 134 White-Carbothane-Carboline | 1/2 Gal | 54 LBS. GR/LTR | 4/7/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/8/14 | JV | Carbomastic 15 | 1 Gal | 88 LBS.GR/LTR | 4/8/14 | JV | 236 -E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/9/14 | JV | Carbomastic 15 | 1 Gal | 88 LBS. GR/LTR | 4/9/14 | JV | 236 -E Thinner Carboline 0910 | 0 oz | GR/LTR - 0 |
| 4/11/14 | JV | Carbomastic 15 | 1 Gal | 88 LBS.GR/LTR | 4/11/14 | JV | 236 -E Thinner Carboline 0910 | 5 oz | GR/LTR - 0 |
| 4/12/14 | JV | 134 White-Carbothane-Carboline | 2 Gal | 54 LBS.GR/LTR | 4/12/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/13/14 | JV | Carbomastic 15 | 1 Gal | 88 LBS. GR/LTR | 4/13/14 | JV | 236-E Thinner Carboline 0910 | 5 oz | GR/LTR - 0 |
| 4/13/14 | JV | Deep Base | 1 Gal | 54 LBS.GR/LTR | 4/13/14 | JV | 236-E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/14/14 | JV | 134 White-Carbothane-Carboline | 4 Gals | 54 LBS. GR/LTR | 4/14/14 | JV | 236-E Thinner Carboline 0910 | 3 oz | GR/LTR - 0 |
| 4/16/14 | JV | 890 Wite | 3 Gals | 180 LBS. GR/LTR | 4/16/14 | JV | 236 -E Thinner Carboline 0910 | 0 oz | GR/LTR - 0 |
| 4/17/14 | JV | 134 White-Carbothane-Carboline | 1/2 Gal | 54 LBS.GR/LTR | 4/17/14 | JV | 236-E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/17/14 | JV | Carboguard 890 Carboline | 1/2 Gal | 88 LBS. GR/LTR | 4/17/14 | JV | 236 -E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/18/14 | JV | Deep Base | 2 Gals | 54 LBS. GR/LTR | 4/18/14 | JV | 236 -E Thinner Carboline 0910 | 0 oz | GR/LTR - 0 |
| 4/18/14 | JV | 134 White-Carbothane-Carboline | 1 Gal | 54 LBS.GR/LTR | 4/18/14 | JV | 236 -E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/19/14 | JV | 1209 Carbothane-Carboline | 15 Gals | 96 LBS.GR/LTR | 4/19/14 | JV | 236-E Thinner Carboline 0910 | 16 oz | GR/LTR - 0 |
| 4/20/14 | JV | Carbomastic 15 | 1 Gal | 88 LBS GR/LTR | 4/20/14 | JV | 236-E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/22/14 | JV | Carboguard 890 White | 1 Gal | 180 LBS. GR/LTR | 4/22/14 | JV | 236-E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/22/14 | JV | Safety Yellow-Carboline-Carbothane | 1/2 Gal | 54 LBS.GR/LTR | 4/22/14 | JV | 236 -E Thinner Carboline 0910 | 1 oz | GR/LTR - 0 |
| 4/23/14 | JV | Deep Base Buff | 6 Gals | 54 LBS.GR/LTR | 4/23/14 | JV | 236- E Thinner Carboline 0910 | 8 0z | GR/LTR - 0 |
| 4/24/14 | JV | Carboguard 890 White | 4 Gals | 54 LBS. GR/LTR | 4/24/14 | JV | 236-E Thinner Carboline 0910 | 3 0z | GR/LTR - 0 |
| 4/25/14 | JV | 1209 Carbothane-Carboline | 15 Gals | 96 LBS. GR/LTR | 4/25/14 | JV | 236-E Thinner Carboline 0910 | 16 0z | GR/LTR - 0 |
| 4/25/14 | JV | 134 White-Carbothane-Carboline | 4 Gals | 54 LBS. GR/LTR | 4/25/14 | JV | 236-E Thinner Carboline 0910 | 3 0z | GR/LTR - 0 |
| 4/26/14 | JV | Carbomastic 15 | 1 1/2 Gal | 88 LBS. GR/LTR | 4/26/14 | JV | 236-E Thinner Carboline 0910 | 2 0z | GR/LTR - 0 |
| 4/27/14 | JV | Carbomastic 15 | 1 1/2 Gal | 88 LBS. GR/LTR | 4/27/14 | JV | 236-E Thinner Carboline 0910 | 2 0z | GR/LTR - 0 |
| 4/29/14 | JV | 134 White-Carbothane-Carboline | 1 1/2 Gal | 54 LBS. GR/LTR | 4/29/14 | JV | 236-E Thinner Carboline 0910 | 2 0z | GR/LTR - 0 |
| | | | | | | | | | |
| | | | 0 LBS.GR/LTR | USE 225 Carboline CLEANUP THINNER 30 Gals | | | | | |

COATING, ADHESIVE, and SOLVENT USAGE CHART RULE 109

**Beta Offshore** WAVELAND SERVICES,

PERIOD 4/15/2014

## COATING, ADHESIVE, CATALYST

## THINNER, REDUCER, DILUENT

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) | DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|---|---|---|---|---|
| 4/15 | JE | Carbomastic 15 | 10 Gal | 88 LBS.GR/LTR | | JE | 236-E Thinner Carboline 0910 | 30 OZ | GR/LTR 0 |
| 4/18 | JE | 890 Deep Base Buff | 6 Gal | 54LBS.GR/LTR | | JE | 236-E Thinner Carboline 0910 | 18 OZ | GR/LTR 0 |
| 4/20 | JE | 890 Deep Base Buff | 12 Gal | 54LBS.GR/LTR | | JE | 236-E Thinner Carboline 0910 | 36 OZ | GR/LTR 0 |
| 4/21 | JE | 890 Deep Base Buff | 14 Gal | 54LBS.GR/LTR | | JE | 236-E Thinner Carboline 0910 | 42 OZ | GR/LTR 0 |
| 4/23 | JE | 890 white | 25 Gal | 180LBS.GR/LTR | | JE | 236-E Thinner Carboline 0910 | 75 OZ | GR/LTR 0 |
| 4/25 | JE | 890 white | 10 Gal | 180LBS.GR/LTR | | JE | 236-E Thinner Carboline 0910 | 30 OZ | GR/LTR 0 |

COATING, ADHESIVE, and SOLVENT USAGE CHART RULE 109

Beta Offshore

PERIOD:

## COATING, ADHESIVE, CATALYST

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|
| 5/1/14 | MA | carbothane 134 white | .75 gl | 0.45 |
| 5/1/14 | MA | Carbo Mastic 15 | 1.5 gl. | 0.75 |
| 5/2/14 | MA | Carbo mastic 15 | 1 gl. | 0.75 |
| 5/2/14 | MA | carbo guard 890 BUFF | 2 gl. | 0.80 |
| 5/3/14 | MA | carbothane 134 white | 1.5 gl. | 0.45 |
| 5/3/14 | MA | Carbomastic 15 | 1.5 gl. | 0.75 |
| 5/4/14 | MA | carbomastic 15 | .75 gl. | 0.75 |
| 5/4/14 | MA | Carbogard 890 | 1.5 gl. | 0.80 |
| 5/5/14 | MA | Carbothane 134 white | 2 gls. | 0.45 |
| 5/6/14 | MA | Carbomastic 15 | 1 gl. | 0.75 |
| 5/6/14 | MA | Carbogard 890 | .5 gl. | 0.80 |
| 5/7/14 | MA | carbo guard 134 white | .5 gl. | 0.45 |
| 5/10/14 | DS | CARBOTHANE 134 WHITE | .25 | 0.45 |
| 5/10/14 | DS | CARBOMASTIC 15 | 1.5 gl | 0.75 |
| 5/11/14 | DS | CARBOTHANE 134 yellow | .75 | 0.45 |
| 5/11/14 | DS | CARBOTHANE 134 white | .75 | 0.45 |
| 5/11/14 | DS | CARBO GUARD 890 BUFF | .75 | 0.80 |
| 5/11/14 | DS | CARBO MASTIC 15 | .25 | 0.75 |
| 5/11/14 | DS | CARBOTHANE 134 white | .25 | 0.45 |
| 5/11/14 | DS | CARBOTHANE 134 yellow | .25 | 0.45 |
| 5/11/14 | DS | [illegible] | 1 gl | 0.75 |
| 5/11/14 | DS | [illegible] | .25 gl | 0.45 |
| 5/11/14 | DS | [illegible] | .25 gl | 0.80 |
| 5/11/14 | DS | CARBOMASTIC 15 | .75 gl | 0.75 |
| 5/12/14 | DS | CARBOGUARD 890 BUFF | 1 gl | .80 |
| 5/12/14 | DS | CARBOTHANE 134 yellow | .50 gl | 0.45 |
| 5/12/14 | DS | CARBOTHANE 134 white | .50 gl | 0.45 |
| 5/14/14 | DS | CARBOMASTIC 15 | 1 gl | 0.75 |
| 5/14/14 | DS | CARBOTHANE 134 white | .25 | 0.45 |
| 5/14/14 | DS | CARBOTHANE 134 yellow | .25 | 0.45 |
| 5/15/14 | MA | carbo guard 890 BUFF | 1.5 gl. | 0.80 |
| 5/16/14 | MA | carbothane 134 white | 1 gl. | 0.45 |
| 5/18/14 | MA | Carbomastic 15 | 3 gls. | 0.75 |
| 5/19/14 | MA | carbomastic 15 G | 2.5 gl. | 0.75 |
| 5/19/14 | MA | Carbogard 890 BUFF | .5 | 0.80 |
| 5/20/14 | MA | Carbogard 890 BUFF | 4.5 gl. | 0.80 |

## THINNER, REDUCER, DILUENT

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|
| 5/1/14 | MA | ACETONE | .25 gl. | 0.0 |
| 5/1/14 | MA | ACETONE | .25 gl. | 0.0 |
| 5/2/14 | MA | ACETONE | .25 gl. | 0.0 |
| 5/2/14 | MA | ACETONE | .5 gl. | 0.0 |
| 5/3/14 | MA | ACETONE | .5 gl. | 0.0 |
| | | | | |
| 5/4/14 | MA | ACETONE | .5 gl. | 0.0 |
| | | | | |
| 5/5/14 | MA | ACETONE | .5 gl. | 0.0 |
| 5/6/14 | MA | ACETONE | .75 gl. | 0.0 |
| 5/7/14 | MA | ACETONE | .5 gl | 0.0 |
| | | | | |
| 5/10/14 | DS | ACETONE | .25 gal | 0.0 |
| 5/10/14 | DS | ACETONE | .5 gl | 0.0 |
| | | | | |
| | | | | |
| 5/11/14 | DS | ACETONE | .5 gl | 0.0 |
| | | | | |
| | | | | |
| 5/11/14 | DS | ACETONE | .5 gl | 0.0 |
| | | | | |
| | | | | |
| 5/12/14 | DS | ACETONE | .25 gl | 0.0 |
| 5/12/14 | DS | ACETONE | .5 gal | 0.0 |
| | | | | |
| | | | | |
| 5/14/14 | DS | Ketone | .50 gal | 0.0 |
| | | | | |
| | | | | |
| 5/15/14 | MA | ACETONE | .5 | 0.0 |
| 5/16/14 | MA | ACETONE | .75 | 0.0 |
| 5/18/14 | MA | ACETONE | .75 | 0.0 |
| 5/19/14 | MA | ACETONE | .5 | 0.0 |
| 5/19/14 | MA | ACETONE | .75 | 0.0 |
| 5/20/14 | MA | ACETONE | .75 | 0.0 |

COATING, ADHESIVE, and SOLVENT USAGE CHART RULF 109

Beta Offshore

PERIOD:

## COATING, ADHESIVE, CATALYST

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|
| 05/21/14 | DS | CARBOGUARD 890 BUFF | 1 gal | .80 |
| 05/21/14 | DS | CARBOTHANE 134 WHITE | 3 gal | 0.45 |
| 5/21/14 | DS | CARBOTHANE 134 WHITE | 3 gal | 0.45 |
| 05/22/14 | DS | CARBOMASTIC 15 SILVER | .5 gal | .75 |
| 5/22/14 | DS | DIENOLINE 341 | .5 gal | 0.04 |
| 5/22/14 | DS | CARBOTHANE 134 yellow | .25 | 0.45 |
| 5/22/14 | DS | DIENOLIN 341 | 1.5 gal | 0.04 |
| 5/22/14 | DS | DIENOLINE 341 | 1 gal | 0.04 |
| 5/22/14 | DS | CARBOMASTIC 15 | 1.25 gal | 0.75 |
| 5/22/14 | DS | CARBOTHANE 134 gray | .50 | .45 |
| 05/23/14 | DS | CARBOGUARD 890 BUFF | 1 gal | .80 |
| 05/23/14 | DS | CARBOMASTIC 15 | 1 gal | 0.75 |
| 05/23/14 | DS | CARBOMASTIC 15 | 3 gal | .75 |
| 5/23/14 | DS | CARBOMASTIC 15 BLWHITE | 3 gal | 0.45 |
| 5/23/14 | DS | CARBOGUARD BUFF | 3 gal | 0.80 |
| 5/23/14 | DS | CARBOTHANE BLWHITE | 1 gal | 0.45 |
| 5/23/14 | DS | CARBOMASTIC 15 | .50 | .75 |
| 5/23/14 | DS | CARBOMASTIC 15 | .25 | .75 |
| 5/23/14 | DS | CARBOTHANE 134 white | .50 | .45 |
| 5/30/14 | MA | Carbothane 134 white | 1 gl. | .45 |
| 5/30/14 | MA | carbaguard 890 BUFF | .50 gl. | .80 |
| 5/30/14 | MA | Carbomastic 15 | .5 gl. | .75 |
| 5/31/14 | MA | carbaguard 890 BUFF | .5 gl. | .80 |
| 5/31/14 | MA | Carbomastic 15 | .5 gl. | .75 |
| 5/31/14 | MA | Carbothane 134 white | .5 | .45 |

## THINNER, REDUCER, DILUENT

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|
| 05/21/14 | DS | ACETONE | .5 gl. | 0.0 |
| 05/21/14 | DS | ACETONE | .5 gl. | 0.0 |
| 05/22/14 | DS | ACETONE | .5 gl | 0.0 |
| 05/22/14 | DS | ACETONE | .5 gl | 0.0 |
| 05/22/14 | DS | ACETONE | 1 gal | 0.0 |
| 5/23/14 | DS | ACETONE | 1.5 gal | 0.0 |
| 5/23/14 | DS | ACETONE | 2 gl | 0.0 |
| 5/23/14 | DS | ACETONE | 1.5 gl | 0.0 |
| 5/23/14 | DS | ACETONE | 1 gal | 0.0 |
| 5/30/14 | MA | ACETONE | .5 gl. | 0.0 |
| 5/30/14 | MA | ACETONE | .25 gl. | 0.0 |
| 5/31/14 | MA | ACETONE | .5 gl. | 0.0 |

COATING, ADHESIVE, and SOLVENT USAGE CHART RULE 109

**Beta Offshore** WAVELAND SERVICES, John Vigers

PERIOD 5/1/2014

## COATING, ADHESIVE, CATALYST

## THINNER, REDUCER, DILUENT

| DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) | DATE | INITIALS | NAME, NUMBER, COLOR, TYPE | AMOUNT USED (in units) | VOC OF COATING (lb/gal) |
|---|---|---|---|---|---|---|---|---|---|
| 5/1/14 | JV | Carbomastic 15 -Carboline | 1 1/2 Gals | 88 LBS | 5/1/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/1/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/2/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/2/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/2/14 | JV | 236 Thinner - Carboline | 3oz | GR/LTR |
| 5/2/14 | JV | Carbomastic 15 -Carboline | 1 Gal | 88 LBS | 5/2/14 | JV | 236 Thinner - Carboline | 2oz | GR/LTR |
| 5/3/14 | JV | 1209 Carbothane - Carboline | 7 Gals | 200 g/L | 5/3/14 | JV | 213 Thinner - Carboline | 7 oz | GR/LTR |
| 5/4/14 | JV | Deep Base Buff | 1 1/2 Gals | 54 LBS | 5/4/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/4/14 | JV | Safety Yellow- Carboline - Carbothance | 1 Gal | 54 LBS | 5/4/14 | JV | 236 Thinner - Carboline | 2 oz | GR/LTR |
| 5/5/14 | JV | Safety Yellow- Carboline - Carbothance | 1/2 Gal | 54 LBS | 5/5/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/5/14 | JV | 890- Carboguard - Carboline White | 1 1/2 Gals | 54 LBS | 5/5/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/5/14 | JV | Deep Base Buff | 1/2 Gal | 54 LBS | 5/5/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/9/14 | JV | 134 White - Carbothane-Carboline | 1/2 Gal | 54 LBS | 5/9/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/10/14 | JV | Carbomastic 15 -Carboline | 3 Gals | 88 LBS | 5/10/14 | JV | 236 Thinner - Carboline | 9 oz | GR/LTR |
| 5/12/14 | JV | 890 Deep Base | 2 Gal | 54 LBS | 5/12/14 | JV | 236 Thinner - Carboline | 4 oz | GR/LTR |
| 5/13/14 | JV | 890 Deep Base | 1/2 Gal | 54 LBS | 5/13/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/16/14 | JV | Carbomastic 15 -Carboline | 1/2 Gal | 54 LBS | 5/16/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/16/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/16/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/17/14 | JV | Carbomastic 15 -Carboline | 1/2 Gal | 54 LBS | 5/17/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/17/14 | JV | Rustolum Black | 1/2 Gal | 3.78 | 5/17/14 | JV | | 00Z | |
| 5/17/14 | JV | Safety Yellow- Carboline - Carbothance | 1 Gal | 54 LBS | 5/17/14 | JV | 236 Thinner - Carboline | 2 oz | GR/LTR |
| 5/18/14 | JV | Safety Yellow- Carboline - Carbothance | 1 Gal | 54 LBS | 5/18/14 | JV | 236 Thinner - Carboline | 2 oz | GR/LTR |
| 5//18/14 | JV | Carbomastic 15 -Carboline | 1/2 Gal | 54 LBS | 5/18/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/19/14 | JV | Safety Yellow- Carboline - Carbothance | 1/2 Gal | 54 LBS | 5/19/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/19/14 | JV | Deep Base Buff | 1/2 Gal | 54 LBS | 5/19/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/19/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/19/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/20/14 | JV | 134 White - Carbothane-Carboline | 1 Gal | 54 LBS | 5/20/14 | JV | 236 Thinner - Carboline | 2 oz | GR/LTR |
| 5/20/15 | JV | Carbomastic 15 -Carboline | 1/2 Gal | 54 LBS | 5/20/14 | JV | 236 Thinner - Carboline | 1 oz | GR/LTR |
| 5/21/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/21/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/21/14 | JV | Carbomastic 15 -Carboline | 1 Gal | 54 LBS | 5/21/14 | JV | 236 Thinner - Carboline | 2 oz | GR/LTR |
| 5/23/14 | JV | Carbomastic 15 -Carboline | 1 Gal | 54 LBS | 5/23/14 | JV | 236 Thinner - Carboline | 2 oz | GR/LTR |
| 5/23/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/23/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/24/14 | JV | 890 White | 1/1/2 Gals | 54 LBS | 5/24/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/25/14 | JV | 134 White - Carbothane-Carboline | 1 1/2 Gals | 54 LBS | 5/25/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/26/14 | JV | Carbomastic 15 -Carboline | 1 1/2 Gals | 54 LBS | 5/26/14 | JV | 236 Thinner - Carboline | 3 oz | GR/LTR |
| 5/28/14 | JV | Carbomastic 15 -Carboline | 14 Gals | 54 LBS | 5/28/14 | JV | 236 Thinner - Carboline | 9 0z | GR/LTR |
| 5/29/14 | JV | 890 Carboguard- carboline- White | 14 Gals | 54 LBS | 5/29/14 | JV | 236 Thinner - Carboline | 12 0z | GR/LTR |
| 5/30/14 | JV | 134 Grey | 9 Gals | 54 LBS | 5/30/14 | JV | 236 Thinner - Carboline | 8 oz | GR/LTR |
| 5/31/14 | JV | 134 Grey | 4 Gals | 54 LBS | 5/31/14 | JV | 236 Thinner - Carboline | 6 oz | GR/LTR |
| 6/1/14 | | Safety Yellow- Carboline - Carbothance | 4 Gals | 54 LBS | 6/1/14 | JV | 236 Thinner - Carboline | 6 oz | GR/LTR |
| | | | | | | Jv | 225 Thinner-Carboline- ( In All ) (25 Gals ) | | GR/LTR |