Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/20/2018 4:15:14 PM
To: Morgan, Jennifer [morgan.jennifer@epa.gov]; Jennifer Morgan [jennmorgan428@gmail.com]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: assistance with Equipment Audit Follow-up

Thanks Jenn. I am not sure if it is the cause. Since this group sounds for EMBI report, not for Java app.

Thanks!
Cindy

From: Morgan, Jennifer
Sent: Tuesday, March 20, 2018 12:11 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Jennifer Morgan <jennmorgan428@gmail.com>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Hi Cindy,

OK, I've added that role to my account, I'll have to wait for the sync to occur tonight and I can test the issue again tomorrow morning.

Thanks,
Jenn

From: Fan, Cindy (Yanqian)
Sent: Tuesday, March 20, 2018 11:15 AM
To: Jennifer Morgan <jennmorgan428@gmail.com>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Jenn,

Thank you very much for your finding! I checked all Equipment related roles on your both accounts. The only difference is this role "PBI / Ex. 4" was assigned to your old account, but not to your current account. I thought this role is just for PBI / Ex. 4 report. Not sure if it is used behind this dropdown item.

Thanks for checking this issue!

Cindy
From: Jennifer Morgan [mailto:jennmorgan428@gmail.com]
Sent: Tuesday, March 20, 2018 10:32 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-

devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: Re: assistance with Equipment Audit Follow-up

Good Morning,

I don't recall seeing this error before on the Help Desk, but I did find something strange when I tested it myself. I am able to see the region drop-down when I am logged in using my old LAN ID "Personal Privacy / Ex. 6" which is still active, but I can't see the region drop-down when I'm logged in using my current LAN ID "Personal Privacy / Ex. 6" I compared the roles I have between the 2 ID's and they are exactly the same...I'm not sure what would be causing this!

Thanks,
Jenn

On Tue, Mar 20, 2018 at 10:07 AM, Fan, Cindy (Yanqian) <fan.yanqian@epa.gov> wrote:

I have included Jenn in this email also. Not sure if Jenn had seen this issue before when she worked as an helpdesk supporter earlier.

Thanks!

Cindy

From: Leckner, Erik
Sent: Monday, March 19, 2018 7:17 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Hello **Swetha/Ed**

I see the error in the logs but there is an issue which *Ed and I need to discuss*:

The log statements do not match the code which means Salient did not provide matching source code to the built libraries on staging – meaning the error as reported does not match the line number in the code (which it has to for the code to match the built libraries). Still exploring.

Working on several alternative approaches to reproduce in a dev local environment (but note we don't yet have a dev server).

Christian Leckner

Principal Engineer

ITS-EPA | CSRA

San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Monday, March 19, 2018 3:41 PM
To: Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Hi Christian/Rakhi,

I'm working on creating a new report to the user. I wanted to check the data on PBI / Ex. 4 application.

But I'm unable to select any options from any of the drop-downs – PBI / Ex. 4
Tracking page in Production.

PBI / Ex. 4

Can you please check.

Thanks,

Swetha

From: Goods, Lawanna
Sent: Thursday, March 15, 2018 4:22 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: assistance with Equipment Audit Follow-up

Good Afternoon Swetha,

Please see Kevin's response to your questions.

Thank You,

LaWanna Goods

ITS-EPA III - Supporting the U.S. Environmental Protection Agency

79 TW Alexander Drive, Building 4401

P.O. Box 13668, Research Triangle Park, NC 27709

919 200-7262 | goods.lawanna@epa.gov | www.csra.com

Follow us on: Facebook | Twitter | LinkedIn

CSRA *Think Next. Now.*

From: Haas, Kevin
Sent: Thursday, March 15, 2018 3:17 PM
To: Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Taylor-Upshaw, Gloria <Taylor-Upshaw.Gloria@epa.gov>; Porras-Sanchez, Gabriel <Porras-Sanchez.Gabriel@epa.gov>; Woodyard, Josh <Woodyard.Joshua@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Lawanna,

1. CT/ER is counter-terrrorism/emergency response. I understand this term is no longer used. The equipment tracked in the Emergency Management Portal is what we are looking for and I thought this is what you were going to provide in the way we asked for it. I attached the inventory sent by Rob Thomas. This list

includes the total inventory items but as we discussed and Rob wrote, the data is not good for Regions 1,3,4,6,7, and 9 so we don't want to include those items. Again we need a list of this equipment with

- Equipment description.
- Location of the equipment.
- Acquisition cost.
- Maintenance schedule.
- Equipment ownership (EPA owned, contractor owned or leased).

2. I don't understand this question. It seems to be a statement.

Rob if there's any more clarity you can provide on this, please feel free to respond.

Call me at 678-323-9786 if I can explain more.

Thanks,

Kevin

From: Goods, Lawanna
Sent: Thursday, March 15, 2018 2:59 PM
To: Haas, Kevin <Haas.Kevin@epa.gov>
Subject: FW: assistance with Equipment Audit Follow-up

Greeting Kevin,

Swetha Chilivery asked me to ask you the following questions (related to your email request to Rob):

1. What does CT/ER equipment stand for.
2. Sample data for the below requirement.

Thank You,

LaWanna Goods

ITS-EPA III - Supporting the U.S. Environmental Protection Agency

79 TW Alexander Drive, Building 4401

P.O. Box 13668, Research Triangle Park, NC 27709

919 200-7262 | goods.lawanna@epa.gov | www.csra.com

Follow us on: Facebook | Twitter | LinkedIn

CSRA Think Next. Now.

From: Chilivery, Swetha
Sent: Wednesday, March 14, 2018 5:09 PM
To: Goods, Lawanna <Goods.Lawanna@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Hi Lawanna,

Can you please ask the below questions to Kevin:

1. What does CT/ER equipment stand for.
2. Sample data for the below requirement.

Regards,

Swetha

From: Goods, Lawanna
Sent: Wednesday, March 14, 2018 4:11 PM
To: Haas, Kevin <Haas.Kevin@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: assistance with Equipment Audit Follow-up

Greetings Kevin,

I wanted to reach out to you this afternoon.

I will contact you tomorrow morning at 9:00 am. At that time, we will finalize and confirm your request.

Kindest Regards,

LaWanna Goods

ITS-EPA III - Supporting the U.S. Environmental Protection Agency

79 TW Alexander Drive, Building 4401

P.O. Box 13668, Research Triangle Park, NC 27709

919 200-7262 | goods.lawanna@epa.gov | www.csra.com

Follow us on: Facebook | Twitter | LinkedIn

CSRA *Think Next. Now.*

From: Thomas, Rob
Sent: Wednesday, March 14, 2018 3:51 PM
To: Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Haas, Kevin <Haas.Kevin@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: assistance with Equipment Audit Follow-up
Importance: High

Hi Lawanna and Swetha.

As a follow up to my previous email, Kevin has given clarity on what Regions and program offices he wants to see the equipment report on. Its Regions **2, 5, 8**, & **10**. As well as **ERT, NDT, ORIA**, & **HQ EOC** equipment listing in ETM.

Here is Kevin's statement: "Rob, I spoke with Josh Woodyard about the equipment. He stated that Regions 1,3,4,6,7, and 9 are not active users of the database and therefore information on those regions in the

database is not reliable. If possible, please do not include these regions in the reports you run for us. Based on the file you sent earlier, there were 17,000 items tracked but I show removing these regions cuts the list to just over 11,000."

A repost from previous email: A list of CT/ER equipment that includes:

- Equipment description.
- Location of the equipment.
- Acquisition cost.
- Maintenance schedule.
- Equipment ownership (EPA owned, contractor owned or leased).

When do we think we will have the reports ran? This week? Kevin Haas is CCed on this email also here is Kevin's contact information to reach out to him: W) 404-562-9848 c) Personal Privacy / Ex. 6 or via email haas.kevin@epa.gov. Thanks.

Regards,

Rob Thomas | w: 202.564.7507 | c Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |

Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

---

From: Thomas, Rob
Sent: Wednesday, March 14, 2018 11:48 AM
To: Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: assistance with Equipment Audit Follow-up
Importance: High

Hi Lawanna & Swetha

Per our weekly status meeting, are you able to respond to Kevin Haas's OIG Audit Request. Lawanna I recall you volunteered to work with the auditor to run reports etc. I added Swetha as the PBI / Ex. 4 because she can navigate PBI / Ex. 4 for any issues since she co-wrote it. Once you reply I will loop him and his team to this email thread.

*The Josh Kevin is referring to is Joshua Woodyard the Assoc. Dir. of OEM PROD division, not from OARM SHED. A copy of his message is below:

"Josh/Rob,

I do have access to the reporting portal from the link you sent. However, there is a lot of information there. I need either someone to walk me through how to run a report or I need you to have someone send me a report with the information listed in our Notification Memo:

A list of CT/ER equipment that includes:

- Equipment description.
- Location of the equipment.
- Acquisition cost.
- Maintenance schedule.
- Equipment ownership (EPA owned, contractor owned or leased).

Is the equipment only "owned" by the individual Regions or are the other "owners?" I don't want to miss any.

I'm in the office today so please call if it is easier to discuss; can be reached at 678-323-9786 or via email haas.kevin@epa.gov.

Thanks,

Kevin"

Thanks for your assistance.

Regards,

Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |

Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/20/2018 8:55:36 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: PROD FR Requested Wishlist

I was using IE. Tried chrome now; its much faster. Thanks Ed!

Thanks,
Rakhi

From: Campbell, Ed
Sent: Tuesday, March 20, 2018 4:29 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PROD FR Requested Wishlist

Though JIRA is sometimes slow, I've never seen this before, Rakhi. What browser are you using?

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, March 20, 2018 4:03 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PROD FR Requested Wishlist

Hi Ed,
I took a look at the tickets last week. I have a problem opening and viewing JIRA tickets. Its super slow, or sometimes doesn't open up at all - like it did today.
Please check the screenshot below. Does anyone else have this problem?

PBI / Ex. 4

Thanks,
Rakhi

From: Campbell, Ed
Sent: Tuesday, March 20, 2018 9:41 AM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: FW: PROD FR Requested Wishlist

Colleen, Lawanna –

Heads up, FR PROD folks have a slightly modified list. This may negate some JIRA tickets or create new ones; I haven't looked at it just yet.

Rakhi, Christian –

Just including you as an FYI, this may change what we need you to estimate LOE for in JIRA. How is that coming, by the way?

Thanks guys.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243

PBI / Ex. 4

From: Thomas, Rob
Sent: Monday, March 19, 2018 5:38 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: PROD FR Requested Wishlist

HI Ed. Can you share with team the modified wish list. Thanks.

Rob

From: Thomas, Rob
Sent: Friday, March 16, 2018 11:50 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: PROD FR Requested Wishlist

Hi Ed. That's fine. I figured we haven't. I need to hear from Skip and Dave their thoughts on this stuff. They already have priority requests. PROD has to get in line. The way they went about is in correct, that's why we have an SHEM/FR work group meeting. These new POCs in PROD have shown to be absent from these monthly work group meetings. Thanks.

From: Campbell, Ed
Sent: Friday, March 16, 2018 11:46 AM

To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: PROD FR Requested Wishlist

Just to you Rob – a heads up that the developers haven't assessed LOE for these yet. We can still get on the phone and chat though.

From: Thomas, Rob
Sent: Friday, March 16, 2018 11:43 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Gibson, Dave <Gibson.Dave@epa.gov>; Weisberg, Skip <Weisberg.Skip@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: PROD FR Requested Wishlist

Hi all. If you have a teleconference line that supports 8 or more people please share and I will change the call in details.. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 4/2/2018 3:55:38 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]
Subject: RE: Changing Time of Status Meeting

Sounds good.

From: McCarthy, Colleen
Sent: Monday, April 2, 2018 10:51 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Changing Time of Status Meeting

Hi Folks,

Because our Tuesday 2:00 p.m. – 3:00 p.m. status meeting conflicts twice a month with "Select EPA Data Systems Webinar Series for Users: TRI", would it work for everyone if we changed the meeting to 3:30 p.m. - 4:30 p.m. on the same day (Tuesday)?

Thanks!

Kind regards,
Colleen McCarthy, MBA, PMP
Lead Business Analyst
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
79 TW Alexander Drive, Building 4401, Room 480B
P.O. Box 13668, Research Triangle Park, NC 27709
M 919.349.4015
mccarthy.colleen@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/24/2018 2:21:32 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: JAVA and Oildb ICIS XML Error Log On empstg

```
Number of Java errors logged in the past 24 hours:

Field Readiness                        12 error
Oil DB                                 5 error


Number of Oildb ICIS XML sending errors logged in the past 24 hours:

 No Oildb ICIS XML sending errors were logged in the past 24 hours.
```

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/20/2018 3:33:58 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Jennifer Morgan [jennmorgan428@gmail.com]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Nair, Gopakumar [nairg@usepa.onmicrosoft.com]
Subject: RE: Scoping_Meeting_Minutes_2018_Mar_16.docx

Thanks all for your input.

From: McCarthy, Colleen
Sent: Tuesday, March 20, 2018 9:59 AM
To: Jennifer Morgan <jennmorgan428@gmail.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Nair, Gopakumar <nairg@usepa.onmicrosoft.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Scoping_Meeting_Minutes_2018_Mar_16.docx

Hi Folks,

Enclosed are the minutes of the meeting that we had last Friday, 3/16/2018, at 4:00 p.m. ET with Ship Weisberg of the SHEM community to try to scope the "Wish List" of PROD requirements for FRM that Rob was given.

Please let me know if you would like any additions or corrections!

Thanks!

Colleen

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 4/24/2018 7:30:34 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]
Subject: RE: Rob_Fox_Report_Meeting_2018_April_19.docx

Thanks Colleen.

From: McCarthy, Colleen
Sent: Tuesday, April 24, 2018 1:49 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Rob_Fox_Report_Meeting_2018_April_19.docx

Hi Folks,

Enclosed are the minutes from the meeting that we had last Thursday, 4/19/2018, with Rob Fox on the framework for Rob's reporting. I also enclosed the Training Guidelines that Rob Thomas had sent us, and the Excel spreadsheet that we reviewed on the call.

Thanks!

Colleen

Message

From: Morgan, Jennifer [morgan.jennifer@epa.gov]
Sent: 3/19/2018 7:10:14 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: PBI / Ex. 4 Access

Hi Ed,

No problem, it only took me a few minutes to add the roles. Try logging in again tomorrow morning as I believe the overnight sync has to occur before you are able to access!

Thanks,
Jenn

From: Campbell, Ed
Sent: Monday, March 19, 2018 2:14 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: PBI / Ex. 4 Access

Yes – Jenn, this is not urgent. Whenever you get a chance this week.

From: Chilivery, Swetha
Sent: Monday, March 19, 2018 2:11 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: PBI / Ex. 4 Access

Hi Ed,

Looks like you do not have any of the PBI / Ex. 4 Roles assigned to your account.

PBI / Ex. 4

Can I please ask Jenn to take care of assigning Roles to your account as I do not have necessary privileges.

Regards,
Swetha

From: Campbell, Ed
Sent: Monday, March 19, 2018 1:47 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 Access

Hey Swetha,

I tried in IE and hit the same stopping point after authenticating:

PBI / Ex. 4 layout.

Error Details
Error Codes: O9XNZMXB

Christian, I'm hitting prod for this. I have seen you trying to call me – I am on the other line – but you can ping me on Skype, or preferably Slack, and we can talk there.

From: Chilivery, Swetha
Sent: Monday, March 19, 2018 11:07 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 Access

Hi Ed,

Can you please close the browser and open the below Production EMBI link in new browser or in IE

PBI / Ex. 4

Regards,
Swetha

From: Campbell, Ed
Sent: Monday, March 19, 2018 11:00 AM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 Access

Hey Swetha,

Can't even get that far. When I click the PBI / Ex. 4 link on the left of EMP after logging in, I am prompted to login again:

Authentication required

PBI / Ex. 4

Username

Password

Log in Cancel

This one won't take my LANID and creds.

From: Chilivery, Swetha
Sent: Monday, March 19, 2018 10:20 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 Access

Hi Ed,

Can you please let me know the Roles assigned to your account.
Please navigate through the below steps to check your Roles:

1. Top right corner on the blue bar, click on your User Name and then click on PBI / Ex. 4

PBI / Ex. 4

2. On 'My Account' pop-up window, click on PBI / Ex. 4 tab. You will see the list of Roles assigned to your account.

PBI / Ex. 4

Thanks,
Swetha

From: Fan, Cindy (Yanqian)
Sent: Monday, March 19, 2018 9:37 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: PBI / Ex. 4 Access

Hi Ed,

Do you still face below issue? I include Swetha in this email also. You may need some PBI / Ex. 4 roles in your account.
Swetha, do you have an idea what role Ed is missing?

Thanks!
Cindy

From: Campbell, Ed
Sent: Friday, March 16, 2018 5:20 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: PBI / Ex. 4 Access

Hey Guys –

About to log off for the day, and this can wait until Monday. But I'm also getting stopped while logging into PBI / Ex. 4:

PBI / Ex. 4 layout.

Error Details
Error Codes: O9XNZMXB

I think this was the issue that was figured out earlier this week, if you guys can help me resolve on Monday. Thanks in advance.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243

PBI / Ex. 4

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 4/16/2018 3:35:33 PM
To: EMP Helpdesk [EMP_Helpdesk@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Jenn,
Thanks for testing that out Jenn. It is the same data I got from Cindy, but with different scenarios.
Sheet 1: 18 records from the original data sheet without any special characters.
Sheet 2: 168 records from the original data sheet without any '&'

These are the same valid data you got error on, while trying to upload . Only concern is, this might have created multiple entries of the same data. but I hope there would a check in the insertion logic to avoid duplicate entries. I was under the impression that we are testing this on staging not prod. Sorry, I didn't mention that explicitly!
(I will look into the table to find out if this caused any duplicate entries).

Your test result shows the issue might be happening due to special character-mostly- or data sheet with more than 160 records. I will message you offline to test which of these might be the real cause.

Thanks,
Rakhi

From: EMP Helpdesk
Sent: Monday, April 16, 2018 11:09 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

I uploaded each of the 3 spreadsheets you attached and all 3 were uploaded successfully, no error messages at all!

Since these are being uploaded in production, these training records are being added to these peoples' profiles. Is the data correct since you said it was test data or will we need to remove these records from these peoples' profiles?

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 10:27 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Thank you very much Jenn for testing that spreadsheet out. Thank you for working on my access as well!
To answer "Do you think the original spreadsheet was not uploading because it was too large? "

Yeah! It could be because of too much of data or multiple data that it is getting hung in the bulk update process.
Or it could because of the special character error (but it is not getting reported back to UI , so it could be mostly be because of the bulk processing)
We can definitely do a test to confirm the cause. I am attaching 3 more test data excels, I have compiled from the original test data sheet, which would test 3 different scenarios.
When you get a chance, please test the bulk update with these test datasheets and let me know how each test goes.

PS: Thank you very much for testing these out! . (Also have remerged the threads on this communication.)

Thanks,
Rakhi

From: EMP Helpdesk
Sent: Monday, April 16, 2018 9:40 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

I was able to upload the single record spreadsheet you attached. The "restricted" error just means that the user who is trying to upload the spreadsheet doesn't have the rights to upload restricted courses in FR. You currently don't have restricted rights but I am working on adding those to your profile.

Unfortunately, I don't have a past spreadsheet that I used for a successful bulk upload, but the functionality did work right before the contract end date in January, I remember I had to use it for a Help Desk ticket.

Do you think the original spreadsheet was not uploading because it was too large?

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Saturday, April 14, 2018 12:26 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy/Jenn,
Could you both try uploading this attached excel (one with the single record I tested yesterday) and let me know how it goes. It is just to check if you are getting the restricted access error.

Also could you share the sheet, if you have an input excel sheet that you have used in the past for a successful bulk upload?

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Saturday, April 14, 2018 3:57 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Christian,
While testing earlier (before sending the mail with error details below in the chain at 6.32 PM EST), I had tried a number of scenarios. The one with "&" was just one case among them. Prior to that, I have tested other records which doesn't have '&'. For example, I made a sample test data sheet with just one record - added below-(From the list Cindy gave). For this data, I got the same error 'restricted rights' as shown in the error message pic below in the mail sent at 6.32 PM EST (for rows 1 to 16. & this mail.)
Adding an image of the error I got with this particular single record below. (unfortunately the FR log at staging doesn't seem to log any of these errors!)

So even if we add a record without not-allowed characters like "&", the upload is not working as we can see below. I remember Cindy mentioning this particular functionality was working well earlier.(Cindy, correct me if I am wrong.) Cindy/Jenn, do you both remember when did this functionality work last for you?

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, April 13, 2018 8:11 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure
Importance: High

Hello Cindy and Rakhi

The error reporting shows that the **&** should not be used. Multiple records for 101071 have this same issue in the .xls file. That should be removed from the file (multiple occurrences and run it again). What do you see when you try to import it, by the way? Just getting to this one as I have been working on other empdev server related items.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, April 13, 2018 8:04 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hello Cindy and Rakhi,

Thanks for looking into this.

I would think that one can simply import the file by removing the special character (simple as that). However, I will open a JIRA ticket as the error reporting must alert the user of the issue (line number in the file, etc).

If you're still around, please try it with the change on the actual file, or I can do that …

Best,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, April 13, 2018 6:32 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy,
I have tried uploading a limited set of records by removing some records from the original excel you gave.
Here are the findings:

PBI / Ex. 4

The logs in staging server however doesn't log any error! I would need more time to troubleshoot this. (FR in my local is not up yet).
If this is an urgent task, as you suggested in below mail; please go ahead and have your proc do this task while I continue troubleshooting this.
(Note : Record 160 to 189 has special character '&' in the comment section. Let us know how those input rows go with the proc if you happen to write and execute it.)

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, April 13, 2018 5:55 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Yes.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 5:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

It's definitely not just import. There is data migration behind that button.

From: Leckner, Erik
Sent: Friday, April 13, 2018 5:36 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy/Rakhi

Also, since it isn't a direct import but Java related, I would look at trying to import into a working db or any other similar file import to see whether it's just the file or for all files.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 5:25 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Christian/Rakhi,

Yes. The PBI / Ex. 4 user doesn't have "create table" permission. It can only manipulate data inside table.

If you need more time on troubleshooting, I may proceed to write a procedure and migrate these training data into system. You will continue to investigate the issue and let me know if you need any help.

Thanks!
Cindy

From: Leckner, Erik
Sent: Friday, April 13, 2018 4:43 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Rakhi

Please coord. with Cindy on this.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, April 13, 2018 4:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk

<EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Christian,
In which DB are you thinking of creating table? I am not sure if JE user has the rights to (or supposed to) create any tables. Cindy would you know about the permission?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, April 13, 2018 4:07 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy/Rakhi

Also, can you do a quick import into a similar table (create one) and see if it bails out.

(I know Rakhi started looking at it but I mentioned I would take a look at it when I had my first chance to)

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, April 13, 2018 4:05 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hello Cindy

Do you expect a temp table for this – I went thru this fairly quickly and saw it being saved to FR_PERSON_TRAINING.
I believe while a typical import should be with a temp table for efficiency, I didn't see this (but I spent only a few minutes on this as I am working on PBI / Ex. 4 stuff).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 3:59 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

Hi Christian,

I forwarded attached spreadsheet to Rakhi earlier. She already spent some time on digging code to find table name.

The FR_PERSON_TRAINING is the final table for storing FR user training information. But for the uploaded data, do you see any temp table in the PBI / Ex. 4 code?

Thanks!

Cindy

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 11:37 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 11:37 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

From: EMP Helpdesk
Sent: Thursday, April 12, 2018 2:46 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

Hi Cindy,

I am having the same issue as the user below uploading a spreadsheet to the bulk spreadsheet upload in FR. The system will just hang after I select the file to upload and press the "Import file" button. Is this something you can upload on the back end? Or is this something I need to send to Christian & Rakhi.

Thanks,
Jenn

From: Binford, Mitchell
Sent: Wednesday, April 11, 2018 2:13 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Tant, Jennifer <tant.jennifer@epa.gov>
Subject: Batch Training Spreadsheet Upload Failure

Hi,

My attempt to upload a spreadsheet of training records failed. There were no errors provided, it appeared to timeout or stop in the middle of the service. I have attached a copy of the spreadsheet. As well, I have attached an image of page where the failure occurs.

PBI / Ex. 4

Thank you,
Mitch

Mitchell Binford
Booz | Allen | Hamilton
Tel. (513) 569-7289
Contractor to the US EPA
POC: Stephen Musson
26 W. Martin Luther King Dr.
Room G72A
Cincinnati, Ohio 45268
binford_mitchell@bah.com
binford.mitchell@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/24/2018 1:26:17 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: JAVA and Oildb ICIS XML Error Log On empprd

```
Number of Java errors logged in the past 24 hours:

Field Readiness                        92 error
Oil DB                                 9 error


Number of Oildb ICIS XML sending errors logged in the past 24 hours:

 No Oildb ICIS XML sending errors were logged in the past 24 hours.
```

Message

From: Morgan, Jennifer [morgan.jennifer@epa.gov]
Sent: 5/10/2018 4:11:49 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Smith, Maury [smith.maury@epa.gov]
CC: Leckner, Erik [Leckner.Erik@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

OK, thanks Cindy ☺ I was able to do a decent amount of testing in EMP Admin this morning, but couldn't do much in FR without the group.

Thanks,
Jenn

From: Fan, Cindy (Yanqian)
Sent: Thursday, May 10, 2018 12:06 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Jenn,

I am still waiting for group XML file from Maury. You account is not ready to use in Dev now. Yes, once I run the user and group sync, our accounts shall work properly.

Thanks!
Cindy

From: Morgan, Jennifer
Sent: Thursday, May 10, 2018 12:03 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hey Cindy,

I am testing in EMP Admin now and it looks like my group ownerships in DEV match my "Personal Privacy / Ex. 6 account in Production, but I am missing my memberships in pretty much all the groups in my DEV account and I get an error when I try to add myself to any groups in DEV. Will the sync fix this issue?

Thanks,
Jenn

From: Fan, Cindy (Yanqian)
Sent: Thursday, May 10, 2018 9:40 AM
To: Smith, Maury <smith.maury@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Thank you very much Maury!! By any chance, could you please send me the group XML file this morning? The Sync process involves both user account and group assignment. Without group XML file, the PBI / Ex. 4 won't change the records in our database.

Very appreciate your help!!

Cindy

From: Smith, Maury
Sent: Thursday, May 10, 2018 9:34 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: Re: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Cindy,

Group membership has been updated. You should have the user xml file from my email last night. I'll get you the group xml file later today.

Maury

On May 10, 2018, at 9:23 AM, Fan, Cindy (Yanqian) <fan.yanqian@epa.gov> wrote:

> Hi Maury,
>
> In Dev PBI / Ex. 4 could you please add below three accounts in two groups:
> PBI / Ex. 4 ?
>
> eleckner
> yfan
> jmorga02
>
> After above step, please send me two sets of XML export file: one is from PBI / Ex. 4 user and other one is from PBI / Ex. 4 group. Thank you!!
>
> Cindy
>
> ---
>
> **From:** Smith, Maury
> **Sent:** Thursday, May 10, 2018 8:45 AM
> **To:** Leckner, Erik <Leckner.Erik@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
> **Cc:** Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
> **Subject:** RE: Follow-Up - PBI / Ex. 4 EMP Needs
>
> Hi Erik,
>
> I don't see any existing Dev accounts (ex: Personal Privacy / Ex. 6) in these groups. I'm holding for feedback from Cindy.
>
> Maury

From: Leckner, Erik
Sent: Thursday, May 10, 2018 2:16 AM
To: Smith, Maury <smith.maury@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello Maury

I tried getting and I received the following error:

Welcome to the Emergency Management Portal

Top of Form

ERROR : User Personal Privacy / Ex. 6 must have either OEM_GENERAL or EPA_EMPLOYEE group membership.

Bottom of Form

Can you please add the new account of mine with OEM_GENERAL or EMP_EMPLOYEE group memberships?

I think that this will apply to all.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, May 9, 2018 11:23 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Christian and Cindy,

I have imported the following internal EPA accounts in Dev with temporary password **PBI / Ex. 4** (case sensitive):

PBI / Ex. 4

The XML file containing information for these 3 users is attached.

Maury

From: Leckner, Erik
Sent: Wednesday, May 9, 2018 4:44 PM

To: Smith, Maury <smith.maury@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up PBI / Ex. 4 EMP Needs

Thanks Maury and yes not only Cindy and Jennifer but myself as well of course – I need to be first if anyone

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, May 9, 2018 4:42 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up PBI / Ex. 4 EMP Needs

That's the end game I'm working on that piece as well. I'll ping you when Cindy's regular account is in place. I'll also bring over Jennifer Morgan's account.

From: Leckner, Erik
Sent: Wednesday, May 9, 2018 4:40 PM
To: Smith, Maury <smith.maury@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello Maury

Aside from Cindy, will you be doing this for another 99 users?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, May 9, 2018 4:37 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

One more suggestion to keep things moving in the short term. I can export Cindy's individual account from staging and import into Dev so her regular account is available. Would that help with testing sync

process for group assignment on your end? End game is to export/import a subset of users from staging for more robust Dev testing.

From: Leckner, Erik
Sent: Wednesday, May 9, 2018 3:41 PM
To: Smith, Maury <smith.maury@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Wait a moment on that – I want it to work properly.

I am giving her some search queries in the code (and see where she goes from that). I'd rather have it broken for a short bit o we can detect what's missing from your checklist of action items.

Is it possible to give us a checklist of things you do on your end that we need to ensure gets done? Just high level action items.
Thanks
Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, May 9, 2018 3:39 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Christian,

In the short term will adding Cindy's ID to the **PBI / Ex. 4** manually on my end help?

Maury

From: Leckner, Erik
Sent: Wednesday, May 9, 2018 3:37 PM
To: Smith, Maury <smith.maury@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Thanks Maury

We need **all** things working for empdev to be usable for our dev purposes and we need them asap. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, May 9, 2018 3:27 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Cindy and Christian,

J was working on importing users into Dev last week and that will probably be quickest approach to resolving this issue. He's been out of office for a few days but I will reach out to him to see if I can help get this going.

Maury

From: Fan, Cindy (Yanqian)
Sent: Wednesday, May 9, 2018 3:21 PM
To: Smith, Maury <smith.maury@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Maury,

The issue we face now is related to PBI / Ex. 4. Since the sync process is off now, we experience the data discrepancy in Dev. Me and Christian are still investigating…

Maury, could you please export the PBI / Ex. 4 XML file from Dev PBI / Ex. 4? I may have to manually run it in our Dev database to make our account working.

Thanks!
Cindy

From: Smith, Maury
Sent: Wednesday, May 9, 2018 2:12 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Christian,

Your xeleckne ID was not listed as an owner of the PBI / Ex. 4 security group. I added you as an owner please try to add Cindy's ID again.

Maury

From: Leckner, Erik
Sent: Wednesday, May 9, 2018 2:06 PM

To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Note that when I tried to add that group to your lanid (v xlanid) I received the following:
<image001.png>

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, May 9, 2018 2:04 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello Cindy
I had to search by your name since your lanid does not come up with the x'd lanid.

Q: Have you worked that out with the PBI / Ex. 4 team and how you intend to map prod/stage lanids to dev x'd lanids?

<image002.png>

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Wednesday, May 9, 2018 1:58 PM
To: Smith, Maury <smith.maury@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

I am able to login PBI / Ex. 4 now. Thanks!

Christian, can you please assign ' PBI / Ex. 4 ' to my account ' Personal Privacy / Ex. 6 '? Thanks!

From: Smith, Maury
Sent: Wednesday, May 9, 2018 1:49 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Jennifer,

I completed approval for EMP OSWER Web Community Access. This should resolve login issues mentioned by Christian this afternoon as well.

Maury

From: Morgan, Jennifer
Sent: Wednesday, May 9, 2018 10:36 AM
To: Smith, Maury <smith.maury@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Thanks Maury – no problem! We both also just submitted EMP OSWER Web Community Access requests for our DEV portal ID's – can you approve those as well?

Thanks,
Jennifer

From: Smith, Maury
Sent: Tuesday, May 8, 2018 5:28 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Jennifer and Cindy,

Your DEV accounts have been approved and are available Personal Privacy / Ex. 6). Sorry for the delay.

Maury

From: Morgan, Jennifer
Sent: Monday, May 7, 2018 2:24 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello,

Cindy Fan & myself just submitted our self-registrations on the DEV portal. I believe we need approval from Rob/James/Maury next?

Thanks,
Jennifer

From: Leckner, Erik
Sent: Saturday, May 5, 2018 4:49 PM
To: Waldo, James V. <Waldo.James@epa.gov>; Smith, Maury <smith.maury@epa.gov>

Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs
Importance: High

Hello James and Maury,

This has happened several times to the empdev server over the past couple of weeks.

Application Development is on the West Coast and it is also used by all members of the EMP team.

Once the Access Manager has this error***, development is shut out of any work for several days*** **on empdev** (from past experience the last time it had happened). Is there away that we can have this auto-fixed using SNMP Monitoring and auto restarting, etc?

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Morgan, Jennifer
Sent: Saturday, May 5, 2018 10:59 AM
To: Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello,

I am getting the following error message when I try to register for an account in WAM DEV:

PBI / Ex. 4 Operation Error

The WebGate plug-in is unable to contact any Access Servers.

Contact your website administrator to remedy this problem.

I've tried in both IE & Google Chrome and get the same error in both…any ideas?

Thanks,
Jennifer

From: Leckner, Erik
Sent: Friday, May 4, 2018 3:17 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: FW: Follow-Up - PBI / Ex. 4 EMP Needs

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Waldo, James V.
Sent: Thursday, March 29, 2018 4:59 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Here is the link to register for an account in WAM Dev.

PBI / Ex. 4

User this info for the EPA Sponsor:
Mary Lee
Lee.Mary@epa.gov
202-564-1234

James Waldo
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
CSRA, Inc.
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709
Telephone: 919.475.9581 | waldo.james@epa.gov | www.csra.com

<image003.png>
Think Next. Now.

-----Original Appointment-----
From: Campbell, Ed
Sent: Tuesday, March 27, 2018 3:41 PM
To: Campbell, Ed; Waldo, James V.; Smith, Maury; Leckner, Erik; Ferko, Dan; Madhavan Nair Kamala Devi, Rakhi
Cc: Henderson, Kertis
Subject: Follow-Up - IAM EMP Needs
When: Thursday, March 29, 2018 4:30 PM-5:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Call

Jay / Maury,

Christian would like to follow-up this week (we are about to receive the EMP Dev server, presumably within 24 hrs)

1. PBI / Ex. 4 Setup of Dev Server to be identical to Staging
2. Procedures / Protocols Christian / Rakhi should follow

4:30 on Thursday is the only time we are all available for the remainder of the week – but this is important, we really need to make sure we can hit the ground running with this Dev server.

Thanks.

Conference Line Conference Line/Code / Ex. 6
Access Code - Conference Line/Code / Ex. 6

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 4/17/2018 3:31:47 PM
To: EMP Helpdesk [EMP_Helpdesk@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: Batch Training Spreadsheet Upload Failure

Thanks Jenn! Yes! I don't have the right access to perform upload, So the system stops me from uploading the document and that button never gets enabled. Thank you for explaining that Jenn!

Thanks,
Rakhi

From: EMP Helpdesk
Sent: Tuesday, April 17, 2018 11:18 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

Regarding your question about the "Upload Documents" button – that button will only work after the spreadsheet has been uploaded successfully, in order to attach a document to all the employees' whose training records were uploaded. The button will not function prior to a spreadsheet being uploaded, so that behavior is correct.

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, April 17, 2018 11:03 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Thank you very much Cindy! That's interesting! I see these records are created on 5/24/2017 (from the created "TS" column below). Looks like Salient has put the 'special character restriction' code later.
OR that data might have got added via another means other than 'bulk update'? There is an "upload document(s)" button on the page, that doesn't work- doesn't do anything on clicking on it.
Cindy/Jenn, Do you remember that button working at any time? (I wonder if that was used for upload data before bulk upload feature was introduced, not sure! Just thinking aloud!)

I tried the bulk upload again today. First few trials, the upload dialogue was getting cleared off; later now, its showing a user friendly error message on UI , which I saw on Friday too. Please find the screen shot below.- Screen shot 1
Other times , special character entries cause the dialogue window to get cleared off the sheet selection (As Jenn was reporting).-Refer screen shot 2 below. (The dialogue is/was actually not hanging ; but the selection was getting cleared off; sorry about not correcting the terminology yesterday). Definitely the error handling behavior is not consistent. Having the app up and ability to debug would definitely help. Still working on it. I will anyway do more digging. Will keep you updated.

Screen Shot 1:

PBI / Ex. 4

Screen Shot 2:

PBI / Ex. 4

Thanks,
Rakhi

From: Fan, Cindy (Yanqian)
Sent: Tuesday, April 17, 2018 9:52 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hmm…I also checked production table and found below records uploaded by user a while ago (5/24/2017). The "comment_txt" column included '&' as well. It seemed that '&' was working in bulk load before. Not sure why it raised error now.

PBI / Ex. 4

PBI / Ex. 4

Thanks,
Cindy

From: EMP Helpdesk
Sent: Tuesday, April 17, 2018 9:12 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Thank you Rakhi & Christian for all your troubleshooting on this issue…at this time, are we able to upload the spreadsheet for the user or should I inform him that it will take more time before we are able to do this?

Thanks,
Jenn

From: Leckner, Erik
Sent: Monday, April 16, 2018 5:10 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hello Rakhi et al.

There are numerous reasons for why this is failing – one includes the fact that the error message handler has several coding errors. It's a combination of several issues which is causing the user to see an unresponsive page upon response.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 4:31 PM

To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Christian,
Coming to your question...
Adding it here below, as it was forked out . Please find the reply inline below in " brown".

From: Leckner, Erik
Sent: Monday, April 16, 2018 1:42 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Rakhi

In any case, the application cannot hang to users, so you need as a dev to resolve the issue. I requested that you check if it' just that file, etc but in any please, did you investigate why the EMP app is hanging?

[Rakhi replying] : That is right. That case not seems to have handled in the code. (Inherent bug in Salient code). They should return gracefully and show some user friendly error to the user on the UI to tell what went wrong. While I was testing on Friday, I could see the error being thrown to UI stating

PBI / Ex. 4

When Jenn and I were testing today, we couldn't see this error being thrown, instead the 'upload dialogue window' was hanging. (the whole EMP application was not hanging, user still could close the dialogue and continue with other functionalities.). Still, the application behavior needs to be consistent.
I unfortunately don't have FR app up in my local to debug and see where in code exactly the flow is. I will still do some more code digging to get some leads. Same time, I am also working to get the FR app up in my local with Staging properties to help with debugging.

Thanks,
Rakhi

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

"

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 2:15 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Thank you for testing that out Jenn!
This sheet only had 9 records, and one of it had a record with '&'. We could upload records with 158 rows if there is no '&' special character in the data.

So I think it is bad data which caused the error than record size. (System is not allowing '&' in input data).
Hi Christian ,
I am adding your mail to this chain below based on time stamp, as it has forked out of this chain.

Thanks,
Rakhi

From: EMP Helpdesk
Sent: Monday, April 16, 2018 2:05 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

The copy 9 spreadsheet would not upload, it just displayed "No File Chosen" message again after attempting to upload.

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 1:44 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

H Jenn,
I tried testing that particular case in our test 7 and 8.

PBI / Ex. 4

Both test cases had 158 records. So it looked like it's the data problem -unexpected &- rather than the size of the data. We can try one more test sheet to confirm this. PFA. (It has 9 records with one special character). Could you try this on staging as let us know how it goes?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, April 16, 2018 1:42 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Rakhi

In any case, the application cannot hang to users, so you need as a dev to resolve the issue. I requested that you check if it' just that file, etc but in any please, did you investigate why the EMP app is hanging?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: EMP Helpdesk
Sent: Monday, April 16, 2018 1:25 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

Isn't the issue also that the file has too many data entries in it?

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 1:01 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Jenn,
Thank you very much for testing different combinations of records in the Staging environment! Really appreciate your help.

Christian/Cindy,
Looks like the error is caused by '&' as suspected. The records with '&' is not going through. So the root cause here is → Bad input data.

The log file for FR is not capturing and logging this error ! So we had to test different combinations to rule out other scenarios to confirm the 'root cause'. I also don't have FR up in my local to test the scenario. Thank you very much Jenn for patiently testing all the different scenarios!

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 11:35 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Jenn,
Thanks for testing that out Jenn. It is the same data I got from Cindy, but with different scenarios.
Sheet 1: 18 records from the original data sheet without any special characters.
Sheet 2: 168 records from the original data sheet without any '&'

These are the same valid data you got error on, while trying to upload . Only concern is, this might have created multiple entries of the same data. but I hope there would a check in the insertion logic to avoid duplicate entries. I was under the impression that we are testing this on staging not prod. Sorry, I didn't mention that explicitly!
(I will look into the table to find out if this caused any duplicate entries).

Your test result shows the issue might be happening due to special character-mostly- or data sheet with more than 160 records. I will message you offline to test which of these might be the real cause.

Thanks,
Rakhi

From: EMP Helpdesk
Sent: Monday, April 16, 2018 11:09 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

I uploaded each of the 3 spreadsheets you attached and all 3 were uploaded successfully, no error messages at all!

Since these are being uploaded in production, these training records are being added to these peoples' profiles. Is the data correct since you said it was test data or will we need to remove these records from these peoples' profiles?

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 16, 2018 10:27 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Thank you very much Jenn for testing that spreadsheet out. Thank you for working on my access as well!
To answer "Do you think the original spreadsheet was not uploading because it was too large? "

Yeah! It could be because of too much of data or multiple data that it is getting hung in the bulk update process.
Or it could because of the special character error (but it is not getting reported back to UI , so it could be mostly be because of the bulk processing)
We can definitely do a test to confirm the cause. I am attaching 3 more test data excels, I have compiled from the original test data sheet, which would test 3 different scenarios.
When you get a chance, please test the bulk update with these test datasheets and let me know how each test goes.

PS: Thank you very much for testing these out! . (Also have remerged the threads on this communication.)

Thanks,
Rakhi

From: EMP Helpdesk
Sent: Monday, April 16, 2018 9:40 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Rakhi,

I was able to upload the single record spreadsheet you attached. The "restricted" error just means that the user who is trying to upload the spreadsheet doesn't have the rights to upload restricted courses in FR. You currently don't have restricted rights but I am working on adding those to your profile.

Unfortunately, I don't have a past spreadsheet that I used for a successful bulk upload, but the functionality did work right before the contract end date in January, I remember I had to use it for a Help Desk ticket.

Do you think the original spreadsheet was not uploading because it was too large?

Thanks,
Jenn

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Saturday, April 14, 2018 12:26 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy/Jenn,
Could you both try uploading this attached excel (one with the single record I tested yesterday) and let me know how it goes. It is just to check if you are getting the restricted access error.

Also could you share the sheet, if you have an input excel sheet that you have used in the past for a successful bulk upload?

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Saturday, April 14, 2018 3:57 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Christian,
While testing earlier (before sending the mail with error details below in the chain at 6.32 PM EST), I had tried a number of scenarios. The one with "&" was just one case among them. Prior to that, I have tested other records which doesn't have '&'. For example, I made a sample test data sheet with just one record - added below-(From the list Cindy gave). For this data, I got the same error 'restricted rights' as shown in the error message pic below in the mail sent at 6.32 PM EST (for rows 1 to 16. & this mail.)
Adding an image of the error I got with this particular single record below. (unfortunately the FR log at staging doesn't seem to log any of these errors!)

So even if we add a record without not-allowed characters like "&", the upload is not working as we can see below. I remember Cindy mentioning this particular functionality was working well earlier.(Cindy, correct me if I am wrong.)
Cindy/Jenn, do you both remember when did this functionality work last for you?

PBI / Ex. 4

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, April 13, 2018 8:11 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure
Importance: High

Hello Cindy and Rakhi

The error reporting shows that the & should not be used. Multiple records for 101071 have this same issue in the .xls file. That should be removed from the file (multiple occurrences and run it again). What do you see when you try to import it, by the way? Just getting to this one as I have been working on other empdev server related items.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, April 13, 2018 8:04 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hello Cindy and Rakhi,

Thanks for looking into this.

I would think that one can simply import the file by removing the special character (simple as that). However, I will open a JIRA ticket as the error reporting must alert the user of the issue (line number in the file, etc).

If you're still around, please try it with the change on the actual file, or I can do that …

Best,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, April 13, 2018 6:32 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy,
I have tried uploading a limited set of records by removing some records from the original excel you gave.
Here are the findings:

PBI / Ex. 4

The logs in staging server however doesn't log any error! I would need more time to troubleshoot this. (FR in my local is not up yet).
If this is an urgent task, as you suggested in below mail; please go ahead and have your proc do this task while I continue troubleshooting this.
(Note : Record 160 to 189 has special character '&' in the comment section. Let us know how those input rows go with the proc if you happen to write and execute it.)

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, April 13, 2018 5:55 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Yes.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 5:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

It's definitely not just import. There is data migration behind that button.

From: Leckner, Erik
Sent: Friday, April 13, 2018 5:36 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy/Rakhi

Also, since it isn't a direct import but Java related, I would look at trying to import into a working db or any other similar file import to see whether it's just the file or for all files.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 5:25 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Christian/Rakhi,

Yes. The PBI / Ex. 4 user doesn't have "create table" permission. It can only manipulate data inside table.

If you need more time on troubleshooting, I may proceed to write a procedure and migrate these training data into system. You will continue to investigate the issue and let me know if you need any help.

Thanks!
Cindy

From: Leckner, Erik
Sent: Friday, April 13, 2018 4:43 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Rakhi

Please coord. with Cindy on this.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, April 13, 2018 4:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk

<EMP_Helpdesk@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Christian,
In which DB are you thinking of creating table? I am not sure if JE user has the rights to (or supposed to) create any tables. Cindy would you know about the permission?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, April 13, 2018 4:07 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hi Cindy/Rakhi

Also, can you do a quick import into a similar table (create one) and see if it bails out.

(I know Rakhi started looking at it but I mentioned I would take a look at it when I had my first chance to)

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, April 13, 2018 4:05 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Batch Training Spreadsheet Upload Failure

Hello Cindy

Do you expect a temp table for this – I went thru this fairly quickly and saw it being saved to PBI / Ex. 4
I believe while a typical import should be with a temp table for efficiency, I didn't see this (but I spent only a few minutes on this as I am working on empdev server stuff).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 3:59 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

Hi Christian,

I forwarded attached spreadsheet to Rakhi earlier. She already spent some time on digging code to find table name.

The PBI / Ex. 4 is the final table for storing FR user training information. But for the uploaded data, do you see any temp table in the PBI / Ex. 4 code?

Thanks!

Cindy

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 11:37 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

From: Fan, Cindy (Yanqian)
Sent: Friday, April 13, 2018 11:37 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

From: EMP Helpdesk
Sent: Thursday, April 12, 2018 2:46 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: FW: Batch Training Spreadsheet Upload Failure

Hi Cindy,

I am having the same issue as the user below uploading a spreadsheet to the bulk spreadsheet upload in FR. The system will just hang after I select the file to upload and press the "Import file" button. Is this something you can upload on the back end? Or is this something I need to send to Christian & Rakhi.

Thanks,
Jenn

From: Binford, Mitchell
Sent: Wednesday, April 11, 2018 2:13 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Tant, Jennifer <tant.jennifer@epa.gov>
Subject: Batch Training Spreadsheet Upload Failure

Hi,

My attempt to upload a spreadsheet of training records failed. There were no errors provided, it appeared to timeout or stop in the middle of the service. I have attached a copy of the spreadsheet. As well, I have attached an image of page where the failure occurs.

PBI / Ex. 4

Thank you,
Mitch

Mitchell Binford
Booz | Allen | Hamilton
Tel. (513) 569-7289
Contractor to the US EPA
POC: Stephen Musson
26 W. Martin Luther King Dr.
Room G72A
Cincinnati, Ohio 45268
binford_mitchell@bah.com
binford.mitchell@epa.gov

Message

From: Chilivery, Swetha [chilivery.swetha@epa.gov]
Sent: 4/2/2018 3:21:58 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Morgan, Jennifer [morgan.jennifer@epa.gov]
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Hi Colleen,

It works for me too.

Regards,
Swetha

From: Fan, Cindy (Yanqian)
Sent: Monday, April 2, 2018 11:18 AM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Hi Colleen,

It sounds good to me.

Thanks!
Cindy

From: McCarthy, Colleen
Sent: Monday, April 2, 2018 10:59 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

We'll hope that just shifting it out to 3:30-4:30 works on Tuesday works...☺

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 2, 2018 10:53 AM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Thanks Colleen, Ed!

Thanks,
Rakhi

From: McCarthy, Colleen
Sent: Monday, April 2, 2018 10:41 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Right on all counts. As soon as I have a new spot, I'll send it out and see if there is anything that is a conflict that is not easy to spot from the calendar, or not on the calendar. Thanks! Colleen

---

From: Campbell, Ed
Sent: Monday, April 2, 2018 10:37 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Thanks for reminding us of this Rakhi. We discussed this on last Thursday's internal team meeting… I think Colleen was going to be finding a new time for the call this week (and potentially all calls moving forward) after talking with Rob / looking at calendars. We had also discussed consolidating the Skype session and the meeting itself into a single calendar entry.

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, April 02, 2018 10:32 AM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: RE: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Hi Colleen, Ed,

(Took Rob off this reply)
Rob has forwarded another meeting invite - " Select EPA Data Systems Webinar Series for Users: TRI"- which conflicts with the Tuesday meeting. Wondering if we could request a time change for this weekly status meeting with Rob…

Thanks,
Rakhi

From: McCarthy, Colleen
Sent: Monday, April 2, 2018 9:21 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Actions from 3/27/2018 Status Meeting; Agenda for 4/3/2018 Status Meeting

Hi Folks,

Below is the proposed agenda for our 4/3/2018 status call. Please let me know if you would like any items added ☺.

Proposed Agenda for 4/3/2018 status call:

1. Review actions from last meeting (see below).
2. Review Monday 4/2/2018 call with PROD team representatives
3. Rob: Any information to share with team, questions for Team?
4. Ed: Any information to share with team, questions for Team?
5. Team (walk around) information to share, questions

No.	Action Item or Decision	Date Identified MD = Meeting Date	Owner	Description	Target Completion Date	Actual Completion Date
1.	Search Oil Db for Army facilities	03/26/18	Rob & Troy	Get information from Troy Swackhammer for Amit on whether or not we track Army facilities in the OIL DB. Amit needs to do a response plan for Army Facilities. Follow up: Troy follow took the action.		
2.	OSC class & certification report for Board Review	03/17/18	Rob and Swetha:	Although we verified that Rob Fox has the rights to see OSC data, Rob Fox may ask to have an EMBI report created that shows the OSC's Name, Region, all required classes for OSC's and the required classes that each OSC has taken. An example of all classes taken by OSC's was sent to Rob Fox.		
3.	Privacy Act items	3/15/18	Rob	Update the SORN including edit the five questions from Judy Hutt. Update the Privacy Impact Assessment (PIA) with the new immunization and medical clearance information.		
4.	Email Raj of Reg 6 on Fac IDs	3/10/18	Rob	Tell him the time to work on this request would be timely; it is best he contact Susan Smiley, PM for FRS. AS FRS is the SOR (system of record) for the facility data that he needs. The FRS data is accurate, up-to-date and includes the geocodes.		
5.	Auto Email template for FR SHEM customers	3/25/18	Rob & Cindy	Rob converted the email template into Word template. Sent it to Cindy & Team for review. Next it goes to SHEM workgroup for review and approval.		
6.	Auto Email template for FR SHEM customers	3/30/18	Rob, Ed, & Cindy:	Find out how many emails the costumers want and when the users want the emails sent for both the reminder emails (before the class) and the "missed class" emails (after the class is over). Then Cindy will generate a LOE & timeline for Rob & Ed to review then explain to the SHEM team.		

Thanks!

Kind regards,

Colleen McCarthy, MBA, PMP
Lead Business Analyst
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
79 TW Alexander Drive, Building 4401, Room 480B
P.O. Box 13668, Research Triangle Park, NC 27709
M 919.349.4015
mccarthy.colleen@epa.gov

Message

From: Quest [NoReply@Quest.com]
Sent: 5/14/2018 7:39:50 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: Thank you for downloading PBI / Ex. 4

PBI / Ex. 4

Free Trial of PBI / Ex. 4

Thank you for your interest in PBI / Ex. 4

Download Trial

Release Notes and Guides

PBI / Ex. 4

This trial download includes an embedded 30-day key. Please find below an alternate PBI / Ex. 4 **for** PBI / Ex. 4 which will enable you to experience the full functionality of the product for **30 days**.

License key: PBI / Ex. 4

Site Message: Trial Version

To get started with your trial, we suggest that you view our evaluator's resources.

Maximize your investment in PBI / Ex. 4 with free web-based training; basic and advanced for developers, analysts and DBAs enable you to become a more accomplished PBI / Ex. 4 user.

Next Steps



Request Pricing

Get help with your business needs.



Buy Online

Buy PBI / Ex. 4 Online now.

You may also be interested in.

PBI / Ex. 4

Follow Us:

Contact Us:

PBI / Ex. 4

Message

From: EMP Helpdesk [EMP_Helpdesk@epa.gov]
Sent: 3/23/2018 5:02:27 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: FW: Oildb ICIS Password Expiration Warning On empprd

Importance: High

FYI all.

-----Original Message-----
From: EMERG_MGMT_PORTAL@epa.gov [mailto:EMERG_MGMT_PORTAL@epa.gov]
Sent: Thursday, March 22, 2018 9:28 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: Oildb ICIS Password Expiration Warning On empprd

Hi,

This is to inform you that the password for the Oildb ICIS account will expire on Aug 07, 2013.

You can change it by logging into the EMP Admin utilities and choosing "Configuration Settings" from "Miscellaneous Unilities".

After changing your password, it will be valid for 90 days.

Thank You

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/19/2018 7:05:05 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Property Files _ Regarding eclipse version and Compiler Compliance.

Ok. Sure!

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, March 19, 2018 2:56 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4 Compliance.

Rakhi

You don't need to tell me what I already know ☺

No that is not how to draw the conclusion. What dev is and what staging is are two different things: I know dev and staging are not the same. They built from source code control most likely (or their local lead built) but it's actually what is deployed on staging and production is what determines what we need to at least build for. I'm though going to build all on 1.8 (for updates on those still less than 1.8).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, March 19, 2018 2:54 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4 Compliance.

Yeah, You are right!
PBI / Ex. 4 is set up for PBI / Ex. 4 and we are building the projects using PBI / Ex. 4. That definitely says its compiled on 1.8.

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, March 19, 2018 2:48 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>

Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4 Compliance.

Rakhi

I know all of this from forensic evidence. Speculation on generics is not evidence. Thanks for the update on PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, March 19, 2018 2:46 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4 Compliance.

Hi Christian,

I will use only PBI / Ex. 4 going forward.

Its compiled on versions above 1.5 . because code includes features like generics that wouldn't compile on lower versions. I am building apps using PBI / Ex. 4. Its configured to use the PBI / Ex. 4. So its definitely is compiled on PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, March 19, 2018 1:31 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4 Compliance.

Hi Rakhi

The reason I ask about PBI / Ex. 4 is I am wondering whether I need to support both PBI / Ex. 4 in our dev environment. I would much prefer to use PBI / Ex. 4 since the latest tools that work with PBI / Ex. 4 (third party vendor tools and they are updated for PBI / Ex. 4).

Your 1.4 might have been just an environmental setting and nothing to do with the project itself. Please let me know if you ever find (no urgency whatsoever) anything which demonstrates 1.4. FR is definitely compiled on 1.8. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 16, 2018 8:26 PM

To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4 Compliance.

Hi Christian,
Please find my answers below for the points you asked yesterday

- PBI / Ex. 4

Please let me know if any further info is required of my workspace.

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, March 15, 2018 8:38 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

Curious also – where did you get the idea that it was set to 1.4 and which project. I know for fact there are none built on 1.4. Just curious.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 15, 2018 4:18 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

Hi Christian,
Good to know its matching so far! I will give the PBI / Ex. 4 screen shots also today.

PBI / Ex. 4

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 7:09 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

So they match 100% yours and mine (to the rounded since those you show but that's OK).

Which means I need to figure out what they built it with ,etc. Not that its not OK in that it could be just a PBI / Ex. 4 option or a different earlier PBI / Ex. 4 – like even 1.5 which I see a reference too, but not in another project.. so I can try to build it with 1.5 – Im ok if I can get it to match and we just use 1.8 for the newer deployments, but I need to get them to match or start looking at how they differ somehow

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 14, 2018 5:49 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

Sorry Christian!
My eclipse crashed. I was trying to fix that. Sorry about keeping you waiting!
Here you go..

Part -1

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 5:39 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Rakhi

Can you please send me the oildb class file sizes, thanks – it shouldn't take more than a couple of minutes on your end.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 4:36 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Hi Ed and Rakhi

You see by having the compare accurately diff'ing the files, Ed and Rob could go back to Salient and use this as a basis for the request – like, why are they different and Ed and Rob will have forensic backing behind it.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 4:34 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Hi Rakhi

I don't need a compare. I got that part covered. What I need is just the class sizes. My ***program*** I wrote will do that in milliseconds ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 14, 2018 4:33 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Thank you very much Christian! Sorry! I missed the original mail! My bad!

I will do the compare after lunch and will send it back to you.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 4:29 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: Property Files
Importance: High

Hi Rakhi

Swetha had sent this the other day – this is the outcome from what I had requested from them. You were on the mailing list – you might have missed this email.

Class file sizes for all classes, please. Just screen capture or store to a file but needed – thanks on oildb, equipment, and sma, in that order please. Thanks

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Monday, March 12, 2018 3:23 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Christian,

Cindy and I verified the Properties files and updated the attached files with the correct links. Changes are mentioned with our name 'Cindy' and 'Swetha' and there are no changes to the sma files.

Please let us know in case you need any further information.

Regards,
Swetha

From: Leckner, Erik
Sent: Thursday, March 8, 2018 5:19 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Cindy and Swetha,

We can setup a quick call to do this so I can go over it with you. It will all make sense then. Should I call each of you separately?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Thursday, March 8, 2018 4:33 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Christian,

Same here as Cindy. I do not have any idea about the property files.

Regards,
Swetha

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 8, 2018 4:28 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Christian,

The property files are from Java development. I have never seen and never work on these files before. So I don't know how to verify them.

Thanks!
Cindy

From: Leckner, Erik
Sent: Thursday, March 8, 2018 4:25 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Cindy and Swetha

You needn't put it in a worksheet, just writing comments with your name like CINDY: in each of the files will work just as well and most likely faster for you two. But it would be a pass around approach going that route (first Cindy, then Swetha, etc.)

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Thursday, March 8, 2018 4:20 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: FW: Property Files
Importance: High

Hi Cindy and Swetha,

This slipped my mind on the status call today, but Christian had asked about property files earlier this week and he put together a spreadsheet.

As the only incumbents, you two may be the only ones who have any real updates for this. See below and attached from Christian.

One additional note – for dev and staging if you can fill in the blanks for the links, urls, email servers, etc (whatever you know). For production, we don't need the values but only whether they are required or not.

Thanks guys.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Tuesday, March 06, 2018 7:30 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Property Files
Importance: High

Hi Ed

I have attached two sets of files:

FILES.zip: These are all the **property** files for staging across all projects (excluding mobile) thus far. I may have more but this is the initial complete set.
ALLPROPERTIES.xlsx: This is a worksheet they can fill in the values for things that are related to their work.

Cindy and others should recognize each of the properties that pertain to them and document them in the all properties worksheet. They need to examine the properties closely so they can provide input and we need to know that they went thru
each file so PBI / Ex. 4 team isn't waiting on missing items.

They should be able to say for DEV, STAGE, and PROD whether the system requires it. They needn't fill out the production links, urls, etc. as those are already determined by NCC. I'm basically looking for what they should be set to or whether they aren't being used anymore or only on stage and dev, etc,

For all PBI / Ex. 4 related core (PBI / Ex. 4 , I already know the settings already for dev and staging).

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 4/4/2018 7:33:10 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Discuss EMP Expectations and Other Questions

Sure Ed! I don't have any urgent items as of now.

Thanks!
Rakhi

From: Campbell, Ed
Sent: Wednesday, April 4, 2018 3:18 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Discuss EMP Expectations and Other Questions

Hi Guys,

I have a deadline (5PM) I need to work toward today for another project, so I'm going to cancel this call. If you both could reply all with anything urgent this week that I am not already aware of / working on, that would be great. Sorry to do this, I have been very underwater lately and may shift ownership of this meeting to Colleen soon, as she's fully billable on EMP.

-----Original Appointment-----
From: Campbell, Ed
Sent: Wednesday, February 21, 2018 3:22 PM
To: Campbell, Ed; Madhavan Nair Kamala Devi, Rakhi; Leckner, Erik
Subject: Discuss EMP Expectations and Other Questions
When: Wednesday, April 04, 2018 3:30 PM-4:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Line/Code / Ex. 6

We're going to resume these meetings next week (2/28), as Rahki has a conflict and can't make the meeting today.

Please raise any immediate concerns to me in email (Christian, I've been trying to move through your emails to me today)

Thanks guys

Appointment

From: Mazerik, Mary [Mazerik.Mary@epa.gov]
Sent: 3/20/2018 3:02:24 PM
To: Chilivery, Swetha [chilivery.swetha@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Mazerik, Mary [Mary.Mazerik@csra.com]

Subject: New OEM Measures Discussion
Location: Conference Line/Code / Ex. 6

Start: 3/22/2018 1:30:00 PM
End: 3/22/2018 2:00:00 PM
Show Time As: Tentative

I hope this time works for everyone.

I don't think we will need to Adobe connect but it's there, just in case. Thanks!

Conference Line/Code / Ex. 6

Message

From: Balassiano, Kim [Balassiano.Kim@epa.gov]
Sent: 3/29/2018 4:40:39 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Automatic reply: FW: Select EPA Data Systems Webinar Series for Users

I will be back in the office on Monday April 2.

Kim

Message

From: Rakhi Madhavan Nair Kamala Devi (Jira) [jira@tztrack.atlassian.net]
Sent: 5/10/2018 4:05:13 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [JIRA] (OEM-65) FR Bulk Update: Import file method causes batch upload operation to become unresponsive. Application should provide an error message to user upon exit of said operation.

Rakhi Madhavan Nair Kamala Devi **assigned** an issue to Rakhi Madhavan Nair Kamala Devi

OEM/EMP / OEM-65

FR Bulk Update: Import file method causes batch upload operation to become unresponsive. Application should provide an error message to user upon exit of said operation.

Change By: Rakhi Madhavan Nair Kamala Devi

Assignee: ~~Erik Leckner~~ Rakhi Madhavan Nair Kamala Devi

Add Comment

Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS

This message was sent by Atlassian Jira (v1001.0.0-SNAPSHOT#100083-sha1:62e6e97)

ATLASSIAN

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/23/2018 4:41:19 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Thank you very much for the info Cindy! ☺
I could see the errors logged in PBI / Ex. 4 table

Thanks,
Rakhi

-----Original Message-----
From: Fan, Cindy (Yanqian)
Sent: Friday, March 23, 2018 11:52 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Yes. These errors log in this table: PBI / Ex. 4.

Rakhi, you may not need to worry about these errors until helpdesk gets call from user. This notification is part of nightly job. The previous Salient PBI / Ex. 4 didn't review these errors every day. But it is helpful when they did troubleshooting in production.

Thanks!
Cindy

-----Original Message-----
From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 23, 2018 11:45 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

These seems to be prod errors. (subject line says empprod) Do we know where these error are getting logged to?
Hi Cindy, would you know?

Thanks,
Rakhi

-----Original Message-----
From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 23, 2018 11:40 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: FW: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Hi Ed,
I started getting these mails from yesterday evening. Do you know which systems sends these mails? Would like to check out the errors. Let me know if we have to do anything about these.

Thanks,
Rakhi

-----Original Message-----
From: EMERG_MGMT_PORTAL@epa.gov [mailto:EMERG_MGMT_PORTAL@epa.gov]
Sent: Thursday, March 22, 2018 9:28 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness 171 error

Oil DB 6 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Boone, Carrie [Boone.Carrie@epa.gov]
Sent: 5/23/2018 5:35:13 PM
To: Leckner, Erik [leckner.erik@epa.gov]; Dennis, Gregory [Dennis.Gregory@epa.gov]; Unix Group [group.unix@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; STORMAN [STORMAN@epa.gov]
Subject: RE: EMPDEV
Attachments: Empdev.xlsx

Hi Erik,

I tried to call but your voice mail is full, yes incrementals are processed Mon-Thurs. on changed data. Looking at your incrementals for the 21st and 22nd they ran in 7 minutes and they started at 7 pm. Please see attached for incrementals . Item in yellow are parent jobs that reflect the total time. Please feel free to give me a call for further discussion.

Carrie Boone
Storage/Disaster Recovery
ITS-EPAIII Infrastructure Support and Application Hosting
CSRA (a GDIT company, contractor to the U.S. EPA)
79 TW Alexander DR 4401, Durham NC 27709
Office: 919-200-7372
Boone.Carrie@epa.gov

From: Leckner, Erik
Sent: Wednesday, May 23, 2018 12:47 PM
To: Boone, Carrie <Boone.Carrie@epa.gov>; Dennis, Gregory <Dennis.Gregory@epa.gov>; Unix Group <group.unix@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; STORMAN <STORMAN@epa.gov>
Subject: RE: EMPDEV

Hello Carrie et al.

Are you doing incremental backups during the week? If so, approx.. what time and what is the approx. duration of these backups. There is one particular set of files that I would like to see backed up daily (approx. 2GB and will get larger over time).

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Boone, Carrie
Sent: Tuesday, May 22, 2018 3:18 PM
To: Leckner, Erik <leckner.erik@epa.gov>; Dennis, Gregory <Dennis.Gregory@epa.gov>; Unix Group <group.unix@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; STORMAN <STORMAN@epa.gov>
Subject: RE: EMPDEV

Greg,

The full for this server this weekend started at 8:00 PM on May 18 and ended on May 19, at 1:04 PM. The job ran for 11 hours.

Carrie Boone
Storage/Disaster Recovery
ITS-EPAIII Infrastructure Support and Application Hosting
CSRA (a GDIT company, contractor to the U.S. EPA)
79 TW Alexander DR 4401, Durham NC 27709
Office: 919-200-7372
Boone.Carrie@epa.gov

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 1:14 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>; Unix Group <group.unix@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; STORMAN <STORMAN@epa.gov>
Subject: RE: EMPDEV

Hello Dennis

Thanks, no need to reschedule for the time being, but curious when backup is being performed (due to source code repository, etc.).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Dennis, Gregory
Sent: Tuesday, May 22, 2018 7:53 AM
To: Leckner, Erik <leckner.erik@epa.gov>; Unix Group <group.unix@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; STORMAN <STORMAN@epa.gov>
Subject: RE: EMPDEV

Christian,
Empdev has had backups running since it was first built. I do not know how much flexibility storman has with scheduling though. I have cc'd them here…

Thanks,
Greg Dennis
Unix System Administrator , ITS-EPA III Infrastructure Support and Application Hosting
Federal Civilian Division
General Dynamics Information Technology
79 T.W. Alexander Drive, Bldg 4401, Suite 488

Durham, NC 27709
Office: (919) 200-7379
Email: dennis.gregory@epa.gov
www.gdit.com

GENERAL DYNAMICS
Information Technology

From: Leckner, Erik
Sent: Monday, May 21, 2018 7:01 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>; Unix Group <group.unix@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: EMPDEV
Importance: High

Hello Unix Team!

Since I am keeping a source code repository on PBI / Ex. 4 in addition to running EMP related code on the machine, is the PBI / Ex. 4 server currently being backed up nightly? If so, at what time? If not, can we backup nightly? If you haven't yet started backing up PBI / Ex. 4 can we do this at an ideal time for development purposes (dev is also being done in California and some of us work til 2AM PDT).

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/20/2018 2:59:57 PM
To: Mazerik, Mary [Mazerik.Mary@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]

Subject: New Time Proposed: New OEM Measures Discussion
Location: **Conference Line/Code / Ex. 6**
Start: 3/22/2018 1:30:00 PM
End: 3/22/2018 2:00:00 PM
Show Time As: Busy

Hi Mary

10am works better for me.
Please add the following contract developers to the meeting:
Chilivery, Swetha chilivery.swetha@epa.gov
Leckner, Erik Leckner.Erik@usepa.onmicrosoft.com
Madhavan Nair Kamala Devi, Rakhi madhavan-nair-kamala-devi.rakhi@epa.gov

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 4/5/2018 5:00:49 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Staging environment seems to be down.

It came back up now!! ☺

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, April 5, 2018 12:44 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Staging environment seems to be down.

Hi Ed, Colleen,
The staging environment PBI / Ex. 4 seems to be down. Cindy and I are not able to login.
Just checking if you have heard any communication regarding this?

Thanks,
Rakhi

Message

From: Lyris ListManager [lyris-noreply@lists.epa.gov]
Sent: 4/2/2018 8:50:24 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Re: your subscribe request

Re: your subscribe request
> subscribe

Sorry, but the email address 'Leckner.Erik@usepa.onmicrosoft.com' is already a member of 'ncc_alerts'.

Because you are already subscribed, Lyris ListManager did not subscribe you again.

To unsubscribe, send a blank email to leave-ncc_alerts-2655158d63e5eb6e46b6b37698b2795d79f692a@lists.epa.gov

Message

From: Dennis, Gregory [Dennis.Gregory@epa.gov]
Sent: 4/3/2018 5:32:16 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: New PBI / Ex. 4 group

Well, I was waiting to hear how much involvement the PBI / Ex. 4 was going to have. That may determine what kind of PBI / Ex. 4 you get. Since I haven't heard anything yet, I have given you PBI / Ex. 4

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

From: Leckner, Erik
Sent: Tuesday, April 3, 2018 1:20 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Subject: RE: New PBI / Ex. 4 group

Hi Greg

I copied over new files yesterday – could we also recursively change the owner from Personal Privacy / Ex. 6? Thanks.

Will I be able to do this in the future with sudoers list for root?

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Dennis, Gregory
Sent: Tuesday, April 3, 2018 8:06 AM

To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: New PBI / Ex. 4 group

Group ownership has been changed for both PBI / Ex. 4 has been changed.

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

From: Leckner, Erik
Sent: Monday, April 2, 2018 6:08 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Subject: RE: New PBI / Ex. 4 group

Hi Greg,
I tried to change group as Personal Privacy / Ex. 6 superuser from epaUsers to PBI / Ex. 4 and it said not permitted for every dir/file. I would need this for
PBI / Ex. 4 (recursively). Or if I could do this via root superuser list for ops like this.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: WAM Support
Sent: Monday, April 2, 2018 4:47 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>; WAM Support <WAM_Support@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: New PBI / Ex. 4 group

Hi Greg,

The group was created with the requested members.

- PBI / Ex. 4

Let us know if changes are needed.

Thanks,

Tarsha Jackson
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency

79 TW Alexander Drive, Building 4401, P.O. Box 13668, Research Triangle Park, NC 27709

919.200.7432 | jackson.tarsha@epa.gov | tarsha.jackson@csra.com | www.csra.com
Follow us on Facebook | Twitter | LinkedIn

CSRA
Think Next. Now.

From: Dennis, Gregory
Sent: Monday, April 2, 2018 2:37 PM
To: WAM Support <WAM_Support@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: New PBI / Ex. 4 group

WAM,
Can you create a new PBI / Ex. 4 group named PBI / Ex. 4 with the following users?

Yfan
eleckner
rmadhava
pchild01

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 4/18/2018 2:10:24 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Leckner, Erik sent you a message in Skype for Business

Hi Christian,

Sorry I missed your skype messages! I work on the EST timings. So I missed this message.

Later in the night, I saw a message on my personal Gmail you have sent (sent at 4.37 pm ET) regarding ER upload. I don't check my personal email often. EPA mail is the best way to reach me during office hours.

Thanks,

Rakhi.

From: Leckner, Erik [mailto:leckner.erik@usepa.onmicrosoft.com]
Sent: Tuesday, April 17, 2018 6:09 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Leckner, Erik sent you a message in Skype for Business

Leckner, Erik 6:06 PM:

Hi Rakhi

Leckner, Erik 6:06 PM:

Are you prepared to discuss your findings now?

Leckner, Erik 6:06 PM:

We need to do this to give to Colleen for her meeting - thanks

Message

From: Chilivery, Swetha [chilivery.swetha@epa.gov]
Sent: 3/29/2018 1:58:48 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]
Subject: RE: JIRA Tickets: Setting Priorities

Hi Collen,

I'm currently working on report changes recommended by Steve Ridenour and Craig Beasley for JIRA OEM-55 and Kevin's Equipment report.

Regards,
Swetha

From: McCarthy, Colleen
Sent: Wednesday, March 28, 2018 2:21 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: JIRA Tickets: Setting Priorities

Hi Folks,

Ed, LaWanna, Jenn and I are going to meet on Friday to do our best to set priorities on some of the JIRA tickets. Can you all please let us know what tickets you are working on, any particular tickets that you have priority-related concerns about and anything else that you think would be helpful to us in our priority setting session ☺?

Thanks!

Colleen

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/28/2018 1:29:32 PM
To: Ferko, Dan [Ferko.Daniel@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

Hey Dan. That's great news! We look forward to that transition.

From: Ferko, Dan
Sent: Tuesday, March 27, 2018 7:12 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

I heard earlier today that it was awaiting PTO…which means it is just about ready to hand over. The Hosting admin who built the server said he expected PTO (permission to operate) today.

-Dan

From: Thomas, Rob
Sent: Monday, March 26, 2018 3:24 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: Thomas, Rob sent you a message in Skype for Business while you were offline

Thomas, Rob 3:22 PM:

hi Dan. Any update on the Dev Server?

Need Skype for Business? Try the Skype for Business mobile app.

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 5/23/2018 7:01:17 PM
To: Leckner, Erik [leckner.erik@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; EMP Helpdesk [EMP_Helpdesk@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: EMP Field Readiness Delegation Issues

Sure. The procedure I modified is PBI / Ex. 4 Please see line 338 – 352 inside.

From: Leckner, Erik
Sent: Wednesday, May 23, 2018 12:40 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Cindy

Could you please send the procedure for these updates – I would like to see the procedure for these modifications that are being made to the system?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Wednesday, May 23, 2018 11:13 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <leckner.erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Rakhi et all,

Thank you for finding out these information!

After I looked at users records, I found the root cause of this issue. In earlier development, FR didn't track delegation history. The nightly PBI / Ex. 4 process was created at that time and assumed only current delegation status stored in table. Then later, PBI / Ex. 4 made changes to track history, but database team was not informed. So the procedure was not updated accordingly and would remove team member if any inactive delegate record found. I just modified the procedure and pushed change in all environments. Jenn and me are waiting for user to verify his delegation ability.

Thanks!
Cindy

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, May 22, 2018 8:35 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <leckner.erik@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Adding on to the previous mail. Following are the queries used in the user search screen in Delegate functionality.
Cindy, Sorry about the delay in getting the queries! My local app was down as the staging was down and IAM password change. I had to debug my local app in eclipse to confirm I was getting the right queries.
Please let me know if you need any further info.

Query for searching employees on the Delegate Search screen:

PBI / Ex. 4

For each person Id from the above list, they further find the roles of each user using the following query:
This query gets groups for each person ID. Of the user in the search result.

PBI / Ex. 4

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, May 22, 2018 7:36 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

These are the queries:
For insertion:

PBI / Ex. 4

For Deletion of a delegate:

PBI / Ex. 4

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, May 22, 2018 7:31 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Jenn,
Thanks!
Cindy,
I could debug and find the SP used in the login which deletes and add delegates called from PBI / Ex. 4

FR_DELEGATION_UPDATE:

PBI / Ex. 4

From: EMP Helpdesk
Sent: Tuesday, May 22, 2018 7:25 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian)

<fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

FYI, don't know if this might be helpful but this is from the FR System Design Doc:

Delegation

The delegation functionality allows a Data Manager to designate another user as someone that can manage their entire team, if they have one. The page allows the user to view current and previous delegates, add new delegates, and remove current delegates.

1.1 View Current/Previous Delegates

The page is divided into two tables separately displaying current and past delegates (fr_data_delegation_log). The top table displays the name and delegation start date of people currently designated as the user's delegate(s). A user can have one-to-many delegates at any given time. The bottom table displays the name and delegation start and end dates of past delegates.

1.2 Add New Delegate

Employee Search

To add a new delegate, the user clicks the "Add New Delegate" button which opens a pop-up window from which the user can search for someone to delegate. The user can search for someone to delegate to amongst any active EPA user in OID by using the following search criteria:

- Last Name: a free text field returning employees whose last name contains the search string
- First Name: a free text field returning employees whose first name contains the search string
- Organization: this is a single select field limited to the user's Region/AA-Ship and is pre-selected with the top level Region/AA-Ship organization
    - The user has the option to select a specific organization with the Region/AA-ship. The user will click the icon to the right of field which will open a new window listing all the organizations within the Region/AA-Ship (Org Acronym and Organization Name). The user can further refine this list by typing a value into the text box at the top of the page.
    - The filter will refine the list down to items containing the text provided. The user can then select a single organization from the list and the search will return all employees in that organization (top to bottom).
    - If the user is also a National Admin, the user can select any top level Region/AA-Ship and the organization list will update accordingly to display the relevant orgs.

A table of results will appear containing all employees who match the search criteria. The table displays the following:

- First Name
- Middle Initial
- Last Name
- Employee Type (if any)
- Portal ID
- Organization (acronym chain)
- Email
- Office Phone
- Roles (any FR roles)

Adding the Delegate

The user can select any single user who does not already have a Data Manager or Delegate roles. The radio button is not selectable for these employees. Once selected the pop-up closes and the employee is listed at the bottom of the current

delegate table as un-saved. The user clicks the "Save" button to add the new delegate. The delegation start date is set to the current date.

The Data Manager's entire team is now associated with this delegate as well as the data manager and any other of the data manager's delegates. The delegate can perform the same data manager role functions as the Data Manager with the exception of being able to add new people to the team, delegating their role to another user, or performing searches of the Data Manager's Region/AA-Ship on View Employees or the Bulk Update pages.

1.3 Remove Delegate

To remove a delegate, the user checks the box in the "Remove" column next to the person they want to remove. The user then clicks the "Save" button to complete removing the delegate. The delegate's name and start/end dates now appear in the delegation history table. The data manager's team is removed from the delegate and they no longer have any data management permissions. If the Delegate was granted the Contact Data Manager role, the role is automatically revoked when the delegate is removed.

Thanks,
Jenn

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 2:48 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hello Jenn

Thanks for the summary.

Cindy, I assume you received/receiving your query then from Rakhi.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: EMP Helpdesk
Sent: Tuesday, May 22, 2018 2:45 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Christian,

Yes.

-The issue first occurred on 5/16 when Kelli Lucarino emailed the Help Desk explaining that her Delegate (James Jeleniewski) lost his Delegation abilities in FR. (A delegate has basic Data Manager rights to edit data for only their delegating Data Managers' team in FR – so in this case, James can edit data for anyone on Kelli Lucarino's team). A regular Data Manager can edit data for anyone in their region.

-Kelli then removed James as her Delegate on this page: PBI / Ex. 4
(she did this because she thought she could remove him and then add him again)
-Jenn checked EMP Admin and James was still in the PBI / Ex. 4 group on the day he lost his rights as well as the next day after the overnight sync occurred and Kelli had removed him as her Delegate. (Once someone removes someone as their Delegate in FR, they should also automatically be removed from the Delegate group in EMP Admin).
-Cindy manually removed James from the PBI / Ex. 4 group in the database on 5/18 (Jenn checked EMP Admin and confirmed he was no longer in the group)
-User confirmed on 5/18 that she was able to add James Jeleniewski as her Delegate in FR and he could access her team and perform edits
-User emailed the Help Desk today (5/22) to inform us that James Jeleniewski cannot perform any Delegate functions in FR even though he is still listed as her Delegate and Jenn confirmed that he is still in the PBI / Ex. 4 group.

Let me know if you have further questions.

Thanks,
Jenn

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 2:19 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Jenn

Could you please summarize the issue for me if you could:

a) When it first occurred and what occurred
b) What happened after that exactly (who did what and when)

Thanks

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: EMP Helpdesk
Sent: Tuesday, May 22, 2018 2:10 PM
To: Leckner, Erik <leckner.erik@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

All,

In the meantime, I do have a workaround in that I have granted James Jeleniewski Data Manager rights so that he can perform the tasks he needs to while we investigate this issue. Once it's been fixed, I'll downgrade his rights back to Data Manager Delegate.

Thanks,
Jenn

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 1:19 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Rakhi

Thanks for the update.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, May 22, 2018 1:19 PM
To: Leckner, Erik <leckner.erik@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

No. Still looking into it.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 1:18 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Rakhi and Cindy

Has this been resolved yet?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: EMP Helpdesk
Sent: Tuesday, May 22, 2018 9:19 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-

devi.rakhi@epa.gov>; Leckner, Erik <leckner.erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: EMP Field Readiness Delegation Issues

Cindy/Rakhi/Christian,

See below. There's got to be something that's going on that's causing James Jeleniewski to lose his FR Delegation rights. I just checked EMP Admin and he's in the PBI / Ex. 4 group, so something is not right. Please investigate!

Thanks,
Jenn

From: Lucarino, Kelli
Sent: Tuesday, May 22, 2018 8:14 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi All!

It's me again…… James's was able to access the info on Friday, but this morning he is unable to again!! What should I do??

Thanks!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: EMP Helpdesk
Sent: Friday, May 18, 2018 1:37 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli,

James has been removed from the Delegate group in the database, so you should be able to add him back now! We are continuing to investigate why he keeps losing his rights though, we'll keep you posted.

Thanks,

EMP Help Desk
US EPA Emergency Management Portal
emp_helpdesk@epa.gov

From: Lucarino, Kelli
Sent: Friday, May 18, 2018 11:23 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: Re: EMP Field Readiness Delegation Issues

Thank you so much!!!

On May 18, 2018, at 10:54 AM, EMP Helpdesk <EMP_Helpdesk@epa.gov> wrote:

> Hi Kelli,
>
> Thanks! We will remove him from the FR Delegate group on the back end so that you can add him again. We are also investigating why this issue keeps occurring – thanks for your patience and we really apologize for any inconvenience this has caused!
>
> We will let you know when you can try to add him again!
>
> Thanks,
>
> **EMP Help Desk**
> US EPA Emergency Management Portal
> emp_helpdesk@epa.gov

> **From:** Lucarino, Kelli
> **Sent:** Friday, May 18, 2018 7:36 AM
> **To:** EMP Helpdesk <EMP_Helpdesk@epa.gov>
> **Cc:** Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
> **Subject:** RE: EMP Field Readiness Delegation Issues
>
> Hi,
>
> Sorry for the delayed response. Below are the screenshots. Thanks again for all of the help!!
>
> <image001.png>
>
> <image002.png>
> Kelli Lucarino
> U.S. EPA Region 2
> On-Scene Coordinator
> 2890 Woodbridge Avenue
> Edison, New Jersey 08837
> (732) 321-6665 (office)
> Personal Privacy / Ex. 6 (cell)
> lucarino.kelli@epa.gov

> **From:** EMP Helpdesk
> **Sent:** Thursday, May 17, 2018 9:58 AM

To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli,

Can you send me a screenshot of what your 'Delegation' screen looks like in FR under the 'Data Management' tab?

Also, can you send a screenshot of the screen that he still appears as a delegate when you try to add him?

Thanks,

EMP Help Desk
US EPA Emergency Management Portal
emp_helpdesk@epa.gov

From: Lucarino, Kelli
Sent: Thursday, May 17, 2018 7:55 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

He was not able to access anyone's record (that he has delegation to do so) to enter in training items and upload certificates. It worked for awhile and then just stopped! I deleted him as a delegate Monday and as of this morning I still cannot re-add him. When I go to add him, his role is still listed as a data manager delegate so I cannot select him to add!!

Thanks so much for the help!!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: EMP Helpdesk
Sent: Wednesday, May 16, 2018 3:02 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hey Kelli,

Quick question for you – do you know what actions James was trying to perform that he wasn't able to?

Thanks,

EMP Help Desk
US EPA Emergency Management Portal
emp_helpdesk@epa.gov

From: EMP Helpdesk
Sent: Wednesday, May 16, 2018 10:07 AM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Good Morning Kelli,

That is strange! If you just deleted him as a delegate this morning, he won't be fully deleted from the system until after the overnight sync occurs tonight – so you'd have to wait until tomorrow to try to add him again. In the meantime though, we are looking on the back end to see why his rights stopped working in the first place. We'll keep you posted!

Thanks,

EMP Help Desk
US EPA Emergency Management Portal
emp_helpdesk@epa.gov

From: Lucarino, Kelli
Sent: Wednesday, May 16, 2018 7:44 AM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Jennifer,

So James's ability to enter info into the FR module of the EMP has stopped working again!! I deleted him as a delegate and was going to re-add him, but I am running into the same problem as last time!!! Since you were able to solve the problem last time, I was hoping you could work your magic again!!

Thanks so much!!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Morgan, Jennifer
Sent: Friday, March 23, 2018 1:48 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli,

Great, please let us know if he's successful with what he needs to do!

Thanks,
Jennifer

From: Lucarino, Kelli
Sent: Friday, March 23, 2018 10:53 AM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>; Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Thank you so much for the help Jennifer!! I was able to successfully add him back as a delegate!! He is not in the office today but I will have him try it out when he gets back!!

Thanks so much for the help!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Morgan, Jennifer
Sent: Friday, March 23, 2018 10:04 AM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Good Morning Kelli,

We were able to manually remove James from the delegate group and I checked on our end to make sure he's not in there anymore. Can you please add him as your delegate again? Let me know when this has been completed and I'll check to make sure he was added on our side too and hopefully this will solve the issue!

Thanks,
Jennifer

From: Morgan, Jennifer
Sent: Thursday, March 22, 2018 10:51 AM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli,

I'm sorry I misunderstood, thank you for clarifying! In the past when this issue has occurred, we have to have our developers manually remove him from the delegate group on the back-end and then you are able to add him again. We haven't quite figured out why – but sometimes people get "stuck" as delegates and I believe this is what happened with James. I'll get back to you once I've checked with our developers to make sure they can remove him.

Thanks so much for your patience with us on this!

-Jennifer

From: Lucarino, Kelli
Sent: Thursday, March 22, 2018 10:12 AM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Thanks Jennifer! James has been removed as a delegate for some time now. The issue is that I cannot re-add him as a delegate because his status still says he is one, even though he really isn't! Thanks for the help!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Morgan, Jennifer
Sent: Wednesday, March 21, 2018 12:04 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli,

This is Jennifer Morgan, I worked on the EMP Help Desk formerly and am now working on it again for the new contractor that just took over, CSRA. I reviewed your email thread with Rob and I was wondering if you could try something for me...can you go ahead and remove James as your delegate in FR? What should happen then tonight during the overnight sync is that he gets removed from the group on our side. I will check to make sure this happened tomorrow morning and if it did, I'll have you add him as your delegate again and this should hopefully "clear" the issue. We had issues in the past with the delegate functionality, so I'm hoping this isn't happening again, but if it is, we will get it figured out!

Please let me know once you've removed him as your delegate in FR so I know that part has been done! We will get this figured out!

Thanks,
Jennifer

From: Lucarino, Kelli
Sent: Tuesday, March 20, 2018 1:45 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Rob,

Yes it is just for my team. It is not a new delegation for him either, he has had it for at least a year. It just stopped working for some reason!!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Thomas, Rob
Sent: Tuesday, March 20, 2018 1:02 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hey Kelli.

This is for your Team and not the Region, correct? It sounds like you asking for him to be an "FR Data Manager". Review the graphic below to see why we are asking the questions and being careful assigning new permissions, rights, roles etc.:

<image003.jpg>

Thanks.
Rob Thomas

From: Lucarino, Kelli
Sent: Tuesday, March 20, 2018 12:52 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hey Rob,

He really only enters training in we take other than everything you mentioned!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Thomas, Rob
Sent: Tuesday, March 20, 2018 12:44 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

HI Kelli.
What type of certificates and training dates? NIM KLPs, RSC, or SHEM? Are the certificates for a class or are they for stating someone is certified i.e. boat operator, 5-ton truck drive etc.? Does he perform the role of a FR Data Manager? Thanks.

Rob Thomas

From: Lucarino, Kelli
Sent: Tuesday, March 20, 2018 12:35 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

James is kind enough to keep all of our training up to date for us in the database. He can longer access anyone in the branch to upload certificates and update training dates.

From: Thomas, Rob
Sent: Tuesday, March 20, 2018 12:33 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli

Thanks. I was just looking at the list particularly his account. He has those rights you mention. What is it he's trying to access? This is what EMP shows for James J:

<image004.jpg>

We may need to add him to the OEM Region 2 group. Thanks.

Rob Thomas

From: Lucarino, Kelli
Sent: Tuesday, March 20, 2018 12:27 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Rob,

His name is James Jeleniewski. I had given him delegate rights but somehow he was deleted as a delegate. It still shows he has delegated rights so I can't re-add him. Even though it says he has rights, he has not access.

Thanks,

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Thomas, Rob
Sent: Tuesday, March 20, 2018 12:23 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

HI Kelli.

So that we understand you correctly. You need someone to be an
PBI / Ex. 4

What is James's last name? We need to check the rights of the correct James in R2. Right now EMP shows two James; one with PBI / Ex. 4 rights and the other as PBI / Ex. 4 Delegate rights. Please advise. Thanks.

Rob Thomas

From: Lucarino, Kelli
Sent: Tuesday, March 20, 2018 9:29 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Rob,

Thanks for your response. I do not know who else in the Region has delegation authority. Is there anyway to reset James's status so I can re-add him as a delegate??

Thanks so much for all of your help!!

Kelli

From: Thomas, Rob
Sent: Monday, March 05, 2018 11:10 AM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: EMP Field Readiness Delegation Issues

Hi Kelli
This is what was found for your user rights in EMP.

<image005.png>

Is there someone else with delegation authority in your Region?

- "I am a data manager in the field readiness module in the EMP for Region 2. Recently, my delegates were deleted and I am unable to reload them because they say they are already delegated. One person in particular needs the delegation. I have provided screen shots of my problem."

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM | Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Sent from Mail for Windows 10

From: Lucarino, Kelli
Sent: Tuesday, February 27, 2018 1:14:31 PM
To: Thomas, Rob
Cc: Pettit, Jonathan
Subject: RE: EMP Field Readiness Delegation Issues

Thank you so much!!!!

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

From: Thomas, Rob
Sent: Tuesday, February 27, 2018 1:14 PM
To: Lucarino, Kelli <Lucarino.Kelli@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: Re: EMP Field Readiness Delegation Issues

Hi Kelli. We have to reprogram the email address on the site. Let me talk to my development team about your problems and get back to you soon as I can. Right now in a class but released due to fire

alarm.

Sent from my iPhone

On Feb 27, 2018, at 1:02 PM, Lucarino, Kelli <Lucarino.Kelli@epa.gov> wrote:

Not sure who to send this to since the email address on the website doesn't work.

From: Lucarino, Kelli
Sent: Wednesday, February 21, 2018 11:25 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: EMP Field Readiness Delegation Issues

Hi,

I am a data manager in the field readiness module in the EMP for Region 2. Recently, my delegates were deleted and I am unable to reload them because they say they are already delegated. One person in particular needs the delegation. I have provided screen shots of my problem. Any help you can provide would be much appreciated!! Thanks!!

<image001.png>

<image002.png>

Kelli Lucarino
U.S. EPA Region 2
On-Scene Coordinator
2890 Woodbridge Avenue
Edison, New Jersey 08837
(732) 321-6665 (office)
Personal Privacy / Ex. 6 (cell)
lucarino.kelli@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/29/2018 2:26:14 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: JAVA and Oildb ICIS XML Error Log On empstg

```
Number of Java errors logged in the past 24 hours:

Field Readiness                        6 error
Oil DB                                 55 error


Number of Oildb ICIS XML sending errors logged in the past 24 hours:

 No Oildb ICIS XML sending errors were logged in the past 24 hours.
```

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 4/18/2018 2:31:02 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness 2 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 5/11/2018 3:20:54 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: RE: PBI / Ex. 4 -charge code PBI / Ex. 4

Hi Ed,
Sorry! No! it is still grayed out!

Thanks,
Rakhi

From: Campbell, Ed
Sent: Friday, May 11, 2018 11:09 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4 charge code PBI / Ex. 4

Hey guys, wanted to check on this. Did either of you happen to notice if the "reverse time" option became available for you at any point this week for your old timesheets (dating back to 3/28)?

Thanks.

From: Campbell, Ed
Sent: Friday, May 04, 2018 10:32 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4 -charge code PBI / Ex. 4

This is correct! Is that "reverse time" option at the time of your timesheet still greyed out for previous weeks?

Go ahead and fill out your timesheet today with the new code for this week. **Christian**, you should do the same if the code is available.

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 04, 2018 10:23 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: Subtime-charge code V15861.101.002.6TZ.RWD.OL.EM.S

Hi Ed, I could see the code '**PBI / Ex. 4**' in my PBI / Ex. 4 today. I hope this is the correct new code. Please confirm.

Thanks,
Rakhi M
Java Developer
ITS-EPA III Infrastructure Support and Application Hosting (TO 2)
CSRA (a GDIT company, contractor to the U.S. EPA)
Office: (925) 303-8486
madhavan-nair-kamala-devi.rakhi@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/29/2018 1:25:56 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness	134 error
Oil DB	2 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/17/2018 5:46:38 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] ICIS Production Environment Unavailable Sunday, 05/20/18 from 9:00 AM to 12:00 PM EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for ICIS production

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 9:00 AM to 12:00 PM EDT

Estimated Up Time: 12:00 PM EDT

Device/Hardware/Software Involved: servers PBI / Ex. 4

Impact(s): Outages on the following URLs may occur between 9:00 AM to 12:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Apply NCC standard Quarterly updates for PBI / Ex. 4

Contact Information
Name: LeAnn Spradling
Telephone Number: 919-200-7309
Email: spradling.leann@epa.gov
Group/Organization: CSRA/ PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: Buch, Peter [Buch.Peter@epa.gov]
Sent: 4/5/2018 2:43:24 PM
To: Page, Alison [Page.Alison@epa.gov]; Blake, William [blake.william@epa.gov]; Bolling, Raynard [Bolling.Raynard@epa.gov]; Buhrman, Thomas W. [Buhrman.Thomas@epa.gov]; Byrne, Gregory [byrne.gregory@epa.gov]; Calzo, Michael [calzo.michael@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Carpenter, Leslie [carpenter.leslie@epa.gov]; Daymude, Breton [Daymude.Breton@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Hill, Allyn [hill.allyn@epa.gov]; Inscore, Lauren [Inscore.Lauren@epa.gov]; Kamalakis, Joel [Kamalakis.Joel@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; MacDonald, Glenn [MacDonald.Glenn@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Nichols, Phillip [nichols.phillip@epa.gov]; Pankey, Wayne [pankey.wayne@epa.gov]; Petriccione, Nicholas [petriccione.nicholas@epa.gov]; Riggs, Sarah [Riggs.Sarah@epa.gov]; Shahan, Alison [Shahan.Alison@epa.gov]; Stewart, Gerald [stewart.gerald@epa.gov]; Tumbarello, Michael [Tumbarello.Michael@epa.gov]; Wong, Chris [Wong.Chris@epa.gov]; Yates, Kim [Yates.Kim@epa.gov]; Spradling, LeAnn [Spradling.LeAnn@epa.gov]
Subject: Re: Push back on Citizenship Verification

¿Puedes repetir eso en español?

Peter Buch
Senior Systems Engineer
ITS-EPA III | Search Team
79 T.W. Alexander Dr., Durham, NC 27709
Office: 919-932-1224 | Mobile: Personal Privacy / Ex. 6
Buch.Peter@epa.gov | Peter.Buch@csra.com

CSRA
Think Next. Now.

From: Page, Alison
Sent: Thursday, April 5, 2018 9:59:16 AM
To: Blake, William; Bolling, Raynard; Buch, Peter; Buhrman, Thomas W.; Byrne, Gregory; Calzo, Michael; Campbell, Ed; Carpenter, Leslie; Daymude, Breton; Goods, Lawanna; Hill, Allyn; Inscore, Lauren; Kamalakis, Joel; Leckner, Erik; MacDonald, Glenn; Madhavan Nair Kamala Devi, Rakhi; Morgan, Jennifer; Nichols, Phillip; Pankey, Wayne; Petriccione, Nicholas; Riggs, Sarah; Shahan, Alison; Stewart, Gerald; Tumbarello, Michael; Wong, Chris; Yates, Kim; Spradling, LeAnn
Subject: RE: Push back on Citizenship Verification

Hi All,

I received feedback about the reason behind this 'resubmit' of citizenship verification. Apparently, sometime shortly before CSRA took over this contract, there was a change in the HR onboarding process presumably as part of the CSC/SRA merger. This change included no longer needing citizenship verification documents as they felt the badge form was sufficient enough. Even though Tonya collected and sent the citizenship verification information, CSRA HR did not record or keep any of it. Fast forward to today; the first piece of the merger under GDIT was to verify the citizenship of each employee (go figure) and HR did not have that information for all or most of us that were hired after June, 2017.

All that being said please **STILL DO NOT** directly email your information. Eric/Jerry/Tonya agree that it's not secure and they're working with the HR team to come up with a better way to bulk collect/securely send the information. Tonya will be sending out information about it as soon as it's solidified (hopefully by COB tomorrow).

If you have additional questions please let me know.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283

PBI / Ex. 4

From: Page, Alison
Sent: Tuesday, April 03, 2018 11:15 AM
To: Blake, William <blake.william@epa.gov>; Bolling, Raynard <Bolling.Raynard@epa.gov>; Buch, Peter <Buch.Peter@epa.gov>; Buhrman, Thomas W. <Buhrman.Thomas@epa.gov>; Byrne, Gregory <byrne.gregory@epa.gov>; Calzo, Michael <calzo.michael@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Carpenter, Leslie <carpenter.leslie@epa.gov>; Daymude, Breton <Daymude.Breton@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Hill, Allyn <hill.allyn@epa.gov>; Inscore, Lauren <Inscore.Lauren@epa.gov>; Kamalakis, Joel <Kamalakis.Joel@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; MacDonald, Glenn <MacDonald.Glenn@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Nichols, Phillip <nichols.phillip@epa.gov>; Pankey, Wayne <pankey.wayne@epa.gov>; Petriccione, Nicholas <petriccione.nicholas@epa.gov>; Riggs, Sarah <Riggs.Sarah@epa.gov>; Shahan, Alison <Shahan.Alison@epa.gov>; Stewart, Gerald <stewart.gerald@epa.gov>; Tumbarello, Michael <Tumbarello.Michael@epa.gov>; Wong, Chris <Wong.Chris@epa.gov>; Yates, Kim <Yates.Kim@epa.gov>
Subject: Push back on Citizenship Verification
Importance: High

Hi All,

I wanted to let you know that per some concerns of our team members (and my own); I pushed back yesterday with my management on this Citizenship Verification requests we've all been getting.

I've asked that Eric Toliver or his management provide us with a reason behind our lost data as well as confirmation that our data will be safe when we submit the second time. LeAnn and her team felt the same way so they also stated they would like that information before we submit. I'm waiting to hear what they come back with. Please don't feel pressured to submit your very personal information over email before you hear from me.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283

PBI / Ex. 4

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 4/18/2018 1:36:37 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness	105 error
Oil DB	7 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

3 error(s).

Message

From: Chilivery, Swetha [chilivery.swetha@epa.gov]
Sent: 3/29/2018 2:49:33 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: EPA office tomorrow

Hi Team,

Just an FYI, I'm not able to login to my laptop using PIN number. I will go to DC tomorrow to activate it.

Regards,
Swetha

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/17/2018 5:46:32 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] EMTS Production Environment Unavailable Sunday, 05/20/18 from 8:00 PM to 9:00 PM EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for EMTS production

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 8:00 PM to 9:00 PM EDT

Estimated Up Time: 9:00 PM EDT

Device/Hardware/Software Involved: servers PBI / Ex. 4

Impact(s): Outages on the following URLs may occur between 8:00 PM to 9:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Apply NCC standard Quarterly updates for PBI / Ex. 4

Contact Information
Name: LeAnn Spradling
Telephone Number: 919-200-7309
Email: spradling.leann@epa.gov
Group/Organization: CSRA/PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/28/2018 2:27:03 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness	52 error
Oil DB	5 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Sent: 4/18/2018 2:25:36 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: OEM - 65

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, April 17, 2018 10:19 PM
To: 'leckner.erik@epa.gov' <leckner.erik@epa.gov>
Subject: OEM - 65

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/28/2018 1:32:24 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness 134 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Murphy, Martin [murphy.martin@epa.gov]
Sent: 3/30/2018 2:49:05 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]
Subject: RE: INC000002548555 Support Escalation from Vitalyst Needs to create 3 email addresses

Good Morning,

Who will be the owners of each group?

Thank you,

Martin Murphy
Local Service Desk Technician RTP, A+, US EPA -End User Services tel: **919-541-3104**
Murphy.martin@epa.gov
www.centennial-tech.com
Team SAIC Redefining Ingenuity™

From: McCarthy, Colleen
Sent: Thursday, March 29, 2018 4:44 PM
To: Murphy, Martin <murphy.martin@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: INC000002548555 Support Escalation from Vitalyst Needs to create 3 email addresses

Hi Martin,

I hope that your day is going well ☺!

I would like three emails created, please. The names of the emails are in **bold** and **underlined** below, followed by the team members.

EMP_Internal_Team: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Morgan, Jennifer morgan.jennifer@epa.gov McCarthy, Colleen <Mccarthy.Colleen@epa.gov>

EMP_External_Team: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Thomas, Rob Thomas.Rob@epa.gov McCarthy, Colleen <Mccarthy.Colleen@epa.gov>

EMP PBI / Ex. 4 **Team:** <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>;

If you would like to give me a call you can reach me at 919.349.4015.

Thanks!

Colleen

From: Murphy, Martin
Sent: Thursday, March 29, 2018 4:35 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: INC000002548555 Support Escalation from Vitalyst Needs to create 3 email addresses

Hello,

Let me know a good time so we can get together. You can also send me a meeting request for between 10am-4pm.

Thank you,

Martin Murphy
Local Service Desk Technician RTP, A+, US EPA -End User Services tel: **919-541-3104**
Murphy.martin@epa.gov
www.centennial-tech.com
Team SAIC Redefining Ingenuity™

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/6/2018 8:32:47 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; EMP Helpdesk [EMP_Helpdesk@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Example of "Alternate Facility Name" (follow-up to previous emails)

Hi Cindy. I'm not sure. I'll ask her. Thanks for the update of the capability.

Rob Thomas

From: Fan, Cindy (Yanqian)
Sent: Tuesday, March 6, 2018 3:30 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Example of "Alternate Facility Name" (follow-up to previous emails)

Hmm…I am not very clear about below user's request. Was she unable to update "Alternate Facility Name"? I just tried it and I was able to save my changes in both staging and prod Oildb application.

Thanks!
Cindy

From: EMP Helpdesk
Sent: Tuesday, March 6, 2018 11:49 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: Example of "Alternate Facility Name" (follow-up to previous emails)
Importance: High

Hi all.
You may've seen this already. If not, here is another trouble request I found in the EMP Helpdesk account for Oil Db. Please see the email thread. Thanks.

Rob Thomas

From: EMP Helpdesk
Sent: Thursday, February 1, 2018 2:34 PM
To: Fausel, Betsy <Fausel.Betsy@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Smalley, Bryant <smalley.bryant@epa.gov>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Subject: RE: Example of "Alternate Facility Name" (follow-up to previous emails)

Hi Betsy.

As new EMP contract developer staff come on board with the agency and the EMP system they will be looking into all change requests and system issues then will prioritize them as to which to be developed by their ranking. We will also look at requests and find out from the user group…if all Regions can benefit from the change, update, enhancement, or modification.

As to your initial question, if the issue still exists then it was not corrected per your request. In the meantime, we will get back to you in a timely manner. Thanks.

US EPA OEM Emergency Management Portal Help Desk
EMP_Helpdesk@epa.gov

From: Fausel, Betsy
Sent: Wednesday, January 31, 2018 10:05 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Smalley, Bryant <smalley.bryant@epa.gov>
Subject: Example of "Alternate Facility Name" (follow-up to previous emails)

Hello Help Desk,

This is a follow-up to emails we shared a long time ago regarding "Alternate Facility Name". At one point you asked me to send you an example of a facility which shows an earlier facility name in the Oil database. See below please.

It appears the example facility below was entered into the EMP Oil Database in 2013 when an FRP Plan was received. That is when the currently showing "alternate facility name" (Cameron Warehouse Liquid Mud Facility) was used for the facility. In FY 2017 an inspection was done and the Facility Name was updated to "Cameron Facility" in the database.

I've just been informed today that the contractor supporting this database has changed, so when you get time, please let me know if the programming still does not allow for saving the "Alternate Facility Name".

Thank you,
Betsy Fausel | NOWCC Grantee | SPCC Document Coordinator
fausel.betsy@epa.gov | 214-665-6710 | R6SPCC@epa.gov
US EPA R6 Oil Spill & Response Team, 6SF-EO
Emergency Management Branch

PBI / Ex. 4

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/5/2018 3:12:32 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: EMP Info

Hi Ed,
Thanks! Dan sent this to us -Christian, Cindy and me - on Friday . I don't think others would need it.

Thanks,
Rakhi

From: Campbell, Ed
Sent: Sunday, March 4, 2018 9:16 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: EMP Info

Christian, Rahki,

FYI. Do others need this as well?

From: Ferko, Dan
Sent: Friday, March 02, 2018 1:16 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: EMP Info

Ed,

Below is the password that Jay sent me for PBI / Ex. 4 I think Christian needs this, but maybe others also.

I'll let you distribute on an as-needed basis.

Thanks,
Dan

From: Waldo, James V.
Sent: Friday, March 02, 2018 12:39 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: EMP Info

PBI / Ex. 4

Other info in separate thread.

James Waldo
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
CSRA, Inc.
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709
Telephone: 919.475.9581 | waldo.james@epa.gov | www.csra.com

CSRA
Think Next. Now.

Message

From: Lyris ListManager [lyris-noreply@lists.epa.gov]
Sent: 4/2/2018 8:34:08 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Re: your subscribe request

We have received your request to subscribe to the private mailing list 'ncc_alerts'. Your request has been forwarded to the mailing list administrator.

Because this mailing list is private, you must be approved by a mailing list administrator before you can become a member of this mailing list.

Message

From: Waldo, James V. [Waldo.James@epa.gov]
Sent: 3/16/2018 5:10:38 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Automatic reply: PBI / Ex. 4 - DEV

On Friday, March 16, 2018 I will be out of the office all day. If you need timely assistance, please contact WAM_Support@epa.gov. Otherwise, I'll respond when I return.

Thanks very much!
- J

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 4/2/2018 2:27:54 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]
Subject: RE: Mapping "Wish List" Requests to JIRA Tickets

Hi Colleen,

I started working on a backend procedure for this item (JIRA OEM-54):

> Create email alert like the one created for SHEM data, alerting individual that their NIMS KLP certification will expire in the next 6 months.

Thanks!
Cindy

From: McCarthy, Colleen
Sent: Monday, April 2, 2018 10:14 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Mapping "Wish List" Requests to JIRA Tickets

Hi Folks,

I'm trying to map the items on the "Wish List" to JIRA tickets. If you are working on any of the items on the enclosed list and there is a JIRA ticket for that item, would you please let me know what the JIRA ticket number is?

Thanks!

Colleen

Message

From: Hoke, Kimberly D (CGI Federal) [kimberly.hoke@cgifederal.com]
Sent: 3/9/2018 9:20:17 PM
To: james.chilton@cgifederal.com; Smiley, Susan [smiley.susan@epa.gov]; Fontenot, Scott [Fontenot.Scott@epa.gov]; Amit Varma [amit.varma@cgifederal.com]; Thomas, Rob [Thomas.Rob@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; 'fan.yanquian@epa.gov' [fan.yanquian@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
CC: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; diti.gandhi@gsa.gov; Mashayekhi, Bijan [Mashayekhi.Bijan@epa.gov]; Suzanne Dose [Suzanne.Dose@cgifederal.com]; william.labar@cgifederal.com
Subject: FRS - Meeting Minutes - 03/09/2018 - FRS/Oil Database Transfer
Attachments: FRS - 2018-03-09 Screenshots of example Oil and FRS facilities.docx; FRS - 2018-03-09 FRS and Oil Database Transfer-Meeting Minutes_LW.docx

Good afternoon. I am attaching the meeting minutes from our discussion earlier today. As discussed, I have also included some screenshots illustrating an FRS facility with an Oil program interest from the internal FRS data management application, FLA. We look forward to continuing this collaboration with the Oil team.

-Kim

Kimberly Hoke

CGI Federal
314-326-2349

Proprietary/confidential information belonging to CGI Federal Inc. or its affiliates may be contained in this message. If you are not a recipient indicated or intended in this message (or responsible for the delivery of this message to such person), or if you think for any reason that this message may have been addressed to you in error, you may not use or copy or deliver this message to anyone else. In such case, you should destroy this message and are asked to notify the sender by reply email.

Message

From: EZ Forms [no-reply@sharepointonline.com]
Sent: 3/27/2018 10:52:47 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Manual Reboot-Power Settings request confirmation

Hi Leckner, Erik,

Your request for Manual Reboot-Power Settings has been received.

Check request status

Check request status (508 View)

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 5/23/2018 4:17:26 PM
To: ADC Project Coordinators [ADC_Project_Coordinators@epa.gov]; Edwards, Kimberly [edwards.kimberly@epa.gov]; Ferko, Dan [Ferko.Daniel@epa.gov]; Cusumano, Vicente [Cusumano.Vicente@epa.gov]; Dovlo, Rudolph [DOVLO.Rudolph@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [leckner.erik@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: EMP Table Top Exercise Session
Attachments: EMP_CP _2018_draft_Apr192018.doc

Importance: High

Hello all. Here is the ISCP containing TTE template to use.

Rob Thomas

-----Original Appointment-----
From: ADC Project Coordinators
Sent: Wednesday, May 9, 2018 3:49 PM
To: ADC Project Coordinators; Edwards, Kimberly; Ferko, Dan; Thomas, Rob; Cusumano, Vicente; Dovlo, Rudolph; Fan, Cindy (Yanqian); Campbell, Ed; McCarthy, Colleen; Goods, Lawanna; Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi
Subject: EMP Table Top Exercise Session
When: Wednesday, May 23, 2018 1:00 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Dial In: Conference Line/Code / Ex. 6
Conference Line/Code / Ex. 6

This purpose of this session is to conduct the EMP Table Top Exercise (TTE).
*Please email additions/changes to the distribution list to PBI / Ex. 4 noting the ADC name in the subject area.

BRIDGELINE:

Dial In: Conference Line/Code / Ex. 6
Access Code: Conference Line/Code / Ex. 6

WEBCONFERENCE:

→ Join Skype Meeting

This is an online meeting for Skype for Business, the professional meetings and communications app formerly known as Lync.

External Users: Join as guest and follow instructions, as applicable, to install Skype web plug-in to join.

All: Select "Don't Join Audio"; for audio, please use bridgeline (see dial in above).

Help

Message

From: Chilton, James (CGI Federal) [james.chilton@cgifederal.com]
Sent: 3/6/2018 1:51:19 PM
To: Thomas, Rob [Thomas.Rob@epa.gov]; Smiley, Susan [smiley.susan@epa.gov]; Hoke, Kimberly D (CGI Federal) [kimberly.hoke@cgifederal.com]; Amit Varma [amit.varma@cgifederal.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: FRS to OIL Transfer

Rob,

Please download the latest FRS data dictionary from this download link:
PBI / Ex. 4

Comments about this file:

- Unzip the file (it will probably take a few minutes to unzip) and open the index.html file inside using a browser.
- The user might be prompted with an Active-X control message – if so click accept.
- This data dictionary contains a full export of our database so there's a lot of extra tables you won't need.
- You should be interested in the tables prefixed with "frs_res_" in them.

I believe this data dictionary should answer the questions you posed in that word file.

Please let me know if you have any questions.

Thanks,
Jim Chilton
Senior Consultant
CGI Federal | 703-439-8735

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, February 28, 2018 11:09 AM
To: Chilton, James (CGI Federal); Smiley, Susan; Hoke, Kimberly D (CGI Federal); Varma, Amit (CGI Federal)
Cc: Campbell, Ed; McCarthy, Colleen; Goods, Lawanna; Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi; Chilivery, Swetha; Fan, Cindy (Yanqian)
Subject: RE: FRS to OIL Transfer
Importance: High

Hey Jim.

Great job! Please resend the FRS Data Dictionary to us all. I have a new team of Contract Developers, they are CCed in this email. We can also determine which team members you should send the database user password too.

All the PBI / Ex. 4 was re-attached to this email. I added a comment "the text in neon blue highlight are what EMP-Oil Db users and myself want to see transferred to EMP Database for Oil db".

Jim et all, we should have a meeting in March to discuss FRS and Oil Db for my new Team. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Priorization Rep

From: Chilton, James (CGI Federal) [mailto:james.chilton@cgifederal.com]
Sent: Wednesday, February 28, 2018 10:05 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Smiley, Susan <smiley.susan@epa.gov>; Hoke, Kimberly D (CGI Federal) <kimberly.hoke@cgifederal.com>; Amit Varma <amit.varma@cgifederal.com>
Subject: FRS to OIL Transfer

Rob,

The FRS team has completed several action items to set up an FRS to OIL data transfer. Here is what we have completed:

- Created a new database user to provide the OIL team for a database link.
- Created a new set of views based on the requirements we discussed at the last few meetings.
- Created documentation to support these views (attached). I took the crosswalk document we have been exchanging and added a new column called FRS views with the relevant information for the transfer. I also have several notes/comments I added throughout the document.

I will need to send the database user password to your technical team so please let me know who I should contact with this information.

Please let me know if you have any questions.

Thanks,
Jim Chilton
Senior Consultant
CGI Federal | 703-439-8735

Proprietary/confidential information belonging to CGI Federal Inc. or its affiliates may be contained in this message. If you are not a recipient indicated or intended in this message (or responsible for the delivery of this message to such person), or if you think for any reason that this message may have been addressed to you in error, you may not use or copy or deliver this message to anyone else. In such case, you should destroy this message and are asked to notify the sender by reply email.

Message

From: Morgan, Jennifer [morgan.jennifer@epa.gov]
Sent: 5/15/2018 2:49:44 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: RE: PBI / Ex. 4

Hi Christian,

I can't get on EMP DEV for some reason this morning, after I log in, I just get this screen and it keeps spinning:

PBI / Ex. 4

Thanks,
Jenn

From: Leckner, Erik
Sent: Monday, May 14, 2018 11:01 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: PBI / Ex. 4

Hi Jennifer

PBI / Ex. 4 should be working now – there was a minor fix due to config related to prod files being used on dev with updates.

Please try out PBI / Ex. 4 but don't modify any pages, etc for that one.

Thanks.

Christian Leckner
Principal Engineer

ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 5/21/2018 8:43:41 PM
To: Thomas, Rob [Thomas.Rob@epa.gov]; EMP_Internal_Team [EMP_Internal_Team@epa.gov]
Subject: steps for decommissioning EMP module
Attachments: DeconDecommission.xlsx

Hi Rob and team,

When I dig my old EMP work folder, I found this document very useful for our upcoming Equipment module decommission. When I worked in Salient, we had followed these steps and successfully decommissioned Decon in all environments. Please see details in attached file. We can discuss it more on tomorrow team meeting.

Thanks!
Cindy

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/6/2018 8:14:38 PM
To: EMP Helpdesk [EMP_Helpdesk@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
CC: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Question on change in Oil DB

Hi Helpdesk/Rob,

I made changes for below request. The new facility ID is "PBI / Ex. 4 PBI / Ex. 4".

Thanks!
Cindy

From: EMP Helpdesk
Sent: Tuesday, March 6, 2018 12:20 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: FW: Question on change in Oil DB
Importance: High

HI Team.

Are you familiar with this issue in Oil Db? It doesn't say if it's PBI / Ex. 4 or the Oil Db dashboard tab related. Thanks.

Rob Thomas

From: Bockstahler, Breann
Sent: Wednesday, January 24, 2018 2:07 PM
To: Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Question on change in Oil DB

Sure, it's for PBI / Ex. 4 This facility is actually located in North Dakota and this should be a North Dakota number. Any assistance you could provide would be greatly appreciated. Thank you!

Bre Bockstahler
EPA Region 8, Emergency Preparedness Unit
1595 Wynkoop St (8EPR-ER)
Denver, CO 80202
Ph: 303-312-6034

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/7/2018 7:33:39 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: FW: EMP App Configuration Info
Attachments: EMP_App_Components.xlsx

Hello Team. Here is the breakdown of Servers, Instances, and Applications at NCC. Looks like Training is on Production but this will be terminated once you all tell me the PBI / Ex. 4 is doing what we need it to do. Unless you all tell I can have the Training Environment terminated now. Thanks.
Rob

From: Ferko, Dan
Sent: Tuesday, February 27, 2018 7:18 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>
Subject: EMP App Configuration Info

Rob,

Last week you had asked for a break out of the EMP apps to show which servers, databases, etc. were used by each app. I believe the attached xlsx file has what you need, and possible more…so you can update your assessment documentation.

Please let me know if you have questions or need additional info.

Thanks,

Daniel Ferko | Program Manager | CSRA | (o) 919-200-7258 | (m) 919-633-7038

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 4/5/2018 2:41:22 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                          17 error
Oil DB                                   25 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Weisberg, Skip [Weisberg.Skip@epa.gov]
Sent: 5/23/2018 3:26:24 PM
To: Thomas, Rob [Thomas.Rob@epa.gov]
CC: Pettit, Jonathan [Pettit.Jonathan@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Lemond, Janet [Lemond.Janet@epa.gov]; Gibson, Dave [Gibson.Dave@epa.gov]; Ridenour, Steve [Ridenour.Steve@epa.gov]; Krueger, Roy [Krueger.Roy@epa.gov]; Beasley, Craig [Beasley.Craig@epa.gov]; Gibbs, Eric [gibbs.eric@epa.gov]; Ruiz, Adam [Ruiz.Adam@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Leckner, Erik [leckner.erik@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Ridenour, Steve [Ridenour.Steve@epa.gov]; Krueger, Roy [Krueger.Roy@epa.gov]; Beasley, Craig [Beasley.Craig@epa.gov]; Gibbs, Eric [gibbs.eric@epa.gov]; Ruiz, Adam [Ruiz.Adam@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Leckner, Erik [leckner.erik@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: Second Meeting on FR Reporting for SHEM, KLP, & ICS Training -- Additional Information

Rob,

Looking at this spreadsheet reminded me of something, namely that <u>we need the FR to have the ability to assign access rights to more than one region or program office for a data manager.</u>

Right know, there are only two possibilities: A single Region or a single Program Office assigned to a data manager, or National rights. Basically, it's one or everything…

In the past, we (the SHEM Group) had discussed with you and Jess how some EPA locations like RTP, Cincinnati or Fort Meade, have EPA employees stationed there from more than just one program office or region, and that the SHEMs at those facilities need to enter safety training data for all those different employees. The temporary solution was to give national rights to those SHEMs who preside over consolidated or comingled facilities, but we really should not be doing that. Part of the data integrity for the FR is restricting access for entering data into specific courses, e.g., SHEM restricted courses. However, the other part of data integrity for the system is limiting data management (entry, editing or deletion) for data managers to only those region or program office they need to access.

This was supposedly being worked on prior to the contractor change, so I'm hopeful it's close to being a reality.

Skip

Charles "Skip" Weisberg
Regional Safety, Health and Environmental Manager
U.S. EPA Region 3
Environmental Science Center
701 Mapes Road
Fort Meade, MD 20755-5350
410-305-2681(office)
443-838-5266 (cellular)

From: McCarthy, Colleen
Sent: Tuesday, May 22, 2018 10:40 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Ridenour, Steve <Ridenour.Steve@epa.gov>; Weisberg, Skip <Weisberg.Skip@epa.gov>; Krueger, Roy <Krueger.Roy@epa.gov>; Beasley, Craig <Beasley.Craig@epa.gov>; Lemond, Janet <Lemond.Janet@epa.gov>; Gibson, Dave <Gibson.Dave@epa.gov>; Gibbs, Eric <gibbs.eric@epa.gov>; Ruiz, Adam <Ruiz.Adam@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <leckner.erik@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Campbell, Ed

<Campbell.Ed@epa.gov>
Cc: Pettit, Jonathan <Pettit.Jonathan@epa.gov>
Subject: Second Meeting on FR Reporting for SHEM, KLP, & ICS Training -- Additional Information

Hi Folks,

Here's another late breaking spreadsheet from Cindy, showing FR Data Managers grouped into two tabs as shown below. Hopefully, this will also be helpful in assisting us assign points of contact for the different groups of classes.

RSC,NIMS,NICT	CMAT,ERT,RERT,NCERT

Talk to everyone at 11:00 a.m. ET ☺!

Thanks!

Colleen

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/23/2018 7:23:19 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP IAM + Dev Setup Questions
Attachments: PBI / Ex. 4 properties

Flag: Follow up

Hi Christian,
Please find the PBI / Ex. 4 properties file . (I did not update properties for PBI / Ex. 4 etc.)

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, March 23, 2018 2:20 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Hi Rakhi

Thanks for the addl info. Can you send me your empadmin.properties file. I can take a look at it in a bit.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 23, 2018 1:41 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Hi Christian,
Please find my reply inline below.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, March 23, 2018 1:08 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

No worries. Quick q: have you been able to login to any app thus far?
[Rakhi]: Thanks! I could login to empadmin for a week before the PBI / Ex. 4 in staging went down and they changed the password. I could navigate to different pages, do a user search etc.(Please find the screen shot below from my local)
However, after it came back up and I started using new password, I am kicked out at login.

PBI / Ex. 4

Why do you think the sma issue is no longer present?
[Rakhi]: This question could be interpreted in 2 ways.

1. What made me think sma issue is no longer present?
   Ans: I don't see the error anymore while I deploy the app to tomcat. I used to get it during PBI / Ex. 4 startup with sma deployed.
2. Or what could be my reasoning why the PBI / Ex. 4 issue is no longer present? (or got resolved)?
   Ans: I still don't know why. I don't remember doing anything much different. I kept the eclipse config changes to minimum. In earlier version I did change some build path properties. But sorry! I don't remember what were these changes exactly!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 23, 2018 1:06 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Hi Christian,
Sorry if the mail was not specific enough.
I will try to answer to specific questions. Please find my answers in line below.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, March 23, 2018 1:44 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Not looking for what the ***problem*** is, but what the ***resolution*** is.

I don't get those errors anymore after getting the apps up(but my Sign-in fails) .
What errors?
[Rakhi] : I was talking about the SMA error I got few weeks ago, after which we started the discussion of version3 vs version4. Please the error below. (I don't get it anymore)

PBI / Ex. 4

What sign in? where do you sign in? can you sign into any app, etc etc.
[Rakhi:] When I said in the mail, that the apps are up in my local; I wanted give an idea of how far those are up and functional- That the login pages are up(except equipment), but login fails.
Do you still experience PBI / Ex. 4 *error about the* PBI / Ex. 4 *version, etc.*
[Rakhi]: No
Please be very specific, thanks!
[Rakhi]: Sure! going forward, I will try to be more specific. Thanks for the feedback!
Let me know first what if any problem you are experiencing with sma, and work towards a resolution, thanks!
[Rakhi]: Now The login page of sma is up , login fails. Sure!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 23, 2018 1:42 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Sure Christian!

I don't get those errors anymore after getting the apps up(but my Sign-in fails) .
From whatever research done that time; found such errors happen when we use two different versions of PBI / Ex. 4 , in the 'lib' or in 'impor't section inside PBI / Ex. 4 files.
SMA is the only app that uses PBI / Ex. 4 I think.
I will try to do more research on that and will update you before tomorrow EOD.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, March 23, 2018 12:57 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Hi Rakhi

Could you please look first into the PBI / Ex. 4 item (same thing I asked several weeks ago about PBI / Ex. 4 resolution) and report any findings you discover.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 23, 2018 12:54 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Thank you! ☺

Also please let me know if there is any work you think; I may be able to help you with...

Thanks,
Rakhi

From: Leckner, Erik
Sent: Friday, March 23, 2018 12:44 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

K ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Rakhi Nair [mailto:rakhi.mnair@gmail.com]
Sent: Thursday, March 22, 2018 9:02 PM
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: EMP PBI / Ex. 4 + Dev Setup Questions

Hi Chistian,
My gmail is in again :) Please loop my epa address in and remove my gmail when you reply on this chain. Sorry about the trouble!

Thanks,
Rakhi

On Thu, Mar 22, 2018, 4:52 PM Fan, Cindy (Yanqian) <fan.yanqian@epa.gov> wrote:

> It sounds good to me. Thanks Christian!

From: Leckner, Erik
Sent: Thursday, March 22, 2018 6:27 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>
Cc: Waldo, James V. <Waldo.James@epa.gov>; Jackson, Tarsha <Jackson.Tarsha@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Rakhi Nair <rakhi.mnair@gmail.com>
Subject: RE: EMP PBI/Ex.4 + Dev Setup Questions

Hello Cindy

We can do a followup after the meeting on this so we can make some progress until you return.

Christian Leckner

Principal Engineer

ITS-EPA | CSRA

San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 22, 2018 4:58 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Waldo, James V. <Waldo.James@epa.gov>; Jackson, Tarsha <Jackson.Tarsha@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Rakhi Nair <rakhi.mnair@gmail.com>
Subject: RE: EMP PBI/Ex.4 + Dev Setup Questions

Sorry Ed,

I will be out next Mon – Wed. Is it possible for Thursday or Friday?

Thanks!

Cindy

From: Campbell, Ed
Sent: Thursday, March 22, 2018 4:53 PM
To: Smith, Maury <smith.maury@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Waldo, James V. <Waldo.James@epa.gov>; Jackson, Tarsha <Jackson.Tarsha@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Rakhi Nair <rakhi.mnair@gmail.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Hey Maury –

Thanks for this additional information and all of your help on this to date. I think Christian and Rakhi may want a short follow-up call with you / Jay / Paula, when you are ready. We are still trying to sort some of the configuration for the Dev server, since this is the first time this project will be developed on EPA servers (and not on contractor hosted servers, where Salient was working).

I've also added Cindy Fan to this email chain, she is a DB representative for the team and can speak to the PBI / Ex. 4 issue that came up when we spoke last night.

Maybe Monday or Tuesday? What does your schedule look like?

Thanks,

Ed Campbell

ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Smith, Maury
Sent: Thursday, March 22, 2018 4:15 PM

To: Campbell, Ed <Campbell.Ed@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Waldo, James V. <Waldo.James@epa.gov>; Jackson, Tarsha <Jackson.Tarsha@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Rakhi Nair <rakhi.mnair@gmail.com>
Subject: RE: EMP PBI / Ex. 4 + Dev Setup Questions

Ed, Paula, Christian,

I spoke with James Waldo this morning and his suggestion was to continue development work leveraging Dev WAM authentication.

So far the only WAM work that has been completed is:

- Copying EMP security groups from Staging to Development
- Creating the empgroup_admin service account in Dev

I am working on creating the Dev WAM Authentication scheme using EMP staging as a template. As part of this setup I will create a EMP Dev URL PBI / Ex. 4 that can be used for testing. J also confirmed that PBI / Ex. 4 components are available in Dev and this was discussed with Christian. We can also provide PBI / Ex. 4 root certificates if needed for connectivity but Christian will need to determine the correct installation path on the dev server.

Hope this helps. Ping me with any additional questions.

Maury Smith

Enterprise Identity & Access Management (EIAM)

ITS-EPA III - Supporting the US Environmental Protection Agency

CSRA, Inc.

79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709

Office: 919.200.7305 | Mobile: Personal Privacy / Ex. 6 | smith.maury@epa.gov | www.csra.com

Think Next. Now.

-----Original Appointment-----
From: Campbell, Ed
Sent: Monday, March 19, 2018 3:29 PM
To: Campbell, Ed; Childers, Paula; Waldo, James V.; Rakhi Nair; Leckner, Erik; Smith, Maury
Cc: Page, Alison; Spradling, LeAnn; McCarthy, Colleen
Subject: EMP IAM + Dev Setup Questions
When: Wednesday, March 21, 2018 4:00 PM-5:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Call

Hi Folks –

Christian and Rakhi have a few questions mostly relating to PBI / Ex. 4 and Deployment for the EMP project. I think we can move through these topics with roughly 20 minutes a piece. I will let Christian lead the questions to ensure he and Rakhi get what they need from this call. To provide context - we should be receiving the Dev server for this project this week, and he and Rakhi need to be fully billable to its development at that point. Please feel free to forward this to anyone else who needs to attend. Thanks.

High Level Agenda

Topic 1: Overview of EPA Deployment Procedures - Overview of EPA's EMP deployment related procedures, with special focus on EMP deployment procedures from Development to Staging. (Pertains mostly to Paula)

Topic 2: Overview of PBI / Ex. 4 - This topic discusses PBI / Ex. 4 related security technology in ensuring EMP development environments have all the proper authentication related keys, trust stores, PBI / Ex. 4 certificates, etc. for ensuring authentication in local development environments and the new development server and any development local constraints for running locally (https, cookies, etc). (Pertains mostly to PBI / Ex. 4

Overview of Staging and Production Deployment Procedures - This topic focuses on EMP deployment related procedures, with special focus on EMP deployment procedures for Staging and Production. (Pertains mostly to Paula)

Call In Info:
Conference Line – Conference Line/Code / Ex. 6
Access Code - Conference Line/Code / Ex. 6

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/20/2018 4:57:07 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Leckner, Erik sent you a message in Skype for Business while you were offline

Madhavan Nair Kamala Devi, Rakhi 12:57 AM:

Hi Christian, Sorry! I logged off when you have messaged.

Need Skype for Business? Try the Skype for Business mobile app.

Message

From: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Sent: 3/27/2018 10:40:15 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Reset password

Pss.epa.gov

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Edward Campbell (Jira) [jira@tztrack.atlassian.net]
Sent: 3/6/2018 7:28:12 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: [JIRA] (OEM-43) User Session Expiration - PBI / Ex. 4 Application Server

Edward Campbell **commented** on OEM-43

Re: User Session Expiration - PBI / Ex. 4 Application Server

Rob's preference:

1. solve immediate issue.
2. put a plan together for the entire application's solution
3. do required testing
4. figure out when PBI / Ex. 4 is terminated, and have solution in place by then

Add Comment

Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS

This message was sent by Atlassian Jira
(v1001.0.0-SNAPSHOT#100081-sha1:b3f88bf)

ATLASSIAN

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 4/5/2018 1:28:14 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI/Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI/Ex. 4 errors logged in the past 24 hours:

Field Readiness 102 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/15/2018 2:35:14 AM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                        15 error
Oil DB                                 10 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/15/2018 1:26:16 AM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                          175 error
Oil DB                                   5 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Dennis, Gregory [Dennis.Gregory@epa.gov]
Sent: 4/2/2018 1:45:39 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Childers, Paula [Childers.Paula@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: PBI / Ex. 4 - Paula Childers Access

Paula,
Are you the only one that will need access to PBI / Ex. 4 or, should I add the entire PBI / Ex. 4 ? Will the same sudo rights as PBI / Ex. 4 be good for you to start with?

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

From: Leckner, Erik
Sent: Friday, March 30, 2018 5:22 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Cc: Childers, Paula <Childers.Paula@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: PBI / Ex. 4 - Paula Childers Access

Hi Gregory,

If Paula does not have access to PBI / Ex. 4 , could you please add Paula Childers to the PBI / Ex. 4 machine. Also, as you have provided me with PBI / Ex. 4 privileges, could you please also provide Paula Childers with sudo privileges.

She would need this by 3:00 PM EST on Monday 4/2.

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/19/2018 2:24:03 AM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                          4 error
Oil DB                                   55 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Sent: 3/22/2018 1:19:15 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 HOME startup shutdown / PBI / Ex. 4

Command Prompt

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/19/2018 1:27:10 AM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness 72 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Jennifer Morgan (Jira) [jira@tztrack.atlassian.net]
Sent: 5/23/2018 1:38:43 PM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: [JIRA] (OEM-113) Kelli Lucarino - FR Delegation Issue

Jennifer Morgan **updated** an issue

OEM/EMP / OEM-113

Kelli Lucarino - FR Delegation Issue

Change By: Jennifer Morgan

User claims that James Jeleniewski should have FR Data Manager Delegate rights in FR but he no longer does. We fixed this issue on 3/23 but user claims that the issue is occurring again. User said she removed James as a delegate on 5/16. ~~Jenn will check in EMP Admin~~ Cindy manually removed James from the PBI / Ex. 4 group on 5/ ~~17~~ 18 and user added him back as her delegate and confirmed his rights are working.

User emailed Help Desk on Tues, 5/22 to ~~see if he~~ report that James no longer has ~~been removed from~~ his delegate rights even though he still appears as her Delegate in FR and Jenn confirmed he is in the delegate group in EMP Admin .

Add Comment

Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS

This message was sent by Atlassian Jira
(v1001.0.0-SNAPSHOT#100085-sha1:23c9b31)

ATLASSIAN

Message

From: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Sent: 3/3/2018 3:39:47 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: further

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/16/2018 3:48:05 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Gibson, Dave [Gibson.Dave@epa.gov]; Weisberg, Skip [Weisberg.Skip@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: PROD FR Requested Wishlist

Thanks Eric. Invite updated.

From: Campbell, Ed
Sent: Friday, March 16, 2018 11:46 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Gibson, Dave <Gibson.Dave@epa.gov>; Weisberg, Skip <Weisberg.Skip@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PROD FR Requested Wishlist

Hi Rob,

We can use my line if you want.

Conference Line – Conference Line/Code / Ex. 6
Access Code - Conference Line/Code / Ex. 6

From: Thomas, Rob
Sent: Friday, March 16, 2018 11:43 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Gibson, Dave <Gibson.Dave@epa.gov>; Weisberg, Skip <Weisberg.Skip@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: PROD FR Requested Wishlist

Hi all. If you have a teleconference line that supports 8 or more people please share and I will change the call in details.. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 2/28/2018 4:08:42 PM
To: Chilton, James (CGI Federal) [james.chilton@cgifederal.com]; Smiley, Susan [smiley.susan@epa.gov]; Hoke, Kimberly D (CGI Federal) [kimberly.hoke@cgifederal.com]; Amit Varma [amit.varma@cgifederal.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: FRS to OIL Transfer
Attachments: FRS_OIL_Mapping_OEM_Transfer.DOCX

Importance: High

Hey Jim.

Great job! Please resend the FRS Data Dictionary to us all. I have a new team of Contract Developers, they are CCed in this email. We can also determine which team members you should send the database user password too.

All the FRS_Oil_Mapping_OEM_Transfer doc was re-attached to this email. I added a comment "the text in neon blue highlight are what EMP-Oil Db users and myself want to see transferred to EMP Database for Oil db".

Jim et all, we should have a meeting in March to discuss FRS and Oil Db for my new Team. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Priorization Rep

---

From: Chilton, James (CGI Federal) [mailto:james.chilton@cgifederal.com]
Sent: Wednesday, February 28, 2018 10:05 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Smiley, Susan <smiley.susan@epa.gov>; Hoke, Kimberly D (CGI Federal) <kimberly.hoke@cgifederal.com>; Amit Varma <amit.varma@cgifederal.com>
Subject: FRS to OIL Transfer

Rob,

The FRS team has completed several action items to set up an FRS to OIL data transfer. Here is what we have completed:

- Created a new database user to provide the OIL team for a database link.
- Created a new set of views based on the requirements we discussed at the last few meetings.
- Created documentation to support these views (attached). I took the crosswalk document we have been exchanging and added a new column called FRS views with the relevant information for the transfer. I also have several notes/comments I added throughout the document.

I will need to send the database user password to your technical team so please let me know who I should contact with this information.

Please let me know if you have any questions.

Thanks,
Jim Chilton
Senior Consultant

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 3/31/2018 1:34:21 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI/Ex.4 and Oildb ICIS XML Error Log On empprd

Number of PBI/Ex.4 errors logged in the past 24 hours:

Field Readiness 61 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

EMP Discussion Notes / Meeting Minutes

		[FORMCHECKBOX] Revised Meeting Minutes
Subject	EMP Team Meeting Minutes	
Date and Time	2/27/2018 3:00 P.M. – 4:00 p.m. EST	
Meeting Location / Dial in Info	Conference Line - Conference Line/Code / Ex. 6 Access Code - Conference Line/Code / Ex. 6	
Chairperson	Thomas, Rob	
In Person Participants	Thomas, Rob; Campbell, Ed; Goods, Lawanna; McCarthy, Colleen; Leckner, Christian; Madhavan Nair Kamala Devi, Rakhi, Chilivery, Swetha; Fan, Cindy (Yanqian)	
Telephone Participants		
Colloboration		

1	<u>Agenda</u> 1. Review actions from last meeting. 2. Review status of requirements gathering, assessing and JIRA entry for all modules: Three sources of documented requirements have been identified and are listed below with their current status. a. Excel Spreadsheet from Salient – All requirements entered into JIRA b. List of "capabilities" From January 2018 SHEM User's Forum Minutes – Need to be assessed and entered into JIRA	1. New custom field "Emp Category" added to JIRA for EMP by Ed containing the following entries: PBI / Ex. 4

c. Help Desk Tickets – Need to be located, assessed and entered into JIRA

3. Priority of Modules/Requirements:

From Emails between Rob and Colleen :

Colleen to Rob:

So just to confirm, for FR, our top two requirements are autoemail and immunizations, and now we'll have some requirements for Oil Db. Would you say that the FR application and the Oil Db application are the same priority, or is one more important than the other?

Rob to Colleen:

Confirmed those are two top requirements for FR unless SHEMD changes.

FR and Oil Db are the two flagships of EMP. At present FR has Priority OEM…the Agency is still in Response mode to the 5 or so disasters. When we meet with Troy and others the priority for Oil Db will be determined afterwards.

4. Categories for Issues in JIRA (Note: see **final** categories that were entered into

PBI / Ex. 4

2. Review/discussion of requirements status.

	the custom field "EMP Category that Ed added to JIRA. This is item 1 in these minutes.) PBI / Ex. 4 5. Rob information to share with team, questions for Team 6. Ed information to share with team, questions for Team 7. Team (walk around) information to share, questions	3. Discussion of auto email process and request for team members who have time to provide feedback to Ed on email format, content, grammar etc. for the example emails that Cindy provided. 4. Ref 3 above, also action for Cindy to send to Rob the number of people who receive the same email (employee, employee's supervisor, SHEM Data Manager). 5. Ref 3 above, also action for Swetha to send Rob the report that shows all emails that are sent. 6. Discussion of issues that Swetha and Christian are having. Action for Rob to set up a call to try to resolve Christian's issues. 7. Discussion that Swetha may be able to close some issues in "Help Desk" mode without those issues being in a sprint
2	Action Items - Discussion	

EMP Discussion Notes / Meeting Minutes

Decisions and Actions Items

[FORMCHECKBOX] No, Decisions/Action Items not discussed during this meeting	[FORMCHECKBOX] Yes, Decisions/Action Items discussed during this meeting (info below)

No.	Action Item or Decision	Date Identified MD = Meeting Date	Owner	Description	Target Completion Date	Actual Completion Date
1			Team	1. Request for team members who have time to provide feedback to Ed on email format, content, grammar etc. for the example emails that Cindy provided.		
2			Cindy	2. Action for Cindy to send to Rob the number of people who receive the same email (employee, employee's supervisor, SHEM Data Manager).		
3			Swetha	3. Action for Swetha to send Rob the report that shows all emails that are sent.		
4			Rob	4. Action for Rob to set up a call to try to resolve Christian's issues.		
5						

Deliverable Status

EMP Discussion Notes / Meeting Minutes

No.	Deliverable Name	Date Received	Date Accepted	Comments

Risks and Issues	
[FORMCHECKBOX] No, Risks/Issues not discussed during the meeting	[FORMCHECKBOX] Yes, Risks/Issues discussed during this meeting (info below)

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/23/2018 1:26:22 AM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness	183 error
Oil DB	1 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 2/28/2018 1:55:18 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: In EPA this morning

Hey team,

Just let you know that I will be at EPA office in DC this morning to resolve my initial PIV login issue.

Thanks!
Cindy

Message

From: Starke, Phillip [Starke.Phillip@epa.gov]
Sent: 3/1/2018 6:27:37 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Automatic reply: INC000002516351

Good Day. I am currently away from the office on paternity leave (Yes...that does exist). Please contact William Oldham for all inquires apropos the Hardware Refresh. Please contact Larry McMillan for all inquiries apropos Enterprise VDI.

EMP Discussion Notes / Meeting Minutes

		[FORMCHECKBOX] Revised Meeting Minutes
Subject	EMP Team Meeting Minutes	
Date and Time	3/27/2018 2:00 P.M. – 3:00 p.m. EST	
Meeting Location / Dial in Info	Conference Line - Conference Line/Code / Ex. 6 Access Code - Conference Line/Code / Ex. 6	
Chairperson	Thomas, Rob	
In Person Participants		
Telephone Participants	Thomas, Rob; Campbell, Ed; Goods, Lawanna; McCarthy, Colleen; Leckner, Christian; Madhavan Nair Kamala Devi, Rakhi, Chilivery, Swetha; Fan, Cindy (Yanqian)	
Collaboration		

1	Agenda Updated Agenda for 3/27/2018: 1. Review actions from last meeting (see below). 2. Discuss/prepare for Monday 4/2//2018 call to review with PROD team representatives their requests for the FR Module (Current status of those requests included in this email). 3. Discuss OEM – 60 4. PBI / Ex. 4 FR Reporting on OSC Training Template. 5. Rob: Any information to share with team, questions for Team?	**Review of Actions from 3/20/2018 by Action Numbers:** 1&2 LaWanna sent Kevin an email with the information that she had and also did a Skype session with Kevin and Jenn. Rob and Swetha sent Kevin additional information and reports. So far, LaWanna she has not heard back from Kevin. Rob: We are having issues with the Purchasing Cost, Acquisition Cost and Ownership reports. Maybe we should have a Skype session with Kevin. LaWanna: Usually the auditors are given a script so that they know what to look for. It seems that Kevin was not given a script. If Kevin does not reply back to LaWanna by Wednesday, LaWanna will contact Kevin on Thursday. **Additional Discussion:** LaWanna asked if the audit could be considered to be reflecting on EMP. Rob: Our job is to ensure that the Regions have the tools that they need to get the information that they need. It is the Regions' responsibility to track their equipment using the data in ETM. If there is an environmental emergency, the Feds have a credit

	6. Ed: Any information to share with team, questions for Team? 7. Team (walk around) information to share, questions From Jenn ref: OEM-60: As a brief summary, right now – the Oil DB is the only application whose roles are not linked to the role table in EMP Admin, so when we have to add roles for Oil dB users, we have to do it directly in the Oil DB application, whereas for the other applications, we add the roles in EMP Admin. It was my understanding that to connect the role tables for Oil DB & EMP Admin was a large development task, but if Christian & Rakhi are able to weigh in on exactly how big of a task it would be that is the info that Rob is looking for!	card that can be used to buy equipment that is needed to address the emergency. The Regions have to show what they did with the money; What they paid for the equipment and where it is now. There are Senate and House committees that review the EPA response after environmental emergencies. Some past audits have said that we were spending too much money on ETM, not complying with tracking the acquisition cost, the ownership, and location of the equipment. If there is any blowback on EMP, it would be collateral damage. 3. Rob contacted Paul Cusumano on shutting down the instances that we are not using. There are 8 instances total, and we are going to shut down 3. We are going to shut down the 2 training instances and the 1 CCAT instance. The remaining 5 will be consolidated on the prod server. Action: Rob will email Paul with this request and cc 9 people (the Dev team and the NCC) 4. Jenn received access to the Helpdesk email on 3/26/2018. **<u>New Material:</u>** For the PBI / Ex. 4 reporting to be used by SHEM customers, we need to be aware of three things: I. Non-sensitive PII information II. Non-HIPAA regulated information III. Medical Clearance and Immunization information We have a SORN because we collect PII and medical information of ER employees.

Decisions and Actions Items	
[FORMCHECKBOX] No, Decisions/Action Items not discussed during this meeting	[FORMCHECKBOX] Yes, Decisions/Action Items discussed during this meeting (info below)

EMP Discussion Notes / Meeting Minutes

No.	Action Item or Decision	Date Identified MD = Meeting Date	Owner	Description	Target Completion Date	Actual Completion Date
1.	**Search Oil Db for Army facilities**	**03/26/18**	Rob & Troy	Get information from Troy Swackhammer for Amit on whether or not we track Army facilities in the OIL DB. Amit needs to do a response plan for Army Facilities. Follow up: Troy follow took the action.		
2.	**OSC class & certification report for Board Review**	**03/17/18**	Rob and Swetha:	Although we verified that Rob Fox has the rights to see OSC data, Rob Fox may ask to have an EMBI report created that shows the OSC's Name, Region, all required classes for OSC's and the required classes that each OSC has taken. An example of all classes taken by OSC's was sent to Rob Fox.		
3.	**Privacy Act items**	**3/15/18**	Rob	Update the SORN including edit the five questions from Judy Hutt. Update the Privacy Impact Assessment (PIA) with the new immunization and medical clearance information.		
4.	**Email Raj of Reg 6 on Fac IDs**	**3/10/18**	Rob	Tell him the time to work on this request would be timely; it is best he contact Susan Smiley, PM for FRS. AS FRS is the SOR (system of record) for the facility data that he needs. The FRS data is accurate, up-to-date and includes the geocodes.		
5.	**Auto Email template for FR SHEM customers**	**3/25/18**	Rob & Cindy	Rob converted the email template into Word template. Sent it to Cindy & Team for review. Next it goes to SHEM workgroup for review and approval.		

EMP Discussion Notes / Meeting Minutes

6.	**Auto Email template for FR SHEM customers**	**3/30/18**	Rob, Ed, & Cindy:	Find out how many emails the costumers want and when the users want the emails sent for both the reminder emails (before the class) and the "missed class" emails (after the class is over). Then Cindy will generate a LOE & timeline for Rob & Ed to review then explain to the SHEM team.		

Deliverable Status				
No.	**Deliverable Name**	**Date Received**	**Date Accepted**	**Comments**

Risks and Issues	
[FORMCHECKBOX] No, Risks/Issues not discussed during the meeting	[FORMCHECKBOX] Yes, Risks/Issues discussed during this meeting (info below)

Message

From: Campbell, Ed [Campbell.Ed@epa.gov]
Sent: 3/15/2018 2:25:30 PM
To: Barefoot, Tonya [Tonya.Barefoot@csra.com]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RAM Request for Christian (Erick) Leckner

Hey Tonya,

Ali told me to check in with you on this topic. Do you know what the status / progress is of obtaining some additional RAM for Christian, one of our PBI / Ex. 4 ?

Thanks in advance for any help you can give us here.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/21/2018 9:20:53 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Missed conversation with Madhavan Nair Kamala Devi, Rakhi

Madhavan Nair Kamala Devi, Rakhi 5:18 PM:

Hi Christian, thank you! It was a very useful call! Thank you very much!

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 4/6/2018 2:27:20 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness 37 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/21/2018 4:45:42 PM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: [ncc_alerts] PBI / Ex. 4 Patches to OFM Production Environment Saturday, 06/09/18 from 7:00 AM to Noon EDT

Type of Planned Outage: NCC

Outage Title: PBI / Ex. 4

Scheduled Start Date: Saturday, June 9, 2018 (06/09/2018)

Duration of Planned Outage: 7:00 AM - 12:00 PM EDT

Estimated Up Time: 12:00 PM EDT

Device/Hardware/Software Involved:
PBI / Ex. 4

Impact(s): Brief outage to Forms and Reports during the patching. All other applications PBI / Ex. 4 etc.) will be available.

Brief Description of Outage Action:
Applying PBI / Ex. 4 Critical patch set updates to PBI / Ex. 4 servers mentioned above (Ticket CRQ000000031051)

Contact Information
Name: Phil Rosol
Telephone Number: 919-200-7293
Group/Organization: PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: Campbell, Ed [Campbell.Ed@epa.gov]
Sent: 3/20/2018 6:00:42 PM
To: Thomas, Rob [Thomas.Rob@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
CC: Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]
Subject: RE: EMP Status Meeting

Hey Rob,

Sure! I can't add a Skype session though, because this is still technically your meeting invite – can you do that?

If not, let me know – I can send out something quickly to include a Skype session.

From: Thomas, Rob
Sent: Tuesday, March 20, 2018 1:57 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Subject: EMP Status Meeting
Importance: High

Can we Skype our meeting? At least to view the documents.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/21/2018 4:22:27 PM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: [ncc_alerts] NCC Data Center Partial Outage: 9:00 PM EDT Friday 06/01/18 to 6:00 AM EDT Monday 06/04/18

Type of Planned Outage: NCC

Outage Title: West End Move Zones C & D

Scheduled Start Date: June 1, 2018

Duration of Planned Outage: 9:00 PM EDT Friday 06/01/18 to 6:00 AM EDT Monday 06/04/18, Testing on Sunday 06/03/18

Estimated Up Time: There will be outages for the databases on individual servers during this period.

Device/Hardware/Software Involved:
The National Computer Center (NCC) will be relocating PBI / Ex. 4 and server infrastructure within the NCC to be able to leverage 10 GB Ethernet core connectivity. Please see the list below for additional service impacts. All PBI / Ex. 4 for the following clusters will be shut down starting at 9:00 PM Friday night 06/01/18:

Oracle SE
Oracle SEMS
OFM Intranet
Oracle EE
DMZ
OFM DMZ

Impact(s): All applications located in the PBI / Ex. 4 and all applications using PBI / Ex. 4 databases are impacted. It is expected that because the databases and the PBI / Ex. 4 will be down during the move weekend, applications which run on Intranet servers may be effected by the move.

Brief Description of Outage Action: We will work on the moves, adding the 10 GB cards and converting the PBI / Ex. 4 to use the new virtual networking on Saturday. Metal servers will also be moving during the outage weekend.

Contact Information
Name: Naressa Menser
Email: Menser.Naressa@epa.gov
Telephone Number: 919-541-2817
Group/Organization: West End Move Project Manager

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov

from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to: join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 4/6/2018 1:26:00 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                         105 error
Oil DB                                  8 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

8 error(s).

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/12/2018 1:33:29 PM
To: Thomas, Rob [Thomas.Rob@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
CC: Smith, Doug L [Smith.Douglas@epa.gov]
Subject: Cindy's PTO

Hello team,

I plan to Personal Privacy / Ex. 6 Possibly I will work several hours in late afternoon on March 28. Please let me know if you need anything from me. I also will be reachable by phone 703-509-0460 when I am out.

Thanks!

Cindy

Message

From: Jennifer Morgan (Jira) [jira@tztrack.atlassian.net]
Sent: 3/26/2018 7:39:14 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: [JIRA] (OEM-60) Connect Oil DB & EMP Admin role table

Jennifer Morgan **created** an issue

OEM/EMP / OEM-60

Connect Oil DB & EMP Admin role table

Issue Type: Task
Assignee: Erik Leckner
Created: 26/Mar/18 3:39 PM
Labels: Backend
Priority: Medium
Reporter: Jennifer Morgan

Rob has requested that the Oil DB & EMP Admin group functionality be linked. The current functionality that exists is that Oil DB roles are granted directly in the Oil DB application because it is currently not connected to the EMP role table like the rest of the applications. There are 3 roles in Oil DB.

Add Comment

Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS

This message was sent by Atlassian Jira
(v1001.0.0-SNAPSHOT#100082-sha1:c94a2a9)

ATLASSIAN

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/17/2018 2:28:11 AM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empstg

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                          21 error
Oil DB                                   50 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/15/2018 12:29:50 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Eclipse error details - For comparison.
Attachments: EMP PBI / Ex. 4 error list for comparison.docx

Hi Christian,
I have created PBI / Ex. 4 projects for PBI / Ex. 4 and oil DB from build.xml of the projects. These are building fine and the files light up when buggy. Ant build (target - all) is happening. Only PBI / Ex. 4 has errors. Oil DB and PBI / Ex. 4 is error free after some config fixes.

I have copied the errors in a word document for comparison with screenshots. PFA. Tomorrow I will finish rest of the projects. Then we can compare the errors list

Thanks,
Rakhi

Message

From: Dennis, Gregory [Dennis.Gregory@epa.gov]
Sent: 4/3/2018 2:15:02 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: Ferko, Dan [Ferko.Daniel@epa.gov]
Subject: Recent DNS Change Effecting PBI / Ex. 4

It appears that a PBI / Ex. 4 change was made in the past hour or so that could impact PBI / Ex. 4. There is now a C-name (alias) for PBI / Ex. 4 that points to PBI / Ex. 4. Does anyone know if this alias is part of our PBI / Ex. 4 project? If it is, a different alias name (or server name) would make life easier.

If anyone tries to connect with a short name (PBI / Ex. 4 comes before PBI / Ex. 4 in the domain search order on that specific client – they will receive a "no route to host" error message.

To get around this, use the PBI / Ex. 4) or IP to access the server.

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/26/2018 7:19:40 PM
To: Morgan, Jennifer [morgan.jennifer@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]
Subject: RE: Swetha Offline Until 2:45

Thanks Jenn. It happens.

Rob

From: Morgan, Jennifer
Sent: Monday, March 26, 2018 2:16 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Swetha Offline Until 2:45

Team,

Swetha asked me to let everyone know that she is unable to login to her laptop and after troubleshooting with EZ Tech they were able to fix it, but told her it will take about an hour for her to be able to log in. She estimates she will be back online around 2:45pm.

Thanks,
Jenn

Jennifer Morgan
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
morgan.jennifer@epa.gov | www.csra.com

CSRA *Think Next. Now.*

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/12/2018 1:20:32 PM
To: Chilivery, Swetha [chilivery.swetha@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]
Subject: no internet in office

Hello team,

Colleen just wanted me to inform the team that there is no internet access available in NC office and doesn't know when it will be back. So she can't access her email right now. She will be online when she gets home.

Thanks!
Cindy

Message

From: Jenkins, Lisa [Jenkins.Lisa@epa.gov]
Sent: 4/5/2018 9:23:56 PM
To: Thomas, Rob [Thomas.Rob@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: Oil and Field Readiness PBI / Ex. 4

Hi All,

I think there might have been some conflict between Skype and Maps for Office, because right after I logged off of Skype, I was able to get into maps for Office. It works similarly to the GeoPlatform Online that I was demonstrating to you during the meeting. Here is a view after creating the map. Once you've made all our selections, you can see the whole map, zoom, pan, etc.

PBI / Ex. 4

OLEM sample web maps:

PBI / Ex. 4

Hope this helps…

Lisa Tracy Jenkins, PMP, MBA
System Manager for CIMC, PAT and OLEM-CS
Geospatial Coordinator and GeoAdministrator for OLEM
Internal Consultant for Data, Apps, Process Mapping, Web, GIS, etc.
US EPA/OLEM/OPM/IMDQS
1350 Constitution Avenue NW, Room 4413B
Washington, DC
Jenkins.lisa@epa.gov
w) 202-566-1941
c) Personal Privacy / Ex. 6

PBI / Ex. 4

Get Started

New / Select Database Connection

PBI / Ex. 4

Help

Save

Clear

Appointment

From: Balassiano, Kim [Balassiano.Kim@epa.gov]
Sent: 4/9/2018 2:19:06 PM
To: Swift, Jason [Swift.Jason@epa.gov]; Sutton, Jennifer [sutton.jennifer@epa.gov]; Barrette, Michael [Barrette.Michael@epa.gov]; Smiley, Susan [smiley.susan@epa.gov]; Cook, BrianB [Cook.BrianB@epa.gov]; Perry, Carlyn [Perry.Carlyn@epa.gov]; Clark, JeffreyF [Clark.JeffreyF@epa.gov]; Wieder, Jessica [Wieder.Jessica@epa.gov]; Antisdel, Timothy [Antisdel.Timothy@epa.gov]; Witkin, Steve [Witkin.Steve@epa.gov]; Veresh, John [Veresh.John@epa.gov]; Swackhammer, J-Troy [Swackhammer.J-Troy@epa.gov]; GIS Workgroup [GIS_Workgroup@epa.gov]; Kocher, Julie [Kocher.Julie@epa.gov]; Maxfield, Kevin [Maxfield.Kevin@epa.gov]; Yuen, Andrew [Yuen.Andrew@epa.gov]; Evans, Don [Evans.Don@epa.gov]; Hollenhorst, Thomas [Hollenhorst.Tom@epa.gov]; Copeland, Jane [Copeland.Jane@epa.gov]; Pierson, Suzanne [Pierson.Suzanne@epa.gov]; Krysa, Jan [krysa.jan@epa.gov]; Benesch, Claudia [Benesch.Claudia@epa.gov]; graves, john [graves.john@epa.gov]; Giffen, Tom [Giffen.Tom@epa.gov]; Lopez-Baird, James [Lopez-Baird.James@epa.gov]; Maclear, Licia [Maclear.Licia@epa.gov]; Smith, Jason [Smith.Jason@epa.gov]; White, Dominique [White.Dominique@epa.gov]; Field, Julia [Field.Julia@epa.gov]; Leopard, Matthew [Leopard.Matthew@epa.gov]; Beer, Warren [Beer.Warren@epa.gov]; Bridges, Tim [bridges.tim@epa.gov]; Buettner, Robert [Buettner.Robert@epa.gov]; Eiland, Chester [Eiland.Chester@epa.gov]; forman, debra [forman.debra@epa.gov]; Goeke, Elissa [Goeke.Elissa@epa.gov]; Glenn, Keith [Glenn.Keith@epa.gov]; Hubbell, Eric [Hubbell.Eric@epa.gov]; Kapuscinski, Jacques [Kapuscinski.Jacques@epa.gov]; Knowles, Steve [Knowles.Steve@epa.gov]; Lam, Shelly [lam.shelly@epa.gov]; Laws, Ken [Laws.Ken@epa.gov]; Lipe, Sherry [Lipe.Sherry@epa.gov]; McCasland, Mark [McCasland.Mark@epa.gov]; McMahon, Ethan [McMahon.Ethan@epa.gov]; McMillan, Larry [McMillan.Larry@epa.gov]; Meyers, Aaron [Meyers.Aaron@epa.gov]; Olender, Marc [Olender.Marc@epa.gov]; Paisley, Eric [Paisley.Eric@epa.gov]; Parris, Scott [Parris.Scott@epa.gov]; Hauff, Amanda [Hauff.Amanda@epa.gov]; Petterson, Lynne [Petterson.Lynne@epa.gov]; Plastino, Michael [Plastino.Michael@epa.gov]; Sadlon, Zenny [sadlon.zenny@epa.gov]; Siwiec, Tim [Siwiec.Tim@epa.gov]; Stitt, Brian [Stitt.Brian@epa.gov]; Tran, Chi [Tran.Chi@epa.gov]; Williams, Jon [Williams.Jon@epa.gov]; Zurla, Gregory [Zurla.Gregory@epa.gov]; Na, Rokha [Na.Rokha@epa.gov]; James, Duane [James.Duane@epa.gov]; Holderman, Todd [Holderman.Todd@epa.gov]; Bunch, William [Bunch.William@epa.gov]; Horvath, Elena [Horvath.Elena@epa.gov]; Kidane, Dawit [Kidane.Dawit@epa.gov]; Wolf, John [Wolf.John@epa.gov]; Mehaffey, Megan [Mehaffey.Megan@epa.gov]; Lehrman, Larry [lehrman.lawrence@epa.gov]; DeNardi, Kristopher [DeNardi.Kristopher@epa.gov]; Bousquin, Justin [Bousquin.Justin@epa.gov]; Lobdell, Danelle [Lobdell.Danelle@epa.gov]; Ebert, Donald [Ebert.Donald@epa.gov]; Patay, Gabriel [Patay.Gabriel@epa.gov]; Melnyk, Lisa [melnyk.lisa@epa.gov]; McIsaac, Colin [Mcisaac.Colin@epa.gov]; Anson, Robie [anson.robie@epa.gov]; Solari, Tamara [Solari.Tamara@epa.gov]; Cooper, Brian [cooper.brian@epa.gov]; Vanlerberghe, Daren [Vanlerberghe.Daren@epa.gov]; Duggan, Jessica [Duggan.Jessica@epa.gov]; McCoy, Britney [McCoy.Britney@epa.gov]; Hosick, Theresa [Hosick.Theresa@epa.gov]; Wright, Heather [Wright.Heather@epa.gov]; Novak, Paul [Novak.Paul@epa.gov]; Olp, Kevin [Olp.Kevin@epa.gov]; Yeardley, Roger [Yeardley.Roger@epa.gov]; Alvarez, Christine [Alvarez.Christine@epa.gov]; Smith, JTravis [Smith.JTravis@epa.gov]; Stokely, Peter [Stokely.Peter@epa.gov]; Malone, Erin [Malone.Erin@epa.gov]; Scheffe, Rich [Scheffe.Rich@epa.gov]; Whelan, Ann [whelan.ann@epa.gov]; Moore, Tony [Moore.Tonyw@epa.gov]; Burns, Neil [Burns.Neil@epa.gov]; Bergstein, Joseph [Bergstein.Joseph@epa.gov]; Johnson, Terrence [Johnson.Terrence@epa.gov]; Drexler, Timothy [drexler.timothy@epa.gov]; Vail, Jonathan [vail.jonathan@epa.gov]; Kyle, Lee [Kyle.Lee@epa.gov]; Dwyer, Connie [Dwyer.Connie@epa.gov]; Muneer, Alie [muneer.alie@epa.gov]; Herrera, Esteban [Herrera.Esteban@epa.gov]; Adam, Michael [Adam.Michael@epa.gov]; Huling, Scott [huling.scott@epa.gov]; Meredith, David [Meredith.David@epa.gov]; Burian, Jonathan [Burian.Jonathan@epa.gov]; Scheitlin, Tom [Scheitlin.Tom@epa.gov]; Hartless, Christine [Hartless.Christine@epa.gov]; Lehman, Stuart [Lehman.Stuart@epa.gov]; Thurman, Nelson [Thurman.Nelson@epa.gov]; Humphris, Allison [Humphris.Allison@epa.gov]; Stephansen, Stanley [Stephansen.Stanley@epa.gov]; Parker, Ronald [Parker.Ronald@epa.gov]; Bachle, Laura [Bachle.Laura@epa.gov]; Rego, Steven [Rego.Steven@epa.gov]; Johnston, Carey [Johnston.Carey@epa.gov]; Neal, Jill [Neal.Jill@epa.gov]; Rao, Ravishankar [Rao.Ravi@epa.gov]; Rice, Joann [Rice.Joann@epa.gov]; Shortt, Veronica [Shortt.Veronica@epa.gov]; Tunis, Catherine [Tunis.Catherine@epa.gov]; Lee, Won [Lee.Won@epa.gov]; Messner, Michael [Messner.Michael@epa.gov]; Tierney, Mary [tierney.mary@epa.gov]; Rubin, Steven [Rubin.Steven@epa.gov]; Angradi, Theodore [Angradi.Theodore@epa.gov]; Ziegler, Rick [Ziegler.Rick@epa.gov]; Rivera-Lupianez, Ana [Rivera-Lupianez.Ana@epa.gov]; Veit, Cynthia [Veit.Cynthia@epa.gov]; Pastalove, Barbara [Pastalove.Barbara@epa.gov]; Morris, Mark [Morris.Mark@epa.gov]; Moffett, Mary [Moffett.Mary@epa.gov]; Lee, Charles [Lee.Charles@epa.gov]; Misenheimer, David [Misenheimer.David@epa.gov]; Marshall, Lori [Marshall.Lori@epa.gov]; Schmeltz, David [Schmeltz.David@epa.gov]; Eyth, Alison [Eyth.Alison@epa.gov]; Taylor, Patricia-A [Taylor.Patricia-A@epa.gov]; Kirby, Kevin

[KIRBY.KEVIN@EPA.GOV]; Durbrow, Rick [Durbrow.Rick@epa.gov]; Blanco, Alfonso [Blanco.Alfonso@epa.gov]; Swanson, Charles [Swanson.Charles@epa.gov]; Klaus, Dan [Klaus.Dan@epa.gov]; Robinson, Rick [Robinson.Rick@epa.gov]; Allen, Jeanne [Allen.Jeanne@epa.gov]; Yellin, Patrick [Yellin.Patrick@epa.gov]; Lear, Gary [Lear.Gary@epa.gov]; Bolgrien, David [Bolgrien.Dave@epa.gov]; Runge, Roberta [Runge.Roberta@epa.gov]; Krausz, Brian [Krausz.Brian@epa.gov]; Detenbeck, Naomi [Detenbeck.Naomi@epa.gov]; Damm, Vickie [Damm.Vickie@epa.gov]; Hudson, Rebecca [Hudson.Rebecca@epa.gov]; Kwok, Rose [Kwok.Rose@epa.gov]; Rothery, Deirdre [Rothery.Deirdre@epa.gov]; Brown, Catherine [Brown.Catherine@epa.gov]; King, Toshia [King.Toshia@epa.gov]; Peake, Tom [Peake.Tom@epa.gov]; Wortman, Santina [Wortman.Santina@epa.gov]; Curry, Bridgid [Curry.Bridgid@epa.gov]; Robberson, Bill [Robberson.Bill@epa.gov]; Holbus, Eric [holbus.eric@epa.gov]; Long, Mike [Long.Mike@epa.gov]; Davis, Ifeyinwa [Davis.Ifeyinwa@epa.gov]; Schuver, Henry [Schuver.Henry@epa.gov]; Aubee, Catherine [Aubee.Catherine@epa.gov]; Bierwagen, Britta [Bierwagen.Britta@epa.gov]; Zuco, Arthur [Zuco.Arthur@epa.gov]; Kalra, Shashank [Kalra.Shashank@epa.gov]; Atkinson, Dwight [Atkinson.Dwight@epa.gov]; Gonzalez, Orlando [Gonzalez.Orlando@epa.gov]; Hessert, Aimee [Hessert.Aimee@epa.gov]; Marsden, Robert [Marsden.Robert@epa.gov]; Hook, James [Hook.James@epa.gov]; Carlson, Rachel [Carlson.Rachel@epa.gov]; Norris, Munsel [Norris.Munsel@epa.gov]; Hall, Alexander [Hall.Alexander@epa.gov]; Yersak, Thomas [Yersak.Thomas@epa.gov]; Shumway, Laura [Shumway.Laura@epa.gov]; Bernagros, Jason [Bernagros.Jason@epa.gov]; Wilson, Anthony [Wilson.Anthony@epa.gov]; Somers, Kelly [Somers.Kelly@epa.gov]; Hopkins, John [Hopkins.John@epa.gov]; Bleiler, Justin [Bleiler.Justin@epa.gov]; Cheatham-Strickland, Latonia [Cheatham-Strickland.Latonia@epa.gov]; Mageid, Allaa [Mageid.Allaa@epa.gov]; Fan, Dimin [Fan.Dimin@epa.gov]; Marmanides, Katherine [Marmanides.Katherine@epa.gov]; Moore, Sheena [Moore.Sheena@epa.gov]; Waite, Jacqueline [Waite.Jacqueline@epa.gov]; Monroe, Ashley [Monroe.Ashley@epa.gov]; Caspersen, Shea [Caspersen.Shea@epa.gov]; Sobel, Aaron [Sobel.Aaron@epa.gov]; Johnson, Jessica [Johnson.Jessica@epa.gov]; Tripp, Christopher [tripp.christopher@epa.gov]; Maguire, Andrea [Maguire.Andrea@epa.gov]; Gibbs, David [gibbs.david@epa.gov]; Bijak, Alexandra [bijak.alexandra@epa.gov]; Boorman-Padgett, Jesse [Boorman-Padgett.Jesse@epa.gov]; Holomuzki, Nicholas [holomuzki.nicholas@epa.gov]; Theodore, Nora [theodore.nora@epa.gov]; Carroll, JohnWilliam [carroll.johnwilliam@epa.gov]; Erhunse, Adesuwa [erhunse.adesuwa@epa.gov]; Baynes, Jeremy [baynes.jeremy@epa.gov]; Dombroski, Ian [dombroski.ian@epa.gov]; Hodaj, Andi [hodaj.andi@epa.gov]; Kierys, Dawid [kierys.dawid@epa.gov]; Acosta, Dimitri [acosta.dimitri@epa.gov]; Weiss, Benjamin [weiss.benjamin@epa.gov]; Chang, Ray [Chang.Ray@epa.gov]; Maynard, Rachel [maynard.rachel@epa.gov]; Swats, Toni [swats.toni@epa.gov]; Naylor, Joseph [naylor.joseph@epa.gov]; Treese, Michael [treese.michael@epa.gov]; Weimer, Libbie (Elizabeth) [weimer.elizabeth@epa.gov]; Spinosa, Dan [Spinosa.Dan@epa.gov]; Charpentier, Mike [Charpentier.Mike@epa.gov]; Grillo, Elena [Grillo.Elena@epa.gov]; Prues, Amy [Prues.Amy@epa.gov]; Mann, Seth [Mann.Seth@epa.gov]; Grace, Thaddeus [Grace.Thaddeus@epa.gov]; DAmico, Ellen [DAmico.Ellen@epa.gov]; Lueckenhoff, Dominique [Lueckenhoff.Dominique@epa.gov]; Launspach, Jonathon [Launspach.Jonathon@epa.gov]; Yarnell, David [Yarnell.David@epa.gov]; BOCK, TRAVIS [Bock.Travis@epa.gov]; CHAPMAN, REBECCA [chapman.rebecca@epa.gov]; HOLDER, JENNIFER [holder.jennifer@epa.gov]; Muldrow, Bill [Muldrow.Bill@epa.gov]; Balent, Jean [Balent.Jean@epa.gov]; McFadden, Angela [McFadden.Angela@epa.gov]; Dean, Jill [Dean.Jill@epa.gov]; Yaquian-Luna, Jose [yaquian-luna.josea@epa.gov]; Roberts, Eric [Roberts.Eric@epa.gov]; Thoma, Connie [Thoma.Connie@epa.gov]; Gallo, Mark [Gallo.Mark@epa.gov]; Moser, Rebecca [Moser.Rebecca@EPA.GOV]; Rush, Alan [Rush.Alan@epa.gov]

CC: Mia, Marcia [Mia.Marcia@epa.gov]; Matusik, Anthony [matusik.anthony@epa.gov]; Malave, Maria [Malave.Maria@epa.gov]; Harmon, Kenneth [Harmon.Kenneth@epa.gov]; julie.scarangella@tetratech.com; Dixon, Richard [dixon.richard@epa.gov]; Miller, Michele [Miller.Michele@epa.gov]; Vazquez, Britney [vazquez.britney@epa.gov]; Selwyn, Sheldon [Selwyn.Sheldon@epa.gov]; Wyman, Steve [Wyman.Steve@epa.gov]; Johnson, Emily [Johnson.Emily@epa.gov]; Keefe, Jerome C. [Keefe.Jerry@epa.gov]; Morse, Daniel [Morse.Daniel@epa.gov]; Clinton, Pat [Clinton.Pat@epa.gov]; Evans, Aaron [Evans.Aaron@epa.gov]; Pera, Lee [Pera.Lee@epa.gov]; Balsamo, Deborah [Balsamo.Deborah@epa.gov]; Gwaltney, Gregory [Gwaltney.Gregory@epa.gov]; Kissel, Jennifer [kissel.jennifer@epa.gov]; Porteous, Alex [porteous.alex@epa.gov]; Cunningham, James [Cunningham.James@epa.gov]; Pluntke, Kurt [Pluntke.Kurt@epa.gov]; Carbone, Chad [Carbone.Chad@epa.gov]; Duffy, Rick [Duffy.Rick@epa.gov]; Lischinsky, Robert [Lischinsky.Robert@epa.gov]; Segall, Martha [Segall.Martha@epa.gov]; VanTil, Barbara [vantil.barbara@epa.gov]; Vizard, Elizabeth [Vizard.Elizabeth@epa.gov]; Messina, Edward [Messina.Edward@epa.gov]; Mocka, Corey [mocka.corey@epa.gov]; Pitchford, Ann [Pitchford.Ann@epa.gov]; Tejada, Matthew [Tejada.Matthew@epa.gov]; McLaughlin, Casey [Mclaughlin.Casey@epa.gov]; Evans, Ron [Evans.Ron@epa.gov]; Allen, Vince [Allen.Vince@epa.gov]; Landsman, Allison [Landsman.Allison@epa.gov]; Pilant, Drew [Pilant.Drew@epa.gov]; Kauth, Paisly [Kauth.Paisly@epa.gov]; Schneider, Kiki [Schneider.kiki@epa.gov]; Gomez, Fernando O. [Gomez.Fernando@epa.gov]; Paradise, Laura [Paradise.Laura@epa.gov]; Guiliano, Dave [Guiliano.Dave@epa.gov]; Mindlin, Vadim [Mindlin.Vadim@epa.gov];

Boe, Timothy [Boe.Timothy@epa.gov]; Cohen, Michael [Cohen.Michael@epa.gov]; Troyer, Michael [Troyer.Michael@epa.gov]; Mellon, Matthew T. [Mellon.Matthew@epa.gov]; Wieber, John [Wieber.John@epa.gov]; Kersey, Ricky [Kersey.Ricky@epa.gov]; Crispell, Emily [crispell.emily@epa.gov]; Ward, Dalroy [Ward.Dalroy@epa.gov]; Chastain, Bryan [chastain.bryan@epa.gov]; Ibarra, Michelle [Ibarra.Michelle@epa.gov]; Glaser, John [glaser.john@epa.gov]; Ertep, Serdar [Ertep.Serdar@epa.gov]; Shaw, Denice [Shaw.Denice@epa.gov]; Greene, Ana [Greene.ana@epa.gov]; Palmer, Daniel [Palmer.Daniel@epa.gov]; Powell, Greg [Powell.Greg@epa.gov]; Bell, Mary [Bell.Mary@epa.gov]; Crk, Tanja [Crk.Tanja@epa.gov]; Eckman, Robert [Eckman.Robert@epa.gov]; Sable, Kacy [Sable.Kacy@epa.gov]; Daniel, Michael [daniel.michael@epa.gov]; Smith, Grace [Smith.Grace@epa.gov]; Young, Dwane [Young.Dwane@epa.gov]; Morefield, Philip [Morefield.Philip@epa.gov]; Smith, David G. [Smith.DavidG@epa.gov]; Pettit, Jonathan [Pettit.Jonathan@epa.gov]; Edwards, Alyssa [edwards.alyssa@epa.gov]; Thottungal, Robin [Thottungal.Robin@epa.gov]; Moody, Jonathan [moody.jonathan@epa.gov]; Parra, Juan [Parra.Juan@epa.gov]; Gulch, Jon [gulch.jon@epa.gov]; Benisek, Cher A. [Benisek.Cher@epa.gov]; Stanfield, Lucy [stanfield.lucy@epa.gov]; Caraballo, Mario [Caraballo.Mario@epa.gov]; Chang, Ming [Chang.Ming@epa.gov]; Bergdale, Amy [Bergdale.Amy@epa.gov]; Vega, Ann [Vega.Ann@epa.gov]; Hemby, James [Hemby.James@epa.gov]; Wagner, Cory [Wagner.Cory@epa.gov]; Wertz, Eric [Eric.Wertz@RadiantSolutions.com]; Chang, Lois [chang.lois@epa.gov]; Kenny, Sharon [Kenny.Sharon@epa.gov]; Kilaru, Vasu [Kilaru.Vasu@epa.gov]; Richards, Tim [Richards.Tim@epa.gov]; Coughlin, Justin [coughlin.justin@epa.gov]; Parker, William [parker.william@epa.gov]; Finley, Jeanine [finley.jeanine@epa.gov]; Knoppow, Brianna [Knoppow.Brianna@epa.gov]; Kim, Ed [Kim.Ed@epa.gov]; Lister, Melody [lister.melody@epa.gov]; Sykes, John [Sykes.John@epa.gov]; Yin, Jianchu [yin.jianchu@epa.gov]; Yourish, Jesse [yourish.jesse@epa.gov]; Dombrowski, Sally [Dombrowski.Sally@epa.gov]; Kirkland, Robert [kirkland.robert@epa.gov]; Ierulli, Anthony [Ierulli.Anthony@epa.gov]; Jett, Steven [Jett.Steven@epa.gov]; Geisenhoffer, Colin [geisenhoffer.colin@epa.gov]; McElhinney, Cary [mcelhinney.cary@epa.gov]; Messinger, Lisa [Messinger.Lisa@epa.gov]; Thawley, Michelle [Thawley.Michelle@epa.gov]; Cunningham, Caitlin [cunningham.caitlin@epa.gov]; Silvestri, Erin [Silvestri.Erin@epa.gov]; Wilkes, Nathan [Wilkes.Nathan@epa.gov]; Dewald, Tommy [Dewald.Tommy@epa.gov]; Bolt, Matthew [Bolt.Matthew@epa.gov]; Frank, Matt [frank.matthew@epa.gov]; Pelloso, Elizabeth [Pelloso.Elizabeth@epa.gov]; SMIESZEK, Erwin [Smieszek.Erwin@epa.gov]; Purify, Johnnie [Purify.Johnnie@epa.gov]; Ifediora, Byron [Ifediora.Byron@epa.gov]; Subramanian, Bhagya [Subramanian.Bhagya@epa.gov]; Liponis, Timothy [liponis.timothy@epa.gov]; Sachdev, Vijay (Seperated 3/28/19) [sachdev.vijay@epa.gov]; Burchette, John [Burchette.John@epa.gov]; Krochmal, Josh [Krochmal.Josh@epa.gov]; Allen, Richard [Allen.Richard@epa.gov]; Roose, Rebecca [Roose.Rebecca@epa.gov]; Cakir, Halil [Cakir.Halil@epa.gov]; Timander, Linda [Timander.Linda@epa.gov]; Hultgren, Torrin [Hultgren.Torrin@epa.gov]; Rao, Venkatesh [Rao.Venkatesh@epa.gov]; Prugar, Andrew [Prugar.Andrew@epa.gov]; Fry, Meridith [Fry.Meridith@epa.gov]; Harness, Catherine [Harness.Catherine@epa.gov]; Gamas, Julia [Gamas.Julia@epa.gov]; Solomon, Douglas [Solomon.Douglas@epa.gov]; Scavello, Grant [Scavello.Grant@epa.gov]; Murphy, Mark S. [Murphy.MarkS@epa.gov]; Dichter, Alexandra [Dichter.Alexandra@epa.gov]; Delisio, Edward [delisio.edward@epa.gov]; Rackauskas, Eric [rackauskas.eric@epa.gov]; Connolly, Jennifer [Connolly.Jennifer@epa.gov]; Rosenbaum, Barbara [Rosenbaum.Barbara@epa.gov]; Lopez, Laura [Lopez.Laura@epa.gov]; Maso, Carmen [maso.carmen@epa.gov]; Teasley, Deric [Teasley.Deric@epa.gov]; Torreano, Michelle [Torreano.Michelle@epa.gov]; Tang, Daisy [Tang.Suk-Yee-D@epa.gov]; Bilardo, Elyse [Bilardo.Elyse@epa.gov]; Adams, Jesse [Adams.Jesse@epa.gov]; Thynge, Megan [Thynge.Megan@epa.gov]; Weber, Marc [Weber.Marc@epa.gov]; Henley, Cheryl [Henley.Cheryl@epa.gov]; Lennartz, Steven [Lennartz.Steven@epa.gov]; Boudrot, Steve [Boudrot.Steve@epa.gov]; Jenkins, Lisa [Jenkins.Lisa@epa.gov]; Dai, Qi [Dai.Qi@epa.gov]; Urban, Candice [Urban.Candice@epa.gov]; Neale, Anne [Neale.Anne@epa.gov]; Sylls, Gene [Sylls.Gene@epa.gov]; Brody, Tom [brody.tom@epa.gov]; Rodriguez, Sebastian [rodriguez.sebastian@epa.gov]; Fulton, Jennifer [Fulton.Jennifer@epa.gov]; Knopes, Christopher [Knopes.Christopher@epa.gov]; Mckeever, Michele [Mckeever.Michele@epa.gov]; Mason, Michael [Mason.Michael@epa.gov]; Burch, Brian [burch.brian@epa.gov]; Polinsky, Robyn [Polinsky.Robyn@epa.gov]; Dulac, Monique [Dulac.Monique@epa.gov]; Etchells, Elizabeth [Etchells.Elizabeth@epa.gov]; Schroeder, Tobias [Schroeder.Tobias@epa.gov]; Becker, Jon [Becker.Jon@epa.gov]; Bryson, Ellen [bryson.ellen@epa.gov]; Whitsey-Johnson, HEnri [Whitsey-Johnson.HEnri@epa.gov]; Simpson, Robert [Simpson.Robert@epa.gov]; Paulsen, Heidi [Paulsen.Heidi@epa.gov]; Hudda, Laila [Hudda.Laila@epa.gov]; Savitske, Greg [Savitske.Gregory@epa.gov]; Dulaney, Dick [Dulaney.Dick@epa.gov]; Crosetto, Thomas [crosetto.thomas@epa.gov]; Augustine, Scott [Augustine.Scott@epa.gov]; Rice, Cody [Rice.Cody@epa.gov]; Healey, John [healey.john@epa.gov]; Holloway, Katrail [Holloway.Katrail@epa.gov]; Sellars, Shayna [sellars.shayna@epa.gov]; Small, Matthew [Small.Matthew@epa.gov]; Nattis, Randy [Nattis.Randy@epa.gov]; Alsip, Benjamin [alsip.benjamin@epa.gov]; Anderson, Milo [anderson.milo@epa.gov]; Curtis, Mary [Curtis.Mary@epa.gov]; Hesterlee, Craig [Hesterlee.Craig@epa.gov]; Grunzke, Danielle [grunzke.danielle@epa.gov]; Cohen, Deborah [Cohen.Deborah@epa.gov]; Sorge, Bruce [sorge.bruce@epa.gov]; Carrea, Steve

[Carrea.Steve@epa.gov]; Williams, Donnie [Williams.Donnie@epa.gov]; Lewis, Sheila [Lewis.Sheila@epa.gov]; Kane, Rebecca [Kane.Rebecca@epa.gov]; Mehl, Hollis [Mehl.Hollis@epa.gov]; Callan, Richard [Callan.Richard@epa.gov]; Bahnfleth, Ryan [Bahnfleth.Ryan@epa.gov]; James, Jennifer [James.Jennifer@epa.gov]; Walsh, Jonathan [Walsh.Jonathan@epa.gov]; Clover, Fletcher [Clover.Fletcher@epa.gov]; Groza, Bryan [groza.bryan@epa.gov]; Couch, Jim [Couch.Jim@epa.gov]; Philbrick, Ryan (Scott) [philbrick.ryan@epa.gov]; Shannon, Danielle [shannon.danielle@epa.gov]; Kimbrough, Sue [Kimbrough.Sue@epa.gov]; Michael.Alford@csra.com; Beling, Christine [beling.christine@epa.gov]; Bowen, Janet [bowen.janet@epa.gov]; Fiske, Lee (MacMichael) [fiske.lee@epa.gov]; Guillemin, Robert [Guillemin.Robert@epa.gov]; Schwartz, Myra [Schwartz.Myra@epa.gov]; Secunda, Joshua [secunda.josh@epa.gov]; Brown, Cindy [brown.cindyl@epa.gov]; Couture, Samantha [couture.samantha@epa.gov]; Dever, Mary [Dever.Mary@epa.gov]; Simons, Elise [simons.elise@epa.gov]; Swaine, Abby [swaine.abby@epa.gov]; Jennifer Holder [jholder@innovateteam.com]; Takeda, Stacy [Takeda.Stacy@epa.gov]; Liebman, Matt [Liebman.Matt@epa.gov]; Holderied, Anthony [Holderied.Anthony@epa.gov]; Forbes, Susan [Forbes.Susan@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]; Donnelly, Stephen [Donnelly.Stephen@epa.gov]; Nicholas, David [Nicholas.David@epa.gov]; Gorini, Kelly [Gorini.Kelly@epa.gov]; Hyman Moore, Julie [Hyman.Julie@epa.gov]; Gerardin, Margaret [Gerardin.Margaret@epa.gov]; Schmitt, Stephen [Schmitt.Stephen@epa.gov]; Christian, Scott [Christian.Scott@epa.gov]; Bosecker, Elizabeth [Bosecker.Elizabeth@epa.gov]; Worley, Ray [Worley.ray@epa.gov]; Greenberg, Marc [Greenberg.Marc@epa.gov]; Dunston, Carolyn [Dunston.Carolyn@epa.gov]; Treimel, Ellen [Treimel.Ellen@epa.gov]; Huff, Mark J [huff.markj@epa.gov]; Klinger, Adam [Klinger.Adam@epa.gov]; Jennings, Robert [Jennings.Robert@epa.gov]; Hamilton, Renee [Hamilton.Renee@epa.gov]; Lapachin, Jyl [Lapachin.Jyl@epa.gov]; Nicholson, Timothy [Nicholson.Timothy@epa.gov]; Frigerio, Lorry [Frigerio.Lorry@epa.gov]; Ragnauth, Elizabeth [Ragnauth.Elizabeth@epa.gov]; Riggs, James [riggs.james@epa.gov]; Laufenberg, Kim [laufenberg.kim@epa.gov]; Trouba, Erin [trouba.erin@epa.gov]; Feuerstein, Bethany [feuerstein.bethany@epa.gov]; Dennis Pokrzywka [dennisp37@gmail.com]; Iiames, John [Iiames.John@epa.gov]; Brown, Derrick [Brown.Derrick@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Fontenot, Scott [Fontenot.Scott@epa.gov]; Brad.Morgan@WestonSolutions.com; Paul.Dziemiela@erg.com; Quirarte-Ortiz, Cecilia [Quirarte-Ortiz.Cecilia@epa.gov]; Sullivan, Karen [Sullivan.Karen@epa.gov]; Reid, Wendy [Reid.Wendy@epa.gov]; Morris, Renee [Morris.Renee@epa.gov]; Browne, Nancy [Browne.Nancy@epa.gov]; adam_jenkins@esri.com; xwy7@cdc.gov; Dombrowski, John [Dombrowski.John@epa.gov]; Shogren, Angela [Shogren.Angela@epa.gov]

Subject: Canceled: Select EPA Data Systems Webinar Series for Users
Attachments: Data Webinar Series Template.pptx
Location: **Conference Line/Code / Ex. 6**

Start: 4/10/2018 6:00:00 PM
End: 4/10/2018 7:00:00 PM
Show Time As: Free

Importance: High

Recurrence: Weekly
every 2 week(s) on Tuesday from 2:00 PM to 3:00 PM

No one could present on April 10 so cancelling. Looking forward to our next session with FRS presented by Susan Joan Smiley on April 24.

Thanks,
Kim

Join Skype Meeting

Conference Line/Code / Ex. 6

Folks – IF YOU CAN please use the full Skype audio or have Skype call you at your phone line of preference. We may be up near the 250 line cutoff (190 acceptances/tentatives at this time) and if you call in AND join the webinar, you utilize TWO lines. So best to just click the link above and join the skype meeting, and then either use the full audio (undock from docking station if you need to use headphones) or have Skype call you on your phone of choice (see screenshot below).



The conference ID is Conference Line/Code / Ex. 6 The number for DC participants is Conference Line/Code / Ex. 6 Here are the local numbers for staff in regions:

Conference Line/Code / Ex. 6

Woot! Woot! I have 6 volunteers! Many thanks – I hope these dates below will work for the individuals who volunteered and if not please don't hesitate to contact me and I will find a better date.

I am still happy to hear from the other program systems – if there is any possibility of scheduling a webinar for your system with the GIS community. Many thanks –

Kim

<u>Proposed Schedule</u>
Jennifer Sutton (SEMS) – February 27
Mike Barrette (ECHO) – March 13
Tim Antisdel (TRI) – March 27
Troy Swackhammer (OIL) – April 10
Susan Joan Smiley (FRS) – April 2
AVAILABLE – NO PROGRAM IS BOOKED FOR THIS DATE YET – May 8
Jason Swift (ICIS) – May 22
Jessica Wieder/Angela (RADinfo, RADNet) – June 5

.....

From: Balassiano, Kim
Sent: Monday, January 29, 2018 1:37 PM
To: Muldrow, Bill <Muldrow.Bill@epa.gov>; Swift, Jason <Swift.Jason@epa.gov>; Charbonneau, David <Charbonneau.David@epa.gov>; Furr, Lori <Furr.Lori@epa.gov>; Sutton, Jennifer <sutton.jennifer@epa.gov>; Barrette, Michael <Barrette.Michael@epa.gov>; Smiley, Susan <smiley.susan@epa.gov>; Cook, BrianB <Cook.BrianB@epa.gov>; Perry, Carlyn <Perry.Carlyn@epa.gov>; Clark, JeffreyF <Clark.JeffreyF@epa.gov>; Wieder, Jessica <Wieder.Jessica@epa.gov>; Morris, Renee <Morris.Renee@epa.gov>; Antisdel, Timothy <Antisdel.Timothy@epa.gov>; Witkin, Steve <Witkin.Steve@epa.gov>; Veresh, John <Veresh.John@epa.gov>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Subject: REQUEST: Will you please present on your data system to the GIS Workgroup?

Hi everyone,

Sorry to mass-email you like this. There has been the recurring request around the GIS community to get the chance to meet with our EPA data system owners. I wanted to organize a half-dozen or so webinars over the course of the next 6 months. Each will be dedicated to the data system in question, in other words – one 60 minute session for TRI, one 60 minute session for ICIS, (half of the time for questions) etc.

Who will volunteer? I promise as moderator to ensure civility ☺

I've attached a powerpoint template to serve as a guide for what we'd like to learn about. Please bring with you the experts you think you may want to have on hand. For some of us – this may mean our Contractors and for others – our bosses. I think this will present you with a great opportunity to learn about how your data are being used – or how we'd like to be using your data! I will work individually with each of you to make sure that the webinar time and day suits your schedule.

Many thanks!
Kim

My notes on the idea:

Data System Owner Information Webinar Series

1. Description: Let's convene a webinar series where we bring together the experts of our EPA data systems and their internal EPA users to help folks get questions answered about usage and access.

2. Which program systems?

PBI / Ex. 4

PBI / Ex. 4

3. Proposed Agenda (PPT template attached)

   Description of the data system, what constitutes the universe of records contained within? Are there overlapping systems we should know about?
   Introduction on the history of the Data System
   Who uses the data?
   Who manages it, out of which office, under which regulation?
   How to access the data (interface and/or download)?
   How to ask questions/official/unofficial contact?
   Known data limitations/quality assurance workflow
   Is there a User Community or listserv?
   Improvement plans ahead?
   Open Q&A (30 minutes)

4. Audience

   GIS Workgroup initially

5. Logistics/Future

   For now we are one and done, ppt slides will be stored on the GIS workgroup Sharepoint. If we can tee up 6-10 system owners that will be success. If it is a success, we can bring together more people, with more support (Exchange Network), to a larger and possibly external audience.

6. Collaborators: Leslie Cronkhite, OECA OC

Kim Balassiano
IAASD/Office of Information Management
Office of Environmental Information
USEPA

202-566-0709 desk
Personal Privacy / Ex. 6 **mobile**
Balassiano.kim@epa.gov

Message

From: Campbell, Ed [Campbell.Ed@epa.gov]
Sent: 3/9/2018 6:13:37 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: Timesheets Today!

Just a Friday timesheet reminder for the time ☺

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
http://intranet.epa.gov/webdev

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/17/2018 1:29:29 AM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

```
Field Readiness                        138 error
Oil DB                                 19 error
```

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

No Oildb ICIS XML sending errors were logged in the past 24 hours.

Message

From: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Sent: 2/14/2018 11:23:31 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Sequence I

Add the other stuff first
Downgrade warning

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, February 13, 2018 2:19 PM
To: 'leckner.erik@epa.gov' <leckner.erik@epa.gov>
Subject: Sequence I

1. Unzip up one directory.
2. New>Project> Ant build file
3. Rename smabase
4. Rename equipment
5. Get rid of characters under "ER" in comment. <- Project related
6. Get 7zip portable. See PBI / Ex. 4
7. PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/9/2018 4:54:02 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: RE: Oil Db Mobile Web Services

You're welcome.

From: Leckner, Erik
Sent: Friday, March 9, 2018 11:33 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: Oil Db Mobile Web Services

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Friday, March 9, 2018 11:32 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: Oil Db Mobile Web Services
Importance: High

Hi Christian & Rakhi.

Attached is the OilDb Mobile Web Service Methods guide. Hopefully it explains Oil Db web services more then what we could find out from NCC. I will look for more guides to help us…if they are not in the zip files I sent. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Campbell, Ed [Campbell.Ed@epa.gov]
Sent: 3/30/2018 7:09:06 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: RAM?

Can't blame you for trying, but that one is totally out of my hands to expedite ☹ Just waiting on other people at this point.

From: Leckner, Erik
Sent: Friday, March 30, 2018 2:55 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RAM?

Hi Ed

Since we're going 1 for 1 today, any word on the RAM to make it 2 for 2? ☺ Of course orig source from Salient would be 3 for 3 ☺

I had written to Tonya about it yday and she said she was looking for it. I need to go to dt San Diego next week to reset my badge and if I had the RAM at the same time, I would be able to do both the same day. I am thinking about going by Thursday noon PDT.

Best,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Chilivery, Swetha [chilivery.swetha@epa.gov]
Sent: 2/22/2018 8:21:58 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Edward [Edward.Campbell@csra.com]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Yun, Lisa [Lisa.Yun@csra.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: Requirements From Salient

Hi Colleen,

The requirements that I highlighted do not exist in Staging either.

Regards,
Swetha

From: McCarthy, Colleen
Sent: Thursday, February 22, 2018 3:12 PM
To: Campbell, Edward <Edward.Campbell@csra.com>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Yun, Lisa <Lisa.Yun@csra.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Requirements From Salient

Hi Folks,

Enclosed is a spreadsheet of requirements that we got from Salient. Cindy and Swetha have gone through it and indicated which requirements are in production and which are not (Thank you Cindy and Swetha!) One more information request for Cindy and Swetha: for the requirements that are not in production, do they exist anywhere else (staging or other)? If so, can you please tell me where?

Thanks again!

Kind regards,
Colleen McCarthy, MBA, PMP
Lead Business Analyst
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
79 TW Alexander Drive, Building 4401, Room 480B
P.O. Box 13668, Research Triangle Park, NC 27709
mccarthy.colleen@epa.gov

Message

From: Barefoot, Tonya M [Tonya.Barefoot@csra.com]
Sent: 4/3/2018 11:39:55 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Oldham, William [Oldham.William@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: Re: RAM Order

I have not seen any confirmation.

Let me email him back and asked if it has been ordered.

Thanks
Tonya

Sent from my iPhone

On Apr 2, 2018, at 8:43 PM, Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com> wrote:

> Hi Tonya,
>
> Any new update on the RAM order?
>
> Thanks.
>
> Christian Leckner
> Principal Engineer
> ITS-EPA | CSRA
> San Diego, CA 92028 | PDT
> 949-244-6501 | leckner.erik@epa.gov

This electronic message transmission contains information from CSRA that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind CSRA to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/9/2018 4:32:17 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: Oil Db Mobile Web Services
Attachments: OilDB_Mobile_WebServiceMethods.docx

Importance: High

Hi Christian & Rakhi.

Attached is the OilDb Mobile Web Service Methods guide. Hopefully it explains Oil Db web services more then what we could find out from NCC. I will look for more guides to help us…if they are not in the zip files I sent. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/28/2018 5:11:34 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Automatic reply: Oil dB Access - LT = JIRA ticket OEM 46

I will be out of the office from 3/26 to 3/28 and will not have access to email. I will respond to your request when I come back in the afternoon on 3/28.

Thanks!

Cindy Fan

PBI / Ex. 4

CSRA Inc.

Message

From: Chilivery, Swetha [chilivery.swetha@epa.gov]
Sent: 3/22/2018 8:01:59 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: List of PBI / Ex. 4 Groups
Attachments: PBI / Ex. 4 _Groups_MasterList.xlsx

Hi Team,

Attached is the list of PBI / Ex. 4 Groups defined in EMP applications.

Regards,
Swetha

Message

From: Morgan, Jennifer [morgan.jennifer@epa.gov]
Sent: 5/18/2018 8:52:27 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Personal Privacy / Ex. 6 @ Home Today

Hi Christian,

Sounds good to me ☺

-Jenn

From: Leckner, Erik
Sent: Friday, May 18, 2018 3:30 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Personal Privacy / Ex. 6 @ Home Today

Hi Jenn

Thanks again for the testing. If I need you to retest anything over the course of the next couple of days, I will let you now.

Note that this testing was not a final cutoff meaning we can always do more testing after I freeze the code base since we're not yet releasing anything – Im just freezing it for the purpose of snapshotting to store it in a repository and then any changes to it will be tracked via our source code software.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Morgan, Jennifer
Sent: Friday, May 18, 2018 7:56 AM
To: EMP_External_Team <EMP_External_Team@epa.gov>
Subject: Personal Privacy / Ex. 6 @ Home Today

Hi Team,

Personal Privacy / Ex. 6 ☹. Personal Privacy / Ex. 6 – I'll plan to monitor the Help Desk email today, but other than that, Personal Privacy / Ex. 6 Personal Privacy / Ex. 6. Please email me if you need anything urgently from me though!

Thanks,
Jenn

Jennifer Morgan
Help Desk Lead | Project Management Analyst
GDIT Supporting ITS-EPA III Contract
Morgan.Jennifer@epa.gov

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/7/2018 9:53:02 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Nair, Gopakumar [nairg@usepa.onmicrosoft.com]
Subject: RE: New JIRA Ticket

Great. Thanks.

From: McCarthy, Colleen
Sent: Wednesday, March 7, 2018 4:50 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Nair, Gopakumar <nairg@usepa.onmicrosoft.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: New JIRA Ticket

Hi Folks,

I just added a JIRA ticket, OEM 44, **Change Tab Title from "SHEM Information" to "Medical/Fit Test",** which came from the SHEM FR User's Forum call yesterday, but I don't know to who to assign it. If you know that this falls into your camp, would you please let me know ☺?

Thanks!

Kind regards,
Colleen McCarthy, MBA, PMP
Lead Business Analyst
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
79 TW Alexander Drive, Building 4401, Room 480B
P.O. Box 13668, Research Triangle Park, NC 27709
mccarthy.colleen@epa.gov

Message

From: Fan, Yanqian [fan.yanqian@epa.gov]
Sent: 2/9/2018 2:16:20 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Chilivery, Swetha [chilivery.swetha@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: Re: UPDATE - Potential for STOP WORK issuance for ISAH Task Order effective Midnight February 8th, 2018

Glad to hear that ☺ Happy Friday everyone!

Thanks!
Cindy

From: Campbell, Ed
Sent: Friday, February 9, 2018 9:05:43 AM
To: Leckner, Erik; Chilivery, Swetha; McCarthy, Colleen; Goods, Lawanna; Madhavan Nair Kamala Devi, Rakhi; Fan, Yanqian
Subject: FW: UPDATE - Potential for STOP WORK issuance for ISAH Task Order effective Midnight February 8th, 2018

Hey Team –

Just a heads up to make sure you saw this – we are business as usual today.

From: Shumate, Robert [mailto:Robert.Shumate@csra.com]
Sent: Thursday, February 08, 2018 6:00 PM
Cc: Toliver, Eric <Eric.Toliver@csra.com>
Subject: RE: UPDATE - Potential for STOP WORK issuance for ISAH Task Order effective Midnight February 8th, 2018
Importance: High

Team,

Additional update was just received from EPA Administrator Scott Pruitt –

> *Dear Colleagues,*
> *As many of you are aware, annual funding for the government expires at midnight tonight (Thursday, February 8, 2018).*
>
> *Prudent management requires that we be prepared for all contingencies, including the possibility that a lapse in appropriated funding could occur. EPA's Contingency Plan for Shutdown calls for the agency to assess whether there are sufficient carryover funds to operate for a period of time in the event of a lapse in funding and a government shutdown. We have done that assessment and determined that EPA has sufficient carryover funds to operate for a limited period of time.*
>
> *EPA will remain open on Friday, February 9, and Monday, February 12, 2018, in the event of a government shutdown. All EPA employees should follow their normal work schedule for Friday and Monday. We will be closely monitoring our expenditures, and all travel during this period must be approved by the Administrator's Office. Should the shutdown occur and remain in place through Monday, we will provide further updates on the agency's operating status.*
>
> *Thank you for your hard work, dedication, and patience through this process, and for all that you do for the EPA and the American people.*

Administrator Pruitt

Eric has confirmed with FEDSIM and EPA leadership that this direction is applicable to our ISAH Task Order, and therefore it's business as usual for Friday, February 9, through Monday, February 12, 2018.

Thanks,
Bo

Robert (Bo) Shumate
ITS-EPA III, ISAH (TO2) Deputy Program Manager, Business Operations
CSRA, Inc.| www.csra.com
79 TW Alexander Drive, Building 4401, Suite 400, Research Triangle Park, NC 27709
| Mobile: Personal Privacy / Ex. 6 | Office: 919-200-7302 | Robert.Shumate@csra.com |
Project Management Professional (PMP) & ITIL Service Management Practitioner certifications

Out of Office: None currently identified.

CSRA

Think Next. Now.
Tomorrow's promise, delivered today.
Please consider the environment before printing this e-mail

From: Shumate, Robert
Sent: Thursday, February 8, 2018 4:40 PM
Cc: Toliver, Eric <Eric.Toliver@csra.com>
Subject: Potential Federal Government Shutdown - Potential for STOP WORK issuance for ISAH Task Order effective Midnight February 8th, 2018

Team:

Once again we find ourselves on the brink of yet another possible government shutdown. When we faced this possibility the last time on January 19th, it was determined by the EPA Administrator that a shutdown would not impact EPA operations. As of this hour, we have received no such indication.

During the past few weeks the ITS-EPA III TO2 CSRA leadership has been working closely with FEDSIM and EPA on refining contingency planning. The planning includes the potential for issuance by GSA FEDSIM of a partial Stop Work Order in accordance with FAR 52.242-15, Stop Work Order for the EPA Infrastructure Support and Application Hosting (ISAH) order. Under a partial Stop Work Order, only those tasks/functions deemed mission critical would be performed to maintain critical services with diminished staffing levels. Details and definition of the mission critical services and requirements have been prepared and conveyed to the team lead management staff and impacted personnel. If there is a shutdown, we will continuously monitor the situation and work with EPA/FEDSIM leadership to understand the full impact.

- **We will be communicating regularly via Telecon Bridge Conference Line/Code / Ex. 6 daily starting tomorrow (Friday February 9th) at 09:00am and again at 05:00pm EST. The daily status calls will continue for the duration of the Federal Govt Shutdown period.**

What does this mean for you?

- If the Federal Government shuts down, there are certain functions deemed "essential/critical" and therefore will be supported in some capacity.

- Designated personnel will be asked to continue work during the shutdown – very likely at the NCC campus, but possibly at an alternate location (CSRA facility) if the NCC authorizes remote work should be performed. In certain cases, these employees will be asked to work on specific tasks that encompass only a portion of their time, and will be able to supplement their remaining regular work hours with annual leave. Designation of an employee in a critical capacity is subject to change.
- All other employees (not previously notified of an essential/critical function or role), should not report to work AND are asked to take personal leave (PTO) for the days that they are not at work.

- Employees who are on leave status are reminded that:
  - The situation is fluid and if the government shutdown ends they should anticipate communications via the daily bridge line (and possibly their CSRA e-mail account or management contact).
  - Employees should put an out-of-office message on both their voicemail and their e-mail accounts that directs callers to contact Eric Toliver @ Toliver.Eric@epa.gov for emergencies only during the work stoppage.
  - Once a new Continuing Resolution (CR) or appropriations bill is approved, and the Stop Work Order has been rescinded by the contracting officer, employees will be advised that they are able to return to work (via the daily Bridge call in noted above).

- Guidance for Employees Taking Leave
  - If employees have PTO or Vacation available, they should use it during this time.
  - If employees do not have leave, in keeping with CSRA policy, they can overdraw their annual leave bank by up to 40 hours.
  - Advanced leave amounts will be accrued (earned back) once employees return to work.
  - If employees do not have any annual leave and already have an overdrawn balance of 40 hours, they should contact their HR Business Partner (Angeli Jaramillo @ Angeli.Jaramillo@csra.com) for further discussion.
  - Frequently Asked Questions (FAQ)
    - In preparation for the last threatening government shutdown CSRA prepared a Frequently Asked Questions document to address some of the most common concerns around a government shutdown. That document is attached to this email.

Thank you for all you do to support our customers every day, and once again especially today. Please note that the planning and close coordination is actively ONGOING and NO stop work action has been initiated at this point. Please stay alert to e-mail and/or other communication channels for updates. You have our commitment to keep you informed as quickly as information is available.

Eric

Eric Toliver, PMP/ITIL/COBIT
Program Manager – ITS-EPA III, ISAH (TO-2)
SRA International...A CSRA Company| www.csra.com
| Mobile Conference Line/Code / Ex. 6 | Office (New!): 919-200-7313 | Eric.Toliver@csra.com |

CSRA
Think Next. Now.

Please consider the environment before printing this e-mail

This electronic message transmission contains information from CSRA that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately

and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind CSRA to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

Message

From: Fan, Yanqian [fan.yanqian@epa.gov]
Sent: 2/14/2018 10:29:02 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: Re: Db Connections

The password for PBI / Ex. 4

From: Fan, Yanqian
Sent: Wednesday, February 14, 2018 5:27:28 PM
To: Leckner, Erik
Cc: Smith, Doug L; Page, Alison; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: Re: Db Connections

Hi Christian, please see my answer here:

1. Yes, these are the all Java applications in EMP system.
2. For staging database, here is the server information:

Hostname: PBI / Ex. 4
Port: 1521
Service Name: PBI / Ex. 4

Each application module has its own connecting user, here is the details. I will send you password in separate email.

Application	Connecting User	Password
PBI / Ex. 4		

3. For database connection, you can download free PBI / Ex. 4 which includes "PBI / Ex. 4" for you to view table structure and table data PBI / Ex. 4
PBI / Ex. 4
I don't have PBI / Ex. 4 installed in my personal laptop. Currently I use "PBI / Ex. 4" to connect database as well. I am still waiting for my EPA laptop.

Please let me know if you need anything else.

Thanks!
Cindy

From: Leckner, Erik
Sent: Wednesday, February 14, 2018 4:31:18 PM

To: Fan, Yanqian
Cc: Smith, Doug L; Page, Alison; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: Db Connections

Hello Cindy!

I have several questions wrt the development (and staging, production) databases used by the subprojects PBI / Ex. 4 PBI / Ex. 4

1. Are these 5 projects the entire set or are there more for the PBI / Ex. 4, web, and mobile under the scope of our work?
2. If there isn't already dev database(s), would you be able to setup dev database(s) for these projects? Our development team is ready to attempt connections via the servers. We would need dev database user account details (user/password, db server, database) for both the servers and PBI / Ex. 4 for dev access.
3. Which db client do you recommend? I/we have used various clients in the past, and PBI / Ex. 4 is one that we could use. There are 30 day trial versions we could download/install, but there may be EPA licenses for some of these for developers.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/14/2018 2:13:11 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Unable to login to staging DB

In staging, DBA reset users password every 90 days. The new password for all PBI / Ex. 4 ". Below account is unlocked now. Please try it again.

PBI / Ex. 4 was cloned from staging and carried over same "90 days" policy. I will remove this password policy from database. So we won't worry about password expiration issue in DEV.

Thanks!
Cindy

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 14, 2018 1:49 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: Unable to login to staging DB

Hi Cindy,

Not able to the login to staging DB with the username/password provided. Wondering if it has changed. Looks like I have locked this user out by 2 wrong attempts.

Could you help with the new password and unlock the account?

What's New | Optimizer Access Paths

PBI / Ex. 4

Thanks,
Rakhi

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 4/2/2018 5:41:02 PM
To: EMP_Internal_Team [EMP_Internal_Team@epa.gov]
Subject: Skype not working

Hi Team,
My skype is down. Please drop me a mail or find me on slack if you need to reach me.
Thanks for the email distribution group Colleen! ☺

Thanks,
Rakhi

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/7/2018 9:52:09 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: RE: EMP App Configuration Info

Great!! That's correct PBI / Ex. 4 is on staging. But the Training stuff in the last group will be terminated as soon as I get back to it this week or next.

From: McCarthy, Colleen
Sent: Wednesday, March 7, 2018 4:01 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: EMP App Configuration Info

Thanks for the information! I just uploaded the file that you sent and deleted the original. Colleen

---

From: Fan, Cindy (Yanqian)
Sent: Wednesday, March 7, 2018 3:52 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: EMP App Configuration Info

Hi Colleen,

Christian caught an error in "EMP_App_Components.xlsx" on tab "From Cindy". I accidently copied all PBI / Ex. 4 database information from staging to production on column "F". It was wrong PBI / Ex. 4 was not deployed in production yet. Please see my updated file in attachment and please upload it to Confluence.

Thank you!

Cindy

From: McCarthy, Colleen
Sent: Wednesday, March 7, 2018 2:53 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: EMP App Configuration Info

Hi Folks,

I just uploaded this to a page in PBI / Ex. 4 titled "Servers, Instances, and Applications at NCC"

Thanks!

Colleen

From: Thomas, Rob
Sent: Wednesday, March 7, 2018 2:34 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: FW: EMP App Configuration Info

Hello Team. Here is the breakdown of Servers, Instances, and Applications at NCC. Looks like Training is on Production but this will be terminated once you all tell me the Dev Enviro Server is doing what we need it to do. Unless you all tell I can have the Training Environment terminated now. Thanks.
Rob

From: Ferko, Dan
Sent: Tuesday, February 27, 2018 7:18 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>
Subject: EMP App Configuration Info

Rob,

Last week you had asked for a break out of the EMP apps to show which servers, databases, etc. were used by each app. I believe the attached xlsx file has what you need, and possible more...so you can update your assessment documentation.

Please let me know if you have questions or need additional info.

Thanks,

Daniel Ferko | Program Manager | CSRA | (o) 919-200-7258 | (m) 919-633-7038

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 2/22/2018 10:10:47 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: FW: EMP Status Meeting 2/20/2018: Minutes and Actions
Attachments: Oil Db_prt1.piz

Sorry this Oil db prt 1 zip file

From: Thomas, Rob
Sent: Thursday, February 22, 2018 5:09 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: EMP Status Meeting 2/20/2018: Minutes and Actions

Hi all. Here is Oil Db prt 1 piz file.

From: McCarthy, Colleen
Sent: Thursday, February 22, 2018 12:08 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: EMP Status Meeting 2/20/2018: Minutes and Actions

That's GREAT! Thanks for updating us and I'll close that item. Colleen

---

From: Fan, Cindy (Yanqian)
Sent: Thursday, February 22, 2018 12:07 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: EMP Status Meeting 2/20/2018: Minutes and Actions

Colleen,

Thanks for the meeting minutes. For item #4, with "WAM support" help, Rob, Ed and me have the "EMP Admin" role in production now.

Thanks!
Cindy

From: McCarthy, Colleen
Sent: Thursday, February 22, 2018 11:23:25 AM

To: Thomas, Rob; Campbell, Ed; Chilivery, Swetha; Goods, Lawanna; Leckner, Erik; Fan, Cindy (Yanqian); Madhavan Nair Kamala Devi, Rakhi
Subject: EMP Status Meeting 2/20/2018: Minutes and Actions

Hi Folks,

Thanks for attending our first EMP Status Meeting this past Tuesday, 2/20/2018 ☺! I hope that you enjoyed the meeting and felt that it was productive, and also enjoyed the virtual coffee and donuts - guaranteed to be caffeine and calorie free ☺!

Enclosed are the minutes and actions from this meeting, which are also available on PBI / Ex. 4 at

PBI / Ex. 4

I've also listed the actions below for easy reference.

1. Rob to send team an Oil folder and an Oil BD folder so that we have all of the documentation that he has.
2. (From item 2 in minutes) Oil DB also needs something, too; Rob to check on what it is.
3. Cindy will see what is happening now w.r.t how many emails are being sent per person and per course.
4. Cindy will chase Data Manager rights for Rob and herself in Production.
5. Colleen and LaWanna will enter action items from minutes into JIRA so that they are not lost and can be tracked. Requirement that are not firm yet will go into the Requirements spreadsheet (CAM: Which will have a more descriptive name and be uploaded to Confluence.)

Any feedback on the minutes or actions is appreciated ☺!

Our next meeting will be next Tuesday, 2/28/2018, from 2:00 p.m. EST to 3:00 EST on Conference Line - Conference Line/Code / Ex. 6. We're trying to send out the agendas by COB on the Mondays before the Tuesday meetings. If you have items that you would like discussed at an upcoming meeting, please sent them to Ed or - if possible - before COB on Mondays. New items can also be added during the meetings.

Thanks all!

Colleen

Message

From: Waldo, James V. [Waldo.James@epa.gov]
Sent: 3/2/2018 5:38:46 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Ferko, Dan [Ferko.Daniel@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Childers, Paula [Childers.Paula@epa.gov]; Henderson, Kertis [henderson.kertis@epa.gov]
CC: Cusumano, Vicente [Cusumano.Vicente@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]
Subject: RE: Review WAM processing for EMP apps

Hey, all... I've imported the groups and created the empgroup_admin user. I'll email the credentials for that to Dan for distribution to the appropriate resources.

Cindy, we'll work on the nightly data export next week. Ping me if you haven't heard from me by Tuesday afternoon or Wednesday morning.

Thanks. Talk to y'all on Tuesday.

James Waldo
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
CSRA, Inc.
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709
Telephone: 919.475.9581 | waldo.james@epa.gov | www.csra.com

CSRA
Think Next. Now.

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 01, 2018 5:39 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Henderson, Kertis <henderson.kertis@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Review WAM processing for EMP apps
Importance: High

Hey James,

Please see attached list for PBI / Ex. 4 groups used in EMP applications. This list is generated from staging database and includes several PBI / Ex. 4 groups which are not created in production yet. For the groups' members, is it possible for you to copy them from staging PBI / Ex. 4 as well? Feel free to call me if you have any question: 703-509-0460.

Thanks!
Cindy

-----Original Appointment-----
From: Ferko, Dan
Sent: Wednesday, February 28, 2018 6:19 PM
To: Ferko, Dan; Fan, Cindy (Yanqian); Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Childers, Paula; Waldo, James V.; Henderson, Kertis
Cc: Cusumano, Vicente; Thomas, Rob

Subject: Review WAM processing for EMP apps
When: Thursday, March 1, 2018 4:00 PM-4:30 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Line **Conference Line/Code / Ex. 6**

Discuss

- Current Authentication and Authorization of EMP apps
- WAM services for development

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/15/2018 6:49:57 PM
To: Childers, Paula [Childers.Paula@epa.gov]; Dovlo, Rudolph [DOVLO.Rudolph@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: EMP Staging seems to be down

Hi Paula,
We are using PBI / Ex. 4 for staging DB from yesterday.
By any chance, did the PBI / Ex. 4 endpoint password change? For user "PBI / Ex. 4" ?

Thanks,
Rakhi

From: Childers, Paula
Sent: Thursday, March 15, 2018 2:45 PM
To: Dovlo, Rudolph <DOVLO.Rudolph@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: EMP Staging seems to be down

Try ' PBI / Ex. 4

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Dovlo, Rudolph
Sent: Thursday, March 15, 2018 2:40 PM
To: Campbell, Ed
Cc: Childers, Paula; Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi
Subject: RE: EMP Staging seems to be down

Hey Ed,
What user password are you looking for?

Rudolph Kofi Dovlo |Applications Systems Analyst. (TC)
ITS-EPAIII-ISAH | CSRA Inc.
79 TW Alexander Dr, #4401 Durham, NC.
919-767-7197 | dovlo.rudolph@epa.gov

From: Campbell, Ed
Sent: Thursday, March 15, 2018 2:38 PM
To: Dovlo, Rudolph <DOVLO.Rudolph@epa.gov>
Cc: Childers, Paula <Childers.Paula@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: EMP Staging seems to be down

Hi Kofi,

Can you send the new passwords for the staging environment to Christian (Erik) and Rakhi? They have been unable to work today.

Let me know if this request needs to be pointed somewhere else.

Thanks.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 15, 2018 2:32 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Staging seems to be down

Hi,
Staging environment seems to be down. Cindy and I got this error on login.
You entered an invalid UserID or Password. Please try again. It may be time to reset your password if it has been over 60 days.
By looking at staging logs, seems to be IAM connection error.

PBI / Ex. 4

Replicated it in local (pointing to staging)

PBI / Ex. 4

PBI / Ex. 4

In the UI, they are not displaying the accurate (but use understandable) error, but is showing bad password/userId error message.

Thanks,
Rakhi

EMP Discussion Notes / Meeting Minutes

		[FORMCHECKBOX] Revised Meeting Minutes
Subject	EMP Team Meeting Minutes	
Date and Time	3/6/2018 3:00 P.M. – 4:00 p.m. EST	
Meeting Location / Dial in Info	Conference Line - Conference Line/Code / Ex. 6 Access Code - Conference Line/Code / Ex. 6	
Chairperson	Thomas, Rob	
In Person Participants	Thomas, Rob; Campbell, Ed; Goods, Lawanna; McCarthy, Colleen; Leckner, Christian; Madhavan Nair Kamala Devi, Rakhi, Chilivery, Swetha; Fan, Cindy (Yanqian)	
Telephone Participants		
Collaboration		

1	Agenda 3/6/2018 1. Review actions from last meeting. 2. Discuss background and agenda for Friday's Oil Db & FRS Transfer Background and Updates meeting 3. JIRA issue OEM 43: User Session Expiration - epmadmin Application Server 4. Review status of requirements gathering, requirements assessing and JIRA entry of requirements: Three sources of documented requirements have been identified and are listed below with their current status. a. Excel Spreadsheet from Salient – All requirements entered into JIRA	1. We cannot get all data that is in FRS into the Oil DB. Troy [last name]and Rob Fox identified the data that they need, and we will discuss this further at the Oil DB meeting this Friday, 3/9/2018. The FR folks use the Oil DB, too, and at the Friday meeting we'll also talk about the data that FR has been getting from the Oil DB and what FRM needs to get from the Oil DB. There is a EMP System Architecture Diagram on page 11 of the Discovery Document that shows how the Oil DB fits into the EMP architecture. The original Oil Db was in access, and some functionality/data was lost in going to the current Oil Db. 2. JIRA ticket OEM 43: Discussion resulting in Rob's request that we take the four steps listed below: 1. Solve immediate issue. 2. Put a plan together for the entire application's solution 3. Do required testing 4. Figure out when weblogic is terminated, and have solution in place by then 3. Jennifer Morgan starts 3/19. UPDATE: LaWanna emailed Jennifer requesting useful documents and received some. These will be uploaded to Confluence onto the appropriate pages.

	b. List of "capabilities" From January 2018 SHEM User's Forum Minutes – Need to be assessed and entered into JIRA c. Help Desk Tickets – Need to be located, assessed and entered into JIRA – LuWanna and Colleen now have access to the Help Desk Inbox 5. Rob information to share with team, questions for Team 6. Ed information to share with team, questions for Team 7. Team (walk around) information to share, questions	

Decisions and Actions Items

[FORMCHECKBOX] No, Decisions/Action Items not discussed during this meeting	[FORMCHECKBOX] Yes, Decisions/Action Items discussed during this meeting (info below)

No.	Action Item or Decision	Date Identified	Owner	Description	Target Completion Date	Actual Completion Date

EMP Discussion Notes / Meeting Minutes

		MD = Meeting Date				
1			Rob	1. Send team email with background on Oil Db		
			Rob & Ed	2. Set up meeting to review requirements with users.		
2			Ed	3. Show Colleen how to upload emails to JIRA		
3			Christian/Ed	4. Add to JIRA ticket OEM 43 the 4 steps that Rob would like us to take to resolve this issue: 1. Solve immediate issue. 2. Put a plan together for the entire application's solution 3. Do required testing 4. Figure out when weblogic is terminated, and have solution in place by then		3/7/2018
4			Swetha	5. Send email to Rob with her questions about unique information in the Oil DB.		

Deliverable Status

No.	Deliverable Name	Date Received	Date Accepted	Comments

Risks and Issues

[FORMCHECKBOX] No, Risks/Issues not discussed during the meeting	[FORMCHECKBOX] Yes, Risks/Issues discussed during this meeting (info below)

EMP Discussion Notes / Meeting Minutes

Message

From: EMERG_MGMT_PORTAL@epa.gov [EMERG_MGMT_PORTAL@epa.gov]
Sent: 5/20/2018 1:26:20 AM
To: Leckner, Erik [leckner.erik@epa.gov]
Subject: PBI / Ex. 4 and Oildb ICIS XML Error Log On empprd

Number of PBI / Ex. 4 errors logged in the past 24 hours:

Field Readiness 20 error

Number of Oildb ICIS XML sending errors logged in the past 24 hours:

1 error(s).

Message

From: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Sent: 3/2/2018 5:55:03 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: TDD

Empadmin OK
Fr OK but logging again each time
Oildb OK and didn't need to login again

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/18/2018 7:17:30 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] PBI / Ex. 4 Unavailable Sunday, 05/20/18 from Noon to 5:00 PM EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for NCC PBI / Ex. 4

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 12:00 PM to 5:00 PM EDT

Estimated Up Time: 5:00 PM EDT

Device/Hardware/Software Involved: PBI / Ex. 4

Impact(s): Outages of approximately 30 - 60 minutes on the following URLs may occur between 12:00 PM and 5:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Apply NCC standard Quarterly updates for PBI / Ex. 4

Contact Information
Name: Shane Lawson
Telephone Number: 276-698-8556
Email: lawson.shane@epa.gov
Group/Organization: CSRA/ PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: EZ Forms [no-reply@sharepointonline.com]
Sent: 3/7/2018 8:47:06 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Your request Freeware-Shareware is approved.

Hi Leckner, Erik,

Your request for Freeware-Shareware has been approved.

click here to view the details

click here to view the details (508 view)

This is a system generated message, please do not respond.

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 2/28/2018 9:18:12 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: RE: West End Move and EMP march 23-25
Attachments: EMP_Alerts_Quick_Guide_V9 7.docx; EMP_Alerts_Quick_Guide_V9 7-rt.docx

Hi Christen.
Thanks for the notice. I attached the EMP Alerts Quick Guide to this email. It was in the zip file containing EMP Alerts folder. Thanks.

Rob

From: Leckner, Erik
Sent: Wednesday, February 28, 2018 4:15 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: West End Move and EMP march 23-25

Hello Rob,

It would be helpful for Rakhi and I to know this.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Wednesday, February 28, 2018 4:10 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: FW: West End Move and EMP march 23-25
Importance: High

Hello Team
The previous email came from Dan Ferko, about the server moves impacting EMP. Highlighting in yellow. Who else besides me needs to learn how to send Alert Notices from EMP? I think it would be good to learn. It. Let me know. Thank you all.

Rob

From: Ferko, Dan
Sent: Tuesday, February 27, 2018 6:08 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: West End Move and EMP

Rob,

Last week you had asked what would be the impact to EMP for the West End Migration, currently planned for March 23, 24, 25 (Fri, Sat, Sun).

I asked and received the response below. Basically both of your prod servers PBI / Ex. 4, will need to be moved, so EMP will need to be down Friday night through Sunday.

Thanks,
Dan

From: Bickel, Mark
Sent: Tuesday, February 27, 2018 1:49 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: RE: West End Move and EMP

Yes. PBI / Ex. 4. Both clusters have to be moved during the West End migration.

Mark Bickel
CSRA Inc.
Building 4401
Attn: Mark Bickel – 919-200-7387
79 TW Alexander Dr
RTP, NC 27709

O: 919-200-7387 | M: 984-227-5045

From: Ferko, Dan
Sent: Monday, February 26, 2018 9:06 AM
To: Bickel, Mark <bickel.mark@epa.gov>
Subject: West End Move and EMP

Mark,

EMP's production servers are PBI / Ex. 4. Will the West End move starting March 23rd impact them?

Thanks,

Daniel Ferko | Program Manager | CSRA | (o) 919-200-7258 | (m) 919-633-7038

EMP Discussion Notes / Meeting Minutes

		[FORMCHECKBOX] Revised Meeting Minutes
Subject	EMP Team Meeting Minutes	
Date and Time	2/20/2018 3:00 P.M. – 4:00 p.m. EST	
Meeting Location / Dial in Info	Conference Line Conference Line/Code / Ex. 6 Access Code Conference Line/Code / Ex. 6	
Chairperson	Thomas, Rob	
In Person Participants	Thomas, Rob; Campbell, Ed; Goods, Lawanna; McCarthy, Colleen; Leckner, Christian; Madhavan Nair Kamala Devi, Rakhi, Chilivery, Swetha; Fan, Cindy (Yanqian)	
Telephone Participants		
Colloboration		

1	General Discussion	1. Rob believes that he has given us all existing requirements, but will be sending us an Oil folder and an Oil BD folder so that we have all of the documentation that he has. 2. Top priorities are getting well defined requirements for Autoemail and Immunizations. Oil DB also needs something, too; Rob to check on what it is. After this, examining all modules for efficiency and look and feel is the next priority. Envirofacts, Facilites Registry Service (FRS) and Central Data Exchange (CDX) are good examples of the look and feel that Rob would like. Rob would also like reports that are easy for the users to create and that look good. 3. After requirements for Autoemail are tight, need to test load on servers to see what their limits are. 4. Cindy will see what is happening now w.r.t how many emails are being sent per person and per course. 5. Decision makers for SHEM are Skip Wiseberg, Dave Gibson, Josh McDonald and David Wynn 6. Rob: In general, would like to have any changes made benefit all modules. 7. Ed: The development team generally does sprints by module, i.e., a sprint will only contain development item for one module. All Development Team members

		provide an estimate of the time that the development will take, and the most conservative estimate is generally used. 8. Rob: The classes fill up quickly, so the emails that are sent, for example, 90 days out from the signup deadline are more useful than the ones that are send 30 daysout from the deadline. If we are reducing the number of emails, starting with the emails that are sent 30 days out is the way to go. 9. Discussion of best way to make all modules mobile; put in JIRA as potential future requirement. 10. Need to comply with 1974 information security act, HIPAA requirements, SOX requirements, and any other regulations that speak to confidentiality and privacy. 11. Rob wants functional requirements for the users that contain mock-ups, wireframes, screen shots, etc. so that – as much as possible - the users can see what they will be getting. 12. Rob: Future requirement is two-way data exchange with FRS and Oil DB. 13. Rob: Future Skype meeting with Troy Swackhammer on Oil DB. 14. Cindy will chase Data Manager rights for Rob and herself in Production. 15. Colleen and LaWanna will enter action items above into JIRA so that they are not lost and can be tracked. 16. Sample Monitoring and Approval module is currently deployed in staging, on hold. 17. Local Government Reimbursement is possibly moving to epaosc.net 18. Further discussion on mobile applications and requirements will be necessary. Current priority is support of the existing modules.
2	Action Items - Discussion	1. Rob to send team an Oil folder and an Oil BD folder so that we have all of the documentation that he has. 2. (From item 2 above) Oil DB also needs something, too; Rob to check on what it is. 3. Cindy will see what is happening now w.r.t how many emails are being sent per person and per course. 4. Cindy will chase Data Manager rights for Rob and herself in Production. 5. Colleen and LaWanna will enter action items from above into JIRA so that they are not lost and can be tracked. Requirement that are not firm yet will go into the

EMP Discussion Notes / Meeting Minutes

		Requirements spreadsheet (CAM:Which will have a more descriptive name) and be uploaded to confluence.

Decisions and Actions Items

[FORMCHECKBOX] No, Decisions/Action Items not discussed during this meeting	[FORMCHECKBOX] Yes, Decisions/Action Items discussed during this meeting (info below) Actions are above and will be put into JIRA.

No.	Action Item or Decision	Date Identified	Owner	Description	Target Completion Date	Actual Completion Date

Deliverable Status

No.	Deliverable Name	Date Received	Date Accepted	Comments

Risks and Issues

[FORMCHECKBOX] No, Risks/Issues not discussed during the meeting	[FORMCHECKBOX] Yes, Risks/Issues discussed during this meeting (info below)

EMP Discussion Notes / Meeting Minutes

Message

From: Waldo, James V. [Waldo.James@epa.gov]
Sent: 3/9/2018 9:43:35 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Automatic reply: PBI / Ex. 4 Web Service

Today is Friday, March 9 and I am out of the office for the day. If you need timely assistance, please contact PBI / Ex. 4 Otherwise, I'll respond when I return.

Thanks very much!
- J

Message

From: Campbell, Ed [Campbell.Ed@epa.gov]
Sent: 3/13/2018 5:58:45 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: EMP Communication Involving Rob Thomas

Christian,

The point of this email was not to keep you from replying to emails that Rob initiates. It was mostly directed towards Rakhi, if I'm being honest, to keep her from asking questions that she could resolve interally by working with you.

To your points, I am not seeing the hold-ups in email that you are referencing below. If you have emails that are going unanswered, or if you see answers coming back that are insufficient or blocking you, please tell me. You send **A LOT** of very verbose emails, on top of the 100+ that I get a day from my other projects – it is hard for me to clearly identify where your blockers are.

And honestly, there are definitely silos here, and they aren't going anywhere. Working around them is part of our job. This is Federal contracting - it's how Feds operate. I appreciate your enthusiasm to break through, but I cannot change the system that exists any more than Ali, Paula, Dan, Rob or anyone else can.

Ed

From: Leckner, Erik
Sent: Tuesday, March 13, 2018 1:26 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Communication Involving Rob Thomas

Hello Ed

We should discuss this since Rob has the insight into the project and at times I need to get information/insight directly or get others to get things done. We need to find a remedy for this if you wish to keep Rob out of emails that he is initiating. At this point in time, 1.5 months later, I still don't have access to:

a) PBI / Ex. 4 on staging as I requested 10+ times
b) Production files for the apps as I requested at least 2 times
c) Passwords as required regularly without 5 day delays and then still never getting them.
d) WAM PBI / Ex. 4 property configured for the new dev IAM

I need ALL passwords for databases and PBI / Ex. 4 such as PBI / Ex. 4 and I need access to staging setup for PBI / Ex. 4 and I need to see entire snapshot release of Production.

We need to cut thru all the silos. I recall back as Exec Director at Seagate in 1999-2002 I reported directly to the CxOs of Seagate and they wanted me to break down all the silos on day one. I feel like I'm running into a lot of silos.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Monday, March 12, 2018 3:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: EMP Communication Involving Rob Thomas
Importance: High

Hey Folks,

Just a quick (but important) note on this topic. Lately I've noticed a lot more correspondence / questions to and from the team that involve Rob Thomas. To some extent this is great; I am glad that we have a customer who wants to be involved and can help us get problems resolved when we need that 'customer weight' behind what we're asking for. With that said, **I want to be sure we are not including Rob on questions or discussions that we can resolve internally / without his help.** For example, when we have a project setup question involving a missing file, or we need some help from another team internally (Paula Childers, Jay Waldo, etc.) that we are working internally to do all we can to get those things handled before involving Rob. I understand that it has been difficult at times, especially for the PBI / Ex. 4 PBI / Ex. 4 to get this rolling due to lack of transition. But as much as we can, we need to minimize the exposure of our struggles and the process of getting through setup to Rob. He should be involved when and if we have stopping points that we need his input to resolve, but not otherwise.

Thanks to all of you for your hard work so far on this project.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 3/7/2018 8:24:48 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP - Staging app logs

Thanks for clarifying Christian! ☺ reading this "I have temporarily reset the UMASK for the PBI / Ex. 4 to the setting previously used in PBI / Ex. 4 to write logs as world-readable. " from Paula , I was wondering if they were going to give us read access to the tomcat server logs on staging.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 7, 2018 3:20 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP - Staging app logs

Rakhi

The access you have is the same as my access ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 7, 2018 3:01 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: EMP - Staging app logs

Hi Ed,
I will leave that up to Christian to comment on.
Christian, which log location in staging did they give us access to? I don't have access to PBI / Ex. 4 PBI / Ex. 4
I have access to PBI / Ex. 4 (I think the PBI / Ex. 4 writes to)

Thanks,
Rakhi

From: Campbell, Ed
Sent: Wednesday, March 7, 2018 2:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: EMP - Staging app logs

Christian / Rakhi,

Just to confirm. If this log shipping migration is enabled, it gives you access to the production logs you need. Yes? No? Caveats?

From: Thomas, Rob
Sent: Tuesday, March 06, 2018 5:08 PM
To: Childers, Paula <Childers.Paula@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: EMP - Staging app logs

Thanks Paula.

I approve to have Log Migration Scripting and access to the SecureFTP drop-off server area for EMP setup for Christian and Rahki. Thanks.

Rob Thomas

From: Childers, Paula
Sent: Tuesday, March 6, 2018 5:05 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Ferko, Dan <Ferko.Daniel@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Re: EMP - Staging app logs

As we have discussed, developers do not have access to the Production servers.

We can provide log files to you from Production by request when there are issues, or we can work to set up the log migration scripting mentioned previously, as soon as Rob approves. Do you have access to the PBI / Ex. 4 server area for EMP?

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 6, 2018 5:01 PM
To: Childers, Paula; Campbell, Ed
Cc: Ferko, Dan; Thomas, Rob
Subject: RE: EMP - Staging app logs

Hello Paula

Please note that both **staging** and **production** logs will be useful for both PBI / Ex. 4 and **app** logs. For example, yesterday while I was working on a production error encountered and was not able to view the relevant log files.

For project setup, I would assume the most recent staging logs may not have errors encountered unless full coverage regression tests were run whereas production may have more errors due to the fact that users are using the system.

In any case, thanks thus far – we will need access to prod/staging logs in the future as we get more involved with issue tracking.

Note that the app logs are relevant since they are PBI / Ex. 4 logs and only PBI / Ex. 4 can use them.
As for the PBI / Ex. 4 logs, this is helpful to see startup/shutdown errors that may be a result of app faults.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Tuesday, March 6, 2018 4:55 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Ferko, Dan <Ferko.Daniel@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: EMP - Staging app logs

Per discussion on the call yesterday, I have temporarily reset the UMASK for the PBI / Ex. 4 to the setting previously used in PBI / Ex. 4, to write logs as world-readable.

This should make the application logs in /public/data/emp/logs readable to the developers from here forward, until the setting is turned back off.

I am looking into the appropriate settings to make the PBI / Ex. 4 internal logs readable.

As discussed, we will revert these settings once an appropriate development environment has been configured for the team.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

Help Desk Log - New Item

EDIT

Save | Cancel | Paste | Cut | Copy | Attach File | Spelling

Commit | Clipboard | Actions | Spelling

Issue Status: Open
Issue Open or Closed?

Resolution Date:
Date/Time of Issue Resolution

Application: FR
Application affected

Category:

Date Received *: 3/13/2018 10 AM 00
Date/Time Call or Email Was Received

Assigned To: Enter names or email addresses...
Guident Person Managing Issue

Title *:

Region:

SHEM Related?

Reporter Email:
Email of User (if known)

Issue Description *:

Help Desk Log - New Item

EDIT

Save Cancel Commit

Paste Cut Copy Clipboard

Attach File Actions

ABC Spelling Spelling

Actions Taken *

Log of each action taken to resolve the issue

Resolution Type

JIRA ID (if applicable)

Save Cancel

Message

From: Slack [no-reply@slack.com]
Sent: 2/5/2018 6:42:08 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 Notifications from the WebDev workspace for February 5th, 2018 at 1:42 PM

Hi Christian,

You have a new mention from the **PBI / Ex. 4** workspace (PBI / Ex. 4 **PBI / Ex. 4**).

PBI / Ex. 4

Ed Campbell 1:23 PM, February 5th
I hope you like it. I really enjoy this program for communication

arpage 1:30 PM, February 5th
Hey there 😀

Mccarthy Colleen 1:37 PM, February 5th
Did any of you download one of the apps for desktop notifications? I get a sound, but if I could get a visual notification, that would be great!

Ed Campbell 1:39 PM, February 5th
Yes, we use the application on the desktop. Also - I just noticed that

you invited a lot of folks to this conversation! You can accomplish the same by using the channels - that was my goal by creating #emp

Snooze these notifications for: **an hour**, **eight hours**, **a day**, **three days**, or **the next week**. Or, **turn email notifications off**. For more detailed preferences, see your **account page**.

PBI / Ex. 4 Our Blog

155 5th Street, 6th Floor • San Francisco, CA • 94103

Message

From: Fan, Yanqian [fan.yanqian@epa.gov]
Sent: 2/6/2018 6:56:22 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Re: EMP login staging

You are welcome Christian ☺ Please let me know if you need anything from me!

Thanks!
Cindy

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 1:54:21 PM
To: Fan, Yanqian; Campbell, Ed; Madhavan Nair Kamala Devi, Rakhi; Chilivery, Swetha; Goods, Lawanna; McCarthy, Colleen
Cc: Smith, Doug L
Subject: RE: EMP login staging

Hello Cindy

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Yanqian
Sent: Tuesday, February 6, 2018 12:58 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: EMP login staging

Hi team,

if you like to get familiar with EMP application, here is the staging URL for you to login: PBI / Ex. 4 We also can use staging to verify helpdesk email updates.

Before login EMP application in staging, you will need to request Web Community Access same as you did in production. Please use this link for staging request: PBI / Ex. 4 Your user name and password shall be same as your production credential. After your request gets approved, please let me know. I am able to assign you application roles in staging EMP. Fortunately I have "EMP Admin" privileges in staging system and I can access "PBI / Ex. 4" module ☺

PBI / Ex. 4

Thanks!
Cindy

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/28/2018 9:12:00 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Madhavan Nair Kamala Devi, Rakhi sent you a message in Skype for Business while you were offline

Madhavan Nair Kamala Devi, Rakhi 4:10 PM:

Christian you have mentioned " the IAM team mentioned that they were moving towards another approach in September. " Do they know which new framework they are moving to? Just curious if that changes the anything in the service end point...

Need Skype for Business? Install it on all your devices.

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/5/2018 6:38:14 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Tumbarello, Michael [Tumbarello.Michael@epa.gov]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: EPA PBI / Ex. 4 Repositories

Hi Mike, Ed,
My LAN ID is : Personal Privacy / Ex. 6

Thanks,
Rakhi

From: Campbell, Ed
Sent: Monday, February 5, 2018 1:36 PM
To: Tumbarello, Michael <Tumbarello.Michael@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: FW: EPA PBI / Ex. 4 Repositories

Mike –

I think you might be able to help with this!

Christian, Rakhi – can you give Mike your EPA LAN IDs, and he can set you up with a login?

Thanks!

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, February 05, 2018 11:38 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EPA PBI / Ex. 4 Repositories

Same here. Couldn't access the url.
I tried installing the PBI / Ex. 4 @ my user directory. But it still asks for elevated privileges to install PBI / Ex. 4 in local.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, February 5, 2018 11:28 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: EPA PBI / Ex. 4 Repositories

Hi Ed

I think we might need access to PBI / Ex. 4 -I tried logging in using my credentials and was unable to access the server.

Best
Christian

From: Campbell, Ed
Sent: Monday, February 5, 2018 10:57 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: EPA PBI / Ex. 4 Repositories

Hi Christian and Rakhi,

I was able to find some info on EPA's PBI / Ex. 4 ; would you please see if this is helpful / would work for EMP:

Here is the PBI / Ex. 4 site URL: PBI / Ex. 4
PBI / Ex. 4 apps are located in the PBI / Ex. 4 subfolder : PBI / Ex. 4

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 2/28/2018 9:02:34 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

You're welcome.

From: Leckner, Erik
Sent: Wednesday, February 28, 2018 4:02 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

Yes, thanks Rob, your assistance is greatly appreciated.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Wednesday, February 28, 2018 4:01 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

You're welcome. Instead of emailing Paula and Dan on the thread and not get much of an answer. I figured hand the logic off to u or Ed to get them thinking. We need to solve this issue asap.

From: Leckner, Erik
Sent: Wednesday, February 28, 2018 3:23 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

Hello Rob

I am drafting the action items for the meeting held earlier today between Ed, Dan, Paula, Rakhi, and I. I will add this additional user account suggestion into the meeting notes/action items.

Thanks for the suggestion.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Wednesday, February 28, 2018 3:21 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Thomas, Rob sent you a message in Skype for Business while you were offline

Thomas, Rob 3:18 PM:

Christen

Thomas, Rob 3:18 PM:
is it possible for you to ask Paula et all to create another User account that can do what we need to have done?

Need Skype for Business? Install it on all your devices.

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 5/18/2018 4:22:27 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@epa.gov]
Subject: RE: PBI / Ex. 4

Great! Mine is still WIP I guess. TS prior to May4th still shows the old code.

PBI / Ex. 4

rom: Campbell, Ed
Sent: Friday, May 18, 2018 12:13 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

Just a quick update on this – I think you're both off the hook on the reversals. Looks like the PBI / Ex. 4 finally reversed your time to the correct codes (since they lied about the functionality being available for you to do on your own).

So basically – no further action required for previous weeks!

Happy Friday ☺

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 18, 2018 11:54 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

Hi Ed,
I checked PBI / Ex. 4 all days of this week. Never saw "Reverse timesheet" enabled.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, May 16, 2018 2:15 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

Hi Ed,

I have checked PBI / Ex. 4 for 'timesheet reversal' this week on Monday, Tuesday & today. Found "Reverse timesheet" always disabled.

Thanks,
Rakhi.

From: Campbell, Ed
Sent: Friday, May 11, 2018 2:52 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik

<Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

Hey Rakhi,

Thanks. The functionality should "unlock" for all weeks at the same time (maybe Wednesday?) Just keep an eye on it next week – check in once a day or something. Thanks ☺

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 11, 2018 2:51 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

Hi Ed,
I tried all the weeks starting from 3/28 till now. "Reverse Time sheet" is disabled for all the weeks.

Thanks,
Rakhi

From: Campbell, Ed
Sent: Friday, May 11, 2018 2:25 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4

If you two remember, try to look at it every day next week. It may be available for edit on some days and not on others.

From: Leckner, Erik
Sent: Friday, May 11, 2018 2:24 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4

Still grayed out like Rakhi's.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Friday, May 11, 2018 11:09 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

Hey guys, wanted to check on this. Did either of you happen to notice if the "reverse time" option became available for you at any point this week for your old timesheets (dating back to 3/28)?

Thanks.

From: Campbell, Ed
Sent: Friday, May 04, 2018 10:32 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: PBI / Ex. 4

This is correct! Is that "reverse time" option at the time of your timesheet still greyed out for previous weeks?

Go ahead and fill out your timesheet today with the new code for this week. **Christian**, you should do the same if the code is available.

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 04, 2018 10:23 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: PBI / Ex. 4

Hi Ed, I could see the code PBI / Ex. 4 today. I hope this is the correct new code. Please confirm.

Thanks,
Rakhi M
Java Developer
ITS-EPA III Infrastructure Support and Application Hosting (TO 2)
CSRA (a GDIT company, contractor to the U.S. EPA)
Office: (925) 303-8486
madhavan-nair-kamala-devi.rakhi@epa.gov

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/5/2018 6:23:57 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Issue List
Attachments: EMP_IssueList.xlsx

Hi Ed,
I was thinking if we can put all our queries and requests in a common place where all of us can read/add / edit also answer .
I have created a draft sample with some of my queries just as a sample. If can create and put something like this in shared location , that might be helpful!
Just my thought ☺ (Attachment is a very crude sample)

Thanks,
Rakhi

Sl No:	Issue	Problem Description	System Name
1	Setting up of EMP application	The source code doesn't iclude all jars refered in the source code.	EMP Admin
2	Softwares and Tool version numbers	It would be useful to know the version numbers of all the tools and softwares used to develop and run the application.JDK version, Tomcat version etc..	EMP All applications
3	UML design diagrams of all the applications	It would be useful to get all the UML diagrams to understand the application.	EMP All applications

Expected Solution	Solution Expected From
Salient to give us a list of all jars and other dependecies used in the projects with version numbers OR Salinet to upload all the depencies with correct versions numbers used in Emp system. OR We might already have all the dependencies it in the SVN. We will be able to find out when we get access	
Get the list form Salient or EPA/NCC?	

Message

From: Johnson, MichaelD [Johnson.MichaelD@epa.gov]
Sent: 2/20/2018 1:54:07 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: EPACALLCENTER [EPACALLCENTER@epa.gov]
Subject: INC000002511437
Attachments: Performing a Group Policy Update - WIN10.docx

REPLY to ESAP (Local Admin Privileges) approved

This memo is to advise you that local admin rights have been approved and verified as setup for you on your EZ Tech computer.

You will need to run a program to refresh user and computer policy while your PC is physically connected to the EPA network and then restart your computer. Please use the attached instructions to perform this update.

NOTE: ESAP gives you full administrator rights but you are not running as administrator all the time in Windows 10. You will need to right-click on those programs needing admin rights and select "Run As" administrator to actually be running as the administrator. Otherwise, when a program requires administrative privileges, you'll be presented with a UAC dialog that says something like "This program wants to run as administrator. Is that OK?"

If you need further assistance with this process, please contact me directly.

++++++

Performing a Group Policy update

1. Click the Windows 10 Start button to bring up the menu. Once the menu is present, you can begin to type, "CMD".



2. The Windows search window will display the "Best Match" for your search. Select "Command Prompt".



3. In the Command Prompt window, type: GPUPDATE /FORCE



4. Group policy will refresh both user and workstation based policies and notify you when complete. Please logout of Windows or restart the computer to finish the process.

Message

From: EMP Helpdesk [EMP_Helpdesk@epa.gov]
Sent: 3/6/2018 4:48:56 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]
CC: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]
Subject: FW: Example of "Alternate Facility Name" (follow-up to previous emails)

Importance: High

Hi all.
You may've seen this already. If not, here is another trouble request I found in the EMP Helpdesk account for Oil Db. Please see the email thread. Thanks.

Rob Thomas

From: EMP Helpdesk
Sent: Thursday, February 1, 2018 2:34 PM
To: Fausel, Betsy <Fausel.Betsy@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Smalley, Bryant <smalley.bryant@epa.gov>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Subject: RE: Example of "Alternate Facility Name" (follow-up to previous emails)

Hi Betsy.

As new EMP contract developer staff come on board with the agency and the EMP system they will be looking into all change requests and system issues then will prioritize them as to which to be developed by their ranking. We will also look at requests and find out from the user group… if all Regions can benefit from the change, update, enhancement, or modification.

As to your initial question, if the issue still exists then it was not corrected per your request. In the meantime, we will get back to you in a timely manner. Thanks.

US EPA OEM Emergency Management Portal Help Desk
EMP_Helpdesk@epa.gov

From: Fausel, Betsy
Sent: Wednesday, January 31, 2018 10:05 AM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Smalley, Bryant <smalley.bryant@epa.gov>
Subject: Example of "Alternate Facility Name" (follow-up to previous emails)

Hello Help Desk,

This is a follow-up to emails we shared a long time ago regarding "Alternate Facility Name". At one point you asked me to send you an example of a facility which shows an earlier facility name in the Oil database. See below please.

It appears the example facility below was entered into the EMP Oil Database in 2013 when an FRP Plan was received. That is when the currently showing "alternate facility name" (Cameron Warehouse Liquid Mud Facility) was used for the facility. In FY 2017 an inspection was done and the Facility Name was updated to "Cameron Facility" in the database.

I've just been informed today that the contractor supporting this database has changed, so when you get time, please let me know if the programming still does not allow for saving the "Alternate Facility Name".

Thank you,

Betsy Fausel | NOWCC Grantee | SPCC Document Coordinator
fausel.betsy@epa.gov | 214-665-6710 | R6SPCC@epa.gov
US EPA R6 Oil Spill & Response Team, 6SF-EO
Emergency Management Branch



Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/18/2018 4:14:08 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] PBI / Ex. 4 Unavailable Sunday, 05/20/18 from 2:00 PM to 5:00 PM EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for application PBI / Ex. 4

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 2:00 PM to 5:00 PM EDT

Estimated Up Time: 5:00 PM EDT

Device/Hardware/Software Involved:

PBI / Ex. 4

Impact(s): Brief outage (approximately 30 minutes) on the following URLs can be expected between 2:00 PM and 5:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Update PBI / Ex. 4

Contact Information
Name: John H. Moore-Levesque
Email: moore.johnh@epa.gov
Group/Organization: CSRA/ PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/9/2018 9:26:49 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; EMP Helpdesk [EMP_Helpdesk@epa.gov]
Subject: RE: Oil dB Access - LT = JIRA ticket OEM 46

Hi Rahki.

Thanks for investigating this issue. We'll what we can solve next week. Can't wait till that Dev Server is set up. ☺

Rob

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 9, 2018 3:58 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT = JIRA ticket OEM 46

Hi,
Since Christian away, I did some investigation. In case it can help him debug… I could replicate the same bug in staging as well.
Here is what I found…

I found this log in staging server under /public/data/emp/logs/empadmin.log
(Please note, This log is from staging environment, not prod)

Attorney Client / Ex. 5

This is what I found looking at the code we have.

Attorney Client / Ex. 5

Error could be originating from anywhere here. I don't have the app up in my local to precisely tell where it is happening…

Thanks,
Rakhi

From: McCarthy, Colleen
Sent: Friday, March 9, 2018 2:44 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT = JIRA ticket OEM 46

This is JIRA ticket OEM 46 "Error when trying to add users to ORCL_BI_EMBI_Oil_Power_Users" in OID" assigned to Christian. Thanks! Colleen

---

From: Leckner, Erik
Sent: Friday, March 9, 2018 1:52 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT

Hi

I'll take a look at it in a bit.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, March 9, 2018 1:37 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT

Hey Rob et all.

I tried my account in "EMP Role Admin" module. I successfully added myself in Oildb group, but got same error when I tried to add myself in "ORCL_BI_EMBI_Oil_Power_Users". I checked database side and didn't see anything unusual. We

may need help from Christian and Rakhi to loo[Attorney Client / Ex. 5] and reach out to WAM group for troubleshooting. Please let me know if you need anything else from me.

Thanks!
Cindy

From: Thomas, Rob
Sent: Friday, March 9, 2018 1:22 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT

Great. Thanks.

From: Fan, Cindy (Yanqian)
Sent: Friday, March 9, 2018 1:22 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT

Let me take a look now.

From: Thomas, Rob
Sent: Friday, March 9, 2018 1:21 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: FW: Oil dB Access - LT

Hi Cindy and Swetha et all.

I ran into this error when I tried to adde Lawrence Torres to the said group in the graphic.

Please do. Thanks.

Rob Thomas

From: Swackhammer, J-Troy
Sent: Thursday, March 8, 2018 9:53 AM
To: Reich, Peter <Reich.Peter@epa.gov>
Cc: Torres, Lawrence <Torres.Lawrence@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Oil dB Access - LT

Sure. Pete.

EMP Helpdesk: Please grant Lawrence Torres access and editing rights to Oil DB.

Thx much,
Troy

From: Reich, Peter
Sent: Wednesday, March 07, 2018 7:18 PM
To: Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>

Cc: Torres, Lawrence <Torres.Lawrence@epa.gov>
Subject: FW: Oil dB Access - LT

Hi Troy,

We have a new inspector, LT, who you probably met and we are getting him up to speed. Can you please get him signed up for access to the database? His contact info is included below.

Thanks,

Pete

Pete Reich
U.S. EPA Region 9 Oil Program
Clean Water Act Compliance Office
Enforcement Division
75 Hawthorne Street (ENF-3-2)
San Francisco CA 94105
O: 415-972-3052
reich.peter@epa.gov

www.epa.gov/oilspill

From: Torres, Lawrence
Sent: Wednesday, March 07, 2018 4:13 PM
To: Reich, Peter <Reich.Peter@epa.gov>
Subject: Oil dB Access - LT

Reminder:
Write Troy an email to request access to the Oil Database for Lawrence Torres

Lawrence Torres
Clean Water Enforcement Section II (ENF-3-2)
U.S. EPA Region 9
75 Hawthorne Street
San Francisco, CA 94105
(P) 415-947-4211
Torres.Lawrence@epa.gov

To read more information about EPA's Stormwater Program visit:
https://www.epa.gov/npdes/npdes-stormwater-program

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/7/2018 5:03:09 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Page, Alison [Page.Alison@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Please Signup For Atlassian Accounts

I am able to connect to the staging environment via putty ☺ . Cindy told, Paula might be able to give us the path to java files.
Christian, Please let me know if you happen to find out the path from her.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 11:28 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Page, Alison <Page.Alison@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Hi All,
I got putty installed today morning in my pc and have informed Tarsha Jackson about it.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 4:57 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Hello Rakhi

You will need to submit a form according to **EZTECH**. I did this a little bit ago. On the phone, they will refer you back to the form since it's a different classification of software.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, February 6, 2018 4:34 PM
To: Page, Alison <Page.Alison@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Please Signup For Atlassian Accounts

Hi Ali,
Where should we open the ticket? In PBI / Ex. 4 ? or by phone?

Thanks,
Rakhi

From: Page, Alison
Sent: Tuesday, February 6, 2018 4:04 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

All,

I just spoke to Tarsha Jackson (WAM Support) – she said that a high priority tickets need to be opened with eztech@epa.gov to have Putty installed on both Christian and Rakhi's laptops in order for them to access the Staging environment.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

From: Leckner, Erik
Sent: Tuesday, February 06, 2018 4:00 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Hello Ed

I did mention to Ali this morning (PDT) that we can put dev, qa, and uat on the EPA staging machine if need be the case.

As for developer machines, we would need PBI / Ex. 4 software/license installed. For an PBI / Ex. 4 database, we can configure our local machine dev environments to communicate with a shared Oracle development database on EPA staging machine (but separate database from staging database there).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, February 6, 2018 3:49 PM

To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

All,

Sorry I've been quiet on this thread today. Have had several calls / meetings with Rob and just didn't have a chance to put a response together here.

I understand the benefit of having all of these environments – but I have a feeling Rob will push back on some of these, as Doug mentioned – to try and reduce his costs. Typically development at the NCC occurs on Developer Local -> Staging (which also serves as Test, Demo, QA, etc.) -> Production. I know this is not ideal.

Doug or Ali, have either of you heard anything about internal CSRA environments? Are these even an option for us / something we can run up the chain and request?

What I'd like to do is setup a call between Rob and myself / Christian / Rakhi. Doug, I can add you as an optional participant and would love if you could also attend. We can talk him through all of these environments and why they'd be beneficial, but at the end of the day, I suspect he'll push back for cost reasons and we'll have to give up a few of these.

Let me know what you all think. I can try to setup the call later this week.

Thanks

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, February 05, 2018 5:24 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

I updated the environments in the previous email to include the **DEMO** and **PM/UAT** environments.

DEVELOPMENT ENVIRONMENT (for developers)

PBI / Ex. 4

PBI / Ex. 4

...

DEVELOPMENT ENVIRONMENT (shared)

PBI / Ex. 4

...

QA ENVIRONMENT (shared)

PBI / Ex. 4

...

DEMO ENVIRONMENT (shared)

PBI / Ex. 4

...

PM/UAT ENVIRONMENT (shared across CSRA and EPA authorized users)

?

STAGING ENVIRONMENT

Existing

PRODUCTION ENVIRONMENT

Existing

PRODUCTION TRAINING ENVIRONMENT

Existing

From: Leckner, Erik
Sent: Monday, February 5, 2018 4:52 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts
Importance: High

Hello Doug et al.

The project will require the following environments:

DEVELOPMENT ENVIRONMENT (for developers)

PBI / Ex. 4

...

DEVELOPMENT ENVIRONMENT (shared)

PBI / Ex. 4

PBI / Ex. 4

...

QA ENVIRONMENT (shared)

PBI / Ex. 4

...

STAGING ENVIRONMENT

Existing

PRODUCTION ENVIRONMENT

Existing

PRODUCTION TRAINING ENVIRONMENT

Existing

I/we will need access to staging and production environments so I can view how the project is currently setup. Paula may be able to coordinate this. The alternative is to provide
a complete project directory listing on staging and/or production environments.

Our team will also need a machine for dev (share) and qa (share) – this could be either on an EPA or CSRA machine.

Best
Christian--

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, February 5, 2018 12:35 PM

To: Smith, Doug L <Smith.Douglas@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Sure! Thank you very much Dough and Cindy!

Thanks,
Rakhi

From: Smith, Doug L
Sent: Monday, February 5, 2018 11:38 AM
To: Fan, Yanqian <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

We all need to talk about this. Rob Thomas has said that everything should be hosted on the existing servers at the NCC. In part this is an effort to reduce the complexity and the associated support costs.

Thanks,

Douglas Smith | Database Administrator
Database Team Lead
ITS-EPA III ISAH | CSRA Inc.
79 T.W Alexander Drive Bldg. 4401 Durham, NC 27709
919-200-7442 | smith.douglas@epa.gov

From: Fan, Yanqian
Sent: Monday, February 05, 2018 11:32 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: Re: Please Signup For Atlassian Accounts

On NCC side, there are three environment:

Staging: pre-production deployment. For PBI / Ex. 4, it is the environment to do security scan.

Production: finalized deployment.

Production training: same deployment as in production. It is for training user how to use the application.

Thanks!

Cindy

From: Fan, Yanqian
Sent: Monday, February 5, 2018 11:28:26 AM
To: Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Smith, Doug L; Leckner, Erik; Chilivery, Swetha
Subject: Re: Please Signup For Atlassian Accounts

Hi Rakhi,

Yes, Salient had several internal environment for development, test and demo purpose.

Dev: It was for initial development.

Test: Java code and DB script would be deployed in Test for QA team to do initial test.

Demo: It was for showing user what new feature and new function would be added in system. Salient had built a external access to Demo and allow user to test/exercise application in demo. After user approve changes, Salient would deploy same code to Staging and ask for security scan.

PM: It was mostly for testing DB script before the production deployment. I refreshed PM database with production export periodically.

Thanks!

Cindy

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, February 5, 2018 11:16:00 AM

To: Fan, Yanqian; Campbell, Ed; Smith, Doug L; Leckner, Erik; Chilivery, Swetha
Subject: RE: Please Signup For Atlassian Accounts

It is mentioned in the EMP-SDD design document (copied below)that Salient was maintaining dev, system testing and UAT environments. Also a production mirror. (Looks like their own internal environments)
The NCC center environments seems to be only for staging and production and production training. Looks like CSRA may need to set up the dev, system and UAT testing environments internally. Code goes to NCC from dev group after the UAT stage.

Just my thoughts ☺! Cindy, Swetha, You guys may be able to confirm. ☺

- **Salient CRGT Environments**

All development activities take place within Salient CRGT owned environments. Salient CRGT corporate IT sets up and maintains these environments. Development, system testing, user acceptance testing (UAT), and a production mirror environment exist to support the various SDLC phases. Only the UAT environment is accessible outside the Salient CRGT corporate network.

- **National Computing Center Environments**

A CGI staffed hosting team at EPA's NCC data center in Raleigh, NC host and maintain the EMP Staging, Production, and Production training environments. Once code has been developed and tested in Salient CRGT's environments and cleared by the application sponsors for deployment to production, the appropriate support team deploys the changes to the Staging environment and eventually to the Production environments on our behalf.

Thanks,
Rakhi

From: Fan, Yanqian
Sent: Monday, February 5, 2018 10:41 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: Please Signup For Atlassian Accounts

Doug/Ed,

I remember that in staging, Salient was able to deploy code by them self. In production, sometimes even a tiny chance, it might require security scan and would ask Paula to deploy the code.

Thanks!
Cindy

From: Campbell, Ed
Sent: Monday, February 5, 2018 10:36:58 AM
To: Smith, Doug L; Fan, Yanqian; Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi
Subject: RE: Please Signup For Atlassian Accounts

Doug –

Will we go through Paula every time we need to update something small, like an HTML file? Trying to figure out what the process was and what it should be. I would prefer to avoid putting 12 people on an ADC call every time we have something tiny like this, but we'll follow protocol (whatever that is).

Thanks

Ed

From: Smith, Doug L
Sent: Monday, February 05, 2018 10:27 AM
To: Fan, Yanqian <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Yes,
Yes, Paula is still the middleware person who supports deployments for this project.

Thanks,

Douglas Smith | Database Administrator
Database Team Lead
ITS-EPA III ISAH | CSRA Inc.
79 T.W Alexander Drive Bldg. 4401 Durham, NC 27709
919-200-7442 | smith.douglas@epa.gov

From: Fan, Yanqian
Sent: Monday, February 05, 2018 10:25 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: Re: Please Signup For Atlassian Accounts

Hey Christian,

Paula Childers (Childers.Paula@epa.gov) usually helped our Java team to deploy the code in staging and production. I included Doug in this email now.

Hi Doug, do you know if Paula is still in charge of OEM Java deployment? Thank you!

Thanks!

Cindy

From: Leckner, Erik
Sent: Saturday, February 3, 2018 1:04:26 AM
To: Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Fan, Yanqian
Subject: RE: Please Signup For Atlassian Accounts

There are also 7 more occurrences in empadmin which would also need to be updated in .jsp files.

PBI / Ex. 4

From: Leckner, Erik
Sent: Saturday, February 3, 2018 1:00 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Hi Ed

In the interim, these four files (in html.zip) have been updated. Until we create our own svn repository and have a working webserver, these files could be deployed on the EPA servers with the updates. We can wait as well until we have everything setup and/or access to the EPA servers.

Best
Christian

From: Leckner, Erik
Sent: Saturday, February 3, 2018 12:17 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed

<Campbell.Ed@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Hello Ed

We can update the following html files:

PBI / Ex. 4

We/I will need to be able to access staging and production emvironments in order to do so.

We/I can most likely do this before we have our build environment (and web servers running) and our source code version control (CSRA svn) since the changes are very minor to the files.

Cindy – do you know who can provide access to the empadmin servers for staging and production?

Best
Christian--

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, February 2, 2018 10:01 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Please Signup For Atlassian Accounts

+ Christian

Thanks Ed! Saw the JIRA. It's should be an easy fix. But we need to test the application that we are not breaking anything with any fix. (This wouldn't, but it's always good practice to see the app running with our changes before pushing it for check-in.) First step would be to get the app up and running in our locals. For that we need admin access and the required software.

Thanks,
Rakhi

From: Campbell, Ed
Sent: Friday, February 2, 2018 9:49 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

No further action required yet Rakhi. What you can do, in the JIRA instance, is look at the tickets that are submitted (right now there is only one). It's a bug that we'll need to fix – if you and Christian think you are ready to do that, you can.

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 01, 2018 6:13 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

Hi Ed,
I can see my profile in both the spaces. I have bookmarked both the sites. Is there anything I should do?

Thanks,
Rakhi

From: Campbell, Ed
Sent: Thursday, February 1, 2018 2:42 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Please Signup For Atlassian Accounts

All,

Quick update on this. Here are the locations of the JIRA and PBI / Ex. 4 sites:

JIRA - PBI / Ex. 4
PBI / Ex. 4 - PBI / Ex. 4

It will be helpful to bookmark these. I've added a handful of you to the PBI / Ex. 4 site at this point:

People

Name *	Email
Edward Campbell	edward.campbell@csra.com
Ali Page	ali.page@csra.com
Cindy Fan	cindy.fan@csra.com
Colleen McCarthy	mccarthy.colleen@epa.gov
mccarthy.colleen@epa.gov	mccarthy.colleen@epa.gov

Colleen – I believe the lower ID is one you won't be using, but I just wanted to confirm this.

Let me know as you folks have created accounts and I can add you to these spaces.

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243

PBI / Ex. 4

From: Campbell, Ed
Sent: Wednesday, January 31, 2018 5:17 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Please Signup For Atlassian Accounts

Hi Team –

We're going to use Atlassian PBI / Ex. 4 and JIRA to track project documentation and tasks, respectively. Please sign up for an account (you only need one, because they are related products) at the link below:

PBI / Ex. 4

And let me know when you've done that, so I can invite you to our group spaces. I used my EPA email and that should be fine.

Thank you guys!

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Norman, Elliot (US) [ELLIOT.NORMAN@salientcrgt.com]
Sent: 2/6/2018 6:52:08 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]
CC: Shlykova, Svitlana (US) [SVITLANA.SHLYKOVA@salientcrgt.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Transition Info

Ed,

I will verify with my lead developer regarding number 1 but as I mentioned we are not able to provide further transition support. I sent multiple emails to your leadership during the 90 transition period suggesting we schedule meetings but they chose not to respond and rescinded our sub-contract agreement.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Tuesday, February 6, 2018 1:32 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Elliot,

I understand that your team is fully engaged at this point. That said, we really didn't have an opportunity to transition this well on either side of the equation here and there are still some questions we really need answers to. There are a couple things we definitely need your input on/ can't ignore:

1. We found the source code provided doesn't have all the dependency jars required to build and run the project. For example, only 4 jars are included for EMP admin. Can we possibly receive the list of dependency jars with exact version numbers for all the projects (while we could take the latest jars, we may run into compatibility issues. Knowing the correct version would save time rather than trial and error). If there is a source control branch with the code version in prod with all the dependencies, that would be good enough.

2. Would your folks be willing to at least answer our outstanding queries in email, or a shared location, if any arise while trying to bring up our local environment and test environments?

Thank you for your understanding here.

Ed Campbell

ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
http://intranet.epa.gov/webdev

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 02, 2018 12:01 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Ed,

Sorry our team are all fully engaged on other projects and we cannot spare them to do knowledge transfer for prior contracts at this time.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Friday, February 2, 2018 11:46 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Elliot,

My name is Ed Campbell – one of the team members over at CSRA on this project. I was wondering if it would be possible to schedule a knowledge transfer session between Christian Leckner and Rakhi Madhavan – Java developers, CC-ed here – and members of your Java team? There are some questions from our folks that I think would be most efficiently answered in a conference call / knowledge transfer setting. We can work around your availabilities in the next week or two. Please let me know if you think this is possible.

Kind Regards,

Ed Campbell, PMP
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
http://intranet.epa.gov/webdev

From: Thomas, Rob
Sent: Friday, February 02, 2018 10:49 AM
To: ELLIOT NORMAN <elliot.norman@salientcrgt.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>
Subject: RE: Transition Info

Hi Elliot.
That's wonderful! NCC couldn't tell what was there and needed to ID which space belonged to EMP. Understood. Thanks for verifying!

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 2, 2018 10:43 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>
Subject: RE: Transition Info

Rob,

We did upload all of our code to the GoAnywhere FTP site. Are you able to get it? We don't have access anymore to check to see if someone took it down.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Thursday, February 1, 2018 5:00 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Transition Info
Importance: High

Hi Elliot.
I missed one package of information; 500mb of EMP application code. Was it uploaded to EPA's GoAnywhere or FTP site? Let me know so we can get NCC to fish it out. If not, we can use an alternate code dump location. Thanks.

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 4:26 PM

To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Transition Info

I don't. Sorry.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, January 31, 2018 4:25 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Hi Elliot. Ok.. Do you have a copy or watered down version? Thanks.

Rob

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 4:18 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Re: Transition Info

We followed our proprietary Salient CRGT SDLC

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

---

Salient CRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

-------- Original message --------
From: "Thomas, Rob" <Thomas.Rob@epa.gov>
Date: 1/31/18 15:25 (GMT-05:00)
To: "Norman, Elliot (US)" <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

-------- Original message --------
From: "Thomas, Rob" <Thomas.Rob@epa.gov>
Date: 1/31/18 15:25 (GMT-05:00)
To: "Norman, Elliot (US)" <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

One more thing. Did we ever have a SDLC (System Development Life Cycle) document?

From: Thomas, Rob
Sent: Wednesday, January 31, 2018 2:51 PM
To: 'Norman, Elliot (US)' <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Thanks Elliot. Now it arrived. LOL

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 2:45 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Transition Info

Here is the piz file

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, January 31, 2018 2:36 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Hey Elliot. It's text file

"The content Guident-OEM-Docs.zip of type has been blocked".

Change the name of the file extension to piz.

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 2:33 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: Transition Info

Here is the file

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Norman, Elliot (US)
Sent: Tuesday, January 9, 2018 1:48 PM
To: 'Thomas, Rob' <Thomas.Rob@epa.gov>
Cc: Cunningham, Patrice <cunningham.patrice@epa.gov>; Ivory, Barbara (US) <Barbara.Ivory@salientcrgt.com>
Subject: Transition Info

Rob, Patrice

Here is the status on the current EPA OEM work conducted by Guident and the documents for each app.

We are yet to hear from CSRA on where to upload the code (500mb) or to arrange any knowledge transfer meetings from our team. Please let me know if you have any questions

Recurring Tasks

Meetings/Deliverables

Bi-weekly ADC/Privacy Controls meeting (Wednesdays @ 2 PM)

Monthly FR SHEM User Forum (1st Tuesday @ 3 PM)

Monthly Help Desk Report

Monthly NCC App Hosting Customer Forum (3rd Thursday @ 11 AM)

Current Status/Initiatives

Field Readiness

- FR 12.3.1 – this is a small bug fix for some issues with the bulk upload training spreadsheet. It was deployed 1/8/18

- FR 12.3 was meant to be completed as 3 separate sprints, sprints 2 & 3 are yet to be authorized
- Requirements are already done for 2 & 3 and are currently sitting on the "Deleted Reqs" tab in the FR 12.3 RTM

OECA Non-FLETC Course Migration

- We are currently in user testing of 2nd batch of course record uploads to FR for Dan Weese of OECA/CID
- There are new courses, changes to course names, and several hundred new person training records being uploaded to FR
- Dan is currently testing in Salient CRGT Demo environment, when he gives OK Cindy can move changes to production

Oil DB

- v13.5.3 was released to production 1/8/18
- Scope for next release has not been defined

Mobile App

- We finished the app code and accompanying web services about a year ago but EPA doesn't seem to have a way to distribute the iOS version to EPA devices
- The web services have been deployed to production by NCC
- The Android .apk installation file is available for download in EMP but there are little/no Android users at EPA

Equipment

- ETM data supposed to be migrated to OARM's AAMS (aka Sunflower) asset management system, but no ETA as efforts were put on back burner due to hurricane responses (per Josh Woodyard)

EMP Admin

- No planned updates

LGR

- No planned updates

SMA

- V18 is in Staging and there are no plans to put it into production

IMH

- No planned updates

SRS Web Service

- No planned updates

EMBI

- OBIEE to be upgraded some time in 2018, BIAC will inform us when

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/1/2018 10:39:04 PM
To: Ferko, Dan [Ferko.Daniel@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Childers, Paula [Childers.Paula@epa.gov]; Waldo, James V. [Waldo.James@epa.gov]; Henderson, Kertis [henderson.kertis@epa.gov]
CC: Cusumano, Vicente [Cusumano.Vicente@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]
Subject: RE: Review WAM processing for EMP apps
Attachments: EMP_Groups.xlsx

Importance: High

Hey James,

Please see attached list for PBI / Ex. 4 groups used in EMP applications. This list is generated from staging database and includes several PBI / Ex. 4 groups which are not created in production yet. For the groups' members, is it possible for you to copy them from staging PBI / Ex. 4 as well? Feel free to call me if you have any question: 703-509-0460.

Thanks!
Cindy

-----Original Appointment-----
From: Ferko, Dan
Sent: Wednesday, February 28, 2018 6:19 PM
To: Ferko, Dan; Fan, Cindy (Yanqian); Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Childers, Paula; Waldo, James V.; Henderson, Kertis
Cc: Cusumano, Vicente; Thomas, Rob
Subject: Review WAM processing for EMP apps
When: Thursday, March 1, 2018 4:00 PM-4:30 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Line: Conference Line/Code / Ex. 6

Discuss
- Current Authentication and Authorization of EMP apps
- WAM services for development

Message

From: EZ Forms [no-reply@sharepointonline.com]
Sent: 2/20/2018 1:19:27 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Your request Freeware-Shareware is approved.

Hi Leckner, Erik,

Your request for Freeware-Shareware has been approved.

click here to view the details

click here to view the details (508 view)

This is a system generated message, please do not respond.

Message

From: EMP Helpdesk [EMP_Helpdesk@epa.gov]
Sent: 3/6/2018 4:42:25 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Goods, Lawanna [Goods.Lawanna@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: FW: Question about PBI / Ex. 4 Oil Database

Importance: High

Hi Ed, Swetha, & Cindy.

Here is a new request from Raj Dutt of Region 6. We have worked with him before under Salient; review the email thread to see what we were talking about. We should add his request to the others. We can discuss at our 2pm meeting.

For now, what time frame shall I give him as a response to his request? Thanks.

Rob Thomas

From: Dutt, Rajendra (Raj) [mailto:Raj.Dutt@westonsolutions.com]
Sent: Tuesday, February 20, 2018 12:41 PM
To: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Cc: Smith, DonaldP <smith.donaldp@epa.gov>; Michael Clonts <M.Clonts@westonsolutions.com>
Subject: RE: Question about PBI / Ex. 4 Oil Database

New request:
Is there a way to find out unique identifier values for Facility, Owners and Address tables in PBI / Ex. 4 reports? If not then, what would be the best way to generate a unique indexed value in Owners and Address tables to track changes in these tables?

Please see the email trail below. I am following up to find out if EMP Help Desk can provide some feedback or some time-frame about when this question could be answered.

Thanks
Raj Dutt, GISP
Principal Solutions Architect
EPA Region 6 START Contractor
Weston Solutions, Inc.
Personal Privacy / Ex. 6 (Cell)
** Please note change in my cell phone number. I please contact me on this number if you need to reach me **

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Thursday, February 08, 2018 2:24 PM
To: Dutt, Rajendra (Raj) <Raj.Dutt@westonsolutions.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Smith, DonaldP <smith.donaldp@epa.gov>; Clonts, Michael <M.Clonts@WestonSolutions.com>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>; EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: RE: Question about PBI / Ex. 4 Oil Database

Hello Raj.

I have new Contract Developers for EMP system, which includes Oil Db and Mobile Oil Db. With that said, we are in the midst of creating new environments to develop, test, and stage current and coding. As well as, giving time for the new developers to learn the applications and their work flows etc.

> New request:
> Is there a way to find out unique identifier values for Facility, Owners and Address tables in PBI / Ex. 4 database? If not the what would be the best way to generate a unique indexed value in Owners and Address tables to track changes in these tables.

Your request above will be gathered by the EMPHelpdesk@epa.gov email account to be placed in our Jira/ PBI / Ex. 4 software to track: issues/problems, comment/change request, and development/modification/enhancements. For now everything from end-users for EMP applications i.e. Oil Db should be sent to that address. Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Priorization Rep

---

From: Dutt, Rajendra (Raj) [mailto:Raj.Dutt@westonsolutions.com]
Sent: Thursday, February 8, 2018 9:57 AM
To: Cho, Sung (US) <SUNG.CHO@salientcrgt.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Smith, DonaldP <smith.donaldp@epa.gov>; Michael Clonts <M.Clonts@westonsolutions.com>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Subject: RE: Question about PBI / Ex. 4 Oil Database

Thanks Sung,
I am following up with them.

Thanks
Raj Dutt, GISP
Principal Solutions Architect
Weston Solutions, Inc.
Personal Privacy / Ex. 6 (Cell)
** Please note change in my cell phone number. I please contact me on this number if you need to reach me **

From: Cho, Sung (US) [mailto:SUNG.CHO@salientcrgt.com]
Sent: Thursday, February 08, 2018 8:16 AM
To: Dutt, Rajendra (Raj) <Raj.Dutt@westonsolutions.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: smith.donaldp@epa.gov; Clonts, Michael <M.Clonts@WestonSolutions.com>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Subject: RE: Question about PBI / Ex. 4 Oil Database

Hi Raj,

Unfortunately, I am no longer part of the EMP team. Please reach out to Rob or Troy with your concerns. Thank you.

From: Dutt, Rajendra (Raj) [mailto:Raj.Dutt@westonsolutions.com]
Sent: Wednesday, February 07, 2018 6:01 PM
To: Cho, Sung (US) <SUNG.CHO@salientcrgt.com>
Cc: smith.donaldp@epa.gov; Clonts, Michael <M.Clonts@WestonSolutions.com>; Swackhammer, J-Troy <Swackhammer.J-Troy@epa.gov>
Subject: Question about PBI / Ex. 4 Oil Database

Sung,
Is there a way to find out unique identifier values for Facility, Owners and Address tables in PBI / Ex. 4 database? If not the what would be the best way to generate a unique indexed value in Owners and Address tables to track changes in these tables.

I will reach out to you tomorrw morning.

Thanks
Raj Dutt, GISP
Principal Solutions Architect
Weston Solutions, Inc.
Personal Privacy / Ex. 6 (Cell)
** Please note change in my cell phone number. I please contact me on this number if you need to reach me **

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

Message

From: Campbell, Ed [Campbell.Ed@epa.gov]
Sent: 5/18/2018 4:13:18 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@epa.gov]
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Just a quick update on this – I think you're both off the hook on the reversals. Looks like the Subtime admins finally reversed your time to the correct codes (since they lied about the functionality being available for you to do on your own).

So basically – no further action required for previous weeks!

Happy Friday ☺

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 18, 2018 11:54 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Hi Ed,
I checked subtime all days of this week. Never saw "Reverse timesheet" enabled.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, May 16, 2018 2:15 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Hi Ed,

I have checked sub time for 'timesheet reversal' this week on Monday, Tuesday & today. Found "Reverse timesheet" always disabled.

Thanks,
Rakhi.

From: Campbell, Ed
Sent: Friday, May 11, 2018 2:52 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Hey Rakhi,

Thanks. The functionality should "unlock" for all weeks at the same time (maybe Wednesday?) Just keep an eye on it next week – check in once a day or something. Thanks ☺

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 11, 2018 2:51 PM

To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Hi Ed,
I tried all the weeks starting from 3/28 till now. "Reverse Time sheet" is disabled for all the weeks.

Thanks,
Rakhi

From: Campbell, Ed
Sent: Friday, May 11, 2018 2:25 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

If you two remember, try to look at it every day next week. It may be available for edit on some days and not on others.

From: Leckner, Erik
Sent: Friday, May 11, 2018 2:24 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Still grayed out like Rakhi's.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Friday, May 11, 2018 11:09 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

Hey guys, wanted to check on this. Did either of you happen to notice if the "reverse time" option became available for you at any point this week for your old timesheets (dating back to 3/28)?

Thanks.

From: Campbell, Ed
Sent: Friday, May 04, 2018 10:32 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: RE: Subtime-charge code Personal Privacy / Ex. 6

This is correct! Is that "reverse time" option at the time of your timesheet still greyed out for previous weeks?

Go ahead and fill out your timesheet today with the new code for this week. **Christian**, you should do the same if the code is available.

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, May 04, 2018 10:23 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>
Subject: Subtime-charge code Personal Privacy / Ex. 6

Hi Ed, I could see the code Personal Privacy / Ex. 6 in my subtime today. I hope this is the correct new code. Please confirm.

Thanks,
Rakhi M
Java Developer
ITS-EPA III Infrastructure Support and Application Hosting (TO 2)
CSRA (a GDIT company, contractor to the U.S. EPA)
Office: (925) 303-8486
madhavan-nair-kamala-devi.rakhi@epa.gov

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 3/12/2018 6:08:43 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: R Attorney Client / Ex. 5

Hi Christian/Ed.

Yes I read her reply. Glad she is posting that info. Hopefully today it's zipped.

Great plan. Yes I know about each app running on a separate instance versus one instance. Didn't know they were using the same Attorney Client / Ex. 5

These separate instances for each application is what I have been hounding Paul C. and Dan Ferko about. Why do we have separate instances for each one? We recently received the spreadsheet of instances from them. After we get the Dev Server up and going Ed, and Christian & Rahki says they are ready, lets all have a meeting to discuss how to put all applications (minus ETM (Equipment Tracking Module) and EMPAdmin?) and their instances into one instance. ETM is scheduled to be decommissioned by June 2018. Thanks.

Rob

Sent from Mail for Windows 10

From: Leckner, Erik
Sent: Monday, March 12, 2018 2:00:21 PM
To: Thomas, Rob; Campbell, Ed
Subject: RE: Attorney Client / Ex. 5

Hi Rob/Ed

Paula just had written and said that she would zip up the Attorney Client / Ex. 5 this will be useful for when we go to deploy to a dev server.

I was hoping to conf Attorney Client / Ex. 5 a my home directory on staging as a temp workaround. Essentially, each app is running in its own Attorney Client / Ex. 5 stance versus in one instance and they are running on all the same machine using the same ip config Attorney Client / Ex. 5

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Monday, March 12, 2018 1:53 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Attorney Client / Ex. 5

Hey Christian. It's clearer now. Understood. Did they say how to get access t Attorney Client / Ex. 5

Rob
Sent from Mail for Windows 10

From: Leckner, Erik
Sent: Monday, March 12, 2018 1:28:43 PM
To: Thomas, Rob; Campbell, Ed; Leckner, Erik
Subject: RE: Attorney Client / Ex. 5

Hello Rob

We were giving access to our own home directories, access to the unpackaged war file directories, but not the Attorney Client / Ex. 5 directories. Those I need to see to look at files such as server.xml, etc.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Monday, March 12, 2018 11:01 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Attorney Client / Ex. 5

Hi all.

I agree with you both. You need access to the Staging server environment, I thought Paula was giving you that access. Now if the account she created for me is the account template and process I need to have created for you then we need to verify that from Paula and Dan. If yes, I can send you're the template to put your information in it to get a user login account. I thought they gave you all the account and access you and Rahki would need.

Rob

Sent from Mail for Windows 10

From: Leckner, Erik
Sent: Saturday, March 10, 2018 3:20:58 PM
To: Campbell, Ed
Cc: Thomas, Rob
Subject: FW: Attorney Client / Ex. 5

Hi Ed

I don't currently have even **read** access to the individu Attorney Client / Ex. 5 stances on **staging** to better understand the current configurati Attorney Client / Ex. 5 r each application as they run each application in their own process. I sent Dan and Paula a request for information, but is this really how we want to run our staging environment where I can't even view current configurations. I assume that the dev environment will be properly setup/configured but I can't even view (read only access) the current deployment to make a determination on how it is currently being done.

I think I should get **read only** access to th Attorney Client / Ex. 5 directories on staging so I can see current configuration. Even when we do get a dev machine, we're going to need to know how they configure it on staging/production since they run each application in a separa Attorney Client / Ex. 5 e. See below for more details. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Saturday, March 10, 2018 3:12 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Attorney Client / Ex. 5
Importance: High

Hi Dan,

Since I can't see config in the **staging** Attorney Client / Ex. 5 s it the case that all th Attorney Client / Ex. 5 use the same port number, using different IP addresses and the server is configured with multiple IP addresses, and the *address* attribute of the <Connector> element for each Attorney Client / Ex. 5 s set to the appropriate IP address?

How is this currently configured? I don't have access to **config** so I can't look on my own.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/5/2018 5:13:16 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]
Subject: RE: EMP Admin error

Hi Ed,

I don't get any error when I look at user's group in production. I look at Kelli Lucarino as an example:

PBI / Ex. 4

Thanks!
Cindy

From: Campbell, Ed
Sent: Monday, March 5, 2018 11:57 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>
Subject: FW: EMP Admin error

Hey Folks,

See below from Rob. Any idea what would cause this / can you reproduce it?

Thanks

Ed

From: Thomas, Rob
Sent: Monday, March 05, 2018 11:28 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: EMP Admin error

Hi Ed.

This happened when I tried to look at groups in PBI / Ex. 4.

PBI / Ex. 4

Any thoughts from the team? Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/15/2018 10:24:22 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Smith, Doug L [Smith.Douglas@epa.gov]; Page, Alison [Page.Alison@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Db Connections

Thank you very much Cindy! I got an invalid username/password error while connecting using the PBI / Ex. 4 user. It connects well for PBI / Ex. 4
Is PBI / Ex. 4 password different from PBI / Ex. 4?

PBI / Ex. 4

Thanks,
Rakhi

From: Fan, Cindy (Yanqian)
Sent: Thursday, February 15, 2018 4:18 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi

<madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: Db Connections

Hi Christian/Rakhi,

if you want to see all the FR data, please login as PBI / Ex. 4, you will find all FR tables, views, functions, procedures. Do the same steps in Oildb, PBI / Ex. 4 and Equipment. Please let me know if you have any question.

Application	Connecting User	Database Schema
PBI / Ex. 4		

Thanks!
Cindy

From: Fan, Yanqian
Sent: Wednesday, February 14, 2018 5:27:28 PM
To: Leckner, Erik
Cc: Smith, Doug L; Page, Alison; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: Re: Db Connections

Hi Christian, please see my answer here:

1. Yes, these are the all PBI / Ex. 4 applications in EMP system.
2. For staging database, here is the server information:

Hostname PBI / Ex. 4
Port: 1521
Service Name: PBI / Ex. 4

Each application module has its own connecting user, here is the details. I will send you password in separate email.

Application	Connecting User	Password
PBI / Ex. 4		

3. For database connection, you can download free PBI / Ex. 4 client which includes ' PBI / Ex. 4 ' for you to view table structure and table data: PBI / Ex. 4

PBI / Ex. 4

I don't have PBI / Ex. 4 installed in my personal laptop. Currently I use ' PBI / Ex. 4 ' to connect database as well. I am still waiting for my EPA laptop.

Please let me know if you need anything else.

Thanks!
Cindy

From: Leckner, Erik
Sent: Wednesday, February 14, 2018 4:31:18 PM
To: Fan, Yanqian
Cc: Smith, Doug L; Page, Alison; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: Db Connections

Hello Cindy!

I have several questions PBI / Ex. 4 the development (and staging, production) databases used by the subprojects: PBI / Ex. 4, PBI / Ex. 4

1. Are these 5 projects the entire set or are there more for the PBI / Ex. 4 web, and mobile under the scope of our work?
2. If there isn't already dev database(s), would you be able to setup dev database(s) for these projects? Our development team is ready to attempt connections via the servers. We would need dev database user account details (user/password, db server, database) for both the servers and PBI / Ex. 4 for dev access.
3. Which db client do you recommend? I/we have used various clients in the past, and PBI / Ex. 4 s one that we could use. There are 30 day trial versions we could download/install, but there may be EPA licenses for some of these for developers.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: EZ Forms [no-reply@sharepointonline.com]
Sent: 2/20/2018 1:17:52 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Your request Elevated Privileges is approved.

Hi Leckner, Erik,

Your request for Elevated Privileges has been approved.

click here to view the details

click here to view the details (508 view)

This is a system generated message, please do not respond.

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 2/28/2018 9:00:52 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

You're welcome. Instead of emailing Paula and Dan on the thread and not get much of an answer. I figured hand the logic off to u or Ed to get them thinking. We need to solve this issue asap.

From: Leckner, Erik
Sent: Wednesday, February 28, 2018 3:23 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Thomas, Rob sent you a message in Skype for Business while you were offline

Hello Rob

I am drafting the action items for the meeting held earlier today between Ed, Dan, Paula, Rakhi, and I. I will add this additional user account suggestion into the meeting notes/action items.

Thanks for the suggestion.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Wednesday, February 28, 2018 3:21 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Thomas, Rob sent you a message in Skype for Business while you were offline

Thomas, Rob 3:18 PM:

Christen

Thomas, Rob 3:18 PM:
is it possible for you to ask Paula et all to create another User account that can do what we need to have done?

Need Skype for Business? Install it on all your devices.

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 3/5/2018 11:40:19 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: RE: Office Phone Numbers

Yes, it is my cell phone number.

Thanks!
Cindy

From: McCarthy, Colleen
Sent: Monday, March 5, 2018 6:17 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: Office Phone Numbers

Hi Folks,

Are the numbers below your office or home/cell numbers? I'm reviewing our Contingency Plan and putting our office numbers in it. I don't have an office number yet, and I know that it might be the case with you all, too ☺.

Cindy Personal Privacy / Ex. 6
Christian Personal Privacy / Ex. 6
Rakhi Personal Privacy / Ex. 6
Swetha Personal Privacy / Ex. 6

Thanks!

Colleen

Message

From: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Sent: 2/26/2018 8:50:59 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Thomas, Rob [Thomas.Rob@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: RE: EMP Status Meeting 2/27/2018: Agenda Items
Attachments: employee.html; supervisor.html; admin.html

Hi Rob and team,

I went through the "FR auto-email" procedure and summarized its requirements in following:

- Auto-notifications will be available for selected recurring courses in FR
- For any course, emails can be sent at multiple set intervals before or after the course expires on someone's profile
- Any employee with a course set up with an auto-notification will receive a single email on Monday that lists all the courses that have already expired or will expire within the number of days before or after as set by the email interval
- Supervisors and non-OID Admin groups can also receive weekly summary emails of all employees in their purview with expired/expiring courses
- Emails can be individually turned off from the Manage Training page
- Inactive employees and employees with Suspended/No Longer Required courses will not receive emails
- Emails as a whole can be turned on/off and/or intervals added/removed
- EMBI will contain a report listing all emails that have been sent

I also attached three email examples from production log table for you to review.

"employee.html" is the email body what FR employee Jeffrey Thomas had received about his training status on Feb 19,2018. Employee only receives one email per email frequency.
"supervisor.html" is the email body what FR supervisor Michael Davis had received about his team members training status on Jan 22, 2018. Supervisor only receives one email per employee per email frequency.
"admin.html" is the email body what non-OID Admin group had received about FR team members training status on Feb 19,2018. Admin group only receives one email per employee per email frequency.

We can discuss more details on tomorrow team meeting.

Thanks!

Cindy

From: McCarthy, Colleen
Sent: Monday, February 26, 2018 10:33 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: EMP Status Meeting 2/27/2018: Agenda Items

Hi Folks,

Below is a proposed agenda for our EPM Status call tomorrow, Tuesday 2/27/2018 from 2:00 p.m. – 3:00 p.m. EST.

Please feel free to respond to me with any items that you would like to discuss and I'll add them and send out the agenda again later today (or, depending on when get the items -- and whatever may fall out of the sky today -- at zero dark thirty tomorrow morning ☺). Items in italics are not complete or in flux.

Thanks!

Colleen

Agenda

1. Review actions from last meeting.
2. Review status of requirements gathering, assessing and JIRA entry for all modules:

Three sources of documented requirements have been identified and are listed below with their current status.

a. Excel Spreadsheet from Salient – All requirements entered into JIRA
b. List of "capabilities" From January 2018 SHEM User's Forum Minutes – Need to be assessed and entered into JIRA
c. Help Desk Tickets – Need to be located, assessed and entered into JIRA

3. Priority of Modules/Requirements:

From Emails between Rob and Colleen :
Colleen to Rob: So just to confirm, for FR, our top two requirements are autoemail and immunizations, and now we'll have some requirements for Oil Db. Would you say that the FR application and the Oil Db application are the same

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/18/2018 3:42:16 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] PBI / Ex. 4 Unavailable Sunday, 05/20/18 from 2:00 PM to 5:00 PM EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for application PBI / Ex. 4

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 2:00 PM to 5:00 PM EDT

Estimated Up Time: 5:00 PM EDT

Device/Hardware/Software Involved:

PBI / Ex. 4

Impact(s): Brief outage (approximately 30 minutes) on the following URLs can be expected between 2:00 PM and 5:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Update PBI / Ex. 4

Contact Information
Name: John H. Moore-Levesque
Email: moore.johnh@epa.gov
Group/Organization: CSRA PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/8/2018 8:12:09 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: RE: Code from EPA Site

Sure! Thank you very much Christian!

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, February 8, 2018 3:05 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Thanks. Once I see staging and have a chance to determine whether everything is the latest, and have all our dependencies, I will work with you to get it to build on your machine too. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 8, 2018 3:03 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Ok! Sure! I have sent you a mail with steps.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, February 8, 2018 2:45 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Hi Rakhi

Thanks, the reason I had asked is to determine why you had issues – since I didn't have the issues that you encountered (for example, as discussed yesterday, I didn't need to comment out relevant files such as eh-cache, etc.) so there must be something that you did while importing the project that created those errors for you – note that when you do an import in eclipse there are multiple settings that one needs to set/unset, etc and specify what type of project it is, etc.

Once I have a chance to go thru the deployment code, libs, etc. on staging (working on that now), I can put together a comprehensive set of steps that we should take to develop and deploy our apps without commenting out code, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 8, 2018 2:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Sure! that's right about emp admin. In the mail I was trying to say about oil-db project code being copied from a developers machine, so might not be the latest version. Its ok. We will anyway get access to the staging locations soon ☺. I will send you the steps I followed to you.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, February 8, 2018 2:21 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

The reason is that you were commenting out important sections within important files "For EMP admin , as we discussed, the ehcache tag in the xml is giving error" and as I mentioned yesterday I didn't have to do this for it to build correctly. There are various settings when importing a project into Eclipse, etc. Let's discuss this offline once I look at staging and how it is structured there, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 8, 2018 2:12 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Sure! All we import is the project itself and reassign the build paths. I will send you mail with steps screen shots offline

---

From: Leckner, Erik
Sent: Thursday, February 8, 2018 1:46 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed

<Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

The reason I ask is because I didn't have to import the eclipse links of a former developer for it to work whereas you did. We can take this offline.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 8, 2018 1:45 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

I did a project import in PBI / Ex. 4 It's quite simple and straight forward. Anybody worked with eclipse would know how to import a project to PBI / Ex. 4 I am curious why the question! ☺
Also, can we take it offline if we really have to discuss how to import a project in eclipse ?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, February 8, 2018 1:36 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Hello Rakhi

It depends on how you imported the project. How did you import your project – step wise, please?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 8, 2018 12:15 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Sure Christian! Just to clarify, by saying "wrongly pointed" I meant when we import the project, by default its build path PBI / Ex. 4 dependencies are configured to look into a local folder in the user's PBI / Ex. 4 . It won't work as is. We need to modify these to pick the jars up from our local path where ever we have the jars located.

Also meant to say the files we got from Salient might have come from a local machine instead from a repository.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 8:25 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Also Rakhi,

They weren't wrongly pointed – they just pointed it to where they had wanted it to be. I am going to hopefully see what's on staging so I can decide what's going into our project setup and what isn't.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 8:22 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site
Importance: High

Hello Rakhi

I was able to build without using the approach you had taken thus far where you needed to comment out config files, etc.

I had to do several things to get it to build. Once we see staging we will have more definitive answers as to latest versions, etc. and I can lay out the project setup steps, etc. Hopefully, Ed and Ali can have Paula provide us access or a server admin, etc.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 8:15 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Code from EPA Site

Hi Christian,
That's true! They have used different versions of dependency jars in different projects. It would be good to know get the latest one which went to prod/staging.

For me, oil DB had built successfully after I fixed the buildpath issues. By default, the jars were wrongly pointing to a some eclipse library. I have deleted those and made it point to the ones in my local. I also added some missing PBI / Ex. 4 from PBI / Ex. 4 to here. That suggests, the files we got were from a developer's local PBI / Ex. 4. (Image below).

PBI / Ex. 4

For EMP admin , as we discussed, the PBI / Ex. 4 in the xml is giving error; Commenting it out builds the project . In all the projects PBI / Ex. 4 files are error free after fixing the buildpath issues and PBI / Ex. 4 run time references. Outstanding errors are in the webContent. Most of them have to do with PBI / Ex. 4 variables used in PBI / Ex. 4 .

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:29 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Code from EPA Site
Importance: High

Hello Ed et al.

Just looking at the project files in PBI / Ex. 4 had built successfully. The other projects (equipment, fr, oildb), excluding mobile (which is done differently and requires other tools and not a priority) failed to build. This is even more reason to have an accurate mirror of what's on staging (and/or production) PBI / Ex. 4 code, libs, cfgs, packages, etc.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/7/2018 9:21:49 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: Staging Directory

Sure!

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:21 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Staging Directory

I will look into that in a bit – working on something here.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 4:19 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Staging Directory

Ok. Good! Yeah, That's right! Is this existing PBI / Ex. 4 repository at PBI / Ex. 4 ?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:16 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Staging Directory

I'm going to setup svn using an existing PBI / Ex. 4 repository on EPA. However, until I see staging, will it be any use to us, if the files are outdated or incomplete.. its all in the works…

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 4:15 PM

To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Staging Directory

True! I also wanted to ask about the PBI / Ex. 4 server where we will be checking in code to... Do we need to set up one with the base line code (latest) we get or Are we going to use an existing PBI / Ex. 4 server ?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:07 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Staging Directory

Great! But we still need to wait for access to staging to ensure we have the most recent of everything including source – otherwise we would be rolling back to a previous point in time. Hence, after I had a chance to explore the code and structure, I had questions as to what is the latest src, lib, cfg, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 4:05 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Staging Directory

Thank you very much!
Thanks for the PBI / Ex. 4 location too. PBI / Ex. 4 project is error free now ☺

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:03 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Staging Directory
Importance: High

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 3:42 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>

Subject: FW: Staging Directory
Importance: High

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 9:02 PM
To: Childers, Paula <Childers.Paula@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: RE: Staging Directory
Importance: High

Hello Paula

Thank you for your reply. The PBI / Ex. 4 document that we received states PBI / Ex. 4 for several EMP apps.

PBI / Ex. 4

The PBI / Ex. 4 further specifies 6.0.32 as the latest PBI / Ex. 4. Salient CGRT failed to provide us with updated documentation, latest version information, etc. This is why I recommended today that we have direct access to the staging server to view precisely what's on the machine, and with your great assistance, we will be able to get accurate information.

Which server(s) have you been granted access to?

PBI / Ex. 4

We should have an architectural meeting this week to discuss. I also still need access to the files on staging, so we can have the same project structure on our local machines for several reasons including having the latest files, viewing the exact directory structures, etc.

Thanks,
Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Tuesday, February 6, 2018 8:07 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Yanqian <fan.yanqian@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: Re: Staging Directory

I'm afraid you may have confused some of the architecture.

The majority of the EMP applications are deployed on dedicated servers running PBI / Ex. 4 This is what I work with.

The only component that runs on PBI / Ex. 4 is the webservice that runs on PBI / Ex. 4 I do not work with that.

Which server(s) have you been granted access to?

We might need to arrange some sort of architecture meeting to brief you on this...

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 7:00 PM
To: Fan, Yanqian; Page, Alison; Childers, Paula
Cc: Smith, Doug L
Subject: Staging Directory

Hello Paula,

Cindy has mentioned that you can provide me with the following:

> For Java file location in staging, please reach out Paula Childers. She copies Java files from staging to production for production deployment. So she will have this information for you

I now have access to the staging machine but not necessarily the appropriate directories for product deployments.

I need to have access to the staging directories, so I can determine the overall project structure as it is on staging and production, so we can mimic this in our own environments. Initially, this is not for deployment purposes, but just to browse the precise directory structures for both web and mobile with web being the priority.

It also would be super helpful to get the version of WebLogic that is currently being used in Staging and Production – this is so Ed knows which licenses of software the we need for development purposes.

Thanks in advance.

Christian Leckner
Principal Engineer

ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Yanqian
Sent: Tuesday, February 6, 2018 6:52 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Page, Alison <Page.Alison@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: Re: Staging directories

Hi Christian,

I added Doug Smith in this email.

For Java file location in staging, please reach out Paula Childers. She copies Java files from staging to production for production deployment. So she will have this information for you.

For current PBI / Ex. 4 in Staging and Production, it is 11.0.2.4. But DBA team already have plan for PBI / Ex. 4. Doug will have more information on this.

For current PBI / Ex. 4 in Staging and Production, if I am correct, it is 12.1.3.0. It is managed by WAM group.

Doug, please correct me if I give any wrong information.

Thanks,

Cindy

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 5:11:55 PM
To: Page, Alison; Fan, Yanqian
Subject: Staging directories

Hello Cindy and Ali

I have access to the fractal machine now via PBI / Ex. 4, but I would need **access** to where the files are installed, etc.

Cindy - Perhaps you would know where all our projects are currently deployed?

Also, do you know precisely which versions of PBI / Ex. 4 and PBI / Ex. 4 are used in staging/production?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/18/2018 3:10:37 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] PBI / Ex. 4 Unavailable Sunday, 05/20/18 from 10:00 AM to Noon EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for PBI / Ex. 4

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 10:00 AM to 12:00 PM EDT

Estimated Up Time: 12:00 PM EDT

Device/Hardware/Software Involved: PBI / Ex. 4

Impact(s): Brief Outages on the following URLs may occur between 10:00 AM to 12:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Apply NCC standard Quarterly updates for PBI / Ex. 4
PBI / Ex. 4

Contact Information
Name: Bryan Potter
Telephone Number: 919-200-7369
Email: potter.bryan@epa.gov
Group/Organization: CSRA PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: Team CCO [team_cco@epa.gov]
Sent: 5/18/2018 2:58:21 PM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: [ncc_alerts] PBI / Ex. 4 Unavailable Sunday, 05/20/18 from 10:00 AM to Noon EDT

Type of Planned Outage: NCC

Outage Title: Outage planned for PBI / Ex. 4

Scheduled Start Date: Sunday, May 20, 2018 (05/20/2018)

Duration of Planned Outage: 10:00 AM to 12:00 PM EDT

Estimated Up Time: 12:00 PM EDT

Device/Hardware/Software Involved: PBI / Ex. 4

Impact(s): Brief Outages on the following URLs may occur between 10:00 AM to 12:00 PM EDT:

PBI / Ex. 4

Brief Description of Outage Action: Apply NCC standard Quarterly updates for PBI / Ex. 4 PBI / Ex. 4

Contact Information
Name: Bryan Potter
Telephone Number: 919-200-7369
Email: potter.bryan@epa.gov
Group/Organization: CSRA/ PBI / Ex. 4

You are currently subscribed to ncc_alerts as: Leckner.Erik@epa.gov

If you no longer want to receive these e-mails simply send an e-mail to:
leave-ncc_alerts@lists.epa.gov
from your e-mail account and you will be automatically deleted.

If you know someone who would to like join the NCC Alerts Listserve, have them send an e-mail to:
join-ncc_alerts@lists.epa.gov

If you have any questions please e-mail: CCO.Team@epa.gov

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/8/2018 8:02:01 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Steps to import projects.

Hi Christian,
Please find the screenshots below for the steps to import projects

PBI / Ex. 4

PBI / Ex. 4

After importing, if we check the build path, it was pointing to this direction by default. (can make these PBI / Ex. 4 locations point to the right location in local)

PBI / Ex. 4

Message

From: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: 2/5/2018 4:25:14 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Regarding downloaded from PBI / Ex. 4

Yes Christian ! Thank you very much for the recommendation! PBI / Ex. 4 is faster and better than PBI / Ex. 4!

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, February 5, 2018 11:21 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Regarding downloaded from PBI / Ex. 4

OK, thanks. I know you had inquired on Friday and I mentioned I always use PBI / Ex. 4 and that had always worked for me over the years.

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, February 5, 2018 9:58 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Regarding downloaded from PBI / Ex. 4

I could download all the files with PBI / Ex. 4. Thanks!

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Saturday, February 3, 2018 1:46 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Regarding downloaded from PBI / Ex. 4

Hi Christian,
I just have downloaded the 13.6Gb zip file from PBI / Ex. 4. Tried unzipping it. Got an error "the file is not a valid zip file". Looks like the file got corrupted during copy. I would like to check if your download is unzipping properly. I will anyway try to sftp again with PBI / Ex. 4.

Thanks,
Rakhi

Message

From: Atlassian [noreply@mail.notifications.atlassian.com]
Sent: 2/1/2018 9:24:53 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Email address change request

Confirm email address change

Hi Erik Leckner,

You recently changed your email address in your Atlassian account. To confirm the change please check leckner.erik@epa.gov to verify it's really you and complete the update.

Cheers,
The Atlassians

Didn't request this change?

If you didn't request to change your email, let us know immediately.

This message was sent to you by Atlassian Cloud

ATLASSIAN

Message

From: Atlassian [noreply@mail.notifications.atlassian.com]
Sent: 2/1/2018 9:23:34 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Please verify your email address

Please verify your email address



Hi Erik Leckner,

Please verify your email address so we know that it's really you!

Verify my email address

Cheers,
The Atlassians

This message was sent to you by Atlassian Cloud

ATLASSIAN

Message

From: Fan, Yanqian [fan.yanqian@epa.gov]
Sent: 2/6/2018 3:13:47 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Re: Missed conversation with Leckner, Erik

Hi Christian,

when i worked in Salient, I was responsible for all internal database servers. It included PBI / Ex. 4 and PBI / Ex. 4. For deploying updates in staging, production and production training environment, we worked with NCC (national computer center) and sent our source coce/DB script to them. NCC has CAM Middleware group, Database Team, PBI / Ex. 4 team, etc. Paula Childers works for PBI / Ex. 4 group and Doug Smith works for Database team. They are responsible for all NCC server maintenance, like patching, upgrade. Our development team managed Salient internal servers only.

I am able to connect staging and production database via PBI / Ex. 4. So if you need me to help on any data change, please let me know. I can run the script and update data.

P.S. for EPA helpdesk change, please let me know when you will be ready to update in Java code. I need to update one data entry in my config table as well.

Please let me know if you have any question!

Thanks!
Cindy

Sent: Monday, February 5, 2018 5:48:51 PM
To: Leckner, Erik; Fan, Yanqian
Subject: Missed conversation with Leckner, Erik

Leckner, Erik [2:41 PM]:
Hi Yanqian
I mean Cindy
Who manages the following:

- PBI / Ex. 4 – this group maintains the application servers and handled PBI / Ex. 4 code deployment
- Database Team – this group maintains the EMP database and scheduled database jobs
- PBI / Ex. 4 Team – this group maintains and deploys code to the PBI / Ex. 4, the PBI / Ex. 4, and the PBI / Ex. 4

Its on the EPA site.
Who acted as the DBA for previous dev, qa, and uat environments?
Also for dbs - did you handle dba related updates locally as well on Salient

PBI / Ex. 4

File Edit View Favorites Tools Help

Office 365 | SharePoint | My Workplace | Leckner, Erik

EZ Forms

EZ Forms

Access Requests

Home
Requests
- My Requests
- My Active Approvals
- My Past Approvals
- My Office Report
- My Recertifications

All Items | Active Requests | My Requests | ...

Find an item

	Title	Request Type	Employee	Office	Request Date	Request Status	Routing Phase
Request Status : (2)							
	Deleted						
	Archived						
Request Status : Pending (1)							
View	Elevated Privileges		Leckner, Erik	OEI,OITO,SBMD,CAB	1/30/2018	Pending	Information Security Officer

100%

Message

From: ADC Project Coordinators [PBI / Ex. 4]
Sent: 2/1/2018 3:21:46 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
CC: Thomas, Rob [Thomas.Rob@epa.gov]
Subject: EPA File Transfer Service - EMP EPA

Hi Erik. Welcome aboard!

You have been added to the EMP EPA file transfer area.

Your EPA ID and password are the credentials required to access the file transfer area. If you do not already have a LAN ID and did not self-register for a WAM/[PBI / Ex. 4], the EPA FTP Support group will email your login information in a separate email.

The URLs to log on are:

HTTPS:
FTP/SFTP: PBI / Ex. 4

If you have any questions or need assistance with the EPA File Transfer Service, please contact the EPA Call Center at 1-866-411-4372 or EPACALLCENTER@epa.gov and request a ticket be opened for the EPA FTP Support Team.

Thank you.

Kim Edwards

Project Coordinator
ITS-EPAIII | [PBI / Ex. 4] & Application Development
Supporting the Environmental Protection Agency
Research Triangle Park, North Carolina

PBI / Ex. 4
Kim Edwards [Personal Privacy / Ex. 6]
Jessi Lind [Personal Privacy / Ex. 6]
DianaD Woods [Personal Privacy / Ex. 6]

PBI / Ex. 4

Message

From: Fan, Yanqian [fan.yanqian@epa.gov]
Sent: 2/5/2018 9:16:29 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: Re: Sharing invitation: Campbell, Ed - EMP Support Calendar

Thanks Ed! Me and Swetha just tested our "EMP Support Calendar" and we can see each other's schedule ☺

Thanks!
Cindy

From: Campbell, Ed
Sent: Monday, February 5, 2018 3:42:45 PM
To: McCarthy, Colleen; Goods, Lawanna; Fan, Yanqian; Madhavan Nair Kamala Devi, Rakhi; Leckner, Erik; Chilivery, Swetha; Page, Alison
Subject: Sharing invitation: Campbell, Ed - EMP Support Calendar

Campbell, Ed (Campbell.Ed@epa.gov) has invited you to view his or her "EMP Support Calendar" Calendar. For instructions on how to view shared folders on Microsoft Exchange, see the following article:

PBI / Ex. 4

Hi Folks,

I created a shared EMP calendar for us to use. We can input team out of office dates as well as other future deadlines, such as deployment dates.

Colleen has also suggested a Confluence Calendar – so we can assess how this one is working in a week or two, and potentially switch to Confluence if needed.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Colleen McCarthy (Jira) [jira@tztrack.atlassian.net]
Sent: 2/5/2018 1:38:56 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: [JIRA] (OEM-1) EMP Main Page Help Desk Email Update

Colleen McCarthy **commented** on OEM-1

Re: EMP Main Page Help Desk Email Update

The "Give us your FEEDBACK" button also has the salient email in it

Add Comment

Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS

This message was sent by Atlassian Jira
(v1001.0.0-SNAPSHOT#100079-sha1:292f0ff)

ATLASSIAN

Message

From: Thomas, Rob [Thomas.Rob@epa.gov]
Sent: 2/26/2018 8:04:48 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]; Smith, Douglas [Douglas.L.Smith@csra.com]
Subject: RE: JIRA: All Requirements from Excel Spreadsheet Entered
Attachments: Reports_Requirements_Roadmap.piz

Excellent work folks. I will be zipping the folders mentioned in the Status email thread.

Reports_Require...

From: McCarthy, Colleen
Sent: Monday, February 26, 2018 9:47 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Smith, Douglas <Douglas.L.Smith@csra.com>
Subject: JIRA: All Requirements from Excel Spreadsheet Entered

Hi Folks,

I hope that everyone had a wonderful weekend ☺!

I've entered all of the requirements that were in the Excel spreadsheet that we inherited from Salient into JIRA, and am going to start entering the requirements from the January SHEM user group meeting minutes.

As I'm entering the requirements from the January SHEM user group meeting minutes, I'll check to ensure that none of them are duplicates with what was in the spreadsheet.

The third source of requirements is the Help Desk tickets. Rob and Ed, can we figure out how to pull the tickets?

Thanks!

Kind regards,
Colleen McCarthy, MBA, PMP
Lead Business Analyst
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
79 TW Alexander Drive, Building 4401, Room 480B
P.O. Box 13668, Research Triangle Park, NC 27709
mccarthy.colleen@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/2/2018 6:36:27 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Password Sync

Hi Ed

We discussed in previous meetings that if passwords change, dev team needs to be notified in advance. This did not happen with empdev (meaning Cindy changed passwords without notifying me nor Paula).

We will discuss in our dev meeting today.

Fortunately, I asked Cindy for current passwords but that would have broken empdev machine.

Pls let's streamline this process on Thursday and discusss today. Cant have things breaking without dev knowing..

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/8/2018 1:26:52 AM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: New JIRA Ticket

Importance: High

Hi Colleen
New JIRA ticket
Internal Maintenance
Severity: High
Filenames are being created in the dynamicContent/html directory with ????????? prefixed to the names in PRODUCTION.

Note: Files were brought from production to restore html directory names in conjunction with source code from Salient/

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/5/2018 6:01:58 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Page, Alison [Page.Alison@epa.gov]
Subject: RE: EMP Dev Server - Christian Requests

PBI / Ex. 4

1 second to run a PBI / Ex. 4 (permissions) – much shorter in time than to reply with a PBI / Ex. 4 discussion.

Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, April 5, 2018 1:59 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: EMP Dev Server - Christian Requests

Commentary:

> Confused. I think what he means is can Paula provide the code from production to be imported into their PBI / Ex. 4. If that is right, what is it that Paula needs to document in README form? Surely Christian knows how to check code into PBI / Ex. 4? Or is he saying he wants a README of where code in on production in case he ever needs to re-import from prod to staging?

Complete unnecessary. I asked for simple change of permissions so Rakhi, I can view these files/directories.
A 1 second PBI / Ex. 4 command to add group read permission. Every developer on planet earth that has used Unix or Linux knows how to set read permission. There are over 350,000 examples online on Google:

PBI / Ex. 4

I will leave commentaries out on the rest so I can proceed with the work I need to do.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Thursday, April 5, 2018 10:56 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: FW: EMP Dev Server - Christian Requests

Christian,

FYI – I passed your questions across to Paula and LeAnn. Below were their answers. I had to edit your questions because (frankly) they were somewhat rude towards Paula and we would not have gotten anywhere asking them as you had written them.

I do not want to be the middleman for further LONG replies in this conversation. I don't have the time in my day to comprehend and reply to pages of back and forth about what's needed for this. So please refrain from the urge to write me back 2-3 pages of text in your reply about why Paula and LeAnn are wrong. It is not going to get us anywhere. What I need from you is to read what's been put back to us and give me your responses, in bullets. Short bullets, so that we can take action.

If I were to take a stab at our replies based on the below, I would ask the following:

1. We want a readme for the middleware/environment builds. We'll except the standard documentation, but require the following additions because _____
2. We'll reach out the WAM team with Dan / Rob CC-ed to ask for this access. ***provide clarity about what your need read access to***
3. I believe the gzip is creating a discrepancy because _____.

Please DO NOT justify why you need root. We're already getting it, so there's no reason to even acknowledge their concern with it or mention it in your reply.

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243

PBI / Ex. 4

From: Childers, Paula
Sent: Wednesday, April 04, 2018 10:34 PM
To: Spradling, LeAnn <Spradling.LeAnn@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: EMP Dev Server - Christian Requests

Actually, many of my comments are near-echoes of LeAnn's. I'll add below, in blue.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Spradling, LeAnn
Sent: Wednesday, April 4, 2018 8:30 PM
To: Campbell, Ed; Childers, Paula
Subject: RE: EMP Dev Server - Christian Requests

I'm catching up on email and Paula may have responded to this already – if not Paula please correct where I am wrong, but I have a confusion on #3 – queries and comments in red.

3. Staging and production may differ with some of the home pages, etc. (due to fact that stage may have a newer version up there_ so I will need to go file by file on some of the .jsp, .html, etc files to be sure what we check into PBI / Ex. 4 is the latest from a prod standpoint so we don't clobber prod home pages, etc with out of date home pages, etc from staging. Can this also be part of Paula's setup/install/initial. If Paula needs to do the work earlier in the day/morning, etc. she can do so but it all has to be in README form - clear step by step.

> Confused. I think what he means is can Paula provide the code from production to be imported into their subversion. If that is right, what is it that Paula needs to document in README form? Surely Christian knows how to check code into subversion? Or is he saying he wants a README of where code in on production in case he ever needs to re-import from prod to staging?
>
> All of the above, plus: I would recommend not worrying about what version is in Staging, and instead concentrate on what's in Prod - but it's really your choice. If I build out the Dev box, I can copy over the application code as it is in Prod OR as it is in Staging. However, what I would copy will be just exactly that, and I don't really understand what he's asking for in terms of some kind of README...? I would be clueless as to checking stuff into Subversion, so no help there from me. If he's expecting me to be able to "support" developer code repositories and provide him with some kind of README on the application source code, I'm afraid I have to disappoint.
> If what he's wanting is more for the middleware/environment builds, we could provide a copy of our standard install/configuration documentation for software such as PBI / Ex. 4 and I believe we already sent a copy of the docs that described EMP-specific conf changes from standard, so if that's what he's wanting, he's already got most of it and we can send the rest fairly easily. They aren't exactly "readme"s though. Writing up custom step-by-step documentation just for EMP would be somewhat outside our normal scope, so if you would need that, we'd probably need to add additional hours to our estimate. Oh - And we would never be able to provide step by step instructions for things like future maintenance, since we wont know if something might change.

a. Note – Paula will not have root on dev so she won't be able to perform some actions for install. I can do that with her step by step or we can do a fast approval by Rob for her if need be the case. ***Ed's Note** – Paula, I can probably get Rob to approve root access for you on Dev if you would prefer that.*

Confused here too. Paula in particular and the PBI / Ex. 4 in general perform all kinds of installs and deployments without root access (we get PBI / Ex. 4 rights to do it, or in VERY rare cases the hosting team handles it. Such a case might be if some script/job has to be run just once and so its not worth giving PBI / Ex. 4 right for it). What is it that Christian thinks he needs to do that Paula cannot? Additonally – in 18 years at the EPA I can remember one case where anyone not on the PBI / Ex. 4 team was given root. And that was an extraordinary situation. Has EMP some arrangement where they are given root on their dev box?

As part of the initial buildout, I would plan to contact Hosting and get them to add - either temporarily, if we PBI / Ex. 4 are NOT maintaining, or permanently, if we are - a standard set of sudo privileges that the PBI / Ex. 4 gets in order to perform standard builds.

If Middleware is going to maintain the server, then I would recommend against Christian having full root (even if Hosting did agree to provide it, which seems unusual to me, but...), as it's a better security practice to offer lowest needed privilege across the board, and after buildout we can work with your team to alter ownerships, change permissions, and develop a specific and limited sudo list for Christian (and Rahki) that will allow them to perform a much broader range of actions than on Stage, but still would not be full root.

[LeAnn, I do know of one project where the developer has full root - but they are also the EPA project owner, and there's quite a lot about their project that falls well outside the standard, so they are not a good comparison.]

For the other questions:

1. Can Paula please provide read access on staging to all the files by putting us in the group emp. No - I don't have anything to do with group membership. On most NCC PBI / Ex. 4, that is handled via WAM-managed PBI / Ex. 4 groups. I would recommend that you, as the developer PM, contact the WAM group and cc Rob Thomas, and ask for you & your developers LAN IDs to be added to the appropriate group(s) for the PBI / Ex. 4, and have Rob confirm this via email. Dan Ferko may be able to help with this action. HOWever, I am not sure whether simply being added to the "emp" group would provide read access to "all the files" - I think we'd need a clearer definition of "all" to even be able to answer. "All" the application code? "All" the PBI / Ex. 4? "All" the system-level binaries in /usr ?? Or something else entirely?
2. Can Paula please provide us with what's on production currently. She did gzip this (thank you), but would prefer this in original form (FTP or tar) so that we can compare files. - I'm afraid I don't really understand the need for this request. Christian appears to think that some kind of problem or artifact is being introduced by our use of the PBI / Ex. 4 commands to pack, copy, and move the application code, which is odd as we have never experienced this to my knowledge, and we use PBI / Ex. 4 regularly - daily, almost - to pack/compress and unpack/decompress files and folders for transfer between PBI / Ex. 4, as well as the FTP dropoff. I am wondering if he was seeing some kind of issue due to using a Windows tool on his local machine that is not fully equivalent to PBI / Ex. 4. If so, he likely won't see the same result/issue on the PBI / Ex. 4.

As I said before, I can copy over either the Staging or the Prod version of the code for deployment to Dev, or perhaps I could put both over there in different spots (of course, you'd only be able to run one or the other at a time in a standard buildout!) for your perusal. Please let me know which option you'd like.

Sorry for all the questions but I guess I can't quite grasp the details here.

Upcoming out of office times:
March 30 afternoon
April 12-15
Contact Stephen Rushing at 919-200-7294
Thanks,
LeAnn Spradling, RHCSA, CSM, PMP
CSRA
T: 919-200-7309 |M: 919-260-2750 | spradling.leann@epa.gov

From: Campbell, Ed
Sent: Wednesday, April 04, 2018 5:16 PM
To: Childers, Paula <Childers.Paula@epa.gov>
Cc: Spradling, LeAnn <Spradling.LeAnn@epa.gov>
Subject: EMP Dev Server - Christian Requests

Hey Paula (and LeAnn) ,

We're close to ready with the Dev server. I'm working with Dan to figure out how to appropriately present to Rob that we will need will need a chunk of Paula's hours up front, and then a few hours quarterly, to make updates on the Dev server for our team. It's probably going to land on my TZ Dev task, which is totally fine, I will handle that if Dan agrees. I don't see Rob having issue as this is such a small amount of hours.

THAT SAID. Christian is wondering about / requesting a few things. His list is:

1. Can Paula please provide read access on staging to all the files by putting us in the group emp.
2. Can Paula please provide us with what's on production currently. She did gzip this (thank you), but would prefer this in original form (FTP or tar) so that we can compare files.
3. Staging and production may differ with some of the home pages, etc. (due to fact that stage may have a newer version up there_ so I will need to go file by file on some of the .jsp, .html, etc files to be sure what we check into

subversion is the latest from a prod standpoint so we don't clobber prod home pages, etc with out of date home pages, etc from staging. Can this also be part of Paula's setup/install/initial. If Paula needs to do the work earlier in the day/morning, etc. she can do so but it all has to be in README form - clear step by step.

a. Note – Paula will not have root on dev so she won't be able to perform some actions for install. I can do that with her step by step or we can do a fast approval by

Thank you both.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243

PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/7/2018 11:13:28 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: Property Files for EMPDEV
Attachments: empadmin.properties; fr.properties; oildb.properties; oidutil.properties; hibernate.properties; eqp.properties

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/14/2018 7:54:48 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP Home Page

Still sees empty tab list items in the page, exploring

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 3:49 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

In Dev, I refreshed two tables PBI / Ex. 4 with production data. I run below query and get 6 rows records return.

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, May 14, 2018 3:36 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

OK thanks. We should probably see that in the future what's different (email settings, etc)

Could you refresh the dev db with prod for tabs and any other tab related tables, thanks. Then login and see if it comes up, let me know when done, thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 3:33 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

PBI / Ex. 4 are related to PBI / Ex. 4. So they are not used in production.

In PBI / Ex. 4, only several email setting are different compared production. It pointed to our internal account instead of production user. Everything else look same.

From: Leckner, Erik
Sent: Monday, May 14, 2018 3:28 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

OK, can you look into their differences for now – like anything majorly different?

Once we isolate, we can put the prod config data into dev db once we know what they are for

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 3:27 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

As I know, there are several other config tables used in EMP system:

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, May 14, 2018 3:21 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

I see, are you aware of any other tables, kind of tables that look like config tables.. this way we isolate to config so focus on any tablenames that look like config table names.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:58 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Christian,

I looked at table for setting tab in prod. The setting was entered in 2011. I was not aware of this config table for EMP homepage and someone else worked on this table back to 2011.

Thanks!
Cindy

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:52 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Cindy

See if you find the rules/scripts/docs for how prod has somethings and dev=staging does not. It could be a simple undertaking or a more complex one – thoughts?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:48 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

I know this (as a result of what Im seeing)

Let's first isolate the issue to ALL config that differs

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:48 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Dev shall be same as staging. But not same as prod. Staging is not same as in prod.

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:46 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Cindy

Are there other places that the database is not the same for dev=staging?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:46 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Wait, id rather have it broken for abit

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:45 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Actually it's not related to user role. If we like to show the tabs in staging and Dev, I just copy the table entries from prod to staging/dev. Let me try to copy data in Dev now.

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:43 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

So you're saying me as a regular user sees it on prod and not on staging/dev.

How do we get it to be the same? What is the requirements for a user to have it and not have it? Apparently the dev db based on staging sees the same page different…

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:42 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

After each release, Salient usually set up a training call for user to learn the new function/new feature in application.

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:40 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Hi Cindy

Can you explain that statement

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:39 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

I run the query and get following result:

Dev: return null.
Staging: return null.
Production: return tab name: Demo/Practice Apps, Emergency Management

Probably it's for user to access training instance through production home page.

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:31 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Hi Cindy

Can you run this query on production staging and dev? (dev=staging, right). Apparently in [redacted], they joked and said it needed refactoring.. ☺

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:28 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Coming from the DAO (database related) - shall update soon

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:24 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Ok.

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:23 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>

Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

So staging of yours does not have it either.. exploring how it makes it over to prod but was not on staging -ill find the details soon.. ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:22 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Sorry. Just send it now:

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:18 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

You sent me staging and staging ☺

By the way in prod it has this code, and in dev it doesn't: it may be a config thing, file thing, etc. – for dev it has no list items whereas on prod it does, so im exploring whether it's a file thing or a config thing..

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:16 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Staging:

PBI / Ex. 4

Prod:

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:13 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

And on production and staging .. ☺

Sorry... ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:13 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Sure. Here is from my screen.

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:11 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Shall do – please screen capture the emp home page, and Jennifer, please do the same. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, May 14, 2018 2:09 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Home Page

Hi Christian,

Hmm…I am not clear what user group and what table being used for showing tab in EMP home page. If you find any information, please let me know.

Thanks!
Cindy

From: Leckner, Erik
Sent: Monday, May 14, 2018 2:01 PM

To: Morgan, Jennifer <morgan.jennifer@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: EMP Home Page

Hi Cindy and Jennifer

Jennifer when you get the pages, do you modify the tab menus? Could you please send a screen shot of what you do have on dev?

Cindy – is there special group roles that are required for the pageview's menu tabs?

Me - exploring the code for this pageview with menu tabs (it's dynamically constructed and saved to the database).

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/24/2018 8:53:39 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: PBI / Ex. 4

Hi Ed,

Although I have yet to explore the entire set of PBI / Ex. 4 places (I did a basic full search for PBI / Ex. 4), there are places where PBI / Ex. 4 could occur in their code such as what follows, which is unsafe and not the right way to do it in PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/12/2018 5:54:00 PM
To: Smith, Maury [smith.maury@epa.gov]
CC: Childers, Paula [Childers.Paula@epa.gov]
Subject: RE: Private Key

Hello Maury

Sure– so long as we have a working keystore for each of our subprojects.

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Thursday, April 12, 2018 10:30 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Childers, Paula <Childers.Paula@epa.gov>
Subject: RE: Private Key

Christian,

For security reasons we do not distribute private keys associated with certificates. Paula Childers is working on setting up the Dev environment and should be able to help you transfer the required certificates from Staging to Dev. I'm Cc'ing Paula on this message.

Maury

From: Leckner, Erik
Sent: Wednesday, April 11, 2018 8:14 PM
To: Smith, Maury <smith.maury@epa.gov>
Subject: Private Key
Importance: High

Hello Maury,

Do you have any private keys that we need as well in addition to the certificate? For example, when I create a keystore file using PBI / Ex. 4 I need an imported private key and a certificate to create a new keystore of type PBI / Ex. 4. A typical command looks like this:

PBI / Ex. 4

Christian Leckner

Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, April 11, 2018 2:41 PM
To: Smith, Maury <smith.maury@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Great, thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, April 11, 2018 2:16 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Christian,

Try PBI / Ex. 4

Maury

From: Leckner, Erik
Sent: Wednesday, April 11, 2018 1:32 PM
To: Smith, Maury <smith.maury@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Maury

What is the URL for the service address?

Thanks ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Wednesday, April 11, 2018 12:32 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Christian,

The DEV credentials should be the same as staging using account name PBI / Ex. 4. Let me know if I need to change the DEV password for the account.

Maury

From: Leckner, Erik
Sent: Tuesday, April 10, 2018 5:37 PM
To: Smith, Maury <smith.maury@epa.gov>
Subject: RE: Follow-Up - IAM EMP Needs
Importance: High

Hi Maury

Could you please also provide me with the current credentials for the dev PBI / Ex. 4 services?

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Tuesday, April 10, 2018 5:30 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

See attached…

From: Leckner, Erik
Sent: Tuesday, April 10, 2018 5:08 PM
To: Smith, Maury <smith.maury@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello Maury

Can you please send it as a file versus inline? Thank you. I will put it on empdev and then work with PBI / Ex. 4 to get keystore file generated for placement into the EMP app directories.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Tuesday, April 10, 2018 5:01 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - IAM EMP Needs

Hi Christian,

For empdev.epa.gov you need the certificate below added to the appropriate keystore path on the PBI / Ex. 4 application server. The WAM group cannot perform this task for you.

-----BEGIN CERTIFICATE-----

PBI / Ex. 4

-----END CERTIFICATE-----

Maury Smith
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
General Dynamics Information Technology
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709

Office: 919.200.7305 | Mobile: Personal Privacy / Ex. 6 | smith.maury@epa.gov | www.gdit.com

GENERAL DYNAMICS
Information Technology

From: Leckner, Erik
Sent: Tuesday, April 10, 2018 4:31 PM
To: Smith, Maury <smith.maury@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hello Maury/James

We are waiting on the PBI / Ex. 4 install/config from PBI / Ex. 4. Ed/Rob/I are working on getting a date from PBI / Ex. 4 as to when they finish.

Can you please place the certificate plus any corresponding private key on PBI / Ex. 4?

Thanks for your work thus far.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Monday, April 9, 2018 10:20 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Ed,

The DNS record is place and everything is ready for testing. The current WAM setup is PBI / Ex. 4 pointing to PBI / Ex. 4. There doesn't appear to be anything setup yet on the PBI / Ex. 4 application server.

Maury

From: Smith, Maury
Sent: Monday, April 9, 2018 9:34 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Ed,

The WAM setup is complete but I'm still on hold waiting for the DNS group to complete their piece. I requested an update from them this morning and will hopefully have this piece in place later today. I'll update you ASAP. Sorry for the delay.

Maury

From: Smith, Maury
Sent: Wednesday, April 4, 2018 4:15 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up - PBI / Ex. 4 EMP Needs

Hi Ed,

Most of the WAM setup is complete. I had to make one change to the DNS entry I requested for empdev.epa.gov and just waiting for the DNS group to complete the request. I'll let you know when everything is in place.

Maury Smith
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
CSRA, Inc.
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709
Office: 919.200.7305 | Mobile: Personal Privacy / Ex. 6 | smith.maury@epa.gov | www.csra.com

CSRA
Think Next. Now.

From: Campbell, Ed
Sent: Wednesday, April 4, 2018 4:12 PM
To: Waldo, James V. <Waldo.James@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up PBI / Ex. 4 EMP Needs

Hey Jay / Maury,

Just wanted to check-in (follow-up on our call from last week). Do you still think things will be ready for Christian by tomorrow?

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Waldo, James V.
Sent: Thursday, March 29, 2018 4:59 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Follow-Up PBI / Ex. 4 EMP Needs

Here is the link to register for an account in WAM Dev.

PBI / Ex. 4

User this info for the EPA Sponsor:
Mary Lee
Lee.Mary@epa.gov
202-564-1234

James Waldo
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
CSRA, Inc.
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709
Telephone: 919.475.9581 | waldo.james@epa.gov | www.csra.com

CSRA
Think Next. Now.

-----Original Appointment-----
From: Campbell, Ed
Sent: Tuesday, March 27, 2018 3:41 PM
To: Campbell, Ed; Waldo, James V.; Smith, Maury; Leckner, Erik; Ferko, Dan; Madhavan Nair Kamala Devi, Rakhi
Cc: Henderson, Kertis
Subject: Follow-Up PBI / Ex. 4 EMP Needs
When: Thursday, March 29, 2018 4:30 PM-5:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Call

Jay / Maury,

Christian would like to follow-up this week (we are about to receive the EMP Dev server, presumably within 24 hrs)

1. PBI / Ex. 4 Setup of Dev Server to be identical to Staging
2. Procedures / Protocols Christian / Rakhi should follow

4:30 on Thursday is the only time we are all available for the remainder of the week – but this is important, we really need to make sure we can hit the ground running with this Dev server.

Thanks.

Conference Line - Conference Line/Code / Ex. 6
Access Code - Conference Line/Code / Ex. 6

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/9/2018 9:21:15 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]

Subject: Accepted: EPM Status Meeting
Location: Skype Meeting

Start: 4/3/2018 7:30:00 PM
End: 4/3/2018 8:30:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/2/2018 6:16:48 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: Username for Connections

This is for

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, May 2, 2018 2:16 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: Username for Connections

For PBI / Ex. 4 – can you list the 5 for dev (unsure whether a D_ before them, etc)

Thanks.

EMPADMIN_JE
EMPEQ_JE

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/30/2018 6:14:57 PM
To: Dennis, Gregory [Dennis.Gregory@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Ferko, Dan [Ferko.Daniel@epa.gov]
Subject: RE: EMP - Dev Server Space Allocation

Hello Greg!

Thank you. Very much appreciated!

Best,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Dennis, Gregory
Sent: Friday, March 30, 2018 10:06 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: RE: EMP - Dev Server Space Allocation

Erik,
You should be able to sudo to jdaemon now.

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

From: Leckner, Erik
Sent: Thursday, March 29, 2018 3:42 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: RE: EMP - Dev Server Space Allocation
Importance: High

Hello Greg/Dan,

I tried to PBI / Ex. 4 and I received the following error – can I please be added to the PBI / Ex. 4 list?

PBI / Ex. 4

We trust you have received the usual lecture from the local System Administrator. It usually boils down to these three things:

#1) Respect the privacy of others.
#2) Think before you type.
#3) With great power comes great responsibility.

PBI / Ex. 4 password for Personal Privacy / Ex. 6
eleckner is not in the PBI / Ex. 4 file. This incident will be reported.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Dennis, Gregory
Sent: Thursday, March 29, 2018 3:09 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: EMP - Dev Server Space Allocation

The following filesystems have been configured on PBI / Ex. 4:

PBI / Ex. 4

Permission to operate has been granted, let me know if anything else is needed.

Thanks,
Greg Dennis
PBI / Ex. 4 System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

-----Original Appointment-----
From: Campbell, Ed
Sent: Wednesday, March 28, 2018 3:29 PM
To: Campbell, Ed; Ferko, Dan; Dennis, Gregory; Leckner, Erik
Subject: EMP - Dev Server Space Allocation
When: Thursday, March 29, 2018 2:00 PM-2:30 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Call

Let's nail down how we want this done.

CSRA Conference Info
Conference Line - Conference Line/Code / Ex. 6
Access Code - Conference Line/Code / Ex. 6

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 10:29:39 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: FW: New PBI / Ex. 4 group

Just a fyi, hopefully I get superuser access for root on some types of operations otherwise we would need Greg's assistance semi-frequently.

Sent Paula/LeAnn the latest of where we are, and once we have Rob's approval we can get the dev server operational for development (and PBI / Ex. 4 team does their work). Some of the work will involve root operations (via superuser) and I have requested Greg for this. Right now as it stands even if were to build ourselves tomcat instances (not to be confused with the apps themselves of EMP), I don't have all the permissions as required from the devops team (Greg, …).

Meanwhile I am going to setup PBI / Ex. 4 repository now with the code provided to us, but I'll wait to actually use it once you hear back from Salient.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, April 2, 2018 6:08 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Subject: RE: New PBI / Ex. 4 group

Hi Greg,
I tried to change group as Personal Privacy / Ex. 6 superuser from epaUsers to empgrp and it said not permitted for every dir/file. I would need this for
PBI / Ex. 4 recursively) and PBI / Ex. 4 (recursively). Or if I could do this via root superuser list for ops like this.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: WAM Support
Sent: Monday, April 2, 2018 4:47 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>; WAM Support <WAM_Support@epa.gov>

Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: New PBI / Ex. 4 group

Hi Greg,

The group was created with the requested members.

- PBI / Ex. 4

Let us know if changes are needed.

Thanks,

Tarsha Jackson
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency

79 TW Alexander Drive, Building 4401, P.O. Box 13668, Research Triangle Park, NC 27709
919.200.7432 | jackson.tarsha@epa.gov | tarsha.jackson@csra.com | www.csra.com
Follow us on Facebook | Twitter | LinkedIn

CSRA
Think Next. Now.

From: Dennis, Gregory
Sent: Monday, April 2, 2018 2:37 PM
To: WAM Support <WAM_Support@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: New PBI / Ex. 4 group

WAM,
Can you create a new posix group named PBI / Ex. 4 with the following users?

Yfan
eleckner
rmadhava
pchild01

Thanks,
Greg Dennis
PBI / Ex. 4 System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/16/2018 5:44:57 PM
To: Waldo, James V. [Waldo.James@epa.gov]; Childers, Paula [Childers.Paula@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]

Subject: Canceled: IAM + DEV
Location: Conference Call

Start: 3/19/2018 6:00:00 PM
End: 3/19/2018 7:00:00 PM
Show Time As: Free

Importance: High

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/27/2018 6:17:51 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Rakhi Nair [rakhi.mnair@gmail.com]
Subject: RE: Source Code Repository

Hi Ed

OK, thanks.

There are code discrepancies – in fact, from those extra (step by step) debug statements deployed on staging implies that they were working on a bug that Swetha has also encountered in the past two weeks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 27, 2018 2:15 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Rakhi Nair <rakhi.mnair@gmail.com>
Subject: RE: Source Code Repository

Christian,

I still haven't talked to Rob about this. I will send your email tonight, I promise. Confirm for me that everything in it is still current (IE – you haven't had any other breakthroughs or updates). I don't want to raise it on this particular call because it's a large topic, and we are already overbooked on the agenda for this hour today.

From: Leckner, Erik
Sent: Tuesday, March 27, 2018 2:13 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Rakhi Nair <rakhi.mnair@gmail.com>
Subject: Source Code Repository
Importance: High

Hi Ed,

Any word back from Rob/Salient on getting the repository? Should we bring this up today in our meeting with Rob?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/29/2018 4:40:57 PM
To: Balassiano, Kim [Balassiano.Kim@epa.gov]

Subject: Accepted: FW: Select EPA Data Systems Webinar Series for Users
Location: PBI / Ex. 4

Start: 2/27/2018 7:00:00 PM
End: 2/27/2018 8:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/10/2018 6:47:45 PM
To: Barefoot, Tonya M [Tonya.Barefoot@csra.com]
BCC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RAM Inquiry

Hello Tonya

Hope all is well. Any updates on the RAM order?

Thanks,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 10:24:29 PM
To: Childers, Paula [Childers.Paula@epa.gov]
CC: Spradling, LeAnn [Spradling.LeAnn@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: PBI / Ex. 4

Hi Paula

I FTP'd all the files from PBI / Ex. 4 files for the PBI / Ex. 4 directories since I had limited/restricted read access on staging for those directories (that is why you only saw a partial listing of those directories). I also set all the links as well. I asked Greg to chgrp to empgrp which is the new PBI / Ex. 4 group setup by WAM team so I would suppose this would be done tomorrow at some point when Greg returns to the office. PBI / Ex. 4 is working on certificates as one of their PBI / Ex. 4 setup tasks. Once Rob approves, we should be good to go on all the next steps (build PBI / Ex. 4, etc), configure, and test (once PBI / Ex. 4 completes their work). Meanwhile, I am setting up PBI / Ex. 4 etc. to store the code base we do have (and in the case that Salient returns with the same code as deployed to create a new branch for that).

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/16/2018 12:48:37 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Quick Summary : What's needed next for Paula/Dan/PBI / Ex. 4 Meeting

Hi Ed

Now that almost the list of credentials are provided – I still don't have dev db password, which I have asked Kofi to provide – don't think Paula may know those – I can turn my focus back on what I still need.

Meeting with Paula and PBI / Ex. 4 together where I/you host the meeting (otherwise they may run the time out on things they discuss unrelated to what we need).

1. Deployment Procedures

Source: Development
Destination: Staging (where do they want it, etc)

2. Encryption Overview (keys, PBI / Ex. 4, etc)

PBI / Ex. 4 etc. Need meeting to discuss all of this. Reason being is that PBI / Ex. 4 etc need to communicate with other trusted servers so they create PBI / Ex. 4 keystores, etc – lots of stuff for security. That in part is why I needed the entire project structure which you managed to successful get from Paula today even though I had asked for it back in early Feb from her. But that is half of the items – the meeting is to discuss about certs, where and why are they needed, how they are being generated, what could we use for local, and a new dev server in replace of, etc. The endgame is to run on local and on dev server and if we cant run everything on local before deploying to dev, then what are the restrictions, will it work on Windows versus PBI / Ex. 4, etc etc. That is what I thought the PBI / Ex. 4 meeting I asked for was supposed to be about but what we got back was a high level watered down filtered version of what I need and things I didn't need from the meeting.

3. File re-distribution

Which files get clobbered, etc. I am only learning new things lately that they copy from prod back to staging. But if they do that how is prod getting the files even. At the end of the day, the dev team is responsible for every file (in the 10000+).

Best

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, March 15, 2018 4:17 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Quick Summary : What's needed next for Paula/Dan/PBI / Ex. 4 Meeting
Importance: High

1. Deployment Procedures:

Source: Development
Destination: Staging

2. Encryption Overview (keys, PBI / Ex. 4, etc)

PBI / Ex. 4, etc.

3. File re-distribution

Which files get clobbered, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/29/2018 4:40:55 PM
To: Balassiano, Kim [Balassiano.Kim@epa.gov]

Subject: Accepted: FW: Select EPA Data Systems Webinar Series for Users: TRI
Location: PBI / Ex. 4

Start: 4/3/2018 6:00:00 PM
End: 4/3/2018 7:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/3/2018 6:36:59 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: PBI / Ex. 4

Hi Ed

This is the right way to setup the PBI / Ex. 4 libraries for conf, etc. (I set all permissions below using my new PBI / Ex. 4 limited root privileges Greg gave to me about an hour ago) – this way those in the PBI / Ex. 4 can actually see what's there.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/22/2018 6:31:50 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP Admin scripts

OK let me know if you two need anything. I will assume you two have it covered then during the interim. Curious though:

a) When it first occurred and what occurred
b) What happened after that exactly (who did what and when)

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Tuesday, May 22, 2018 2:31 PM
To: Leckner, Erik <leckner.erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Admin scripts

Not yet. Rakhi is still looking the code to find query.

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 2:29 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Admin scripts

Hi Cindy

Did you receive your query and what/where is the manage team function? Been ultra busy on dev setup, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Tuesday, May 22, 2018 2:27 PM
To: Leckner, Erik <leckner.erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Madhavan Nair Kamala Devi,

Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Admin scripts

I included Jenn and Rakhi in this email. Jenn may have more knowledge on what happened on client side. Jenn had mentioned in her previous email that one of FR delegate somehow lost his ability to manage his team. I asked you and Rakhi to look at java code and see what query used behind "manage team" function.

Thanks,
Cindy

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 2:07 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Admin scripts

Hi Cindy

I may have an idea (without looking actually at the issue since you're working with it with Rakhi), so please summarize the issue for me if you could:

a) When it first occurred and what occurred
b) What happened after that exactly (who did what and when)

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, May 22, 2018 2:00 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: EMP Admin scripts
Importance: High

Hi Cindy

Can I please see the group nightly code and one-off code manual scripts for the PBI / Ex. 4 assignments and a real sample XML file? Also what time does the nightly batch job run from PBI / Ex. 4 export and the PBI / Ex. 4 imports/updates/deletes, etc.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/29/2018 4:40:48 PM
To: Balassiano, Kim [Balassiano.Kim@epa.gov]

Subject: Accepted: FW: Select EPA Data Systems Webinar Series for Users
Location: PBI / Ex. 4

Start: 5/8/2018 6:00:00 PM
End: 5/8/2018 7:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/19/2018 7:05:45 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Agenda for March 21 Meeting

<!--[if lte mso 15 || CheckWebRef]-->

Leckner, Erik has shared a OneDrive for Business file with you. To view it, click the link below.

Agenda.docx

<!--[endif]-->

Hi Ed,

Here is a high level Agenda for Wednesday's Meeting. I may be adding to it but here it is.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/29/2018 4:40:44 PM
To: Balassiano, Kim [Balassiano.Kim@epa.gov]

Subject: Accepted: FW: Select EPA Data Systems Webinar Series for Users
Location: PBI / Ex. 4

Start: 6/5/2018 6:00:00 PM
End: 6/5/2018 7:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:45:57 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Staging PBI / Ex. 4 webservice

OK.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, March 20, 2018 3:45 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Staging PBI / Ex. 4 webservice

Thanks Christian!
I tried that one she gave. It didn't go through when I tried earlier. Now I see it failed because of the Cookie not found error, not because of wrong password! Thanks!

REQUEST!!!!!!! PBI / Ex. 4
REQUEST!!!!!!! PBI / Ex. 4

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 3:32 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Staging PBI / Ex. 4 webservice

Hi Rakhi

Its same as db. Paula had written that in email last week.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, March 20, 2018 3:26 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Staging PBI/Ex.4 webservice

Hi Christian,
Do you have the new password for Staging PBI/Ex.4 webservice?

Thanks,
Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/10/2018 5:52:01 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: Test Email

Received

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Tuesday, April 10, 2018 1:20 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Test Email

Hi Folks,

I'm sending this email using the PBI / Ex. 4 address.

Will you please reply if you received this?

Thanks☺!

Colleen

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/21/2018 11:56:49 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Backup (Ed and Cindy) CODE RED

Hi Ed

Also would be nice to send me some flash or hard drives from CSRA/EPA so I can backup my **laptop** regularly too. 10-50GB+ flash drives would work.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 21, 2018 6:54 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: Backup (Ed and Cindy) CODE RED
Importance: High

Noticed that I put you as CC, should have been TO since there is an action item for you, please. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 21, 2018 6:51 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Backup (Ed and Cindy)
Importance: High

Hi Cindy and Ed:

Note that 14753 files were added (still committing it over a network, etc and many other things over the next couple of days) .

Ed: Please look into backup o PBI / Ex. 4 on a nightly basis. This is imperative that backup is performed because repositories are known to have issues over unreliable networks.
Since I work until 2AM PDT sometimes, perhaps at 2AM PDT which is 5AM EST. So perhaps Gregory Dennis's Unix team does this? Note that I am also storing the WAR files in the repository, so we have a copy of the war itself and only updated/committed on a branch release or tag release.

Cindy: Please be prepared to backup PBI / Ex. 4 database and all PBI / Ex. 4 and freeze it as PBI / Ex. 4 since I have frozen the source code today. If you would like for me to add database scripts/code to the repository, please let me know. I will be also creating a PBI / Ex. 4 project under EMP repository as well that are for developers to use for convenience.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/16/2018 8:56:33 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Staging/Dev Users

For example, in a LMS (such as FR), a superuser/admin should be able to emulate a particular user – especially useful for helpdesk support and engineering dev.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, March 16, 2018 4:52 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Staging/Dev Users

Hi Cindy

Could I get test staging/dev users with different levels/accesses? Did Salient developers have different users Is this possible in dev/staging?

In typical apps, emulation is typically an aspect of an admin user so admin can emulate being a particular user.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/17/2018 6:23:09 PM
To: Chilivery, Swetha [chilivery.swetha@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: PBI / Ex. 4

Importance: High

Hi Swetha

It already says that I am a member of both groups when I tried to add (not sure if Jenn just did but in any case I still get the server popup for authentication. Do we need to change any PBI / Ex. 4 links?

PBI / Ex. 4



Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Thursday, May 17, 2018 2:13 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: PBI / Ex. 4

Hi Christian,

PBI / Ex. 4 confirmed that PBI / Ex. 4 dev always uses WAM production, never WAM dev - PBI / Ex. 4 Hence, we are not able to login using DEV credentials.
Please try to login to PBI / Ex. 4 using production credentials. You can test with your credentials provided you have these groups assigned.

Jenn, can you please test with your Prod login credentials and also, add PBI / Ex. 4 PBI / Ex. 4 groups to Christian's account.

Regards,
Swetha

From: Leckner, Erik
Sent: Thursday, May 17, 2018 1:41 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: PBI / Ex. 4
Importance: High

Hi Swetha

Has the PBI / Ex. 4 software IT team administered proper access for the PBI / Ex. 4 link yet today?

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/15/2018 7:29:15 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Waldo, James V. [Waldo.James@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; Smith, Maury [smith.maury@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: PBI / Ex. 4 Link - DEV

Sorry J ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Tuesday, May 15, 2018 3:28 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

It is J ☺

From: Leckner, Erik
Sent: Tuesday, May 15, 2018 3:27 PM
To: Waldo, James V. <Waldo.James@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

Thanks Maury!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Waldo, James V.
Sent: Tuesday, May 15, 2018 3:25 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

I have added you as an owner, Jennifer. If you log out and log back in, you should be able to see and manage those groups now. Also, you should be able to manage them in PBI / Ex. 4

Please let me know if you have any questions.
- J

James Waldo
Enterprise Identity & Access Management (EIAM)
General Dynamics Information Technology
ITS-EPA III - Supporting the US Environmental Protection Agency
79 TW Alexander Drive, Building 4401, P.O. Box 13668, Research Triangle Park, NC 27709
919.475.9581 | waldo.james@epa.gov | www.gdit.com
GENERAL DYNAMICS
Information Technology

From: Fan, Cindy (Yanqian)
Sent: Tuesday, May 15, 2018 3:19 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

We will need Maury's input here. Probably you will need some access privileges from Maury.

From: Morgan, Jennifer
Sent: Tuesday, May 15, 2018 3:17 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

Hey Cindy,

I see all of the PBI / Ex. 4 groups in EMP Admin but I can't assign them there. Just like in Production – I can only assign PBI / Ex. 4 groups using the PBI / Ex. 4 tool. Maury gave me the DEV link for PBI / Ex. 4 but there are no groups in there at all. I'm not sure how we get those PBI / Ex. 4 ?

Thanks,
Jennifer

From: Fan, Cindy (Yanqian)
Sent: Tuesday, May 15, 2018 3:15 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

Based on XML file Maury exported from Dev PBI / Ex. 4, all the groups are same as in staging. I don't find any missing group in dev database.

From: Leckner, Erik
Sent: Tuesday, May 15, 2018 3:01 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>; Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen

<Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

Hi Cindy

Can you work with Maury to ensure that all the necessary groups are there when you get some today?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Morgan, Jennifer
Sent: Tuesday, May 15, 2018 2:44 PM
To: Smith, Maury <smith.maury@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

Hi Maury,

Thanks! Unfortunately, I can't see any groups in there – do I not have permissions or are there no groups in the DEV environment? I'm trying to add PBI / Ex. 4 rights to our accounts and I thought that could only be done through PBI / Ex. 4

Thanks,
Jennifer

From: Smith, Maury
Sent: Tuesday, May 15, 2018 12:59 PM
To: Morgan, Jennifer <morgan.jennifer@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: PBI / Ex. 4 Link - DEV

Hi Jennifer,

It's PBI / Ex. 4

Maury

From: Morgan, Jennifer
Sent: Tuesday, May 15, 2018 11:57 AM
To: Smith, Maury <smith.maury@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Subject: PBI / Ex. 4 Link - DEV

Hi Maury,

Is there a link for me to access the PBI / Ex. 4 in the DEV environment? I need to add PBI / Ex. 4 rights to our DEV accounts and those roles can only be added using the PBI / Ex. 4 tool.

Thanks so much!
Jennifer

Jennifer Morgan
Help Desk Lead | Project Management Analyst
GDIT Supporting ITS-EPA III Contract
Morgan.Jennifer@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/29/2018 4:40:36 PM
To: Balassiano, Kim [Balassiano.Kim@epa.gov]

Subject: Accepted: FW: Select EPA Data Systems Webinar Series for Users
Location: PBI / Ex. 4

Start: 5/22/2018 6:00:00 PM
End: 5/22/2018 7:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/17/2018 6:17:27 PM
To: Chilivery, Swetha [chilivery.swetha@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Morgan, Jennifer [morgan.jennifer@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: PBI / Ex. 4

Perfect, thanks. Please let me know whether there is anything I can do to assist on the server end.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Thursday, May 17, 2018 1:44 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: PBI / Ex. 4

Hi Christian,

Cindy and I are in call with PBI / Ex. 4 now. We are working on fixing this issue.

Regards,
Swetha

From: Leckner, Erik
Sent: Thursday, May 17, 2018 1:41 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Morgan, Jennifer <morgan.jennifer@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: PBI / Ex. 4
Importance: High

Hi Swetha

Has the PBI / Ex. 4 software IT team administered proper access for the PBI / Ex. 4 link yet today?

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 8:50:52 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: PBI / Ex. 4

This really is quite disturbing. Why would the PBI / Ex. 4 team restrict read access to developers (one has to do this intentionally). This was done intentionally – that's why all the fuss before even with staging log access. Paula or her team restricted even read access to those directories.

> Anyways I am working off tarballed files I requested (its only a subset but I think the apache httpd and modsecurity I have access to – she forgot to restrict access for those directories ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, April 2, 2018 4:46 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: PBI / Ex. 4

Hi Ed

I let Paula know why we couldn't just ftp from stage to dev. She had changed all the read permissions on the PBI / Ex. 4 and PBI / Ex. 4 directories (they were not only hidden from me, but I guess Salient as well). Don't understand why she would have ever revoked the permissions for read access in the past to any development team (as they are only read only). But she knew this prior to our meeting because she's the one to have restricted access to developers to read those simple conf directories.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, April 2, 2018 4:44 PM
To: Childers, Paula <Childers.Paula@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>
Subject: PBI / Ex. 4

Hi Paula

I noticed why the files from staging did not get FTP'd over. You had it set to **no read permissions** on the PBI / Ex. 4 directories other than the log directories, etc. but all the conf directories I have no read access. I am now using the PBI / Ex. 4 directories which I requested. Hopefully, those have all the PBI / Ex. 4 and modsecurity files with read permissions on staging.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 8:48:32 PM
To: Spradling, LeAnn [Spradling.LeAnn@epa.gov]
CC: Childers, Paula [Childers.Paula@epa.gov]
BCC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: to join the mailing lists mentioned on the call

Hello LeAnn,

Thanks for the info. I subscribed following the steps outlined below.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Spradling, LeAnn
Sent: Monday, April 2, 2018 3:37 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Childers, Paula <Childers.Paula@epa.gov>
Subject: to join the mailing lists mentioned on the call

Send a blank email to this address
join-ncc_alerts@lists.epa.gov

send another blank email to this list

Upcoming out of office times:
March 30 afternoon
April 12-15
Contact Stephen Rushing at 919-200-7294
Thanks,
LeAnn Spradling, RHCSA, CSM, PMP
CSRA
T: 919-200-7309 |M: 919-260-2750 | spradling.leann@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:24:25 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Comparison

Sure, np. I was referring to getting the proper source code repositories ☺

I am working on rebuilding on older versions of Java to match class sizes as I type. Almost there.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 20, 2018 3:23 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Comparison

Christian, I really don't know how else to say this that I haven't already said it to you, but I'll be very blunt here. The Federal Government is not fast or efficient. It is a huge behemoth with a million processes and chains of approval involved even for relatively mundane things (like RAM purchases). For an extremely Type A individual like yourself, it's one of the main reasons folks may leave Federal Contracting to join (or rejoin) the private sector. I really can't expedite this stuff even if I wanted to (and believe me, I want to). You don't have to keep reminding me how slowly some of these replies / things you need are coming. I am very aware and totally powerless to make it go faster.

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 3:17 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Comparison

Hi Ed

Comparison.

While Im waiting for older versions of JDK to be installed (on my laptop) for re-compilation on older versions to compare staging.

At United Health, first hour I did a dev setup (since I had proper setup files and all the resources need to start coding). New team formation for fast project. 1 hour entire team was all setup.

Etc etc

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 6:03:22 PM
To: Barefoot, Tonya [Tonya.Barefoot@csra.com]; Barefoot, Tonya [Barefoot.Tonya@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: FW: RAM Upgrade for Latitude E6540

Hello Tonya

William may be able to assist.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Oldham, William
Sent: Monday, March 12, 2018 8:14 AM
To: Page, Alison <Page.Alison@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RAM Upgrade for Latitude E6540

Ali/Erik,

Just checking back on this subject. Is there an update to getting the additional RAM? Is there something else I can do for you?

Thank you

William "Bill" Oldham
U.S. Environmental Protection Agency
Office of Environmental Information (OEI)
Office of Information Technology Operations (OITO)
Desktop Support Services Division (DSSD)
Office: 919.541.2818
Mobile: Personal Privacy / Ex. 6

PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/22/2018 6:01:05 PM
To: Chilivery, Swetha [chilivery.swetha@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Backup (Swetha)

UNIX team is also looking into our backup scheduling time and duration as well. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Tuesday, May 22, 2018 1:59 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Backup (Swetha)

Hi Christian,

Is this backup only database tables? If so, Cindy said she would backup all the PBI / Ex. 4 schemas too.
And I use NCC dev environment for BI development. I'm not sure if/how frequently they take a dev backup. I will check with them.

Regards,
Swetha

From: Leckner, Erik
Sent: Monday, May 21, 2018 6:56 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: Backup (Swetha)
Importance: High

Hi Swetha

Note that 14753 files were added (still committing it over a network, etc and many other things over the next couple of days) .

Is there any items for your PBI / Ex. 4 related work? I have frozen source (see below) and Cindy will be backing up/freezing the db as well. Anything for you to freeze and backup and save as PBI / Ex. 4 for new CSRA?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 21, 2018 6:51 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Backup (Ed and Cindy)
Importance: High

Hi Cindy and Ed:

Note that 14753 files were added (still committing it over a network, etc and many other things over the next couple of days) .

Ed: Please look into backup of PBI / Ex. 4 on a nightly basis. This is imperative that backup is performed because repositories are known to have issues over unreliable networks.
Since I work until 2AM PDT sometimes, perhaps at 2AM PDT which is 5AM EST. So perhaps Gregory Dennis's Unix team does this? Note that I am also storing the PBI / Ex. 4 files in the repository, so we have a copy of the war itself and only updated/committed on a branch release or tag release.

Cindy: Please be prepared to backup PBI / Ex. 4 and all PBI / Ex. 4 and freeze it as PBI / Ex. 4 since I have frozen the source code today. If you would like for me to add database scripts/code to the repository, please let me know. I will be also creating a PBI / Ex. 4 project under EMP repository as well that are for developers to use for convenience.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:18:36 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Comparison

(waiting means Im downloading them ☺) so I have a few seconds here..

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 3:17 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Comparison

Hi Ed

Comparison.

While Im waiting for older versions of JDK to be installed (on my laptop) for re-compilation on older versions to compare staging.

At United Health, first hour I did a dev setup (since I had proper setup files and all the resources need to start coding). New team formation for fast project. 1 hour entire team was all setup.

Etc etc

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/23/2018 4:42:00 PM
To: ADC Project Coordinators [ADC_Project_Coordinators@epa.gov]

Subject: Accepted: EMP Table Top Exercise Session
Location: Dial In: Conference Line/Code / Ex. 6

Start: 5/23/2018 5:00:00 PM
End: 5/23/2018 6:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 10:17:35 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: One other thing on passwords for a FYI

And if bad credentials are being used, it could even lock user accounts such as the emp admin users which connect via the app servers.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, March 15, 2018 6:02 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: One other thing on passwords for a FYI

I know others (I would assume Rakhi) used wrong credentials to access [redacted] days ago before the password update because when I spoke to [redacted] James on [redacted] related Rob JIRA ticket, he said its probably because Im sending the wrong credentials over the wire for [redacted] I told him it wasn't I because I didn't experience issues so it's important too to have the credentials, otherwise they are getting bad logins regularly (perhaps 1000s if Rakhi is running servers daily, etc). This Is why it is important to get these updates. I didn't tell him it was Rakhi, but that is why credentials are also important to be right, so we don't start triggering security alerts to other teams at EPA.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:17:54 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Timesheets

Got it, thanks. I can submit for Fridays at that time.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 20, 2018 3:11 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Timesheets
Importance: High

Hey Rakhi and Christian –

Just a heads up that I need you guys to try and have your timesheets submitted to Subtime on Fridays by 11AM PST, please. They want me to approve by 2PM EST.

Thank you!

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/18/2018 2:25:36 AM
To: leckner.erik@epa.gov
Subject: RE: OEM - 65

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, April 17, 2018 10:19 PM
To: 'leckner.erik@epa.gov' <leckner.erik@epa.gov>
Subject: OEM - 65

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/8/2018 6:32:37 PM
To: Lyles, Jazzriel [Lyles.Jazzriel@epa.gov]
Subject: RE: WO0000000145161 PBI / Ex. 4 Install

Hello Jazzriel,

Thanks and I appreciate your efforts on this.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Lyles, Jazzriel
Sent: Thursday, March 8, 2018 1:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: WO0000000145161 - PBI / Ex. 4 Install

Okay , sorry about that. I'll close the work order.

From: Leckner, Erik
Sent: Thursday, March 08, 2018 1:28 PM
To: Lyles, Jazzriel <Lyles.Jazzriel@epa.gov>
Subject: RE: WO0000000145161 - PBI / Ex. 4 Install

Hi Jazzriel

I needed that in the past, but now I have elevated privileges and so I can do this myself.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Lyles, Jazzriel
Sent: Thursday, March 8, 2018 9:27 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: WO0000000145161 - PBI / Ex. 4 Install

Good Morning ,

Once your computer checks in PBI / Ex. 4 should begin to download, give me a call once complete or if it doesn't ever install.

Thank you!

Jazzriel Lyles **| SAIC**
Enterprise IT Service Desk (EISD)
US EPA - End User Services
Tel: 919-541-9728 Email: lyles.jazzriel@epa.gov

"Defining yourself is the beginning of Wisdom"

Redefining Ingenuity ™

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 8:25:01 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: PBI / Ex. 4 directories

Hi Ed,

I now see why the FTP didn't get everything from staging – part of it we only have access to from staging. So that is why not all the PBI / Ex. 4 instance PBI / Ex. 4
code was not installed since I as a user don't have access to it. Ironic why Paula said she only saw part of PBI / Ex. 4 instances there, since that is all I had access to via ftp. The irony is that she hasn't granted me permission to even see it on staging. Bizarre.

I can use the tarballs (zipped) she provided the other day (but it has compression) but I can use that. I was hoping to avoid that and just use it preserved via ftp.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/16/2018 5:10:35 PM
To: Waldo, James V. [Waldo.James@epa.gov]; Childers, Paula [Childers.Paula@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]

Subject: PBI / Ex. 4
Location: Conference Call

Start: 3/19/2018 6:00:00 PM
End: 3/19/2018 7:00:00 PM
Show Time As: Tentative

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/9/2018 5:37:42 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: New JIRA Ticket - Clean up html/PBI/Ex. 4 on pages

Hello Colleen

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Monday, April 9, 2018 1:35 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: New JIRA Ticket - Clean up html/PBI/Ex. 4 on pages

Done, OEM-61. Thanks! Colleen

From: Leckner, Erik
Sent: Wednesday, April 4, 2018 2:11 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: New JIRA Ticket - Clean up html/css on pages

Hi Colleen

A new JIRA ticket – internal page maintenance. General cleanup of pages. Home page, for example, has HTML characters displayed on the screen in Chrome and IE. No favicon in browser tab bar. etc.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:13:17 PM
To: Oldham, William [Oldham.William@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: RAM Request for Christian (Erick) Leckner

Hello William,

I'll update Tonya with this information if she hasn't yet been updated.

Thank you.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Oldham, William
Sent: Tuesday, March 20, 2018 3:11 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

Erik,

There are only a few ways to get it quickly. The first two are thru web purchases, but the second option could be done quickly with extra cost for "Next Day Shipping". The 3rd option could be same day buy just walking into a Best Buy, but I don't recommend buying anything with a personal credit card when it involves government furnished equipment.

I talked with our eBusiness manager yesterday concerning RAM and any other accessory type item purchases and she recommends the Program Office procure these type of upgrade items.

1. GSA Advantage (government credit card)
2. PBI / Ex. 4 (government or personal credit card)
3. Best Buy (personal credit card)

16GB Kit (2 x 8GB) DDR3-1866 for the Dell Latitude E6540 laptop.

There are probably other resources available, but these are the ones I would think of for a fast purchase.

Thank you

William "Bill" Oldham
U.S. Environmental Protection Agency
Office of Environmental Information (OEI)
Office of Information Technology Operations (OITO)
Desktop Support Services Division (DSSD)

Office: 919.541.2818
Mobile: Personal Privacy / Ex. 6

EZ Tech - PBI / Ex. 4

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 2:33 PM
To: Oldham, William <Oldham.William@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: RAM Request for Christian (Erick) Leckner
Importance: High

Hi William

Is there anything which can be done to get RAM today?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 2:26 PM
To: 'Barefoot, Tonya' <Tonya.Barefoot@csra.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner
Importance: High

Hello Tonya

Any update on this?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Barefoot, Tonya [mailto:Tonya.Barefoot@csra.com]
Sent: Monday, March 19, 2018 1:59 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

I heard back from the customer late Friday afternoon from my inquiry and he stated he is looking into the best way to make the purchase that he will let me know what he decides. So waiting to hear....

Thanks
Tonya

itten agreement or government initiative expressly permitting the use of email for such purpose.

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 8:19:17 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: FW: to join the mailing lists mentioned on the call

Hi Ed

LeAnn sent me this so I assume this is the mailing list requestor so Dan may not need to be involved with this.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Spradling, LeAnn
Sent: Monday, April 2, 2018 3:37 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Childers, Paula <Childers.Paula@epa.gov>
Subject: to join the mailing lists mentioned on the call

Send a blank email to this address
join-ncc_alerts@lists.epa.gov

send another blank email to this list

Upcoming out of office times:
March 30 afternoon
April 12-15
Contact Stephen Rushing at 919-200-7294
Thanks,
LeAnn Spradling, RHCSA, CSM, PMP
CSRA
T: 919-200-7309 |M: 919-260-2750 | spradling.leann@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/9/2018 5:36:51 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: New JIRA

Great, thanks. Relatively easy as we are built all on 1.8 in our own dev local – just a matter of regression testing on a shared environment, when we're ready to validate this on a dev server. It's just a compiler switch from older versions to newer and hoping nothing breaks in the process PBI / Ex. 4 is backward compatible).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Monday, April 9, 2018 1:35 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: New JIRA

Done, OEM-62. Thanks! Colleen

From: Leckner, Erik
Sent: Wednesday, April 4, 2018 3:23 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: New JIRA

New JIRA: Internal Maintenance

The applications (equipment, oildb, PBI / Ex. 4) are on older versions of PBI / Ex. 4. They should be upgraded with the exception of equip if it is being decommissioned.
Runtime is PBI / Ex. 4 on prod, so no real Issues envisioned with this compiler version upgrade for these applications.

Application	PBI / Ex. 4
PBI / Ex. 4	

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/13/2018 8:31:43 PM
To: Colleen McCarthy (Jira) [jira@tztrack.atlassian.net]
Subject: RE: [JIRA] (OEM-50) Add to EmpAdmin the Ability to Add/Remove EMBI Related Groups to Users.

Looks good – Ill fill in more later. Working on other stuff before everyone goes home on the EST. Im on PDT ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Colleen McCarthy (Jira) [mailto:jira@tztrack.atlassian.net]
Sent: Tuesday, March 13, 2018 4:02 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: [JIRA] (OEM-50) Add to EmpAdmin the Ability to Add/Remove EMBI Related Groups to Users.

Colleen McCarthy **assigned** an issue to Erik Leckner

OEM/EMP / OEM-50

Add to EmpAdmin the Ability to Add/Remove EMBI Related Groups to Users.

Change By: Colleen McCarthy

Assignee: Erik Leckner

Add Comment

Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS

This message was sent by Atlassian Jira (v1001.0.0-SNAPSHOT#100082-sha1:968ff76)

ATLASSIAN

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/2/2018 8:17:53 PM
To: join-ncc_alerts@lists.epa.gov

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/9/2018 8:29:21 PM
To: Chilivery, Swetha [chilivery.swetha@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: Format

SWETHA:
DEV:
STAGE:
PROD:
Notes:

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/14/2018 6:29:32 PM
To: Waldo, James V. [Waldo.James@epa.gov]
CC: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: PBI / Ex. 4 Roles

Hi James,

Do you know why empadmin is granted UPDATE/CREATE/DELETE privileges for some apps such as OILDB, FR, and EQUIPMENT but not for PBI / Ex. 4? Is this something that pertains to privileges for the emp admin user? Is this something at the database level where the PBI / Ex. 4 user is granted roles to perform actions on only certain database objects (such as inserting data into a specific table, update data in a table, run a specified function or procedure, etc)? Thanks in advance. The future goal is to provide the EMP ADMIN application with sufficient privileges (via perhaps the EMP ADMIN user) that it can also update/create PBI / Ex. 4 group membership. Rob would like for the EMP ADMIN application to have the capability to perform these operations.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/22/2018 1:23:33 AM
To: leckner.erik@epa.gov
Subject: RE: PBI / Ex. 4 - equipment workaround - equipment dev local

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 21, 2018 9:17 PM
To: 'leckner.erik@epa.gov' <leckner.erik@epa.gov>
Subject: PBI / Ex. 4 - equipment workaround - equipment dev local

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/21/2018 7:03:23 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Today's Status? And a Request

One quick question:

I think we should release virtually a Fixed release for entire EMP even if subapps don't go into release
Example:

PBI / Ex. 4

This way we can track each EMP release (sprint) with what we released.

Thoughts?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Monday, May 21, 2018 3:00 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Today's Status? And a Request

I understood, thanks. Feel free to close Outlook if you need in order to focus. I can get to you via Skype if needed.

From: Leckner, Erik
Sent: Monday, May 21, 2018 3:00 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Today's Status? And a Request

Meant *Status is I am resuming where I left off on **FRIDAY** before the IAM services issue.*

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 21, 2018 2:59 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>

Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Today's Status? And a Request

Hi Ed

I saw a ton of email from you late Friday into Saturday. Looked like the core of it was time lost to PBI / Ex. 4 issues Maury could not sort out. Were these resolved?

We lost all weekend due to a combination of factors:

a) *Password change on Friday (forced)*
b) *Empdev server issues all weekend*
c) *IAM services down Friday to Saturday*

All issues resolved that I can see.

I'd like to have you try and document the status quo on Dev as soon as you have the code baselined in PBI / Ex. 4 at this point there is zero redundancy to you (Rakhi is not involved yet), so the sooner we can have a process established and disseminated, the better.

Status is I am resuming where I left off on Saturday before the PBI / Ex. 4 services issue. Did some sanity checks of the deployments this morning thus far. Discovered another Paula confiig issue she had when she set it up. So this afternoon I am starting on PBI / Ex. 4. 2 days there on that. 1 day thereafter to test it out on branches, etc with actual real JIRA. Then I can publish the PBI / Ex. 4 and document and work with Rakhi. This is assuming of course not yet another PBI / Ex. 4 issue.

I saw your request for me to mention to Rob your hold-up this weekend on tomorrow's call and will do that. What's the new ETA look like on Dev ability? We need to start discussing phase out of the PBI / Ex. 4 calls with the PBI / Ex. 4 team.

Please let Rob know in our meeting. We also need to restart PBI / Ex. 4 services on Thursday evenings so this gives Maury a cushion on Friday so he doesn't need to work on Saturday (he did this on his own accord). As for dev, see above.

Will be going stealth for a couple of days. Focus isn't on status right now but in working on the tree setup, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Monday, May 21, 2018 2:51 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Today's Status? And a Request

Hi Christian,

I saw a ton of email from you late Friday into Saturday. Looked like the core of it was time lost to PBI / Ex. 4 issues Maury could not sort out. Were these resolved?

I'd like to have you try and document the status quo on Dev as soon as you have the code baselined in PBI / Ex. 4; at this point there is zero redundancy to you (Rakhi is not involved yet), so the sooner we can have a process established and disseminated, the better.

I saw your request for me to mention to Rob your hold-up this weekend on tomorrow's call and will do that. What's the new ETA look like on Dev ability? We need to start discussing phase out of the PBI / Ex. 4 calls with the PBI / Ex. 4 team.

Talk Soon,

Ed Campbell, PMP
Web Development Team Project Manager
GDIT Supporting ITS-EPA III Contract
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/28/2018 7:35:55 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Salient Q

Hi Ed

In case you didn't get to my status email here is the **q that should be phrased to Salient**:

Of course, it would be great to get the entire code for stage/prod via repo or the source code releases. Empadmin and fr matched of course on dev to stage and was waiting for paula to come back with my compression question for how she deploys from stage to prod. It's so relatively small the project sizes that she could just ftp the files over always versus .tar.gz it.

Im going to deploy source always with wars so we never run into the same issue that salient caused.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 28, 2018 3:19 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Status

Hi Ed

Status:

I. Waiting on server and setup to allow also directories aside from /public/server and /public/data. A bulk of the data will be on the other directories.

II. To either get **source code repository or the two code deployments for at least oildb** (based on Rob's statements) as early as possible otherwise we are just waiting after we get a dev server. They should be able to provide within 24 hours of today if they got either (and mention backup to them). I would love to see their entire tree so we can track to specific tickets, releases, changes, etc etc.

III. RAM? Were you able to get UPS tracking or I can write directly to Tonya for this if you'd like.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:02:50 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Two Priority items

We need to have high importance mean exactly that. Only ones who read high importance are you, Ali and Rakhi. ☺ We need everyone on the same page. It's like throwing a pebble into a river and waiting indefinitely for the ripple. Annoying.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 20, 2018 3:00 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Two Priority items

Trying as hard as I can with Paula. I know she's in meetings all day yesterday and today and some of tomorrow. She's onsite with the clients, that was why she volunteered 4PM tomorrow – it was her first available time.

I'll bump your email threads again.

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 2:57 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Two Priority items

Could you also please ask Paula why she doesn't bother answer questions or orchestrate those that need to answer the questions. She may not know herself but she can delegate to those she knows who could. We need this streamlined.,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 2:40 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Two Priority items

a) Email to Paula I sent yday and inquired today on
b) RAM, RAM, RAM

Christian Leckner

Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/13/2018 5:11:24 PM
To: Childers, Paula [Childers.Paula@epa.gov]; Ferko, Dan [Ferko.Daniel@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: PBI / Ex. 4 differences

Hello Paula

I had written that I am not concerned about PBI / Ex. 4 and property files.

Thanks for looking into the dynamicContent folder.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Tuesday, March 13, 2018 12:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: .war differences

Hi Christian;

I'm afraid I cannot tell you why the PBI / Ex. 4 files would be different sizes. That's far beyond our scope. Fore the properties files, they could be different sizes because of commenting out (but not removing) previous configs when adding new or updated ones. I think you'll need to do some of those comparisons directly for yourself.

As for the "missing" files, please note that all of them are in the "dynamicContent" folder - as I understand it, this was something of a temporary area, and was constantly changing. When we did full deployments for empadmin, we were always asked to save the Prod one from before, remove the dynamicContent folder that would have been copied from Staging with the new PBI / Ex. 4, and replace it with the one we'd saved that had previously been present in Production. It would not surprise me, then, to find that the contents differ between one bundle and another taken at different times.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Monday, March 12, 2018 9:22 PM

To: Childers, Paula; Ferko, Dan
Cc: Campbell, Ed
Subject: RE: PBI / Ex. 4 differences

Hi Paula and Dan

Just to show you the differences between fr local and fr staging where there are no real differences, I have attached is inline below. That is technically really how all the apps should be (no real differences between starting with dev source and that which is on staging).

Compare v1.0

PBI / Ex. 4

MISSING FROM: PBI / Ex. 4

PBI / Ex. 4

Count: 3

MISSING FROM: PBI / Ex. 4

Count: 0

PBI / Ex. 4

Count: 3

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 12, 2018 9:05 PM
To: Childers, Paula <Childers.Paula@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: PBI / Ex. 4 differences
Importance: High

Hi Paula and Dan,

Last Friday I had wrote a **compare** program which checks the differences of files (In Linux a directory is also considered a file) between my local deployment and the staging deployment of unpackaged war files. I let local PBI / Ex. 4 unpackage it automatically. My local PBI / Ex. 4 was built using the development source code that was placed on PBI / Ex. 4 site by Salient and does not share any staging files for the comparison.

The results were the following:

PBI / Ex. 4 the key differences differed as highlighted in gray below. Other files differed but were expected such as property and manifest files. For the time being, I am only including in this email the differences between staging and local for empadmin.

Question: Can you please let me know if you know why these files are missing on staging. They may be just obsolete files. Note also that home.html and upcoming releases differed as well. That is simple to remedy by merely copying over that which is on staging for those files over to my local dev. The other files need to be determined whether they are needed. Can you please look into this? Thanks.

PBI / Ex. 4

Equipment: Lots of PBI / Ex. 4 class files differed in size. This is troublesome unless Salient had some config setting that was different when they compiled the PBI / Ex. 4 files. Since staging has no PBI / Ex. 4 source, not easy to detect what the differences are as of yet.

Compare v1.0

PBI / Ex. 4

MISSING FROM: PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

Count: 28

MISSING FROM: PBI / Ex. 4

Count: 0

PBI / Ex. 4

Count: 6

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/6/2018 7:13:08 PM
To: leckner.erik@epa.gov
Subject: RE: RE: EMP Admin error (ALL)

Cindy's team to say what works on dev, staging, and production since Apex, etc are also properties
Also Cindy mentioned they deployed locally but different than on staging and prod, etc (so what works what doesn't etc) versus later finding it out and then tracking it down
This will give us a better test of coverage upfront than later down the road as we would othgerwise need to qa every step
Once on dev, those who worked on existing apps can run some coverage / regression tests

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 5, 2018 7:56 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: RE: EMP Admin error
Importance: High

Hi Rob et al.

Even with the previous development team's second alternative approach with user search to attempt to handle error of a 302 status, it doesn't work – as can be seen in these two images as the user who clicks on proceed will get an error which says select one user (since they just copied the html/text into a div on the page and the select user button is taking priority). So it never worked for them.

During the interim, I resolved the EMP Admin error for group fetch by reloading the page upon error which would return it to the login screen (or could have equally just as redirected to the URL). The deeper issue is how the previous team handled page redirects when sending PBI / Ex. 4 calls (versus page loading). It appears their server framework was well suited for page loads (deny-by-default for unauthenticated users) but not for PBI / Ex. 4 requests for handling errors such as 302.

Logged in as Erik Leckner (eleckner) Dashboard

EMP Role Admin

You are here: Home » EMP Role Admin » User Search

Home

Security Module
User Search
Group Search

Applications Links
Equipment
Tracking
Field Responders
GETSS
Incident
Management
Handbook

Reporting Links
EMIS

Document Library

EOC Home
ESC
Join Response
Support Corps
About ESC

Help Desk
Email Help Desk

Give Us Your FEEDBACK

User Search

User Search Criteria

First Name | Last Name leckner | Full Name
LAN ID | Organization | Search | Clear

Emergency Management Portal

Welcome to the Emergency Management Portal

Pre Sign-In Notification
Warning: In proceeding and accessing U.S. Government information and information systems, you acknowledge that you fully understand and consent to all of the following:

1) You are accessing U.S. Government information and information systems that are provided for official U.S. Government purposes only;

2) Unauthorized access to or unauthorized use of U.S. Government information or information systems is subject to criminal, civil, administrative, or other lawful action;

3) The term U.S. Government information system includes systems operated on behalf of the U.S. Government;

4) You have no reasonable expectation of privacy regarding any communications or information used, transmitted, or stored on U.S. Government information systems;

5) At any time, the U.S. Government may for any lawful government purpose, without notice, monitor, intercept, search, and seize any authorized or unauthorized communication to or from U.S. Government information systems or information used or stored on U.S. Government information systems;

6) At any time, the U.S. Government may for any lawful government purpose, search and seize any authorized or unauthorized device, to include non-U.S. Government owned devices, that stores U.S. Government information;

7) Any communications or information used, transmitted, or stored on U.S. Government information systems may be used or disclosed for any lawful government purpose, including but not limited to, administrative purposes, penetration testing, communication security monitoring, personnel misconduct measures, law enforcement, and counterintelligence inquiries; and

ESC
Join Response
Support Corps
About ESC

Help Desk
Email Help Desk

Give Us Your FEEDBACK

Welcome to the En

Please select at least one user.

OK

Pre Sign-In Notification
Warning: In proceeding and accessing ... wledge that you fully understand and consent

1) You are accessing U.S. Government ... U.S. Government purposes only;

2) Unauthorized access to or unauthorized use of U.S. Government information or information systems is subject to criminal, civil, administrative, or ot

3) The term U.S. Government information system includes systems operated on behalf of the U.S. Government;

4) You have no reasonable expectation of privacy regarding any communications or information used, transmitted, or stored on U.S. Government inform

5) At any time, the U.S. Government may for any lawful government purpose, without notice, monitor, intercept, search, and seize any authorized or u to or from U.S. Government information systems or information used or stored on U.S. Government information systems;

6) At any time, the U.S. Government may for any lawful government purpose, search and seize any authorized or unauthorized device, to include non-i devices, that stores U.S. Government information;

7) Any communications or information used, transmitted, or stored on U.S. Government information systems may be used or disclosed for any lawful g including but not limited to, administrative purposes, penetration testing, communication security monitoring, personnel misconduct measures, law enf counterintelligence inquiries; and

8) You may not process or store classified national security information on this computer system.

Proceed

Select User(s)

Selected User(s)

Remove

Add Selected user(s) to a Group:

Application --Select-- | Group Name

Comments:

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 5, 2018 7:09 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: RE: EMP Admin error
Importance: High

Hi Rob et al.

Here is precisely what is happening:

1. The UI requests the group by Application ID by calling an PBI / Ex. 4 method via the user search form.
2. The application server security framework in place detects that the user is no longer authenticated (or was never authenticated).
3. The application security framework returns a 302 status code which is the common way of performing a URL redirection (just like Google and Amazon.com as discussed previously and something which I tend to do as well in former applications).
4. The HTTP response with this status code provides the URL in the header field location. The web browser (Chrome, IE, etc.) is invited by a response with this code to make a second request to the server using the new URL specified in the location field.
5. The new URL in the redirect is configured to return the login/proceed page.
6. The previous development team receives the new response from the URL redirect.
7. The URL redirect response sends the Login Page content back to the browser.
8. The original PBI / Ex. 4 request sees that it is an error and simply pops up an alert using the Login page content.

Users search versus fetching the groups handles it very similar but instead of popping up an alert of the same login page/proceed, it displays it as HTML, where at least users can proceed further via the Proceed button.

Since the page is being loaded via PBI / Ex. 4, it isn't being handled correctly. The requestor (ie, UI) is also expecting PBI / Ex. 4 versus text. So a combination of how they handled errors such as this is what caused Rob's issue.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Monday, March 5, 2018 4:57 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: RE: EMP Admin error

Hello Christian.

Then let's walk that way. I'm familiar with those applications. We should investigate those other applications in the application suite.

The first solution works. Because the Dev Server will be our Dev Environment. NCC ADC Team is having heartburn about us doing Dev Environment on a Staging Server. Can't slip hairs when issues arise. ☹ That's all sounds great and standard ops, can't wait. Yeah that master repository would have worked wonders.

For: (iii) is how it currently done for userSearch, which could also be replaced with (ii). Let's verify and replace "userSearch" with (ii).

For Solution (i) they rolled the dice and fortunately didn't crap out. ☺ Thanks all.

Rob

From: Leckner, Erik
Sent: Monday, March 5, 2018 4:48 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: RE: EMP Admin error

Hello Rob

Yes, (ii) is the right way to go (such as what you see in other applications like yahoo, Chase, Gmail, etc.). Note that this could apply to many other cases in the application set (empadmin, fr, etc) where they just popup an alert that an error occurred without determining what the actual error is.

I could deploy just the solution as page(s) until we get a dev environment, or we can first fully test our deployment on a new dev server before deploying to staging, etc. as it was done by Salient, etc. Once we do get a dev server, I/we can test in that environment and then freeze to a new Subversion repository (source code control) - since we weren't given the Subversion master repository (history of source control from the master) from Salient.

(iii) is how it currently done for userSearch, which could also be replaced with (ii).

Solution (i) still needs to detect that it is a session/logout issue versus an application error and I think that is why they didn't go with that approach in other areas of the application (in the way that security operates in the application today). For usersearch they just inlined the html message which happens to the be the login/proceed page.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Monday, March 5, 2018 4:36 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: RE: EMP Admin error

Great Work Christian.

I chose (ii). But if (i) works with little headache... we could do that too.

In regards to your note:

> "Note that it would be nice to have access to production and staging logs, and once we have a dev server, we can run these types of tests before deployment. For a quick turn-around, we could just load deploy the pages which have issues with their resolutions."

If Ed hasn't told you already, we are working with NCC to get a Dev Environment, most likely on another server. We also have to clean up/remove unneeded Instances on Application and Database servers in Production & Staging Environments. EMP is a little bloated. Not to mention tame the wild stampede of web services.

Thanks.
Rob

From: Leckner, Erik
Sent: Monday, March 5, 2018 4:24 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: RE: EMP Admin error

Note that (i) below – the application currently doesn't instruct the user to re-login, just an generic error message is presented to the user in the form of a popup alert such as:"Error detected…", "Error while…", etc. although the application could just as well presented an alert for the user to re-login.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 5, 2018 4:16 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: RE: EMP Admin error
Importance: High

Hello Rob et al.

So, I did a little exploration and noticed that other similar types of errors due to session logout/timeout were handled differently. For example, for user search in the same conditions as discussed in previous emails, the code displays the returned login page within the page itself (which Rob saw as an alert for getting groups for a particular application id). So, as previously noted, we could do one of the following:

i) Display a message for the user to re-login;
ii) Add an Ajax error handler to handle these types of events by redirecting the user to re-authenticate (i.e. login page).
iii) Do as it is done for user search in same page by displaying inline the login page.

ii) is my recommended approach, both (i) and (iii) is how it is done currently for other areas of the application, with (iii) for user search on the same page.

What Rob saw erroneously as a popup alert was the actual login page with a parser error (where the page was expecting json but received a html/text page instead).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 5, 2018 3:07 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: RE: EMP Admin error
Importance: High

Hi Rob et al.

As promised, I was easily able to reproduce the error by:

Opening another tab/window in Chrome (this issue is independent of browser/version) and logout in that tab. Then select the application (id) and the error will occur. See below.

PBI / Ex. 4

Christian Leckner
Principal Engineer

ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 5, 2018 2:54 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: EMP Admin error
Importance: High

Hello Rob et al.,

The issue appears to be the following:

An PBI / Ex. 4 call is made to the PBI / Ex. 4 application server. Since the user's session has expired, the asynchronous call returns an error. The UI, in response to the error returned, displays a PBI / Ex. 4 alert popup message to the user.

PBI / Ex. 4

I suspect that this isn't the only place that this type of error exists in the application.

This could be resolved by one of the following:

i) Display a message for the user to re-login;
ii) Add an PBI / Ex. 4 error handler to handle these types of events by redirecting the user to re-authenticate (i.e. login page).

Most likely, I can reproduce this type of error, by logging out in another window and attempt to execute the same Ajax call from the original window.

Note that it would be nice to have access to production and staging logs, and once we have a dev server, we can run these types of tests before deployment. For a quick turn-around, we could just load deploy the pages which have issues with their resolutions.

Best,

Christian Leckner

Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Hey Ed.
Thanks for looking into this. I did use "Snipping Tool" just didn't split it in two. ☺ I used IE also.. I think the issue boiled down to the time-out and the re-logging in screen. It obviously put in to the PBI / Ex. 4 but my access was limited until I went to the (base) log in page to enter EMP again. Maybe that's were we should look.

Rob Thomas
Sent from Mail for Windows 10

From: Fan, Cindy (Yanqian)
Sent: Monday, March 5, 2018 12:39:10 PM
To: Campbell, Ed; Thomas, Rob
Cc: Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi
Subject: RE: EMP Admin error

Yes, I used IE with PBI / Ex. 4

From: Campbell, Ed
Sent: Monday, March 5, 2018 12:37 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: EMP Admin error

Hey Rob,

Quick notes, and I'm adding the team who had input thus far.

1. Cindy was not able to reproduce the error, which is good. Perhaps this is a browser issue? Cindy, you were using IE, correct?
2. Rakhi and Christian were wondering if you could produce a slightly higher resolution screen grab of the error? Maybe just use snipping to grab the top half of it, and send a second email with the lower half if needed?

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Thomas, Rob
Sent: Monday, March 05, 2018 11:28 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: EMP Helpdesk <EMP_Helpdesk@epa.gov>
Subject: EMP Admin error

Hi Ed.

This happened when I tried to look at groups in PBI / Ex. 4

PBI / Ex. 4

Any thoughts from the team? Thanks.

Regards,
Rob Thomas | w: 202.564.7507 | c: Personal Privacy / Ex. 6 | fx: 202.564.8731 | US EPA | OLEM, OEM |
Emergency Management Portal: System Owner/COR/PM | ISSO | FITARA Lead | MAAC Prioritization Rep

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/21/2018 7:01:45 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Today's Status? And a Request

K, sure. Ill keep outlook just for Maury & Company. We should definitely do the restart weekly (I discussed with Maury) since PBI / Ex. 4 has been down 3-4 days at a time, every other week or so. Maury and I discussed and have excellent relationship, btw.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Monday, May 21, 2018 3:00 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Today's Status? And a Request

I understood, thanks. Feel free to close Outlook if you need in order to focus. I can get to you via Skype if needed.

From: Leckner, Erik
Sent: Monday, May 21, 2018 3:00 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Today's Status? And a Request

Meant *Status is I am resuming where I left off on **FRIDAY** before the* PBI / Ex. 4 *services issue.*

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 21, 2018 2:59 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Today's Status? And a Request

Hi Ed

I saw a ton of email from you late Friday into Saturday. Looked like the core of it was time lost to PBI / Ex. 4 issues Maury could not sort out. Were these resolved?

We lost all weekend due to a combination of factors:

a) *Password change on Friday (forced)*
b) *Empdev server issues all weekend*
c) *IAM services down Friday to Saturday*

All issues resolved that I can see.

I'd like to have you try and document the status quo on Dev as soon as you have the code baselined in PBI / Ex. 4 at this point there is zero redundancy to you (Rakhi is not involved yet), so the sooner we can have a process established and disseminated, the better.

Status is I am resuming where I left off on Saturday before the PBI / Ex. 4 services issue. Did some sanity checks of the deployments this morning thus far. Discovered another Paula config issue she had when she set it up. So this afternoon I am starting on PBI / Ex. 4. 2 days there on that. 1 day thereafter to test it out on branches, etc with actual real JIRA. Then I can publish the PBI / Ex. 4 and document and work with Rakhi. This is assuming of course not yet another PBI / Ex. 4 issue.

I saw your request for me to mention to Rob your hold-up this weekend on tomorrow's call and will do that. What's the new ETA look like on Dev ability? We need to start discussing phase out of the PBI / Ex. 4 calls with the PBI / Ex. 4 team.

Please let Rob know in our meeting. We also need to restart PBI / Ex. 4 services on Thursday evenings so this gives Maury a cushion on Friday so he doesn't need to work on Saturday (he did this on his own accord). As for dev, see above.

Will be going stealth for a couple of days. Focus isn't on status right now but in working on the tree setup, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Monday, May 21, 2018 2:51 PM
To: Leckner, Erik <leckner.erik@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Today's Status? And a Request

Hi Christian,

I saw a ton of email from you late Friday into Saturday. Looked like the core of it was time lost to PBI / Ex. 4 issues Maury could not sort out. Were these resolved?

I'd like to have you try and document the status quo on Dev as soon as you have the code baselined in PBI / Ex. 4 at this point there is zero redundancy to you (Rakhi is not involved yet), so the sooner we can have a process established and disseminated, the better.

I saw your request for me to mention to Rob your hold-up this weekend on tomorrow's call and will do that. What's the new ETA look like on Dev ability? We need to start discussing phase out of the PBI / Ex. 4 calls with the PBI / Ex. 4 team.

Talk Soon,

Ed Campbell, PMP
Web Development Team Project Manager

GDIT Supporting ITS-EPA III Contract
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov (o) 919.200.7243

PBI / Ex. 4

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/3/2018 4:53:32 PM
To: Jenkins, Lisa [Jenkins.Lisa@epa.gov]

Subject: Accepted: FW: Oil and Field Readiness DB Apps and CIMC
Location: webinar?

Start: 4/5/2018 8:00:00 PM
End: 4/5/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/19/2018 6:06:28 PM
To: Barefoot, Tonya [Tonya.Barefoot@csra.com]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: RAM Request for Christian (Erick) Leckner

Hello Tonya

Great! In development, we use lots of resources (tools, developer environments, etc) which consume RAM and for builds I need the RAM for this. Typically I work with 32GB RAM on my own dev machines (outside of EPA).

Best,
Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Barefoot, Tonya [mailto:Tonya.Barefoot@csra.com]
Sent: Monday, March 19, 2018 1:59 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

I heard back from the customer late Friday afternoon from my inquiry and he stated he is looking into the best way to make the purchase that he will let me know what he decides. So waiting to hear….

Thanks
Tonya

From: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Sent: Monday, March 19, 2018 1:55 PM
To: Barefoot, Tonya <Tonya.Barefoot@csra.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

Hello Tonya,

Any updates on RAM order? Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Barefoot, Tonya [mailto:Tonya.Barefoot@csra.com]
Sent: Thursday, March 15, 2018 1:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

Christian – I have fully gathered this is a high priority and working it as diligently as I can.

From: Leckner, Erik [mailto:Leckner.Erik@usepa.onmicrosoft.com]
Sent: Thursday, March 15, 2018 1:29 PM
To: Barefoot, Tonya <Tonya.Barefoot@csra.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

Hi Tonya

A build takes over 5-10 minutes versus 1 minute each and every time I have to do a build so it's a super high priority. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Barefoot, Tonya [mailto:Tonya.Barefoot@csra.com]
Sent: Thursday, March 15, 2018 1:25 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

Well this is an inquiry to the EPA (our customer), so we don't control their response time. I am seeing what I can find out.

From: Leckner, Erik [mailto:Leckner.Erik@usepa.onmicrosoft.com]
Sent: Thursday, March 15, 2018 1:22 PM
To: Barefoot, Tonya <Tonya.Barefoot@csra.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: RAM Request for Christian (Erick) Leckner

Hi Tonya

I am fairly shocked that RAM has been delayed over a credit card inquiry.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Barefoot, Tonya [mailto:Tonya.Barefoot@csra.com]
Sent: Thursday, March 15, 2018 11:21 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: RAM Request for Christian (Erick) Leckner

Hey Ed –

I have not heard back from Paul C yet as to whether he would like to procure it on their credit card or have us go through the RTIP process. I will email him again today.

Thanks
Tonya

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Thursday, March 15, 2018 10:26 AM
To: Barefoot, Tonya <Tonya.Barefoot@csra.com>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RAM Request for Christian (Erick) Leckner

Hey Tonya,

Ali told me to check in with you on this topic. Do you know what the status / progress is of obtaining some additional RAM for Christian, one of our PBI / Ex. 4 ?

Thanks in advance for any help you can give us here.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

This electronic message transmission contains information from CSRA that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind CSRA to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/28/2018 7:31:43 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: EMP - Dev Server Space Allocation
Location: Conference Call

Start: 3/29/2018 6:00:00 PM
End: 3/29/2018 6:30:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/22/2018 1:19:15 AM
To: leckner.erik@epa.gov
Subject: PBI / Ex. 4 HOME startup shutdown PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 7:01:17 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Two Priority items

I see and understand. Busy is her reason then.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 20, 2018 3:00 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Two Priority items

Trying as hard as I can with Paula. I know she's in meetings all day yesterday and today and some of tomorrow. She's onsite with the clients, that was why she volunteered 4PM tomorrow – it was her first available time.

I'll bump your email threads again.

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 2:57 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Two Priority items

Could you also please ask Paula why she doesn't bother answer questions or orchestrate those that need to answer the questions. She may not know herself but she can delegate to those she knows who could. We need this streamlined.,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 20, 2018 2:40 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Two Priority items

a) Email to Paula I sent yday and inquired today on
b) RAM, RAM, RAM

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/28/2018 8:11:19 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Discuss EMP Expectations and Other Questions

Hi Ed

Personal Privacy / Ex. 6 .

Thanks for coordinating the meeting today.

No other questions as of yet – I am going to draft a quick summary of today's meeting and what we need which will go into a little detail.

Thanks!
Christian

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

-----Original Appointment-----
From: Campbell, Ed
Sent: Wednesday, February 28, 2018 2:34 PM
To: Madhavan Nair Kamala Devi, Rakhi; Leckner, Erik
Subject: Canceled: Discuss EMP Expectations and Other Questions
When: Wednesday, February 28, 2018 3:30 PM-4:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: 8007475150 Access Code 2322895
Importance: High

Hey Guys,

I'm going to cancel this today – Personal Privacy / Ex. 6 .

I know both of you have been collaborating this week which is great. I will be looking into the AppDev environment that Dan suggested on today's call as a potential solution to our logs access / control issues with trying to have a Dev environment on Staging. I'll keep you posted.

Any other questions?

Talk with you tomorrow.

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/7/2018 6:55:06 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Production deployment files

Hi Ed,

I see – but see previous email about the prod logs and analogy to brake check inspections.

As for the production level packaging: we would need to know what is currently deployed that is actually working today and being used. By having what's on production today, then I can determine what apps are prod ready. Cindy said PBI / Ex. 4 is not even deployed yet so since it's on staging today , it would mean that it never also got deployed to production, etc and so production code files are not yet on prod. But I have 0 way of telling this unless I go by word of mouth. It's much easier just to see the code structure on production. If she packages everything but the logs, then I can tell what's there. Right now I am only guessing what's there. The config files won't entirely help if things are in staging but not yet on production.

No it isn't something worthwhile addressing now – I agree 100%. It's the fact that Rakhi and I are getting piecemeal pieces of a puzzle while trying to know what is current what isn't what works what doesn't what links are valid which aren't, etc. so we know the current state of the system and at some point we should check the overall health of the applications by viewing all the logs. Developers know what to look for in these logs but it isn't a science – it's browse, search deeper in cases where things look awkward, etc.

I think I figured out what's wrong with the cookie generation on local machines but I will verify with J today and also when we have dev I can verify what's wrong with local cookie generation.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Wednesday, March 7, 2018 1:26 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Production deployment files

Christian,

This isn't a "Paula is doing this to us" thing. Paula is explaining to us / following EPA's guidelines for how they are required to handle this. We don't set the policy, the Agency does, and because it's not the private sector, it's not always going to be the most efficient or logical. That's the nature on this side sometimes, unfortunately.

Honestly, I don't see this as being a huge "we need to pick a fight about this" issue right now. We'll have a Dev server soon where you'll have full access to the logs. And if we hit a situation in the future where we have a prod issue that's

not repeatable in dev, we can ask for the logs at that point, with some good rationale behind why we need them and should have access to them moving forward.

Did you still want me to ask Paula for the config files with passwords / usernames omitted?

From: Leckner, Erik
Sent: Wednesday, March 07, 2018 1:13 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Production deployment files

Hi Ed

On second thought - I am not sure that I believe that they are identical and the reason is that Cindy said sma isn't even yet up on production. This would mean the code base is not even on production, unless Cindy is incorrect (doubtful) or they sma even when it wasn't ready for production.

This whole log thing is absurd. How can developers even check for errors if no issues are reported using Paula's method. She is safeguarding logs that no one will use but they are meant for Java developers. No one else is looking at them, unless they have a production support engineer viewing the logs for errors and warnings, etc. I never heard of this anywhere. They're just sitting there collecting dust no engineer is viewing them ever. Prod is where the most activity occurs too.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 7, 2018 1:08 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Production deployment files

Hello Ed

If they are equivalent, then no need for her to do this. However, if she could provide the config files with all the usernames/passwords omitted. It would be helpful to see what's up and running there. Cindy mentioned some systems are not yet up on production such as PBI / Ex. 4 She will know where to omit usernames and passwords.

Thanks, if you or she needs any assistance I can be reached anytime.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Wednesday, March 7, 2018 9:19 AM

To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Production deployment files

Hey Christian,

I asked Paula about this. She said:

> *So Ed, the application code on the Staging server and on the Production server are completely equivalent other than the config files. He should have full access to the Staging code, already, but I can package the Prod code if you feel it's really necessary. Do you or he have access to the* PBI / Ex. 4 *dropoff area? I can place it there...*
>
> *Thanks,*
> *Paula*

Don't you have access to GoAnywhere as well, or no? If no, do you want her to go ahead with what she suggests above?

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Tuesday, March 06, 2018 4:23 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Production deployment files
Importance: High

Hi Ed

They can omit all passwords and userids on the deployment - they should know where those are even though they are encrypted in the property files. They needn't include encryption files (keys, and encryption jars) – they should also know where those files are and they can omit them from the zipped files.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 6, 2018 4:04 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Production deployment files

Hi Ed,

I would think Dan would be able to put us in the right direction – **NCC** deployment team would ultimately be able to do this. I would want a zip for the following (ideally in one big zip from the top level of all
But ok for each one separately):

PBI / Ex. 4

There are other directories for mobile, which we could also get and they will know what they are (I do but I would need to look it up) – right now our focus isn't on mobile and so I am holding off on that part.

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 6, 2018 4:01 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Production deployment files

Hi Christian,

Is this something Paula would do? Or if you don't know who does it, we can ask Dan. I am not sure who can handle this or help you here.

From: Leckner, Erik
Sent: Tuesday, March 06, 2018 3:45 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Production deployment files

Hi Ed
Note that after the setup phase, I won't need their deployment directories on a regular basis. This is just for matching and determining what is currently deployed (external services etc) and what isn't on prod but only on staging, etc.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 6, 2018 3:43 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>

Subject: Production deployment files
Importance: High

Hi Ed,

It would be very useful to see the actual deployment of the.war files and the unpackaged files from the PBI / Ex. 4 files on production. The justification for seeing this is so that I
can determine what the property files are set to in production.

Currently, we don't have access to prod at all. I don't need actual access to prod other than log files, but for this setup phase, I need to see what they have everything set to in the property files.
NCC can zip them up PBI / Ex. 4 etc) and provide it somewhere that we do have access to, for example, staging directory/folder, or the same EPA ftp site.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/18/2018 11:41:29 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: PBI / Ex. 4 DEV Down

One other note:

Since Ive used prod logging settings as the basis for dev, its all turned off at debug level, etc but I was planning to run tests before adding to the new PBI / Ex. 4 and I cant run any tests because the PBI / Ex. 4 services are down EPA dev. So... I will resume over the weekend but one solid day will be Monday and that's the biggest part of the code repository / testing, etc. Just a headsup.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, May 18, 2018 7:36 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: PBI / Ex. 4 DEV Down

Hi Ed

I've worked about 60+ hours this week already so its probably a good stopping point anyways. ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, May 18, 2018 7:32 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: PBI / Ex. 4 DEV Down
Importance: High

Hi Ed

Maury was trying to get their PBI / Ex. 4 working again and it had issues in dev. It's late your time, so he is going to call it a day but may start back up on it tomorrow AM. So, originally, I thought I had today thru Monday evening (Fri, Sat, Sun, Mon) to focus on the code repository, testing checkouts, testing updates, builds, deploys, etc.

As you know PBI / Ex. 4 dev resides on one server and is outdated and not reliable (as they know as they hear it from other EPA related teams and internally).

So what does this mean: it means what I thought I could do with peace & quiet from now until Monday evening I can't do.

So please let Rob know in our status meeting on Tuesday that dev PBI / Ex. 4 services were down, rather than me being put on the spot (as I just lost 3 days – today, tomorrow, and Sunday in pure peace on this big step as I have frozen the code and had planned this all week for fri to mon to work on it).

It it's up on Sat great, if not, it won't be til Monday that they restore PBI / Ex. 4 services. And today I was going to do the serious in depth part of the work so that changes that.

Which means that my Friday to Monday Evening will now most likely be Mon to Wednesday evening and so I will not be spending time in emails, etc while I work on the code base and pretty much go stealth til its all setup so I don't get interrupted while working on design layout of the repo, etc.

Please cover for me in Rob's meeting on Tuesday so I don't rush this important step to development.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/3/2018 3:39:47 AM
To: leckner.erik@epa.gov
Subject: further

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/16/2018 7:48:36 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: Development Estimate Fields Added To JIRA

Hi Ed

Thanks for the information!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Friday, March 16, 2018 3:39 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Development Estimate Fields Added To JIRA

Hey Christian,

The advanced issues search in JIRA basically lets you use a dumbed down version of PBI / Ex. 4 to search. You can include "EMP Category" in your where clause. Of course the query is only as good as the data, so this assumes that every issue in JIRA has been correctly categorized in order to return in the results.

PBI / Ex. 4

Search Save as

PBI / Ex. 4

From: Leckner, Erik
Sent: Friday, March 16, 2018 3:25 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Development Estimate Fields Added To JIRA

Thanks! How should we search/filter for it in the future when we do apply search terms or filters?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Friday, March 16, 2018 3:23 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Christian,

Yes (see below), and thank you for asking about it because I need to go back and add it to some of the tickets!

We have labels, also, which contain items that pertain to the nature of the work like "Database", "PBI / Ex. 4" "Staging", and "Backend".

Colleen

PBI / Ex. 4

From: Leckner, Erik
Sent: Friday, March 16, 2018 2:40 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Colleen

Do we have a classification scheme in JIRA for searching projects. For example, I went to search for FR last night and I didn't retrieve the OEMs that I was expecting to see. Are we classifying on groups of subprojects like FR. Not necessary but helpful.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Friday, March 16, 2018 2:38 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Development Estimate Fields Added To JIRA

Great. Thanks.

From: McCarthy, Colleen
Sent: Friday, March 16, 2018 2:30 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Rob,

I definitely support CCBs! Life is chaotic without them.

Talk to you at 4:00 ☺!

Colleen

From: Thomas, Rob
Sent: Friday, March 16, 2018 2:24 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Colleen

Thanks for putting these in JIRA. To the questions asked we will need a requirements meeting with the PROD personnel to find out what they really want and were the new data.

Before we really can prioritize anything we need to have a FR Change Control Board Meeting. Skip Weisberg and David Wynn are on the Board as well as us. Will PROD personnel: Craig Beasley, Steve Ridenour, or Jon Petit be on the call for that CCB meeting? I'm not sure, they rarely make the monthly SHEM/FR work group meetings. The Change Control Board was mandated by OMB's FISMA through NIST 800-53 Rev. 4 document (including the Security Controls that covered CCB). Yet I do applaud the prompt initiatives!!! ☺

We can talk more at the 4pm call and our weekly status meeting. Their approach was out of the internal control and procedures for development. Thanks again. ☺

Rob

From: McCarthy, Colleen
Sent: Friday, March 16, 2018 11:24 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Rob,

Below are the JIRA tickets for your "Wish List". Cindy has some questions on OEM-52 (Please see her email below). Do you know the answers to her questions, or do you need to go back to the users?

Thanks!

Colleen

PBI / Ex. 4

From: Fan, Cindy (Yanqian)
Sent: Friday, March 16, 2018 11:14 AM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Colleen,

For OEM-52, which page does user like to add these two fields? Also do they need to be displayed in PBI / Ex. 4 report as well? In FR, there is a "Employee Contact Information" page and it shows FR employee's work email, phone number and FR type, etc. Does user like to add the new fields on this page?

PBI / Ex. 4

Here is another search employee page. Does user like to add these two new fields in here as search criteria also:

PBI / Ex. 4

Also is any existing record needed to be migrated in database?

Thanks!
Cindy

From: McCarthy, Colleen
Sent: Thursday, March 15, 2018 11:38 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: Development Estimate Fields Added To JIRA

Hi Folks,

Below are the four tickets that were added per Rob's email. Below that is the email that Rob got from his supervisor regarding these. In that, she is asking for estimates by COB Monday, 3/19. Rob may have gotten further information after that about extending the due date, but just wanted to let everyone know what the email that Rob forwarded to us said about due dates…

Thanks!

Colleen

PBI / Ex. 4

Hi Rob,

Please see attached a requested "wishlist" from PROD on desired modifications to the FR module. By COB Monday, 3/19, please work with your contract developers to develop an estimated timeline for addressing the requests in the attachment (meaning, please review the document and jointly identify an estimated completion date for each item). The high priority requests should be addressed first. Please return this document with the estimated completion dates added to me by COB Monday, 3/19.

If you would like to talk more about this, I am happy to do so. Thanks,

Julie
202-564-2878

From: Campbell, Ed
Sent: Thursday, March 15, 2018 11:27 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: Development Estimate Fields Added To JIRA

Hey Rakhi and Christian,

Just a heads up that I have added two new fields to our JIRA tickets, Development Estimate 1 and Development Estimate 2. Because JIRA fields are global, I wanted to name the something non-specific to the EMP project in case other projects want to include them in their fields. They are numeric fields, so you can simply put an hours estimate into them when you think you've assessed hours required to develop / handle a ticket. We will not need to do this for every ticket, but when Rob wants us to estimate LOE, this is how we can do it. I don't care which of you uses which field – you can agree between you that Rakhi is always 1, Christian is always 2 (or vice versa) or you can simply use the 1st field if you're the first developer to estimate a particular ticket. Whatever works, we just need estimates from both of you and we will use the higher or the two when planning for turn-around time.

Collen – When you have a chance, you'll want to direct Rakhi and Christian to the FR tickets you made yesterday based off of Rob's list he received. They'll need to estimate LOEs for those in the next week or so.

Thanks guys.

PBI / Ex. 4

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/6/2018 5:56:31 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Page, Alison [Page.Alison@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: EMP dev box

Hello Ed

Won't work. Let's discuss.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Friday, April 6, 2018 10:46 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: EMP dev box

Christian –

Here's what happening with the Dev box. We talked about some of this yesterday, but I see some other emails from you where you are still asking to set up the PBI / Ex. 4, be provided readmes of the process, sign-off on what's been provided. This is the final word on how it's going to go down.

- PBI / Ex. 4 team will build, patch, configure, update the PBI / Ex. 4 PBI / Ex. 4
- PBI / Ex. 4 team will not provide further documentation/README on the install and configuration of these environments, beyond what has already been supplied. There is no point to spend time and customer dollars to document tasks which can be handled by the PBI / Ex. 4 team. Specific questions can be emailed to PBI / Ex. 4, or to Paula / CC LeAnn.
- Read-only access to PBI / Ex. 4 config files, log files will be provided either via group membership or adding world-read in the staging and dev environments; the mechanism by which to provide this will be up to the middleware team.
- A ticket has been opened with WAM to add EMP developers to the EMP group.
- PBI / Ex. 4 team manager will not approve any sudo to administrative users used to build or configure PBI / Ex. 4 such as Personal Privacy / Ex. 6 and potentially others.
- PBI / Ex. 4 team recommends that if EMP developers do have full root or sudo all on the dev box, that this be removed. This is for their protection. The use of sudo is closely tracked by the hosting team and security tickets can be raised or opened.

- If it is not removed, PBI / Ex. 4 team requests and requires that communication in writing be given to EMP developers stating clearly that they are not to attempt to change the PBI / Ex. 4 environment in any way. Any such changes which cause security problems, config-drift issue with production, etc will require additional hours – which cannot be determined – to correct.

- PBI / Ex. 4 team will recommend and facilitate sudo rights to stop and restart PBI / Ex. 4 and deploy code.

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/4/2018 8:58:49 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Review WAM processing for EMP apps

Hi Cindy

Thanks. I know Maury is also involved with some of the work on the PBI / Ex. 4 setup, may need to add him to this communication but for now we will let it sit with James to pass on to Maury as he most likely will need to explain it to Maury anyways.

Note that they are still working on it so once they are done with PBI / Ex. 4 setup is about the time to start ensuring it's all working on your end (end to end validation).

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Wednesday, April 4, 2018 4:54 PM
To: Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Review WAM processing for EMP apps
Importance: High

Hi James,

I just want to follow up if you get a chance to work on PBI / Ex. 4 XML export in DEV environment? It will be same process as in staging(EMPSTG) and production(EMPPRD). Every night the OID server will send two PBI / Ex. 4 groups) to our DEV database. The DEV database information is in yellow highlight in below. Please let me know if you have any question.

Thank you!
Cindy

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 8, 2018 9:20 AM
To: Waldo, James V. <Waldo.James@epa.gov>
Subject: RE: Review WAM processing for EMP apps

Hello James,

I haven't heard anything from you about PBI / Ex. 4 XML export from new DEV environment ☺ Here is our DEV database information:

Host name: PBI / Ex. 4
Port: 1521
Service Name: PBI / Ex. 4

Thank you very much for the help!!

Cindy

From: Waldo, James V.
Sent: Friday, March 2, 2018 12:39 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Henderson, Kertis <henderson.kertis@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Review WAM processing for EMP apps

Hey, all… I've imported the groups and created the empgroup_admin user. I'll email the credentials for that to Dan for distribution to the appropriate resources.

Cindy, we'll work on the nightly data export next week. Ping me if you haven't heard from me by Tuesday afternoon or Wednesday morning.

Thanks. Talk to y'all on Tuesday.

James Waldo
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency
CSRA, Inc.
79 TW Alexander Drive, Building 4401, Research Triangle Park, NC 27709
Telephone: 919.475.9581 | waldo.james@epa.gov | www.csra.com

CSRA
Think Next. Now.

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 01, 2018 5:39 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Henderson, Kertis <henderson.kertis@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Review WAM processing for EMP apps
Importance: High

Hey James,

Please see attached list for PBI / Ex. 4 groups used in EMP applications. This list is generated from staging database and includes several PBI / Ex. 4 groups which are not created in production yet. For the groups' members, is it possible for you to copy them from staging PBI / Ex. 4 as well? Feel free to call me if you have any question: 703-509-0460.

Thanks!

Cindy

-----Original Appointment-----
From: Ferko, Dan
Sent: Wednesday, February 28, 2018 6:19 PM
To: Ferko, Dan; Fan, Cindy (Yanqian); Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Childers, Paula; Waldo, James V.; Henderson, Kertis
Cc: Cusumano, Vicente; Thomas, Rob
Subject: Review WAM processing for EMP apps
When: Thursday, March 1, 2018 4:00 PM-4:30 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Line: **Conference Line/Code / Ex. 6**

Discuss

- Current Authentication and Authorization of EMP apps
- WAM services for development

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/18/2018 11:37:36 PM
To: Smith, Maury [smith.maury@epa.gov]
Subject: RE: Login for PBI / Ex. 4 account

Thanks Maury for letting Ed know ☺

I just sent him an email letting him know lll shift it out what I was planning and lay low all early next week so I can work on it without interruption (peace & quiet and not ping pong emails ☺).

Have a great evening!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Maury
Sent: Friday, May 18, 2018 7:36 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Henderson, Kertis <henderson.kertis@epa.gov>
Subject: RE: Login for PBI / Ex. 4 account

Ed,

We had a service outage in the Dev environment this evening and there seems to be some issues with functionality of WAM components. I went thru one round of restarting services but environment is still not back to normal. I let Christian know I would take a look on Saturday morning and see if I can get things going. I have Christian's mobile and can contact him with status.

Maury

From: Leckner, Erik
Sent: Friday, May 18, 2018 5:27 PM
To: Smith, Maury <smith.maury@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Login for PBI / Ex. 4 account

Hello Maury

I cant get into my PBI / Ex. 4 account as Personal Privacy / Ex. 6 Can we resolve this?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/13/2018 7:51:57 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: PBI / Ex. 4

Just a heads up. I need all those things. That's why I had asked for Personal Privacy / Ex. 6 superuser access on staging so I could get half of what I need a month and half ago.

The code base has lots and lots of unreported issues. Rob is seeing only a glimpse of some of them. The sooner I can get what I need the sooner I can work on outstanding issues and start the rolling issues of much deeper issues in the system that need to be fixed which I have yet to report on that I am noticing in the code.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 13, 2018 3:00 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4

So based on the several emails in this; would it be helpful for you to get the server.xml in its entirety rather than the tidbit she sent you?

I also see your email asking if she can make time to send you something today, I'll reply on that.

From: Leckner, Erik
Sent: Tuesday, March 13, 2018 2:34 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: PBI / Ex. 4

This is good – whenever the services are located on multiple machines but on the same machine it's not necessary to run on separate instances.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Monday, March 12, 2018 11:32 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: Re: PBI / Ex. 4

Hi Christian;

Each PBI / Ex. 4 runs on it's own ports (one for the PBI / Ex. 4 and one for shutdown).

All PBI / Ex. 4 are fronted by the PBI / Ex. 4 server, which sends traffic by Location to the appropriate PBI / Ex. 4 PBI / Ex. 4 . Here's an example of the PBI / Ex. 4 directives, theses are from PBI / Ex. 4

<Location /equipment>
PBI / Ex. 4
</Location>

<Location /oildb>
PBI / Ex. 4
</Location>

PBI / Ex. 4

The PBI / Ex. 4 restricted to accept traffic only from the PBI / Ex. 4 servers, specific monitoring and/or scanning servers, and in some cases, CDX.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Saturday, March 10, 2018 3:09 PM
To: Childers, Paula
Subject: RE: PBI / Ex. 4

Hi Paula

Since I can't see config in the PBI / Ex. 4 directories, is it the case that all the PBI / Ex. 4 instances use the same port number, using different IP addresses and the server is configured with multiple IP addresses, and the *address* attribute of the <Connector> element for each PBI / Ex. 4 instance is set to the appropriate IP address?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Saturday, March 10, 2018 3:01 PM
To: Childers, Paula <Childers.Paula@epa.gov>
Subject: PBI / Ex. 4
Importance: High

Hi Paula

How do the PBI / Ex. 4 instances run for each application? They appear to be running on different ports. How does that work – is there a single proxy to these servers, etc?
I don't have access to PBI / Ex. 4 conf directories for each.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/26/2018 5:32:56 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Weekly OEM EMP Status
Location: Conference Call

Start: 4/26/2018 7:00:00 PM
End: 4/26/2018 7:30:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/22/2018 1:17:09 AM
To: leckner.erik@epa.gov
Subject: PBI / Ex. 4 - equipment workaround - equipment dev local

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/14/2018 5:28:39 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Smith, Doug L [Smith.Douglas@epa.gov]
Subject: RE: Unable to login to staging DB

Hi Cindy

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Wednesday, March 14, 2018 1:28 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>
Subject: RE: Unable to login to staging DB

I will forward you the latest password whenever I get it from production DBA.

Thanks!
Cindy

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 1:24 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>
Subject: RE: Unable to login to staging DB

Hi Cindy

Should we put 90 days on the calendar for us to get notified or can we please send us notifications for this.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 14, 2018 11:06 AM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>

Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Unable to login to staging DB

Ok. No problem! Thank you for checking it for us ☺.

Thanks,
Rakhi

From: Fan, Cindy (Yanqian)
Sent: Wednesday, March 14, 2018 10:59 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Unable to login to staging DB

I just checked with Doug about removing "90 days" policy from EMPDEV. He said the policy is required by NCC. So we have to keep it in all databases. I will let you know if I get any updated password from production DBA.

Thanks!
Cindy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/22/2018 1:10:31 AM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Another JIRA Ticket

Hi Colleen/Ed

Properties files are deployed in non de-facto standard and non-NCC typical directory locations (should be placed within a config directory). This will make NCC/Paula's deployments easier and free from error. This will also eliminate any possibility of dev local/dev server from having staging and production encrypted credentials in a dev environment.
There are several ways to properly deploy/structure property files and best practices for both NCC and industry de-facto standards should be used in determining the best approach for EPA EMP applications. The current way is not using best industry practices.
Also, portions of the dynamicContent folder should be located outside of the PBI / Ex. 4
Should both improvements be put in place, deployments will be streamlined for NCC/Paula.

Colleen: This is an internal maintenance IMPROVEMENT item (not required but for reasons stated above will streamline process for NCC deployments (ie easier as 1-2-3 and be more secure).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/30/2018 1:05:15 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Meeting with Paula for Dev Server PBI / Ex. 4 Setup

Hi Ed,

Also, so we don't get left without pieces, I want this as a working draft meeting with Paula – meaning both Paula and I will be logged into dev and staging and the deliverable will be the server is up and running PBI / Ex. 4 instances (even if it's just the default PBI / Ex. 4 instances).

Today's meeting, I had to extract info like the certs, the setup for lanids, etc – they weren't just offering it to us, so in the case of PBI / Ex. 4, we need to get it the same/identical as Paula has been doing for years with staging.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, March 29, 2018 8:46 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Meeting with Paula for Dev Server PBI / Ex. 4 Setup

Hi Ed

Please use your magical powers to see that Paula attends this 1 hour meeting. This will be a hands-on development setup with the server to install/configure it as
Paula currently has it so it is the same on dev as it is on stage and prod currently. Rather than guess how she has set it up, I prefer a hands-on meeting to just get it up and running
exactly as staging is. Meanwhile, I can copy over the PBI / Ex. 4 instances over to dev from staging as a starting ground. She will need to copy httpd or whatever she uses for
PBI / Ex. 4 setup (as I am not jdaemon on staging and not about to guess what's on there that is being used today).

I already setup the invite – now we just need Paula to participate on Monday.

PBI / Ex. 4

Hands-On Setup/Working Development Session

Conference Call to Setup PBI / Ex. 4 as it is on Staging with PBI / Ex. 4 Instances PBI / Ex. 4
The purpose of the call is to setup PBI / Ex. 4 for PBI / Ex. 4
James Waldo needs to know which port (443/8443?) for PBI / Ex. 4

Conference Line – Conference Line/Code / Ex. 6 (Ed)

Access Code – Conference Line/Code / Ex. 6

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 5:20:03 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: HIGH PRIORITY THINGS NEEDED

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Thursday, March 15, 2018 9:55 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: HIGH PRIORITY THINGS NEEDED

Christian,

I wrote to Dan and Paula this morning with all but the last request – I need to follow-up with Ali on where that one is. I presented these are things both you and Rakhi were asking for and needed to continue, and asked that if they couldn't help themselves, they point us to people who could. I will keep you posted when I see replies today.

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 11:02 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: HIGH PRIORITY THINGS NEEDED
Importance: High

Hi Ed

1. Staging password updates. This is a Paula, Dan, and Cindy thing. NCC changes passwords on staging every 90 days. No notification to me. So what works today doesn't work tomorrow. In this case, what worked yesterday doesn't work today – see date of update (3-13-2018) times 5 (for each app) I need to be notified whenever these updates occur to help breakages during dev while we don't have a dev server.

PBI / Ex. 4

2. I need complete access or complete zipped structure as it comes from staging for PBI / Ex. 4 since I don't have Personal Privacy / Ex. 6 access on staging.
3. I need complete zipped up production of apps and PBI / Ex. 4. They can remove keys, logs, etc but I need complete zipped up prod for app and tomcat.
4. I need RAM to make performance on my laptop improve. A build and deployment can take 1 minute versus 5+ minutes every time or longer.

I think I solved the diff issue, doing a final validation check. It's good news if all my hunches and analysis plays out. Final validation steps required but I think I know what it is now 100%.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/22/2018 1:02:59 AM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: JIRA Ticket

PBI / Ex. 4 server creates directory names in ERROR. Directory name

PBI / Ex. 4

was created by app server in ERROR. Name makes no sense, unless it was a staging server test at one point by a user. However since it's a PBI / Ex. 4 portion of code, unless the tester knows PBI / Ex. 4 and wanted to test bad directory/folder names, the directory name was created in ERROR.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/27/2018 9:25:39 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RAM Tracking Number

Hi Ed

I did not yet receive the RAM from looking at my property and mailbox. Would you have the UPS tracking number for the RAM? I live in a double security gated home, and sometimes UPS throws it over the security gate (since they don't have access number) – other times, they leave a note in my mailbox which is outside of my security gates.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/9/2018 4:27:08 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Spradling, LeAnn [Spradling.LeAnn@epa.gov]; Childers, Paula [Childers.Paula@epa.gov]; Smith, Maury [smith.maury@epa.gov]; Waldo, James V. [Waldo.James@epa.gov]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Page, Alison [Page.Alison@epa.gov]; Henderson, Kertis [henderson.kertis@epa.gov]; Ferko, Dan [Ferko.Daniel@epa.gov]; Spradling, LeAnn [Spradling.LeAnn@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: EMP Dev Server Setup - Additional Actions

Hello Cindy

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, April 9, 2018 11:27 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Henderson, Kertis <henderson.kertis@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: EMP Dev Server Setup - Additional Actions

Hi Ed/Christian,

Thanks for the list. It's very helpful.

Yes, I am still working with James Waldo on PBI / Ex. 4 users/groups XML files transferring in DEV environment. I will keep everyone updated once I get confirmation from James.

Thank you!

Cindy Fan
Oracle DBA, Oracle Developer
CSRA Inc.

From: Campbell, Ed
Sent: Monday, April 9, 2018 11:20 AM
To: Spradling, LeAnn <Spradling.LeAnn@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Smith, Maury <smith.maury@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Henderson, Kertis <henderson.kertis@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>; McCarthy, Colleen

<Mccarthy.Colleen@epa.gov>
Subject: EMP Dev Server Setup - Additional Actions
Importance: High

Hi Folks,

I asked Christian if he could put together a status on the EMP Dev Server setup process, which we need completed ASAP at this point to begin work in earnest on the project. I believe I've got all of the relevant folks added / CC-ed here. Can you all please take a look at the items listed, and where your name is included, let me know if you agree with the item / are working on it, or if there are additional questions to resolve.

Maury – I've seen a few emails from you this morning before I could get this out, apologies if you are already finished with the IAM piece!

Action items for Monday – note red indicates not started; yellow started; green complete

Item	Action Item	Status	Resource
Source Code	Contingency Plan in Place if no source code	COMPLETE	Christian/Salient/Elliot
Repository	Christian; PBI / Ex. 4; then possibly httd for PBI / Ex. 4; decide branching, tags, releases (kind of the same thing you are doing with JIRA but with source code repository	COMPLETE	Christian
PBI / Ex. 4	Install PBI / Ex. 4	[redacted].	Paula/ PBI / Ex. 4
	Follow up to keep track with PBI / Ex. 4 /James	.	WAM/IMA
	Configure Application Specific PBI / Ex. 4 PBI / Ex. 4	[redacted].	Paula/ PBI / Ex. 4
	README instructions [redacted]	[redacted].	Paula/ PBI / Ex. 4
	If no README provided, run diff compares on every change from standard middleware apache installations and go file by file and track all changes for use with multiple dev apaches on both dev and local machines, reconstruct identical matches once Paula is done install	.	Christian
PBI / Ex. 4	Copy production and staging latest to dev in specified directories (as specified on 4/5) so Christian can do diff compares and use what prod has for all files that are not compiled files	[redacted].	Paula/ PBI / Ex. 4
PBI / Ex. 4 for Groups)	Cindy working with PBI / Ex. 4 team and Dev team to have dbsync in place for PBI / Ex. 4 and app groups	[redacted].	Cindy/James
PBI / Ex. 4 Keystores, private keys, certificates	Generate new keystores (storage of keys and certs) to communicate with new PBI / Ex. 4 services created/configured above; etc.	[redacted].	Paula/ PBI / Ex. 4
Build/Test Dev Code/Add to PBI / Ex. 4 checkout	Christian; deploy; test; add to subversion; test a checkout; etc. – requires all code (PBI / Ex. 4 files installed/configured, and copy of Prod files/stage files to dev to do step by step diff comparison since no source tree was provided by Salient	[redacted].	Christian – waiting on steps above

Thanks,
Ed Campbell, PMP

ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/4/2018 8:42:55 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EPA EMP - Oil DB Module Discrepancy

(Sorry for the 3 emails but) Paula probably should start once PBI / Ex. 4 is done so their part works. As you can also tell, I asked Cindy to start coordination with PBI / Ex. 4 once they finish. I will leave it to you to manage her on that task so she doesn't forget or not verify/validate once it all is completed on her end and PBI / Ex. 4 portion of what they need to do for Cindy's dbsync stuff to work. She can also document it as well although Cindy is part of our internal team.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, April 4, 2018 4:40 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EPA EMP - Oil DB Module Discrepancy

Hi Ed

One other minor update to below. I'll put the update in a cut and paste here to make it easy:

1) Paula will need to provide read access on staging to all the files by putting us in the group emp and fixing the things she changed for whatever reasons (I don't care why she did it but I do care that in the future going forward we have access to it as it isn't even normal deployment with permissions set the way as they are – almost as if to silo it).
2) Paula will need to provide us with what's on production currently. She did PBI / Ex. 4 it for us, but I would prefer it just be in its original form (via PBI / Ex. 4) to avoid diff comparisons being only compression differences. That will need to be on the plate of action items for her deployment. A small difference perhaps but it will only make it easier for diff compares (not necessary but helpful).
3) Staging and production may differ with some of the home pages, etc. (due to fact that stage may have a newer version up there_ so I will need to go file by file on some of the .jsp, .html, etc files to be sure what we check into PBI / Ex. 4 is the latest from a prod standpoint so we don't clobber prod home pages, etc with out of date home pages, etc from staging. That will also need to be part of Paula's setup/install/initial. If Paula needs to do the work earlier in the day/morning, etc. she can do so but it all has to be in README form (no set of disparate set of files that we have to make heads and tails of). Everything has to be in the READMEs, clear step by step. Or I observe while she's doing all the critical stuff on the server and document accordingly. Note that she will not have root on dev so she won't be able to perform some actions for install. I can do that with her step by step or we can do a fast approval by Rob for her if need be the case. We can get her root sudo approval now in advance if you prefer so she can do everything she needs while we watch or while she does it solo. I am sure she will need to collect her thoughts as well prior to doing it.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, April 4, 2018 4:35 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EPA EMP - Oil DB Module Discrepancy

Hi Ed,

Thanks.

Note the following:

1) Paula will need to provide read access on staging to all the files by putting us in the group emp and fixing the things she changed for whatever reasons (I don't care why she did it but I do care that in the future going forward we have access to it as it isn't even normal deployment with permissions set the way as they are – almost as if to silo it).
2) Paula will need to provide us with what's on production currently. She did gzip it for us, but I would prefer it just be in its original form (via PBI / Ex. 4) to avoid diff comparisons being only compression differences. That will need to be on the plate of action items for her deployment. A small difference perhaps but it will only make it easier for diff compares (not necessary but helpful).
3) Staging and production may differ with some of the home pages, etc. (due to fact that stage may have a newer version up there_ so I will need to go file by file on some of the .jsp, .html, etc files to be sure what we check into subversion is the latest from a prod standpoint so we don't clobber prod home pages, etc with out of date home pages, etc from staging. That will also need to be part of Paula's setup/install/initial. If Paula needs to do the work earlier in the day/morning, etc. she can do so but it all has to be in README form (no set of disparate set of files that we have to make heads and tails of). Everything has to be in the READMEs, clear step by step. Or I observe while she's doing all the critical stuff on the server and document accordingly. Note that she will not have root on dev so she won't be able to perform some actions for install. I can do that with her step by step or we can do a fast approval by Rob for her if need be the case.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Wednesday, April 4, 2018 4:27 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: FW: EPA EMP - Oil DB Module Discrepancy

FYI. Here's where we stand with Salient.

From: Thomas, Rob
Sent: Wednesday, April 04, 2018 4:26 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EPA EMP - Oil DB Module Discrepancy

Hi Ed.
I'm good with the plan. By tomorrow, green light to go forward with what we have. Any information coming from salient afterwards we'll adjust accordingly. Thanks for the update.

Rob

From: Campbell, Ed
Sent: Wednesday, April 4, 2018 4:23 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EPA EMP - Oil DB Module Discrepancy

Hey Rob,

Wanted to ping you on this topic; Christian had asked me today if we had heard any update from Salient. How long would you like to wait on this before we assume we are not going to hear back? The decision on this item will become a blocker for Christian in the next 24-48 hrs, as he establishes a baseline of application versions on the Dev server. If we do not hear back from Salient RE: Oil DB discrepancy, we will use what we received and handle any functionality differences if they arise.

Talk Soon,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
http://intranet.epa.gov/webdev

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Thursday, March 29, 2018 4:31 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: EPA EMP - Oil DB Module Discrepancy

One of our developers left but I will reach out to the remaining one to see what she can provide and get back to you.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/18/2018 10:28:08 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP Related Links

Great! Maury is working still on PBI / Ex. 4 (says it takes a long time for weblogic iam services to even get shut down

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, May 18, 2018 6:19 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Related Links

I didn't have any issue when I logged in PBI / Ex. 4 database. I will sign off soon. So won't touch any Dev environment.

From: Leckner, Erik
Sent: Friday, May 18, 2018 5:55 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Related Links

Hi Cindy

Did you experience any issues with db login. Maury is looking into empdev – their PBI / Ex. 4 services are down so he's restarting PBI / Ex. 4 services. While I work on the code baseline (freeze) everyone will need to be off the PBI / Ex. 4 server so I can watch the logs as I test code freeze, etc.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Friday, May 18, 2018 5:48 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Related Links

You are welcome, Christian!

I don't have any update as of now. For PBI / Ex. 4 report Dev environment, OFM team asked approval from Rob Thomas. I will follow up with Ed on Monday. You can proceed to freeze the code baseline.

Thanks!
Cindy

From: Leckner, Erik
Sent: Friday, May 18, 2018 3:15 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Related Links
Importance: High

Hi Team

Thanks again Cindy for your valuable input.

All - Any more updates before I freeze the code baselins?

Ed – you mentioned you were looking into some of them.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Thursday, May 17, 2018 4:30 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Related Links

Hi Christian,

Please see my comments in Green highlight.

From: Leckner, Erik
Sent: Wednesday, May 16, 2018 5:59 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: EMP Related Links
Importance: High

Hi Cindy and James,

One of the steps in the dev setup, is to update links to third party sites, etc. and config settings related to them.

Could you two please provide whatever input that you may have for these related links.

The goal is to keep dev teams, QA teams, and the UA teams off any prod links, PBI / Ex. 4 servers, etc. and replace them with links, PBI / Ex. 4 servers that we can use. You can just put your comments/replacement links below any that you can offer assistance to. Otherwise they will remain as is or removed (but app depends on these properties) and some may be prod or smtp. I could switch them to staging links, etc but ideally what's new and what's old, obsolete, etc.

1. PBI / Ex. 4

PBI / Ex. 4

2. EQUIPMENT

########### DB SYNCH SETTINGS - OFFLINE ############

PBI / Ex. 4

3. FR

#NCC Production

PBI / Ex. 4

4. OILDB

```
#####PRODUCTION REPORT URL FOR OFM 11G
```

PBI / Ex. 4

```
# ICIS settings
```

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/30/2018 12:41:44 AM
To: Childers, Paula [Childers.Paula@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Development Server PBI / Ex. 4 Setup
Location: Conference Call

Start: 4/2/2018 7:00:00 PM
End: 4/2/2018 8:00:00 PM
Show Time As: Tentative

PBI / Ex. 4

Hands-On Setup/Working Development Session

Conference Call to Setup PBI / Ex. 4 as it is on Staging with PBI / Ex. 4
The purpose of the call is to setup PBI / Ex. 4 for PBI / Ex. 4.
James Waldo needs to know which port (443/8443?) for PBI / Ex. 4

Conference Line – Conference Line/Code / Ex. 6 (Ed)
Access Code – Conference Line/Code / Ex. 6

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/2/2018 11:42:31 PM
To: leckner.erik@epa.gov
Subject: empAdmin and Fr

For empAdmin – login OK but no cookie generation
For fr – no cookie directed to login screen
Login required for fr each time exiting

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/2/2018 11:14:22 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: FW: PBI / Ex. 4

This explains why no cookie. The system security is quite interesting. Even on EPA stage and prod, one must exit out of FR the first time before they go in again since they need a cookie on fresh new browser cache..

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, March 2, 2018 5:43 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: FW: PBI / Ex. 4

Wondering why Salient commented out all cookie save code. Know anything about this? Sharma did this

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, March 2, 2018 5:42 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: PBI / Ex. 4

Apparently someone from Salient commented out code that we had on the PBI / Ex. 4 site for cookie generation – I am wondering whether they have that code in staging and production. Anywhere they set/created the PBI / Ex. 4, it is commented out in the code we received. Still exploring but on production and staging cookie is being created.

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, March 2, 2018 5:24 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: (PBI / Ex. 4
Importance: High

Hello Dan or James

Upon login to EMP system, with a clear browser cache, a PBI / Ex. 4 does not exist. However, when I proceed to Field Readiness or other applications of EMP, PBI / Ex. 4 is generated on staging or production PBI / Ex. 4 etc.). On development machine running locally, this does not occur. Since these apps require this cookie, perhaps you can describe why this would work on PBI / Ex. 4 versus local machine.

Thanks in advance as this is important to have cookie generation running locally as well since currently running tomcat locally is our dev environment.

PBI / Ex. 4

Unauthorized

This server could not verify that you are authorized to access the document requested. Either you supplied the wrong credentials (e.g., bad password), or your browser doesn't understand how to supply the credentials required.

PBI / Ex. 4

PBI / Ex. 4

Pre Sign-In Notification

Warning: In proceeding and accessing U.S. Government information and information systems, you acknowledge that you fully understand and consent to all of the following:

1) You are accessing U.S. Government information and information systems that are provided for official U.S. Government purposes only;

2) Unauthorized access to or unauthorized use of U.S. Government information or information systems is subject to criminal, civil, administrative, or other lawful action;

3) The term U.S. Government information system includes systems operated on behalf of the U.S. Government;

4) You have no reasonable expectation of privacy regarding any communications or information used, transmitted, or stored on U.S. Government information systems;

5) At any time, the U.S. Government may for any lawful government purpose, without notice, monitor, intercept, search, and seize any authorized or unauthorized communication to or from U.S. Government information systems or information used or stored on U.S. Government information systems;

6) At any time, the U.S. Government may for any lawful government purpose, search and seize any authorized or unauthorized device, to include non-U.S. Government owned devices, that stores U.S. Government information;

7) Any communications or information used, transmitted, or stored on U.S. Government information systems may be used or disclosed for any lawful government purpose, including but not limited to, administrative purposes, penetration testing, communication security monitoring, personnel misconduct measures, law enforcement, and counterintelligence inquiries; and

8) You may not process or store classified national security information on this computer system.

Proceed Decline

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/21/2018 6:04:45 PM
To: Smith, Maury [smith.maury@epa.gov]; Waldo, James V. [Waldo.James@epa.gov]; Dennis, Gregory [Dennis.Gregory@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: FYI : temporary PBI / Ex. 4 network error

Hi All,

I was running PBI / Ex. 4 and received a network error while performing the copy.

PBI / Ex. 4

I ran it again and it worked fine. Just a FYI. Happens on occasion.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 9:21:08 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: FW: EMP Staging seems to be down

By her own admission below, she updated the passwords and is very well aware of the passwords she is setting it to since she is the one who has been setting them ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Thursday, March 15, 2018 4:24 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Dovlo, Rudolph <DOVLO.Rudolph@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; WAM Support <WAM_Support@epa.gov>
Subject: Re: EMP Staging seems to be down

I'm afraid I know very little about the PBI / Ex. 4 environment, but I'm pretty sure nothing has "changed" in a very long time. I am assuming you may have some sort of unique configuration that may be required to re-use the connections from a Dev environment, but hopefully J Waldo or another WAM team person can help with that.

EMP has a "empgroup admin" PBI / Ex. 4 user that is configured to allow some kind of management function, I update the password for it at the same time as the DB passwords, and I set it to the same password.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Thursday, March 15, 2018 3:17 PM
To: Childers, Paula; Dovlo, Rudolph; Campbell, Ed
Cc: Madhavan Nair Kamala Devi, Rakhi
Subject: RE: EMP Staging seems to be down

Hi Paula,

I need PBI / Ex. 4 passwords. Also, would be good to always have the usernames, passwords, which servers they are for, etc.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Thursday, March 15, 2018 2:45 PM
To: Dovlo, Rudolph <DOVLO.Rudolph@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: EMP Staging seems to be down

Try PBI / Ex. 4

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Dovlo, Rudolph
Sent: Thursday, March 15, 2018 2:40 PM
To: Campbell, Ed
Cc: Childers, Paula; Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi
Subject: RE: EMP Staging seems to be down

Hey Ed,
What user password are you looking for?

Rudolph Kofi Dovlo |Applications Systems Analyst. (TC)
ITS-EPAIII-ISAH | CSRA Inc.
79 TW Alexander Dr, #4401 Durham, NC.
919-767-7197 | dovlo.rudolph@epa.gov

From: Campbell, Ed
Sent: Thursday, March 15, 2018 2:38 PM
To: Dovlo, Rudolph <DOVLO.Rudolph@epa.gov>
Cc: Childers, Paula <Childers.Paula@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: EMP Staging seems to be down

Hi Kofi,

Can you send the new passwords for the staging environment to Christian (Erik) and Rakhi? They have been unable to work today.

Let me know if this request needs to be pointed somewhere else.

Thanks.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 15, 2018 2:32 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Staging seems to be down

Hi,
Staging environment seems to be down. Cindy and I got this error on login.
You entered an invalid UserID or Password. Please try again. It may be time to reset your password if it has been over 60 days.
By looking at staging logs, seems to be PBI / Ex. 4 connection error.

PBI / Ex. 4

Content-Length: 853

PBI / Ex. 4

Replicated it in local (pointing to staging)

REQUEST!!!!!!! PBI / Ex. 4

PBI / Ex. 4

In the UI, they are not displaying the accurate (but use understandable) error, but is showing bad password/userid error message.

Thanks,
Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/21/2018 9:50:09 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Action Items

1 hour for WAM team in first action item below.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 21, 2018 5:50 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Action Items
Importance: High

Team	Topic	Resolution
WAM (J, etc.)	Need to flush out keystores, truststores, certs without historical references of past and future but what it is now (just enough so Rakhi and I can develop in it and other users like Swetha, Cindy)	Dev local and dev server needs it properly setup from them. We don't need to hear anything other than what it will take for them to make it happen. Don't need history or future intermingled into just getting it done and we get proper keystores and key files, etc.
Ed, Rob -> maybe Salient	Source Code Differences	At least three approaches to Salient: 1. Could you check to ensure the source code matches staging or an explanation as to why not (perhaps the Salient developers were further developing when Salient was told their contract ended and so only dev server had the latest which may be the latest then but then it doesn't match staging – so we don't know what works in their code an what doesn't). By having PBI / Ex. 4 I can look at differences from latest code deployment and what progress that may it above and beyond , which may never have even made it to PBI / Ex. 4 (dev checked out code, worked on it,

		but never checked it back in). Only Salient knows the answer to this. 2. EPA paid for the code, why isn't there the repository?! 3. Combination of 1 and 2
RAM	Needed since I run many apps	Buy RAM
Christian, Paula	Needed to debug any current issues Document in README. PBI / Ex. 4 on Staging	Christian, Paula (if I can't run PBI / Ex. 4 on that machine without any additional permissions)
Paula	Document in README	Wishful thinking on my part

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/27/2018 8:29:19 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Import Section of PBI / Ex. 4 files

☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 27, 2018 4:02 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Import Section of PBI / Ex. 4 files

No need for the analogies honestly. I understand precisely what you are facing. But in the spirit of the analogy, I'll answer you with it. In this case, you're not going to be asked to go back and do the work on the correct house. We're going to be asking the family to move to the new house, because that's the house we have to work on. And they can deal with all of the things they don't like about the new house, because we were never given the address of their old one.

From: Leckner, Erik
Sent: Tuesday, March 27, 2018 3:49 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Import Section of PBI / Ex. 4 files

Here is a simple analogy.

Plumber is instructed to rebuild/fix water heater, pressure regulator, shower cartridges, pipes, etc in your house.
So plumber makes N modifications to house.

Then later you tell the plumber wrong house. Then they need to go back and redo everything they were instructed to fix in the right house. You can imagine the amount of work effort it is to figure out all the changes made, etc.

The real PBI / Ex. 4 is that we start making mods to the code for JIRA tickets. Then we find that the code missed things in production/not right code base. Then we have to take every JIRA ticket's code changes and put them in the right code base. Each JIRA ticket could impact any number of files (see import discussion below/previously sent).

That is what we are hoping to avoid down the road.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, March 27, 2018 3:40 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Import Section of PBI / Ex. 4 files

Hi Ed

The first part of every PBI / Ex. 4 source code file is an import section. So one piece of code refers to many other source code PBI / Ex. 4 files. So if several files are different, then we need to replace new CSRA code with the old code base and put that new code we work on into old code, which becomes a mess (a combinatoric problem). That is the key issue we need to start with what Rob signs off on and that can only be done by getting the code which matches that which is on prod,staging before we start making our changes which may impact any number of files.

Just for your information, more on import topic is here: PBI / Ex. 4

package PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/23/2018 5:51:13 AM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: hibernate query cache

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/4/2018 1:37:44 AM
To: leckner.erik@epa.gov
Subject: PBI / Ex. 4 info

PBI / Ex. 4

locally

remotely

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/27/2018 7:55:53 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Source Code

Importance: High

Hi Ed

Best way to approach Salient is this:

"Without being provided the original source code repository with releases tagged for staging and production (if they even did that), what is:

1. The code which was used for staging (since only compiled PBI / Ex. 4 files are on staging)
2. The code which was used for production (since only compiled PBI / Ex. 4 files are on staging)
3. Aside from PBI / Ex. 4 are there any important differences between staging and production?"

I don't need the code repository if I can get 1-3 above. Even if we got the repository, we would still need Salient to tell us the differences in 3. And since 1 and 2 share the same code base, it might be best to have it in a repository to keep track of what changes were made to what files using the strength of a repository. But once again even with repo, we still need to know which branches were used (if they even pulled from their repository that way – maybe team was so small they didn't do that).

PBI / Ex. 4 and fr OK from what I detect, but PBI / Ex. 4 oildb, and equip are not (and that was analysis only on comparisons between dev and staging).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 6:15:24 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Skype Session For 3/20 EMP Team Meeting
Location: Skype Meeting

Start: 3/20/2018 6:00:00 PM
End: 3/20/2018 7:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/19/2018 5:21:57 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Property Files _ Regarding PBI / Ex. 4

Hi Rakhi

None as of this time. Thanks for your responses.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Friday, March 16, 2018 8:26 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Regarding PBI / Ex. 4

Hi Christian,
Please find my answers below for the points you asked yesterday

- PBI / Ex. 4 - Why neon was used instead of Oxygen:
  Actually I was using both the PBI / Ex. 4 while trying to get the app up. It so happened that the version I chose to send the class file details happened to be in neon. I have those in oxygen as well.
- PBI / Ex. 4
  I couldn't remember in which project I saw that earlier! My bad! Sorry!. So I did try to replicate it by setting up the apps afresh in a new workspace. I could see that it was FR, where I saw the PBI / Ex. 4 This time I didn't change it and that didn't matter at all! and the application builds and deploys fine and is up regardless. Thank you Christian for asking to check that! The current apps has no settings changes as well other than adding "PBI / Ex. 4".

  Please let me know if any further info is required of my workspace.

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, March 15, 2018 8:38 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

Curious also – where did you get the idea that it was set to 1.4 and which project. I know for fact there are none built on 1.4. Just curious.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 15, 2018 4:18 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>

Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

Hi Christian,
Good to know its matching so far! I will give the PBI / Ex. 4 screen shots also today.

I remember changing the compiler compliance in one project from 1.4 to 1.8, as it was not recognizing generics. (generics was added from 1.5 if I remember right)
In some projects, I changed PBI / Ex. 4 Library in the build path settings. (Pic below) As its warning, I didn't change it in all projects. - Trying to do minimal change from what we got originally.
Let me know if you like to have any more project info like 'build path, PBI / Ex. 4 ' or anything else to help the comparison.

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 7:09 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

So they match 100% yours and mine (to the rounded since those you show but that's OK).

Which means I need to figure out what they built it with ,etc. Not that its not OK in that it could be just a PBI / Ex. 4 option or a different earlier PBI / Ex. 4 – like even 1.5 which I see a reference too, but not in another project.. so I can try to build it with 1.5 – Im ok if I can get it to match and we just use 1.8 for the newer deployments, but I need to get them to match or start looking at how they differ somehow

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 14, 2018 5:49 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files _ Part 1

Sorry Christian!
My eclipse crashed. I was trying to fix that. Sorry about keeping you waiting!
Here you go..

Part -1

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 5:39 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Rakhi

Can you please send me the oildb class file sizes, thanks – it shouldn't take more than a couple of minutes on your end.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 4:36 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Hi Ed and Rakhi

You see by having the compare accurately diff'ing the files, Ed and Rob could go back to Salient and use this as a basis for the request – like, why are they different and Ed and Rob will have forensic backing behind it.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 4:34 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Hi Rakhi

I don't need a compare. I got that part covered. What I need is just the class sizes. My ***program*** I wrote will do that in milliseconds ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, March 14, 2018 4:33 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Property Files

Thank you very much Christian! Sorry! I missed the original mail! My bad!

I will do the compare after lunch and will send it back to you.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 4:29 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: Property Files
Importance: High

Hi Rakhi

Swetha had sent this the other day – this is the outcome from what I had requested from them. You were on the mailing list – you might have missed this email.

Class file sizes for all classes, please. Just screen capture or store to a file but needed – thanks on oildb, equipment, and sma, in that order please. Thanks

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Monday, March 12, 2018 3:23 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Christian,

Cindy and I verified the Properties files and updated the attached files with the correct links. Changes are mentioned with our name 'Cindy' and 'Swetha' and there are no changes to the sma files.

Please let us know in case you need any further information.

Regards,
Swetha

From: Leckner, Erik
Sent: Thursday, March 8, 2018 5:19 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Cindy and Swetha,

We can setup a quick call to do this so I can go over it with you. It will all make sense then. Should I call each of you separately?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Chilivery, Swetha
Sent: Thursday, March 8, 2018 4:33 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Christian,

Same here as Cindy. I do not have any idea about the property files.

Regards,
Swetha

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 8, 2018 4:28 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Christian,

The property files are from Java development. I have never seen and never work on these files before. So I don't know how to verify them.

Thanks!
Cindy

From: Leckner, Erik
Sent: Thursday, March 8, 2018 4:25 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Property Files

Hi Cindy and Swetha

You needn't put it in a worksheet, just writing comments with your name like CINDY: in each of the files will work just as well and most likely faster for you two. But it would be a pass around approach going that route (first Cindy, then Swetha, etc.)

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Thursday, March 8, 2018 4:20 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: FW: Property Files
Importance: High

Hi Cindy and Swetha,

This slipped my mind on the status call today, but Christian had asked about property files earlier this week and he put together a spreadsheet.

As the only incumbents, you two may be the only ones who have any real updates for this. See below and attached from Christian.

One additional note – for dev and staging if you can fill in the blanks for the links, urls, email servers, etc (whatever you know). For production, we don't need the values but only whether they are required or not.

Thanks guys.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Tuesday, March 06, 2018 7:30 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Property Files
Importance: High

Hi Ed

I have attached two sets of files:

FILES.zip: These are all the **property** files for staging across all projects (excluding mobile) thus far. I may have more but this is the initial complete set.
ALLPROPERTIES.xlsx: This is a worksheet they can fill in the values for things that are related to their work.

Cindy and others should recognize each of the properties that pertain to them and document them in the all properties worksheet. They need to examine the properties closely so they can provide input and we need to know that they went thru
each file so Java dev team isn't waiting on missing items.

They should be able to say for DEV, STAGE, and PROD whether the system requires it. They needn't fill out the production links, urls, etc. as those are already determined by NCC. I'm basically looking for what they should be set to or whether they aren't being used anymore or only on stage and dev, etc,

For all Java related core (hibernate/db, hibernate-geocode, and IAM, I already know the settings already for dev and staging).

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/4/2018 12:24:30 AM
To: Dennis, Gregory [Dennis.Gregory@epa.gov]
Subject: RE: PBI / Ex. 4

I ran a test and it seemed to reply with success – so something with PBI / Ex. 4 maybe

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, April 3, 2018 8:19 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Subject: RE: PBI / Ex. 4

PBI / Ex. 4

See this link also above and the config which may be needed on your end.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, April 3, 2018 8:08 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Subject: RE: PBI / Ex. 4

Hi Greg,

As I have it working locally on the empdev, here are the configuration items for PBI / Ex. 4. Note that it does say the user will be prompted by multiple password prompts due to multiple connections. See this for next steps on your end possibly (two places below – one is a summary and one is the steps).

PBI / Ex. 4

Tunneling over PBI / Ex. 4

PBI / Ex. 4 built-in authentication (and PBI / Ex. 4 support) can be very handy, because it avoids the need to create real system accounts. On the other hand, some administrators already have well-established PBI / Ex. 4 authentication frameworks in place. In these situations, all of the project's users already have system accounts and the ability to "PBI / Ex. 4 into" the server machine.

It's easy to use PBI / Ex. 4 in conjunction with PBI / Ex. 4. The client simply uses the PBI / Ex. 4 URL scheme to connect:

PBI / Ex. 4

In this example, the PBI / Ex. 4 is invoking a local PBI / Ex. 4 process, connecting to `host.example.com`, authenticating as the user Personal Privacy / Ex. 6 according to PBI / Ex. 4 user configuration), then spawning a private PBI / Ex. 4 process on the remote machine running as the user Personal Privacy / Ex. 6 The PBI / Ex. 4 command is being invoked in tunnel mode (`-t`), and its network protocol is being "tunneled" over the encrypted connection by PBI / Ex. 4, the tunnel agent. If the client performs a commit, the authenticated username Personal Privacy / Ex. 6 will be used as the author of the new revision.

The important thing to understand here is that the PBI / Ex. 4 is *not* connecting to a running PBI / Ex. 4 Personal Privacy / Ex. 6 This method of access doesn't require a daemon, nor does it notice one if present. It relies wholly on the ability of PBI / Ex. 4 to spawn a temporary PBI / Ex. 4 process, which then terminates when the network connection is closed.

When using PBI / Ex. 4 URLs to access a repository, remember that it's the PBI / Ex. 4 program prompting for authentication, and *not* the PBI / Ex. 4 program. That means there's no automatic password-caching going on (see the section called "Caching credentials"). The PBI / Ex. 4 often makes multiple connections to the repository, though users don't normally notice this due to the password caching feature. When using PBI / Ex. 4 URLs, however, users may be annoyed by PBI / Ex. 4 repeatedly asking for a password for every outbound connection. The solution is to use a separate PBI / Ex. 4 password-caching tool such as PBI / Ex. 4 on a PBI / Ex. 4 on Windows.

When running over a tunnel, authorization is primarily controlled by operating system permissions to the repository's database files; it's very much the same as if Harry were accessing the repository directly via a `file://` URL. If multiple system users are going to be accessing the repository directly, you may want to place them into a common group, and you'll need to be careful about umasks (be sure to read the section called "PBI / Ex. 4" later in this chapter). But even in the case of tunneling, you can still use the PBI / Ex. 4 file to block access, by simply setting PBI / Ex. 4 [53]

You'd think that the story of PBI / Ex. 4 tunneling would end here, but it doesn't. Subversion allows you to create custom tunnel behaviors in your runtime *config* file (see the section called "Runtime Configuration Area"). For example, suppose you want to use PBI / Ex. 4 [54] In the `[tunnels]` section of your *config* file, simply define it like this:

PBI / Ex. 4

And now, you can use this new tunnel definition by using a URL scheme that matches the name of your new variable PBI / Ex. 4 When using the new URL scheme, the PBI / Ex. 4 will actually be running the command PBI / Ex. 4 behind the scenes. If you include a username in the URL (PBI / Ex. 4), the client will also include that in its command (PBI / Ex. 4).

Notice that when defining an PBI / Ex. 4 based tunnel, we've added the `--` end-of-options argument to the tunnel command line. This is to prevent a malformed hostname from being treated as another option to the tunnel command. You should do the same for other tunnel programs (for example, PBI / Ex. 4.

But you can define new tunneling schemes to be much more clever than that:

PBI / Ex. 4

This example demonstrates a couple of things. First, it shows how to make the PBI / Ex. 4 launch a very specific tunneling binary (the one located a PBI / Ex. 4) with specific options. In this case, accessing an PBI / Ex. 4 URL would invoke the particular PBI / Ex. 4 PBI / Ex. 4 as arguments—useful if you want the tunnel program to connect to a nonstandard port.

Second, it shows how to define a custom environment variable that can override the name of the tunneling program. Setting the PBI / Ex. 4 environment variable is a convenient way to override the default PBI / Ex. 4 tunnel agent. But if you need to have several different overrides for different servers, each perhaps contacting a different port or passing a different set of options to PBI / Ex. 4, you can use the mechanism demonstrated in this example. Now if we were to set the PBI / Ex. 4 environment variable, its value would override the entire value of the tunnel variable—PBI / Ex. 4 would be executed instead of /PBI / Ex. 4.

PBI / Ex. 4

Initial setup

PBI / Ex. 4

Controlling the invoked command

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, April 3, 2018 7:25 PM
To: Dennis, Gregory <Dennis.Gregory@epa.gov>
Subject: SVN

Hi Greg

I was able to be authenticated to commit to svn from my PBI / Ex. 4 However, remotely, I still run into that issue. I will explore further but it asks for my PBI / Ex. 4 password (3 times) and then bailed out.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA

San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/27/2018 7:41:38 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Follow-Up - PBI / Ex. 4 EMP Needs
Location: Conference Call

Start: 3/29/2018 8:30:00 PM
End: 3/29/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/28/2018 12:28:20 AM
To: Ferko, Dan [Ferko.Daniel@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Discuss future EMP development environment

Hi Dan

We can keep to the original time, was trying to put two meetings back to back on my end.

Thanks for replying.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Ferko, Dan
Sent: Tuesday, February 27, 2018 7:26 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Discuss future EMP development environment

I am slammed tomorrow, so not likely to be able to move it to another slot. I do have 10:00am (7am West Coast) and 1pm (10am West Coast) slots on Thursday.

Please let me know if the Thursday slots would be any better.

Dan

From: Leckner, Erik
Sent: Tuesday, February 27, 2018 7:09 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: RE: Discuss future EMP development environment

Hi Dan,

Will either 2:30 PM – 3:00 PM or 3:00 PM - 3:30 PM work for you tomorrow instead? Better time slot on my end.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

-----Original Appointment-----
From: Ferko, Dan

Sent: Tuesday, February 27, 2018 7:06 PM
To: Ferko, Dan; Fan, Cindy (Yanqian); Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Childers, Paula
Subject: Discuss future EMP development environment
When: Wednesday, February 28, 2018 1:30 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Line **Conference Line/Code / Ex. 6**

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/3/2018 7:52:03 PM
To: Dennis, Gregory [Dennis.Gregory@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Root Access for PBI / Ex. 4

Thanks Greg! Ed (and I) will work with Rob Thomas to have PBI / Ex. 4 (essentially for setting PBI / Ex. 4 builds, additional lightweight third party tools like PBI / Ex. 4, etc), ownership/groups, etc – those things at os level vs Personal Privacy / Ex. 6 app specific level.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Dennis, Gregory
Sent: Tuesday, April 3, 2018 3:50 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Root Access for PBI / Ex. 4

Christian,
For root access to PBI / Ex. 4, have the EPA owner reply with approval/risk acceptance.

There are a few requirements:

1. Do not make changes to any OS related config files such as the sshd config (or anything else not specifically application related).
2. Do not add users to the server. If a local user account is needed I will create it and track the user ID.
3. Do not change the root password.
4. If the server becomes unusable, we will not spend much, if any, time troubleshooting. We will simply build you another server and you could lose data.
5. I will be watching! I will check logs and such to see what is happening on the server.
6. If we see unacceptable activities, access could be removed at any time.

We would prefer to keep this access in place for a limited time – maybe a couple of weeks would be enough to get things moving.

Let me know if you have any questions.

Thanks,
Greg Dennis
UNIX System Administrator
T: (919)200-7379
CSRA on the ITS-EPA III contract to the US EPA

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/20/2018 9:06:52 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: How_To_Search_JIRA.docx

Thanks

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Tuesday, March 20, 2018 5:03 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; madhavi.patwardhan@cgifederal.com; Thomas, Rob <Thomas.Rob@epa.gov>; Jennifer Morgan <jennmorgan428@gmail.com>
Subject: How_To_Search_JIRA.docx

Hi Folks,

I wrote this quick and dirty guide on how to do SQL-like searches in JIRA. This is the first edition, and I'll enhance it as I do more searches myself ☺!

Thanks to Ed for showing this to me ☺!

Colleen

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/14/2018 7:03:27 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: FW: PBI / Ex. 4 differences

Importance: High

Hi Ed,

Another **ACTION ITEM** below for Paula. Thanks! Been sorting all night again on this kind of stuff (it's 12AM here in Cali).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 3:02 AM
To: Childers, Paula <Childers.Paula@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: PBI / Ex. 4 differences
Importance: High

Hello Paula,

DynamicContent:

My compare program detected differences for this directory. I understand that you copy from prod. OK, but here is what is currently on staging and it doesn't look good. It looks pretty bad in fact.

PBI / Ex. 4

PBI / Ex. 4

I'm thinking in the future we should find a way to automate the deployment process of copying prod files over, as whatever and whoever copied over to staging there copied some weird stuff.

We can circle on that in the future.

ACTION ITEM:

I need the production complete set of PBI / Ex. 4 deployed (as files) – you can exclude ALL passwords/ PBI / Ex. 4, etc. but I need the rest for this very reason as shown above. Nor for just that though, I need to see what our ultimate deployment is. Could I please get this at your earliest convenience as it will be much appreciated.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Tuesday, March 13, 2018 12:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: PBI / Ex. 4 differences

Hi Christian;

I'm afraid I cannot tell you why the MANIFEST.MF files would be different sizes. That's far beyond our scope. Fore the properties files, they could be different sizes because of commenting out (but not removing) previous configs when adding new or updated ones. I think you'll need to do some of those comparisons directly for yourself.

As for the "missing" files, please note that all of them are in the "dynamicContent" folder - as I understand it, this was something of a temporary area, and was constantly changing. When we did full deployments for empadmin, we were always asked to save the Prod one from before, remove the dynamicContent folder that would have been copied from Staging with the new PBI / Ex. 4, and replace it with the one we'd saved that had previously been present in Production. It would not surprise me, then, to find that the contents differ between one bundle and another taken at different times.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Monday, March 12, 2018 9:22 PM
To: Childers, Paula; Ferko, Dan
Cc: Campbell, Ed
Subject: RE: PBI / Ex. 4 differences

Hi Paula and Dan

Just to show you the differences between fr local and fr staging where there are no real differences, I have attached is inline below. That is technically really how all the apps should be (no real differences between starting with dev source and that which is on staging).

Compare v1.0

PBI / Ex. 4

MISSING FROM: **PBI / Ex. 4**

PBI / Ex. 4

Count: 3

MISSING FROM **PBI / Ex. 4**

Count: 0

DIFFERENCES BETWEEN PBI / Ex. 4

PBI / Ex. 4

Count: 3

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, March 12, 2018 9:05 PM
To: Childers, Paula <Childers.Paula@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: .war differences
Importance: High

Hi Paula and Dan,

Last Friday I had wrote a **compare** program which checks the differences of files (In PBI / Ex. 4 a directory is also considered a file) between my local deployment and the staging deployment of unpackaged war files. I let local Tomcat unpackage it automatically. My local PBI / Ex. 4 was built using the development source code that was placed on EPA FTP site by Salient and does not share any staging files for the comparison.

The results were the following:

PBI / Ex. 4 : the key differences differed as highlighted in gray below. Other files differed but were expected such as property and manifest files. For the time being, I am only including in this email the differences between staging and local for empadmin.

Question: Can you please let me know if you know why these files are missing on staging. They may be just obsolete files. Note also that home.html and upcoming releases differed as well. That is simple to remedy by merely copying over that which is on staging for those files over to my local dev. The other files need to be determined whether they are needed. Can you please look into this? Thanks.

PBI / Ex. 4

Compare v1.0

PBI / Ex. 4

MISSING FROM: PBI / Ex. 4

PBI / Ex. 4

Count: 28

MISSING FROM PBI / Ex. 4

Count: 0

PBI / Ex. 4

Count: 6

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 3:02:01 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: HIGH PRIORITY THINGS NEEDED

Importance: High

Hi Ed

1. Staging password updates. This is a Paula, Dan, and Cindy thing. NCC changes passwords on staging every 90 days. No notification to me. So what works today doesn't work tomorrow. In this case, what worked yesterday doesn't work today – see date of update (3-13-2018) times 5 (for each app) I need to be notified whenever these updates occur to help breakages during dev while we don't have a dev server.

PBI / Ex. 4

2. I need complete access or complete zipped structure as it comes from staging for PBI / Ex. 4 since I don't have Personal Privacy / Ex. 6 access on staging.
3. I need complete zipped up production of apps and PBI / Ex. 4. They can remove keys, logs, etc but I need complete zipped up prod for app and PBI / Ex. 4.
4. I need RAM to make performance on my laptop improve. A build and deployment can take 1 minute versus 5+ minutes every time or longer.

I think I solved the diff issue, doing a final validation check. It's good news if all my hunches and analysis plays out. Final validation steps required but I think I know what it is now 100%.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/6/2018 8:24:58 PM
To: leckner.erik@epa.gov
Subject: Personal Privacy / Ex. 6

Personal Privacy / Ex. 6

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 7:15:55 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Staging seems to be down

Aware of this since last night, Ed and Paula and Kofi is working on it.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 15, 2018 2:32 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Staging seems to be down

Hi,
Staging environment seems to be down. Cindy and I got this error on login.
You entered an invalid UserID or Password. Please try again. It may be time to reset your password if it has been over 60 days.
By looking at staging logs, seems to be IAM connection error.

PBI / Ex. 4

Content-Length: 853

PBI / Ex. 4

Replicated it in local (pointing to staging)

REQUEST!!!!!!! / PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

in the UI, they are not displaying the accurate (but use understandable) error, but is showing bad password/userid error message.

Thanks,
Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 11:55:00 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PBI / Ex. 4 START STOP

Command Prompt

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/18/2018 8:07:34 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: New JIRA Ticket

Note also that some tickets will be closed once I freeze the code (as I have worked on them as part of the development code base – like upgrade ticket to PBI / Ex. 4 etc.) I also will be using several tickets as my test once I start/finish my next step of tasks related to PBI / Ex. 4. Just a heads up.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Friday, May 18, 2018 3:41 PM
To: Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: New JIRA Ticket

Thanks! Colleen

From: Leckner, Erik
Sent: Friday, May 18, 2018 3:39 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: New JIRA Ticket

Some are free, cheap, etc – like PBI / Ex. 4 is a leading one. We would just be monitoring the apps for special signs of failure points, plus custom.

EMP should already be monitored this way and it isn't since from what I am seeing is users mention something may be down and then the process of checking what is, etc.

SNMP can monitor not only device stats like CPU, memory usage, etc but also the apps itself. Customized monitoring can be done in these tools and also complimentary software can be written.

Unsure, so the ticket can include a study of what is being done currently and what should be done.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Friday, May 18, 2018 3:34 PM

To: Leckner, Erik <Leckner.Erik@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: New JIRA Ticket

Hi Christian

Do we already have the "third party PBI / Ex. 4 software"?

Thanks!

Colleen

From: Leckner, Erik
Sent: Friday, May 18, 2018 3:12 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: New JIRA Ticket
Importance: High

New JIRA Ticket

Monitor EMP applications using PBI / Ex. 4 custom EMP management software in order to poll device MIBs to monitor critical information that will allow the EMP team to be proactive about fixing issues that arise before we hear of them from our end users, such as systems being down, errors, warnings, and so forth.

Type: Internal Maintenance

Priority: Decently High ☺

Assignee: Christian

Solution: Use third party PBI / Ex. 4 software but customized aggregate reporting on status and health of application services.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/5/2018 8:44:30 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
BCC: Page, Alison [Page.Alison@epa.gov]
Subject: RE: Group emp on staging access for eleckner, Rakhi

As you can see even the Salient lead developer is still even part of the **emp** group on staging (they apparently still have accounts on staging).

I requested **emp** group membership within a couple of days when I received my laptop. So this request was to Dan (before Paula and Dan) again to get **emp** group membership for myself and Rakhi. The other request earlier today was to get read permissions to see files/directories hidden by Paula (and if we are part of emp we will be able to see them once Paula reverts permissions back to normal emp users.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, April 5, 2018 4:38 PM

To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: Group emp on staging access for eleckner, Rakhi

Another action item if Dan doesn't grant. Thanks. This way when they change read permissions to emp, we can see it. In group it looks like other userids in the emp group as shown in my screen capture below. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, April 5, 2018 4:19 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Spradling, LeAnn <Spradling.LeAnn@epa.gov>
Subject: Group emp on staging access for eleckner, Rakhi

Hi Dan,

Could you please provide eleckner and Rakhi **emp** group membership on staging? Currently, we are not part of the group.

Thanks in advance.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/9/2018 12:44:36 AM
To: leckner.erik@epa.gov
Subject: STEPS pretty 1

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/14/2018 1:11:41 AM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Smith, Doug L [Smith.Douglas@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: EMP Admin Privileges for PBI / Ex. 4

Importance: High

Hi Cindy,

Do you know why PBI / Ex. 4 is granted UPDATE/CREATE/DELETE privileges for some apps such as OILDB, FR, and EQUIPMENT but not for PBI / Ex. 4? Is this something that pertains to privileges for the emp admin user? Is this something at the database level where the emp admin user is granted the roles to perform actions on certain database objects (such as inserting data into a specific table, update data in a table, run a specified function or procedure, etc)? Thanks in advance. The goal is to provide the EMP ADMIN application with sufficient privileges (via perhaps the EMP ADMIN user) that it can also update/create PBI / Ex. 4 group membership. Rob would like for the EMP ADMIN application to have the capability to perform these operations.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/19/2018 7:33:57 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: EMP IAM + Dev Setup Questions
Location: Conference Call

Start: 3/21/2018 8:00:00 PM
End: 3/21/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/15/2018 2:32:51 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: TRUSTANCHORS PARAMETERS MUST BE NON-EMPTY

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/18/2018 7:40:52 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: New JIRA Ticket (not same one just sent)

Note that this ticket is a continuation of what I have been currently doing to setup the dev environment software and there may be additional optimizations that can be done – when updating the code and its in a repo, the comment in the repo can correlate to this JIRA ticket.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, May 18, 2018 3:36 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: New JIRA Ticket (not same one just sent)
Importance: High

New JIRA Ticket

Title: General updates to source code for internal maintenance.

Salient provided EMP team with one code snapshot versus a Repository so there may be additional updates after the code is frozen for initial baseline. We can use this ticket for that purpose.

Priority: Medium (and continual)
Assignee: Christian

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/9/2018 12:43:17 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: RE: STEPS

New Project – build from ant build file

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, February 8, 2018 7:42 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: STEPS

Jre library
Oledb copy to right src dir and delete from default

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/7/2018 7:29:35 PM
To: Page, Alison [Page.Alison@epa.gov]

Subject: Accepted: Discuss EMP expectations and other questions
Location: 800-747-5150 code: 0379002#

Start: 2/7/2018 8:30:00 PM
End: 2/7/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/8/2018 6:34:20 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP ADC Call - EMP Versions

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Thursday, February 8, 2018 10:16 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: EMP ADC Call - EMP Versions

Hi Christian and Rahki –

I'm not sure if this is helpful (but I'm hoping it is) - I wanted to forward you this spreadsheet that is used on the ADC calls for the EMP applications. This group controls the deployment of EMP Module updates to production. In particular, there are some version numbers here for production – you might be able to compare these to what you have (if you have version numbers) to ensure it's the latest.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
http://intranet.epa.gov/webdev

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/20/2018 7:02:43 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: Preferred Name

Hello Colleen

Thanks. It's OK though if they can't. Nickname is Christian.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Tuesday, February 20, 2018 1:43 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Preferred Name

Hi Christian,

Thanks for letting me know on the name ☺. EZTech may be able to change it for you, and if they can, it may change in JIRA, too.

Enjoy the rest of your day ☺!

Thanks!

Colleen

From: Leckner, Erik
Sent: Tuesday, February 20, 2018 1:39 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Preferred Name

Hello Colleen

Likewise on the weekend, but I did work yday.

I prefer Christian.

Christian Leckner
Principal Engineer

ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Tuesday, February 20, 2018 12:31 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Preferred Name

Hi Erik (or Christian ☺),

I hope that you had a wonderful long weekend!

Do you prefer to be called Erik or Christian?

Thanks!

Kind regards,
Colleen McCarthy, MBA, PMP
Lead Business Analyst
ITS-EPA III - Supporting the U.S. Environmental Protection Agency
79 TW Alexander Drive, Building 4401, Room 480B
P.O. Box 13668, Research Triangle Park, NC 27709
mccarthy.colleen@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/5/2018 8:35:06 PM
To: leckner.erik@epa.gov
Subject: RE: Maps



Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, April 5, 2018 4:34 PM
To: 'leckner.erik@epa.gov' <leckner.erik@epa.gov>
Subject: Maps



Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/9/2018 1:23:24 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Repository

Just for further clarification

Fr (0 class file size differences)
Sma ([redacted] class file size differences)
Empadmin (0 class file sizes differences)
Oildb ([redacted] of class file size differences)
Equipment ([redacted] of class file size differences)

The ones in red could be a result of just different compiler options, etc that they used for builds, etc.
But it could mean they are different source code releases just as equally. I'll explore further but source code repository gives peace of mind on the red ones unless I tweak and see if I can match file sizes based on compiler version/options and so forth.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, March 8, 2018 8:20 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Repository
Importance: High

Hi Ed

Question 1: It can't hurt to ask again ☺ Is there anyway to get Salient's Source Code Repository? Please see reasoning below.

The reason I ask is that when I compare staging class files with those I compiled from source from epa ftp site, I get. Java **Class** files are compiled from Java **Source** files by the way.

Fr (0 class file size differences)
Sma ([redacted] class file size differences)
Empadmin (0 class file sizes differences)
Oildb ([redacted] of class file size differences)
Equipment ([redacted] of class file size differences)

Note that with the compiler, debug options, etc. there could be differences in class sizes so it could be irrelevant.
(ex: equipment is using 1.5 JDK for some reason even though others are on 1.8)

Since no source code repository, I can only build off what I have as source.

When we have a place to deploy, then I can at least run it and see if anything occurs, it it's all the same, then it's OK without source code repository.

Question 2: It can't hurt to ask yet again ☺ ☺ . Staging as others have said isn't even being used. Paula is super protective of staging. Once we get development server, then I can run these types of tests but until then we have a server which isn't being even used and we could use it to make progress. Don't think it will ever happen but couldn't hurt to ask. What I would use it for is a place to deploy, point Tomcat web server to the dev deployments, and then switch it back after I am done with it. But I know that's kind of pushing the envelope… I may be able to do some workarounds perhaps by FTP files to my local directory on staging with the permissions granted and even FTP tomcat there… and try that out as an option. Of course the other option is to wait for the dev server.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/13/2018 6:06:28 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: EMP Communication Involving Rob Thomas

We should reinstate lead role so that Rakhi starts listening to suggestions versus combatting them. This isn't about title, but ever since that email sent out about lead, I am getting nothing back from Rakhi of any use. I gave her a problem to work on for PBI / Ex. 4 (library incompabilities) to save me time and have her work on that and she didn't even bother try to work on it. I will have to instead.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, March 13, 2018 1:59 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: EMP Communication Involving Rob Thomas

Christian,

The point of this email was not to keep you from replying to emails that Rob initiates. It was mostly directed towards Rakhi, if I'm being honest, to keep her from asking questions that she could resolve interally by working with you.

To your points, I am not seeing the hold-ups in email that you are referencing below. If you have emails that are going unanswered, or if you see answers coming back that are insufficient or blocking you, please tell me. You send **A LOT** of very verbose emails, on top of the 100+ that I get a day from my other projects – it is hard for me to clearly identify where your blockers are.

And honestly, there are definitely silos here, and they aren't going anywhere. Working around them is part of our job. This is Federal contracting - it's how Feds operate. I appreciate your enthusiasm to break through, but I cannot change the system that exists any more than Ali, Paula, Dan, Rob or anyone else can.

Ed

From: Leckner, Erik
Sent: Tuesday, March 13, 2018 1:26 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: EMP Communication Involving Rob Thomas

Hello Ed

We should discuss this since Rob has the insight into the project and at times I need to get information/insight directly or get others to get things done. We need to find a remedy for this if you wish to keep Rob out of emails that he is initiating. At this point in time, 1.5 months later, I still don't have access to:

a) PBI / Ex. 4 on staging as I requested 10+ times

b) Production files for the apps as I requested at least 2 times
c) Passwords as required regularly without 5 day delays and then still never getting them.
d) WAM PBI / Ex. 4 property configured for the new dev PBI / Ex. 4

I need ALL passwords for databases and PBI / Ex. 4 such as geocode and I need access to staging setup for PBI / Ex. 4 and I need to see entire snapshot release of Production.

We need to cut thru all the silos. I recall back as Exec Director at Seagate in 1999-2002 I reported directly to the PBI / Ex. 4 PBI / Ex. 4 and they wanted me to break down all the silos on day one. I feel like I'm running into a lot of silos.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Monday, March 12, 2018 3:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: EMP Communication Involving Rob Thomas
Importance: High

Hey Folks,

Just a quick (but important) note on this topic. Lately I've noticed a lot more correspondence / questions to and from the team that involve Rob Thomas. To some extent this is great; I am glad that we have a customer who wants to be involved and can help us get problems resolved when we need that 'customer weight' behind what we're asking for. With that said, **I want to be sure we are not including Rob on questions or discussions that we can resolve internally / without his help.** For example, when we have a project setup question involving a missing file, or we need some help from another team internally (Paula Childers, Jay Waldo, etc.) that we are working internally to do all we can to get those things handled before involving Rob. I understand that it has been difficult at times, especially for the PBI / Ex. 4 PBI / Ex. 4, to get this rolling due to lack of transition. But as much as we can, we need to minimize the exposure of our struggles and the process of getting through setup to Rob. He should be involved when and if we have stopping points that we need his input to resolve, but not otherwise.

Thanks to all of you for your hard work so far on this project.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/3/2018 12:43:09 AM
To: Barefoot, Tonya M [Tonya.Barefoot@csra.com]
CC: Oldham, William [Oldham.William@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: RAM Order

Hi Tonya,

Any new update on the RAM order?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/7/2018 8:49:42 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: FW: EMP App Configuration Info

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Wednesday, March 7, 2018 3:35 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: EMP App Configuration Info

Oops…thank you for catching that error. That spreadsheet was entered by me. I accidently copied PBI/Ex.4 information from staging to prod. No PBI/Ex.4 app run on prod. Let me correct it and notified Colleen.

Thanks!
Cindy

From: Leckner, Erik
Sent: Wednesday, March 7, 2018 3:29 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: RE: EMP App Configuration Info
Importance: High

Hi Cindy

You mentioned that PBI/Ex.4 was not operational on production. In Rob's email, it is. Is it just a partial deployment or …

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Thomas, Rob
Sent: Wednesday, March 7, 2018 2:34 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; Fan, Cindy (Yanqian)

<fan.yanqian@epa.gov>
Subject: FW: EMP App Configuration Info

Hello Team. Here is the breakdown of Servers, Instances, and Applications at NCC. Looks like Training is on Production but this will be terminated once you all tell me the Dev Enviro Server is doing what we need it to do. Unless you all tell I can have the Training Environment terminated now. Thanks.
Rob

From: Ferko, Dan
Sent: Tuesday, February 27, 2018 7:18 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>
Subject: EMP App Configuration Info

Rob,

Last week you had asked for a break out of the EMP apps to show which servers, databases, etc. were used by each app. I believe the attached xlsx file has what you need, and possible more...so you can update your assessment documentation.

Please let me know if you have questions or need additional info.

Thanks,

Daniel Ferko | Program Manager | CSRA | (o) 919-200-7258 | (m) 919-633-7038

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/6/2018 7:23:55 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Transition Info

Hi Ed

I think we can get all we need from **staging**. The documentation also has version listings but not at the very detailed levels for dependencies. I noticed they have dependencies scattered in their deployment libs, and I was able to determine a lot from that.

I did see Elliot's emails and unfortunately they thought one meeting on versions was too much to ask.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, February 6, 2018 2:19 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Christian,

I think you're on the email chain with Elliot where I sent him this info, and he's already replied to say he would verify #1, but was very unhappy with CSRA and not willing to help us beyond that.

Doing what I can here – it's not much given the situation unfortunately.

Ed

From: Leckner, Erik
Sent: Tuesday, February 06, 2018 2:15 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Transition Info

Hello Ed

Could you please have me validate Rakhi's requests for specifics? For example, I was able to find more than 4 PBI / Ex. 4 that Salient had provided. This way we can be pretty accurate whenever we externalize with other teams, etc. Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Tuesday, February 6, 2018 1:32 PM
To: ELLIOT NORMAN <elliot.norman@salientcrgt.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Elliot,

I understand that your team is fully engaged at this point. That said, we really didn't have an opportunity to transition this well on either side of the equation here and there are still some questions we really need answers to. There are a couple things we definitely need your input on/ can't ignore:

1. We found the source code provided doesn't have all the dependency jars required to build and run the project. For example, only 4 PBI / Ex. 4 are included for EMP admin. Can we possibly receive the list of dependency jars with exact version numbers for all the projects (while we could take the latest jars, we may run into compatibility issues. Knowing the correct version would save time rather than trial and error). If there is a source control branch with the code version in prod with all the dependencies, that would be good enough.

2. Would your folks be willing to at least answer our outstanding queries in email, or a shared location, if any arise while trying to bring up our local environment and test environments?

Thank you for your understanding here.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 02, 2018 12:01 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Ed,

Sorry our team are all fully engaged on other projects and we cannot spare them to do knowledge transfer for prior contracts at this time.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170

703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Friday, February 2, 2018 11:46 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Elliot,

My name is Ed Campbell – one of the team members over at CSRA on this project. I was wondering if it would be possible to schedule a knowledge transfer session between Christian Leckner and Rakhi Madhavan – PBI / Ex. 4, CC-ed here – and members of your PBI / Ex. 4 team? There are some questions from our folks that I think would be most efficiently answered in a conference call / knowledge transfer setting. We can work around your availabilities in the next week or two. Please let me know if you think this is possible.

Kind Regards,

Ed Campbell, PMP
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Thomas, Rob
Sent: Friday, February 02, 2018 10:49 AM
To: ELLIOT NORMAN <elliot.norman@salientcrgt.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>
Subject: RE: Transition Info

Hi Elliot.
That's wonderful! NCC couldn't tell what was there and needed to ID which space belonged to EMP. Understood. Thanks for verifying!

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 2, 2018 10:43 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>
Subject: RE: Transition Info

Rob,

We did upload all of our code to the GoAnywhere FTP site. Are you able to get it? We don't have access anymore to check to see if someone took it down.

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Thursday, February 1, 2018 5:00 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Transition Info
Importance: High

Hi Elliot.
I missed one package of information; 500mb of EMP application code. Was it uploaded to EPA's GoAnywhere or FTP site? Let me know so we can get NCC to fish it out. If not, we can use an alternate code dump location. Thanks.

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 4:26 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Transition Info

I don't. Sorry.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, January 31, 2018 4:25 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Hi Elliot. Ok.. Do you have a copy or watered down version? Thanks.

Rob

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 4:18 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Re: Transition Info

We followed our proprietary Salient CRGT PBI / Ex. 4

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

---

Salient CRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

-------- Original message --------
From: "Thomas, Rob" <Thomas.Rob@epa.gov>
Date: 1/31/18 15:25 (GMT-05:00)
To: "Norman, Elliot (US)" <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

-------- Original message --------
From: "Thomas, Rob" <Thomas.Rob@epa.gov>
Date: 1/31/18 15:25 (GMT-05:00)
To: "Norman, Elliot (US)" <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

One more thing. Did we ever have a PBI / Ex. 4 document?

From: Thomas, Rob
Sent: Wednesday, January 31, 2018 2:51 PM
To: 'Norman, Elliot (US)' <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Thanks Elliot. Now it arrived. LOL

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 2:45 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Transition Info

Here is the piz file

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, January 31, 2018 2:36 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Hey Elliot. It's text file

"The content Guident-OEM-Docs.zip of type has been blocked".

Change the name of the file extension to piz.

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 2:33 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: Transition Info

Here is the file

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Norman, Elliot (US)
Sent: Tuesday, January 9, 2018 1:48 PM
To: 'Thomas, Rob' <Thomas.Rob@epa.gov>
Cc: Cunningham, Patrice <cunningham.patrice@epa.gov>; Ivory, Barbara (US) <Barbara.Ivory@salientcrgt.com>
Subject: Transition Info

Rob, Patrice

Here is the status on the current EPA OEM work conducted by Guident and the documents for each app.

We are yet to hear from CSRA on where to upload the code (500mb) or to arrange any knowledge transfer meetings from our team. Please let me know if you have any questions

Recurring Tasks

Meetings/Deliverables

Bi-weekly ADC/Privacy Controls meeting (Wednesdays @ 2 PM)

Monthly FR SHEM User Forum (1st Tuesday @ 3 PM)

Monthly Help Desk Report

Monthly NCC App Hosting Customer Forum (3rd Thursday @ 11 AM)

Current Status/Initiatives

Field Readiness

- FR 12.3.1 – this is a small bug fix for some issues with the bulk upload training spreadsheet. It was deployed 1/8/18
- FR 12.3 was meant to be completed as 3 separate sprints, sprints 2 & 3 are yet to be authorized
- Requirements are already done for 2 & 3 and are currently sitting on the "Deleted Reqs" tab in the FR 12.3 RTM

OECA Non-FLETC Course Migration

- We are currently in user testing of 2nd batch of course record uploads to FR for Dan Weese of OECA/CID
- There are new courses, changes to course names, and several hundred new person training records being uploaded to FR
- Dan is currently testing in Salient CRGT Demo environment, when he gives OK Cindy can move changes to production

Oil DB

- v13.5.3 was released to production 1/8/18
- Scope for next release has not been defined

Mobile App

- We finished the app code and accompanying web services about a year ago but EPA doesn't seem to have a way to distribute the iOS version to EPA devices
- The web services have been deployed to production by NCC
- The Android .apk installation file is available for download in EMP but there are little/no Android users at EPA

Equipment

- ETM data supposed to be migrated to OARM's AAMS (aka Sunflower) asset management system, but no ETA as efforts were put on back burner due to hurricane responses (per Josh Woodyard)

EMP Admin

- No planned updates

LGR

- No planned updates

PBI / Ex. 4

IMH

- No planned updates

SRS Web Service

- No planned updates

PBI / Ex. 4

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/13/2018 9:32:21 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Cleanup/Consolidation JIRA Tickets

Sorry to break it out into emails (working on other dev stuff):

Think of server instance consolidation as **how** we deploy apps

Cleanup is **what** we deploy

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Tuesday, March 13, 2018 5:24 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Cleanup/Consolidation JIRA Tickets

Hi Folks,

I'm thinking that we may have several areas in which we need to do consolidation or cleanup. What do you think of a ticket nomenclature that would be "Consolidation/Cleanup: [Area]". Maybe "Cleanup/Consolidation: [Area]" would be better…

Thanks!

Colleen

PBI / Ex. 4

From: Campbell, Ed
Sent: Tuesday, March 13, 2018 4:44 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Service Instance Consolidation - New JIRA

Colleen –

I think we do have a ticket (maybe submitted by me) for instance clean-up. Christian's talking about the same thing here, you can add his language about apache tomcat consolidation.

Christian –

Looks like your email for Colleen might have been bogus Personal Privacy / Ex. 6 – you may want to remove that one from your favorites. Think maybe it was an auto email from JIRA I'd guess.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Tuesday, March 13, 2018 4:33 PM
To: Colleen McCarthy (Jira) <jira@tztrack.atlassian.net>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Service Instance Consolidation - New JIRA

Hi Colleen/Ed

If not yet submitted as a new JIRA ticket,

JIRA: Consolidate PBI / Ex. 4 server instances for applications wherever possible.

Busy on some things so I can add to that one as well if it isn't already reported. That's another thing Rob would like performed.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/9/2018 12:15:26 AM
To: leckner.erik@epa.gov
Subject: Step

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/22/2018 2:50:45 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
Subject: RE: EPA EMP Status

Had some thoughts about Salient's repo while working on ours. Maybe they never even tagged their releases with a revision number so they didn't actually know what version they had where and maybe they also never branched their trunk with a revision number so they couldn't separate it out and so maybe Salient's lead engineer was too shy to let us know that. But then again who knows, I wasn't there ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, May 21, 2018 10:48 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: EPA EMP Status
Importance: High

Hello Ed

Think it's a good stopping point for the day ☺. So, I since we last corresponded in email this morning (and haven't taken a real break since this morning),

a) Created the EMP source code repository (see below)
b) Created the EMP official 1.0.0 initial release which is up on PBI / Ex. 4 (we can always increment to the magic 13.0.0 number)
c) Created an EMP branch 2.0-M1 for initial development.

After Friday to Monday morning without the PBI / Ex. 4 services, was able to work on it.

Next on my plate is to work with the 2.0-M1 branch – checking it out, working with it, testing commits, etc. Tomorrow is where I start on that. Worked thru a lot of issues today with the permissions set on the repository and root owning it the process hence creating files under root as owner – but there was caveots to that which required further file permission settings to Personal Privacy / Ex. 6 and group users.

Note **14573 files** in the repository. I also added the deployable PBI / Ex. 4 files and built class files (for quick access at any time to redeploy). So 14573 minus the compiled code files and the PBI / Ex. 4 files makes for the repo. 1.081 GB (minus then the PBI / Ex. 4 files and the class files so about half of that).

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/2/2018 5:55:03 AM
To: leckner.erik@epa.gov
Subject: TDD

Empadmin OK
Fr OK but logging again each time
Oildb OK and didn't need to login again

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 4/5/2018 8:34:28 PM
To: leckner.erik@epa.gov
Subject: Maps

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 5/22/2018 2:27:40 AM
To: Leckner, Erik [Leckner.Erik@epa.gov]
Subject: EMP Version 1.0 Initial Version

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/6/2018 2:43:02 AM
To: Hoke, Kimberly D (CGI Federal) [kimberly.hoke@cgifederal.com]

Subject: Accepted: FRS/Oil Database Transfer
Location: Web Ex and Conference call - see below

Start: 3/9/2018 4:00:00 PM
End: 3/9/2018 5:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/2/2018 12:41:01 AM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Other app after successful empadmin login

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/7/2018 6:20:23 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Weekly OEM EMP Status
Location: Conference Call

Start: 2/8/2018 7:00:00 PM
End: 2/8/2018 7:30:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/8/2018 1:15:35 AM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: RE: Project builds

Importance: High

Hi Ed and Ali

Was able to get all the projects to build (see left panel in PBI / Ex. 4 no red errors). Some of the issues I encountered getting it to build include:

One of the file was not in the proper package that Salient gave us (was in a default package and not the correct package name)
A PBI / Ex. 4 library which I retrieved from an old PBI / Ex. 4 packages (which could be on staging but I downloaded it from the net)
The way in which they provided us with the PBI / Ex. 4 package (I overrode their library with the PBI / Ex. 4 Library)
…

So now all builds. Next on my list is to see staging and see what we have from EPA site compares to that on Staging.

However, as discussed in meeting earlier, there still is a chance that staging doesn't include source (not needed for deployment in PBI / Ex. 4 since you have PBI / Ex. 4 files). If staging doesn't have it, we will need to sync with Rob to ensure that the source is the most current from Salient – otherwise we will be working with a stale copy.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 6:26 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: Project builds

Hi Ed and Ali

I now have PBI / Ex. 4 able to build.

The equipment and oildb projects refer to packages not provided with the zip files, but once I have access to staging, they will be there and I can pull them from staging – they also may be somewhere else zipped but they appear to be external PBI / Ex. 4 classes. In any case, I am documenting what is missing, and what I needed to do to make the others work given the source we were provided. Staging will definitely help.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/13/2018 9:08:51 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Yet another JIRA ticket - see details inside
Attachments: CookieNotFound.png; CookieNotFound2.png; Cookie3.png

Importance: High

PBI / Ex. 4 **not found** is present in dev, staging, and production logs. It is also being reported as both ERROR and INFO statements. Source code comments out cookie generation in places, etc. which means that Salient may have been trying to determine where cookies should be created, etc. This ticket has two parts:

1. Further investigation required.
2. Resolve any issues related to PBI / Ex. 4.

For example, when I log in to production for the first time with an empty cache, I receive the error by it not allowing me in. Then I exit out from fr application and then relogin and it will work. Related to cookie issue.

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/6/2018 5:12:39 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Error details in PBI / Ex. 4 while trying to connect with PBI / Ex. 4 user

Hello Rakhi

Is PBI / Ex. 4 the only hibernate version that you have running? There is a mismatch, that is why I ask.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, March 6, 2018 1:27 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Error details in PBI / Ex. 4 while trying to connect with PBI / Ex. 4 user

Hi Christian,

I tried experimenting the PBI / Ex. 4 as login as I got an authorization error while using my own login id/pwd.(please refer the error and screen shot below). Looks like a hibernate version mismatch error.

PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, March 5, 2018 10:10 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Error details in PBI / Ex. 4 while trying to connect with PBI / Ex. 4 user

I am not sure what you mean by gave credentials we got from J after you accessed the SMA page. Are those the credentials you tried to use to login?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, March 5, 2018 8:00 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Error details in PBI / Ex. 4 while trying to connect with empgroup_admin user

Sure! Thanks! Can do screen share when you have time.

For set up/config, I did the following steps.

- Imported project using at file in SMA we got from Salient
- In for PBI / Ex. 4 credentials, I used the values we got from J. Used the webservice url I got from staging (fractal) property file.
- Used the keystore.jks from staging.
- Deployed to local PBI / Ex. 4 and accessed the PBI / Ex. 4 page. Gave credentials we got from J.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Monday, March 5, 2018 7:39 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Error details in PBI / Ex. 4 while trying to connect with PBI / Ex. 4 user

You are encountering an authentication error so something in the way you setup your environment is causing the issue. Im not sure of your setup. Please look into screen sharing and we can use that in the future.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Monday, March 5, 2018 7:36 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Error details in PBI / Ex. 4 while trying to connect with PBI / Ex. 4 user

Hi Christian,

- At first I got the following error.

PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/8/2018 8:41:45 PM
To: leckner.erik@epa.gov
Subject: Steps A

Open project from filesystem

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/1/2018 11:18:34 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: Review WAM processing for EMP apps

Thanks Cindy for doing this.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Thursday, March 1, 2018 5:39 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Waldo, James V. <Waldo.James@epa.gov>; Henderson, Kertis <henderson.kertis@epa.gov>
Cc: Cusumano, Vicente <Cusumano.Vicente@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Review WAM processing for EMP apps
Importance: High

Hey James,

Please see attached list for PBI / Ex. 4 groups used in EMP applications. This list is generated from staging database and includes several PBI / Ex. 4 groups which are not created in production yet. For the groups' members, is it possible for you to copy them from staging PBI / Ex. 4 as well? Feel free to call me if you have any question: 703-509-0460.

Thanks!
Cindy

-----Original Appointment-----
From: Ferko, Dan
Sent: Wednesday, February 28, 2018 6:19 PM
To: Ferko, Dan; Fan, Cindy (Yanqian); Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed; Childers, Paula; Waldo, James V.; Henderson, Kertis
Cc: Cusumano, Vicente; Thomas, Rob
Subject: Review WAM processing for EMP apps
When: Thursday, March 1, 2018 4:00 PM-4:30 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Conference Line Conference Line/Code / Ex. 6

Discuss
- Current Authentication and Authorization of EMP apps
- WAM services for development

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 9:31:18 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Apps

PBI / Ex. 4



fr:

PBI / Ex. 4

Oildb

PBI / Ex. 4



Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 10:45:51 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: JIRA - EMP Main Page Help Desk Email Update

53 occurrences were found (some of which may be duplicates found from src message.properties files being copied to WEB-INF for PBI / Ex. 4 packaging). I did a search on salientcrgt.com as well as helpdesk.

Also updated in JIRA.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/14/2018 10:54:28 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Maintenance Classification of JIRA

Hi Colleen,

Thanks. We'll see what Ed comes up with ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Wednesday, March 14, 2018 6:53 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Subject: RE: Maintenance Classification of JIRA

Hi Christian,

Just catching up on email…

I entered a ticket for the issue below, but it looks like it needs the "two parts" added.

PBI / Ex. 4 **not found** is present in dev, staging, and production logs. It is also being reported as both ERROR and INFO statements. Source code comments out cookie generation in places, etc. which means that Salient may have been trying to determine where cookies should be created, etc. This ticket has two parts."

I'm all for any categorization that keeps tickets as organized as possible ☺! When I think about entering any kind of data, I always think about reporting on that data, so that the data gets entered in a way that we can easily report on it if we want to do that. We could preface the tickets with the classification name, we could use labels field, or there may be another field or option that is reportable that we can use. Ed is the expert on JIRA, so I'll let him chime in on whether we would ever want to report on those classifications or not, and if so, where we would like to put the classifications.

Thanks much to you all for suggesting this!

Colleen

PBI / Ex. 4

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 5:07 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Maintenance Classification of JIRA

Hi Colleen

One additional note:

Many of the bugs reported are also maintenance issues, but the ones below are those which are detected while going thru their code, or logs, etc. that aren't really JIRA items that others have discovered outside of development. So there are really multiple types of classifications even for maintenance:

NEW DEVELOPMENT
APPLICATION MAINTENANCE (noticeable by others which see the apps as a PBI / Ex. 4)
INTERNAL DEV MAINTENANCE (not noticeable by others outside of dev team)

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, March 14, 2018 5:03 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Maintenance Classification of JIRA
Importance: High

Hi Colleen

In our dev group meeting, Ed raised an excellent point about classifying the individual JIRA tickets which pertain to maintenance related issues. By maintenance, I mean the following:

Software maintenance is the modification of software after delivery to correct faults, to improve performance or other attributes. In this case, we mean that potential bugs which exist in the current version of Salient's software before we work on it. A common perception of maintenance is that it merely involves fixing defects. However, one study indicated that over 80% of maintenance effort is used for non-corrective actions. You can think of these as those which Rakhi or I see as we are working on their existing software (so self-reported bugs/issues/concerns).

You can prefix those perhaps as **Maintenance:** or group them together in the way you deem best.

So here is the 3 member **list** that fall under **Maintenance**:

OEM-48
OEM-46

OEM-Plus this one which I didn't yet see filed as a JIRA ticket which I sent out yday:

From: Leckner, Erik
Sent: Tuesday, March 13, 2018 5:09 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Yet another JIRA ticket - see details inside
Importance: High

ObSSOCookie not found is present in dev, staging, and production logs. It is also being reported as both ERROR and INFO statements. Source code comments out cookie generation in places, etc. which means that Salient may have been trying to determine where cookies should be created, etc. This ticket has two parts:

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/8/2018 8:27:38 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: Staging directories

Hi Ed and Alison

Thanks for delegating to Dan – it turned full circle back to Paula and we now have the directories for which the applications are deployed. We also have documentation.

Very useful – thanks again.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/8/2018 6:45:29 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Dynamic Web Module facet is missing for Equipment project

Sure, thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 8, 2018 1:39 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Dynamic Web Module facet is missing for Equipment project

Sure! That error is thrown when the flow is at the security framework classes (part of admin) . I will deploy PBI / Ex. 4 together with emp-admin to find the root-cause of the error.
I will keep you updated.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, March 8, 2018 1:27 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Dynamic Web Module facet is missing for Equipment project

Rakhi

It would be nice if you could still need to solve the PBI / Ex. 4 problem, so put that on your task list. I have an idea as to why they aren't experiencing it on staging, but solve the issue and provide a resolution for me to look at. We're going to need to do that anyways.

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 8, 2018 1:25 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Dynamic Web Module facet is missing for Equipment project

Sure! I will try setting it up again!

I am right now not working on PBI / Ex. 4, as its not in prod now. So the priority might be low.
Trying to get PBI / Ex. 4 up. Once I have the rest up, I will go back to PBI / Ex. 4 and look at the hibernate version compatibility problem.
Hope that's ok...
Also having PBI / Ex. 4 deployed helps the debugging of PBI / Ex. 4 as the error portion seems to at a 'handshake' point between PBI / Ex. 4

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, March 8, 2018 1:18 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Dynamic Web Module facet is missing for Equipment project

Hi Rakhi

This didn't happen for me. Maybe you can start from the beginning again on equipment.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, March 8, 2018 1:45 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Dynamic Web Module facet is missing for Equipment project

Hi Christian,
The dynamic we module facet is missing for equipment project.
Its web resources were under src\main folder.

PBI / Ex. 4

Thanks,

Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 9:12:11 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: EMP Status Meeting 2/27/2018: Agenda Items

Nice work! Of course I still need to go thru it but nice work!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, February 26, 2018 3:51 PM
To: McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: RE: EMP Status Meeting 2/27/2018: Agenda Items

Hi Rob and team,

I went through the "FR auto-email" procedure and summarized its requirements in following:

- Auto-notifications will be available for selected recurring courses in FR
- For any course, emails can be sent at multiple set intervals before or after the course expires on someone's profile
- Any employee with a course set up with an auto-notification will receive a single email on Monday that lists all the courses that have already expired or will expire within the number of days before or after as set by the email interval
- Supervisors and non-OID Admin groups can also receive weekly summary emails of all employees in their purview with expired/expiring courses
- Emails can be individually turned off from the Manage Training page
- Inactive employees and employees with Suspended/No Longer Required courses will not receive emails
- Emails as a whole can be turned on/off and/or intervals added/removed
- EMBI will contain a report listing all emails that have been sent

I also attached three email examples from production log table for you to review.

"employee.html" is the email body what FR employee Jeffrey Thomas had received about his training status on Feb 19,2018. Employee only receives one email per email frequency.
"supervisor.html" is the email body what FR supervisor Michael Davis had received about his team members training status on Jan 22, 2018. Supervisor only receives one email per employee per email frequency.
"admin.html" is the email body what non-OID Admin group had received about FR team members training status on Feb 19,2018. Admin group only receives one email per employee per email frequency.

We can discuss more details on tomorrow team meeting.

Thanks!

Cindy

From: McCarthy, Colleen
Sent: Monday, February 26, 2018 10:33 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: EMP Status Meeting 2/27/2018: Agenda Items

Hi Folks,

Below is a proposed agenda for our EPM Status call tomorrow, Tuesday 2/27/2018 from 2:00 p.m. – 3:00 p.m. EST.

Please feel free to respond to me with any items that you would like to discuss and I'll add them and send out the agenda again later today (or, depending on when get the items -- and whatever may fall out of the sky today -- at zero dark thirty tomorrow morning ☺). Items in italics are not complete or in flux.

Thanks!

Colleen

Agenda

1. Review actions from last meeting.
2. Review status of requirements gathering, assessing and JIRA entry for all modules:

Three sources of documented requirements have been identified and are listed below with their current status.

a. Excel Spreadsheet from Salient – All requirements entered into JIRA
b. List of "capabilities" From January 2018 SHEM User's Forum Minutes – Need to be assessed and entered into JIRA
c. Help Desk Tickets – Need to be located, assessed and entered into JIRA

3. Priority of Modules/Requirements:

From Emails between Rob and Colleen :
Colleen to Rob: So just to confirm, for FR, our top two requirements are autoemail and immunizations, and now we'll have some requirements for Oil Db. Would you say that the FR application and the Oil Db application are the same priority, or is one more important than the other?

Rob to Colleen: Confirmed those are two top requirements for FR unless SHEMD changes.
FR and Oil Db are the two flagships of EMP. At present FR has Priority OEM...the Agency is still in Response mode to the 5 or so disasters. When we meet with Troy and others the priority for Oil Db will be determined afterwards.

4. *Categories for Issues in JIRA*

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 10:09:43 PM
To: Fan, Yanqian [fan.yanqian@epa.gov]; Smith, Doug L [Smith.Douglas@epa.gov]
CC: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Application-Specific Database Questions

Hello Cindy,

Thanks! I'll have more but they will follow over time – we can use this email thread for discussion.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Thursday, February 15, 2018 4:55 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Smith, Doug L <Smith.Douglas@epa.gov>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: Application-Specific Database Questions

Hey Christian,

1. When new column or new table needed in system, PBI / Ex. 4 team would discuss the requirement with DBA. Then DBA would create script and make change in database. DBA is responsible for creating all database objects, like table, view, sequence, trigger, synonym, constraint, index, etc.
2. Yes, many database procedures and functions are called by PBI / Ex. 4 application. DBA would discuss with PBI / Ex. 4 team on the new requirement and create procedure/function in database. DBA would finalize the release script.

Please let me know if you have more question.

Thanks!
Cindy

From: Leckner, Erik
Sent: Thursday, February 15, 2018 4:42:26 PM
To: Fan, Cindy (Yanqian); Smith, Doug L
Cc: Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: Application-Specific Database Questions

Hi Cindy,

A couple of questions for you initially:

Question 1: Whenever the PBI / Ex. 4 dev team needed to create a new database table or update an existing table did they create the SQL script for you to place in staging and production, with its primary indexes, secondary indexes, referential integrity constraints, triggers, sequences, etc.?

Question 2: What were the db policies for stored procedures – did the Java dev team stray away from them or did they use them?

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/8/2018 8:26:14 PM
To: Ferko, Dan [Ferko.Daniel@epa.gov]
Subject: RE: Staging emp directories

Hello Dan

Thanks, Paula sent us documentation – I actually started with Paula the other day.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, February 8, 2018 2:34 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: RE: Staging emp directories

Hi Dan,

Is there any way for you to determine what the top level directory/directories are on PBI / Ex. 4? This is definitely needed – and to ensure that I can access to those directories. At this time, I have no information as to how it is being deployed onto staging (which directories), and **really** need this information. Thanks

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Ferko, Dan
Sent: Thursday, February 8, 2018 2:11 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Staging emp directories

Hello Erik,

I believe all of the EMP apps should be deployed on PBI / Ex. 4, except the PBI / Ex. 4 web service and the PBI / Ex. 4. I am not familiar with how the EMP code is organized on PBI / Ex. 4. I also believe you are in the AD group designated for EMP developers. I believe this group has more privs than the group granted to those that just request access to PBI / Ex. 4.

Thanks,
Dan

From: Leckner, Erik
Sent: Thursday, February 08, 2018 1:33 PM

To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: Staging emp directories

Hello Dan

Do you know where the staging emp directories are and do we have access to those directories on PBI / Ex. 4?

Erik Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/6/2018 6:50:05 PM
To: Page, Alison [Page.Alison@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: missed call

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Page, Alison
Sent: Tuesday, February 6, 2018 9:28 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: missed call

Hi Christian ☺

Here's the code that's needed for your OLEM project:

PBI / Ex. 4

Added Rakhi and Ed so they have it too.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, February 05, 2018 4:12 PM
To: Page, Alison <Page.Alison@epa.gov>
Subject: RE: missed call

Hello Alison

Dominique from PBI / Ex. 4 mentioned that you can walk me thru the proper codes to use for PBI / Ex. 4. Do you have the project code(s) that our team should be using?

Best
Christian

From: Page, Alison
Sent: Monday, February 5, 2018 10:49 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: missed call

Hey Christian,

I was just remembering that I missed a call from you on Friday evening. I was actually trying to cook dinner and was checking on other work we had lingering. Sorry about that. I was wondering if you wanted to set up a standing call for a bit with me, Ed, and Rakhi a few times a week until you guys get settled? Some of what you're asking about we have to research and get you answers back but those answers also apply to Rakhi. Let me know. ☺

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/20/2018 2:00:55 AM
To: Page, Alison [Page.Alison@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Admin Access Status - Waiting on One Final Approval

Hello Alison,

Great – thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Page, Alison
Sent: Monday, February 19, 2018 8:02 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Admin Access Status - Waiting on One Final Approval

I forwarded this to DeShelia and Will – asking them to apply some pressure to Douglas. :-/

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, February 19, 2018 4:26 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: Admin Access Status - Waiting on One Final Approval

Hello Ed and Alison

I am waiting on one final approval for admin access: Douglas, Ambrosia. If either of you can help, that would be great.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/12/2018 10:41:43 PM
To: Helgesen, Jessica [helgesen.jessica@epa.gov]
CC: Eyet, Carol [Eyet.Carol@epa.gov]
Subject: RE: EPA Badge

Hi Jessica

I have not yet received the epass card, as per our discussion.

Erik Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, February 12, 2018 5:41 PM
To: Helgesen, Jessica <helgesen.jessica@epa.gov>
Cc: Eyet, Carol <Eyet.Carol@epa.gov>
Subject: EPA Badge

Hi Jessica,

Could you please let me know epass card?

Erik Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 3/5/2018 11:18:31 PM
To: McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]
Subject: RE: Office Phone Numbers

Mine is office = cell.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: McCarthy, Colleen
Sent: Monday, March 5, 2018 6:17 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: Office Phone Numbers

Hi Folks,

Are the numbers below your office or home/cell numbers? I'm reviewing our Contingency Plan and putting our office numbers in it. I don't have an office number yet, and I know that it might be the case with you all, too ☺.

Cindy Personal Privacy / Ex. 6
Christian 949.244.6501
Rakhi Personal Privacy / Ex. 6
Swetha Personal Privacy / Ex. 6

Thanks!

Colleen

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/28/2018 8:59:32 PM
To: Ferko, Dan [Ferko.Daniel@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Childers, Paula [Childers.Paula@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Action Items from PBI / Ex. 4 /Dev Meeting
Attachments: ts_101321v020101p.pdf

In the meeting, I referred to a similar setup that I co-authored for iPass/AT&T with TransNexus for VoIP (Voice over IP used by Cisco, Ericsson, etc) for authentication/authorization services. Here it is attached. Similar concept being used by EPA services.

There are multiple configurations/architectures that are being used today – the PBI / Ex. 4 mentioned that they were moving towards another approach in September.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, February 28, 2018 3:49 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>; Childers, Paula <Childers.Paula@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Action Items from PBI / Ex. 4 Dev Meeting
Importance: High

Action Items

The following specifies a list of action items to permit the exchange of authentication and authorization information between our local development machines (i.e., laptops), a shared development environment and the EPA standardized authentication and authorization services. The action items specified fulfil our requirements, by providing appropriate functionality between multiple administrative domains.

Action Item 1

Organize an IAM Services Meeting so that I can discuss with that team all related IAM services (including encryption, etc.).

The Identity Management Server and Access Management Services, represent the existing EPA Portal security infrastructure leveraged by the ETM application for user authentication and authorization. Although in the meeting others referred to it as primary and secondary authentication, it is actually user authentication and authorization, as even defined in the documentation. We need to not only understand it, but have it operable (for token generation, cookies, peer-to-peer communication, etc). In a peer-to-peer architecture that is being today, server applications contact each other directly, without any control or coordination from users. We need this to work via local machines and a shared or dedicated dev machine. We also need to work with members of that team to ensure proper encryption/decryption for cookie generation/usage so the meeting should include those technical from PBI / Ex. 4 that fully understand application related topics as it pertains to PBI / Ex. 4

Action Item 2

Development Server

A Development Server is required for shared development work. The development server could be:

i) A shared server collocated with other applications/services; or
ii) A standalone/dedicated server capable of running our applications and PBI / Ex. 4 PBI / Ex. 4.

Action Item 3

a) Access to PBI / Ex. 4 server and application logs. The logs, after all, are really intended for developers, as we are the ones who are specifically writing to the logs for FATAL, ERROR, WARN, INFO, DEBUG, and TRACE messages. Developers use these logs to determine any issues encountered via the logs. In my own experiences, even timestamps can benefit developers in tracking down issues (for example, a third party server could have been done at 3:02.234 PM and we can correlate this with error or warning messages in the logs). They were never intended for other teams or purposes.

b) Access to everything as it pertains to deployment to ensure all files/configs match as the staging server is our target server for deployment.

Rob recently made an excellent recommendation -> having an additional user (other than Personal Privacy / Ex. 6 for access to these logs) if this becomes an issue with our own accounts.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 8:37:31 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Chat About Christian's Concerns
Location: Conference Call

Start: 2/27/2018 8:30:00 PM
End: 2/27/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/7/2018 1:44:33 AM
To: Jackson, Tarsha [Jackson.Tarsha@epa.gov]
Subject: RE: EMP portal URL

Hi Tarsha,

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Jackson, Tarsha
Sent: Tuesday, February 6, 2018 8:14 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: EMP portal URL

Hi Erik,

This is the EMP portal URL: **PBI / Ex. 4**

Thanks,

Tarsha Jackson
Enterprise Identity & Access Management (EIAM)
ITS-EPA III - Supporting the US Environmental Protection Agency

79 TW Alexander Drive, Building 4401, P.O. Box 13668, Research Triangle Park, NC 27709
919.200.7432 | jackson.tarsha@epa.gov | tarsha.jackson@csra.com | www.csra.com
Follow us on Facebook | Twitter | LinkedIn

CSRA
Think Next. Now.

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 9:01:18 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: Elevated Privileges - Continued

Hi Ed and Alison

Two approvals since yesterday – now waiting on Simon, Harvey and Douglas, Ambrosia. Once those are approved, I can make sure that everything works on my machine (downloads, building in PBI / Ex. 4 – did a lot of work arounds – like unzipping PBI / Ex. 4 thru a multi-step process manually versus a regular installation ☺, etc.)

Thanks thus far. Harvey's next – and anything you two can do to let them know they are next in line .. ☺

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/5/2018 4:26:19 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: EPA PBI / Ex. 4 Repositories

Hello Ed

I will look into this..

Best
Christian

From: Campbell, Ed
Sent: Monday, February 5, 2018 10:57 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: EPA PBI / Ex. 4 Repositories

Hi Christian and Rakhi,

I was able to find some info on EPA's PBI / Ex. 4 ; would you please see if this is helpful / would work for EMP:

Here is the PBI / Ex. 4 site URL: PBI / Ex. 4
PBI / Ex. 4 apps are located in the "PBI / Ex. 4" subfolder : PBI / Ex. 4

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/12/2018 9:13:24 PM
To: leckner.erik@epa.gov
Subject: test

vfvf

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/5/2018 4:24:31 PM
To: Page, Alison [Page.Alison@epa.gov]
Subject: RE: missed call

Hi Alison

No worries. Right now I'm ok since it's been in email thus far with questions where both Ed and Rakhi have been recipients, but it could always be good to schedule calls at times.

Best
Christian--

From: Page, Alison
Sent: Monday, February 5, 2018 10:49 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: missed call

Hey Christian,

I was just remembering that I missed a call from you on Friday evening. I was actually trying to cook dinner and was checking on other work we had lingering. Sorry about that. I was wondering if you wanted to set up a standing call for a bit with me, Ed, and Rakhi a few times a week until you guys get settled? Some of what you're asking about we have to research and get you answers back but those answers also apply to Rakhi. Let me know. ☺

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283

PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/1/2018 10:03:20 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Chilivery, Swetha [chilivery.swetha@epa.gov]; McCarthy, Colleen [Mccarthy.Colleen@epa.gov]; Goods, Lawanna [Goods.Lawanna@epa.gov]; Fan, Yanqian [fan.yanqian@epa.gov]
Subject: RE: Software Requiring Licenses

We might also need a PBI / Ex. 4 repository server/machine (which may also be collocated with the development/ PBI / Ex. 4 server machine), and, if PBI / Ex. 4 is required, whether we use our own local PBI / Ex. 4 server or a web-based hosting service such as PBI / Ex. 4.

From: Leckner, Erik
Sent: Thursday, February 1, 2018 4:56 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>
Subject: RE: Software Requiring Licenses

We may also wish to consider what licenses that we need for:

a development server;
a PBI / Ex. 4 server; and
developer pcs/laptops.

From: Leckner, Erik
Sent: Thursday, February 1, 2018 4:47 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>
Subject: RE: Software Requiring Licenses

From PBI / Ex. 4, some of the software provided below will require licenses. Cindy might be able to provide some insight into whether developers installed local versions of PBI / Ex. 4 etc. Others are obviously required (PBI / Ex. 4 etc), but it would be useful to find the latest versions of each that the applications support/require.

Software Inventory

1.1 Database

- PBI / Ex. 4

PBI / Ex. 4

1.2 PBI / Ex. 4

PBI / Ex. 4

1.3 PBI / Ex. 4

PBI / Ex. 4

1.4 Mobile

PBI / Ex. 4

PBI / Ex. 4

From: Campbell, Ed
Sent: Thursday, February 1, 2018 4:21 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>
Subject: Software Requiring Licenses

Hi Team –

Following up to Rakhi's question on our status call today. We need to provide Rob a list of software we need that requires licenses to install and use. EPA will need to purchases the software / licenses for us and EZ Tech will install.

Please think about what you need and let me know. Once we've got a consolidated list, I will send it across to Rob for approval.

Thanks,

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/7/2018 9:13:32 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Staging Directory

Np

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 4:11 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Staging Directory

No Worries Christian! ☺ totally understand! It's good that you got some high level inputs from her. Like Tomcat version, and OFM being the only application deployed in WebLogic etc.... Hope we will be able to put all the pieces together and get the apps up and running soon ☺.
Thanks again!

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:05 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Staging Directory

Hi Rakhi
It started out as a simple question to Cindy and then escalated to Paula. I didn't add anyone other than the original thread participants... including Ed ☺

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 4:03 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Staging Directory
Importance: High

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 3:42 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: Staging Directory
Importance: High

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 9:02 PM
To: Childers, Paula <Childers.Paula@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: RE: Staging Directory
Importance: High

Hello Paula

Thank you for your reply. The PBI / Ex. 4 document that we received states PBI / Ex. 4 for several EMP apps.

PBI / Ex. 4

Which server(s) have you been granted access to?

PBI / Ex. 4

We should have an architectural meeting this week to discuss. I also still need access to the files on staging, so we can have the same project structure on our local machines for several reasons including having the latest files, viewing the exact directory structures, etc.

Thanks,
Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Childers, Paula
Sent: Tuesday, February 6, 2018 8:07 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Fan, Yanqian <fan.yanqian@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: Re: Staging Directory

I'm afraid you may have confused some of the architecture.

The majority of the EMP applications are deployed on dedicated servers running PBI / Ex. 4 This is what I work with.

The only component that runs on PBI / Ex. 4 is the webservice that runs on PBI / Ex. 4. I do not work with that.

Which server(s) have you been granted access to?

We might need to arrange some sort of architecture meeting to brief you on this...

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 7:00 PM
To: Fan, Yanqian; Page, Alison; Childers, Paula
Cc: Smith, Doug L
Subject: Staging Directory

Hello Paula,

Cindy has mentioned that you can provide me with the following:

> For PBI / Ex. 4 file location in staging, please reach out Paula Childers. She copies PBI / Ex. 4 files from staging to production for production deployment. So she will have this information for you

I now have access to the staging machine but not necessarily the appropriate directories for product deployments.

I need to have access to the staging directories, so I can determine the overall project structure as it is on staging and production, so we can mimic this in our own environments. Initially, this is not for deployment purposes, but just to browse the precise directory structures for both web and mobile with web being the priority.

It also would be super helpful to get the version of PBI / Ex. 4 that is currently being used in Staging and Production – this is so Ed knows which licenses of software the we need for development purposes.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Yanqian
Sent: Tuesday, February 6, 2018 6:52 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Page, Alison <Page.Alison@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: Re: Staging directories

Hi Christian,

I added Doug Smith in this email.

For PBI / Ex. 4 file location in staging, please reach out Paula Childers. She copies PBI / Ex. 4 files from staging to production for production deployment. So she will have this information for you.

For current PBI / Ex. 4 database version in Staging and Production, it is 11.0.2.4. But DBA team already have plan for PBI / Ex. 4. Doug will have more information on this.

For current PBI / Ex. 4 version in Staging and Production, if I am correct, it is 12.1.3.0. It is managed by WAM group.

Doug, please correct me if I give any wrong information.

Thanks,

Cindy

From: Leckner, Erik
Sent: Tuesday, February 6, 2018 5:11:55 PM
To: Page, Alison; Fan, Yanqian
Subject: Staging directories

Hello Cindy and Ali

I have access to the PBI / Ex. 4 machine now via PBI / Ex. 4, but I would need **access** to where the files are installed, etc.

Cindy - Perhaps you would know where all our projects are currently deployed?

Also, do you know precisely which versions of PBI / Ex. 4 are used in staging/production?

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/21/2018 8:25:39 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Discuss EMP Expectations and Other Questions
Location: Conference Line/Code / Ex. 6

Start: 2/28/2018 8:30:00 PM
End: 2/28/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/5/2018 4:20:34 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Regarding downloaded from newftp.epa.gov

Hello Rakhi

I was able to ftp it correctly. Can you please provide the steps that you took and which tool you had selected to use.

Thanks
Christian--

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Saturday, February 3, 2018 1:46 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Regarding downloaded from newftp.epa.gov

Hi Christian,
I just have downloaded the 13.6Gb zip file from newftp.epa.gov. Tried unzipping it. Got an error "the file is not a valid zip file". Looks like the file got corrupted during copy. I would like to check if your download is unzipping properly. I will anyway try to sftp again with filezilla.

Thanks,
Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/12/2018 6:07:10 PM
To: Page, Alison [Page.Alison@epa.gov]
Subject: RE: Elevate Privileges for Erik (Christian) Leckner

Still pending here too.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Page, Alison
Sent: Monday, February 12, 2018 9:25 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Elevate Privileges for Erik (Christian) Leckner

Hi Christian and Rakhi,

Can you please double check your admin rights and see if you have an approval?

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283

PBI / Ex. 4

From: Coleman, Sullie
Sent: Monday, February 12, 2018 8:21 AM
To: Lominack, William <Lominack.William@epa.gov>
Cc: Hall, Deshelia <Hall.DeShelia@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: Re: Elevate Privileges for Erik (Christian) Leckner

Good Morning, I think this was approve last week, but I'll confirm.

Thanks

Sent from my iPhone

On Feb 12, 2018, at 8:07 AM, Lominack, William <Lominack.William@epa.gov> wrote:

> GM Sullie,
>
> Can you provide an update on our request for elevated privileges for Erik Leckner? The request is with you for approval.

If there is anything you need to push this thru please let me know.

WILLIAM B. LOMINACK
OEI/OITO/SBMD
U.S. Environmental Protection Agency
109 T.W. Alexander Drive
Research Triangle Park, NC 27711
Office/Voice - 919-541-5461

From: Page, Alison
Sent: Friday, February 09, 2018 2:26 PM
To: Hall, Deshelia <Hall.DeShelia@epa.gov>; Lominack, William <Lominack.William@epa.gov>
Subject: FW: Elevate Privileges for Erik (Christian) Leckner
Importance: High

Hi DeShelia and Will,

We're not getting much traction with this approval of admin rights for the new PBI / Ex. 4 for Rob Thomas's EMP support. Could one of you please follow up with Sullie and try to get this moving forward?

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

From: Page, Alison
Sent: Wednesday, February 07, 2018 2:07 PM
To: Coleman, Sullie <Coleman.Sullie@epa.gov>
Subject: RE: Elevate Privileges for Erik (Christian) Leckner
Importance: High

Hi Sullie,

Apologies for not including both team members originally – but I just heard from my other member; Rakhi Nair (Rakhi Madhavan-Nair-Kamala-Devi) who is also awaiting your approval. Please let me know if I can provide any additional information to allow for prompt approvals.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

From: Page, Alison
Sent: Wednesday, February 07, 2018 1:27 PM
To: Coleman, Sullie <Coleman.Sullie@epa.gov>
Subject: Elevate Privileges for Erik (Christian) Leckner
Importance: High

Hi Sullie,

I'm reaching out to make sure you have what you need in order to approve this pending Elevated Privileges request for Erik (Christian) Leckner. Please let me know.

<image001.png>

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/21/2018 7:58:10 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Page, Alison [Page.Alison@epa.gov]
Subject: RE: One item from EMP meeting

Hello Ed

I don't think Cindy can do this for PBI / Ex. 4 development. She is knowledge in PBI / Ex. 4 but has no knowledge of Java and their PBI / Ex. 4 dev environment/servers, etc. from having spoken to her.

She did mention Salient is keeping dev environment intact for 6 months from the time when they were asked to pull things together for next team. She also mentioned she thinks they have on the development machine the PBI / Ex. 4 tree.

My initial recommendations are the following:

1. We ask Rob to get us the PBI / Ex. 4 tree of Salient (before it gets deleted).
2. We ask Rob to get Salient to prepare a quick README/NOTE for basic project setup after a build in order to run in PBI / Ex. 4. The lead developer most likely will remember all their setup steps, etc.
   They left that out.

I am working on having each of the servers run in local. However, there are errors while running the apps which relate to specific authentication/authorization cookies not being set, etc,
access to servers that were previously configured for Salient/Guident machines, etc (for example, PBI / Ex. 4 has references to OTHER services outside of empadmin that are indirectly related to empadmin subproject, etc.)

Those are my recommendations that you should be aware of. I am working to update more properties in each project as I deploy locally and test basic coverage.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Wednesday, February 21, 2018 2:28 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: One item from EMP meeting

Keep us posted on this Christian. I doubt there was a README – but if you think we should create and maintain one, and Cindy can help us with that – I'm all for it.

From: Leckner, Erik
Sent: Tuesday, February 20, 2018 3:09 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>

Cc: Page, Alison <Page.Alison@epa.gov>
Subject: One item from EMP meeting

Hi Ed and Ali,

The development team left out README files and Developer Guides from their documents list that they had sent us. Typically, a dev team provides at least a README.
As I am working on building the apps (lots of configuration on stale servers currently – Cindy will be able to help in some respects), I can update you whether this will be needed.
Right now I am working off the code base and the local server logs as I run PBI / Ex. 4 with applications running (currently focused on PBI / Ex. 4 and equipment).

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/1/2018 9:22:29 PM
To: I Metro Personal Privacy / Ex. 6
Subject: Test

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/21/2018 7:33:28 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
CC: Page, Alison [Page.Alison@epa.gov]
Subject: RE: Action Item

Thanks!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Campbell, Ed
Sent: Wednesday, February 21, 2018 2:27 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Action Item

Hey Christian,

I just wanted to ping you back on this. I asked if Paula would be willing to oblige us with an overview. I'll keep you posted.

From: Leckner, Erik
Sent: Monday, February 19, 2018 4:23 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: Action Item
Importance: High

Hello Ed,

One of the next things that will be useful is for Paula to give a comprehensive overview of deployment steps and specifically outline each step for each application: PBI / Ex. 4.

Paula's overview should include at least the following:

1. Outline a sample deployment onto Staging (for each application)
2. Outline a sample deployment onto Production (for each application)
3. Update the "Internal documents for new dev team" document. The current document is intermixed with common deployment steps and specific steps - it really should read as follows:

DEPLOYMENT STEPS:
STAGING:
1.
2. PBI / Ex. 4
3.

4.
5. PBI / Ex. 4

PRODUCTION:

6.
7.
8. PBI / Ex. 4
9.
10.

It's OK for Paula to cut and paste those common steps in each of the deployments but this way if there are specific questions that we all have, we can document them as specific notes to each application.

Could you help facilitate this with Paula or I can ask her directly but it is a work item that she would need to prepare and then present?

Best,

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/1/2018 7:49:25 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Regarding Source Code and Admin rights

I downloaded all sourecode using a client ftp program PBI / Ex. 4 and all files were extracted – the mobile package ran into some "skipping files – unable to create a sensible filename out of… " errors, but I was able to extract to another directory with a shorter folder path to avoid this type of error.

From: Campbell, Ed
Sent: Thursday, February 1, 2018 2:27 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: Regarding Source Code and Admin rights

Updating the email chain to use Rakhi's EPA email address.

From: Campbell, Ed
Sent: Thursday, February 01, 2018 2:17 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>; Smith, Doug L <Smith.Douglas@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>; Rakhi Nair <rakhi.mnair@gmail.com>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: FW: Regarding Source Code and Admin rights

Doug, Dan,

Rakhi and Christian have begun to have some questions about EMP code and source control, and I am not equipped to give them good answers ☺ They both have goAnywhere access now, and there's a copy of the source code there. That said, Elliot Norman (Salient) reached out and said that Salient has about 500mb of code to upload for us, if we can give them a location.

Basically, I need an individual with some authoritative answers on source control and how we should handle this. Can either of you guide us on this, or point us in the right direction?

Please ignore Rakhi's third question – I can help her with that.

Thanks.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 01, 2018 1:57 PM

To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Regarding Source Code and Admin rights

Hi Christian and Ed,
Thought of discussing few points.

1. With reference to Ed's mail yesterday, how do you think – zip copy or version control- Salient will/should be sharing the source code?
   I got access to PBI / Ex. 4 There is a copy of source code there. Is Salient's version different from that?
2. Regarding admin rights, I am yet to get my request approved.
3. How should we install the required softwares? Admins rights would be required to install anything or create folders. Should we create a EZ tech ticket to get software/tools installed or should we do it by ourselves once we get the admin rights?

Thanks,
Rakhi Nair

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/21/2018 6:11:59 PM
To: Sleeper, Stanley [sleeper.stanley@epa.gov]
Subject: RE: PBI / Ex. 4 install

Hello Stanley

I was able to get my admin access yesterday and so I no longer need the installation. Please keep the ticket open for a day so I can ensure it had gone smoothly my install.

Thanks!

Erik Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Sleeper, Stanley
Sent: Wednesday, February 21, 2018 8:17 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: PBI / Ex. 4 install

Eric,

I am reaching out to you to see if there might be a time today the we can get Java Kit installed ion your computer. If so you can respond back to this mail or I can be reached via voice at 919-541-4070 to set up a time.

Thanks,
Stan Sleeper
EZ Tech RTP Service
Deskside Tech, End User Services
ECS/EZTECH/EPA
109 TW Alexander Drive
NCC Room N189B
RTP, NC 27709
EZ Tech Service Desk: 866-411-4372 | EZTech@epa.gov
Voice: 919.541.4070 | Email: sleeper.stanley@epa.gov
For quick answers to some common issues, check out the EZ Tech website at http://intranet.epa.gov/eztech/.

ECS
People·Values·Purpose

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/20/2018 9:32:03 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: README/Dev guide

Hi Ed and Alison,

Headed out now to EPA but I just got off the phone with Cindy on some authentication details where we discussed some basics – Cindy though has no knowledge of the PBI / Ex. 4 application servers or logs, etc.. We may need to get a dev guide/README and a PBI / Ex. 4. According to Cindy, Salient still has a development machine which may have the PBI / Ex. 4

I will keep you updated as to whether we need either.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/16/2018 8:27:13 PM
To: Douglas, Ambrosia [Douglas.Ambrosia@epa.gov]
Subject: Request for Elevated System Administrator Privileges

Hello Ambrosia

I have one more pending approval for elevated privileges below. Would you know when this will be approved? Thank you in advance.

Request for Elevated System Administrator Privileges

Request Date	30 January 2018
Office Acronym	OEI
AA-Ship/Branch/Office/Site	OEI,OITO,SBMD,CAB
Building, Desk/Cubicle #	/
Phone Number	9492446501
Resource	
Detail Reason for Exclusion	
Timeframe for the Request	Permanent (Reviewed annually)
Justification	At any given time, members of the network and security operations or web development teams need elevated administration privileges to perform local functions and commands on our laptops for troubleshooting of network and security or web application issues to help resolve customer problems. In addition, elevated privileges are needed to store local 'work space' information that would be lost otherwise.

Best.
Erik Leckner
Principal Lead Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/20/2018 8:47:57 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: Staging EMP Application User Access

REQUEST!!!!!!! PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

REQUEST!!!!!!! / PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Tuesday, February 20, 2018 1:39 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Staging EMP Application User Access

Hello Cindy,

Thanks, I will be working on that in a bit.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Tuesday, February 20, 2018 11:37 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: Staging EMP Application User Access

Christian,

Could you please try login again with your LAN id ' Personal Privacy / Ex. 6 ? The password is same as your EPA credential. I have assigned your several application roles. Please login Equipment again and see if you can open the page.

P.S. PBI / Ex. 4 ' is Salient application TEST server.

Thanks,

Cindy

PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, February 19, 2018 3:50:44 PM
To: Fan, Cindy (Yanqian)
Cc: Campbell, Ed
Subject: RE: Staging EMP Application User Access

Hi Cindy

This is the screen that I get when I run equipment from PBI / Ex. 4 (from directly clicking the link on PBI / Ex. 4 screen):

PBI / Ex. 4

Authentication Failed. Please try again.

EPA Portal Home Close Window

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, February 19, 2018 3:21 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Staging EMP Application User Access

Hi Cindy

Also, in addition getting application access for EMP staging, there is server for PBI / Ex. 4 that is set in the properties for authentication. Do you have knowledge about this service? This is the error that I receive from PBI / Ex. 4 server running locally built apps for empadmin and equipment:

PBI / Ex. 4

I am able to run PBI / Ex. 4 (but will need EMP access) and also equipment, but equipment will need access from an EMP admin login.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Monday, February 19, 2018 3:10 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Staging EMP Application User Access

Hello Cindy

I need to get an account for access to the staging EMP application since I now have the application running on localhost (my local machine). How do we do this for staging or is there anything the db team can do to setup an account on staging for the empadmin application and all of its associated servicescamp?

Best,
Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT

949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/16/2018 5:27:14 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: Elevated Privileges - One More Approval Needed

Hello Alison and Ed,

One final approval is required – the Business Relationship Manager:

Douglas, Ambrosia

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/9/2018 8:31:30 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: RE: Transition Info

Hi Ed and Ali

Rakhi's statements should be validated first before relying on what she states – I knew that Elliot would come back from their lead developer that they had included all the PBI / Ex. 4 as I had no problem them – the locations of the jars were defined in the config files provided to us from Salient. Also, on PBI / Ex. 4 dev setup yesterday, she was not familiar with setting up a PBI / Ex. 4 project in eclipse even though she had considered it a junior level task, but couldn't properly import the project. Anyways, I can review Rakhi's work and mentor her along the way.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, February 9, 2018 3:16 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: FW: Transition Info

Hello Ed

(Elliot taken off communication)

Exactly as I pointed out, all the dependency jars are there, it's just located in two places. I let Rakhi know the other day where all the dependencies are although that could have been gathered from the project structure itself.

I also recommended that if we are missing anything, we can get it from staging/production.

...Except, of course, the master repository for PBI / Ex. 4 I may be able to retrieve some of the previous history.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 9, 2018 3:10 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Ed,

Here is the info from the developer. Hope it helps

"All necessary libraries should be there. We cannot check the .zip files now because we do not have an access, but we included them .
As for EmpAdmin, there are two places for libraries in there. First is a dependencies folder which has 4 libraries, and another one is PBI / Ex. 4

If for some reason they can't find those libraries in a zip file, we can send them separately.

Another way to retrieve libraries is getting them from the production or staging environments. "

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Tuesday, February 6, 2018 2:40 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Thanks Elliot. Appreciate you following up on #1. I am sorry to hear about your experience during transition, myself and the team were not involved in any of that.

Regards

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Tuesday, February 06, 2018 1:52 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Ed,

I will verify with my lead developer regarding number 1 but as I mentioned we are not able to provide further transition support. I sent multiple emails to your leadership during the 90 transition period suggesting we schedule meetings but they chose not to respond and rescinded our sub-contract agreement.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Tuesday, February 6, 2018 1:32 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Elliot,

I understand that your team is fully engaged at this point. That said, we really didn't have an opportunity to transition this well on either side of the equation here and there are still some questions we really need answers to. There are a couple things we definitely need your input on/ can't ignore:

1. We found the source code provided doesn't have all the dependency PBI / Ex. 4 required to build and run the project. For example, only 4 PBI / Ex. 4 are included for EMP admin. Can we possibly receive the list of dependency jars with exact version numbers for all the projects (while we could take the latest jars, we may run into compatibility issues. Knowing the correct version would save time rather than trial and error). If there is a source control branch with the code version in prod with all the dependencies, that would be good enough.

2. Would your folks be willing to at least answer our outstanding queries in email, or a shared location, if any arise while trying to bring up our local environment and test environments?

Thank you for your understanding here.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 02, 2018 12:01 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Ed,

Sorry our team are all fully engaged on other projects and we cannot spare them to do knowledge transfer for prior contracts at this time.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Campbell, Ed [mailto:Campbell.Ed@epa.gov]
Sent: Friday, February 2, 2018 11:46 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>; Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Cc: Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Transition Info

Hi Elliot,

My name is Ed Campbell – one of the team members over at CSRA on this project. I was wondering if it would be possible to schedule a knowledge transfer session between Christian Leckner and Rakhi Madhavan – PBI / Ex. 4 developers, CC-ed here – and members of your PBI / Ex. 4 team? There are some questions from our folks that I think would be most efficiently answered in a conference call / knowledge transfer setting. We can work around your availabilities in the next week or two. Please let me know if you think this is possible.

Kind Regards,

Ed Campbell, PMP
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Thomas, Rob
Sent: Friday, February 02, 2018 10:49 AM
To: ELLIOT NORMAN <elliot.norman@salientcrgt.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>
Subject: RE: Transition Info

Hi Elliot.
That's wonderful! NCC couldn't tell what was there and needed to ID which space belonged to EMP. Understood. Thanks for verifying!

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Friday, February 2, 2018 10:43 AM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>; Shlykova, Svitlana (US) <SVITLANA.SHLYKOVA@salientcrgt.com>
Subject: RE: Transition Info

Rob,

We did upload all of our code to the PBI / Ex. 4 site. Are you able to get it? We don't have access anymore to check to see if someone took it down.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Thursday, February 1, 2018 5:00 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Cc: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Transition Info
Importance: High

Hi Elliot.
I missed one package of information; 500mb of EMP application code. Was it uploaded to PBI / Ex. 4 or FTP site? Let me know so we can get NCC to fish it out. If not, we can use an alternate code dump location. Thanks.

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 4:26 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Transition Info

I don't. Sorry.

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170

703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, January 31, 2018 4:25 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Hi Elliot. Ok.. Do you have a copy or watered down version? Thanks.

Rob

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 4:18 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: Re: Transition Info

We followed our proprietary Salient CRGT SDLC

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

---

Salient CRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

-------- Original message --------
From: "Thomas, Rob" <Thomas.Rob@epa.gov>
Date: 1/31/18 15:25 (GMT-05:00)
To: "Norman, Elliot (US)" <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

-------- Original message --------
From: "Thomas, Rob" <Thomas.Rob@epa.gov>
Date: 1/31/18 15:25 (GMT-05:00)
To: "Norman, Elliot (US)" <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

One more thing. Did we ever have a SDLC (System Development Life Cycle) document?

From: Thomas, Rob
Sent: Wednesday, January 31, 2018 2:51 PM
To: 'Norman, Elliot (US)' <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Thanks Elliot. Now it arrived. LOL

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 2:45 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: RE: Transition Info

Here is the piz file

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Thomas, Rob [mailto:Thomas.Rob@epa.gov]
Sent: Wednesday, January 31, 2018 2:36 PM
To: Norman, Elliot (US) <ELLIOT.NORMAN@salientcrgt.com>
Subject: RE: Transition Info

Hey Elliot. It's text file

"The content Guident-OEM-Docs.zip of type has been blocked".

Change the name of the file extension to piz.

Rob Thomas

From: Norman, Elliot (US) [mailto:ELLIOT.NORMAN@salientcrgt.com]
Sent: Wednesday, January 31, 2018 2:33 PM
To: Thomas, Rob <Thomas.Rob@epa.gov>
Subject: FW: Transition Info

Here is the file

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

From: Norman, Elliot (US)
Sent: Tuesday, January 9, 2018 1:48 PM
To: 'Thomas, Rob' <Thomas.Rob@epa.gov>
Cc: Cunningham, Patrice <cunningham.patrice@epa.gov>; Ivory, Barbara (US) <Barbara.Ivory@salientcrgt.com>
Subject: Transition Info

Rob, Patrice

Here is the status on the current EPA OEM work conducted by Guident and the documents for each app.

We are yet to hear from CSRA on where to upload the code (500mb) or to arrange any knowledge transfer meetings from our team. Please let me know if you have any questions

Recurring Tasks

Meetings/Deliverables

Bi-weekly ADC/Privacy Controls meeting (Wednesdays @ 2 PM)

Monthly FR SHEM User Forum (1st Tuesday @ 3 PM)

Monthly Help Desk Report

Monthly NCC App Hosting Customer Forum (3rd Thursday @ 11 AM)

Current Status/Initiatives

Field Readiness

- FR 12.3.1 – this is a small bug fix for some issues with the bulk upload training spreadsheet. It was deployed 1/8/18
- FR 12.3 was meant to be completed as 3 separate sprints, sprints 2 & 3 are yet to be authorized
- Requirements are already done for 2 & 3 and are currently sitting on the "Deleted Reqs" tab in the FR 12.3 RTM

OECA Non-FLETC Course Migration

- We are currently in user testing of 2nd batch of course record uploads to FR for Dan Weese of OECA/CID
- There are new courses, changes to course names, and several hundred new person training records being uploaded to FR
- Dan is currently testing in Salient CRGT Demo environment, when he gives OK Cindy can move changes to production

Oil DB

- v13.5.3 was released to production 1/8/18
- Scope for next release has not been defined

Mobile App

- We finished the app code and accompanying web services about a year ago but EPA doesn't seem to have a way to distribute the iOS version to EPA devices
- The web services have been deployed to production by NCC
- The Android .apk installation file is available for download in EMP but there are little/no Android users at EPA

Equipment

- ETM data supposed to be migrated to OARM's AAMS (aka Sunflower) asset management system, but no ETA as efforts were put on back burner due to hurricane responses (per Josh Woodyard)

EMP Admin

- No planned updates

LGR

- No planned updates

PBI / Ex. 4

- V18 is in Staging and there are no plans to put it into production

IMH

- No planned updates

SRS Web Service

- No planned updates

PBI / Ex. 4

- OBIEE to be upgraded some time in 2018, BIAC will inform us when

Regards

Elliot Norman

Program Manager | Civilian Services Group – Information Management

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/8/2018 7:12:25 PM
To: Ferko, Dan [Ferko.Daniel@epa.gov]
Subject: RE: Staging emp directories

Hello Dan

Thanks

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Ferko, Dan
Sent: Thursday, February 8, 2018 2:11 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Staging emp directories

Hello Erik,

I believe all of the EMP apps should be deployed on PBI / Ex. 4, except the OFM web service and the PBI / Ex. 4. I am not familiar with how the EMP code is organized on PBI / Ex. 4. I also believe you are in the AD group designated for EMP developers. I believe this group has more privs than the group granted to those that just request access to PBI / Ex. 4.

Thanks,
Dan

From: Leckner, Erik
Sent: Thursday, February 08, 2018 1:33 PM
To: Ferko, Dan <Ferko.Daniel@epa.gov>
Subject: Staging emp directories

Hello Dan

Do you know where the staging emp directories are and do we have access to those directories on PBI / Ex. 4?

Erik Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/31/2018 10:36:35 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: OEM EMP Transition Information - Large Attachment With Many Files

Thanks.

From: Campbell, Ed
Sent: Wednesday, January 31, 2018 5:33 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Chilivery, Swetha <chilivery.swetha@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Goods, Lawanna <Goods.Lawanna@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: OEM EMP Transition Information - Large Attachment With Many Files

Hi Team,

I wanted to pass on the below correspondence and the attached file. It contains a plethora of documentation on our project from the incumbent, Salient. This file currently has a .piz extension; you will need to download it and rename it to .zip in order to extract the files. I have only given this a cursory look today – there are quite a few files.

Colleen and Lawanna – When we get PBI / Ex. 4 and JIRA accounts and access worked out tomorrow, I would like you two to begin sorting these files into related groups, and uploading them to PBI / Ex. 4 pages. The pages themselves can have a brief overview of the theme that links the documents, and then the documents themselves can be added as attachments to the pages. PBI / Ex. 4 usage is relatively intuitive, but we can talk about this / I can teach you two how to do this. The long term goal for you two will be to understand and digest this content in order to become informed project BAs.

Christian / Rakhi – Please note below that Elliot Norman (Salient) indicates he has not yet heard from us on where to upload the code, which is 500MB. Let's hold on reaching out to him, but this action is now on us to figure out where we like to store the code, and reach out to Elliot with instruction when we are ready.

That's it for tonight, we'll be in touch tomorrow. Thanks guys.

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Norman, Elliot (US)
Sent: Tuesday, January 9, 2018 1:48 PM
To: 'Thomas, Rob' <Thomas.Rob@epa.gov>
Cc: Cunningham, Patrice <cunningham.patrice@epa.gov>; Ivory, Barbara (US) <Barbara.Ivory@salientcrgt.com>
Subject: Transition Info

Rob, Patrice

Here is the status on the current EPA OEM work conducted by Guident and the documents for each app.

We are yet to hear from CSRA on where to upload the code (500mb) or to arrange any knowledge transfer meetings from our team. Please let me know if you have any questions

Recurring Tasks

Meetings/Deliverables

Bi-weekly ADC/Privacy Controls meeting (Wednesdays @ 2 PM)
Monthly FR SHEM User Forum (1st Tuesday @ 3 PM)
Monthly Help Desk Report
Monthly NCC App Hosting Customer Forum (3rd Thursday @ 11 AM)

Current Status/Initiatives

Field Readiness

- FR 12.3.1 – this is a small bug fix for some issues with the bulk upload training spreadsheet. It was deployed 1/8/18
- FR 12.3 was meant to be completed as 3 separate sprints, sprints 2 & 3 are yet to be authorized
- Requirements are already done for 2 & 3 and are currently sitting on the "Deleted Reqs" tab in the FR 12.3 RTM

OECA Non-FLETC Course Migration

- We are currently in user testing of 2nd batch of course record uploads to FR for Dan Weese of OECA/CID
- There are new courses, changes to course names, and several hundred new person training records being uploaded to FR
- Dan is currently testing in Salient CRGT Demo environment, when he gives OK Cindy can move changes to production

Oil DB

- v13.5.3 was released to production 1/8/18
- Scope for next release has not been defined

Mobile App

- We finished the app code and accompanying web services about a year ago but EPA doesn't seem to have a way to distribute the iOS version to EPA devices
- The web services have been deployed to production by NCC
- The Android .apk installation file is available for download in EMP but there are little/no Android users at EPA

Equipment

- ETM data supposed to be migrated to OARM's AAMS (aka Sunflower) asset management system, but no ETA as efforts were put on back burner due to hurricane responses (per Josh Woodyard)

EMP Admin

- No planned updates

LGR

- No planned updates

PBI / Ex. 4

- V18 is in Staging and there are no plans to put it into production

IMH

- No planned updates

SRS Web Service

- No planned updates

PBI / Ex. 4

- OBIEE to be upgraded some time in 2018, BIAC will inform us when

Regards

Elliot Norman
Program Manager | Civilian Services Group – Information Management

SalientCRGT

198 Van Buren Street, Suite 120, Herndon, Virginia 20170
703-429-4449 (o) | SalientCRGT.com
Elliot.Norman@SalientCRGT.com

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 8:15:12 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hello Rakhi

The same identical errors occurred in your PBI / Ex. 4 – any reason why?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 2:53 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Christian,
It's the complete list I have in my PBI / Ex. 4 from all the 5 projects. There is a total of 23 different errors. And the same errors repeated so many times to a total of 739. The second image is 2 screens stitched together. I dint add multiple screen shots of the same error repeating 100 times. The idea is to communicate the all the errors encountered with screen shots and the total number. These 3 images contains all the errors occurred in all the projects. Please share your error list too.

Thanks,
Rakhi

From: Leckner, Erik
Sent: Thursday, February 15, 2018 2:38 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hello Rakhi

I see only a partial list from you below. When you get a chance and take your time, send me the complete list so I can open an issue so we can work on those in the future. I see two screen shots but I don't think that will help for us to resolve all of them via an issue/ticket.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 2:19 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4

Hi Christian,
Sure! Please find the complete list from all the 5 projects below. It includes all the errors. (some errors have 100s of repetitions across the projects).

PBI / Ex. 4

PBI / Ex. 4

From: Leckner, Erik
Sent: Thursday, February 15, 2018 2:01 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hello Rakhi

Please send me your complete list when finished but take your time so I can compare them since I am opening up the issue as I discussed in yesterday's meeting.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 1:58 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Christian,
Ok Thanks!
I too don't have any PBI / Ex. 4 errors. My errors too are PBI / Ex. 4 errors. But more in number.

PBI / Ex. 4

From: Leckner, Erik
Sent: Thursday, February 15, 2018 1:39 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE PBI / Ex. 4 error details - For comparison.

Hello Rakhi

I have 0 PBI / Ex. 4 errors and everything builds. The errors are PBI / Ex. 4 such as below. These are more for future cleanup as an open working task that we discussed yesterday.
Once I get admin access then I will make sure everything works as it does now or eliminates any additional non PBI / Ex. 4 errors. It took me about 15 minutes to setup the entire project.
Note that we will be doing this for every release.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 9:35 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Christian,
When you get a chance, send me your error list as well.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 9:34 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Christian,
When you get a chance, send me your error list as well.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 14, 2018 7:30 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: PBI / Ex. 4 error details - For comparison.

Hi Christian,
I have created PBI / Ex. 4 projects for PBI / Ex. 4 from PBI / Ex. 4 of the projects. These are building fine and the files light up when buggy. Ant build (target - all) is happening. Only PBI / Ex. 4 has errors. Oil DB and PBI / Ex. 4 is error free after some config fixes.

I have copied the errors in a word document for comparison with screenshots. PFA. Tomorrow I will finish rest of the projects. Then we can compare the errors list

Thanks,
Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/7/2018 8:03:55 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
CC: Page, Alison [Page.Alison@epa.gov]
Subject: RE: Project Dependencies

Np

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 3:03 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Thank you very much Christian!
Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 2:58 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Yes, the others are located in a lib directory for the project:
PBI / Ex. 4
I would still like to get access to staging to ensure we have the latest of everything. Alison is reaching out to Paula on this to ensure we have access.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 2:49 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Ok! That's awesome! Do you remember from which location/project you have copied the dependency jars from?

Thanks,
Rakhi

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 2:41 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Hi Rakhi

I mean that is correct that I will be checking the dependencies there, but I was able to build the epmadmin with the dependencies that was put on the EPA ftp site.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 2:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Great! ☺ Please let me also know when you get the file paths for staging.

From: Leckner, Erik
Sent: Wednesday, February 7, 2018 2:36 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Hello Rakhi,

That is correct. I am going to reach out to Paula now. I had sent two requests to her yesterday for this and was waiting on her response.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 7, 2018 2:34 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Hi Ed,
Christian was suggesting once we get access to the Staging environment and get access to the files, we might be able to find all the dependencies from there.
At this point of time, we do not have all the dependency jars and their versions.

Thanks,
Rakhi

From: Campbell, Ed
Sent: Wednesday, February 7, 2018 2:28 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik

<Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Rakhi / Christian,

I wanted to follow-up on this statement:

We found the source code they provided doesn't have all the dependency jars required to build and run the project.

Is this still a true statement, or have we found what we needed at this point?

Thanks to you both.

Ed

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Tuesday, February 06, 2018 12:52 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Hi Ed et all,
Sorry! I don't mean to hijack the thread! ☺ I would like to clarify few points related to this thread.

1. We found the source code they provided doesn't have all the dependency PBI / Ex. 4 required to build and run the project. They have added only 4 PBI / Ex. 4 in EMP admin for example. It would be great if we have a way to know the list of dependency PBI / Ex. 4 with exact version numbers for all the projects(We could take the latest PBI / Ex. 4, but we may run into compatibility issues. Knowing the correct version would save time rather than trial and error). If there is a source control branch with the code version in prod with all the dependencies, that would be good enough.

2. Would Salient instead be willing to answer our outstanding queries in a mail or shared location if we have any while we try to bring up our local environment and test environments?

Thanks,
Rakhi

From: Campbell, Ed
Sent: Tuesday, February 6, 2018 10:19 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RE: Project Dependencies

Hey Christian –

I did reach out to Elliot (Salient) last week, to ask if he'd be willing to help us with a transition meeting or perhaps putting you in touch with his lead developer. I think you might have seen that reply, but just in case – he was basically unwilling to commit any time to help us transition at this point. Apparently the resources that used to assist with this work are already fully allocated to other projects.

I think we are just going to have to make some assumptions here and/or learn some of these answers the hard way, unfortunately.

I know you sent me a long list of software you will use, which was appreciated. There's probably a subset of that software list that'll you need on your local environment that will require licenses – that's the list I really need to reach out to Rob / EPA and get them started on acquiring licenses for you, though.

It sounds like (from Elliot's January status email to Rob) that Mobile development had been on hold for a little while. I would say that it makes sense to prioritize standing up the ability to support the applications initially, and worry about mobile down the road (in a few weeks).

Thanks

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Monday, February 05, 2018 6:20 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Project Dependencies

Hello Ed,

Any success on gathering the software list that was used on the various projects from Salient? Software list would need to include the name and versions of each release for both
Software installations such as PBI / Ex. 4, as well as library dependencies for backend, web, and mobile.

Also, we would need to look into getting licenses for the larger installations such as PBI / Ex. 4 etc.

Best
Christian

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/3/2018 12:12:49 AM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: Missed conversation with Madhavan Nair Kamala Devi, Rakhi

You too!

From: Madhavan Nair Kamala Devi, Rakhi [mailto:madhavan-nair-kamala-devi.rakhi@epa.gov]
Sent: Friday, February 2, 2018 6:13 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: Missed conversation with Madhavan Nair Kamala Devi, Rakhi

Madhavan Nair Kamala Devi, Rakhi 6:10 PM:

bye! Have a nice weekend! Logging off now!

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 7:05:09 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]
Subject: Elevated Privileges

Hi Ed and Alison

The elevated privileges request moved from ISO to the next level. Help desk said we should write to the next one in line in the approval process. But whatever you two did yesterday got it thru the holdup.

Thanks

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 6:40:36 PM
To: Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Rakhi

You mentioned that you were finishing up the other projects. How did that go – did you run into any more issues?

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Thursday, February 15, 2018 1:38 PM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hello Rakhi

I have 0 PBI / Ex. 4 errors and everything builds. The errors are PBI / Ex. 4 such as below. These are more for future cleanup as an open working task that we discussed yesterday.
Once I get admin access then I will make sure everything works as it does now or eliminates any additional non PBI / Ex. 4 errors. It took me about 15 minutes to setup the entire project.
Note that we will be doing this for every release.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 9:35 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Christian,
When you get a chance, send me your error list as well.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Thursday, February 15, 2018 9:34 AM
To: Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: RE: PBI / Ex. 4 error details - For comparison.

Hi Christian,
When you get a chance, send me your error list as well.

Thanks,
Rakhi

From: Madhavan Nair Kamala Devi, Rakhi
Sent: Wednesday, February 14, 2018 7:30 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: PBI / Ex. 4 error details - For comparison.

Hi Christian,
I have created PBI / Ex. 4 projects for PBI / Ex. 4 and oil DB from PBI / Ex. 4 of the projects. These are building fine and the files light up when buggy. Ant build (target - all) is happening. Only PBI / Ex. 4 has errors. Oil DB and PBI / Ex. 4 is error free after some config fixes.

I have copied the errors in a word document for comparison with screenshots. PFA. Tomorrow I will finish rest of the projects. Then we can compare the errors list

Thanks,
Rakhi

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/15/2018 6:06:27 PM
To: Smith, Doug L [Smith.Douglas@epa.gov]; Fan, Yanqian [fan.yanqian@epa.gov]
CC: Page, Alison [Page.Alison@epa.gov]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Db Connections

Hello Doug

Thanks.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Smith, Doug L
Sent: Wednesday, February 14, 2018 10:33 PM
To: Fan, Yanqian <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Db Connections

We will have a development database set up sometime next week. Monday is a holiday and we are patching all of the dev/staging databases on Wednesday so I can't give a real good estimate.

Thanks,

Douglas Smith | Database Administrator
Database Team Lead
ITS-EPA III ISAH | CSRA Inc.
79 T.W Alexander Drive Bldg. 4401 Durham, NC 27709
919-200-7442 | smith.douglas@epa.gov

From: Fan, Yanqian
Sent: Wednesday, February 14, 2018 6:40 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: Db Connections

Hi Christian,

For the DEV database, I mentioned it to Doug a few days ago. Doug already has someone working on it. Doug will be out tomorrow and Friday. I will follow up with Doug on this DB on Monday.

For the project properties for PBI / Ex. 4 you possibly can ignore some setting like this:

PBI / Ex. 4

Please let me know if you need more information.

Thanks!
Cindy

From: Leckner, Erik
Sent: Wednesday, February 14, 2018 5:33:57 PM
To: Fan, Yanqian
Cc: Smith, Doug L; Page, Alison; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: RE: Db Connections

Hi Cindy

Thanks for your reply. Is your team able to setup a dev database? How did you do this at Salient - did you all work off the staging or had a dev database? If you did have, we would need one.

Also, I noticed that there are project properties for PBI / Ex. 4 etc. For example,

PBI / Ex. 4

We also will know how Salient worked with PBI / Ex. 4 – did you all share the same PBI / Ex. 4 repository? Did you all communicate updates to one another for property settings, etc.

All the insight that you can provide to us will help. Thanks in advance!

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Yanqian
Sent: Wednesday, February 14, 2018 5:27 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: Db Connections

Hi Christian, please see my answer here:

1. Yes, these are the all Java applications in EMP system.
2. For staging database, here is the server information:

Hostname: PBI / Ex. 4
Port: 1521
Service Name: PBI / Ex. 4

Each application module has its own connecting user, here is the details. I will send you password in separate email.

Application	Connecting User	Password
PBI / Ex. 4		

3. For database connection, you can download free PBI / Ex. 4 client which includes " PBI / Ex. 4 " for you to view table structure and table data: PBI / Ex. 4
PBI / Ex. 4
I don't have PBI / Ex. 4 installed in my personal laptop. Currently I use " PBI / Ex. 4 " to connect database as well. I am still waiting for my EPA laptop.

Please let me know if you need anything else.

Thanks!
Cindy

From: Leckner, Erik
Sent: Wednesday, February 14, 2018 4:31:18 PM
To: Fan, Yanqian

Cc: Smith, Doug L; Page, Alison; Madhavan Nair Kamala Devi, Rakhi; Campbell, Ed
Subject: Db Connections

Hello Cindy!

I have several questions wrt the development (and staging, production) databases used by the subprojects: PBI / Ex. 4 equipment PBI / Ex. 4

1. Are these 5 projects the entire set or are there more for the PBI / Ex. 4, web, and mobile under the scope of our work?
2. If there isn't already dev database(s), would you be able to setup dev database(s) for these projects? Our development team is ready to attempt connections via the servers. We would need dev database user account details (user/password, db server, database) for both the servers and PBI / Ex. 4 clients for dev access.
3. Which db client do you recommend? I/we have used various clients in the past, and PBI / Ex. 4 is one that we could use. There are 30 day trial versions we could download/install, but there may be EPA licenses for some of these for developers.

Thanks in advance.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/31/2018 7:05:06 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Requesting EMP Access

Yes – 949 244 6501. Thanks.

From: Campbell, Ed
Sent: Wednesday, January 31, 2018 2:04 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Requesting EMP Access

Hey Christian –

I just received this from Kimberly Edwards:

Hi Ed. I'm in the process of requesting access to the EMP PBI / Ex. 4 site for both Rakhi and Erik Leckner. I'm not finding a phone number for either of them. Would you happen to have know the phone number for either of them? It is a requirement for the PBI / Ex. 4 access request. Thanks!

I think they are working on this access for you and need a phone # - which would you like me to give them?

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Leckner, Erik
Sent: Wednesday, January 31, 2018 1:42 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Requesting EMP Access

Hello Ed

Thanks, and I will wait for Dan's efforts to facilitate the access and keep you updated should I not hear by 3PM EST.

From: Campbell, Ed
Sent: Wednesday, January 31, 2018 10:43 AM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Subject: RE: Requesting EMP Access

Hey Christian – I think the access to the code is currently forthcoming from Dan Ferko. Let me know if you haven't heard from him by this afternoon and I'll follow-up.

Ed

From: Leckner, Erik
Sent: Tuesday, January 30, 2018 5:32 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: RE: Requesting EMP Access

Hi Ed,

Did Rob say when we might have access to the PBI / Ex. 4 source code on staging? In the overview this morning with Cindy, we didn't yet go into the mobile apps, etc. – might be good to also have an overview on mobile apps as well.

Best.

From: Campbell, Ed
Sent: Tuesday, January 30, 2018 4:53 PM
To: Goods, Lawanna <Goods.Lawanna@epa.gov>; McCarthy, Colleen <Mccarthy.Colleen@epa.gov>; Fan, Yanqian <fan.yanqian@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Chilivery, Swetha <chilivery.swetha@epa.gov>
Subject: Requesting EMP Access

Hi Guys –

I realized this afternoon that some of you still need to request access to EMP and may be doing that incorrectly – so here are some instructions on how to do that.

1. Navigate to waa.epa.gov. Login there using your EPA LAN ID credentials.
2. Under Community Access, Request Community Access.



3. Under Emergency Management Portal, just select OSWER. This is important because **selecting more than one community will spam Rob with individual email notifications for each**, so please don't do that.

- [ ] Emergency Management Portal Communities (1 community selected)
  - [ ] Emergency Management Portal – OA
  - [ ] Emergency Management Portal – OAR
  - [ ] Emergency Management Portal – OARM
  - [ ] Emergency Management Portal – OCFO
  - [ ] Emergency Management Portal – OECA
  - [ ] Emergency Management Portal – OEI
  - [ ] Emergency Management Portal – OGC
  - [ ] Emergency Management Portal – OIG
  - [ ] Emergency Management Portal – OITA
  - [ ] Emergency Management Portal – ORD
  - [x] Emergency Management Portal – OSWER
  - [ ] Emergency Management Portal – OW
  - [ ] Emergency Management Portal – Region 01

4. Submit at the bottom of the screen.

This will send a request to Rob, who will approve and then you should have access to the screens that Cindy was showing us this morning.

Thanks,
Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243

PBI / Ex. 4

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/30/2018 8:12:17 PM
To: Childers, Paula [Childers.Paula@epa.gov]; Campbell, Ed [Campbell.Ed@epa.gov]; Page, Alison [Page.Alison@epa.gov]; Ferko, Dan [Ferko.Daniel@epa.gov]
CC: Smith, Doug L [Smith.Douglas@epa.gov]; I Metro [imetro@yahoo.com]; Madhavan Nair Kamala Devi, Rakhi [madhavan-nair-kamala-devi.rakhi@epa.gov]
Subject: RE: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

Thanks Paula.

The only version then we will have is their latest version (i.e. trunk) with no revision history.
We will need to set up our own PBI / Ex. 4 repository. In the document Cindy had sent us this morning, it appears that PBI / Ex. 4 code was stored using PBI / Ex. 4, and mobile using git.

From: Childers, Paula
Sent: Tuesday, January 30, 2018 2:59 PM
To: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>; I Metro <imetro@yahoo.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

If there was, it would have been held at their offices, not the NCC. We only have the Staging and Production servers here.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Leckner, Erik
Sent: Tuesday, January 30, 2018 2:32 PM
To: Childers, Paula; Campbell, Ed; Page, Alison; Ferko, Dan
Cc: Smith, Doug L; I Metro; Madhavan Nair Kamala Devi, Rakhi
Subject: RE: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

Hi Paula

Is there a PBI / Ex. 4 repository that has all the versions/branches?

Best
Christian--

From: Childers, Paula
Sent: Tuesday, January 30, 2018 11:35 AM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>; I Metro <imetro@yahoo.com>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>
Subject: Re: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

I'm afraid I can't help in re: what PBI / Ex. 4 development framework, etc - I'm not a developer and therefore my knowledge is limited. I do see references in their files to PBI / Ex. 4, if that helps. They are using PBI / Ex. 4 and PBI / Ex. 4, and we keep those current to each Quarterly update cycle (as per the recent email I cc'ed some of you on).

However, for general purposes, I'd expect you'd want all the team to have a secure shell client and secure PBI / Ex. 4, such as putty, PBI / Ex. 4, etc. All transfers of code and/or server logins will need to occur via secure EPA channels, no unsecure PBI / Ex. 4 for example, and also no Dropbox or similar third-party service. We found the PBI / Ex. 4 site to be the most useful for this.

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Campbell, Ed
Sent: Tuesday, January 30, 2018 11:13 AM
To: Childers, Paula; Page, Alison; Ferko, Dan
Cc: Smith, Doug L; I Metro; Leckner, Erik; Madhavan Nair Kamala Devi, Rakhi
Subject: RE: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

Hi Folks,

Adding Rakhi to this correspondence as well. She (like Christian) is also a PBI / Ex. 4 and will need access to the code and necessary s/w like PBI / Ex. 4 etc for development.

She's also asked if there's a list of software she needs to install. Frankly I don't have any of these answers for her, so any direction is appreciated.

Thanks

Ed Campbell
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
campbell.ed@epa.gov | (o) 919.200.7243
PBI / Ex. 4

From: Childers, Paula
Sent: Tuesday, January 30, 2018 10:40 AM
To: Page, Alison <Page.Alison@epa.gov>; Ferko, Dan <Ferko.Daniel@epa.gov>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>; I Metro <imetro@yahoo.com>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Re: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

Ali;

I believe they were using the PBI / Ex. 4 site for when they need to do code or log dropoff. Dan Ferko is the PM for EMP, he can get them accounts on PBI / Ex. 4, I am not able to do that.

As for direct access to the Staging server, Dan can help with that process, as well (and not me - I have zero to do with individual user access control).

If I recall correctly, and I may miss something:

-- first they will need EPA LAN accounts,
-- then their LAN IDs will need to be added to the Access Group for the PBI / Ex. 4
-- then they will need to be added to the PBI / Ex. 4 developer group for that server to get the proper permissions to modify the code area there.

The access group memberships go through PBI / Ex. 4, I believe Rob may have the ability to log in and add them, or they may need to work with the WAM and Hosting teams for such.

Hope this helps,

Thanks,
Paula

Paula Childers
ITS-EPA III | NCC Middleware & Applications Team
CSRA Inc. | on contract to the US EPA
79 T.W. Alexander Drive, Bldg. 4401, RTP, NC 27709
919-200-7396 | childers.paula@epa.gov

From: Page, Alison
Sent: Tuesday, January 30, 2018 10:03 AM
To: Childers, Paula
Cc: Smith, Doug L; I Metro; Leckner, Erik; Campbell, Ed
Subject: High Priority: OEM/EMP PBI / Ex. 4 Code and Staging access

Hi Paula,

Christian Leckner (Cced) is our new Lead Java Developer for the OEM EMP project (Rob Thomas). Doug told us that you're able to give Christian access to the staging environment and all the PBI / Ex. 4 code. Could you work with him today to get that going please? Rob is more than ready for us to get started so this is a priority ☺

Christian, I included your "imetro" address on this email in case the "Erik Leckner" epa email address isn't you. Please let me know if I can drop the imetro email moving forward.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/29/2018 8:38:11 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Tentative: EMP Project Discussion With Cindy
Location: Conference Call / Skype Screenshare

Start: 1/30/2018 3:00:00 PM
End: 1/30/2018 4:00:00 PM
Show Time As: Busy

Appointment

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/29/2018 8:36:40 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]

Subject: Accepted: Weekly OEM EMP Status
Location: Conference Call

Start: 2/1/2018 8:30:00 PM
End: 2/1/2018 9:00:00 PM
Show Time As: Busy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/29/2018 7:52:44 PM
To: Personal Privacy / Ex. 6
Subject: Email test

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/29/2018 7:51:24 PM
To: Childers, Paula [Childers.Paula@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: PBI / Ex. 4 and related source code

Hello Paula

This is Christian from my work email address.

I am now set up on my EPA machine. I downloaded PBI / Ex. 4 for PBI / Ex. 4. Do you have a remote directory, etc that I can download/copy the files from?

Best
Christian--

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/29/2018 7:43:59 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: Email for (Christian) Erik Leckner

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 6:38:59 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Equipment startup errors

```
INFO: Initializing Spring root WebApplicationContext
```

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 6:28:50 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: Current Error List

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/26/2018 6:27:29 PM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
CC: Smith, Doug L [Smith.Douglas@epa.gov]
Subject: RE: PBI / Ex. 4 is ready

Hi Cindy

I have been able to get in via the PBI / Ex. 4 application running on localhost.

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Fan, Cindy (Yanqian)
Sent: Monday, February 26, 2018 12:14 PM
To: Chilivery, Swetha <chilivery.swetha@epa.gov>; Madhavan Nair Kamala Devi, Rakhi <madhavan-nair-kamala-devi.rakhi@epa.gov>; Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>
Cc: Smith, Doug L <Smith.Douglas@epa.gov>
Subject: PBI / Ex. 4 is ready

Hi team,

The new database PBI / Ex. 4 is ready for us to use:

Hostname: PBI / Ex. 4

Port: 1521
Service name: PBI / Ex. 4

The users password are same as in PBI / Ex. 4.

Please let me know if you have any question.

Thanks!
Cindy

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/24/2018 1:52:53 AM
To: Fan, Cindy (Yanqian) [fan.yanqian@epa.gov]
Subject: RE: EMP Roles/Groups

Hi Cindy

These are my staging:

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Leckner, Erik
Sent: Friday, February 23, 2018 8:13 PM
To: Fan, Cindy (Yanqian) <fan.yanqian@epa.gov>
Subject: EMP Roles/Groups

Hi Cindy

Do you assign roles/groups or does EPA community request assign these? For prod, staging, and future dev?

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/23/2018 11:12:58 PM
To: Leckner, Erik [Leckner.Erik@usepa.onmicrosoft.com]
Subject: PD

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 2/23/2018 6:52:28 PM
To: Page, Alison [Page.Alison@epa.gov]
CC: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: RAM Issue

Thanks

If you see the eclipse console in this image – it locks out due to its slowness – where it says IN LOCK LOGIN ACTION

PBI / Ex. 4

PBI / Ex. 4

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

From: Page, Alison
Sent: Friday, February 23, 2018 1:45 PM
To: EZTech <EZTech@epa.gov>
Cc: Leckner, Erik <Leckner.Erik@usepa.onmicrosoft.com>; Campbell, Ed <Campbell.Ed@epa.gov>
Subject: FW: RAM Issue
Importance: High

Hi EZTech,

I've reviewed your forms site and I don't see a form online for requesting hardware (like additional RAM for the GFEs). How do we go about requesting that? Christian Leckner (Cced) is in need of more RAM.

Thanks,
Ali Page
ITS-EPA III CSRA
79 TW Alexander Dr, Bld 4401, NC 27713
page.alison@epa.gov | (o) 919.200.7283
PBI / Ex. 4

From: Leckner, Erik
Sent: Friday, February 23, 2018 1:44 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>; Page, Alison <Page.Alison@epa.gov>
Subject: RAM

Hi Ed and Ali

Any update on RAM? On local while running the apps I get timeouts which are RAM related.

Christian Leckner
Principal Engineer
ITS-EPA | CSRA
San Diego, CA 92028 | PDT
949-244-6501 | leckner.erik@epa.gov

PBI / Ex. 4



Message

From: Leckner, Erik [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A995A6CDBE54FC1BDACFE4212FBD38A-LECKNER, ER]
Sent: 1/31/2018 9:53:02 PM
To: Campbell, Ed [Campbell.Ed@epa.gov]
Subject: RE: Mobile Apps

Generally devices are dedicated whenever the apps are "pixel perfect" (meaning the UI interfaces need to look identical across platforms) and it may not be a requirement to be pixel perfect on this project. I also see it needed whenever there is local memory being used in apps to store files locally for the app and again this may not be a requirement on this project. Example, Nissan/Infiniti apps would store videos locally so that Nissan/Infiniti staff could view videos whenever they were disconnected from the net as is the case in service bays at dealerships, etc.

From: Leckner, Erik
Sent: Wednesday, January 31, 2018 4:47 PM
To: Campbell, Ed <Campbell.Ed@epa.gov>
Subject: Mobile Apps

Hi Ed

Can you find out please whether EPA/Salient used EPA mobile devices for mobile apps? There are simulators for mobile, but generally, it is also good practice to install the apps on actual mobile devices (for connectivity, etc.). We could use our own devices – what I find in practice though (including government agencies) is dedicated mobile devices for testing mobile apps. Example, with Nissan/Infiniti, we had Android devices, iPhone devices, Android tablets, and iPads in our development team – some were purchased directly on-sites, others were purchased via BestBuy online, etc.

Thanks.