FINAL REPORT

Summary Report for EPA 2019 Groundwater Monitoring Activities San Gabriel Valley Area 3 Superfund Site Los Angeles County, California

Prepared for

U.S. Environmental Protection Agency, Region 9

EPA Contract No. EP-S9-08-04
EPA Task Order No. 016-RICO-09ES

August 2020

CH2M HILL, Inc.
1000 Wilshire Boulevard
Suite 2100
Los Angeles, California 90017

Contents

Section Page

Acronyms and Abbreviations v

1 Introduction 1-1

2 Groundwater Monitoring Summary 2-1
2.1 Groundwater Monitoring 2-1
2.1.1 EPA Monitoring Wells 2-1
2.1.2 Temple Station Monitoring Wells 2-1
2.2 Groundwater Monitoring Procedures 2-2
2.2.1 EPA Monitoring Wells 2-2
2.2.2 Temple Station Groundwater Monitoring Wells 2-3
2.3 Laboratory Analysis 2-3

3 Groundwater Monitoring Results 3-1
3.1 Groundwater Flow Conditions 3-1
3.1.1 Area 3 3-1
3.1.2 Temple Station 3-1
3.2 Groundwater Quality Results 3-2
3.2.1 PCE Distribution 3-2
3.2.2 TCE Distribution 3-2
3.2.3 Cis-1,2-DCE Distribution 3-3
3.2.4 Distribution of Other COPCs 3-3

4 References 4-1

Appendixes

A Field Notes
B Laboratory Analytical Reports

Exhibit

1 Summary of Analytical Parameters for Groundwater Testing

Tables

1a Summary of Well Construction Details and Water Levels - EPA Monitoring Wells
1b Summary of Well Construction Details and Water Levels - Temple Station Monitoring Wells
2a Summary of Groundwater Sample Results - EPA Monitoring Wells
2b Summary of Groundwater Sample Results - Temple Station Monitoring Wells

Figures

1 Location of Area 3 Superfund Site
2a Well Location Map - EPA Monitoring Wells
2b Well Location Map - Temple Station Monitoring Wells
3a Groundwater Elevations - Area 3 (2019)
3b Groundwater Elevations - Temple Station (2019)
4a Distribution of PCE, TCE, and Cis-1,2-DCE in Groundwater - Area 3
4b Distribution of PCE, TCE, and Cis-1,2-DCE in Groundwater - Temple Station

Acronyms and Abbreviations

µg/L	microgram(s) per liter
1,2,3-TCP	1,2,3-trichloropropane
Area 3	San Gabriel Valley Area 3 Superfund Site
bgs	below ground surface
CH2M	CH2M HILL, Inc.
cis-1,2-DCE	cis-1,2-dichloroethene
COPC	contaminant of potential concern
EPA	U.S. Environmental Protection Agency
FS	feasibility study
ft/ft	foot per foot
MCL	maximum contaminant level
msl	mean sea level
NL	notification level
PCE	tetrachloroethene
QAPP	Quality Assurance Project Plan
RI	remedial investigation
RWQCB	California Regional Water Quality Control Board, Los Angeles Region
TCE	trichloroethene
Temple Station	Los Angeles County Sheriff's Department Temple Station
VOC	volatile organic compound

SECTION 1

Introduction

The U.S. Environmental Protection Agency (EPA) is conducting a remedial investigation (RI) and feasibility study (FS) to assess regional groundwater contamination within the San Gabriel Valley Area 3 Superfund Site (Area 3) in Los Angeles County, California. Figure 1 shows the location of Area 3. EPA finalized the Area 3 RI report in 2009 (*Final Remedial Investigation San Gabriel Valley Area 3 Superfund Site* [EPA, 2009]). CH2M HILL, Inc. (CH2M) has continued routine groundwater monitoring on behalf of EPA since the RI report was issued.

This report summarizes the 2019 groundwater monitoring event at Area 3. EPA's objectives for this monitoring event included ongoing tracking of contaminant concentrations and groundwater levels at monitoring wells installed by EPA, and collection of an additional round of groundwater samples from newly installed, nested monitoring well EPAMW19 and monitoring wells at the Los Angeles County Sheriff's Department Temple Station (Temple Station) in eastern Area 3. The report also summarizes the data collected during the initial monitoring event conducted in October 2018 at nested monitoring well EPAMW19, which includes two well casings (EPAMW19A and EPAMW19B). For detailed descriptions of the Area 3 Superfund Site background and site conditions, refer to the RI report (EPA, 2009).

This report is organized into the following sections:

- **Section 1 – Introduction.** Describes the objectives of the groundwater monitoring and content of this report.
- **Section 2 – Groundwater Monitoring Summary.** Summarizes the groundwater monitoring procedures and laboratory analyses for groundwater samples.
- **Section 3 – Groundwater Monitoring Results.** Summarizes the groundwater flow conditions and groundwater quality results for the 2019 monitoring event.
- **Section 4 – References.** Lists the works cited in this report.
- **Tables**
- **Figures**
- **Appendix A – Field Notes.** Provides copies of the field notes from the 2019 groundwater monitoring event.
- **Appendix B – Laboratory Analytical Reports.** Provides laboratory reports for groundwater samples collected during the 2019 monitoring event.

SECTION 2

Groundwater Monitoring Summary

This section summarizes groundwater monitoring activities performed at Area 3 in 2019. These activities included groundwater elevation monitoring, field parameter collection, and laboratory analysis of samples collected from monitoring wells installed by EPA. Activities also included groundwater monitoring conducted at the Temple Station. Blaine Tech Services, Inc. (Blaine Tech), of Carson, California, assisted CH2M with 2019 groundwater monitoring activities.

2.1 Groundwater Monitoring

During the RI, EPA installed groundwater monitoring wells at eight locations to characterize lithology and groundwater contamination in the areas west and east of the structural bedrock discontinuity and within the structural bedrock discontinuity. In 2017, EPA installed a nested monitoring well, EPAMW19, which has two well casings in a single borehole, to assist in evaluating the distribution of groundwater contamination in the southwestern portion of Area 3. Los Angeles County installed groundwater monitoring wells at the Temple Station to support the investigation into releases from underground tanks at the facility. Figure 2a depicts the locations of EPA groundwater monitoring wells and the location of Temple Station. Figure 2b shows the locations of Temple Station groundwater monitoring wells. Tables 1a and 1b summarize the well completion details for EPA and Temple Station monitoring wells, respectively.

2.1.1 EPA Monitoring Wells

EPA installed five conventional groundwater monitoring wells and one nested monitoring well, as follows: two wells (EPAMW11 and EPAMW18) in the southwestern portion of Area 3, and five wells (EPAMW12A, EPAMW12B, EPAMW17, EPAMW19A, and EPAMW19B) at three locations within or adjacent to the structural bedrock discontinuity that separates the western portion of Area 3 from the central and eastern portions. EPA installed four multiport groundwater monitoring wells (EPAMW13, EPAMW14, EPAMW15, and EPAMW16) in the central and eastern portion of Area 3.

EPA completed the multiport groundwater monitoring wells with 10-foot-long screened intervals, sequentially numbered by depth zone. Zone 1 is the deepest screened interval in these wells. The screened intervals correspond to depth zones interpreted to be potential contaminant migration pathways.

All but two of the EPA-installed monitoring wells have screened intervals that are either 10 or 20 feet long. EPAMW17 and EPAMW18 were installed with relatively longer screened intervals of 30 and 50 feet, respectively, during a period of very low water levels. Each screened interval significantly extends above the water table to accommodate a potential future rise in the water level. The RI report (EPA, 2009) includes detailed well construction information for each monitoring well.

After recording groundwater levels, Blaine Tech collected groundwater samples at nine EPA monitoring well locations during the 2019 groundwater monitoring event. Sample collection at the four multiport groundwater monitoring wells encompasses 21 discrete depth zones; nested monitoring well EPAMW19 has two well casings. Well EPAMW12B was dry, and, therefore, was not sampled in 2019.

2.1.2 Temple Station Monitoring Wells

Temple Station monitoring wells were installed during two phases of work between 1987 and 1993 (W11TCSW1 through W11TCSW3) and 2006 and 2009 (W11TCSW4 through W11TCSW7, and W11TCSW9 through W11TCW12). The monitoring wells were installed under regulatory oversight by the

California Regional Water Quality Control Board, Los Angeles Region (RWQCB), RWQCB File No. R-02444, to support investigation of an underground storage tank release (RWQCB, 2011). The monitoring wells at Temple Station were last sampled under RWQCB oversight in July 2012; results were summarized in the second half of 2012 monitoring report for the site (TRC, 2012). CH2M conducted groundwater monitoring at Temple Station in 2016 (CH2M, 2017). During the 2016 event, 5 of the 11 monitoring wells at Temple Station were dry or did not contain enough water to collect a sample.

During the 2019 groundwater monitoring event, Blaine Tech measured the depth to water and total depth in all 11 Temple Station monitoring wells. Ten of the 11 monitoring wells were dry and could not be sampled.

2.2 Groundwater Monitoring Procedures

The following sections summarize water level monitoring and groundwater sampling procedures at the EPA and Temple Station monitoring wells. The field data collected for conventional wells and Westbay multiport wells during groundwater monitoring are documented either on monitoring well sampling logs or in the bound field notebook. The logs include relevant field data such as the sample date, time, sample collection method, amount of groundwater purged from the monitoring well, initial groundwater level, geochemical parameter measurements, start and finish times of sampling, and the appearance of the groundwater. These field notes for the 2019 groundwater monitoring event are included in Appendix A.

2.2.1 EPA Monitoring Wells

Blaine Tech sampled the monitoring wells in accordance with procedures identified in the Quality Assurance Project Plan (QAPP) for RI field activities (EPA, 2003). Details of the monitoring wells follow.

Four conventional groundwater monitoring wells (EPAMW11, EPAMW12A, EPAMW17, and EPAMW18) are equipped with a dedicated QED Model ST1102M, 1.66-inch-diameter, variable-speed bladder pump, installed within the screened interval. Because monitoring well EPAMW12B is dry, no pump is installed.

Newly installed, nested monitoring well EPAMW19 does not have dedicated sampling equipment. Blaine Tech installed a temporary bladder pump for collecting groundwater samples in EPAMW19A and EPAMW19B. The temporary bladder pump was decontaminated prior to installation in each well and installed using new tubing.

The four multiport groundwater monitoring wells (EPAMW13, EPAMW14, EPAMW15, and EPAMW16) are equipped with a permanent Westbay MP 38 System to allow collection of groundwater samples and groundwater-level measurements at every screened interval. The Westbay MP 38 System is constructed of 1.5-inch-inside-diameter plastic and polyvinyl chloride casing materials, installed inside the 4-inch-diameter monitoring well casing.

Sampling ports installed within each screened interval allow for characterizing and monitoring of multiple depths, distributed across several hundred feet of the alluvial aquifer at a single location. Three permanently inflated water-filled packers, installed between each screened interval, prevent upward and downward groundwater flows within the well casing. The packers provide confirmation that the groundwater samples are representative of the aquifer at a specific depth interval by quantitatively documenting the absence of groundwater movement within the well casing between screened intervals.

The water level monitoring and sampling procedures for EPA monitoring wells are summarized in the following subsections.

2.2.1.1 EPA Conventional Groundwater Monitoring Wells

Groundwater levels were measured in EPA conventional monitoring wells relative to the surveyed reference points, using an electric sounder with a resolution of 0.01 foot. This equipment was

decontaminated between each well. Table 1a summarizes water levels collected at EPA conventional monitoring wells.

Four EPA conventional monitoring wells are equipped with dedicated bladder pumps for low-flow sampling. Prior to collecting samples, the wells were purged at a low-flow rate, until a minimum of one bladder pump system volume (volume of bladder, plus pump tubing) was removed and field parameters (pH, conductivity, temperature, and turbidity) were stable, as measured using a water quality meter and flow-through cell. EPAMW19A and EPAMW19B were sampled using a temporary bladder pump, with the same procedures described above.

2.2.1.2 EPA Multiport Groundwater Monitoring Wells

The procedure for measuring water levels in a multiport monitoring well differs from that of a conventional monitoring well. The groundwater elevation, or height of the piezometric surface, for individual screens/sample ports is determined by the water pressure outside of the Westbay MP 38 System (through the sample port within the given screen interval) and the elevation of the sample port. Blaine Tech measured water pressures at the sample ports associated with each screen interval using the Westbay sampling/profiling tool. The water pressures measured prior to collection of groundwater samples from each sample port were used to calculate depth-specific groundwater elevations. Table 1a summarizes the groundwater elevations calculated, using individual zone pressure data collected at EPA multiport monitoring wells.

After measurement of individual zone pressures, Blaine Tech lowered the Westbay sampling tool and associated sample collection containers to each sample port to collect groundwater samples. The first sample drawn from each depth was used to measure field parameters and flush the sampling instrumentation. The subsequent samples drawn from each sample port were used to fill the designated sample bottles for the target analyses at each well. The Westbay sampling tool and containers were decontaminated prior to and after collecting samples at each sample port.

2.2.2 Temple Station Groundwater Monitoring Wells

Blaine Tech measured groundwater levels in Temple Station monitoring wells relative to the surveyed reference points, using an electric sounder with a resolution of 0.01 foot. This equipment was decontaminated between each well. Table 1b summarizes water levels collected at Temple Station monitoring wells.

Temple Station monitoring wells are not equipped with dedicated sampling equipment. Consistently with procedures used for EPA conventional wells, Blaine Tech sampled the one Temple Station monitoring well using a temporary bladder pump. Field parameter measurements were collected periodically during purging and prior to sample collection.

2.3 Laboratory Analysis

The discussion in this report focuses on the general distribution of five key contaminants of potential concern (COPCs) detected in groundwater underlying Area 3. The key COPCs discussed in this report are the following chlorinated volatile organic compounds (VOCs):

- Tetrachloroethene (PCE)
- Trichloroethene (TCE)
- Cis-1,2-dichloroethene (cis-1,2-DCE)
- 1,2,3-trichloropropane (1,2,3-TCP)
- Carbon tetrachloride

The RI report (EPA, 2009) also identified perchlorate as a COPC for Area 3. However, because of the limited detections of perchlorate over the last several years of monitoring in Area 3, groundwater samples were not analyzed for perchlorate in 2019.

Exhibit 1 summarizes the laboratory analytical methods used for the 2019 groundwater monitoring. Laboratory analytical reports are included in Appendix B.

EXHIBIT 1
Summary of Analytical Parameters and Methods for Groundwater Testing
San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

Parameter	Method	Quantitation Limit (µg/L)
VOCs	EPA Method 524.2 (Standard Operating Procedure 354)	Various
1,2,3-TCP	EPA Method 524.2	0.005
1,4-dioxane	EPA Method 8270D	1

Notes:

The QAPP (EPA, 2003) and QAPP Addendum (EPA, 2004) include a complete list of analytes, quantitation limits, and evaluation criteria.

µg/L = microgram(s) per liter

SECTION 3

Groundwater Monitoring Results

This section presents the results of 2019 groundwater monitoring at Area 3, along with the general contaminant distribution based on samples collected from the EPA and Temple Station monitoring wells. EPA screened the list of key COPCs detected in Area 3 by identifying analytes present at concentrations that exceeded the evaluation criteria listed below:

- Federal Safe Drinking Water Act (*Code of Federal Regulations*, Title 40, Part 141) maximum contaminant levels (MCLs)
- California State Safe Drinking Water Act (*California Code of Regulations*, Title 22) MCLs
- California State Water Resources Control Board, Division of Drinking Water established notification levels (NLs)

3.1 Groundwater Flow Conditions

The groundwater flow conditions, including lateral and vertical hydraulic gradients, observed in Area 3 and at Temple Station, are discussed below. Tables 1a and 1b summarize the groundwater levels for EPA and Temple Station monitoring wells. Figures 3a and 3b show 2019 groundwater elevations for all of Area 3 and Temple Station, as well as the change in groundwater elevation from 2016 to 2019 .

3.1.1 Area 3

Groundwater elevations measured during the 2019 groundwater monitoring event ranged from 300.09 feet relative to mean sea level (msl) at EPAMW18 in southwestern Area 3, to 130.33 feet msl at EPAMW15_03 in central Area 3. Groundwater levels collected during the 2019 monitoring event are generally consistent with historical water levels in Area 3.

The Area 3 RI identified the western alluvial aquifer, west of the structural bedrock discontinuity in southwestern Area 3, and three distinct groundwater zones in the central and eastern alluvial aquifer in Area 3 designated as the shallow, intermediate, and deep groundwater zones. The shallow groundwater zone occurs as the first-encountered groundwater in the easternmost extent of Area 3. In all other portions of eastern Area 3, groundwater is first encountered in the intermediate groundwater zone (EPA, 2009).

Figure 3a shows the 2019 groundwater elevations for the intermediate zone; the change in groundwater elevation from 2016 to 2019 is posted at each monitoring well. Water levels were slightly lower in 2019 than were observed in 2016. In southwestern Area 3, the decrease in groundwater elevation ranged from 0.57 foot msl (EPAMW18) to 4.35 feet msl (EPAMW11). In central Area 3, the decrease in groundwater elevation ranged from 1.14 feet msl (EPAMW15_06) to 5.77 feet msl (EPAMW16_07).

Vertical gradients observed at EPA nested and multiport monitoring wells are summarized in Table 1a. In southwestern Area 3, a downward vertical gradient of 0.13 was observed at nested monitoring well EPAMW19. In general, the vertical gradient within the eastern alluvial aquifer was downward, and ranged from 0.28 foot/foot between ports 6 and 7 at EPAMW16, to 0.0012 foot/foot between ports 3 and 4 at EPAMW14. A slight, upward vertical gradient, ranging from 0.00025 to 0.073 foot/foot was observed in the lower ports of EPAMW13 and EPAMW15 and upper ports of EPAMW14.

3.1.2 Temple Station

Ten of the 11 monitoring wells at Temple Station are screened across the water table in the shallow zone. W11TCW12 is screened approximately 40 feet below the current water table in the intermediate

zone. All shallow zone monitoring wells at Temple Station were dry in 2019. The groundwater elevation measured at Temple Station monitoring well W11TCW12 during the 2019 groundwater monitoring event was 180.49 feet msl, which is a 5.42-foot decrease from 2016.

3.2 Groundwater Quality Results

This section presents the 2019 distribution of key COPCs in groundwater underlying Area 3, based on samples collected from nine EPA monitoring wells and one Temple Station monitoring well. Table 2a summarizes the analytical results for the key COPCs, perchlorate, and 1,4-dioxane at EPA monitoring wells in Area 3 from 2008 through 2019. Table 2b summarizes the analytical results for the key COPCs at Temple Station monitoring wells, for the EPA-collected samples in 2016 and 2019, and the 2012 samples (TRC, 2012).

Figure 4a shows the distribution of PCE, TCE, and cis-1,2-DCE, which are the most frequently detected COPCs, in Area 3 based on 2016 and 2019 groundwater samples. Figure 4b shows the distribution of PCE, TCE, and cis-1,2-DCE at Temple Station. The distribution of key COPCs in Area 3 is discussed below.

3.2.1 PCE Distribution

In 2019, PCE was detected at concentrations exceeding the MCL of 5 µg/L in EPAMW11 and EPAMW15. PCE was also detected at concentrations below the MCL in EPAMW12A, EPAMW13, and EPAMW14. At locations where PCE was detected in 2019 groundwater samples, concentrations ranged from 0.7 µg/L (EPAMW13_03 and EPAMW13_04) to an estimated concentration (J data qualifier indicates the concentration is estimated) of 18 J µg/L (EPAMW15_06).

The highest PCE concentrations detected during 2016 groundwater monitoring were in the Temple Station shallow zone monitoring wells. Concentrations exceeding 100 times the MCL were present beneath and in offsite wells associated with Temple Station. Figure 4b shows high concentrations of PCE in monitoring wells W11TCSW5 and W11TCSW7, which are located upgradient of Temple Station, in Las Tunas Drive, suggesting the origin of the PCE plume in this area is likely upgradient of Temple Station. Most of the monitoring wells at Temple Station are screened across the water table and were dry in 2019. Monitoring well W11TCW12 was the only well containing water; it is screened approximately 40 feet below the current water table. PCE was not detected in the sample from W11TCW12, suggesting the plume is limited to the upper portion of the saturated zone, although the vertical gradients observed in the area could cause downward movement of the plume as it migrates to the southwest.

3.2.2 TCE Distribution

In 2019, TCE was detected at concentrations exceeding the MCL of 5 µg/L in EPAMW11, EPAMW12A, EPAMW13, EPAMW14, and EPAMW15. At locations where TCE was detected in 2019 groundwater samples, concentrations ranged from 0.3 J µg/L (EPAMW14_02) to 130 µg/L (EPAMW11). TCE was not detected in the sample from monitoring well W11TCW12 at Temple Station.

High TCE concentrations were observed in southwestern Area 3 in EPAMW11 and EPAMW12A. Historically, TCE concentrations at EPAMW11 and EPAMW12A have consistently been elevated and typically exceed the MCL by 20 times and 10 times, respectively. As part of the data gap investigation conducted in 2014 (CH2M, 2015), EPA evaluated the distribution of COPCs in southwestern Area 3. Concentrations of TCE greater than 500 times the MCL have been detected in groundwater upgradient (west) of EPAMW11 (CH2M, 2015).

TCE concentrations exceeding the MCL were also reported in the shallow to mid-depth zones (less than 600 feet below ground surface [bgs]) of EPAMW13, EPAMW14, and EPAMW15 in central Area 3. TCE concentrations in the deep zone (greater than 600 feet bgs) of EPAMW13 and EPAMW14, and in the

shallow zone (less than 400 feet bgs) of EPAMW15, were nondetect or below the MCL. TCE was not detected in EPAMW16, EPAMW17, EPAMW18, and EPAMW19.

3.2.3 Cis-1,2-DCE Distribution

In 2019, cis-1,2-DCE was detected at concentrations exceeding the MCL of 6 µg/L in EPAMW12A, EPAMW13, and EPAMW19A. Cis-1,2-DCE was also detected at concentrations below the MCL in EPAMW11 and EPAMW14. At locations where cis-1,2-DCE was detected in 2019 groundwater samples, concentrations ranged from 1.0 µg/L (EPAMW14_04) to 16 µg/L (EPAMW19A). Cis-1,2-DCE was not detected in the sample from monitoring well W11TCW12 at Temple Station.

The highest cis-1,2-DCE concentration was 16 µg/L detected at EPAMW19A. The highest historical concentration of cis-1,2-DCE in the EPA monitoring well network also occurred at EPAMW19A, with a value of 23 µg/L in the initial sample from the well in 2018. Cis-1,2-DCE concentrations exceeding the MCL were also reported in samples collected at EPAMW12A and EPAMW13_05, which are both near EPAMW19 in central Area 3; and all three wells are screened within approximately the upper 100 feet of the saturated zone.

Similar to PCE and TCE, cis-1,2-DCE was primarily present in southwestern Area 3 and central Area 3. Wells with detectable concentrations of cis-1,2-DCE also generally contain TCE at higher concentrations (EPAMW13_05 and EPAMW19A are exceptions).

3.2.4 Distribution of Other COPCs

The distribution of 1,2,3-TCP, carbon tetrachloride, and 1,4-dioxane based on 2019 groundwater samples was as follows:

- 1,2,3-TCP:
  - 1,2,3-TCP was detected and exceeded the NL in EPAMW15_05 and EPAMW15_06, at a concentration of 0.2 µg/L in both wells.
  - Historically, the highest concentrations of 1,2,3-TCP observed in the EPA monitoring well network have occurred in EPAMW15_06.
  - 1,2,3-TCP was not detected in the sample from monitoring well W11TCW12 at Temple Station.
- Carbon tetrachloride:
  - Carbon tetrachloride was detected at the MCL of 0.5 µg/L in EPAMW11.
  - Historically, the highest concentrations of carbon tetrachloride detected in EPA monitoring wells have occurred at EPAMW11.
  - Carbon tetrachloride was not detected in the sample from monitoring well W11TCW12 at Temple Station.
- 1,4-dioxane:
  - 1,4-dioxane was detected at 0.6 J µg/L in EPAMW11, which is below the NL of 1 µg/L.
  - 1,4-dioxane was not detected in samples collected from EPAMW19A or EPAMW19B. It was not analyzed in the 2019 samples collected from other EPA or Temple Station monitoring wells.

SECTION 4

References

California Regional Water Quality Control Board (RWQCB). 2011. *Directive to Take Corrective Action in Response to Unauthorized Underground Storage Tank Release Pursuant to Health and Safety Code Section 25296.10 and Title 23, California Code of Regulations, Sections 2720-2727, Temple City Sheriff's Station, 8838 Las Tunas Drive, Temple City (File No. R-02444) (Priority C1)*. July 11.

CH2M HILL, Inc. (CH2M). 2015. *Data Gap Investigation Report Southwest Operable Unit San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California*. July.

CH2M HILL, Inc. (CH2M). 2017. *Summary Report for EPA 2016 Groundwater Monitoring Activities, San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California*. February.

TRC. 2012. *Second Half 2012 Site Conceptual Model Update, Groundwater and Soil Vapor Investigation Report, RWQCB UST Case No. R-02444, Temple Sheriff's Station 8838 E. Las Tunas Drive, Temple City, California 91780*. October 15.

U.S. Environmental Protection Agency (EPA). 2003. *Quality Assurance Project Plan for San Gabriel Valley NPL Area 3 Remedial Investigation Field Activities.* Prepared by CH2M HILL for Region 9. February.

U.S. Environmental Protection Agency (EPA). 2004. *Draft Quality Assurance Project Plan Addendum No. 1 for San Gabriel Valley NPL Area 3 Remedial Investigation Field Activities*. Prepared by CH2M HILL. October.

U.S. Environmental Protection Agency (EPA). 2009. *Final Remedial Investigation San Gabriel Valley Area 3 Superfund Site*. June.

Tables

Table 1a. Summary of Well Construction Details and Water Levels - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

Well Identification	Sampling Port	Screen Interval (feet bgs)	Reference Point Elevation (feet msl)	Date	Depth to Water[a] (feet brp)	Groundwater Elevation[a] (feet msl)	Vertical Gradient[b] (foot/foot)
EPAMW11	EPAMW11	252-272	462.08	3/27/2019	196.24	265.84	-
EPAMW12A	EPAMW12A	384-394	482.30	3/27/2019	333.65	148.65	-
EPAMW12B	EPAMW12B	288-308	482.30	3/27/2019	DRY	-	-
EPAMW13	EPAMW13_05	350-360	457.53	4/1/2019	-	136.36	-
	EPAMW13_04	480-490	457.53	4/1/2019	-	134.67	-0.013
	EPAMW13_03	580-590	457.53	4/1/2019	-	134.28	-0.0039
	EPAMW13_02	660-670	457.53	4/1/2019	-	134.18	-0.0012
	EPAMW13_01	770-780	457.53	4/1/2019	-	134.36	0.0016
EPAMW14	EPAMW14_04	380-390	505.83	3/29/2019	-	142.28	-
	EPAMW14_03	460-470	505.83	3/29/2019	-	143.06	0.0098
	EPAMW14_02	545-555	505.83	3/29/2019	-	137.42	-0.066
	EPAMW14_01	605-615	505.83	3/29/2019	-	137.12	-0.0050
EPAMW15	EPAMW15_06	325-335	438.16	3/29/2019	-	136.25	-
	EPAMW15_05	400-410	438.16	3/29/2019	-	136.01	-0.0032
	EPAMW15_04	480-490	438.16	3/29/2019	-	134.58	-0.018
	EPAMW15_03	590-600	438.16	3/29/2019	-	130.33	-0.039
	EPAMW15_02	670-680	438.16	3/29/2019	-	130.35	0.00025
	EPAMW15_01	770-780	438.16	3/29/2019	-	137.67	0.073
EPAMW16	EPAMW16_07	265-275	415.39	4/1/2019	-	164.01	-
	EPAMW16_06	335-345	415.39	4/1/2019	-	144.09	-0.28
	EPAMW16_05	405-415	415.39	4/1/2019	-	141.71	-0.034
	EPAMW16_04	505-515	415.39	4/1/2019	-	140.90	-0.0081
	EPAMW16_03	585-595	415.39	4/1/2019	-	138.29	-0.033
	EPAMW16_02	650-660	415.39	4/1/2019	-	137.33	-0.015
	EPAMW16_01	790-800	415.39	4/1/2019	-	132.02	-0.038
EPAMW17	EPAMW17	270-320	504.32	3/27/2019	314.99	189.33	-
EPAMW18	EPAMW18	196-226	479.01	3/27/2019	178.92	300.09	-
EPAMW19A	EPAMW19A	315-335	468.68	3/27/2019	314.4	154.28	-
EPAMW19B	EPAMW19B	395-415	468.62	3/27/2019	323.18	145.44	-0.126

Notes:

[a] Pressure readings are recorded at individual sample ports in multiport wells and converted to groundwater elevations.

[b] Vertical gradient indicated is between the screen interval identified and the screen interval above.
Screen midpoint elevations were used to calculate vertical gradients.
Negative values indicate a downward gradient.

bgs = below ground surface

brp = below reference point

msl = mean sea level

Table 1b. Summary of Well Construction Details and Water Levels - Temple Station Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			2012 Monitoring Data[a]			2016 Monitoring Data[b]			2019 Monitoring Data[c]		
Well Identification	**Screen Interval (feet bgs)**	**Reference Point Elevation (feet msl)**	**Depth to Water (feet brp)**	**Total Depth (feet brp)**	**Groundwater Elevation (feet msl)**	**Depth to Water (feet brp)**	**Total Depth (feet brp)**	**Groundwater Elevation (feet msl)**	**Depth to Water (feet brp)**	**Total Depth (feet brp)**	**Groundwater Elevation (feet msl)**
W11TCSW1	190-220	413.43	204.58	217.61	208.85	214.45	217.4	198.98	DRY	217.45	DRY
W11TCSW2	183-213	411.11	202.63	212.16	208.48	DRY	212.05	DRY	DRY	211.94	DRY
W11TCSW3	183-213	411.00	202.75	211.51	208.25	DRY	211	DRY	DRY	210.70	DRY
W11TCSW4	195-215	415.74	206.83	219.72	208.91	216.75	220	198.99	DRY	219.90	DRY
W11TCSW5	200-220	413.13	204.10	217.49	209.03	213.95	217	199.18	DRY	216.71	DRY
W11TCSW6	200-220	417.09	208.28	217.56	208.81	DRY	218	DRY	DRY	217.41	DRY
W11TCSW7	200-220	413.94	204.90	215.51	209.04	214.76	215.4	199.18	DRY	215.55	DRY
W11TCSW9	197-217	411.60	203.27	217.8	208.33	212.94	217.65	198.66	DRY	217.50	DRY
W11TCW10	195-215	411.01	203.10	214.89	207.91	212.52	215.9	198.49	DRY	215.70	DRY
W11TCW11	195-215	407.66	199.88	214.18	207.78	209.27	212	198.39	DRY	212.11	DRY
W11TCW12	268-278	410.80	213.04	277.89	197.76	224.89	274	185.91	230.31	273.14	180.49

Notes:

[a] Field measurements collected on July 31, 2012.

[b] Field measurements collected between September 27 and 29, 2016.

[c] Field Measurements collected on March 27, 2019.

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW11	EPAMW11	5/14/2008	**10**	**140**	2.9	NA	**1.1**	NA
		5/13/2009	**7**	**140**	1.9	NA	**0.57**	NA
		5/19/2010	**9.2**	**250**	2.6	NA	**0.7**	NA
		5/3/2011	**9.5**	**200**	3.4	NA	ND	5.2
		3/7/2012	**7.9**	**170**	3.2	NA	**0.64**	NA
		7/1/2013	**9.6**	**160**	3.7	NA	**0.64**	NA
		6/26/2014	**7.2**	**150**	2.9	NA	**0.57**	NA
		9/19/2016	**7.9**	**100**	2.8	ND	ND	NA
		3/27/2019	**7.3**	**130**	2.8	ND	**0.5**	NA
EPAMW12A	EPAMW12A	5/15/2008	3.6	**66**	**12**	NA	0.12	NA
		5/11/2009	2.6	**55**	**8.1**	NA	0.12	NA
		5/19/2010	3.1	**49**	**7.2**	ND	ND	2.6*
		5/3/2011	3.9	**66**	**8.8**	NA	ND	2.8
		2012	NA	NA	NA	NA	NA	NA
		NA	NA	NA	NA	NA	NA	NA
		6/24/2014	3.6	**56**	**8.8**	NA	NA	NA
		9/26/2016	**5.1**	**60**	**11**	ND	ND	NA
		3/27/2019	2.7/2.2	**35/31**	**11/10**	ND	ND	NA
EPAMW12B	EPAMW12B		No samples collected because well was dry from 2008 through 2019.					
EPAMW13	EPAMW13_01	5/16/2008	ND	ND	ND	NA	ND	NA
		5/12/2009	ND	ND	ND	NA	ND	NA
		5/24/2010	ND	ND	ND	NA	ND	NA
		5/10/2011	ND	ND	ND	NA	ND	NA
		2/22/2012	ND	ND	ND	NA	ND	NA
		7/16/2013	ND	ND	ND	NA	ND	NA
		6/17/2014	ND	ND	ND	NA	ND	NA
		9/23/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	NA	NA	NA	NA	NA	NA
	EPAMW13_02	5/16/2008	ND	ND	ND	NA	ND	NA
		5/12/2009	ND	ND	ND	NA	ND	NA
		5/24/2010	ND	ND	ND	NA	ND	NA
		5/10/2011	ND	ND	ND	ND	ND	NA
		2/22/2012	ND	ND	ND	NA	ND	NA
		7/16/2013	ND	ND	ND	NA	ND	NA
		6/17/2014	ND	ND	ND	NA	ND	NA
		9/23/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	ND	ND	ND	ND	ND	NA

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW13	EPAMW13_03	5/16/2008	0.16	**18**	1.5	NA	ND	NA
		5/12/2009	0.22	**22**	1.8	NA	ND	NA
		5/24/2010	0.26	**18**	1.7	ND	ND	1.7
		5/10/2011	ND	**19**	1.8	NA	ND	NA
		2/22/2012	0.18	**12**	0.83	NA	ND	NA
		7/16/2013	0.44	**22**	2.9	NA	0.1	NA
		6/17/2014	ND	**25**	3.4	NA	0.085	NA
		9/23/2016	0.8	**23**	3.6	ND	ND	NA
		4/1/2019	0.7	**19**	3.2	ND	ND	NA
	EPAMW13_04	5/16/2008	ND	**5.1**	4.4	NA	ND	NA
		5/12/2009	ND	3.4	3.6	NA	ND	NA
		5/24/2010	ND	**5**	4.1	NA	ND	NA
		5/11/2011	ND	**7.4**	2.0	NA	ND	NA
		2/23/2012	0.16	**15**	1.1	NA	ND	NA
		7/17/2013	ND	**7.8**	3.9	NA	ND	NA
		6/17/2014	ND	**9.6**	3.9	NA	ND	NA
		9/23/2016	ND	**16**	4.6	ND	ND	NA
		4/1/2019	0.7/0.7	**21/24**	2.9/2.9	ND	ND	NA
	EPAMW13_05	5/16/2008	ND	2.9	2.3	NA	ND	NA
		5/12/2009	ND	2	3.1	NA	ND	NA
		5/24/2010	ND	3.5	**8.4**	NA	ND	NA
		5/11/2011	ND	3.1	**6.1**	NA	ND	NA
		2/23/2012	ND	3.1	5.5	NA	ND	NA
		7/17/2013	ND	4	**6.9**	NA	ND	NA
		6/17/2014	ND	3.5	**7.8**	NA	ND	NA
		9/23/2016	ND	3.9	**10**	ND	ND	NA
		4/1/2019	ND	3.1	**10**	ND	ND	NA
EPAMW14	EPAMW14_01	3/5/2008	ND	0.48	ND	NA	ND	NA
		5/13/2009	ND	0.27	ND	NA	ND	NA
		5/21/2010	ND	0.4	ND	NA	ND	NA
		5/16/2011	ND	ND	ND	NA	ND	NA
		2/28/2012	ND	0.37	ND	NA	ND	NA
		7/15/2013	ND	0.35	ND	NA	ND	NA
		6/18/2014	ND	0.36	0.26	NA	ND	NA
		9/26/2016	ND	ND	ND	ND	ND	NA
		3/29/2019	ND	ND	ND	ND	ND	NA

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW14	EPAMW14_02	3/5/2008	ND	0.63	0.16	NA	ND	NA
		5/13/2009	ND	0.51	0.1	NA	ND	NA
		5/21/2010	ND	0.64	ND	NA	ND	NA
		5/16/2011	ND	ND	ND	NA	ND	NA
		2/28/2012	ND	0.54	ND	NA	ND	NA
		7/15/2013	ND	0.57	0.12	NA	ND	NA
		6/18/2014	ND	0.47	0.31	NA	ND	NA
		9/26/2016	ND	0.5	ND	ND	ND	NA
		3/29/2019	ND	0.3 J	ND	ND	ND	NA
	EPAMW14_03	3/5/2008	0.69	**25**	5.6	NA	ND	NA
		5/13/2009	0.85	**22**	5.5	NA	0.14	NA
		5/21/2010	1.1	**20**	**6.2**	NA	ND	NA
		5/18/2011	1.2	**23**	**6**	0.0028	ND	NA
		2/28/2012	1.1	**24**	5.9	NA	0.15	NA
		7/15/2013	1.3	**20**	**7.2**	NA	0.14	NA
		6/18/2014	2.2	**26**	**9**	NA	0.19	NA
		9/26/2016	1.4	**24**	**6.6**	ND	ND	NA
		3/29/2019	1.3	**20**	4.9	ND	ND	NA
	EPAMW14_04	3/5/2008	ND	3.1	0.35	NA	ND	NA
		5/13/2009	ND	4.2	0.31	NA	ND	NA
		5/21/2010	ND	**6.4**	0.61	NA	ND	NA
		5/18/2011	ND	**7.7**	0.77	NA	ND	NA
		3/8/2012	ND	**6.4**	0.66	NA	ND	NA
		7/15/2013	ND	**8.3**	0.87	NA	ND	NA
		6/18/2014	ND	**9.4**	1	NA	ND	NA
		9/26/2016	ND	**9.5**	1.2	ND	ND	NA
		3/29/2019	ND	**5.9**	1.0	ND	ND	NA
EPAMW15	EPAMW15_01	5/13/2008	ND	ND	ND	NA	ND	NA
		5/14/2009	ND	ND	ND	NA	ND	NA
		5/20/2010	ND	ND	ND	NA	ND	NA
		5/4/2011	ND	ND	ND	0.0026	ND	0.39
		2/29/2012	ND	ND	ND	NA	ND	NA
		7/11/2013	ND	ND	ND	NA	ND	NA
		6/19/2014	ND	0.065	0.11	NA	ND	NA
		9/21/2016	ND	ND	ND	ND	ND	NA
		3/29/2019	ND	ND	ND	ND	ND	NA

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW15	EPAMW15_02	5/13/2008	ND	ND	ND	NA	ND	NA
		5/14/2009	ND	ND	ND	NA	ND	NA
		5/20/2010	ND	ND	ND	NA	ND	NA
		5/4/2011	ND	ND	ND	NA	ND	0.3
		2/29/2012	ND	ND	ND	NA	ND	NA
		7/11/2013	ND	ND	ND	NA	ND	NA
		6/19/2014	ND	ND	ND	NA	ND	NA
		9/21/2016	ND	ND	ND	ND	ND	NA
		3/29/2019	ND	ND	ND	ND	ND	NA
	EPAMW15_03	5/13/2008	1.1	ND	ND	NA	ND	NA
		5/14/2009	0.62	ND	ND	NA	ND	NA
		5/20/2010	0.88	ND	ND	NA	ND	NA
		5/4/2011	ND	ND	ND	NA	ND	0.75
		2/22/2012	0.69	ND	ND	NA	ND	NA
		7/12/2013	0.88	ND	ND	NA	ND	NA
		6/19/2014	1.3	ND	ND	NA	ND	NA
		9/21/2016	1.0	ND	ND	ND	ND	NA
		3/29/2019	1.0	ND	ND	ND	ND	NA
	EPAMW15_04	5/13/2008	0.86	ND	ND	NA	ND	NA
		5/14/2009	0.47	ND	ND	NA	ND	NA
		5/20/2010	1.1	ND	ND	NA	ND	NA
		5/5/2011	1.2	ND	ND	NA	ND	0.74
		3/1/2012	1.3	ND	ND	NA	ND	NA
		7/12/2013	2.3	ND	ND	NA	ND	NA
		6/19/2014	3.2	ND	ND	NA	ND	NA
		9/21/2016	2.6	ND	ND	ND	ND	NA
		3/29/2019	1.8	ND	ND	ND	ND	NA
	EPAMW15_05	5/13/2008	**7.7**	0.7	ND	NA	ND	NA
		5/14/2009	3.8	0.33	ND	NA	ND	NA
		5/20/2010	4.8	0.65	ND	**0.243**	ND	2.7*
		5/5/2011	4.4	0.51	ND	**0.21**	ND	3
		3/1/2012	3.5	0.48	ND	NA	ND	NA
		7/12/2013	3.2	0.63	ND	NA	ND	NA
		6/19/2014	**5.0**	0.72	ND	NA	0.058	NA
		9/21/2016	**7.0**	0.4	ND	ND	**0.5**	NA
		3/29/2019	**5.8**	0.4 J	ND	**0.2**	ND	NA

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW15	EPAMW15_06	5/13/2008	2.4	1.4	ND	NA	ND	NA
		5/14/2009	1.2	0.71	ND	NA	ND	NA
		5/21/2010	2.7	1.6	ND	NA	ND	NA
		5/5/2011	1.8	1.2	ND	**0.39**	ND	2.8
		3/1/2012	2.5	1.5	ND	NA	ND	NA
		7/12/2013	2.8	1.5	ND	NA	ND	NA
		6/19/2014	3.3	1.5	ND	NA	0.062	NA
		9/21/2016	**5.0**	2.6	ND	**0.6**	ND	NA
		3/29/2019	**18 J**	**7.2 J**	ND	**0.2**	ND	NA
EPAMW16	EPAMW16_01	2/27/2008	ND	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/9/2011	ND	ND	ND	NA	ND	0.3
		3/5/2012	ND	ND	ND	NA	ND	NA
		7/9/2013	ND	ND	ND	NA	ND	NA
		6/23/2014	ND	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	NA	NA	NA	NA	NA	NA
	EPAMW16_02	2/28/2008	ND	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/9/2011	ND	ND	ND	NA	ND	0.3
		3/5/2012	ND	ND	ND	NA	ND	NA
		7/9/2013	ND	ND	ND	NA	ND	NA
		6/23/2014	ND	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	NA	NA	NA	NA	NA	NA
	EPAMW16_03	2/28/2008	ND	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/12/2011	ND	ND	ND	NA	ND	NA
		3/5/2012	ND	ND	ND	NA	ND	NA
		7/9/2013	ND	ND	ND	NA	ND	NA
		6/23/2014	0.03	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	ND	ND	ND	ND	ND	NA

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW16	EPAMW16_04	2/28/2008	ND	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/12/2011	ND	ND	ND	NA	ND	NA
		3/6/2012	ND	ND	ND	NA	ND	NA
		7/10/2013	ND	ND	ND	NA	ND	NA
		6/23/2014	0.06	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	ND	ND	ND	ND	ND	NA
	EPAMW16_05	3/4/2008	0.17	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/13/2011	ND	ND	ND	NA	ND	NA
		3/6/2012	ND	ND	ND	NA	ND	NA
		7/10/2013	0.17	ND	ND	NA	ND	NA
		6/24/2014	0.16	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	ND	ND	ND	ND	ND	NA
	EPAMW16_06	3/4/2008	ND	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/13/2011	ND	ND	ND	NA	ND	NA
		3/6/2012	ND	ND	ND	NA	ND	NA
		7/10/2013	0.11	ND	ND	NA	ND	NA
		6/24/2014	0.14	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	ND	ND	ND	ND	ND	NA
	EPAMW16_07	3/4/2008	ND	ND	ND	NA	ND	NA
		5/15/2009	ND	ND	ND	NA	ND	NA
		5/18/2010	ND	ND	ND	NA	ND	NA
		5/13/2011	ND	ND	ND	NA	ND	NA
		3/6/2012	ND	ND	ND	NA	ND	NA
		7/10/2013	ND	ND	ND	NA	ND	NA
		6/24/2014	0.064	ND	ND	NA	ND	NA
		9/22/2016	ND	ND	ND	ND	ND	NA
		4/1/2019	ND	ND	ND	ND	ND	NA

Table 2a. Summary of Groundwater Sample Results - EPA Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

			COPCs					
Well Identification	**Sampling Port**	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**	**Perchlorate (µg/L)**
	MCL/NL		5	5	6	0.005	0.5	6
EPAMW17	EPAMW17	5/15/2008	ND	ND	ND	NA	ND	NA
		2009	NA	NA	NA	NA	NA	NA
		5/25/2010	ND	ND	ND	NA	ND	NA
		12/20/2011	NA	NA	NA	NA	NA	NA
		3/7/2012	ND	ND	ND	NA	ND	NA
		NA	NA	NA	NA	NA	NA	NA
		10/14/2016	ND	ND	ND	ND	ND	NA
		3/27/2019	ND	ND	ND	ND	ND	NA
EPAMW18	EPAMW18	5/14/2008	ND	ND	ND	NA	ND	NA
		5/14/2009	ND	ND	ND	NA	ND	NA
		5/19/2010	ND	ND	ND	NA	ND	NA
		12/19/2011	ND	ND	ND	NA	ND	0.59
		3/7/2012	ND	ND	ND	NA	ND	NA
		7/1/2013	ND	ND	ND	NA	ND	NA
		6/26/2014	ND	0.1	ND	NA	ND	NA
		9/19/2016	ND	ND	ND	ND	ND	NA
		3/27/2019	ND	ND	ND	ND	ND	NA
EPAMW19	EPAMW19A	10/11/2018	ND	ND	**21/23**	ND	ND	NA
		3/28/2019	ND	ND	**16/16**	ND	ND	NA
	EPAMW19B	10/11/2018	ND	ND	ND	ND	ND	NA
		3/28/2019	ND	ND	ND	ND	ND	NA

Notes:

BOLD = Values are greater than or equal to the MCL/NL value.

* Sample collected on June 2, 2010.

µg/L = microgram per liter

1,2,3-TCP = 1,2,3-trichloropropane

cis-1,2-DCE = cis-1,2-dichloroethene

COPC = contaminant of potential concern

J = estimated concentration

MCL = maximum contaminant level

NA = not analyzed

ND = not detectable

NL = notification Level

PCE = tetrachloroethene

TCE = trichloroethene

Table 2b. Summary of Groundwater Sample Results - Temple Station Monitoring Wells

Groundwater Monitoring Summary Report 2019

San Gabriel Valley Area 3 Superfund Site, Los Angeles County, California

		COPCs				
Well Identification	**Date Sampled**	**PCE (µg/L)**	**TCE (µg/L)**	**cis-1,2-DCE (µg/L)**	**1,2,3-TCP (µg/L)**	**Carbon Tetrachloride (µg/L)**
	MCL/NL	5	5	6	0.005	0.5
W11TCSW1	7/31/2012	**490**	4.0	ND	NA	ND
	9/28/2016	**240**	1.4	0.4	ND	ND
W11TCSW2	7/31/2012	**110**	0.94	ND	NA	ND
W11TCSW3	7/31/2012	**450**	**8.2**	ND	NA	ND
W11TCSW4	7/31/2012	**82**	0.15 J	ND	NA	ND
	9/29/2016	**120**	ND	ND	ND	ND
W11TCSW5	7/31/2012	**95**	0.30 J	ND	NA	ND
	9/27/2016	**680**	3.3	ND	ND	ND
W11TCSW6	7/31/2012	**290**	**20**	**12**	NA	ND
W11TCSW7	7/31/2012	**680**	4.9	ND	NA	ND
W11TCSW9	7/31/2012	**120**	0.80	ND	NA	ND
	9/29/2016	**400**	3.3	ND	ND	ND
W11TCW10	7/31/2012	**450**	**8.3**	ND	NA	ND
	9/28/2016	**660**	**22**	0.8	ND	ND
	9/28/2016 (duplicate)	**640**	**21**	0.6	ND	ND
W11TCW11	7/31/2012	**220**	**6.6**	ND	NA	ND
W11TCW12	7/31/2012	0.38 J	ND	ND	NA	ND
	9/29/2016	0.4	ND	ND	ND	ND
	4/3/2019	ND	ND	ND	ND	ND

Notes:

BOLD = Values are greater than or equal to the MCL/NL value.

Figures





Legend

- NPL AREA 3 — National Priorities List (NPL) Area/San Gabriel Valley Superfund Site Name
- Structural Bedrock Discontinuity
- San Gabriel Basin Boundary
- Lakes
- Spreading Grounds
- Bedrock

N

0 0.5 1 2
Miles

Figure 1
Location of Area 3 Superfund Site
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

\\GALT\PROJ\EPAF\ALOU\MAPFILES\2020\FIG1_LOCAREA3_200601.MXD KGRANT1 6/9/2020 5:25:59 PM

ch2m



Legend

- Production Well
- EPA Monitoring Well
- Highway
- Major Street
- Railway
- Streams
- Fault
- Open Space
- City of Alhambra Groundwater Treatment Plant
- Area 3 Site
- Spreading Ground
- Structural Bedrock Discontinuity
- Bedrock
- Temple Station

N

0 1,000 2,000 4,000
Feet

Figure 2a
Well Location Map - EPA Monitoring Wells
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

\\GALT\PROJ\EPAF\ALOU\MAPFILES\2020\FIG2A_GROUNDWATERWELLS_200609.MXD KGRANT1 6/9/2020 5:50:42 PM

ch2m



Legend

- Temple Station
- Monitoring Well

N

0 50 100 200
Feet

Figure 2b
Well Location Map -
Temple Station Monitoring Wells
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

\\GALT\PROJ\EPAF\ALOU\MAPFILES\2020\FIG2B_TEMPLESTATION_GROUNDWATERWELLS_200609.MXD KGRANT1 6/9/2020 5:59:45 PM

ch2m





Legend

- Facility Monitoring Well
- Production Well
- EPA Monitoring Well
- Highway
- Major Street
- Railway
- Streams
- Fault
- Open Space
- City of Alhambra Groundwater Treatment Plant
- Area 3 Site
- Spreading Ground
- Structural Bedrock Discontinuity
- Bedrock
- Temple Station

Notes:
ft msl - feet (relative to) mean sea level

W11TCW12	Well ID
180.49	2019 groundwater elevation (ft msl)
(-5.42)	Change in groundwater elevation 2016 to 2019 (feet)

N

0 1,000 2,000 4,000
Feet

Figure 3a
Groundwater Elevations - Area 3 (2019)
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

ch2m

VICINITY MAP



Legend

Temple Station

Monitoring Well

Notes:
ft msl - feet (relative to) mean sea level

W11TCW12	Well ID
180.49	2019 groundwater elevation (ft msl)
(-5.42)	Change in groundwater elevation 2016 to 2019 (feet)

N

0 50 100 200
Feet

Figure 3b
Groundwater Elevations - Temple Station (2019)
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

\\GALT\PROJ\EPAF\ALOU\MAPFILES\2020\FIG3B_TEMPLESTATION_GWELEVATIONS_200609.MXD KGRANT1 6/9/2020 7:50:45 PM

ch2m



EPAMW14			
No.	PCE	TCE	c-1,2-DCE
4	ND	**5.9**	1.0
	ND	**9.5**	1.2
3	1.3	**20**	4.9
	1.4	**24**	**6.6**
2	ND	0.3 J	ND
	ND	0.5	ND
1	ND	ND	ND
	ND	ND	ND

EPAMW15			
No.	PCE	TCE	c-1,2-DCE
6	**18 J**	**7.2 J**	ND
	5.0	2.6	ND
5	**5.8**	0.4 J	ND
	7.0	0.4	ND
4	1.8	ND	ND
	2.6	ND	ND
3	1.0	ND	ND
	1.0	ND	ND
2	ND	ND	ND
	ND	ND	ND
1	ND	ND	ND
	ND	ND	ND

EPAMW16			
No.	PCE	TCE	c-1,2-DCE
7	ND	ND	ND
	ND	ND	ND
6	ND	ND	ND
	ND	ND	ND
5	ND	ND	ND
	ND	ND	ND
4	ND	ND	ND
	ND	ND	ND
3	ND	ND	ND
	ND	ND	ND
2	ND	ND	ND
1	ND	ND	ND

EPAMW12A		
PCE	TCE	c-1,2-DCE
2.7	**35**	**11**
5.1	**60**	**11**

EPAMW17		
PCE	TCE	c-1,2-DCE
ND	ND	ND
ND	ND	ND

EPAMW18		
PCE	TCE	c-1,2-DCE
ND	ND	ND
ND	ND	ND

EPAMW11		
PCE	TCE	c-1,2-DCE
7.3	**130**	2.8
7.9	**100**	2.8

EPAMW19			
No.	PCE	TCE	c-1,2-DCE
A	ND	ND	**16**
	ND	ND	**23**
B	ND	ND	ND
	ND	ND	ND

EPAMW13			
No.	PCE	TCE	c-1,2-DCE
5	ND	3.1	**10**
	ND	3.9	**10**
4	0.7	**24**	2.9
	ND	**16**	4.6
3	0.7	**19**	3.2
	0.8	**23**	3.6
2	ND	ND	ND
	ND	ND	ND
1	ND	ND	ND

VICINITY MAP



Legend

- Production Well
- EPA Monitoring Well
- Highway
- Major Street
- Railway
- Streams
- Fault
- Open Space
- City of Alhambra Groundwater Treatment Plant
- Area 3 Site
- Spreading Ground
- Structural Bedrock Discontinuity
- Bedrock
- Temple Station

Notes:
1. Cis-1,2-dichloroethene (cis-1,2-DCE or c-1,2-DCE), tetrachloroethene (PCE), and trichloroethene (TCE) concentrations reported in micrograms per liter.
2. Results from March/April 2019 (white cells) and September/October 2016 (shaded cells). Results in shaded cells for EPAMW19 from October 2018.
3. Results posted for Temple Station are the maximum concentrations detected in samples from six monitoring wells at the site.
4. BOLD results exceed the maximum contaminant level.

N

0 1,000 2,000 4,000
Feet

Figure 4a
Distribution of PCE, TCE, and Cis-1,2-DCE in Groundwater - Area 3
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

ch2m

W11TCSW4		
PCE	TCE	c-1,2-DCE
120	ND	ND

W11TCSW5		
PCE	TCE	c-1,2-DCE
680	3.3	ND

W11TCSW1		
PCE	TCE	c-1,2-DCE
240	1.4	0.4

W11TCW10		
PCE	TCE	c-1,2-DCE
660	22	0.8

W11TCW12		
PCE	TCE	c-1,2-DCE
ND	ND	ND
0.4	ND	ND

W11TCSW9		
PCE	TCE	c-1,2-DCE
400	3.3	ND

VICINITY MAP



Legend

- Temple Station
- Monitoring Well

Notes:
1. Cis-1,2-dichloroethene (cis-1,2-DCE or c-1,2-DCE), tetrachloroethene (PCE), and trichloroethene (TCE) concentrations reported in micrograms per liter.
2. Results from April 2019 (white cells) and September 2016 (shaded cells).
3. BOLD results exceed the maximum contaminant level.

N

0 50 100 200
Feet

Figure 4b
Distribution of PCE, TCE, and Cis-1,2-DCE in Groundwater - Temple Station
San Gabriel Valley Area 3 Superfund Site
Los Angeles County, California

ch2m

Appendix A
Field Notes

3/27/19 EPA R9 Alhambra GWM Activities

0650 Steve S. + Cal Barricade tech onsite @ MW1-1

0655 BTS tech onsite.
Weather: Partly Cloudy to clear ~70°F

0700 Perform tailgate safety meeting + discuss SOW.

0715 Cal Barricade begins setting-up TC devices per plan @ MW1-1
BTS technician informs Steve that the rig does not have the equipment to run high pressure pump. BTS is unable to pump deep well w/o MP-10H + high pressure line fitting. BTS tech informs his PM.

0730 Steve S. informs David T. of
~~0730 ss~~ situation. Inform David that equipment ~~Per David, see if~~ on rig is not suitable for deeper wells.
BTS will send another rig out w/ the equipment necessary for the deep conventional wells.

~~09~~ Continue to measure DTW @ MW1, MW1-8, MW1-7 A/B, MW1-7, + MW1-9 A/B.
DTW recorded in BTS field logs.

3/27/19

Setup temp no parking signs @ MW1-7, MW1-8, + MW1-9 A/B for Tuesday 3/28/19.

0930 Replacement BTS rig onsite @ MW1-1.
Setup + begin GW sampling activities.

0940 Calibrate MultiRAE #31470

0950 Measure air quality @ MW1-1
CO = 0 ppm O_2 = 20.9%
H_2S = 0.0 ppm VOC = 0.0 ppm
LEL = 0%

0955 Hook-up equipment to MW1-1 connections.
Begin pumping well.

1040 Begin sampling.

1055 Complete sampling MW1-1.
Cleanup + direct to MW1-8.

1108 Setup @ MW1-8 and begin sampling activities.
Air quality @ MW1-8:
CO = 0 ppm O_2 = 20.9%
H_2S = 0.0 ppm VOC = 0.0 ppm
LEL = 0%

Rite in the Rain

Scanned by CamScanner

3/27/19

1139 Collect MW1-8 GW sample.
Begin cleanup.

1230 Begin setup @ MW1-2A/B and start ~~GWM acts~~ sampling activities.

1240 Open MW1-2B, NE of 2A.
Measure DTW + DTB.
Well is dry.
Cleanup + setup @ MW1-2A.
Air quality @ MW1-2A
CO = 0 ppm O_2 = 20.9%
H_2S = 0.0 ppm VOC = 0.0 ppm
LEL = 0%

1305 Start pumping MW1-2A.

1324 Collect MW1-2A sample + duplicate sample.
Begin clean-up.

1420 ~~Pack coolers~~ ss Begin ~~breaking~~ packing down equipment.

1425 Cal Barricade, BTS, and Steve S. offsite from MW1-2A/B.

1522 Complete dropping-off sample cooler to fedex in El Monte, CA.

1525 Steve S. offsite.

SS

Area 3 Alhambra
3/28/19 GW Sampling Activities

0650 Steve S., BTS, and Cal Barricade onsite @ MW1-7.
Weather partly cloudy/clear ~70°F.

0700 Perform ~~sans~~ tailgate safety briefing and discuss tasks.

0710 Begin traffic control setup

0720 Setup equipment on MW1-7.
Calibrate ~~PA~~ PID rental #22420.
Measure air quality @ MW1-7.
CO = 0 ppm O_2 = 20.9%
H_2S = 0.0 ppm VOC = 0.0 ppm
LEL = 0%

0747 Collect MW1-7 GW sample.
Begin pack + cleanup.

0803 Complete cleanup @ MW1-7.
Drive to MW1-9A/B location.

0814 Begin setting-up TC devices at MW1-9A/B.

0820 Setup sampling equipment @ MW1-9A.

0837 Collect EB sample from clean submersible pump.
Measure air quality at MW1-9A/B
CO = 0 ppm, H_2S = 0.0 ppm, LEL 0%, O_2 = 20.9%
VOC = 0.0 ppm

Rite in the Rain

Scanned by CamScanner

0915 Start pumping MW1-9A/B ss
0934 Collect MW1-9A GW + Dup sample.
~~Cleanup~~ ss Retrieve equipment + prepare to sample MW1-9B.
1037 BTS tech informs Steve that DTB for MW1-9B is 417.04 ft btoc. DTB according to construction should be ~470 ft ~~btoc~~ ss bgs.
Screen interval is 395-415 ft bgs.
Continue setting-up submersible pump.
1049 Start pumping MW1-9B.
1188 ~~Complete sampling~~ ss Collect MW1-9B GW sample.
Begin packing-up equipment and cleanup. cleanup @
1212 Complete ~~sampling~~ ss MW1-9B.
Pack-up TC devices and drive to Las Tunas Reservoir location.
1300 Begin setting-up TC devices on Las Tunas for TS MW-7.
1315 Setup sampling truck on ~~FSW~~ ss TS MW-7 to gauge well.
1330 BTS tech informs Steve S. that ~~FW to~~ ss TS MW-7 is dry, DTB = 415.55 ft btoc.

3/28/19

Begin setting-up at TS MW-6 to gauge well.
1345 Gauge TS MW-6.
Well is dry. DTB = 417.41 ft btoc
Begin setting-up TC devices for TS MW-5.
1400 BTS tech ~~m~~ ss gauges TS MW-5.
Well is dry. DTB = 416.71 ft btoc
Begin packing-up equipment and TC devices.
1450 BTS + Cal Barricade offsite.
1500 Steve S. offsite for FedEx.
1537 ~~for~~ ss Drop-off sample cooler to FedEx for overnight shipping.
1540 Steve S. departs site.

SS
3/28/19

Rite in the Rain

Scanned by CamScanner

Area 3 Alhambra

3/29/19 GW Sampling

0650 Steve S. + BTS onsite @ MW1-5 location.

0700 Cal Barricade onsite. Perform safety briefing and discuss today's tasks.

0710 Cal Barricade begins setting-up TC devices for MW1-5.

0720 Setup West Bay truck on MW1-5 and begin tripping in tooling to Zone #1.

0750 Collect equipment blank sample from clean tooling. Bump test + calibrate PID rental # 22420.

~~Air qua~~ Measure air quality @ MW1-5.

CO = 0 ppm O_2 = 20.9 %

H_2S = 0.0 ppm VOC = 0.0 ppm

LEL = 0 %

0845 Collect Zone 1 GW sample.

0905 Collect Zone 2 sample.

0935 Collect Zone 3 sample. Cal Barricade tech drives to MW1-4 location to confirm access.

0957 Contact Bryan J. to ask

3/29/19

if crew needs to collect a second equipment blank + Lab QC sample set if already collected for the day. Per ~~Bf~~ Bryan, no need to collect a second EB or Lab QC sample if a set of both has already been collected for the day. Modify COC to make 2 of 2 pages ~~for ss~~ if a second WB well is sampled today.

0955 Collect Zone 4 sample

1015 Collect Zone 5 sample

1035 Collect Zone 6 sample and Lab QC samples. Sample tool was thoroughly decontaminated before and after each Zone sample.

1040 Begin clean up + pack-up equipment.

1100 Pack-up TC devices and drive to MW1-4 location.

1130 Begin setting-up equipment

Rite in the Rain

Scanned by CamScanner

3/29/19

and TC devices for MW1-4.

1200 Begin sampling activities @ MW1-4.

1230 Collect Zone 1 GW sample

1255 Collect Zone 2 sample.

1320 Collect Zone 3 sample.

1345 Collect Zone 4 sample.

Sampling tool thoroughly decontaminated prior and after collecting Zone samples.

1355 Begin clean-up + pack-up equipment.

1400 BTS offsite.

1430 Steve S. + Cal Barricade offsite.

55 3/29/19

4/1/19 ~~S~~ GW Sampling

0650 BTS + Cal Barricade onsite @ MW1-6 location.

0700 Steve S. onsite @ MW1-6. Weather is partly cloudy / clear ~70°F. Perform tailgate safety meeting and discuss today's tasks.

0715 Begin setting-up TC devices and GW sampling truck on MW1-6.

0800 Begin sampling activities @ MW1-6.

0815 Sample Zone 3

0845 Sample Zone 4

@ 0800 Collect equipment blank from clean sample tool. Bump test + calibrate MultiRAE rental # 22470.

0905 Sample Zone 5.

0915 Sample Zone 6.

0945 Sample Zone 7.

Begin clean-up + pack-up equipment.

1018 ~~Mobilize~~ ~~S~~ Mobilize to location MW1-3 and begin setting-up TC devices.

1020 Measure air quality @ MW1-3.

Rite in the Rain

Scanned by CamScanner

4/1/19

CO = 0 ppm O_2 = 21.0%
H_2S = 0.0 ppm VOC = 0.0 ppm
LEL = 0%

1100 Begin sampling activities @ MW1-3.

1135 Collect Zone 1 samples.

~~1145~~ 1155 Collect Zone 3 samples.

1215 Collect Zone 4 sample + duplicate sample.

@ 1217 a member of the public approaches field crew to ask about our work.

Inform person that we were collecting water samples for testing. Person informed crew that he lives in the area and wanted to know if there were any immediate danger ~~to residents~~ or concerns to residents. Inform person no there is not. Crew did not disclose lab analysis results.

1245 Collect Zone 5 samples.

Begin clean-up + pack-up equipment.

Sampling equipment was thoroughly

4/1/19

decontaminated before and after sampling each zone @ MW1-3.

1215 Call Barricade offsite.

1230 BTS offsite.

1235 Steve S. offsite to FedEx.

SS
4/1/19

Rite in the Rain

Scanned by CamScanner

Area 3

4/2/19 GW Sampling Activities

0650 Steve S. + BTS onsite @ Temple Station parking lot.

0700 Check-in w/ front desk. Request key to well WHTCSW4 along Eaton Wash across street. Front desk officer provides a key to try out.

0705 Try provided key at gate. Key does not work w/ locks.

0715 Return key to front desk personnel @ station. Front desk informs Steve that a Deputy has a key and will open the gate for crew.

0720 Drive to WHTCSW4 entrance.

0725 Deputy opens gate to wash. Open + gauge well. Well is dry.

0736 Drive in the parking lot of Station. Begin gauging wells from N-S of lot.

0740 Gauge TSMW-1. Well is dry. DTB= 217.45

0~~753~~ 46 Gauge TSMW-9. Well is dry. DTB= 217.50

0753 Gauge TSMW-12. DTW= 230.31 DTB= 273.14

4/2/19

0800 Gauge TSMW-2. Well is dry. DTB= 211.92

0810 Gauge TSMW-11. Well is dry. DTB= 212.17

0828 Speak to seargent about parked charge on top of TSMW-3. Seargent will inform Maria to get vehicle moved. Gauge TSMW-3. Well is dry. DTB= 210.70

0834 Deputy moves parked vehicle over TSMW-10. Gauge well. Well is dry. DTB= 215.70.

0840 Transportation bus parked temporarily behind crew's vehicle. Unable to mobilize to TSMW-12 for time being.

0906 Collect Equipment blank from clean/decontaminated submersible pump.

0910 Begin setting-up equipment @ TSMW-12. Measure air quality: CO=0 ppm, H2S=0.0 ppm, LEL=0%, O2=20.9% VOC= 0.0 ppm

Rite in the Rain

Scanned by CamScanner

4/8/19

0940 Turn on submersible pump at TSMW-12 + begin sampling activities.

1015 Lester Miyoshi (LASD Facilities PM) onsite to visit + observe activities. Lester asked how activities were going.
Inform Lester that all but TSMW-12 was dry.
Inform Lester there was 48' of water in well.
Lester asked if facility was being helpful and crew said yes.
Inform Lester that ~~well~~ crew plans on storing IDW drum at the southern most area of the station parking lot.

1030 Lester takes pictures of ATS setup on TSMW-12.

1080 Lester leaves crew to walk around site.
Collected TSMW-12 ~~[illegible]~~ GW sample at 1019.
Begin ~~[illegible]~~ clean-up + pack-up equipment.

4/8/19

1188 Complete transferring IDW to one 55-gal DOT ~~[illegible]~~ drum.
Drum is ~1/2 full w/ purge + decontamination water.
Drum was staged at southern most area of station parking lot.

1130 Collect IDW sample.

1200 ATS offsite.
Inform Maria Sigala (Temple Station) that crew is done and will be departing site.

1230 Steve S. offsite to FedEx.

1305 Drop-off cooler of samples to FedEx for overnight delivery.

1310 Steve S. offsite.

SS
4/8/19

Rite in the Rain

Scanned by CamScanner

WELL GAUGING DATA

Project # 190327-HAH Date 03/27/19 Client Jacobs

Site San Gabriel Valley Area 3

Well ID	Well Size (in.)	Time Gauged	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
MW1-1	4	0750					196.24	Dry pump	
MW1-8	4	0815					178.92	Dry pump	
MW1-9A	3	0855					314.40	~~338.65~~ 333.65	
MW1-9B	3	1035					323.18	412.02	
MW1-2B	4	1250					307.69	317.55	
MW1-12A	4	1255					~~336~~ 333.65	Dry pump	
MW1-7	4	0720					314.99	Dry pump	
TSMW-7	2	1331					DRY	215.55	
TSMW-6	2	1344					DRY ~~217.45~~	217.41	
TSMW-5	2	1405					DRY	216.71	
TSMW-4	2	0720					DRY	219.90	
TSMW-11	2	0800					DRY	212.11	
TSMW-2	~~2~~ 4	0800					DRY	211.94	
TSMW-12	2	0753					230.31	273.14	
TSMW-9	2	0746					DRY	217.50	
TSMW-1	4	0740					DRY	217.45	
TSMW-3	4	0825					DRY	210.70	

WELL GAUGING DATA

Project # 190327-HH1 Date 03/27/19 Client Jacobs

Site San Gabriel Valley Area 3

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
TSMW-10	0834	2					DRY	215.70		

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW1-3
DATE: 04/01/19
LOCATION: 808 Main St
ELEV. TOP OF WASTBAY CASING
WEATHER: Clear
DTW-337.05'

PROBE TYPE Westbay
SERIAL NO. EM54700
PROJECT Jacobs @ Alhambra
OPERATOR(S) T. Hoang
ATM. PRESSURE (Patm): (start) 14.40 (finish) 14.42
28.19°C 23.10°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	psi Inside Casing	kg/cm² Outside Casing P2	mH²O Inside Casing	Trans. Temp. (oC)				
1	773	771	205.74	209.23	205.74	26.81	449.47	323.43	727.9	1116
2	663	661	157.79	161.47	157.79	25.55	339.29	323.61	662.9	1118
3	583	581	122.98	126.83	122.98	24.11	259.38	323.52	582.9	1121
4	483	481	79.45	83.65	79.45	23.68	159.76	323.14	482.9	1123
5	353	351	22.90	28.03	22.90	22.97	31.44	321.46	352.9	1125

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW1-4

DATE: 03/29/19

LOCATION: Alhambra Rd

ELEV. TOP OF WASTBAY CASING

WEATHER: Clear

DTW - 373.43

PROBE TYPE Westbay

SERIAL NO. EMS 4700

PROJECT Jacobs @ Alhambra

OPERATOR(S) T. Hoang

ATM. PRESSURE (Patm): (start) 14.46 (finish) 14.48

23.91 °C 22.70 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	psi Inside Casing	kg/cm² Outside Casing P2	mH²O Inside Casing	Trans. Temp. (oC)				
1	605-615	608	118.89	118.14	118.89	23.78	239.19	368.71	607.9	1214
2	545-555	548	92.74	92.26	92.74	23.32	179.48	368.42	547.9	1216
3	460-470	464	55.60	57.86	55.60	22.87	100.12	364.78	482.9	1218
4	380-390	383	20.86	22.84	20.86	22.62	19.37	363.57	382.9	1220

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW1-5
DATE: 03/29/19
LOCATION: Junipero Serra
ELEV. TOP OF WASTBAY CASING
WEATHER: Clear
DTW-75.45'

PROBE TYPE Westbay
SERIAL NO. EMS 4700
PROJECT Jacobs @ Alhambra
OPERATOR(S) T. Hoang
ATM. PRESSURE (Patm): (start) 14.54 (finish) 14.56
14.61°C 20.98°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	psi Inside Casing	kg/cm² Outside Casing P2	mH²O Inside Casing	Trans. Temp. (oC)				
1	770-780	778	321.11	221.36	321.11	19.78	467.97	301.03	778	0803
2	670-680	672	275.39	172.67	275.39	21.47	364.64	308.36	673	0805
3	590-600	592	240.45	137.98	240.45	21.73	284.61	308.39	593	0807
4	480-490	483	192.39	92.14	192.39	21.72	178.86	304.14	483	0809
5	400-410	402	157.63	58.08	157.63	21.40	100.29	302.71	403	0811
6	325-335	327	125.00	25.67	125.00	20.87	25.52	302.48	328	0813

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW1-6
DATE: 09/01/19
LOCATION: 111 Walnut Ave
ELEV. TOP OF WASTBAY CASING
WEATHER: Clear
DTW - 287.85'

PROBE TYPE Westbay
SERIAL NO. EMS 4700
PROJECT Jacobs @ Alhambra
OPERATOR(S) T. Hoang
ATM. PRESSURE (Patm): (start) 14.43 (finish) 14.45
19.82°C 18.39°C

	Port No.	Depth to Meas. Port Valve (ft) From Log (Dp)	From Cable	Pressure Readings (psi) psi Inside Casing	kg/cm² Outside Casing P2	mH²O Inside Casing	Trans. Temp. (oC)	Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
73	1	790-800	791	235.15	235.20	235.15	19.96	589.32	283.68	793	0803
53	2	650-660	651	174.68	176.81	174.68	20.13	374.61	278.39	653	0805
88	3	585-595	586	146.59	149.05	146.59	19.78	310.57	277.43	588	0807
58	4	505-515	506	111.82	115.50	111.82	19.51	233.17	274.83	508	0809
08	5	405-415	406	68.34	72.50	68.34	19.35	133.97	274.03	408	0811
38	6	335-345	336	37.87	43.19	37.87	19.09	66.39	271.65	338	0813
08	7	265-275	266	14.65	21.48	14.65	18.97	16.26	251.74	268	0815

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW1-6
SAMPLING DATE(S) 03/01/19
LOCATION: 111 Walnut Ave
WATER LEVEL INSIDE CASING: 287.85
ATM. PRESSURE (PSI): (Start) 14.43 (Finish) 14.46

PROBE TYPE WestBay
SERIAL NO. EMS 4700
PROJECT: Jacobs @ Alhambra
OPERATOR(S) T. Hoang
WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)							Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out/ Close Valve/ Check Vacuum	Open Valve/ Apply Vacuum (5 psi)	Close Valve/ Shoe In/ Arm In	Locate Port/ Arm Out/ Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve/ Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen ~~(ppm)~~ mg/L	Sample Time	Sample ID	ORP
3	1	✓	✓	✓	✓	✓	146.57	✓	149.04	✓	149.04	✓	146.57	18.9	574	7.43	2	4.85	0825	MW1623-0319	253
4	1	✓	✓	✓	✓	✓	111.76	✓	115.50	✓	115.50	✓	111.76	19.4	510	7.56	2	5.13	0845	MW1-624-0319	240
5	1	✓	✓	✓	✓	✓	68.30	✓	72.49	✓	72.49	✓	68.30	20.1	518	7.72	1	5.42	0905	MW1-625-0319	222
6	1	✓	✓	✓	✓	✓	37.81	✓	43.21	✓	43.21	✓	37.81	20.4	496	7.55	2	5.20	0925	MW1-626-0319	214
7	1	✓	✓	✓	✓	✓	14.51	✓	21.46	✓	21.46	✓	14.51	21.2	669	7.56	1	4.85	0945	MW1-627-0319	206

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW1-5
SAMPLING DATE(S) 03/29/19
LOCATION: Junipero Serra
WATER LEVEL INSIDE CASING: 75.45
ATM. PRESSURE (PSI): (Start) 14.54 (Finish) 14.56

PROBE TYPE Westbay
SERIAL NO. EMS 4700
PROJECT: Sacchs @ Alhambra
OPERATOR(S) T. Harry
WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)							Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out/ Close Valve/ Check Vacuum	Open Valve/ Apply Vacuum (5 psi)	Close Valve/ Shoe In/ Arm In	Locate Port/ Arm Out/ Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve/ Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen ~~(ppm)~~ mg/L	Sample Time	Sample ID	ORP
1	1	✓	✓	✓	✓	✓	322.02	✓	221.37	✓	221.37	✓	322.02	18.0	334	7.89	5	4.31	0845	MW1521-0319	-15
2	1	✓	✓	✓	✓	✓	276.44	✓	172.63	✓	172.63	✓	276.44	18.5	203	7.90	3	4.11	0905	MW1522-0319	-36
3	1	✓	✓	✓	✓	✓	241.43	✓	137.89	✓	137.89	✓	241.43	18.4	324	7.73	3	5.10	0935	MW1523-0319	106
4	1	✓	✓	✓	✓	✓	193.13	✓	92.07	✓	92.07	✓	193.13	18.7	354	7.34	2	4.65	0955	MW1524-0319	134
5	1	✓	✓	✓	✓	✓	158.75	✓	58.03	✓	58.03	✓	158.75	19.2	567	7.45	2	5.42	1015	MW1525-0319	153
6	1	✓	✓	✓	✓	✓	126.33	✓	25.70	✓	25.70	✓	126.33	20.1	730	7.43	14	5.05	1035	MW1526-0319	160

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW1-4
SAMPLING DATE(S) 03/29/19
LOCATION: Alhambra Rd
WATER LEVEL INSIDE CASING: 373.43
ATM. PRESSURE (PSI): (Start) ~~14.54~~ 14.46 (Finish) 14.45

PROBE TYPE Westbay
SERIAL NO. EMS4700
PROJECT: Jacobs@ Alhambra
OPERATOR(S) T. Hoang
WEATHER Cloudy

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)							Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out/ Close Valve/ Check Vacuum	Open Valve/ Apply Vacuum (5 psi)	Close Valve/ Shoe In/ Arm In	Locate Port/ Arm Out/ Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve/ Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen ~~(ppm)~~ mg/L	Sample Time	Sample ID	ORP
1	1	✓	✓	✓	✓	✓	118.85	✓	118.14	✓	118.14	✓	118.85	21.6	422	7.83	6	5.79	1230	MW1421-0319	164
2	1	✓	✓	✓	✓	✓	92.71	✓	92.24	✓	92.24	✓	92.71	21.4	403	8.13	4	4.31	1255	MW1422-0319	144
3	1	✓	✓	✓	✓	✓	55.70	✓	57.88	✓	57.88	✓	55.70	21.2	859	7.85	2	3.85	1320	MW1423-0319	168
4	1	✓	✓	✓	✓	✓	20.79	✓	22.87	✓	22.87	✓	20.79	21.2	514	7.72	2	3.72	1345	MW1424-0319	166

Comments:

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW1-3
SAMPLING DATE(S) 04/01/19
LOCATION: Jacobs @ Alhambra
WATER LEVEL INSIDE CASING: 337.05
ATM. PRESSURE (PSI): (Start) 14.37 (Finish) 14.39

PROBE TYPE Westbay
SERIAL NO. EMS 4700
PROJECT: Jacobs @ Alhambra
OPERATOR(S) T. Hoay
WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)							Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out/ Close Valve/ Check Vacuum	Open Valve/ Apply Vacuum (5 psi)	Close Valve/ Shoe In/ Arm In	Locate Port/ Arm Out/ Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve/ Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen ~~(ppm)~~ mg/L	Sample Time	Sample ID	ORP
2	1	✓	✓	✓	✓	✓	157.77	✓	161.46	✓	161.46	✓	157.77	26.2	349	8.05	2	5.61	1135	MW1322-0319	-41
3	1	✓	✓	✓	✓	✓	122.83	✓	126.76	✓	126.76	✓	122.83	24.3	630	8.58	2	4.55	1155	MW1323-0319	106
4	1	✓	✓	✓	✓	✓	79.35	✓	83.62	✓	83.62	✓	79.35	24.5	672	8.23	1	5.39	1215	MW1324-0319	142
																			1215	MW1324-0319FD	
5	1	✓	✓	✓	✓	✓	22.79	✓	28.07	✓	28.07	✓	22.79	23.7	706	7.95	2	5.24	1245	MW1325-0319	

Comments:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH	Client: Jacobs
Sampler: HH	Gauging Date: 03/27/19
Well I.D.: MW1-1	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): Del QED	Depth to Water (ft.): 196.24
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump (Del) Bladder Pump
Sampling Method: (Dedicated) Tubing New Tubing Other ___

Start Purge Time: 0955 Flow Rate: 300ml/min Pump Depth: 262'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0958	21.97	8.38	850	5	3.86	196.1	900	196.30
1001	21.74	7.90	897	4	2.54	170.4	1800	196.32
1004	21.76	7.83	946	4	2.40	163.1	2700	196.33
1007	21.73	7.40	1210	3	2.30	160.4	3600	196.33
1010	21.78	7.24	1215	3	2.25	157.2	4500	196.33
1013	21.82	7.22	1217	3	2.21	153.4	5400	196.33
1016	21.85	7.21	1216	3	2.19	152.1	6300	196.33

Did well dewater? Yes (No) Amount actually evacuated: 6300ml

Sampling Time: 1017 Sampling Date: 03/27/19

Sample I.D.: ~~MW1-1~~ MW11-0319 Laboratory: EPA Reg 9 Lab

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See C.O.C

Equipment Blank I.D.: @ Time ~~Duplicate~~ MS I.D.: MW11-0319MS @ 1022

MW11-0319SD @ 1027

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-AH1	Client: Jacobs
Sampler: AH	Gauging Date: 03/27/19
Well I.D.: MW1-2A	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): Decl QED	Depth to Water (ft.): 333.65
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump (Decl) Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other ___

Start Purge Time: 1305 Flow Rate: 300ml/min Pump Depth: 389'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1308	29.27	8.64	847	2	6.80	102.4	900	333.67
1311	22.72	8.04	844	2	6.71	90.2	1800	333.67
1314	22.75	7.95	850	3	6.11	88.4	2700	333.67
1317	22.80	7.90	857	3	4.90	85.1	3600	333.67
1320	22.77	7.88	855	3	4.85	83.2	4500	333.67
1323	22.75	7.83	857	3	4.81	81.9	5400	333.67

Did well dewater? Yes (No)	Amount actually evacuated:
Sampling Time: 1324	Sampling Date: 03/27/19
Sample I.D.: MW12A-0319	Laboratory: EPA Reg 9 Lab
Analyzed for: TPH-G BTEX MTBE TPH-D	Other:
Equipment Blank I.D.: @ Time	Duplicate I.D.: MW12A-0319FD @ 1329

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH	Client: Jacobs
Sampler: HH	Gauging Date: 03/28/19
Well I.D.: MW1-17	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): Ded QED	Depth to Water (ft.): 314.99
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump (Bladder Pump)
Sampling Method: (Dedicated Tubing) New Tubing Other ___

Start Purge Time: 0728 Flow Rate: 300ml/min Pump Depth: 317'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0731	18.93	7.89	773	2	6.11	130.1	900	315.01
0734	19.20	7.75	773	2	5.01	120.4	1800	315.01
0737	19.26	7.73	775	2	4.70	117.1	2700	315.01
0740	19.47	7.74	784	2	4.66	113.4	3600	315.01
0743	19.54	7.75	786	2	4.63	110.2	4500	315.01
0746	19.58	7.73	787	2	4.60	108.3	5400	315.01

Did well dewater? Yes (No)	Amount actually evacuated: 5400ml
Sampling Time: 0747	Sampling Date: 03/28/19
Sample I.D.: MW17-0319	Laboratory: EPA Reg 9 Lab
Analyzed for: TPH-G BTEX MTBE TPH-D	Other: (Spec.a-c)
Equipment Blank I.D.: @ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 03/27/19
Well I.D.: MW1-8	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): Del QED	Depth to Water (ft.): 178.92
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump (Ded) Bladder Pump

Sampling Method: (Dedicated) Tubing New Tubing Other ___

Start Purge Time: 1120 Flow Rate: 500ml/min Pump Depth: 216'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1123	21.90	8.49	508	2	4.62	131.4	900	179.02
1126	21.63	8.42	495	2	2.90	124.2	1800	179.06
1129	21.58	8.25	505	6	1.61	120.3	2700	179.10
1132	21.61	8.22	509	7	1.11	110.2	3600	179.11
1135	21.65	8.23	508	7	1.05	107.4	4500	179.11
1138	21.63	8.20	506	7	1.03	103.1	5400	179.11

Did well dewater? Yes (No)	Amount actually evacuated: 5400ml
Sampling Time: 1139	Sampling Date: 03/27/19
Sample I.D.: MW18-0319	Laboratory: EPA Reg 9 Lab
Analyzed for: TPH-G BTEX MTBE TPH-D	Other: See C.O.C
Equipment Blank I.D.: @ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: ~~09~~ 03/28/19
Well I.D.: MW1-9A	Well Diameter (in.): 2 (3) 4 6 8 ___
Total Well Depth (ft.): ~~338.65~~ 333.65	Depth to Water (ft.): 314.40
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump (Bladder Pump)
Sampling Method: Dedicated Tubing New Tubing Other ___

Start Purge Time: 0915 Flow Rate: 300ml/min Pump Depth: 325'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or ml)	Depth to Water (ft.)
0918	19.62	8.03	845	480	7.10	96.1	900	314.41
0921	20.22	7.66	829	227	6.91	79.4	1800	314.42
0924	20.26	7.54	831	140	5.11	76.1	2700	314.43
0927	20.77	7.48	829	86	3.43	70.4	3600	314.43
0930	20.71	7.47	829	84	3.40	68.3	4500	314.43
0933	20.73	7.49	829	82	3.35	64.1	5400	314.43

Did well dewater? Yes (No)	Amount actually evacuated: 5400ml
Sampling Time: 0934	Sampling Date: 03/28/19
Sample I.D.: MW19A-0319	Laboratory: EPA Reg 9 Lab
Analyzed for: TPH-G BTEX MTBE TPH-D	Other: See C.O.C.
Equipment Blank I.D.: @ Time	Duplicate I.D.: MW19A-0319FD @ 0934

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 03/28/19
Well I.D.: MW1-9B	Well Diameter (in.): 2 (3) 4 6 8 ___
Total Well Depth (ft.): 412.02	Depth to Water (ft.): 323.18
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump (Bladder Pump)
Sampling Method: Dedicated Tubing (New Tubing) Other ___

Start Purge Time: 1109 Flow Rate: 300 ml/min Pump Depth: 405'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or ml)	Depth to Water (ft.)
1112	21.61	8.10	424	230	6.01	101.4	900	323.20
1115	22.58	7.47	780	441	2.30	73.2	1800	323.20
1118	22.52	7.46	781	465	1.85	70.1	2700	323.20
1121	22.61	7.46	779	469	1.60	65.9	3600	323.20
1124	22.65	7.46	778	471	1.58	63.2	4500	323.20
1127	22.67	7.44	779	473	1.53	62.1	5400	323.20

Did well dewater? Yes (No) Amount actually evacuated: 5400 ml

Sampling Time: 1128 Sampling Date: 03/28/19

Sample I.D.: MW19B-0319 Laboratory: EPA Reg 9 Lab

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See C.O.C.

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 04/02/19
Well I.D.: TSMW-1	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): 21.45	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:

Purge Method: 2" Grundfos Pump ~~Peristaltic Pump~~ Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other_____

Start Purge Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
		— Well is Dry —						
		— No Sample Taken —						

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 04/02/19
Well I.D.: TSMW-2	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): 21.94	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other

Start Purge Time: Flow Rate: Pump Depth:

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
	— Well is Dry —							
	— No Sample Taken —							

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HA1	Client: Jacobs
Sampler: HA	Gauging Date: 09/02/19
Well I.D.: TSMW-3	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): 210.70	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:

Purge Method: 2" Grundfos Pump Peristaltic Pump ~~Bladder~~ Pump
Sampling Method: Dedicated Tubing New Tubing Other_____

Start Purge Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
	— Well is Dry —							
	— No Sample Taken —							

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 03/02/19
Well I.D.: TSMW-4	Well Diameter (in.): (2) 3 4 6 8 ____
Total Well Depth (ft.): 219.90	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: —

Purge Method: 2" Grundfos Pump ~~Peristaltic Pump~~ Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other_____

Start Purge Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
	— Well is Dry —							
	— No Sample Taken —							

Did well dewater? Yes No	Amount actually evacuated:
Sampling Time:	Sampling Date:
Sample I.D.:	Laboratory:
Analyzed for: TPH-G BTEX MTBE TPH-D	Other:
Equipment Blank I.D.: @ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-AA1	Client: Jacobs
Sampler: AA	Gauging Date: 03/28/19
Well I.D.: TSMW-5	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 21.71	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: YSI 650

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump ~~Disp Bailer~~

Sampling Method: Dedicated Tubing ~~New Tubing~~ Other ~~Disp Bailer~~ n/a

Start ~~Purge~~ Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
	— Well is Dry —							
	— No Sample Taken —							

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date: 03/28/19

Sample I.D.: Laboratory: EPA Reg 9 Lab n/a

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Lec. O.C

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 03/28/19
Well I.D.: TS MW-6	Well Diameter (in.) : (2) 3 4 6 8 ____
Total Well Depth (ft.) : 217.41	Depth to Water (ft.) : DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type:_____

Purge Method: 2" Grundfos Pump ~~Peristaltic Pump~~ Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other_____

Start Purge Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
		— Well is Dry —						
		— No sample Taken —						

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 03/28/19
Well I.D.: TSMW-7	Well Diameter (in.) : (2) 3 4 6 8 ___
Total Well Depth (ft.) : 21.55	Depth to Water (ft.) : DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:_____

Purge Method: 2" Grundfos Pump ~~Peristaltic Pump~~ Bladder Pump
Sampling Method: Dedicated ~~Tubing~~ New Tubing Other_____

Start Purge Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
	— Well	is	Dry —					
		—No	Sample	Taken —				

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 04/02/19
Well I.D.: TSMW-9	Well Diameter (in.) : (2) 3 4 6 8 ___
Total Well Depth (ft.) : 217.50	Depth to Water (ft.) : DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other_____

Start Purge Time:_____ Flow Rate: _____ Pump Depth:_____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
		→ Well	is	Dry	—			
		— No	Sample	Taken	—			

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 04/02/19
Well I.D.: TSMW-10	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 215.70	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:

Purge Method: 2" Grundfos Pump ~~Peristaltic Pump~~ ~~Bladder Pump~~
Sampling Method: Dedicated Tubing New Tubing Other

Start Purge Time: Flow Rate: Pump Depth:

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
		— Well is Dry —						
		— No Sample Taken —						

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 190327-HH1	Client: Jacobs
Sampler: HH	Gauging Date: 04/02/19
Well I.D.: TSMW-11	Well Diameter (in.): 2 3 4 6 8 ____
Total Well Depth (ft.): 212.11	Depth to Water (ft.): DRY
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: _____

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other _____

Start Purge Time: _____ Flow Rate: _____ Pump Depth: _____

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
	— Well is			Dry	—			
	— No		Sample	Taken	—			

Did well dewater? Yes No Amount actually evacuated:

Sampling Time: Sampling Date:

Sample I.D.: Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 19032	Client: Jacobs
Sampler: HH	Gauging Date: 04/02/19
Well I.D.: TSMW-12	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 273.14	Depth to Water (ft.): 230.31
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	Flow Cell Type: Pro Plus

Purge Method: 2" Grundfos Pump Peristaltic Pump (Bladder Pump)
Sampling Method: Dedicated Tubing (New Tubing) Other ___

Start Purge Time: 1000 Flow Rate: 300ml/min Pump Depth: 273

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1003	23.9	7.05	753	48	6.43	40.3	900	230.39
1006	24.2	7.14	676	14	5.80	60.2	1800	230.43
1009	24.1	7.14	675	15	5.75	62.5	2700	230.45
1012	23.9	7.15	675	13	5.94	63.7	3600	230.46
1015	24.0	7.14	672	12	6.15	68.4	4500	230.47
1018	23.8	7.14	670	12	6.13	69.2	5400	230.47

Did well dewater? Yes (No)	Amount actually evacuated: 5400ml
Sampling Time: 1019	Sampling Date: 04/02/19
Sample I.D.: ~~TSMW~~ W11TCW12-0319	Laboratory: EPA Reg 9 Lab
Analyzed for: TPH-G BTEX MTBE TPH-D	Other: See C.O.C
Equipment Blank I.D.: @ Time	Duplicate I.D.:

WELLHEAD INSPECTION CHECKLIST

Client Jacobs Date 03/27/19

Site Address San Gabriel Valley Area 3

Job Number 190327-HH Technician HH

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12"or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12"or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW1-1	X	(vault)								
MW1-8		(vault - 3/4 bolts missing)								X
MW1-9A	X	(vault)								
MW1-9B	X	(vault)								
~~MW1-3B~~	X	(vault)								
MW1-2A	X	(vault)								
MW1-7	X	(vault)								
TSMW-7		X	X (2/2 bolts missing / tabs corroded)							X
TSMW-6		X	X (2/2 tabs stripped 1/2 bolts missing)							X
TSMW-5		X	X (2/2 tabs stripped - 1/2 bolts missing)							X
MW1-4	X		(vault)							
MW1-5	X		(vault)							
MW1-6	X		(vault)							
MW1-3	X		(vault)							
TSMW-4	X	X	X							
TSMW-1		X	X (1/2 bolts missing)							X
TSMW-11		X	X (2/2 tabs stripped)							X

NOTES:

WELLHEAD INSPECTION CHECKLIST

Client Jacobs Date 03/27/19

Site Address San Gabriel Valley Area 3

Job Number 190327-HH1 Technician HH

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12"or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12"or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
TSMW-2	X	X	X							
TSMW-12	X	X	X							
TSMW-9	X	X	X							
TSMW-1	X	X	X							
TSMW-3	X	X	X							
TSMW-10	X	X	X							

NOTES:

TEST EQUIPMENT CALIBRATION LOG

PROJECT NAME Jacobs @ Alhambra				PROJECT NUMBER 190387-HH1			
EQUIPMENT NAME	EQUIPMENT NUMBER	DATE/TIME OF TEST	STANDARDS USED	EQUIPMENT READING	CALIBRATED TO: OR WITHIN 10%:	TEMP.	INITIALS
ultrameter A	~~04/01/19 0700~~	04/01/19 0700	4.0 7.0 10.0 pH	4.20 7.37 10.32	4.0 7.0 10.0	18.3°C	HH
↓	62420.13	↓	cond 3900	3605	3900	18.1°C	HH
YSI 550	13B102204	↓	D.O. 100%	116.4%	100.5%	19.9°C	HH
YSI ProPlus	17610158	04/02/19 0850	4.0 7.0 10.0 pH	4.15 7.08 9.73	4.0 7.0 10.0	21.9°C	HH
↓	↓	↓	cond 3900	3910	3900	22.2°C	HH
↓	↓	↓	ORP 240	231.5	240	22.0°C	HH
↓	↓	↓	D.O. 100%	104.3%	100.5%	21.6°C	HH

TEST EQUIPMENT CALIBRATION LOG

PROJECT NAME Jacobs @ Albanbra				PROJECT NUMBER 190327-HH1			
EQUIPMENT NAME	EQUIPMENT NUMBER	DATE/TIME OF TEST	STANDARDS USED	EQUIPMENT READING	CALIBRATED TO: OR WITHIN 10%:	TEMP.	INITIALS
YSI 650	11E101106	03/27/19 0530	4.0 7.0 10.0 pH	4.20 7.31 10.12	4.0 7.0 10.0	15.9°C	HH
↓	↓	↓	Cond 3900	3811	3900	16.8°C	HH
↓	↓	↓	ORP 240	199.6	240	16.2°C	HH
↓	↓	↓	D.O. 100%	131.6%	100.4%	16.0°C	HH
YSI 650	11E101106	03/28/19 0700	4.0 7.0 10.0 pH	4.24 7.09 10.11	4.0 7.0 10.0	17.1°C	HH
↓	↓	↓	Cond 3900	3701	3900	16.8°C	HH
↓	↓	↓	ORP 240	209.6	240	16.5°C	HH
↓	↓	↓	D.O. 100%	114.6%	100.2%	16.1°C	HH
Ultrameter II	6242613	03/29/19 0700	4.0 7.0 10.0 pH	4.31 7.11 10.12	4.0 7.0 10.0	13.9°C	HH
↓	↓	↓	Cond 3900	3814	3900	13.6°C	HH
YSI 550	13B102204	↓	D.O. 100%	112.6%	100.8%	13.4°C	HH

Appendix B
Laboratory Analytical Reports

United States Environmental Protection Agency
Region 9 Laboratory

1337 S. 46th Street Building 201
Richmond, CA 94804

Date: **4/25/2019**

Subject: **Analytical Testing Results - Project R19S33**
SDG: 19087A

From: **Peter Husby, Director**
EPA Region 9 Laboratory
EMD-3-1

PETER HUSBY Digitally signed by PETER HUSBY Date: 2019.04.25 13:46:45 -07'00'

To: **Raymond Chavira**
California Site Cleanup Section 3
SFD-7-3

Attached are the results from the analysis of samples from the **SGV Area 3 - March 2019 Groundwater Sampling** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Audrey Johnson at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

Electronic CC: David Towell, Jacobs
Bryan Jones, Jacobs

Analyses included in this report:

Semivolatile Organic Compounds by GC/MS
Volatile Organic Compounds by GC/MS
Semivolatile Organic Compounds by GC/MS

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
FB01-0319	1903059-01	Water	03/27/19 13:00	03/28/19 08:53
MW11-0319	1903059-02	Water	03/27/19 10:17	03/28/19 08:53
MW12A-0319	1903059-03	Water	03/27/19 13:24	03/28/19 08:53
MW12A-0319FD	1903059-04	Water	03/27/19 13:29	03/28/19 08:53
MW18-0319	1903059-05	Water	03/27/19 11:39	03/28/19 08:53

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Lab ID: 1903059-01 — **Water - Sampled: 03/27/19 13:00**

Sample ID: FB01-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		3.1	C1, J	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903059-01									**Water - Sampled: 03/27/19 13:00**
Sample ID: FB01-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Isobutane		3.3	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			103 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			95 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			100 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Lab ID: 1903059-02 — **Water - Sampled: 03/27/19 10:17**

Sample ID: MW11-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		1.1		0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		0.2	C1, J	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		2.8		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		0.6		0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		0.5		0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		0.3	C1, J	0.5	"	"	"	"	524.2
Trichloroethene	RE1	130		5	"	"	"	03/28/19	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	03/28/19	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		7.3		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903059-02									**Water - Sampled: 03/27/19 10:17**
Sample ID: MW11-0319									**Volatile Organic Compounds by EPA Method 524.2**
Ethylbenzene		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			100 %	*83-116%*		"	"	"	
Surrogate: 1,2-Dichloroethane-d4	*RE1*		104 %	*83-116%*		"	"	*03/28/19*	
Surrogate: Toluene-d8			96 %	*81-112%*		"	"	*03/28/19*	
Surrogate: Toluene-d8	*RE1*		94 %	*81-112%*		"	"	*03/28/19*	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		"	"	*03/28/19*	
Surrogate: 4-Bromofluorobenzene	*RE1*		98 %	*80-110%*		"	"	*03/28/19*	
Surrogate: 1,2-Dichlorobenzene-d4			100 %	*74-113%*		"	"	*03/28/19*	
Surrogate: 1,2-Dichlorobenzene-d4	*RE1*		99 %	*74-113%*		"	"	*03/28/19*	
Sample ID: MW11-0319									**Semivolatile Organic Compounds by EPA Method 8270D**
1,4-Dioxane		0.6	C1, J	1	"	B19D016	04/02/19	04/04/19	8270D

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903059-02									**Water - Sampled: 03/27/19 10:17**
Sample ID: MW11-0319									**Semivolatile Organic Compounds by EPA Method 8270D**
Surrogate: 1,4-Dioxane-d8			59 %	*46-110%*		*B19D016*	*04/02/19*	*04/04/19*	
Lab ID: 1903059-03									**Water - Sampled: 03/27/19 13:24**
Sample ID: MW12A-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		0.8		0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		11		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene	RE1	35		2.5	"	"	"	03/28/19	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	03/28/19	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		2.7		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Lab ID: 1903059-03 — **Water - Sampled: 03/27/19 13:24**

Sample ID: MW12A-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
1,2-Dibromoethane (EDB)		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			102 %	*83-116%*		"	"	"	
Surrogate: 1,2-Dichloroethane-d4	*RE1*		105 %	*83-116%*		"	"	*03/28/19*	
Surrogate: Toluene-d8			95 %	*81-112%*		"	"	*03/28/19*	
Surrogate: Toluene-d8	*RE1*		93 %	*81-112%*		"	"	*03/28/19*	
Surrogate: 4-Bromofluorobenzene			100 %	*80-110%*		"	"	*03/28/19*	
Surrogate: 4-Bromofluorobenzene	*RE1*		98 %	*80-110%*		"	"	*03/28/19*	
Surrogate: 1,2-Dichlorobenzene-d4			103 %	*74-113%*		"	"	*03/28/19*	
Surrogate: 1,2-Dichlorobenzene-d4	*RE1*		101 %	*74-113%*		"	"	*03/28/19*	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903059-04									**Water - Sampled: 03/27/19 13:29**
Sample ID: MW12A-0319FD									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		0.6		0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		2.0	C1, J	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		10		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene	RE1	31		2.5	"	"	"	03/28/19	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	03/28/19	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		0.2	C1, J	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		2.2		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1903059-04**								**Water - Sampled: 03/27/19 13:29**
Sample ID:	**MW12A-0319FD**								
							Volatile Organic Compounds by EPA Method 524.2		
Ethylbenzene		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			100 %	*83-116%*		"	"	"	
Surrogate: 1,2-Dichloroethane-d4	*RE1*		106 %	*83-116%*		"	"	*03/28/19*	
Surrogate: Toluene-d8			94 %	*81-112%*		"	"	*03/28/19*	
Surrogate: Toluene-d8	*RE1*		93 %	*81-112%*		"	"	*03/28/19*	
Surrogate: 4-Bromofluorobenzene			100 %	*80-110%*		"	"	*03/28/19*	
Surrogate: 4-Bromofluorobenzene	*RE1*		97 %	*80-110%*		"	"	*03/28/19*	
Surrogate: 1,2-Dichlorobenzene-d4			104 %	*74-113%*		"	"	*03/28/19*	
Surrogate: 1,2-Dichlorobenzene-d4	*RE1*		96 %	*74-113%*		"	"	*03/28/19*	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903059-05									**Water - Sampled: 03/27/19 11:39**
Sample ID: MW18-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903059-05									**Water - Sampled: 03/27/19 11:39**
Sample ID: MW18-0319									
									Volatile Organic Compounds by EPA Method 524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19C119	03/28/19	03/28/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			100 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			100 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			103 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C119 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/28/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C119-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C119 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/28/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C119-BLK1)										
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*5.33*			*"*	*5.00*		107	*83-116*		
Surrogate: Toluene-d8	*4.65*			*"*	*5.00*		93	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.02*			*"*	*5.00*		100	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.10*			*"*	*5.00*		102	*74-113*		
LCS (B19C119-BS1)										
Dichlorodifluoromethane	4.16		0.5	ug/L	5.00		83	70-128		
Chloromethane	4.66		0.5	"	5.00		93	63-123		
Vinyl chloride	4.74		0.5	"	5.00		95	70-130		
Bromomethane	4.85		0.5	"	5.00		97	31-150		
Chloroethane	4.81		0.5	"	5.00		96	74-119		
Trichlorofluoromethane	4.75		0.5	"	5.00		95	72-123		
1,1-Dichloroethene	4.92		0.5	"	5.00		98	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	4.91		0.5	"	5.00		98	73-129		
Acetone	44.3		4	"	40.0		111	61-114		
Dichloromethane	5.23		0.5	"	5.00		105	70-130		
trans-1,2-Dichloroethene	5.2		0.5	"	5.00		104	70-130		
tert-Butyl methyl ether (MTBE)	21.3		2	"	20.0		106	62-117		
1,1-Dichloroethane	5.24		0.5	"	5.00		105	74-115		
2,2-Dichloropropane	5.41		0.5	"	5.00		108	64-144		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19C119 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 03/28/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
LCS (B19C119-BS1)										
cis-1,2-Dichloroethene	5.11		0.5	"	5.00		102	70-130		
2-Butanone (MEK)	42.7		4	"	40.0		107	57-121		
Bromochloromethane	5.45		0.5	"	5.00		109	71-122		
Chloroform	5.25		0.5	"	5.00		105	70-130		
1,1,1-Trichloroethane	4.91		0.5	"	5.00		98	70-130		
Carbon tetrachloride	4.94		0.5	"	5.00		99	70-130		
1,1-Dichloropropene	5.01		0.5	"	5.00		100	71-119		
Benzene	5.09		0.5	"	5.00		102	70-130		
1,2-Dichloroethane	5.17		0.5	"	5.00		103	70-130		
Trichloroethene	5.15		0.5	"	5.00		103	70-130		
1,2-Dichloropropane	5.3		0.5	"	5.00		106	70-130		
Dibromomethane	5.68		0.5	"	5.00		114	72-121		
Bromodichloromethane	5.44		0.5	"	5.00		109	70-130		
cis-1,3-Dichloropropene	5.57		0.5	"	5.00		111	68-120		
Toluene	5.05		0.5	"	5.00		101	70-130		
trans-1,3-Dichloropropene	5.41		0.5	"	5.00		108	64-126		
1,1,2-Trichloroethane	5.65		0.5	"	5.00		113	70-130		
Tetrachloroethene	4.99		0.5	"	5.00		100	70-130		
1,3-Dichloropropane	5.52		0.5	"	5.00		110	80-114		
Chlorodibromomethane	5.66		0.5	"	5.00		113	70-130		
1,2-Dibromoethane (EDB)	5.59		0.5	"	5.00		112	80-115		
Chlorobenzene	5.02		0.5	"	5.00		100	70-130		
1,1,1,2-Tetrachloroethane	5.2		0.5	"	5.00		104	82-116		
Ethylbenzene	4.93		0.5	"	5.00		99	70-130		
m&p-Xylene	9.92		1	"	10.0		99	70-130		
o-Xylene	5.01		0.5	"	5.00		100	70-130		
Styrene	5.06		0.5	"	5.00		101	70-130		
Bromoform	5.63		0.5	"	5.00		113	70-130		
Isopropylbenzene	4.97		0.5	"	5.00		99	86-114		
Bromobenzene	5.05		0.5	"	5.00		101	84-110		
1,1,2,2-Tetrachloroethane	5.54		0.5	"	5.00		111	81-113		
1,2,3-Trichloropropane	5.34		0.5	"	5.00		107	81-114		
Propylbenzene	4.91		0.5	"	5.00		98	87-115		
2-Chlorotoluene	4.94		0.5	"	5.00		99	84-111		
4-Chlorotoluene	4.89		0.5	"	5.00		98	82-112		
1,3,5-Trimethylbenzene	5.04		0.5	"	5.00		101	85-113		
tert-Butylbenzene	5.2		0.5	"	5.00		104	86-114		
1,2,4-Trimethylbenzene	5		0.5	"	5.00		100	84-114		
sec-Butylbenzene	5.11		0.5	"	5.00		102	87-119		
1,3-Dichlorobenzene	5.02		0.5	"	5.00		100	85-110		
p-Isopropyltoluene	5.1		0.5	"	5.00		102	86-117		
1,4-Dichlorobenzene	5.05		0.5	"	5.00		101	70-130		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C119 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/28/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19C119-BS1)										
1,2-Dichlorobenzene	5.07		0.5	"	5.00		101	70-130		
Butylbenzene	5.1		0.5	"	5.00		102	85-118		
1,2-Dibromo-3-chloropropane	22.4		2	"	20.0		112	54-133		
1,2,4-Trichlorobenzene	5.58		0.5	"	5.00		112	70-130		
Hexachlorobutadiene	5.26		0.5	"	5.00		105	66-113		
Naphthalene	5.69		0.5	"	5.00		114	58-126		
1,2,3-Trichlorobenzene	5.74		0.5	"	5.00		115	65-119		
Surrogate: 1,2-Dichloroethane-d4	*5.22*			*"*	*5.00*		104	*83-116*		
Surrogate: Toluene-d8	*5.01*			*"*	*5.00*		100	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.97*			*"*	*5.00*		99	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.20*			*"*	*5.00*		104	*74-113*		
Matrix Spike (B19C119-MS1)		**Source: 1903059-02**								
Dichlorodifluoromethane	4.51		0.5	ug/L	5.00	ND	90	62-142		
Chloromethane	5.09		0.5	"	5.00	ND	102	54-144		
Vinyl chloride	5.19		0.5	"	5.00	ND	104	62-141		
Bromomethane	5.12		0.5	"	5.00	ND	102	32-150		
Chloroethane	5.17		0.5	"	5.00	ND	103	68-136		
Trichlorofluoromethane	5.16		0.5	"	5.00	ND	103	66-142		
1,1-Dichloroethene	6.53		0.5	"	5.00	1.12	108	73-134		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.19		0.5	"	5.00	ND	104	65-148		
Acetone	43.8		4	"	40.0	ND	110	20-150		
Dichloromethane	5.18		0.5	"	5.00	ND	104	65-126		
trans-1,2-Dichloroethene	5.53		0.5	"	5.00	ND	111	70-134		
tert-Butyl methyl ether (MTBE)	20.1		2	"	20.0	ND	101	56-128		
1,1-Dichloroethane	5.68		0.5	"	5.00	0.25	109	67-134		
2,2-Dichloropropane	4.79		0.5	"	5.00	ND	96	41-150		
cis-1,2-Dichloroethene	7.92		0.5	"	5.00	2.84	102	63-137		
2-Butanone (MEK)	35.7		4	"	40.0	ND	89	48-142		
Bromochloromethane	5.19		0.5	"	5.00	ND	104	70-132		
Chloroform	5.74		0.5	"	5.00	0.65	102	65-141		
1,1,1-Trichloroethane	5.02		0.5	"	5.00	ND	100	69-116		
Carbon tetrachloride	5.68		0.5	"	5.00	0.46	104	65-130		
1,1-Dichloropropene	5.2		0.5	"	5.00	ND	104	71-116		
Benzene	5.09		0.5	"	5.00	ND	102	77-115		
1,2-Dichloroethane	5.2		0.5	"	5.00	0.29	98	71-112		
Trichloroethene	146	J, Q10	0.5	"	5.00	141	89	65-124		
1,2-Dichloropropane	5.09		0.5	"	5.00	ND	102	73-118		
Dibromomethane	5.12		0.5	"	5.00	ND	102	65-123		
Bromodichloromethane	5.07		0.5	"	5.00	ND	101	72-118		
cis-1,3-Dichloropropene	4.81		0.5	"	5.00	ND	96	69-113		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C119 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/28/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Matrix Spike (B19C119-MS1)		**Source: 1903059-02**								
Toluene	5.18		0.5	"	5.00	ND	104	84-115		
trans-1,3-Dichloropropene	4.76		0.5	"	5.00	ND	95	67-117		
1,1,2-Trichloroethane	5.26		0.5	"	5.00	ND	105	81-115		
Tetrachloroethene	13		0.5	"	5.00	7.32	114	81-115		
1,3-Dichloropropane	5.04		0.5	"	5.00	ND	101	82-113		
Chlorodibromomethane	5.31		0.5	"	5.00	ND	106	82-116		
1,2-Dibromoethane (EDB)	5.14		0.5	"	5.00	ND	103	83-115		
Chlorobenzene	4.96		0.5	"	5.00	ND	99	82-110		
1,1,1,2-Tetrachloroethane	5.26		0.5	"	5.00	ND	105	77-116		
Ethylbenzene	5.1		0.5	"	5.00	ND	102	85-112		
m&p-Xylene	10.2		1	"	10.0	ND	102	84-113		
o-Xylene	5.03		0.5	"	5.00	ND	101	82-110		
Styrene	1.32		0.5	"	5.00	ND	26	25-150		
Bromoform	5.3		0.5	"	5.00	ND	106	69-121		
Isopropylbenzene	5.14		0.5	"	5.00	ND	103	80-117		
Bromobenzene	5.02		0.5	"	5.00	ND	100	84-110		
1,1,2,2-Tetrachloroethane	5.3		0.5	"	5.00	ND	106	77-117		
1,2,3-Trichloropropane	5.18		0.5	"	5.00	ND	104	78-115		
Propylbenzene	5.16		0.5	"	5.00	ND	103	83-116		
2-Chlorotoluene	5.04		0.5	"	5.00	ND	101	83-110		
4-Chlorotoluene	4.96		0.5	"	5.00	ND	99	82-110		
1,3,5-Trimethylbenzene	5.16		0.5	"	5.00	ND	103	82-112		
tert-Butylbenzene	5.34		0.5	"	5.00	ND	107	81-115		
1,2,4-Trimethylbenzene	5.13		0.5	"	5.00	ND	103	81-113		
sec-Butylbenzene	5.3		0.5	"	5.00	ND	106	79-122		
1,3-Dichlorobenzene	5.02		0.5	"	5.00	ND	100	82-110		
p-Isopropyltoluene	5.26		0.5	"	5.00	ND	105	78-120		
1,4-Dichlorobenzene	5.07		0.5	"	5.00	ND	101	81-110		
1,2-Dichlorobenzene	5.06		0.5	"	5.00	ND	101	82-110		
Butylbenzene	5.26		0.5	"	5.00	ND	105	72-122		
1,2-Dibromo-3-chloropropane	21.1		2	"	20.0	ND	105	47-131		
1,2,4-Trichlorobenzene	5.27		0.5	"	5.00	ND	105	62-115		
Hexachlorobutadiene	5.25		0.5	"	5.00	ND	105	51-116		
Naphthalene	5.3		0.5	"	5.00	ND	106	47-137		
1,2,3-Trichlorobenzene	5.39		0.5	"	5.00	ND	108	62-117		
Surrogate: 1,2-Dichloroethane-d4	*5.04*			*"*	*5.00*		101	*83-116*		
Surrogate: Toluene-d8	*5.13*			*"*	*5.00*		103	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.99*			*"*	*5.00*		100	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.29*			*"*	*5.00*		106	*74-113*		
Matrix Spike Dup (B19C119-MSD1)		**Source: 1903059-02**								

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19C119 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 03/28/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Matrix Spike Dup (B19C119-MSD1) — **Source: 1903059-02**

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Dichlorodifluoromethane	4.68		0.5	ug/L	5.00	ND	94	62-142	4	21
Chloromethane	5.19		0.5	"	5.00	ND	104	54-144	2	20
Vinyl chloride	5.3		0.5	"	5.00	ND	106	62-141	2	19
Bromomethane	5.21		0.5	"	5.00	ND	104	32-150	2	20
Chloroethane	5.29		0.5	"	5.00	ND	106	68-136	2	17
Trichlorofluoromethane	5.28		0.5	"	5.00	ND	106	66-142	2	19
1,1-Dichloroethene	6.67		0.5	"	5.00	1.12	111	73-134	2	18
1,1,2-Trichloro-1,2,2-trifluoroethane	5.41		0.5	"	5.00	ND	108	65-148	4	19
Acetone	45.6		4	"	40.0	ND	114	20-150	4	31
Dichloromethane	5.34		0.5	"	5.00	ND	107	65-126	3	16
trans-1,2-Dichloroethene	5.66		0.5	"	5.00	ND	113	70-134	2	19
tert-Butyl methyl ether (MTBE)	20.1		2	"	20.0	ND	101	56-128	0.05	22
1,1-Dichloroethane	5.84		0.5	"	5.00	0.25	112	67-134	3	19
2,2-Dichloropropane	4.54		0.5	"	5.00	ND	91	41-150	5	40
cis-1,2-Dichloroethene	7.96		0.5	"	5.00	2.84	102	63-137	0.5	46
2-Butanone (MEK)	37		4	"	40.0	ND	93	48-142	4	34
Bromochloromethane	5.23		0.5	"	5.00	ND	105	70-132	0.8	21
Chloroform	5.88		0.5	"	5.00	0.65	105	65-141	2	23
1,1,1-Trichloroethane	5.04		0.5	"	5.00	ND	101	69-116	0.4	14
Carbon tetrachloride	5.7		0.5	"	5.00	0.46	105	65-130	0.4	14
1,1-Dichloropropene	5.28		0.5	"	5.00	ND	106	71-116	2	15
Benzene	5.21		0.5	"	5.00	ND	104	77-115	2	13
1,2-Dichloroethane	5.34		0.5	"	5.00	0.29	101	71-112	3	14
Trichloroethene	144	J, Q10	0.5	"	5.00	141	**45**	65-124	2	15
1,2-Dichloropropane	5.18		0.5	"	5.00	ND	104	73-118	2	14
Dibromomethane	5.29		0.5	"	5.00	ND	106	65-123	3	16
Bromodichloromethane	5.2		0.5	"	5.00	ND	104	72-118	3	16
cis-1,3-Dichloropropene	5.03		0.5	"	5.00	ND	101	69-113	4	19
Toluene	5.29		0.5	"	5.00	ND	106	84-115	2	15
trans-1,3-Dichloropropene	5.18		0.5	"	5.00	ND	104	67-117	8	19
1,1,2-Trichloroethane	5.53		0.5	"	5.00	ND	111	81-115	5	20
Tetrachloroethene	12.7		0.5	"	5.00	7.32	107	81-115	3	14
1,3-Dichloropropane	5.26		0.5	"	5.00	ND	105	82-113	4	18
Chlorodibromomethane	5.4		0.5	"	5.00	ND	108	82-116	2	18
1,2-Dibromoethane (EDB)	5.38		0.5	"	5.00	ND	108	83-115	5	20
Chlorobenzene	5.05		0.5	"	5.00	ND	101	82-110	2	13
1,1,1,2-Tetrachloroethane	5.28		0.5	"	5.00	ND	106	77-116	0.4	17
Ethylbenzene	5.14		0.5	"	5.00	ND	103	85-112	0.8	13
m&p-Xylene	10.2		1	"	10.0	ND	102	84-113	0.2	13
o-Xylene	5.14		0.5	"	5.00	ND	103	82-110	2	13
Styrene	1.49		0.5	"	5.00	ND	30	25-150	12	29
Bromoform	5.24		0.5	"	5.00	ND	105	69-121	1	17

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 10:13
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C119 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/28/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Matrix Spike Dup (B19C119-MSD1)		**Source: 1903059-02**								
Isopropylbenzene	5.2		0.5	"	5.00	ND	104	80-117	1	14
Bromobenzene	5.03		0.5	"	5.00	ND	101	84-110	0.2	14
1,1,2,2-Tetrachloroethane	5.31		0.5	"	5.00	ND	106	77-117	0.2	15
1,2,3-Trichloropropane	5.09		0.5	"	5.00	ND	102	78-115	2	13
Propylbenzene	5.19		0.5	"	5.00	ND	104	83-116	0.6	12
2-Chlorotoluene	5.01		0.5	"	5.00	ND	100	83-110	0.6	12
4-Chlorotoluene	5.01		0.5	"	5.00	ND	100	82-110	1	12
1,3,5-Trimethylbenzene	5.22		0.5	"	5.00	ND	104	82-112	1	13
tert-Butylbenzene	5.47		0.5	"	5.00	ND	109	81-115	2	16
1,2,4-Trimethylbenzene	5.15		0.5	"	5.00	ND	103	81-113	0.4	13
sec-Butylbenzene	5.36		0.5	"	5.00	ND	107	79-122	1	14
1,3-Dichlorobenzene	5.03		0.5	"	5.00	ND	101	82-110	0.2	12
p-Isopropyltoluene	5.33		0.5	"	5.00	ND	107	78-120	1	13
1,4-Dichlorobenzene	5.03		0.5	"	5.00	ND	101	81-110	0.8	11
1,2-Dichlorobenzene	5.06		0.5	"	5.00	ND	101	82-110	0	12
Butylbenzene	5.28		0.5	"	5.00	ND	106	72-122	0.4	10
1,2-Dibromo-3-chloropropane	20.9		2	"	20.0	ND	104	47-131	0.8	15
1,2,4-Trichlorobenzene	5.31		0.5	"	5.00	ND	106	62-115	0.8	13
Hexachlorobutadiene	5.34		0.5	"	5.00	ND	107	51-116	2	14
Naphthalene	5.29		0.5	"	5.00	ND	106	47-137	0.2	16
1,2,3-Trichlorobenzene	5.4		0.5	"	5.00	ND	108	62-117	0.2	17
Surrogate: 1,2-Dichloroethane-d4	*4.90*			*"*	*5.00*		98	*83-116*		
Surrogate: Toluene-d8	*5.13*			*"*	*5.00*		103	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.95*			*"*	*5.00*		99	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.15*			*"*	*5.00*		103	*74-113*		
Batch B19D016 - 3520C CLLE - SVOCs										**Prepared: 04/02/19 Analyzed: 04/04/19**
										Semivolatile Organic Compounds by EPA Method 8270D - Quality Control
Blank (B19D016-BLK1)										
1,4-Dioxane	ND	U	1	ug/L						
Surrogate: 1,4-Dioxane-d8	*3.84*			*"*	*5.00*		77	*46-110*		
LCS (B19D016-BS1)										
1,4-Dioxane	9.29		1	ug/L	10.0		93	66-126		
Surrogate: 1,4-Dioxane-d8	*4.07*			*"*	*5.00*		81	*46-110*		
Matrix Spike (B19D016-MS1)		**Source: 1903059-02**								
1,4-Dioxane	10.2		1	ug/L	9.70	0.573	99	70-130		
Surrogate: 1,4-Dioxane-d8	*3.23*			*"*	*4.85*		67	*46-110*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D016 - 3520C CLLE - SVOCs									**Prepared: 04/02/19 Analyzed: 04/04/19**	
								Semivolatile Organic Compounds by EPA Method 8270D - Quality Control		
Matrix Spike Dup (B19D016-MSD1)		**Source: 1903059-02**								
1,4-Dioxane	10.4		1	ug/L	9.99	0.573	98	70-130	2	20
Surrogate: 1,4-Dioxane-d8	*3.65*			*"*	*4.99*		73	*46-110*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 10:13
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Qualifiers and Comments

Q10	The analyte concentration in the unfortified sample is significantly greater than the concentration spiked into the matrix spike and matrix spike duplicate. The reported spike recovery is not a meaningful measure of the dataset's analytical accuracy.
N TIC	Tentatively Idenitified Compound - This compound was identified only by match with mass spectral library. Identification and quantitation should be considered tentative and presumptive.
J	The reported result for this analyte should be considered an estimated value.
C1	The reported concentration for this analyte is below the quantitation limit.
U	Not Detected
NR	Not Reported
RE1, RE2, etc:	Result is from a sample re-analysis.

United States Environmental Protection Agency
Region 9 Laboratory

1337 S. 46th Street Building 201
Richmond, CA 94804

Date: **4/25/2019**

Subject: **Analytical Testing Results - Project R19S33**
SDG: 19087A

From: **Peter Husby, Director**
EPA Region 9 Laboratory
EMD-3-1

PETER HUSBY Digitally signed by PETER HUSBY Date: 2019.04.25 13:47:56 -07'00'

To: **Raymond Chavira**
California Site Cleanup Section 3
SFD-7-3

Attached are the results from the analysis of samples from the **SGV Area 3 - March 2019 Groundwater Sampling** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Audrey Johnson at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

Electronic CC: David Towell, Jacobs
Bryan Jones, Jacobs

Analyses included in this report:

Semivolatile Organic Compounds by GC/MS	Semivolatile Organic Compounds by GC/MS
Volatile Organic Compounds by GC/MS	Volatile Organic Compounds by GC/MS (SIM)

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
EB02-0319	1903063-01	Water	03/28/19 08:37	03/29/19 08:47
MW19A-0319	1903063-02	Water	03/28/19 09:34	03/29/19 08:47
MW19A-0319FD	1903063-03	Water	03/28/19 09:34	03/29/19 08:47
MW19B-0319	1903063-04	Water	03/28/19 11:28	03/29/19 08:47
MW17-0319	1903063-05	Water	03/28/19 07:47	03/29/19 08:47

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-01									**Water - Sampled: 03/28/19 08:37**
Sample ID: EB02-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C138	03/29/19	03/29/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		4.8	J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-01									**Water - Sampled: 03/28/19 08:37**
Sample ID: EB02-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19C138	03/29/19	03/29/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Isobutane		2.2	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			102 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			101 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			101 %	*74-113%*		"	"	"	
1,2,3-Trichloropropane		ND	U	5	ng/L	B19D027	04/04/19	04/04/19	524.2
Surrogate: 4-Bromofluorobenzene			95 %	*80-119%*		"	"	"	
Sample ID: EB02-0319									**Semivolatile Organic Compounds by EPA Method 8270D**
1,4-Dioxane		ND	U	1	ug/L	B19D016	04/02/19	04/04/19	8270D

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-01									**Water - Sampled: 03/28/19 08:37**
Sample ID: EB02-0319									**Semivolatile Organic Compounds by EPA Method 8270D**
Surrogate: 1,4-Dioxane-d8			70 %	*46-110%*		*B19D016*	*04/02/19*	*04/04/19*	
Lab ID: 1903063-02									**Water - Sampled: 03/28/19 09:34**
Sample ID: MW19A-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C136	03/29/19	03/29/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		16		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-02									**Water - Sampled: 03/28/19 09:34**
Sample ID: MW19A-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,2-Dibromoethane (EDB)		ND	U	0.5	ug/L	B19C136	03/29/19	03/29/19	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			104 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			94 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			102 %	*74-113%*		"	"	"	
1,2,3-Trichloropropane		ND	J, Q7, U	5	ng/L	B19D027	04/04/19	04/04/19	524.2
Surrogate: 4-Bromofluorobenzene			**128 %**	*80-119%*		"	"	"	
Sample ID: MW19A-0319									**Semivolatile Organic Compounds by EPA Method 8270D**

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-02									**Water - Sampled: 03/28/19 09:34**
Sample ID: MW19A-0319									**Semivolatile Organic Compounds by EPA Method 8270D**
1,4-Dioxane		ND	U	1	ug/L	B19D016	04/02/19	04/04/19	8270D
Surrogate: 1,4-Dioxane-d8			70 %	*46-110%*		"	"	"	
Lab ID: 1903063-03									**Water - Sampled: 03/28/19 09:34**
Sample ID: MW19A-0319FD									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C136	03/29/19	03/29/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		16		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-03									**Water - Sampled: 03/28/19 09:34**
Sample ID: MW19A-0319FD									
							Volatile Organic Compounds by EPA Method 524.2		
1,3-Dichloropropane		ND	U	0.5	ug/L	B19C136	03/29/19	03/29/19	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			104 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			102 %	*74-113%*		"	"	"	
1,2,3-Trichloropropane		ND	J, Q7, U	5	ng/L	B19D027	04/04/19	04/04/19	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-03									**Water - Sampled: 03/28/19 09:34**
Sample ID: MW19A-0319FD									**Volatile Organic Compounds by EPA Method 524.2**
Surrogate: 4-Bromofluorobenzene			**122 %**	*80-119%*		*B19D027*	*04/04/19*	*04/04/19*	
Sample ID: MW19A-0319FD									**Semivolatile Organic Compounds by EPA Method 8270D**
1,4-Dioxane		ND	U	0.9	ug/L	B19D016	04/02/19	04/04/19	8270D
Surrogate: 1,4-Dioxane-d8			62 %	*46-110%*		"	"	"	
Lab ID: 1903063-04									**Water - Sampled: 03/28/19 11:28**
Sample ID: MW19B-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C136	03/29/19	03/29/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		3.0	C1, J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Lab ID: 1903063-04 — **Water - Sampled: 03/28/19 11:28**

Sample ID: MW19B-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
1,1,2-Trichloroethane		ND	U	0.5	ug/L	B19C136	03/29/19	03/29/19	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4		103 %		*83-116%*		"	"	"	
Surrogate: Toluene-d8		94 %		*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene		97 %		*80-110%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-04									**Water - Sampled: 03/28/19 11:28**
Sample ID: MW19B-0319									**Volatile Organic Compounds by EPA Method 524.2**
Surrogate: 1,2-Dichlorobenzene-d4			100 %	*74-113%*		*B19C136*	*03/29/19*	*03/29/19*	
1,2,3-Trichloropropane		ND	J, Q7, U	5	ng/L	B19D033	04/05/19	04/05/19	524.2
Surrogate: 4-Bromofluorobenzene			**130 %**	*80-119%*		"	"	"	
Sample ID: MW19B-0319									**Semivolatile Organic Compounds by EPA Method 8270D**
1,4-Dioxane		ND	U	1	ug/L	B19D016	04/02/19	04/04/19	8270D
Surrogate: 1,4-Dioxane-d8			61 %	*46-110%*		"	"	"	
Lab ID: 1903063-05									**Water - Sampled: 03/28/19 07:47**
Sample ID: MW17-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19C138	03/29/19	03/29/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		2.4	C1, J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		0.9		0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-05									**Water - Sampled: 03/28/19 07:47**
Sample ID: MW17-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Toluene		ND	U	0.5	ug/L	B19C138	03/29/19	03/29/19	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			102 %	*83-116%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1903063-05									**Water - Sampled: 03/28/19 07:47**
Sample ID: MW17-0319									**Volatile Organic Compounds by EPA Method 524.2**
Surrogate: Toluene-d8			94 %	*81-112%*		*B19C138*	*03/29/19*	*03/29/19*	
Surrogate: 4-Bromofluorobenzene			104 %	*80-110%*		*"*	*"*	*"*	
Surrogate: 1,2-Dichlorobenzene-d4			102 %	*74-113%*		*"*	*"*	*"*	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C136 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C136-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C136 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C136-BLK1)										
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*5.33*			*"*	*5.00*		107	*83-116*		
Surrogate: Toluene-d8	*4.67*			*"*	*5.00*		93	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.80*			*"*	*5.00*		96	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.83*			*"*	*5.00*		97	*74-113*		
LCS (B19C136-BS1)										
Dichlorodifluoromethane	4.23		0.5	ug/L	5.00		85	70-128		
Chloromethane	4.93		0.5	"	5.00		99	63-123		
Vinyl chloride	4.91		0.5	"	5.00		98	70-130		
Bromomethane	5.02		0.5	"	5.00		100	31-150		
Chloroethane	4.95		0.5	"	5.00		99	74-119		
Trichlorofluoromethane	4.97		0.5	"	5.00		99	72-123		
1,1-Dichloroethene	5.14		0.5	"	5.00		103	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.07		0.5	"	5.00		101	73-129		
Acetone	45.2		4	"	40.0		113	61-114		
Dichloromethane	5.27		0.5	"	5.00		105	70-130		
trans-1,2-Dichloroethene	5.29		0.5	"	5.00		106	70-130		
tert-Butyl methyl ether (MTBE)	20.9		2	"	20.0		105	62-117		
1,1-Dichloroethane	5.42		0.5	"	5.00		108	74-115		
2,2-Dichloropropane	4.73		0.5	"	5.00		95	64-144		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19C136 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 03/29/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
LCS (B19C136-BS1)										
cis-1,2-Dichloroethene	5.03		0.5	"	5.00		101	70-130		
2-Butanone (MEK)	42.4		4	"	40.0		106	57-121		
Bromochloromethane	5.42		0.5	"	5.00		108	71-122		
Chloroform	5.13		0.5	"	5.00		103	70-130		
1,1,1-Trichloroethane	4.78		0.5	"	5.00		96	70-130		
Carbon tetrachloride	4.89		0.5	"	5.00		98	70-130		
1,1-Dichloropropene	4.93		0.5	"	5.00		99	71-119		
Benzene	5.08		0.5	"	5.00		102	70-130		
1,2-Dichloroethane	5.32		0.5	"	5.00		106	70-130		
Trichloroethene	5.12		0.5	"	5.00		102	70-130		
1,2-Dichloropropane	5.33		0.5	"	5.00		107	70-130		
Dibromomethane	5.54		0.5	"	5.00		111	72-121		
Bromodichloromethane	5.55		0.5	"	5.00		111	70-130		
cis-1,3-Dichloropropene	5.65		0.5	"	5.00		113	68-120		
Toluene	5.05		0.5	"	5.00		101	70-130		
trans-1,3-Dichloropropene	5.47		0.5	"	5.00		109	64-126		
1,1,2-Trichloroethane	5.64		0.5	"	5.00		113	70-130		
Tetrachloroethene	4.95		0.5	"	5.00		99	70-130		
1,3-Dichloropropane	5.49		0.5	"	5.00		110	80-114		
Chlorodibromomethane	5.68		0.5	"	5.00		114	70-130		
1,2-Dibromoethane (EDB)	5.69		0.5	"	5.00		114	80-115		
Chlorobenzene	5.02		0.5	"	5.00		100	70-130		
1,1,1,2-Tetrachloroethane	5.1		0.5	"	5.00		102	82-116		
Ethylbenzene	4.78		0.5	"	5.00		96	70-130		
m&p-Xylene	9.71		1	"	10.0		97	70-130		
o-Xylene	4.84		0.5	"	5.00		97	70-130		
Styrene	4.96		0.5	"	5.00		99	70-130		
Bromoform	5.57		0.5	"	5.00		111	70-130		
Isopropylbenzene	4.79		0.5	"	5.00		96	86-114		
Bromobenzene	4.91		0.5	"	5.00		98	84-110		
1,1,2,2-Tetrachloroethane	5.34		0.5	"	5.00		107	81-113		
1,2,3-Trichloropropane	5.06		0.5	"	5.00		101	81-114		
Propylbenzene	4.81		0.5	"	5.00		96	87-115		
2-Chlorotoluene	4.77		0.5	"	5.00		95	84-111		
4-Chlorotoluene	4.76		0.5	"	5.00		95	82-112		
1,3,5-Trimethylbenzene	4.9		0.5	"	5.00		98	85-113		
tert-Butylbenzene	5.2		0.5	"	5.00		104	86-114		
1,2,4-Trimethylbenzene	4.88		0.5	"	5.00		98	84-114		
sec-Butylbenzene	5.02		0.5	"	5.00		100	87-119		
1,3-Dichlorobenzene	4.84		0.5	"	5.00		97	85-110		
p-Isopropyltoluene	5		0.5	"	5.00		100	86-117		
1,4-Dichlorobenzene	4.85		0.5	"	5.00		97	70-130		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C136 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19C136-BS1)										
1,2-Dichlorobenzene	4.9		0.5	"	5.00		98	70-130		
Butylbenzene	5		0.5	"	5.00		100	85-118		
1,2-Dibromo-3-chloropropane	21.4		2	"	20.0		107	54-133		
1,2,4-Trichlorobenzene	5.29		0.5	"	5.00		106	70-130		
Hexachlorobutadiene	5.02		0.5	"	5.00		100	66-113		
Naphthalene	5.37		0.5	"	5.00		107	58-126		
1,2,3-Trichlorobenzene	5.42		0.5	"	5.00		108	65-119		
Surrogate: 1,2-Dichloroethane-d4	*5.11*			*"*	*5.00*		102	*83-116*		
Surrogate: Toluene-d8	*4.97*			*"*	*5.00*		99	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.86*			*"*	*5.00*		97	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.99*			*"*	*5.00*		100	*74-113*		
Batch B19C138 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C138-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C138 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C138-BLK1)										
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C3, J, U	0.5	"						
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*5.05*			*"*	*5.00*		101	*83-116*		
Surrogate: Toluene-d8	*4.80*			*"*	*5.00*		96	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.19*			*"*	*5.00*		104	*80-110*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C138 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19C138-BLK1)										
Surrogate: 1,2-Dichlorobenzene-d4		*5.19*		*"*	*5.00*		104	*74-113*		
LCS (B19C138-BS1)										
Dichlorodifluoromethane	4.02		0.5	ug/L	5.00		80	70-128		
Chloromethane	4.8		0.5	"	5.00		96	63-123		
Vinyl chloride	4.93		0.5	"	5.00		99	70-130		
Bromomethane	5.01		0.5	"	5.00		100	31-150		
Chloroethane	4.93		0.5	"	5.00		99	74-119		
Trichlorofluoromethane	5.07		0.5	"	5.00		101	72-123		
1,1-Dichloroethene	5.33		0.5	"	5.00		107	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.22		0.5	"	5.00		104	73-129		
Acetone	41.1		4	"	40.0		103	61-114		
Dichloromethane	5.24		0.5	"	5.00		105	70-130		
trans-1,2-Dichloroethene	5.36		0.5	"	5.00		107	70-130		
tert-Butyl methyl ether (MTBE)	20.4		2	"	20.0		102	62-117		
1,1-Dichloroethane	5.21		0.5	"	5.00		104	74-115		
2,2-Dichloropropane	5.13		0.5	"	5.00		103	64-144		
cis-1,2-Dichloroethene	5.02		0.5	"	5.00		100	70-130		
2-Butanone (MEK)	38.4		4	"	40.0		96	57-121		
Bromochloromethane	5.22		0.5	"	5.00		104	71-122		
Chloroform	4.92		0.5	"	5.00		98	70-130		
1,1,1-Trichloroethane	4.89		0.5	"	5.00		98	70-130		
Carbon tetrachloride	5		0.5	"	5.00		100	70-130		
1,1-Dichloropropene	4.94		0.5	"	5.00		99	71-119		
Benzene	5		0.5	"	5.00		100	70-130		
1,2-Dichloroethane	5.08		0.5	"	5.00		102	70-130		
Trichloroethene	5.01		0.5	"	5.00		100	70-130		
1,2-Dichloropropane	4.89		0.5	"	5.00		98	70-130		
Dibromomethane	5.08		0.5	"	5.00		102	72-121		
Bromodichloromethane	5.02		0.5	"	5.00		100	70-130		
cis-1,3-Dichloropropene	4.91		0.5	"	5.00		98	68-120		
Toluene	4.89		0.5	"	5.00		98	70-130		
trans-1,3-Dichloropropene	4.72		0.5	"	5.00		94	64-126		
1,1,2-Trichloroethane	4.96		0.5	"	5.00		99	70-130		
Tetrachloroethene	5.24		0.5	"	5.00		105	70-130		
1,3-Dichloropropane	4.88		0.5	"	5.00		98	80-114		
Chlorodibromomethane	5.05		0.5	"	5.00		101	70-130		
1,2-Dibromoethane (EDB)	4.97		0.5	"	5.00		99	80-115		
Chlorobenzene	4.9		0.5	"	5.00		98	70-130		
1,1,1,2-Tetrachloroethane	5.1		0.5	"	5.00		102	82-116		
Ethylbenzene	4.94		0.5	"	5.00		99	70-130		
m&p-Xylene	9.97		1	"	10.0		100	70-130		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:36
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19C138 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 03/29/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19C138-BS1)										
o-Xylene	5.28		0.5	"	5.00		106	70-130		
Styrene	5.17		0.5	"	5.00		103	70-130		
Bromoform	5.12		0.5	"	5.00		102	70-130		
Isopropylbenzene	5.24		0.5	"	5.00		105	86-114		
Bromobenzene	5.27		0.5	"	5.00		105	84-110		
1,1,2,2-Tetrachloroethane	5.46		0.5	"	5.00		109	81-113		
1,2,3-Trichloropropane	5.43		0.5	"	5.00		109	81-114		
Propylbenzene	5.28		0.5	"	5.00		106	87-115		
2-Chlorotoluene	5.22		0.5	"	5.00		104	84-111		
4-Chlorotoluene	5.31		0.5	"	5.00		106	82-112		
1,3,5-Trimethylbenzene	5.16		0.5	"	5.00		103	85-113		
tert-Butylbenzene	5.17		0.5	"	5.00		103	86-114		
1,2,4-Trimethylbenzene	5.11		0.5	"	5.00		102	84-114		
sec-Butylbenzene	5.22		0.5	"	5.00		104	87-119		
1,3-Dichlorobenzene	5.21		0.5	"	5.00		104	85-110		
p-Isopropyltoluene	5.13		0.5	"	5.00		103	86-117		
1,4-Dichlorobenzene	5.14		0.5	"	5.00		103	70-130		
1,2-Dichlorobenzene	5.19		0.5	"	5.00		104	70-130		
Butylbenzene	5.04		0.5	"	5.00		101	85-118		
1,2-Dibromo-3-chloropropane	19.9		2	"	20.0		99	54-133		
1,2,4-Trichlorobenzene	5.06		0.5	"	5.00		101	70-130		
Hexachlorobutadiene	5.35		0.5	"	5.00		107	66-113		
Naphthalene	4.49		0.5	"	5.00		90	58-126		
1,2,3-Trichlorobenzene	5.07		0.5	"	5.00		101	65-119		
Surrogate: 1,2-Dichloroethane-d4	*5.00*			*"*	*5.00*		100	*83-116*		
Surrogate: Toluene-d8	*4.93*			*"*	*5.00*		99	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.33*			*"*	*5.00*		107	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.38*			*"*	*5.00*		108	*74-113*		
Batch B19D016 - 3520C CLLE - SVOCs										**Prepared: 04/02/19 Analyzed: 04/04/19**
										Semivolatile Organic Compounds by EPA Method 8270D - Quality Control
Blank (B19D016-BLK1)										
1,4-Dioxane	ND	U	1	ug/L						
Surrogate: 1,4-Dioxane-d8	*3.84*			*"*	*5.00*		77	*46-110*		
LCS (B19D016-BS1)										
1,4-Dioxane	9.29		1	ug/L	10.0		93	66-126		
Surrogate: 1,4-Dioxane-d8	*4.07*			*"*	*5.00*		81	*46-110*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19087A	
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:36	
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**		

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D027 - 5030 P&T VOA - VOCs, Low Level, Water										**Prepared & Analyzed: 04/04/19**
								Volatile Organic Compounds by EPA Method 524.2 - Quality Control		
Blank (B19D027-BLK1)										
1,2,3-Trichloropropane	ND	U	5	ng/L						
Surrogate: 4-Bromofluorobenzene	*47.7*			*"*	*50.0*		95	*80-119*		
LCS (B19D027-BS1)										
1,2-Dibromoethane (EDB)	49.6		5	ng/L	50.0		99	85-128		
1,2,3-Trichloropropane	51.1		5	"	50.0		102	85-123		
1,2-Dibromo-3-chloropropane	94.7		10	"	100		95	52-123		
Surrogate: 4-Bromofluorobenzene	*49.4*			*"*	*50.0*		99	*80-119*		
Batch B19D033 - 5030 P&T VOA - VOCs, Low Level, Water										**Prepared & Analyzed: 04/05/19**
								Volatile Organic Compounds by EPA Method 524.2 - Quality Control		
Blank (B19D033-BLK1)										
1,2,3-Trichloropropane	ND	U	5	ng/L						
Surrogate: 4-Bromofluorobenzene	*47.6*			*"*	*50.0*		95	*80-119*		
LCS (B19D033-BS1)										
1,2-Dibromoethane (EDB)	48.8		5	ng/L	50.0		98	85-128		
1,2,3-Trichloropropane	48.4		5	"	50.0		97	85-123		
1,2-Dibromo-3-chloropropane	98.3		10	"	100		98	52-123		
Surrogate: 4-Bromofluorobenzene	*49.9*			*"*	*50.0*		100	*80-119*		
Matrix Spike (B19D033-MS1)		**Source: 1903063-04**								
1,2,3-Trichloropropane	42.4		5	ng/L	50.0	ND	85	51-147		
Surrogate: 4-Bromofluorobenzene	*62.9*			*"*	*50.0*		**126**	*80-119*		
Matrix Spike Dup (B19D033-MSD1)		**Source: 1903063-04**								
1,2,3-Trichloropropane	43.4		5	ng/L	50.0	ND	87	51-147	2	20
Surrogate: 4-Bromofluorobenzene	*64.4*			*"*	*50.0*		**129**	*80-119*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19087A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:36
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Qualifiers and Comments

Q7	Surrogate spike recoveries for this sample were outside control limits.
Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
N TIC	Tentatively Idenitified Compound - This compound was identified only by match with mass spectral library. Identification and quantitation should be considered tentative and presumptive.
J	The reported result for this analyte should be considered an estimated value.
C3	The initial calibration for this analyte did not meet calibration criteria.
C1	The reported concentration for this analyte is below the quantitation limit.
U	Not Detected
NR	Not Reported
RE1, RE2, etc:	Result is from a sample re-analysis.

United States Environmental Protection Agency
Region 9 Laboratory

1337 S. 46th Street Building 201
Richmond, CA 94804

Date: **4/25/2019**

Subject: **Analytical Testing Results - Project R19S33**
SDG: 19091A

From: **Peter Husby, Director**
EPA Region 9 Laboratory
EMD-3-1

PETER HUSBY Digitally signed by PETER HUSBY Date: 2019.04.25 13:49:11 -07'00'

To: **Raymond Chavira**
California Site Cleanup Section 3
SFD-7-3

Attached are the results from the analysis of samples from the **SGV Area 3 - March 2019 Groundwater Sampling** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Audrey Johnson at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

Electronic CC: David Towell, Jacobs
Bryan Jones, Jacobs

Analyses included in this report:

Volatile Organic Compounds by GC/MS
Volatile Organic Compounds by GC/MS (SIM)

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
EB03-0319	1904001-01	Water	03/29/19 07:50	03/30/19 13:45
MW15Z1-0319	1904001-02	Water	03/29/19 08:45	03/30/19 13:45
MW15Z2-0319	1904001-03	Water	03/29/19 09:05	03/30/19 13:45
MW15Z3-0319	1904001-04	Water	03/29/19 09:35	03/30/19 13:45
MW15Z4-0319	1904001-05	Water	03/29/19 09:55	03/30/19 13:45
MW15Z5-0319	1904001-06	Water	03/29/19 10:15	03/30/19 13:45
MW15Z6-0319	1904001-07	Water	03/29/19 10:35	03/30/19 13:45
MW14Z1-0319	1904001-08	Water	03/29/19 12:30	03/30/19 13:45
MW14Z2-0319	1904001-09	Water	03/29/19 12:55	03/30/19 13:45
MW14Z3-0319	1904001-10	Water	03/29/19 13:20	03/30/19 13:45
MW14Z4-0319	1904001-11	Water	03/29/19 13:45	03/30/19 13:45

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-01									**Water - Sampled: 03/29/19 07:50**
Sample ID: EB03-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-01									**Water - Sampled: 03/29/19 07:50**
Sample ID: EB03-0319									
							Volatile Organic Compounds by EPA Method 524.2		
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			100 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			98 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			102 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			104 %	*74-113%*		"	"	"	
1,2,3-Trichloropropane		ND	U	5	ng/L	B19D033	04/05/19	04/05/19	524.2
Surrogate: 4-Bromofluorobenzene			97 %	*80-119%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904001-02**								**Water - Sampled: 03/29/19 08:45**
Sample ID:	**MW15Z1-0319**								
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		3.0	C1, J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-02									**Water - Sampled: 03/29/19 08:45**
Sample ID: MW15Z1-0319									
							Volatile Organic Compounds by EPA Method 524.2		
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			97 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			98 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			102 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			103 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-03									**Water - Sampled: 03/29/19 09:05**
Sample ID: MW15Z2-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		2.5	C1, Q3, J	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Lab ID: 1904001-03 — **Water - Sampled: 03/29/19 09:05**

Sample ID: MW15Z2-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			96 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			98 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			102 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			102 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-04									**Water - Sampled: 03/29/19 09:35**
Sample ID: MW15Z3-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		1.0		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-04									**Water - Sampled: 03/29/19 09:35**
Sample ID: MW15Z3-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			103 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			95 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			100 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			101 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-05									**Water - Sampled: 03/29/19 09:55**
Sample ID: MW15Z4-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		1.8		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-05									**Water - Sampled: 03/29/19 09:55**
Sample ID: MW15Z4-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D008	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			97 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			92 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			98 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-06									**Water - Sampled: 03/29/19 10:15**
Sample ID: MW15Z5-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		0.4	C1, J	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		5.8		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904001-06**								**Water - Sampled: 03/29/19 10:15**
Sample ID:	**MW15Z5-0319**								
							Volatile Organic Compounds by EPA Method 524.2		
Ethylbenzene		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	C3, J, U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			94 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			100 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			93 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			91 %	*74-113%*		"	"	"	
1,2,3-Trichloropropane		200		5	ng/L	B19D033	04/05/19	04/05/19	524.2
Surrogate: 4-Bromofluorobenzene			93 %	*80-119%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-07									**Water - Sampled: 03/29/19 10:35**
Sample ID: MW15Z6-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		1.3		0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	J, Q4, U	0.5	"	"	"	"	524.2
Benzene		ND	Q4, J, U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		7.2	J, Q4	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		18	J, Q4	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904001-07**								**Water - Sampled: 03/29/19 10:35**
Sample ID:	**MW15Z6-0319**								
							Volatile Organic Compounds by EPA Method 524.2		
Ethylbenzene		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	C3, J, U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			98 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			100 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			94 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			92 %	*74-113%*		"	"	"	
1,2,3-Trichloropropane		200		5	ng/L	B19D033	04/05/19	04/05/19	524.2
Surrogate: 4-Bromofluorobenzene			110 %	*80-119%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Lab ID: 1904001-08 — **Water - Sampled: 03/29/19 12:30**

Sample ID: MW14Z1-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-08									**Water - Sampled: 03/29/19 12:30**
Sample ID: MW14Z1-0319									
							Volatile Organic Compounds by EPA Method 524.2		
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	C3, J, U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			97 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			99 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			95 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			91 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-09									**Water - Sampled: 03/29/19 12:55**
Sample ID: MW14Z2-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		0.3	C1, J	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-09									**Water - Sampled: 03/29/19 12:55**
Sample ID: MW14Z2-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	C3, J, U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Methane, chlorodifluoro		4.1	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			96 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			101 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			96 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			92 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-10									**Water - Sampled: 03/29/19 13:20**
Sample ID: MW14Z3-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		0.3	C1, J	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		4.9		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		20		0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		1.3		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904001-10**								**Water - Sampled: 03/29/19 13:20**
Sample ID:	**MW14Z3-0319**								
						Volatile Organic Compounds by EPA Method 524.2			
Ethylbenzene		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	C3, J, U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Methane, chlorodifluoro		29	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			95 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			100 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			94 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			92 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904001-11									**Water - Sampled: 03/29/19 13:45**
Sample ID: MW14Z4-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		1.0		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		5.9		0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,1,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904001-11**								**Water - Sampled: 03/29/19 13:45**
Sample ID:	**MW14Z4-0319**								
							Volatile Organic Compounds by EPA Method 524.2		
Ethylbenzene		ND	U	0.5	ug/L	B19D006	04/01/19	04/01/19	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	C3, J, U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Methane, chlorodifluoro		8.1	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			98 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			100 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			93 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			91 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D006-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C3, J, U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D006-BLK1)										
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	C3, J, U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*4.89*			*"*	*5.00*		98	*83-116*		
Surrogate: Toluene-d8	*5.03*			*"*	*5.00*		101	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.64*			*"*	*5.00*		93	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.46*			*"*	*5.00*		89	*74-113*		
Blank (B19D006-BLK2)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D006-BLK2)										
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C3, J, U	0.5	"						
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D006-BLK2)										
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	C3, J, U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*5.80*			*"*	*5.00*		116	*83-116*		
Surrogate: Toluene-d8	*5.09*			*"*	*5.00*		102	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.72*			*"*	*5.00*		94	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.56*			*"*	*5.00*		91	*74-113*		
LCS (B19D006-BS1)										
Dichlorodifluoromethane	4.73		0.5	ug/L	5.00		95	70-128		
Chloromethane	4.35		0.5	"	5.00		87	63-123		
Vinyl chloride	4.51		0.5	"	5.00		90	70-130		
Bromomethane	4.53		0.5	"	5.00		91	31-150		
Chloroethane	4.44		0.5	"	5.00		89	74-119		
Trichlorofluoromethane	4.46		0.5	"	5.00		89	72-123		
1,1-Dichloroethene	4.47		0.5	"	5.00		89	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	4.85		0.5	"	5.00		97	73-129		
Acetone	27.9		4	"	40.0		70	61-114		
Dichloromethane	4.25		0.5	"	5.00		85	70-130		
trans-1,2-Dichloroethene	4.5		0.5	"	5.00		90	70-130		
tert-Butyl methyl ether (MTBE)	16.4		2	"	20.0		82	62-117		
1,1-Dichloroethane	4.5		0.5	"	5.00		90	74-115		
2,2-Dichloropropane	4.85		0.5	"	5.00		97	64-144		
cis-1,2-Dichloroethene	5.46		0.5	"	5.00		109	70-130		
2-Butanone (MEK)	41.3		4	"	40.0		103	57-121		
Bromochloromethane	5.43		0.5	"	5.00		109	71-122		
Chloroform	5.6		0.5	"	5.00		112	70-130		
1,1,1-Trichloroethane	5.49		0.5	"	5.00		110	70-130		
Carbon tetrachloride	5.67		0.5	"	5.00		113	70-130		
1,1-Dichloropropene	5.79		0.5	"	5.00		116	71-119		
Benzene	5.74		0.5	"	5.00		115	70-130		
1,2-Dichloroethane	5.58		0.5	"	5.00		112	70-130		
Trichloroethene	5.34		0.5	"	5.00		107	70-130		
1,2-Dichloropropane	5.17		0.5	"	5.00		103	70-130		
Dibromomethane	5.31		0.5	"	5.00		106	72-121		
Bromodichloromethane	5.58		0.5	"	5.00		112	70-130		
cis-1,3-Dichloropropene	5.04		0.5	"	5.00		101	68-120		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D006-BS1)										
Toluene	5.16		0.5	"	5.00		103	70-130		
trans-1,3-Dichloropropene	4.61		0.5	"	5.00		92	64-126		
1,1,2-Trichloroethane	4.99		0.5	"	5.00		100	70-130		
Tetrachloroethene	5.23		0.5	"	5.00		105	70-130		
1,3-Dichloropropane	5.06		0.5	"	5.00		101	80-114		
Chlorodibromomethane	5.8		0.5	"	5.00		116	70-130		
1,2-Dibromoethane (EDB)	4.81		0.5	"	5.00		96	80-115		
Chlorobenzene	5.04		0.5	"	5.00		101	70-130		
1,1,1,2-Tetrachloroethane	5.42		0.5	"	5.00		108	82-116		
Ethylbenzene	5.18		0.5	"	5.00		104	70-130		
m&p-Xylene	10.4		1	"	10.0		104	70-130		
o-Xylene	5.15		0.5	"	5.00		103	70-130		
Styrene	5.1		0.5	"	5.00		102	70-130		
Bromoform	5.85		0.5	"	5.00		117	70-130		
Isopropylbenzene	5.17		0.5	"	5.00		103	86-114		
Bromobenzene	5.01		0.5	"	5.00		100	84-110		
1,1,2,2-Tetrachloroethane	5.05		0.5	"	5.00		101	81-113		
1,2,3-Trichloropropane	4.92		0.5	"	5.00		98	81-114		
Propylbenzene	5.21		0.5	"	5.00		104	87-115		
2-Chlorotoluene	5.02		0.5	"	5.00		100	84-111		
4-Chlorotoluene	5.05		0.5	"	5.00		101	82-112		
1,3,5-Trimethylbenzene	5.12		0.5	"	5.00		102	85-113		
tert-Butylbenzene	5.2		0.5	"	5.00		104	86-114		
1,2,4-Trimethylbenzene	5.09		0.5	"	5.00		102	84-114		
sec-Butylbenzene	5.19		0.5	"	5.00		104	87-119		
1,3-Dichlorobenzene	5.01		0.5	"	5.00		100	85-110		
p-Isopropyltoluene	5.19		0.5	"	5.00		104	86-117		
1,4-Dichlorobenzene	4.93		0.5	"	5.00		99	70-130		
1,2-Dichlorobenzene	4.91		0.5	"	5.00		98	70-130		
Butylbenzene	5.2		0.5	"	5.00		104	85-118		
1,2-Dibromo-3-chloropropane	18.6		2	"	20.0		93	54-133		
1,2,4-Trichlorobenzene	4.91		0.5	"	5.00		98	70-130		
Hexachlorobutadiene	4.98		0.5	"	5.00		100	66-113		
Naphthalene	4.87		0.5	"	5.00		97	58-126		
1,2,3-Trichlorobenzene	4.88		0.5	"	5.00		98	65-119		
Surrogate: 1,2-Dichloroethane-d4	*5.54*			*"*	*5.00*		111	*83-116*		
Surrogate: Toluene-d8	*5.24*			*"*	*5.00*		105	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.84*			*"*	*5.00*		97	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.64*			*"*	*5.00*		93	*74-113*		
LCS (B19D006-BS2)										

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D006-BS2)										
Dichlorodifluoromethane	3.99		0.5	ug/L	5.00		80	70-128		
Chloromethane	3.89		0.5	"	5.00		78	63-123		
Vinyl chloride	4.04		0.5	"	5.00		81	70-130		
Bromomethane	3.83		0.5	"	5.00		77	31-150		
Chloroethane	4.03		0.5	"	5.00		81	74-119		
Trichlorofluoromethane	4.11		0.5	"	5.00		82	72-123		
1,1-Dichloroethene	4.16		0.5	"	5.00		83	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	4.49		0.5	"	5.00		90	73-129		
Acetone	26.5		4	"	40.0		66	61-114		
Dichloromethane	4.05		0.5	"	5.00		81	70-130		
trans-1,2-Dichloroethene	4.14		0.5	"	5.00		83	70-130		
tert-Butyl methyl ether (MTBE)	15.3		2	"	20.0		76	62-117		
1,1-Dichloroethane	4.18		0.5	"	5.00		84	74-115		
2,2-Dichloropropane	4.62		0.5	"	5.00		92	64-144		
cis-1,2-Dichloroethene	5.24		0.5	"	5.00		105	70-130		
2-Butanone (MEK)	39.4		4	"	40.0		99	57-121		
Bromochloromethane	5.18		0.5	"	5.00		104	71-122		
Chloroform	5.42		0.5	"	5.00		108	70-130		
1,1,1-Trichloroethane	5.26		0.5	"	5.00		105	70-130		
Carbon tetrachloride	5.75		0.5	"	5.00		115	70-130		
1,1-Dichloropropene	5.55		0.5	"	5.00		111	71-119		
Benzene	4.49		0.5	"	5.00		90	70-130		
1,2-Dichloroethane	4.45		0.5	"	5.00		89	70-130		
Trichloroethene	5.08		0.5	"	5.00		102	70-130		
1,2-Dichloropropane	4.9		0.5	"	5.00		98	70-130		
Dibromomethane	5.04		0.5	"	5.00		101	72-121		
Bromodichloromethane	5.45		0.5	"	5.00		109	70-130		
cis-1,3-Dichloropropene	4.89		0.5	"	5.00		98	68-120		
Toluene	5.03		0.5	"	5.00		101	70-130		
trans-1,3-Dichloropropene	4.61		0.5	"	5.00		92	64-126		
1,1,2-Trichloroethane	4.86		0.5	"	5.00		97	70-130		
Tetrachloroethene	5.13		0.5	"	5.00		103	70-130		
1,3-Dichloropropane	4.91		0.5	"	5.00		98	80-114		
Chlorodibromomethane	5.93		0.5	"	5.00		119	70-130		
1,2-Dibromoethane (EDB)	4.85		0.5	"	5.00		97	80-115		
Chlorobenzene	4.89		0.5	"	5.00		98	70-130		
1,1,1,2-Tetrachloroethane	5.54		0.5	"	5.00		111	82-116		
Ethylbenzene	5.02		0.5	"	5.00		100	70-130		
m&p-Xylene	10.1		1	"	10.0		101	70-130		
o-Xylene	5		0.5	"	5.00		100	70-130		
Styrene	4.97		0.5	"	5.00		99	70-130		
Bromoform	6.04		0.5	"	5.00		121	70-130		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D006-BS2)										
Isopropylbenzene	5		0.5	"	5.00		100	86-114		
Bromobenzene	4.91		0.5	"	5.00		98	84-110		
1,1,2,2-Tetrachloroethane	4.94		0.5	"	5.00		99	81-113		
1,2,3-Trichloropropane	4.79		0.5	"	5.00		96	81-114		
Propylbenzene	5.1		0.5	"	5.00		102	87-115		
2-Chlorotoluene	4.92		0.5	"	5.00		98	84-111		
4-Chlorotoluene	4.86		0.5	"	5.00		97	82-112		
1,3,5-Trimethylbenzene	4.92		0.5	"	5.00		98	85-113		
tert-Butylbenzene	5.03		0.5	"	5.00		101	86-114		
1,2,4-Trimethylbenzene	4.97		0.5	"	5.00		99	84-114		
sec-Butylbenzene	5.06		0.5	"	5.00		101	87-119		
1,3-Dichlorobenzene	4.91		0.5	"	5.00		98	85-110		
p-Isopropyltoluene	5.06		0.5	"	5.00		101	86-117		
1,4-Dichlorobenzene	4.85		0.5	"	5.00		97	70-130		
1,2-Dichlorobenzene	4.81		0.5	"	5.00		96	70-130		
Butylbenzene	5.11		0.5	"	5.00		102	85-118		
1,2-Dibromo-3-chloropropane	18.9		2	"	20.0		94	54-133		
1,2,4-Trichlorobenzene	4.84		0.5	"	5.00		97	70-130		
Hexachlorobutadiene	4.78		0.5	"	5.00		96	66-113		
Naphthalene	4.81		0.5	"	5.00		96	58-126		
1,2,3-Trichlorobenzene	4.84		0.5	"	5.00		97	65-119		
Surrogate: 1,2-Dichloroethane-d4	*4.55*			*"*	*5.00*		91	*83-116*		
Surrogate: Toluene-d8	*5.27*			*"*	*5.00*		105	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.80*			*"*	*5.00*		96	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.63*			*"*	*5.00*		93	*74-113*		
Matrix Spike (B19D006-MS2)		**Source: 1904001-07**								
Dichlorodifluoromethane	4.17		0.5	ug/L	5.00	ND	83	62-142		
Chloromethane	4.01		0.5	"	5.00	ND	80	54-144		
Vinyl chloride	4.29		0.5	"	5.00	ND	86	62-141		
Bromomethane	4.13		0.5	"	5.00	ND	83	32-150		
Chloroethane	4.25		0.5	"	5.00	ND	85	68-136		
Trichlorofluoromethane	4.35		0.5	"	5.00	ND	87	66-142		
1,1-Dichloroethene	4.38		0.5	"	5.00	ND	88	73-134		
1,1,2-Trichloro-1,2,2-trifluoroethane	4.77		0.5	"	5.00	ND	95	65-148		
Acetone	25.2		4	"	40.0	ND	63	20-150		
Dichloromethane	3.96		0.5	"	5.00	ND	79	65-126		
trans-1,2-Dichloroethene	4.29		0.5	"	5.00	ND	86	70-134		
tert-Butyl methyl ether (MTBE)	14.5		2	"	20.0	ND	72	56-128		
1,1-Dichloroethane	4.24		0.5	"	5.00	ND	85	67-134		
2,2-Dichloropropane	4.71		0.5	"	5.00	ND	94	41-150		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19D006 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 04/03/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Matrix Spike (B19D006-MS2) — **Source: 1904001-07**

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	5.54		0.5	"	5.00	ND	111	63-137		
2-Butanone (MEK)	38		4	"	40.0	ND	95	48-142		
Bromochloromethane	5.3		0.5	"	5.00	ND	106	70-132		
Chloroform	7.16		0.5	"	5.00	1.29	117	65-141		
1,1,1-Trichloroethane	5.5		0.5	"	5.00	ND	110	69-116		
Carbon tetrachloride	6.14		0.5	"	5.00	ND	123	65-130		
1,1-Dichloropropene	5.95		0.5	"	5.00	ND	**119**	71-116		
Benzene	5.82		0.5	"	5.00	ND	**116**	77-115		
1,2-Dichloroethane	5.39		0.5	"	5.00	ND	108	71-112		
Trichloroethene	14		0.5	"	5.00	7.16	**136**	65-124		
1,2-Dichloropropane	4.81		0.5	"	5.00	ND	96	73-118		
Dibromomethane	4.9		0.5	"	5.00	ND	98	65-123		
Bromodichloromethane	5.27		0.5	"	5.00	ND	105	72-118		
cis-1,3-Dichloropropene	4.61		0.5	"	5.00	ND	92	69-113		
Toluene	5.05		0.5	"	5.00	ND	101	84-115		
trans-1,3-Dichloropropene	4.15		0.5	"	5.00	ND	83	67-117		
1,1,2-Trichloroethane	4.66		0.5	"	5.00	ND	93	81-115		
Tetrachloroethene	23.7		0.5	"	5.00	18.1	112	81-115		
1,3-Dichloropropane	4.75		0.5	"	5.00	ND	95	82-113		
Chlorodibromomethane	5.47		0.5	"	5.00	ND	109	82-116		
1,2-Dibromoethane (EDB)	4.46		0.5	"	5.00	ND	89	83-115		
Chlorobenzene	4.85		0.5	"	5.00	ND	97	82-110		
1,1,1,2-Tetrachloroethane	5.28		0.5	"	5.00	ND	106	77-116		
Ethylbenzene	5.11		0.5	"	5.00	ND	102	85-112		
m&p-Xylene	10.2		1	"	10.0	ND	102	84-113		
o-Xylene	4.99		0.5	"	5.00	ND	100	82-110		
Styrene	2.53		0.5	"	5.00	ND	51	25-150		
Bromoform	5.55		0.5	"	5.00	ND	111	69-121		
Isopropylbenzene	5.07		0.5	"	5.00	ND	101	80-117		
Bromobenzene	4.83		0.5	"	5.00	ND	97	84-110		
1,1,2,2-Tetrachloroethane	4.7		0.5	"	5.00	ND	94	77-117		
1,2,3-Trichloropropane	4.73		0.5	"	5.00	ND	95	78-115		
Propylbenzene	5.15		0.5	"	5.00	ND	103	83-116		
2-Chlorotoluene	4.88		0.5	"	5.00	ND	98	83-110		
4-Chlorotoluene	4.87		0.5	"	5.00	ND	97	82-110		
1,3,5-Trimethylbenzene	4.79		0.5	"	5.00	ND	96	82-112		
tert-Butylbenzene	5.08		0.5	"	5.00	ND	102	81-115		
1,2,4-Trimethylbenzene	4.9		0.5	"	5.00	ND	98	81-113		
sec-Butylbenzene	5.1		0.5	"	5.00	ND	102	79-122		
1,3-Dichlorobenzene	4.9		0.5	"	5.00	ND	98	82-110		
p-Isopropyltoluene	5.03		0.5	"	5.00	ND	101	78-120		
1,4-Dichlorobenzene	4.82		0.5	"	5.00	ND	96	81-110		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Matrix Spike (B19D006-MS2)		**Source: 1904001-07**								
1,2-Dichlorobenzene	4.73		0.5	"	5.00	ND	95	82-110		
Butylbenzene	5.08		0.5	"	5.00	ND	102	72-122		
1,2-Dibromo-3-chloropropane	16.8		2	"	20.0	ND	84	47-131		
1,2,4-Trichlorobenzene	4.69		0.5	"	5.00	ND	94	62-115		
Hexachlorobutadiene	4.5		0.5	"	5.00	ND	90	51-116		
Naphthalene	4.58		0.5	"	5.00	ND	92	47-137		
1,2,3-Trichlorobenzene	4.56		0.5	"	5.00	ND	91	62-117		
Surrogate: 1,2-Dichloroethane-d4	*5.68*			*"*	*5.00*		114	*83-116*		
Surrogate: Toluene-d8	*5.18*			*"*	*5.00*		104	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.89*			*"*	*5.00*		98	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.63*			*"*	*5.00*		93	*74-113*		
Matrix Spike Dup (B19D006-MSD2)		**Source: 1904001-07**								
Dichlorodifluoromethane	4.4		0.5	ug/L	5.00	ND	88	62-142	5	21
Chloromethane	4.24		0.5	"	5.00	ND	85	54-144	6	20
Vinyl chloride	4.51		0.5	"	5.00	ND	90	62-141	5	19
Bromomethane	4.28		0.5	"	5.00	ND	86	32-150	4	20
Chloroethane	4.39		0.5	"	5.00	ND	88	68-136	3	17
Trichlorofluoromethane	4.59		0.5	"	5.00	ND	92	66-142	5	19
1,1-Dichloroethene	4.63		0.5	"	5.00	ND	93	73-134	6	18
1,1,2-Trichloro-1,2,2-trifluoroethane	4.96		0.5	"	5.00	ND	99	65-148	4	19
Acetone	25.6		4	"	40.0	ND	64	20-150	1	31
Dichloromethane	4.11		0.5	"	5.00	ND	82	65-126	4	16
trans-1,2-Dichloroethene	4.48		0.5	"	5.00	ND	90	70-134	4	19
tert-Butyl methyl ether (MTBE)	15.3		2	"	20.0	ND	77	56-128	6	22
1,1-Dichloroethane	4.4		0.5	"	5.00	ND	88	67-134	4	19
2,2-Dichloropropane	4.97		0.5	"	5.00	ND	99	41-150	5	40
cis-1,2-Dichloroethene	5.66		0.5	"	5.00	ND	113	63-137	2	46
2-Butanone (MEK)	38.8		4	"	40.0	ND	97	48-142	2	34
Bromochloromethane	5.42		0.5	"	5.00	ND	108	70-132	2	21
Chloroform	7.29		0.5	"	5.00	1.29	120	65-141	2	23
1,1,1-Trichloroethane	5.68		0.5	"	5.00	ND	114	69-116	3	14
Carbon tetrachloride	6.42		0.5	"	5.00	ND	128	65-130	4	14
1,1-Dichloropropene	6.08		0.5	"	5.00	ND	**122**	71-116	2	15
Benzene	5.94		0.5	"	5.00	ND	**119**	77-115	2	13
1,2-Dichloroethane	5.47		0.5	"	5.00	ND	109	71-112	1	14
Trichloroethene	14.2		0.5	"	5.00	7.16	**140**	65-124	1	15
1,2-Dichloropropane	4.86		0.5	"	5.00	ND	97	73-118	1	14
Dibromomethane	5.03		0.5	"	5.00	ND	101	65-123	3	16
Bromodichloromethane	5.43		0.5	"	5.00	ND	109	72-118	3	16
cis-1,3-Dichloropropene	4.77		0.5	"	5.00	ND	95	69-113	3	19

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D006 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
								Volatile Organic Compounds by EPA Method 524.2 - Quality Control		
Matrix Spike Dup (B19D006-MSD2)		**Source: 1904001-07**								
Toluene	5.15		0.5	"	5.00	ND	103	84-115	2	15
trans-1,3-Dichloropropene	4.3		0.5	"	5.00	ND	86	67-117	4	19
1,1,2-Trichloroethane	4.7		0.5	"	5.00	ND	94	81-115	0.9	20
Tetrachloroethene	24.3		0.5	"	5.00	18.1	**125**	81-115	3	14
1,3-Dichloropropane	4.78		0.5	"	5.00	ND	96	82-113	0.6	18
Chlorodibromomethane	5.72		0.5	"	5.00	ND	114	82-116	4	18
1,2-Dibromoethane (EDB)	4.66		0.5	"	5.00	ND	93	83-115	4	20
Chlorobenzene	4.95		0.5	"	5.00	ND	99	82-110	2	13
1,1,1,2-Tetrachloroethane	5.49		0.5	"	5.00	ND	110	77-116	4	17
Ethylbenzene	5.13		0.5	"	5.00	ND	103	85-112	0.4	13
m&p-Xylene	10.3		1	"	10.0	ND	103	84-113	1	13
o-Xylene	5.05		0.5	"	5.00	ND	101	82-110	1	13
Styrene	2.21		0.5	"	5.00	ND	44	25-150	14	29
Bromoform	5.65		0.5	"	5.00	ND	113	69-121	2	17
Isopropylbenzene	5.15		0.5	"	5.00	ND	103	80-117	2	14
Bromobenzene	4.89		0.5	"	5.00	ND	98	84-110	1	14
1,1,2,2-Tetrachloroethane	4.73		0.5	"	5.00	ND	95	77-117	0.6	15
1,2,3-Trichloropropane	4.67		0.5	"	5.00	ND	93	78-115	1	13
Propylbenzene	5.19		0.5	"	5.00	ND	104	83-116	0.8	12
2-Chlorotoluene	4.97		0.5	"	5.00	ND	99	83-110	2	12
4-Chlorotoluene	4.91		0.5	"	5.00	ND	98	82-110	0.8	12
1,3,5-Trimethylbenzene	4.83		0.5	"	5.00	ND	97	82-112	0.8	13
tert-Butylbenzene	5.15		0.5	"	5.00	ND	103	81-115	1	16
1,2,4-Trimethylbenzene	5.01		0.5	"	5.00	ND	100	81-113	2	13
sec-Butylbenzene	5.2		0.5	"	5.00	ND	104	79-122	2	14
1,3-Dichlorobenzene	4.95		0.5	"	5.00	ND	99	82-110	1	12
p-Isopropyltoluene	5.15		0.5	"	5.00	ND	103	78-120	2	13
1,4-Dichlorobenzene	4.91		0.5	"	5.00	ND	98	81-110	2	11
1,2-Dichlorobenzene	4.75		0.5	"	5.00	ND	95	82-110	0.4	12
Butylbenzene	5.17		0.5	"	5.00	ND	103	72-122	2	10
1,2-Dibromo-3-chloropropane	17.8		2	"	20.0	ND	89	47-131	6	15
1,2,4-Trichlorobenzene	4.8		0.5	"	5.00	ND	96	62-115	2	13
Hexachlorobutadiene	4.75		0.5	"	5.00	ND	95	51-116	5	14
Naphthalene	4.71		0.5	"	5.00	ND	94	47-137	3	16
1,2,3-Trichlorobenzene	4.76		0.5	"	5.00	ND	95	62-117	4	17
Surrogate: 1,2-Dichloroethane-d4	*5.68*			*"*	*5.00*		114	*83-116*		
Surrogate: Toluene-d8	*5.18*			*"*	*5.00*		104	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.84*			*"*	*5.00*		97	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*4.66*			*"*	*5.00*		93	*74-113*		
Batch B19D008 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Blank (B19D008-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C3, J, U	0.5	"						
Isopropylbenzene	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D008 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D008-BLK1)										
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*4.97*			*"*	*5.00*		99	*83-116*		
Surrogate: 4-Bromofluorobenzene	*4.97*			*"*	*5.00*		99	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.01*			*"*	*5.00*		100	*74-113*		
LCS (B19D008-BS1)										
Dichlorodifluoromethane	5.59		0.5	ug/L	5.00		112	70-128		
Chloromethane	5.11		0.5	"	5.00		102	63-123		
Vinyl chloride	5.08		0.5	"	5.00		102	70-130		
Bromomethane	4.51		0.5	"	5.00		90	31-150		
Chloroethane	4.91		0.5	"	5.00		98	74-119		
Trichlorofluoromethane	5.16		0.5	"	5.00		103	72-123		
1,1-Dichloroethene	5.07		0.5	"	5.00		101	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.36		0.5	"	5.00		107	73-129		
Acetone	40.2		4	"	40.0		100	61-114		
Dichloromethane	4.92		0.5	"	5.00		98	70-130		
trans-1,2-Dichloroethene	5.09		0.5	"	5.00		102	70-130		
tert-Butyl methyl ether (MTBE)	18.8		2	"	20.0		94	62-117		
1,1-Dichloroethane	4.89		0.5	"	5.00		98	74-115		
2,2-Dichloropropane	5.26		0.5	"	5.00		105	64-144		
cis-1,2-Dichloroethene	4.91		0.5	"	5.00		98	70-130		
2-Butanone (MEK)	36.9		4	"	40.0		92	57-121		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D008 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D008-BS1)										
Bromochloromethane	5.14		0.5	"	5.00		103	71-122		
Chloroform	4.89		0.5	"	5.00		98	70-130		
1,1,1-Trichloroethane	4.88		0.5	"	5.00		98	70-130		
Carbon tetrachloride	4.95		0.5	"	5.00		99	70-130		
1,1-Dichloropropene	4.83		0.5	"	5.00		97	71-119		
Benzene	4.71		0.5	"	5.00		94	70-130		
1,2-Dichloroethane	4.71		0.5	"	5.00		94	70-130		
Trichloroethene	4.92		0.5	"	5.00		98	70-130		
1,2-Dichloropropane	4.66		0.5	"	5.00		93	70-130		
Dibromomethane	4.79		0.5	"	5.00		96	72-121		
Bromodichloromethane	4.84		0.5	"	5.00		97	70-130		
cis-1,3-Dichloropropene	4.79		0.5	"	5.00		96	68-120		
Toluene	4.59		0.5	"	5.00		92	70-130		
trans-1,3-Dichloropropene	4.34		0.5	"	5.00		87	64-126		
1,1,2-Trichloroethane	4.53		0.5	"	5.00		91	70-130		
Tetrachloroethene	4.96		0.5	"	5.00		99	70-130		
1,3-Dichloropropane	4.5		0.5	"	5.00		90	80-114		
Chlorodibromomethane	4.63		0.5	"	5.00		93	70-130		
1,2-Dibromoethane (EDB)	4.55		0.5	"	5.00		91	80-115		
Chlorobenzene	4.74		0.5	"	5.00		95	70-130		
1,1,1,2-Tetrachloroethane	4.89		0.5	"	5.00		98	82-116		
Ethylbenzene	4.89		0.5	"	5.00		98	70-130		
m&p-Xylene	9.78		1	"	10.0		98	70-130		
o-Xylene	4.89		0.5	"	5.00		98	70-130		
Styrene	4.8		0.5	"	5.00		96	70-130		
Bromoform	5.15		0.5	"	5.00		103	70-130		
Isopropylbenzene	4.95		0.5	"	5.00		99	86-114		
Bromobenzene	4.88		0.5	"	5.00		98	84-110		
1,1,2,2-Tetrachloroethane	4.99		0.5	"	5.00		100	81-113		
1,2,3-Trichloropropane	4.83		0.5	"	5.00		97	81-114		
Propylbenzene	4.91		0.5	"	5.00		98	87-115		
2-Chlorotoluene	4.85		0.5	"	5.00		97	84-111		
4-Chlorotoluene	4.95		0.5	"	5.00		99	82-112		
1,3,5-Trimethylbenzene	4.81		0.5	"	5.00		96	85-113		
tert-Butylbenzene	4.83		0.5	"	5.00		97	86-114		
1,2,4-Trimethylbenzene	4.77		0.5	"	5.00		95	84-114		
sec-Butylbenzene	4.89		0.5	"	5.00		98	87-119		
1,3-Dichlorobenzene	4.82		0.5	"	5.00		96	85-110		
p-Isopropyltoluene	4.83		0.5	"	5.00		97	86-117		
1,4-Dichlorobenzene	4.78		0.5	"	5.00		96	70-130		
1,2-Dichlorobenzene	4.87		0.5	"	5.00		97	70-130		
Butylbenzene	4.67		0.5	"	5.00		93	85-118		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19091A	
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 11:53	
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**		

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D008 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/01/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D008-BS1)										
1,2-Dibromo-3-chloropropane	18		2	"	20.0		90	54-133		
1,2,4-Trichlorobenzene	4.61		0.5	"	5.00		92	70-130		
Hexachlorobutadiene	4.97		0.5	"	5.00		99	66-113		
Naphthalene	3.95		0.5	"	5.00		79	58-126		
1,2,3-Trichlorobenzene	4.54		0.5	"	5.00		91	65-119		
Surrogate: 1,2-Dichloroethane-d4	*4.86*			*"*	*5.00*		97	*83-116*		
Surrogate: Toluene-d8	*4.68*			*"*	*5.00*		94	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.06*			*"*	*5.00*		101	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.04*			*"*	*5.00*		101	*74-113*		
Batch B19D033 - 5030 P&T VOA - VOCs, Low Level, Water										**Prepared & Analyzed: 04/05/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D033-BLK1)										
1,2,3-Trichloropropane	ND	U	5	ng/L						
Surrogate: 4-Bromofluorobenzene	*47.6*			*"*	*50.0*		95	*80-119*		
LCS (B19D033-BS1)										
1,2-Dibromoethane (EDB)	48.8		5	ng/L	50.0		98	85-128		
1,2,3-Trichloropropane	48.4		5	"	50.0		97	85-123		
1,2-Dibromo-3-chloropropane	98.3		10	"	100		98	52-123		
Surrogate: 4-Bromofluorobenzene	*49.9*			*"*	*50.0*		100	*80-119*		
Matrix Spike (B19D033-MS2)		**Source: 1904001-07**								
1,2,3-Trichloropropane	255		5	ng/L	50.0	196	118	51-147		
Surrogate: 4-Bromofluorobenzene	*46.5*			*"*	*50.0*		93	*80-119*		
Matrix Spike Dup (B19D033-MSD2)		**Source: 1904001-07**								
1,2,3-Trichloropropane	256		5	ng/L	50.0	196	121	51-147	0.7	20
Surrogate: 4-Bromofluorobenzene	*48.3*			*"*	*50.0*		97	*80-119*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19091A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 11:53
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Qualifiers and Comments

Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
N TIC	Tentatively Idenitified Compound - This compound was identified only by match with mass spectral library. Identification and quantitation should be considered tentative and presumptive.
J	The reported result for this analyte should be considered an estimated value.
C3	The initial calibration for this analyte did not meet calibration criteria.
C1	The reported concentration for this analyte is below the quantitation limit.
U	Not Detected
NR	Not Reported
RE1, RE2, etc:	Result is from a sample re-analysis.

United States Environmental Protection Agency
Region 9 Laboratory

1337 S. 46th Street Building 201
Richmond, CA 94804

Date: **4/25/2019**

Subject: **Analytical Testing Results - Project R19S33**
SDG: 19092A

From: **Peter Husby, Director**
EPA Region 9 Laboratory
EMD-3-1

PETER HUSBY Digitally signed by PETER HUSBY Date: 2019.04.25 13:49:57 -07'00'

To: **Raymond Chavira**
California Site Cleanup Section 3
SFD-7-3

Attached are the results from the analysis of samples from the **SGV Area 3 - March 2019 Groundwater Sampling** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Audrey Johnson at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

Electronic CC: David Towell, Jacobs
Bryan Jones, Jacobs

Analyses included in this report:

Volatile Organic Compounds by GC/MS

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
EB04-0319	1904004-01	Water	04/01/19 08:00	04/02/19 08:59
MW16Z3-0319	1904004-02	Water	04/01/19 08:25	04/02/19 08:59
MW16Z4-0319	1904004-03	Water	04/01/19 08:45	04/02/19 08:59
MW16Z5-0319	1904004-04	Water	04/01/19 09:05	04/02/19 08:59
MW16Z6-0319	1904004-05	Water	04/01/19 09:25	04/02/19 08:59
MW16Z7-0319	1904004-06	Water	04/01/19 09:45	04/02/19 08:59
MW13Z2-0319	1904004-07	Water	04/01/19 11:35	04/02/19 08:59
MW13Z3-0319	1904004-08	Water	04/01/19 11:55	04/02/19 08:59
MW13Z4-0319	1904004-09	Water	04/01/19 12:15	04/02/19 08:59
MW13Z4-0319FD	1904004-10	Water	04/01/19 12:15	04/02/19 08:59
MW13Z5-0319	1904004-11	Water	04/01/19 12:45	04/02/19 08:59

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-01									**Water - Sampled: 04/01/19 08:00**
Sample ID: EB04-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		5.0	J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		6.3		4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-01									**Water - Sampled: 04/01/19 08:00**
Sample ID: EB04-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			101 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			99 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-02									**Water - Sampled: 04/01/19 08:25**
Sample ID: MW16Z3-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		2.6	C1, J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-02									**Water - Sampled: 04/01/19 08:25**
Sample ID: MW16Z3-0319									
							Volatile Organic Compounds by EPA Method 524.2		
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			101 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			92 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			98 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-03									**Water - Sampled: 04/01/19 08:45**
Sample ID: MW16Z4-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-03									**Water - Sampled: 04/01/19 08:45**
Sample ID: MW16Z4-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			99 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			92 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			97 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-04									**Water - Sampled: 04/01/19 09:05**
Sample ID: MW16Z5-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-04									**Water - Sampled: 04/01/19 09:05**
Sample ID: MW16Z5-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			101 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			90 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			96 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904004-05**								**Water - Sampled: 04/01/19 09:25**
Sample ID:	**MW16Z6-0319**								
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, Q4, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		2.8	C1, J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-05									**Water - Sampled: 04/01/19 09:25**
Sample ID: MW16Z6-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			104 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			100 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: **1904004-06**									**Water - Sampled: 04/01/19 09:45**
Sample ID: **MW16Z7-0319**									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-06									**Water - Sampled: 04/01/19 09:45**
Sample ID: MW16Z7-0319									
							Volatile Organic Compounds by EPA Method 524.2		
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			95 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			95 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			99 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-07									**Water - Sampled: 04/01/19 11:35**
Sample ID: MW13Z2-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-07									**Water - Sampled: 04/01/19 11:35**
Sample ID: MW13Z2-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			93 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			96 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			100 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-08									**Water - Sampled: 04/01/19 11:55**
Sample ID: MW13Z3-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		3.2		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		0.4	C1, J	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		19		0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		0.7		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-08									**Water - Sampled: 04/01/19 11:55**
Sample ID: MW13Z3-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Methane, chlorodifluoro		22	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			94 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			96 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			99 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-09									**Water - Sampled: 04/01/19 12:15**
Sample ID: MW13Z4-0319									**Volatile Organic Compounds by EPA Method 524.2**
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		0.3	C1, J	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		2.9		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		0.4	C1, J	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene	RE1	21		1	"	B19D023	04/03/19	04/03/19	524.2
1,2-Dichloropropane		ND	U	0.5	"	B19D015	04/02/19	04/02/19	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		0.7		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-09									**Water - Sampled: 04/01/19 12:15**
Sample ID: MW13Z4-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Methane, chlorodifluoro-		1.1	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			96 %	*83-116%*		"	"	"	
Surrogate: 1,2-Dichloroethane-d4	*RE1*		95 %	*83-116%*		*B19D023*	*04/03/19*	*04/03/19*	
Surrogate: Toluene-d8			92 %	*81-112%*		*B19D015*	*04/02/19*	*04/02/19*	
Surrogate: Toluene-d8	*RE1*		94 %	*81-112%*		*B19D023*	*04/03/19*	*04/03/19*	
Surrogate: 4-Bromofluorobenzene			98 %	*80-110%*		*B19D015*	*04/02/19*	*04/02/19*	
Surrogate: 4-Bromofluorobenzene	*RE1*		100 %	*80-110%*		*B19D023*	*04/03/19*	*04/03/19*	
Surrogate: 1,2-Dichlorobenzene-d4			96 %	*74-113%*		*B19D015*	*04/02/19*	*04/02/19*	
Surrogate: 1,2-Dichlorobenzene-d4	*RE1*		99 %	*74-113%*		*B19D023*	*04/03/19*	*04/03/19*	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-10									**Water - Sampled: 04/01/19 12:15**
Sample ID: MW13Z4-0319FD									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		0.3	C1, J	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		2.9		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		0.4	C1, J	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		24		0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		0.7		0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-10									**Water - Sampled: 04/01/19 12:15**
Sample ID: MW13Z4-0319FD									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Methane, chlorodifluoro		1.1	N TIC, J		"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			97 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			92 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			97 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-11									**Water - Sampled: 04/01/19 12:45**
Sample ID: MW13Z5-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Chloromethane		ND	U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		ND	U	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		10		0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		0.3	C1, J	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		3.1		0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904004-11									**Water - Sampled: 04/01/19 12:45**
Sample ID: MW13Z5-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D015	04/02/19	04/02/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C3, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			94 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			96 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D015 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/02/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D015-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	C4, J, Q2, Q3, U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C3, J, U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D015 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/02/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D015-BLK1)										
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*5.05*			*"*	*5.00*		101	*83-116*		
Surrogate: Toluene-d8	*4.72*			*"*	*5.00*		94	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.02*			*"*	*5.00*		100	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.06*			*"*	*5.00*		101	*74-113*		
LCS (B19D015-BS1)										
Dichlorodifluoromethane	6.08		0.5	ug/L	5.00		122	70-128		
Chloromethane	3.67		0.5	"	5.00		73	63-123		
Vinyl chloride	4.28		0.5	"	5.00		86	70-130		
Bromomethane	1.1		0.5	"	5.00		**22**	31-150		
Chloroethane	4.92		0.5	"	5.00		98	74-119		
Trichlorofluoromethane	5.71		0.5	"	5.00		114	72-123		
1,1-Dichloroethene	5.59		0.5	"	5.00		112	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.91		0.5	"	5.00		118	73-129		
Acetone	43.7		4	"	40.0		109	61-114		
Dichloromethane	5.17		0.5	"	5.00		103	70-130		
trans-1,2-Dichloroethene	5.48		0.5	"	5.00		110	70-130		
tert-Butyl methyl ether (MTBE)	19.1		2	"	20.0		96	62-117		
1,1-Dichloroethane	5.19		0.5	"	5.00		104	74-115		
2,2-Dichloropropane	5.57		0.5	"	5.00		111	64-144		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19D015 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 04/02/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

LCS (B19D015-BS1)

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	5.24		0.5	"	5.00		105	70-130		
2-Butanone (MEK)	38.5		4	"	40.0		96	57-121		
Bromochloromethane	5.15		0.5	"	5.00		103	71-122		
Chloroform	5.12		0.5	"	5.00		102	70-130		
1,1,1-Trichloroethane	5.23		0.5	"	5.00		105	70-130		
Carbon tetrachloride	5.38		0.5	"	5.00		108	70-130		
1,1-Dichloropropene	5.27		0.5	"	5.00		105	71-119		
Benzene	4.95		0.5	"	5.00		99	70-130		
1,2-Dichloroethane	4.86		0.5	"	5.00		97	70-130		
Trichloroethene	5.31		0.5	"	5.00		106	70-130		
1,2-Dichloropropane	4.93		0.5	"	5.00		99	70-130		
Dibromomethane	4.99		0.5	"	5.00		100	72-121		
Bromodichloromethane	5.04		0.5	"	5.00		101	70-130		
cis-1,3-Dichloropropene	4.92		0.5	"	5.00		98	68-120		
Toluene	4.67		0.5	"	5.00		93	70-130		
trans-1,3-Dichloropropene	4.16		0.5	"	5.00		83	64-126		
1,1,2-Trichloroethane	4.53		0.5	"	5.00		91	70-130		
Tetrachloroethene	5.14		0.5	"	5.00		103	70-130		
1,3-Dichloropropane	4.46		0.5	"	5.00		89	80-114		
Chlorodibromomethane	4.6		0.5	"	5.00		92	70-130		
1,2-Dibromoethane (EDB)	4.59		0.5	"	5.00		92	80-115		
Chlorobenzene	4.79		0.5	"	5.00		96	70-130		
1,1,1,2-Tetrachloroethane	4.84		0.5	"	5.00		97	82-116		
Ethylbenzene	5.03		0.5	"	5.00		101	70-130		
m&p-Xylene	10		1	"	10.0		100	70-130		
o-Xylene	5.01		0.5	"	5.00		100	70-130		
Styrene	4.81		0.5	"	5.00		96	70-130		
Bromoform	5.02		0.5	"	5.00		100	70-130		
Isopropylbenzene	5.13		0.5	"	5.00		103	86-114		
Bromobenzene	4.95		0.5	"	5.00		99	84-110		
1,1,2,2-Tetrachloroethane	4.95		0.5	"	5.00		99	81-113		
1,2,3-Trichloropropane	4.84		0.5	"	5.00		97	81-114		
Propylbenzene	5.11		0.5	"	5.00		102	87-115		
2-Chlorotoluene	4.95		0.5	"	5.00		99	84-111		
4-Chlorotoluene	5.05		0.5	"	5.00		101	82-112		
1,3,5-Trimethylbenzene	4.93		0.5	"	5.00		99	85-113		
tert-Butylbenzene	4.98		0.5	"	5.00		100	86-114		
1,2,4-Trimethylbenzene	4.86		0.5	"	5.00		97	84-114		
sec-Butylbenzene	5.12		0.5	"	5.00		102	87-119		
1,3-Dichlorobenzene	4.92		0.5	"	5.00		98	85-110		
p-Isopropyltoluene	5		0.5	"	5.00		100	86-117		
1,4-Dichlorobenzene	4.91		0.5	"	5.00		98	70-130		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D015 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/02/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D015-BS1)										
1,2-Dichlorobenzene	4.85		0.5	"	5.00		97	70-130		
Butylbenzene	4.87		0.5	"	5.00		97	85-118		
1,2-Dibromo-3-chloropropane	17.4		2	"	20.0		87	54-133		
1,2,4-Trichlorobenzene	4.7		0.5	"	5.00		94	70-130		
Hexachlorobutadiene	5.18		0.5	"	5.00		104	66-113		
Naphthalene	3.93		0.5	"	5.00		79	58-126		
1,2,3-Trichlorobenzene	4.59		0.5	"	5.00		92	65-119		
Surrogate: 1,2-Dichloroethane-d4	*5.11*			*"*	*5.00*		102	*83-116*		
Surrogate: Toluene-d8	*4.77*			*"*	*5.00*		95	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.13*			*"*	*5.00*		103	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.19*			*"*	*5.00*		104	*74-113*		
Matrix Spike (B19D015-MS1)		**Source: 1904004-05**								
Dichlorodifluoromethane	5.82		0.5	ug/L	5.00	ND	116	62-142		
Chloromethane	3.73		0.5	"	5.00	ND	75	54-144		
Vinyl chloride	4.52		0.5	"	5.00	ND	90	62-141		
Bromomethane	1.45		0.5	"	5.00	ND	**29**	32-150		
Chloroethane	4.92		0.5	"	5.00	ND	98	68-136		
Trichlorofluoromethane	5.68		0.5	"	5.00	ND	114	66-142		
1,1-Dichloroethene	5.69		0.5	"	5.00	ND	114	73-134		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.92		0.5	"	5.00	ND	118	65-148		
Acetone	41.5		4	"	40.0	2.85	97	20-150		
Dichloromethane	5.35		0.5	"	5.00	ND	107	65-126		
trans-1,2-Dichloroethene	5.66		0.5	"	5.00	ND	113	70-134		
tert-Butyl methyl ether (MTBE)	19.8		2	"	20.0	ND	99	56-128		
1,1-Dichloroethane	5.35		0.5	"	5.00	ND	107	67-134		
2,2-Dichloropropane	5.01		0.5	"	5.00	ND	100	41-150		
cis-1,2-Dichloroethene	4.9		0.5	"	5.00	ND	98	63-137		
2-Butanone (MEK)	34.6		4	"	40.0	ND	87	48-142		
Bromochloromethane	4.86		0.5	"	5.00	ND	97	70-132		
Chloroform	4.87		0.5	"	5.00	ND	97	65-141		
1,1,1-Trichloroethane	4.82		0.5	"	5.00	ND	96	69-116		
Carbon tetrachloride	4.94		0.5	"	5.00	ND	99	65-130		
1,1-Dichloropropene	4.86		0.5	"	5.00	ND	97	71-116		
Benzene	4.7		0.5	"	5.00	ND	94	77-115		
1,2-Dichloroethane	4.63		0.5	"	5.00	ND	93	71-112		
Trichloroethene	5.04		0.5	"	5.00	ND	101	65-124		
1,2-Dichloropropane	4.59		0.5	"	5.00	ND	92	73-118		
Dibromomethane	4.64		0.5	"	5.00	ND	93	65-123		
Bromodichloromethane	4.64		0.5	"	5.00	ND	93	72-118		
cis-1,3-Dichloropropene	4.5		0.5	"	5.00	ND	90	69-113		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19D015 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 04/02/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Matrix Spike (B19D015-MS1)		**Source: 1904004-05**								
Toluene	4.67		0.5	"	5.00	ND	93	84-115		
trans-1,3-Dichloropropene	4.11		0.5	"	5.00	ND	82	67-117		
1,1,2-Trichloroethane	4.46		0.5	"	5.00	ND	89	81-115		
Tetrachloroethene	5.24		0.5	"	5.00	ND	105	81-115		
1,3-Dichloropropane	4.46		0.5	"	5.00	ND	89	82-113		
Chlorodibromomethane	4.47		0.5	"	5.00	ND	89	82-116		
1,2-Dibromoethane (EDB)	4.64		0.5	"	5.00	ND	93	83-115		
Chlorobenzene	4.84		0.5	"	5.00	ND	97	82-110		
1,1,1,2-Tetrachloroethane	4.85		0.5	"	5.00	ND	97	77-116		
Ethylbenzene	5.08		0.5	"	5.00	ND	102	85-112		
m&p-Xylene	10.1		1	"	10.0	ND	101	84-113		
o-Xylene	5.03		0.5	"	5.00	ND	101	82-110		
Styrene	4.92		0.5	"	5.00	ND	98	25-150		
Bromoform	4.83		0.5	"	5.00	ND	97	69-121		
Isopropylbenzene	5.11		0.5	"	5.00	ND	102	80-117		
Bromobenzene	5		0.5	"	5.00	ND	100	84-110		
1,1,2,2-Tetrachloroethane	4.91		0.5	"	5.00	ND	98	77-117		
1,2,3-Trichloropropane	4.82		0.5	"	5.00	ND	96	78-115		
Propylbenzene	5.1		0.5	"	5.00	ND	102	83-116		
2-Chlorotoluene	5		0.5	"	5.00	ND	100	83-110		
4-Chlorotoluene	5.06		0.5	"	5.00	ND	101	82-110		
1,3,5-Trimethylbenzene	4.96		0.5	"	5.00	ND	99	82-112		
tert-Butylbenzene	5.03		0.5	"	5.00	ND	101	81-115		
1,2,4-Trimethylbenzene	4.87		0.5	"	5.00	ND	97	81-113		
sec-Butylbenzene	5.08		0.5	"	5.00	ND	102	79-122		
1,3-Dichlorobenzene	4.99		0.5	"	5.00	ND	100	82-110		
p-Isopropyltoluene	4.98		0.5	"	5.00	ND	100	78-120		
1,4-Dichlorobenzene	4.86		0.5	"	5.00	ND	97	81-110		
1,2-Dichlorobenzene	4.95		0.5	"	5.00	ND	99	82-110		
Butylbenzene	4.76		0.5	"	5.00	ND	95	72-122		
1,2-Dibromo-3-chloropropane	17		2	"	20.0	ND	85	47-131		
1,2,4-Trichlorobenzene	4.65		0.5	"	5.00	ND	93	62-115		
Hexachlorobutadiene	5.16		0.5	"	5.00	ND	103	51-116		
Naphthalene	3.57		0.5	"	5.00	ND	71	47-137		
1,2,3-Trichlorobenzene	4.59		0.5	"	5.00	ND	92	62-117		
Surrogate: 1,2-Dichloroethane-d4	*4.64*			*"*	*5.00*		93	*83-116*		
Surrogate: Toluene-d8	*4.74*			*"*	*5.00*		95	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.06*			*"*	*5.00*		101	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.07*			*"*	*5.00*		101	*74-113*		
Matrix Spike Dup (B19D015-MSD1)		**Source: 1904004-05**								

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19D015 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 04/02/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Matrix Spike Dup (B19D015-MSD1) — **Source: 1904004-05**

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Dichlorodifluoromethane	5.73		0.5	ug/L	5.00	ND	115	62-142	2	21
Chloromethane	3.9		0.5	"	5.00	ND	78	54-144	4	20
Vinyl chloride	4.7		0.5	"	5.00	ND	94	62-141	4	19
Bromomethane	1.68		0.5	"	5.00	ND	34	32-150	15	20
Chloroethane	5.03		0.5	"	5.00	ND	101	68-136	2	17
Trichlorofluoromethane	5.7		0.5	"	5.00	ND	114	66-142	0.4	19
1,1-Dichloroethene	5.63		0.5	"	5.00	ND	113	73-134	1	18
1,1,2-Trichloro-1,2,2-trifluoroethane	5.82		0.5	"	5.00	ND	116	65-148	2	19
Acetone	40.8		4	"	40.0	2.85	95	20-150	2	31
Dichloromethane	5.25		0.5	"	5.00	ND	105	65-126	2	16
trans-1,2-Dichloroethene	5.68		0.5	"	5.00	ND	114	70-134	0.4	19
tert-Butyl methyl ether (MTBE)	19.9		2	"	20.0	ND	100	56-128	0.5	22
1,1-Dichloroethane	5.32		0.5	"	5.00	ND	106	67-134	0.6	19
2,2-Dichloropropane	4.83		0.5	"	5.00	ND	97	41-150	4	40
cis-1,2-Dichloroethene	4.87		0.5	"	5.00	ND	97	63-137	0.6	46
2-Butanone (MEK)	34.9		4	"	40.0	ND	87	48-142	0.6	34
Bromochloromethane	4.95		0.5	"	5.00	ND	99	70-132	2	21
Chloroform	4.85		0.5	"	5.00	ND	97	65-141	0.4	23
1,1,1-Trichloroethane	4.81		0.5	"	5.00	ND	96	69-116	0.2	14
Carbon tetrachloride	4.95		0.5	"	5.00	ND	99	65-130	0.2	14
1,1-Dichloropropene	4.9		0.5	"	5.00	ND	98	71-116	0.8	15
Benzene	4.82		0.5	"	5.00	ND	96	77-115	3	13
1,2-Dichloroethane	4.77		0.5	"	5.00	ND	95	71-112	3	14
Trichloroethene	4.97		0.5	"	5.00	ND	99	65-124	1	15
1,2-Dichloropropane	4.57		0.5	"	5.00	ND	91	73-118	0.4	14
Dibromomethane	4.78		0.5	"	5.00	ND	96	65-123	3	16
Bromodichloromethane	4.65		0.5	"	5.00	ND	93	72-118	0.2	16
cis-1,3-Dichloropropene	4.46		0.5	"	5.00	ND	89	69-113	0.9	19
Toluene	4.59		0.5	"	5.00	ND	92	84-115	2	15
trans-1,3-Dichloropropene	3.97		0.5	"	5.00	ND	79	67-117	3	19
1,1,2-Trichloroethane	4.49		0.5	"	5.00	ND	90	81-115	0.7	20
Tetrachloroethene	5.15		0.5	"	5.00	ND	103	81-115	2	14
1,3-Dichloropropane	4.39		0.5	"	5.00	ND	88	82-113	2	18
Chlorodibromomethane	4.43		0.5	"	5.00	ND	89	82-116	0.9	18
1,2-Dibromoethane (EDB)	4.69		0.5	"	5.00	ND	94	83-115	1	20
Chlorobenzene	4.75		0.5	"	5.00	ND	95	82-110	2	13
1,1,1,2-Tetrachloroethane	4.72		0.5	"	5.00	ND	94	77-116	3	17
Ethylbenzene	4.97		0.5	"	5.00	ND	99	85-112	2	13
m&p-Xylene	9.85		1	"	10.0	ND	98	84-113	3	13
o-Xylene	4.98		0.5	"	5.00	ND	100	82-110	1	13
Styrene	4.82		0.5	"	5.00	ND	96	25-150	2	29
Bromoform	4.77		0.5	"	5.00	ND	95	69-121	1	17

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D015 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/02/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Matrix Spike Dup (B19D015-MSD1)		**Source: 1904004-05**								
Isopropylbenzene	5.03		0.5	"	5.00	ND	101	80-117	2	14
Bromobenzene	5.01		0.5	"	5.00	ND	100	84-110	0.2	14
1,1,2,2-Tetrachloroethane	4.83		0.5	"	5.00	ND	97	77-117	2	15
1,2,3-Trichloropropane	4.82		0.5	"	5.00	ND	96	78-115	0	13
Propylbenzene	5.01		0.5	"	5.00	ND	100	83-116	2	12
2-Chlorotoluene	4.9		0.5	"	5.00	ND	98	83-110	2	12
4-Chlorotoluene	4.99		0.5	"	5.00	ND	100	82-110	1	12
1,3,5-Trimethylbenzene	4.9		0.5	"	5.00	ND	98	82-112	1	13
tert-Butylbenzene	4.92		0.5	"	5.00	ND	98	81-115	2	16
1,2,4-Trimethylbenzene	4.82		0.5	"	5.00	ND	96	81-113	1	13
sec-Butylbenzene	5.04		0.5	"	5.00	ND	101	79-122	0.8	14
1,3-Dichlorobenzene	4.92		0.5	"	5.00	ND	98	82-110	1	12
p-Isopropyltoluene	4.94		0.5	"	5.00	ND	99	78-120	0.8	13
1,4-Dichlorobenzene	4.84		0.5	"	5.00	ND	97	81-110	0.4	11
1,2-Dichlorobenzene	4.91		0.5	"	5.00	ND	98	82-110	0.8	12
Butylbenzene	4.78		0.5	"	5.00	ND	96	72-122	0.4	10
1,2-Dibromo-3-chloropropane	17.3		2	"	20.0	ND	86	47-131	2	15
1,2,4-Trichlorobenzene	4.66		0.5	"	5.00	ND	93	62-115	0.2	13
Hexachlorobutadiene	5.16		0.5	"	5.00	ND	103	51-116	0	14
Naphthalene	3.94		0.5	"	5.00	ND	79	47-137	10	16
1,2,3-Trichlorobenzene	4.65		0.5	"	5.00	ND	93	62-117	1	17
Surrogate: 1,2-Dichloroethane-d4	*4.78*			*"*	*5.00*		96	*83-116*		
Surrogate: Toluene-d8	*4.69*			*"*	*5.00*		94	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.05*			*"*	*5.00*		101	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.09*			*"*	*5.00*		102	*74-113*		
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D023-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	C4, J, U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	C4, J, Q2, Q3, U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D023-BLK1)										
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C4, J, U	0.5	"						
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D023-BLK1)										
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*4.73*			*"*	*5.00*		95	*83-116*		
Surrogate: Toluene-d8	*4.76*			*"*	*5.00*		95	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.99*			*"*	*5.00*		100	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.03*			*"*	*5.00*		101	*74-113*		
LCS (B19D023-BS1)										
Dichlorodifluoromethane	5.08		0.5	ug/L	5.00		102	70-128		
Chloromethane	3.44		0.5	"	5.00		69	63-123		
Vinyl chloride	4.31		0.5	"	5.00		86	70-130		
Bromomethane	1.3		0.5	"	5.00		**26**	31-150		
Chloroethane	4.86		0.5	"	5.00		97	74-119		
Trichlorofluoromethane	5.2		0.5	"	5.00		104	72-123		
1,1-Dichloroethene	5.28		0.5	"	5.00		106	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.47		0.5	"	5.00		109	73-129		
Acetone	43.6		4	"	40.0		109	61-114		
Dichloromethane	5.33		0.5	"	5.00		107	70-130		
trans-1,2-Dichloroethene	5.48		0.5	"	5.00		110	70-130		
tert-Butyl methyl ether (MTBE)	19.8		2	"	20.0		99	62-117		
1,1-Dichloroethane	5.26		0.5	"	5.00		105	74-115		
2,2-Dichloropropane	4.84		0.5	"	5.00		97	64-144		
cis-1,2-Dichloroethene	4.98		0.5	"	5.00		100	70-130		
2-Butanone (MEK)	36.1		4	"	40.0		90	57-121		
Bromochloromethane	4.95		0.5	"	5.00		99	71-122		
Chloroform	4.96		0.5	"	5.00		99	70-130		
1,1,1-Trichloroethane	4.71		0.5	"	5.00		94	70-130		
Carbon tetrachloride	4.78		0.5	"	5.00		96	70-130		
1,1-Dichloropropene	4.73		0.5	"	5.00		95	71-119		
Benzene	4.76		0.5	"	5.00		95	70-130		
1,2-Dichloroethane	4.75		0.5	"	5.00		95	70-130		
Trichloroethene	5.05		0.5	"	5.00		101	70-130		
1,2-Dichloropropane	4.74		0.5	"	5.00		95	70-130		
Dibromomethane	4.88		0.5	"	5.00		98	72-121		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19D023 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 04/03/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
LCS (B19D023-BS1)										
Bromodichloromethane	4.84		0.5	"	5.00		97	70-130		
cis-1,3-Dichloropropene	4.65		0.5	"	5.00		93	68-120		
Toluene	4.78		0.5	"	5.00		96	70-130		
trans-1,3-Dichloropropene	4.21		0.5	"	5.00		84	64-126		
1,1,2-Trichloroethane	4.6		0.5	"	5.00		92	70-130		
Tetrachloroethene	5.03		0.5	"	5.00		101	70-130		
1,3-Dichloropropane	4.63		0.5	"	5.00		93	80-114		
Chlorodibromomethane	4.58		0.5	"	5.00		92	70-130		
1,2-Dibromoethane (EDB)	4.66		0.5	"	5.00		93	80-115		
Chlorobenzene	4.91		0.5	"	5.00		98	70-130		
1,1,1,2-Tetrachloroethane	4.94		0.5	"	5.00		99	82-116		
Ethylbenzene	5.05		0.5	"	5.00		101	70-130		
m&p-Xylene	10.1		1	"	10.0		101	70-130		
o-Xylene	5.13		0.5	"	5.00		103	70-130		
Styrene	5.02		0.5	"	5.00		100	70-130		
Bromoform	4.92		0.5	"	5.00		98	70-130		
Isopropylbenzene	5.07		0.5	"	5.00		101	86-114		
Bromobenzene	5.1		0.5	"	5.00		102	84-110		
1,1,2,2-Tetrachloroethane	4.99		0.5	"	5.00		100	81-113		
1,2,3-Trichloropropane	5.03		0.5	"	5.00		101	81-114		
Propylbenzene	5.05		0.5	"	5.00		101	87-115		
2-Chlorotoluene	5.05		0.5	"	5.00		101	84-111		
4-Chlorotoluene	5.1		0.5	"	5.00		102	82-112		
1,3,5-Trimethylbenzene	4.97		0.5	"	5.00		99	85-113		
tert-Butylbenzene	4.94		0.5	"	5.00		99	86-114		
1,2,4-Trimethylbenzene	4.93		0.5	"	5.00		99	84-114		
sec-Butylbenzene	4.94		0.5	"	5.00		99	87-119		
1,3-Dichlorobenzene	5.08		0.5	"	5.00		102	85-110		
p-Isopropyltoluene	4.91		0.5	"	5.00		98	86-117		
1,4-Dichlorobenzene	5		0.5	"	5.00		100	70-130		
1,2-Dichlorobenzene	5.04		0.5	"	5.00		101	70-130		
Butylbenzene	4.63		0.5	"	5.00		93	85-118		
1,2-Dibromo-3-chloropropane	17.7		2	"	20.0		89	54-133		
1,2,4-Trichlorobenzene	4.7		0.5	"	5.00		94	70-130		
Hexachlorobutadiene	5.01		0.5	"	5.00		100	66-113		
Naphthalene	3.55		0.5	"	5.00		71	58-126		
1,2,3-Trichlorobenzene	4.61		0.5	"	5.00		92	65-119		
Surrogate: 1,2-Dichloroethane-d4	*4.76*			*"*	*5.00*		95	*83-116*		
Surrogate: Toluene-d8	*4.76*			*"*	*5.00*		95	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.11*			*"*	*5.00*		102	*80-110*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D023-BS1)										
Surrogate: 1,2-Dichlorobenzene-d4	*5.12*			*"*	*5.00*		102	*74-113*		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:01
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Qualifiers and Comments

Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
N TIC	Tentatively Idenitified Compound - This compound was identified only by match with mass spectral library. Identification and quantitation should be considered tentative and presumptive.
J	The reported result for this analyte should be considered an estimated value.
C4	The calibration verification check did not meet % difference criteria for this analyte.
C3	The initial calibration for this analyte did not meet calibration criteria.
C1	The reported concentration for this analyte is below the quantitation limit.
U	Not Detected
NR	Not Reported
RE1, RE2, etc:	Result is from a sample re-analysis.

United States Environmental Protection Agency
Region 9 Laboratory

1337 S. 46th Street Building 201
Richmond, CA 94804

Date: **4/25/2019**

Subject: **Analytical Testing Results - Project R19S33**
SDG: 19092A

From: **Peter Husby, Director**
EPA Region 9 Laboratory
EMD-3-1

PETER HUSBY Digitally signed by PETER HUSBY Date: 2019.04.25 13:52:29 -07'00'

To: **Raymond Chavira**
California Site Cleanup Section 3
SFD-7-3

Attached are the results from the analysis of samples from the **SGV Area 3 - March 2019 Groundwater Sampling** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Audrey Johnson at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

Electronic CC: David Towell, Jacobs
Bryan Jones, Jacobs

Analyses included in this report:

Mercury by CVAA	Metals by ICP
Extractable Petroleum Hydrocarbons by GC/FID	Purgeable Petroleum Hydrocarbons by GC/FID
Volatile Organic Compounds by GC/MS	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
EB5-0319	1904006-01	Water	04/02/19 09:06	04/03/19 08:45
W11TCW12-0319	1904006-02	Water	04/02/19 10:19	04/03/19 08:45
GW_IDW_WA01	1904006-03	Water	04/02/19 11:30	04/03/19 08:45

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Lab ID: 1904006-01 — **Water - Sampled: 04/02/19 09:06**

Sample ID: EB5-0319

Volatile Organic Compounds by EPA Method 524.2

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D023	04/03/19	04/03/19	524.2
Chloromethane		ND	C4, J, U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		6.5	J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		7.7		4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904006-01									**Water - Sampled: 04/02/19 09:06**
Sample ID: EB5-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D023	04/03/19	04/03/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C4, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			99 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			93 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			99 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			99 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904006-02									**Water - Sampled: 04/02/19 10:19**
Sample ID: W11TCW12-0319									
							Volatile Organic Compounds by EPA Method 524.2		
Dichlorodifluoromethane		ND	U	0.5	ug/L	B19D023	04/03/19	04/03/19	524.2
Chloromethane		ND	C4, J, U	0.5	"	"	"	"	524.2
Vinyl chloride		ND	U	0.5	"	"	"	"	524.2
Bromomethane		ND	C4, J, Q2, Q3, U	0.5	"	"	"	"	524.2
Chloroethane		ND	U	0.5	"	"	"	"	524.2
Trichlorofluoromethane		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloro-1,2,2-trifluoroethane		ND	U	0.5	"	"	"	"	524.2
Acetone		2.7	C1, J, Q3	4	"	"	"	"	524.2
Dichloromethane		ND	U	0.5	"	"	"	"	524.2
trans-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
tert-Butyl methyl ether (MTBE)		ND	U	2	"	"	"	"	524.2
1,1-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
2,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
cis-1,2-Dichloroethene		ND	U	0.5	"	"	"	"	524.2
2-Butanone (MEK)		ND	U	4	"	"	"	"	524.2
Bromochloromethane		ND	U	0.5	"	"	"	"	524.2
Chloroform		ND	U	0.5	"	"	"	"	524.2
1,1,1-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Carbon tetrachloride		ND	U	0.5	"	"	"	"	524.2
1,1-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Benzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloroethane		ND	U	0.5	"	"	"	"	524.2
Trichloroethene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Dibromomethane		ND	U	0.5	"	"	"	"	524.2
Bromodichloromethane		ND	U	0.5	"	"	"	"	524.2
cis-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
Toluene		ND	U	0.5	"	"	"	"	524.2
trans-1,3-Dichloropropene		ND	U	0.5	"	"	"	"	524.2
1,1,2-Trichloroethane		ND	U	0.5	"	"	"	"	524.2
Tetrachloroethene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichloropropane		ND	U	0.5	"	"	"	"	524.2
Chlorodibromomethane		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromoethane (EDB)		ND	U	0.5	"	"	"	"	524.2
Chlorobenzene		ND	U	0.5	"	"	"	"	524.2

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 1904006-02									**Water - Sampled: 04/02/19 10:19**
Sample ID: W11TCW12-0319									**Volatile Organic Compounds by EPA Method 524.2**
1,1,1,2-Tetrachloroethane		ND	U	0.5	ug/L	B19D023	04/03/19	04/03/19	524.2
Ethylbenzene		ND	U	0.5	"	"	"	"	524.2
m&p-Xylene		ND	U	1	"	"	"	"	524.2
o-Xylene		ND	U	0.5	"	"	"	"	524.2
Styrene		ND	U	0.5	"	"	"	"	524.2
Bromoform		ND	C4, J, U	0.5	"	"	"	"	524.2
Isopropylbenzene		ND	U	0.5	"	"	"	"	524.2
Bromobenzene		ND	U	0.5	"	"	"	"	524.2
1,1,2,2-Tetrachloroethane		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichloropropane		ND	U	0.5	"	"	"	"	524.2
Propylbenzene		ND	U	0.5	"	"	"	"	524.2
2-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
4-Chlorotoluene		ND	U	0.5	"	"	"	"	524.2
1,3,5-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
tert-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2,4-Trimethylbenzene		ND	U	0.5	"	"	"	"	524.2
sec-Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,3-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
p-Isopropyltoluene		ND	U	0.5	"	"	"	"	524.2
1,4-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Butylbenzene		ND	U	0.5	"	"	"	"	524.2
1,2-Dibromo-3-chloropropane		ND	U	2	"	"	"	"	524.2
1,2,4-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Hexachlorobutadiene		ND	U	0.5	"	"	"	"	524.2
Naphthalene		ND	U	0.5	"	"	"	"	524.2
1,2,3-Trichlorobenzene		ND	U	0.5	"	"	"	"	524.2
Surrogate: 1,2-Dichloroethane-d4			103 %	*83-116%*		"	"	"	
Surrogate: Toluene-d8			92 %	*81-112%*		"	"	"	
Surrogate: 4-Bromofluorobenzene			100 %	*80-110%*		"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4			97 %	*74-113%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID:	**1904006-03**								**Water - Sampled: 04/02/19 11:30**
Sample ID:	**GW_IDW_WA01**								**Total Metals by EPA 200 Series Methods**
Mercury		0.027	C1, J	0.030	ug/L	B19D044	04/09/19	04/10/19	245.1
Antimony		ND	U	20	"	B19D049	04/10/19	04/18/19	200.7
Arsenic		ND	U	20	"	"	"	"	200.7
Barium		39		10	"	"	"	"	200.7
Beryllium		ND	U	0.50	"	"	"	"	200.7
Cadmium		ND	U	5	"	"	"	"	200.7
Chromium		7.2	C1, J	10	"	"	"	"	200.7
Cobalt		ND	U	5	"	"	"	"	200.7
Copper		110		10	"	"	"	"	200.7
Lead		ND	U	20	"	"	"	"	200.7
Molybdenum		51		20	"	"	"	"	200.7
Nickel		13		10	"	"	"	"	200.7
Selenium		ND	U	20	"	"	"	"	200.7
Silver		ND	U	5	"	"	"	"	200.7
Thallium		ND	U	20	"	"	"	"	200.7
Vanadium		4.1		4	"	"	"	"	200.7
Zinc		900		10	"	"	"	"	200.7
Sample ID:	**GW_IDW_WA01**								**Purgeable Petroleum Hydrocarbons**
TPH - Gasoline Range Organics		36	C1, F2, J	50	"	B19D036	04/08/19	04/08/19	8015C
Surrogate: a,a,a-Trifluorotoluene			94 %	*76-125%*		"	"	"	
Sample ID:	**GW_IDW_WA01**								**Extractable Petroleum Hydrocarbons**
TPH - Diesel Range Organics		1,600	F13	150	"	B19D029	04/04/19	04/12/19	8015C
TPH - Oil Range Organics		470	C1, F13, J	600	"	"	"	"	8015C
Surrogate: Hexacosane			55 %	*20-130%*		"	"	"	

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D023-BLK1)										
Dichlorodifluoromethane	ND	U	0.5	ug/L						
Chloromethane	ND	C4, J, U	0.5	"						
Vinyl chloride	ND	U	0.5	"						
Bromomethane	ND	C4, J, Q2, Q3, U	0.5	"						
Chloroethane	ND	U	0.5	"						
Trichlorofluoromethane	ND	U	0.5	"						
1,1-Dichloroethene	ND	U	0.5	"						
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	U	0.5	"						
Acetone	ND	U	4	"						
Dichloromethane	ND	U	0.5	"						
trans-1,2-Dichloroethene	ND	U	0.5	"						
tert-Butyl methyl ether (MTBE)	ND	U	2	"						
1,1-Dichloroethane	ND	U	0.5	"						
2,2-Dichloropropane	ND	U	0.5	"						
cis-1,2-Dichloroethene	ND	U	0.5	"						
2-Butanone (MEK)	ND	U	4	"						
Bromochloromethane	ND	U	0.5	"						
Chloroform	ND	U	0.5	"						
1,1,1-Trichloroethane	ND	U	0.5	"						
Carbon tetrachloride	ND	U	0.5	"						
1,1-Dichloropropene	ND	U	0.5	"						
Benzene	ND	U	0.5	"						
1,2-Dichloroethane	ND	U	0.5	"						
Trichloroethene	ND	U	0.5	"						
1,2-Dichloropropane	ND	U	0.5	"						
Dibromomethane	ND	U	0.5	"						
Bromodichloromethane	ND	U	0.5	"						
cis-1,3-Dichloropropene	ND	U	0.5	"						
Toluene	ND	U	0.5	"						
trans-1,3-Dichloropropene	ND	U	0.5	"						
1,1,2-Trichloroethane	ND	U	0.5	"						
Tetrachloroethene	ND	U	0.5	"						
1,3-Dichloropropane	ND	U	0.5	"						
Chlorodibromomethane	ND	U	0.5	"						
1,2-Dibromoethane (EDB)	ND	U	0.5	"						
Chlorobenzene	ND	U	0.5	"						
1,1,1,2-Tetrachloroethane	ND	U	0.5	"						
Ethylbenzene	ND	U	0.5	"						
m&p-Xylene	ND	U	1	"						
o-Xylene	ND	U	0.5	"						
Styrene	ND	U	0.5	"						
Bromoform	ND	C4, J, U	0.5	"						

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
Blank (B19D023-BLK1)										
Isopropylbenzene	ND	U	0.5	"						
Bromobenzene	ND	U	0.5	"						
1,1,2,2-Tetrachloroethane	ND	U	0.5	"						
1,2,3-Trichloropropane	ND	U	0.5	"						
Propylbenzene	ND	U	0.5	"						
2-Chlorotoluene	ND	U	0.5	"						
4-Chlorotoluene	ND	U	0.5	"						
1,3,5-Trimethylbenzene	ND	U	0.5	"						
tert-Butylbenzene	ND	U	0.5	"						
1,2,4-Trimethylbenzene	ND	U	0.5	"						
sec-Butylbenzene	ND	U	0.5	"						
1,3-Dichlorobenzene	ND	U	0.5	"						
p-Isopropyltoluene	ND	U	0.5	"						
1,4-Dichlorobenzene	ND	U	0.5	"						
1,2-Dichlorobenzene	ND	U	0.5	"						
Butylbenzene	ND	U	0.5	"						
1,2-Dibromo-3-chloropropane	ND	U	2	"						
1,2,4-Trichlorobenzene	ND	U	0.5	"						
Hexachlorobutadiene	ND	U	0.5	"						
Naphthalene	ND	U	0.5	"						
1,2,3-Trichlorobenzene	ND	U	0.5	"						
Surrogate: 1,2-Dichloroethane-d4	*4.73*			*"*	*5.00*		95	*83-116*		
Surrogate: Toluene-d8	*4.76*			*"*	*5.00*		95	*81-112*		
Surrogate: 4-Bromofluorobenzene	*4.99*			*"*	*5.00*		100	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.03*			*"*	*5.00*		101	*74-113*		
LCS (B19D023-BS1)										
Dichlorodifluoromethane	5.08		0.5	ug/L	5.00		102	70-128		
Chloromethane	3.44		0.5	"	5.00		69	63-123		
Vinyl chloride	4.31		0.5	"	5.00		86	70-130		
Bromomethane	1.3		0.5	"	5.00		**26**	31-150		
Chloroethane	4.86		0.5	"	5.00		97	74-119		
Trichlorofluoromethane	5.2		0.5	"	5.00		104	72-123		
1,1-Dichloroethene	5.28		0.5	"	5.00		106	70-130		
1,1,2-Trichloro-1,2,2-trifluoroethane	5.47		0.5	"	5.00		109	73-129		
Acetone	43.6		4	"	40.0		109	61-114		
Dichloromethane	5.33		0.5	"	5.00		107	70-130		
trans-1,2-Dichloroethene	5.48		0.5	"	5.00		110	70-130		
tert-Butyl methyl ether (MTBE)	19.8		2	"	20.0		99	62-117		
1,1-Dichloroethane	5.26		0.5	"	5.00		105	74-115		
2,2-Dichloropropane	4.84		0.5	"	5.00		97	64-144		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Batch B19D023 - 5030 P&T VOA - VOCs — **Prepared & Analyzed: 04/03/19**

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

LCS (B19D023-BS1)

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	4.98		0.5	"	5.00		100	70-130		
2-Butanone (MEK)	36.1		4	"	40.0		90	57-121		
Bromochloromethane	4.95		0.5	"	5.00		99	71-122		
Chloroform	4.96		0.5	"	5.00		99	70-130		
1,1,1-Trichloroethane	4.71		0.5	"	5.00		94	70-130		
Carbon tetrachloride	4.78		0.5	"	5.00		96	70-130		
1,1-Dichloropropene	4.73		0.5	"	5.00		95	71-119		
Benzene	4.76		0.5	"	5.00		95	70-130		
1,2-Dichloroethane	4.75		0.5	"	5.00		95	70-130		
Trichloroethene	5.05		0.5	"	5.00		101	70-130		
1,2-Dichloropropane	4.74		0.5	"	5.00		95	70-130		
Dibromomethane	4.88		0.5	"	5.00		98	72-121		
Bromodichloromethane	4.84		0.5	"	5.00		97	70-130		
cis-1,3-Dichloropropene	4.65		0.5	"	5.00		93	68-120		
Toluene	4.78		0.5	"	5.00		96	70-130		
trans-1,3-Dichloropropene	4.21		0.5	"	5.00		84	64-126		
1,1,2-Trichloroethane	4.6		0.5	"	5.00		92	70-130		
Tetrachloroethene	5.03		0.5	"	5.00		101	70-130		
1,3-Dichloropropane	4.63		0.5	"	5.00		93	80-114		
Chlorodibromomethane	4.58		0.5	"	5.00		92	70-130		
1,2-Dibromoethane (EDB)	4.66		0.5	"	5.00		93	80-115		
Chlorobenzene	4.91		0.5	"	5.00		98	70-130		
1,1,1,2-Tetrachloroethane	4.94		0.5	"	5.00		99	82-116		
Ethylbenzene	5.05		0.5	"	5.00		101	70-130		
m&p-Xylene	10.1		1	"	10.0		101	70-130		
o-Xylene	5.13		0.5	"	5.00		103	70-130		
Styrene	5.02		0.5	"	5.00		100	70-130		
Bromoform	4.92		0.5	"	5.00		98	70-130		
Isopropylbenzene	5.07		0.5	"	5.00		101	86-114		
Bromobenzene	5.1		0.5	"	5.00		102	84-110		
1,1,2,2-Tetrachloroethane	4.99		0.5	"	5.00		100	81-113		
1,2,3-Trichloropropane	5.03		0.5	"	5.00		101	81-114		
Propylbenzene	5.05		0.5	"	5.00		101	87-115		
2-Chlorotoluene	5.05		0.5	"	5.00		101	84-111		
4-Chlorotoluene	5.1		0.5	"	5.00		102	82-112		
1,3,5-Trimethylbenzene	4.97		0.5	"	5.00		99	85-113		
tert-Butylbenzene	4.94		0.5	"	5.00		99	86-114		
1,2,4-Trimethylbenzene	4.93		0.5	"	5.00		99	84-114		
sec-Butylbenzene	4.94		0.5	"	5.00		99	87-119		
1,3-Dichlorobenzene	5.08		0.5	"	5.00		102	85-110		
p-Isopropyltoluene	4.91		0.5	"	5.00		98	86-117		
1,4-Dichlorobenzene	5		0.5	"	5.00		100	70-130		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A	
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:04	
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**		

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D023 - 5030 P&T VOA - VOCs										**Prepared & Analyzed: 04/03/19**
										Volatile Organic Compounds by EPA Method 524.2 - Quality Control
LCS (B19D023-BS1)										
1,2-Dichlorobenzene	5.04		0.5	"	5.00		101	70-130		
Butylbenzene	4.63		0.5	"	5.00		93	85-118		
1,2-Dibromo-3-chloropropane	17.7		2	"	20.0		89	54-133		
1,2,4-Trichlorobenzene	4.7		0.5	"	5.00		94	70-130		
Hexachlorobutadiene	5.01		0.5	"	5.00		100	66-113		
Naphthalene	3.55		0.5	"	5.00		71	58-126		
1,2,3-Trichlorobenzene	4.61		0.5	"	5.00		92	65-119		
Surrogate: 1,2-Dichloroethane-d4	*4.76*			*"*	*5.00*		95	*83-116*		
Surrogate: Toluene-d8	*4.76*			*"*	*5.00*		95	*81-112*		
Surrogate: 4-Bromofluorobenzene	*5.11*			*"*	*5.00*		102	*80-110*		
Surrogate: 1,2-Dichlorobenzene-d4	*5.12*			*"*	*5.00*		102	*74-113*		
Batch B19D029 - 3520C CLLE - TPH - Extractable										**Prepared: 04/04/19 Analyzed: 04/12/19**
										Extractable Petroleum Hydrocarbons - Quality Control
Blank (B19D029-BLK1)										
TPH - Diesel Range Organics	ND	U	150	ug/L						
TPH - Oil Range Organics	ND	U	600	"						
Surrogate: Hexacosane	*137*			*"*	*150*		91	*20-130*		
LCS (B19D029-BS1)										
TPH - Diesel Range Organics	1,270		150	ug/L	1500		84	62-110		
Surrogate: Hexacosane	*140*			*"*	*150*		93	*20-130*		
Batch B19D036 - 5030 P&T TPH-G - TPH - Purgeable										**Prepared & Analyzed: 04/08/19**
										Purgeable Petroleum Hydrocarbons - Quality Control
Blank (B19D036-BLK1)										
TPH - Gasoline Range Organics	ND	U	50	ug/L						
Surrogate: a,a,a-Trifluorotoluene	*117*			*"*	*125*		94	*76-125*		
LCS (B19D036-BS1)										
TPH - Gasoline Range Organics	553		50	ug/L	500		111	84-115		
Surrogate: a,a,a-Trifluorotoluene	*115*			*"*	*125*		92	*76-125*		
Matrix Spike (B19D036-MS1)		**Source: 1904006-03**								
TPH - Gasoline Range Organics	567		50	ug/L	500	35.8	106	65-142		
Surrogate: a,a,a-Trifluorotoluene	*117*			*"*	*125*		94	*76-125*		
Matrix Spike Dup (B19D036-MSD1)		**Source: 1904006-03**								
TPH - Gasoline Range Organics	568		50	ug/L	500	35.8	106	65-142	0.3	10

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A	
Project Number: R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:04	
Project: SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**		

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D036 - 5030 P&T TPH-G - TPH - Purgeable										**Prepared & Analyzed: 04/08/19**
										Purgeable Petroleum Hydrocarbons - Quality Control
Matrix Spike Dup (B19D036-MSD1)		**Source: 1904006-03**								
Surrogate: a,a,a-Trifluorotoluene	*115*			"	*125*		92	*76-125*		
Batch B19D044 - 245.1 Hg Prep. - Mercury by 245.1 (total)										**Prepared: 04/09/19 Analyzed: 04/10/19**
										Total Metals by EPA 200 Series Methods - Quality Control
Blank (B19D044-BLK1)										
Mercury	ND	U	0.03	ug/L						
LCS (B19D044-BS1)										
Mercury	0.185		0.03	ug/L	0.200		92	85-115		
Matrix Spike (B19D044-MS1)		**Source: 1904006-03**								
Mercury	0.206		0.03	ug/L	0.200	0.027	89	70-130		
Matrix Spike Dup (B19D044-MSD1)		**Source: 1904006-03**								
Mercury	0.212		0.03	ug/L	0.200	0.027	92	70-130	3	20
Batch B19D049 - 200 Series Digest - Metals by 200.7,Total										**Prepared: 04/10/19 Analyzed: 04/18/19**
										Total Metals by EPA 200 Series Methods - Quality Control
Blank (B19D049-BLK1)										
Aluminum	ND	U	20	ug/L						
Antimony	ND	U	20	"						
Arsenic	ND	U	20	"						
Barium	ND	U	10	"						
Beryllium	ND	U	0.5	"						
Cadmium	ND	U	5	"						
Calcium	ND	U	100	"						
Chromium	ND	U	10	"						
Cobalt	ND	U	5	"						
Copper	ND	U	10	"						
Iron	ND	U	100	"						
Lead	ND	U	20	"						
Magnesium	ND	U	500	"						
Molybdenum	ND	U	20	"						
Nickel	ND	U	10	"						
Selenium	ND	U	20	"						
Silver	ND	U	5	"						
Thallium	ND	U	20	"						
Vanadium	ND	U	4	"						
Zinc	ND	U	10	"						
LCS (B19D049-BS1)										
Aluminum	1,960		20	ug/L	2000		98	85-115		
Antimony	836		20	"	800		104	85-115		
Arsenic	832		20	"	800		104	85-115		
Barium	197		10	"	200		99	85-115		
Beryllium	197		0.5	"	200		99	85-115		
Cadmium	194		5	"	200		97	85-115		

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**	**SDG:** 19092A
Project Number:	R19S33	**75 Hawthorne Street**	**Reported:** 04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**	

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D049 - 200 Series Digest - Metals by 200.7,Total									**Prepared: 04/10/19 Analyzed: 04/18/19**	
									Total Metals by EPA 200 Series Methods - Quality Control	
LCS (B19D049-BS1)										
Calcium	985		100	"	1000		99	85-115		
Chromium	412		10	"	400		103	85-115		
Cobalt	192		5	"	200		96	85-115		
Copper	285		10	"	300		95	85-115		
Iron	2,950		100	"	3000		98	85-115		
Lead	978		20	"	1000		98	85-115		
Magnesium	1,990		500	"	2000		100	85-115		
Molybdenum	441		20	"	400		110	85-115		
Nickel	501		10	"	500		100	85-115		
Selenium	2,080		20	"	2000		104	85-115		
Silver	73.9		5	"	75.0		98	85-115		
Thallium	1,990		20	"	2000		100	85-115		
Vanadium	293		4	"	300		98	85-115		
Zinc	204		10	"	200		102	85-115		
Matrix Spike (B19D049-MS2)		**Source: 1904006-03**								
Antimony	777		20	ug/L	800	ND	97	70-130		
Arsenic	800		20	"	800	ND	100	70-130		
Barium	225		10	"	200	38.9	93	70-130		
Beryllium	181		0.5	"	200	ND	90	70-130		
Cadmium	168		5	"	200	ND	84	70-130		
Chromium	372		10	"	400	7.18	91	70-130		
Cobalt	171		5	"	200	ND	85	70-130		
Copper	375		10	"	300	112	88	70-130		
Lead	808		20	"	1000	ND	81	70-130		
Molybdenum	456		20	"	400	51.2	101	70-130		
Nickel	446		10	"	500	12.5	87	70-130		
Selenium	1,930		20	"	2000	ND	97	70-130		
Silver	67.9		5	"	75.0	ND	91	70-130		
Thallium	1,650		20	"	2000	ND	82	70-130		
Vanadium	275		4	"	300	4.14	90	70-130		
Zinc	1,110	Q10	10	"	200	902	105	70-130		
Matrix Spike Dup (B19D049-MSD2)		**Source: 1904006-03**								
Antimony	741		20	ug/L	800	ND	93	70-130	5	20
Arsenic	798		20	"	800	ND	100	70-130	0.3	20
Barium	268		10	"	200	38.9	114	70-130	17	20
Beryllium	182		0.5	"	200	ND	91	70-130	0.5	20
Cadmium	168		5	"	200	ND	84	70-130	0.1	20
Chromium	384		10	"	400	7.18	94	70-130	3	20
Cobalt	171		5	"	200	ND	85	70-130	0.1	20
Copper	404		10	"	300	112	97	70-130	7	20
Lead	706		20	"	1000	ND	71	70-130	13	20

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch B19D049 - 200 Series Digest - Metals by 200.7,Total									**Prepared: 04/10/19 Analyzed: 04/18/19**	
									Total Metals by EPA 200 Series Methods - Quality Control	
Matrix Spike Dup (B19D049-MSD2)		**Source: 1904006-03**								
Molybdenum	461		20	"	400	51.2	102	70-130	1	20
Nickel	451		10	"	500	12.5	88	70-130	1	20
Selenium	1,940		20	"	2000	ND	97	70-130	0.6	20
Silver	68		5	"	75.0	ND	91	70-130	0.1	20
Thallium	1,640		20	"	2000	ND	82	70-130	0.4	20
Vanadium	277		4	"	300	4.14	91	70-130	0.7	20
Zinc	1,170	Q10	10	"	200	902	**135**	70-130	5	20

United States Environmental Protection Agency
Region 9 Laboratory
1337 S. 46th Street, Building 201, Richmond, CA 94804
Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager:	Raymond Chavira	**California Site Cleanup Section 3**		**SDG:**	19092A
Project Number:	R19S33	**75 Hawthorne Street**		**Reported:**	04/25/19 12:04
Project:	SGV Area 3 - March 2019 Groundwater Sampling	**San Francisco CA, 94105**			

Qualifiers and Comments

Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
Q10	The analyte concentration in the unfortified sample is significantly greater than the concentration spiked into the matrix spike and matrix spike duplicate. The reported spike recovery is not a meaningful measure of the dataset's analytical accuracy.
J	The reported result for this analyte should be considered an estimated value.
F2	Fuel Type: Gasoline
F13	Fuel or Product Type: mixed or unknown
C4	The calibration verification check did not meet % difference criteria for this analyte.
C1	The reported concentration for this analyte is below the quantitation limit.
U	Not Detected
NR	Not Reported
RE1, RE2, etc:	Result is from a sample re-analysis.