To: Garvin, Shawn[garvin.shawn@epa.gov]
Cc: Webster, James[Webster.James@epa.gov]; Hill, Franklin[Hill.Franklin@epa.gov]; Chaffins, Randall[Chaffins.Randall@epa.gov]
From: Meiburg, Stan
Sent: Thur 1/23/2014 11:20:30 PM
Subject: Re: WV Chemical Spill - Update

Thank you, Shawn!

Stan
A. Stanley Meiburg
Acting Regional Administrator
EPA Region 4
Sam Nunn Federal Center
61 Forsyth Street, SW
Atlanta, GA 30303

Office: (404) 562-8357

From: Garvin, Shawn
Sent: Thursday, January 23, 2014 6:17:22 PM
To: Meiburg, Stan
Cc: Webster, James; Hill, Franklin; Chaffins, Randall
Subject: RE: WV Chemical Spill - Update

Stan – Thanks, I was thinking the same thing. I will make sure your folks are looped in as well.

Shawn

From: Meiburg, Stan
Sent: Thursday, January 23, 2014 6:16 PM
To: Garvin, Shawn
Cc: Webster, James; Hill, Franklin; Chaffins, Randall
Subject: Re: WV Chemical Spill - Update

Shawn, when you meet with Freedom on the remediation plan, I recommend you include Kentucky given the landfill destination.

Stan
A. Stanley Meiburg
Acting Regional Administrator

EPA Region 4
Sam Nunn Federal Center
61 Forsyth Street, SW
Atlanta, GA 30303

Office: (404) 562-8357

From: Garvin, Shawn
Sent: Thursday, January 23, 2014 5:53:11 PM
To: Adm13McCarthy, Gina; Deputy Administrator; Keyes-Fleming, Gwendolyn; Stanislaus, Mathy; Feldt, Lisa; Ganesan, Arvin; Reynolds, Thomas; Johnson, Alisha; Stoner, Nancy; Vaught, Laura; Distefano, Nichole; Hull, George; Stanton, Larry; Breen, Barry; Giles-AA, Cynthia; Hedman, Susan; Meiburg, Stan; Fritz, Matthew; Garbow, Avi; Jones, Jim
Cc: Early, William; Hodgkiss, Kathy; Capacasa, Jon; Ryan, Daniel
Subject: WV Chemical Spill - Update

FYI – Here is the report for today:

Source Protection

Today, EPA is taking a sample of the MCHM/PPH mixture that is being staged at the POCA Blending Facility. This material was removed from Tanks 395, 396 (failed tank), and 397 at Freedom Industries. The material from Tank 396 was mixed with the other tanks when the material was taken off-site for storage. The facility stated that the MCHM/PPH ratio in Tanks 395 and 397 may differ slightly from that of Tank 396. The sample will be sent to the Ft. Meade lab with delivery expected tomorrow.

Currently, the facility is attempting to pump out the sumps on and off the property, but is battling freezing temperatures. The contents of all the hoses are frozen but it does not appear that the water/ice in the sumps has risen. The facility also continues to monitor the boom along the river edge to ensure the ice does not build up. Currently there is no ice buildup on the bank.

The facility announced that all the water pumped from the site will be taken to Big Run Landfill of Ashland, Kentucky. WVDEP suggested that Freedom Industries, WVDEP, EPA, and the Coast Guard meet to discuss the contents of Freedom's Remediation Plan. This meeting has not yet been scheduled.

Water Supply

Nothing new to report.