To: Kavlock, Robert[Kavlock.Robert@epa.gov]
Cc: Ernst, Hiba[Ernst.Hiba@epa.gov]; Kadeli, Lek[Kadeli.Lek@epa.gov]
From: Sayles, Gregory
Sent: Fri 2/28/2014 3:21:27 PM
Subject: Re: Ready for Bob - ORD/OW review of the AW review document for Region 3

Thanks, Bob.

From: Kavlock, Robert
Sent: Friday, February 28, 2014 9:48:46 AM
To: Sayles, Gregory
Cc: Ernst, Hiba; Kadeli, Lek
Subject: RE: Ready for Bob - ORD/OW review of the AW review document for Region 3

Greg
I have read the briefing document and the EPA summary review and concur with the statements in the latter.
Bob

From: Sayles, Gregory
Sent: Thursday, February 27, 2014 11:57 AM
To: Kavlock, Robert
Cc: Ernst, Hiba
Subject: Ready for Bob - ORD/OW review of the AW review document for Region 3
Importance: High

Bab – Attached is the final draft response to Region 3. OW is good with this version and has sent it as a draft to Region 3 to give them a heads up. However, all parties know that ORD has not signed off on it yet until you are comfortable. Attached also is the American Water paper.

Please let me know as soon as you can if you have any issues you wish to discuss or if you are OK with it as is.

FYI – the Region 3 request is stated: ***EPA Region 3 would greatly appreciate a review of the attached document. I had reached out to Steve Allgeier for recommendations of people who he thought would be able to lend their expertise to this review and they are included on this email. Please let me know if you will have the opportunity to review the document. I was hoping to have comments on the briefing document by February 27.***

If you can send me any comments you would have, such as any available research that lends to this discussion, data gaps or the level of uncertainty in the conclusion, would be extremely helpful. Additionally if a conference call would help to provide additional background and history I could easily arrange for a call to discuss the issues. I have also attached the MSDS for MCHM and the flushing procedures that were provided for house hold premise piping flushing

Thanks much!

Greg

From: Magnuson, Matthew
Sent: Thursday, February 27, 2014 11:40 AM
To: Allgeier, Steve; Szabo, Jeff
Cc: Lindquist, Alan; Sayles, Gregory; Ernst, Hiba
Subject: RE: AW review document

Steve,

Since Jeff is away from his desk, I talked to Hiba, accepted all Hiba's changes, and inserted the requested info.

Please forward to R3 and remind them that we still consider this draft until Bob Kavolck has reviewed it. We will send you notification when Bob Kavlock has reviewed this, at which time it will be OK to remove the draft markings. Hiba also left Vicki a note to this end.

Thanks.
Matthew

From: Allgeier, Steve
Sent: Thursday, February 27, 2014 11:25 AM
To: Szabo, Jeff
Cc: Magnuson, Matthew; Lindquist, Alan; Sayles, Gregory; Ernst, Hiba
Subject: RE: AW review document

Jeff,

I'm fine with the edits.

Steve

From: Ernst, Hiba
Sent: Thursday, February 27, 2014 11:20 AM
To: Szabo, Jeff; Sayles, Gregory; Allgeier, Steve
Cc: Magnuson, Matthew; Lindquist, Alan
Subject: RE: AW review document

Jeff,

A couple more comments from Greg and I – I added both our revisions into one document. We need to send this out to Bob Kavlok ASAP – please let us know if anyone has any heartburn with these changes.

Hiba

From: Szabo, Jeff
Sent: Thursday, February 27, 2014 10:02 AM
To: Ernst, Hiba; Sayles, Gregory; Allgeier, Steve
Cc: Magnuson, Matthew; Lindquist, Alan
Subject: AW review document

All,

The attached clean document contains all comments and edits to date and the revised summary (conclusion) paragraph created by Hiba and Steve.

Thanks,
Jeff