To: Clark, Becki[Clark.Becki@epa.gov]
From: Weis, Christopher (NIH/NIEHS) [E]
Sent: Fri 1/24/2014 12:48:30 PM
Subject: Re: PPH: The saga continues

Thkx

Christopher P Weis, PhD., DABT.
Office of the Director
National Institute of Environmental Health Science - NIH
Bethesda, MD
Tel: 301.496.3512

----- Original Message -----
From: Clark, Becki [mailto:Clark.Becki@epa.gov]
Sent: Friday, January 24, 2014 07:47 AM
To: Weis, Christopher (NIH/NIEHS) [E]
Subject: RE: PPH: The saga continues

No worries. I got it and will send on to our review team this morning.

Becki Clark, Deputy Director
Office of Ground Water and Drinking Water
Office of Water

-----Original Message-----
From: Weis, Christopher (NIH/NIEHS) [E] [mailto:christopher.weis@nih.gov]
Sent: Friday, January 24, 2014 7:18 AM
To: Clark, Becki
Subject: Re: PPH: The saga continues

Ok, thanks for the note. I'm on my way in. I'll see if I can fix that when I get to the office.

Christopher P Weis, PhD., DABT.
Office of the Director
National Institute of Environmental Health Science - NIH Bethesda, MD
Tel: 301.496.3512

----- Original Message -----
From: Clark, Becki [mailto:Clark.Becki@epa.gov]
Sent: Friday, January 24, 2014 07:15 AM
To: Weis, Christopher (NIH/NIEHS) [E]
Subject: Re: PPH: The saga continues

Hi Chris,
I can't seem to open the attachment on my bberry, but I'll be back in the office in the morning and will let you know if it's still not coming through. This thing is like a soap opera!

From: Weis, Christopher (NIH/NIEHS) [E] <christopher.weis@nih.gov>
Sent: Thursday, January 23, 2014 8:24:14 PM

To: Clark, Becki
Subject: PPH: The saga continues

Becki,

Attached is the latest MSDS provided to CDC by Freedom Industries. It appears as if the mixture is a bit more complex than previously indicated. The state is having difficulty getting the reporting limit for "PPH" below the ppm level and is seeking support from Federal "partners".

Chris