Gutierrez, Raul

From: Ettinger, John
Sent: Monday, April 08, 2013 4:31 PM
To: Gutierrez, Raul
Subject: Fw: GDE (3) Mitigation Bank Lanes (UNCLASSIFIED)
Attachments: 9-18-12 Noncompl letter-GDE.pdf; DSC00059.JPG; DSC00052.JPG; DSC00050.JPG

I can handle this one, if okay with you.

_____

From: Farabee, Jacqueline R MVN
Sent: Monday, April 08, 2013 4:22:55 PM
To: Pennington, Dana; Abernathy, Lisa ; Archer, Brenda A MVN; Balkum, Kyle; Breaux, Brian W MVN; Davis, Chris; Ettinger, John; Gutierrez, Raul; Hartman, Richard; Holcombe, Jim; Holland, Patti; Pfeffer, Stephen D MVN; Seth_Bordelon@fws.gov; Templet, Kelley; Williams, Patrick
Subject: FW: GDE (3) Mitigation Bank Lanes (UNCLASSIFIED)

Classification: UNCLASSIFIED
Caveats: NONE

I had a brief meeting with Greg Elliot the owner of the GDE Bank. We have suspended credits because:
1. No monitoring reports were provided
2. There were too many volunteer pines and Tallow on the site.
3. There were "fire lanes" but this is a bottomland hardwood bank.
4. There were ponds
5. Etc.

The letter that was sent is attached.

Attached are a few photos. Please read his e-mail below and provide some feedback about the percentage of pines that would be acceptable in your point of view. Any other comments/information would be welcome.

CEMVN has not finished looking at the information that was submitted for the JD. I will get that to you as soon as I can.

Jacqueline Farabee
Environmental Resources Specialist
U.S. Army Corps of Engineers
New Orleans District
(504) 862-2595

Through deeds not words,
we are BUILDING STRONG

-----Original Message-----
From: Elliott, Greg [mailto:Greg.Elliott@workstrings.com]
Sent: Saturday, April 06, 2013 8:00 AM
To: Farabee, Jacqueline R MVN
Subject: GDE (3) Mitigation Bank Lanes

Ms. Jacqueline,

I have contracted Templin Forestry to plant the subject 3 lanes in hardwood seedlings that we discussed last Wednesday. This should be done in the next week.

Also, I have discussed removing some of the volunteer pine that are mixed in the hardwood plant with several forestry contractors. Once the JD is determined I would ask the IRT to provide me an acceptable percent of pine per acre for the GDE Mitigation Bank? At that time I will start work to comply with maximum pine per acre for the mitigation bank. Any hack and spray work would not be done until early fall or when the sap begins to drop in the trees.

I look forward to finalizing the JD determination and all fulfilling all other concerns you had to allow credits sales to be re-instated.

Regards,

Greg Elliott
President
Workstrings International (r)
Toll Free: 1-888-978-7464
Phone: 337-989-9675
Cell: 337-298-6084
Fax: 337-492-0012
email: greg@workstrings.com <mailto:greg@workstrings.com>
website: www.workstrings.com <http://www.workstrings.com>

This message and any attachments accompanying it from Workstrings, L.L.C. is intended only for use by the addressee(s) shown above. It contains information that may be privileged, confidential and/or exempt from disclosure law. If you are not the intended recipient of this message, you are notified that copying, use, or distrubution of information transmitted in or with this message is strictly prohibited. If you received this message by mistake, please immediately call us at (337) 989-9675 and destroy the original message.

Classification: UNCLASSIFIED
Caveats: NONE