[illegible]	Generator Name	Waste	Waste type	# Drum
[illegible]	CAPRI 9/19/85 6/20/85	Flammable liquid N.O.S.	D001	61
[illegible]	Instruction Publica (LAB-Packs)	" " "	D001	17
[illegible]	Davis + Geck Inc 6/20/86	Hazardous Waste Solid N.O.S.	F003	12
[illegible]	[illegible] Inc 11/85	" " " "	F001, D001	8
[illegible]	Laboratorio Fornace	Formalin	D001	3
[illegible]	Eolab Pharmaceutical 11/5/87	Waste isopropanol	D001, U002	2
[illegible]	B.D. Micropette 9/4/85	Hazardous waste liquid N.O.S.	F001,	10
[illegible]	Ayerst Wyeth	Flammable liquid N.O.S.	D001, D010	4
[illegible]	Pepsi Cola Manufacturing (LAB-Packs)	" " "	D001, U154	2
[illegible]	Emerson P.R. Inc 3/86 4/86	Hazardous Waste liquid N.O.S.	F001	9
[illegible]	Esso Standard Oil 12/20/85	Flammable liquid N.O.S.	K052	12
[illegible]	Storage Technology 4/85	Waste Paint	D001	6
[illegible]	Surgical of P.R. 9/29/87	Hazardous Waste liquid	D008, D001	2
[illegible]	West Electronic Ind 7/2/87	Flammable liquid N.O.S.	D001, F001, D008	4
[illegible]	Eolab Pharmaceutical 11/5/87	" " "	D001	17
[illegible] 12/14/87	[illegible] (LAB-Packs)	" " "	D001	4
[illegible] 2/2/87	Hospitales (LAB-Packs)	" " "	D001	2
[illegible]	Information Magnetic 2/8/87 4/86 12/7/86 1/23/87 3/20/87 8/7/87 10/10/86 7/22/87	Waste Methanol	F003	16
[illegible]	Instrumentation Lab. " "	Flammable liquid N.O.S.	D001	1
[illegible]	Centro Médico (Lab-Pack) 11/15/87	" " "	D001	2
[illegible]	[illegible] 7/2/87	Waste Xylene	D001, U239	2
[illegible]	[illegible] 9/26/86	Flammable liquid N.O.S.	D001	1
[illegible]	[illegible] 11/85	Compound cleaning	D001	1
[illegible]	[illegible] Printing 11/13/85	Flammable liquid N.O.S.	U154, U220 U112, U159	1
[illegible]	Wang Labs P.R. 4/86	Waste oil N.O.S.	D001	4
[illegible]	Centro Médico (LAB-Packs)	Flammable liquid N.O.S.	D001	2
[illegible]	Lutron Electronic 2/3/87	" " "	F001, D001	4
[illegible] 11/13/86	Fisher Scientific (LAB-Packs)	" " "	D001	3
[illegible]	Instituto Ferrer (LAB-Packs)	Flammable liquid N.O.S.	D001	2

ALKALINES
AND Toxics Area:

Location	Generator Name	Waste	Waste Type	H
Moca	Information Magnetics	Chromic acid sludge PH > 9	D002, D007	
"	" "	Corrosive Solid N.O.S	D002, D001	
Ponce	U.S.I. de P.R.	Hazardous, Waste Solid N.O.S	D001	
Boynton Beach, Florida	Geosintec 9/25/87	" " " "	D002, D003, D001	
Juncos	Becton Dickinson	Mercury Metallic	U151	
Dorado	Emerson P.R	Mercury Metallic	U151	
Dorado	" "	Hazardous waste liquid N.O.S	F001	
Baton Rouge LA	Ethyl Corporation	" " " "	D008	
San Juan	Texaco P.R.	" " " "	D008	
Various	Instruccion Pública (LAB-Packs)	" " solid N.O.S	U144, U145, D002, D008	
Moca	Information Magnetic	Haz. Mixture cont. Phenol + Met Chl.	D010, F002	
"	" "	1,1,1-trichloroethane	U226	
Santa Isabel	Corporation of Vegetables	Hazardous, waste solid N.O.S.	F001 U128, U185, F020	
Carolina	Lederle labs (LAB-Packs) 3/17/87	" " liquid + Solid N.O.S	D002	
Various	Hospitales (LAB-Packs)	" " " "	D002	
Various	Instruccion Pública (LAB-Packs)	Oxidizer	D001	
Ceiba	C.W. Caribe Inc	Hazardous waste liquid N.O.S.	D002, F003	
Cidra	Pepsi Cola Manufacturing (LAB-Packs)	Hazardous waste liquid + Solid N.O.S	D002	
Mayagüez	Stiefel (LAB-Packs)	Hazardous waste liquid N.O.S.	N/R	
Villalba	Latas Libbys	Lead dross	D008	
San German	Iolab Pharmaceutical	Mercury Metallic	U151	
San German	Iolab Pharmaceutical 11/5/87	Hazardous Waste liq + Solid N.O.S	D002	
Cayey	Fisher Scientific (LAB-Packs)	" " " "	D002, U091	
Rio Piedras	Centro Médico (LAB-Packs)	" " " "	D002	
Various	Instruction Pública (LAB-Packs)	" " " "	D002, D001, D0	
Various	PROTECO (lab-Pack from Schools)	" " " "	D002	

Acid or Corrosives (pH ≤ 6) area

ocation	Generator Name	Waste	Waste Type	# Dr
anturce	Royal Bank	Corrosive liquid N.O.S.	D002	5
ayagüez	Stiefel (LAB-Pack)	acid liquid N.O.S.	D002	1
eiba	C.W. Caribe Inc	Acetic acid glacial	D002	1
"	" " "	Hazardous waste solid N.O.S.	D002, D008	15
aguas	Aeroflex	" " " "	D002	1
ayey	Fisher (LAB-Packs)	acid liquid N.O.S.	D002, [illegible]	7
idra	Pepsi Cola (LAB-Packs)	" " "	D002	1
Mayagüez	Storage Tek	Corrosive liquid N.O.S.	D002	5
idra	Instrumentation Lab	acid liquid N.O.S.	D002, D008	1
arolina	Lederle labs (LAB-Packs)	" " "	D002	[illegible]
arious	Hospitales (LAB-Packs)	" " "	D002	8
rious	Instruccion Pública (LAB-Pack)	" " "	D002	61

Flammables (reactives) area

ocation	Generator Name	Waste	Waste Type	# Dr
Caguas	Aeroflex	Sodium Hydrogen Sulfite	D003	1
Caguas	"	Sodium M bisulfite	D003	1
Various	Instrucción Pública (LAB-Pack)	Sodium Metal	D003	1

Generator Name	Waste type		manifiest No.	Date
Information Magnetic Caribe	F003, D001	– waste methanol	8703	12/4/87
est Electronics - Aguadilla	F001, D008, D001	- Flam. liquid	00001	8/4/87
Information Magnetic - Moca	F003	waste methanol	87002	8/26/87
" "	F003	~~waste~~ CH3OH Methyl-oil	87001	4/23/87
tron - Humacao	F001	Flam. liquid	00001	2/3/87
estinghouse - Toa Baja	F006	Haz. waste liquid	038	* (return to Generator on
" "	F006	Haz waste liquid	039	2/6/87 — 3/13/87
nformation Magnetics - Moca	F003	waste methanol	2-86	2/23/86
merson - Dorado	F001	Haz. Waste liq.	00006	10/9/86
" "	F003	Haz. waste liq.	00006	10/9/86
D-Micropette - Canovanas	F001	Haz. waste liq.	00002	6/18/86
swis + Geck Inc - Manati	F003	Haz waste liq	00001	6/20/86
" "	F003	" " "	00001	6/20/8
nerson P.R. - Dorado	F001	" " "	00003	5/6/86
wis + Geck Inc - Manati	F003	Haz waste solid	86-06	4/8/86
Information Magnetics - Moca	D010 F002	Hazardous mixture: (Phenol + Dichloromethane)	00002	3/11/86
Imcs Printing - Juncos	F003	Flam. liquid	PP0019	12/4/85
eroflex - Caguas	D007 F006	Haz waste solid	00001	12/5/8
cton-Dickinson - Juncos	F001	Haz. waste liquid	00003	12/6/85
Sartorious - Yauco	F001	Haz waste liquid	00002	11/26/85
" "	F001	" " "	00001	10/18/85

Drones Flam.

Fila 2 128

Fila 1 121

249

035

284

1 caja de madera

D009, 4151

Alkalinos

24

37

11

72

Acidos

49

[illegible] Toxicos

[illegible]

[illegible]

[illegible]

5

[illegible]

18

329

2 2

284

329

72

49

734

Drum #16

Protecro 1/23/89.
Penuelas. P.R.

Norbert Bolda, General Manager.
(809) 836-2123

Notes - (Logs.)
1) Waste which are haz.
2) Sept - Digital equip - F006
3) ignitable waste.

Date	Waste Type	WPS	Manifest #	Amount	Area.
1/19/88	D002. Haz waste solid. University Inter American.	P1989	88001	170#	A1
1/20/88	D001, U169 U050, U012 U031, U220	P1993	88002	22 gal.	A1
1/21/88	D002	P1994	88003	110#	A1
1/21/88	U1				

~~1/19/89~~

January

Date.	Generator	waste Type	Storage Area
1/19/88	Universidad Inter Americana	D002	A_1
1/20/88	"	D001, U169 U080, U012 U031, U220	A_1
1/21/88	" "	D002,	A_1
"		U122, U112, D001, U154	A_1
"	"	D002 U123	A_1
"	"	D002,	A_1
1/25/88	"	D002	A_1
"		U122 D001	A_1
"	"	D002,	A_1
"	"	D001	A_1
"	"	D002	A_1
"	"	D002	A_1
1/26/88	ESC ~~Agustin~~ Antonio Sarriera Rio Piedras	D002 U211	A_1
"	"	D002	A_1
"		D001 U165 U125 U802	A_1

Date	Generator	Waste TYPE	STORAGE AREA
1/28/88	U.S. DO Agriculture Rio Piedras	D002	A,
"	"	D002	A,
"	"	D001, U154, U002 U220, U188	A,
FEBRUARY 1988			
2/2/88	ESC Medardo Carrazo	D002, U151,	A,
"	"	D002,	A,
"	"	D001, U002 U044, U165	A,
2/3/88	ESC Sec. Unidad Rafael Cordero	D001	A,
		D002	A,
		D002	A,
2/16/88	Pepsi Cola Cidra	D001	A,
"	"	D002	A,
2/19/88	Lutron Electronic Humacao	D001, F001	A,
MARCH			
3/3/88	ESC Dr. Jose M. Lazara ~~Carolina~~ Carolina	D002,	A,
"	"	D002	A,
"	"	D001	A,

Date	Generator Name	Waste	Area
~~3/17~~			
3/7/88	ESC Carmen B. Vieja	D002	A,
3/16/88	Hospital Regional José N. Gandara - Ponce	D002	A,
"	"	D001	A,
"	"	D002	A,
3/17/88	"	D002	A,
	"	D001	A,
	"	D002	A,
3/18/88	"	D002	A,
	"	D001	A,
	"	D002	A,
3/21/88	Information Magnetics Carib	D002	A,
"	"	D007	A,
"	"	D002, D007	A,
"	"	F003	A,
"	"	D001	A,
April	No hazardous waste		
~~4/ /88~~			
May			
5/10/88	VSI P.R. Inc. Ponce (hazardous waste solid, asbestos)?	D008	A,

no WAP in book

Date	Generator Name	Waste	Area
5/24/88	Escuela Superior Dr. Pila Ponce	D002	A_1
"	"		
"	"	D001	A_1
		D002	A_1
5/25/88	Escuela Lola Rodriguez de Tio San German	D002	A_1
"		D002	A_1
"		D001	A_1
5/27/88	Escuela Dr. Jose Gándara Aibonito	U144, D002	A_1
"	"	D001,	A_1
"	"	D002	A_1
6/1/88	Esc. Antonio R. Balcelo - Culebra P.R.	D002	A_1
		D002	A_1
		D001	A_1
6/3/88	Esc. Jose Celso Barbosa Aibonito, P.R.	D002	A_1
		D002	A_1
		D001	A_1
6/6/88	Esc. S.U. La Plata Aibonito, P.R.	D002	A_1
		D002	A_1
		D001	A_1
6/7/88	Esc Escuela S.U. Quebrada Honda - San Lorenzo	D002	A_1
		D002	A_1
		D001	A_1

June Cont'd

88	Digital Equipment Corp - Aguadilla	6 Gal	Acid Liquid N.O.S.	D00
-88	Mennen de P.R. - Las Piedras	5 lbs	Flammable liquid N.O.S.	D00
-88	Esc. José Celso Barbosa - Aibonito	3000 gals	WTP Sludge	N/
		8500 gals	Process Water	N/
		18 lbs	Hazardous Waste sol + liq N.O.S.	D00
88	Escuela S.U. La Plata - Aibonito	2 gal	Acid Liquid N.O.S.	D00
		1 gal	Flammable Liquid N.O.S.	D00
		22 lbs	Hazardous Waste solid + liquid	D00
		1 Gal	Acid liquid N.O.S.	D00
88	IOLAB, San Germán	4 lbs	Flammable liquid N.O.S.	D00
88	Escuela S.U. Quebrada Honda - San Lorenzo 6/7/88 A1	495 Gals.	WASTE FUNDUSCCIN	N/
		39 lbs	Hazardous Waste Sol + liq. N.O.S.	D00
88	Escuela Generoso Morales Muñoz San Lorenzo 6/8/88 A1	2 gal	Acid liquid N.O.S.	D00
		1 gal	Flammable liquid N.O.S.	D00
		52 lbs	Hazardous waste sol + liq. N.O.S.	D00
		12 lbs	Flammable liquid N.O.S.	D00
8	Alberto Culver - Naguabo (WW Tank)	3 gals	Acid liquid N.O.S.	D00
88	Arbrook MFG corp - Caguas	8000 gal	Non hazardous waste liquid	N/A
88	Escuela S.U. Carlos Zayas - San Lorenzo 6/8/88 A1	8500 gal	Process waste water	N/A
		24 lbs	Hazardous Waste Solid + liquid	D002
		18 lbs	Flammable Liquid N.O.S.	D001
3	Almacen de Distrito Depto Inst. Pública San Lorenzo 6/9/88 A1	2 Gals	Acid Liquid N.O.S.	D002
		23 lbs	Hazardous Waste Solid + liquid N.O.S.	U044, U002
		3 gal	Acid Liquid N.O.S.	D002
	Arbrook MFG corp - Caguas	6 lbs	Flammable Liquid N.O.S.	D001, U002
	Pepsi Cola MFG Co. - Cidra 6/14/88	3,500 gals	Carbon Slurry	N/A
		15 Dm	Potassium Benzoate	N/A
		6 Dm	Caffeine anhydrous	N/A
		9 Dm	Sodium Benzoate	N/A
		48 Drum	Citric Acid	N/A
	Pepsi Cola Manufacturing - Caguas ~~6/15/88~~	1 Dm	Sodium Sacharin	U202
		16 Dm	Potassium Benzoate	N/A
		8 Dm	Caffeine anhydrous	N/A
		1 Dm	Sodium chloride	N/A
		3 Dm	Sodium Benzoate	N/A
		52 Dm	Citric Acid	N/A
	Escuela superior Las Delicias - Ponce 6/15/88	1 DM	Hazardous waste solid + liquid N.O.S.	D002
	Iolabs Pharmaceuticals - San German 6/16/88	1 DM	Flammable Liquid N.O.S.	D001
		110 G	Flammable liquid N.O.S.	D001
		55 G	Flammable Liquid N.O.S.	D001
		220 G	Non Hazardous Waste	N/A
	Digital Equipment - Aguadilla	3000 Gal	Sludge Holding Tank	N/A

June

		4 Dm	Sodium chloride	N/A
		7 Dm	Sodium Benzoate	N/A
		45 Dm	citric Acid	N/A
		1 Dm	ERA	N/A
88	Syltron Lighting Inc - Luquillo	12 Dm	Sludge	N/A
88	Mennen De P.R. LTD - Juncos	8500	Process water	N/A
88	Crown Cork & Seal - Carolina	30 y^3	WTP Sludge	N/A
88	Mennen de P.R. - Juncos	8,500	Process water	N/A
88	Esc. Juan J. Osuna - Caguas 6/21/88	93 lbs	Hazardous waste solid & liquid	U04 D002
		6 lbs	Flammable liquid N.O.S	D001, U1
		3 gal	Acid liquid N.O.S	D002
88	Hyatt Dorado Beach - Dorado	60 y	Asbestos	N/A
88	Escuela Superior Vocacional de Barranquitas 6/22/88	153 lbs	Hazardous Waste Solid + liquid	U144, D00
		3 gal	Acid Liquid N.O.S.	D002
		10 lbs	Flammable liquid N.O.S.	U019 D001, U2
88	Arochem International - Peñuelas	80 y^3	Waste asbestos	N/A
88	OTIS Elevator - Rio Piedras	8 Dm	Waste oil	N/A
88	Manuel del Valle Inc - Carolina	14 Dm	Diammonium Phosphate	N/A
88	Alfonso Castro Martinez H.S. - Manatí 6/27/88	400 Bag	ammonium Bicarbonate	N/A
		112 lbs	Hazardous waste solid + liquid N.O.S.	D002
		5 Pt	Flammable liquid N.O.S.	D001
		4 Gal	Acid liquid N.O.S.	D002
88	Manuel Del Valle Inc - Carolina.	13 Dm	Diammonium Phosphate	N/A
88	Esc. Facundo Bueso - Santurce 6/28/88	106 lbs	Hazardous waste sol. + liquid	D002
		2 gal	Acid liquid N.O.S.	D002
		2 gal	Flammable liquid N.O.S.	D001, U019
88	Academia Santa Maria - Ponce 6/29/88	80 lbs	Hazardous waste solid + liquid	D002
		1 gal	Flammable liquid N.O.S.	D001
		3 gal	Acid liquid N.O.S.	D002
	Digital Equipment - Aguadilla	3000 g	Sludge	N/A
	Arochem International - Peñuelas	30 y^3	asbestos	N/A
	Pepsi Cola Mfg - Cidra	240 Dm	Potassium Benzoate	N/A

JUNIO - 198

	Nombre y Localización del Generador	Cantidad del Desperdicio	Naturaleza del Desperdicio Nombre	Wast Type
88	[illegible] Vizcarrondo Carolina, P.R. 6/30/88	40 lbs	Hazardous waste solid liq. N.O.S.	Do
		1 gal	Flammable liquid N.O.S.	Do
		1 pt	Acid liquid N.O.S.	DOC

	Yabucoa Sun Oil Co	3[illegible] y^3	Sand	N/A
	Latas de Aluminio Reynolds	[illegible] y^3	WTP Sludge	N/A
	PREPA Aguirre	[illegible]	WTP Sludge	N/A
	Alberto Culver P.R. Inc - Naguabo	7500 g	Process Waste Water	N/A
88	PREPA - Aguirre	66 y^3	WTP Sludge	N
88	SKF Labs Co. - Cidra	11 DM	Placebo	N/A
		8 DM	Trian Terene (Dyazide)	N/A
		1 DM	Lactose Monohydrate	N/A
		7 DM	Hydrochloro Thiazide	N/A
		8 DM	CIMETIDINE (Tagamet)	N/A
		3 DM	Capsulas vacias de gel	N/A
88	Crown Cork & Seal, Inc - Carolina	20 y^3	WTP Sludge	N/A
88	PREPA, Aguirre	132 y^3	WTP Sludge	N/A
88	Life Savers - Las Piedras	4 DM	glicerine + licasyne	N/A
	PREPA, Aguirre	154 y^3	WTP Sludge	N/A
	Information Magnetics Caribe - Moca	136 P	Corrosive Solid N.O.S.	D002 D007
		1640 P	Waste Methanol	F003
	PIOCS	1640 P	Waste Iso-Alcohol	D001
		320 P	1,1,1-Trichloroethane	U226
88	Alberto Culver - Naguabo	9000 gln	Process waste water	N/
88	PREPA - Aguirre	154 y^3	WTP Sludge	N/A
	Alberto Culver P.R., Inc Naguabo	8,500 g	Process Waste Water	N/A
	Digitos Equipment, San German	5 DM	Spent oil & Grease	N/A
		4 DM	Diezel with Water And Oil +	N/A
	Alberto Culver - Naguabo	8500 g	Process Waste Water	N/A
	Menren P.R. LTD - Juncos	37 DM	Waste Speed Stick Deodorant	N/A
		21 DM	Waste Propylene glycol	N/A
	Arbrook Mfg. - Cagues	8400 g	Process water	NA

Julio - 199

	Nombre y Localizacion del Generador	Cantidad del Desperdicio	Naturaleza del Desperdicio Nombre	Was Ty
-88	Escuela Int. S.U. Camino Nuevo - Yabucoa 7/1/88	30 lbs	Hazardous waste solid + liq n.o.s.	Do
		3 pts	Acid liquid n.o.s.	Do
		1 lbs	Flammable liquid n.o.s.	Do
-88	Escuela S.U. Limones - Yabucoa 7/1/88	49 lbs	Hazardous Waste Solid + liquid	Do
		10 lbs	Flammable liquid n.o.s	Do
		1 gal	Acid liquid N.O.S	Do
-88	Arbrook MFG Corp - Caguas	8,500 g	Process water	N/
-88	PREPA - Aguirre	88 y³	WTP Sludge	N/
-88	Union Carbide Grafito - Yabucoa	11 Bag	Waste Kaowool	N/
		6.5 y³	Waste asbestos	N/
	PREPA - Aguirre	154 y³	WTP Sludge	N/
	SKF Labs Co.	74 DM	Placebo	N/
		1 DM	Capsulas (vacias)	
		6 DM	Cimetidine (Tagamet)	N/
		3 DM	Hydrochlorothiazide	N/
-88	Yabucoa Sun oil Co	35 y³	Sand	N/
	Centros de Almacenamiento Reynolds	20 y³	WTP Sludge	N/
	PREPA - Aguirre	44 y³	WTP Sludge	N/
88	Alberto Culver P.R. Inc - Naguabo	7500 g	Process waste water	N/
-88	PREPA - Aguirre	66 y³	WTP Sludge	N/
-88	SKF Labs Co. - Cidra	11 DM	Placebo	N/
		8 DM	Triamterene (Dyazide)	N/
		1 DM	Lactose Monohydrate	N/
		7 DM	Hydrochlorothiazide	N/
		8 DM	Cimetidine (Tagamet)	N/
		3 DM	Capsulas vacias de gel	N/
-88	Crown Cork & Seal, Inc - Carolina	20 y³	WTP sludge	N/
88	PREPA, Aguirre	132 y³	WTP sludge	N/
88	Life Savers - Las Piedras	4 DM	glicerine + licasyne	N/
88	PREPA, Aguirre	154 y³	WTP sludge	N/
	Ion Magnetics Caribe - Hora 7/14/88	136 P	Corrosive Solid N.O.S.	D002
		1640 P	Waste Methanol	F003
		1640 P	Waste Isopropanol	D001
		340 P		

August 88'

8/26/88 Yabucoa 60 y³ (spent tar)
8/5/88 Information Magnetic 2 drum of used transformer

September 88'

9/1/88 Yabucoa 35 y³ (spent tar)
9/3/88 Digital 20T (13 shipments of F006)
9/7/88 " " (4 shipments)
9/8/88 " " (3 shipments)
9/13/88 Tolab 55 gal D001
385 gal D002
70 # D002
55 gal D001
55 gal D001
9/14/88 Digital 20T F006
9/15/88 " " "
9/20/88 VSI P.R. 66 # D008

Oct. 88'
no. H.W. received

Nov. 88'

11/30 Digital 20T F006
" "

December 88'

12/1/88 Digital Food (3 Shipments)
12/2/88 " " (6 Shipments)
12/20/88 Information Magnetic 1900 # Waste transformer oil.
D001
12/28/88 Rido Construction 400#/D009 + U151

[illegible]	[illegible]	Waste Water treatment [illegible]	N/A	P1008	N/A	D81	[illegible]
[illegible]	132 y^3	WTP Sludge	N/A	P1747	N/A	D81	132 y^3
[illegible] Seco	70 y^3	WTP Sludge	N/A	P1781	N/A	D81	70 y^3
[illegible] Company	35 y^3	Spent tar	N/A	P1599	N/A	D81	35 y^3
[illegible]	[illegible]	[illegible]	N/A	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	N/A	P1747	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	N/A	P1781	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] Corporation - [illegible]	20 T	Hazardous Waste Solid N.O.S.	F006	P2022	88244	S01	20 T
	[illegible]		F006		88245	[illegible]	
	[illegible]		F006	"	88246	[illegible]	
	[illegible]		F006	"	88247	[illegible]	
			F006	"	88249	[illegible]	
	20 T	"	F006	"	88251	[illegible]	
	20 T	" " "	F006	"	88252	S01	"
	[illegible]	" " "	F006	"	88253	[illegible]	"
	20 T	" " "	F006	"	88254	[illegible]	"
	20 T	" " "	F006	"	88255	S01	"
	20 T	" " "	F006	"	88256	S01	"
	20 T	" " "	F006	"	88257	S01	"
	20 T	" " "	F006	"	88258	S01	"
Aluminio Reynolds [illegible]	2,2006	NON-HAZardous Waste Oil [illegible]	N/A	P1121	N/A	D81	2,2006
[illegible] PR [illegible]	8,000 E	Process Wastewater	N/A	P1057	N/A	D81	8,000 E
Aguirre	88 y^3	WTP Sludge	N/A	P1747	N/A	D81	88 y^3
Palo Seco	35 y^3	WTP Sludge	N/A	P1781	N/A	D81	35 y^3
Aluminio R[illegible]	2,2006	NON-HAZArdous Waste Oil	N/A	P1121	N/A	D81	2,2006
[illegible] Corporation [illegible]	20 T	Hazardous Waste Solid N.O.S.	F006	P2022	88250	S01	20 T
	20 T	" " "	F006		88248	S01	20 T
	20 T	" " "	F006		88259	S01	20 T
	20 T	" "	F006		88260	S01	20 T
[illegible] Corporation [illegible]	[illegible]	" "	F006		88262	S01	20 T
	[illegible]	" "	F006		88263	S01	20 T
	[illegible]	" "	F006		88264	S01	20 T
Palo Seco	80 y^3	WTP Sludge	N/A	P1781	N/A	D81	88 y^3
[illegible]	[illegible]	[illegible]	N/A	P	N/A	D81	192 gal
[illegible]							
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	Culture media	N/A	P1781	N/A	D81	1 DM
		[illegible]	N/A	[illegible]	N/A	D81	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

9/88

9-2-[illegible]	[illegible] Seco	70 yd³	WTP Sludge
9-2-88	[illegible]	5 yd³	[illegible] asbestos
9-3-88	Digital Equipment corporation - Sabana Grande	20 T	Hazardous Waste Solid N.O.S.
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
		20 T	" " "
9-6-88	LATAS de Aluminio Reynolds, Guayama	2,200 L	NON-HAZardous Waste Oil [illegible]
9-6-88	Alberto [illegible] P.R. Int. Naguabo	8000 [illegible]	Process Wastewater
9-6-88	PREPA Aguirre	88 yd³	WTP Sludge
9-6-88	PREPA Palo Seco	35 yd³	WTP Sludge
9-7-88	LATAS de Aluminio Reynolds Guayama	2,200 L	NON-HAZardous Waste Oil
9-7-88	Digital Equipment Corporation - Sabana Grande	20 T	Hazardous waste Solid N.O.S
		20 T	" " "
		20 T	" " "
		20 T	" " "
9-8-88	[illegible] Corporation Sabana Grande	20 T	" " "
		20 T	" " "
		20 T	" " "
9-8-88	PREPA - Palo Seco	88 yd³	WTP Sludge
9-1[illegible]	[illegible]	142 gal	Strawberry Flavor
9-1[illegible]	[illegible]	[illegible]	