Matrix Environmental, Inc.
1880 W. Winchester Rd., Suite 111
Libertyville, Illinois 60048
Phone: 847-367-6835
Fax: 847-367-6845

5 May10 April 2008

Ms. Bhooma Sundar
U.S. Environmental Protection Agency, Region 5
RCRA Enforcement and Compliance Assurance Branch (DE-9J)
77 West Jackson Boulevard
Chicago, Illinois 60604

Re: Central Wire, Union, Illinois Site Progress Report for April 2008

Dear Ms. Sundar:

Enclosed please find the Monthly Progress Report for the Central Wire facility located in Union, Illinois for the month of April 2008.

If you have any comments or questions regarding the progress of this project, please do not hesitate to call me at (847) 367-6835.

Sincerely,

John W. Thorsen

John W. Thorsen, P.E.
Matrix Environmental, Inc.

JWT:sk

Attachment

cc: Gerald W. Ruopp, Central Wire
Henry Lopes, Central Wire
Scott Carr, Central Wire
Steve Hughes, Central Wire
Joyce Munie, IEPA

MONTHLY PROGRESS REPORT
Central Wire Union, Illinois Site
1 April through 30 April 2008

1. **Progress Made This Reporting Period** – This reporting period Central Wire continued the operation and maintenance of the groundwater extraction system.

   As an outcome the meeting between Central Wire and U.S.EPA on March 11, 2008 to discuss actions to be taken as a result of the groundwater contaminant plume apparently moving past the downgradient well nest (DWG-S, DWG-I and DWG-D), Central Wire agreed to collect the semi annual RCRA samples in March 2008 instead of June. At the same time Central Wire collected the regular residential samples and six additional samples, five from residences and one from the South Branch Nursery. None of these sample had chlorinated solvents present in them above the method detection limit or the reporting limit.

   Central Wire continued to respond to USEPA's request to provide an original copy of the financial assurance letter of credit. By April 30, there was a specific request to the Scotia Bank to resend an original copy to Ms. Karen Peaceman at USEPA Region 5.

   Central Wire has also tentatively identified geoprobe locations for a planned 2008 field investigation.

   Central Wire was informed that U.S. EPA and the USGS will be participating in this field investigation and a meeting is tentatively set at Central Wire on April 22, 2008 to discuss the scope and coordinate our respective activities. This was rescheduled to April 29, 2008 and then postponed due to some questions about the grant funding.

2. **Summary of Validated Data and Results** – As a result of the March 11, 2008 meeting with EPA, Central Wire has adjusted the RCRA quarterly monitoring to March and September from June and December. As a result the semi annual RCRA samples were collected in March. The data was validated in April and should be available in May 2008.

3. **Upcoming Events/Activities Planned** – The existing remediation systems will continue to operate as planned.

   The one planned event for an April meeting with Central Wire, U.S.EPA and USGS mentioned above to discuss the scope of the planned 2008 field investigation has been postponed and not yet rescheduled.

4. **Anticipated Problem Areas and Recommended Solutions** – There are no current or anticipated problem areas to be resolved.

5. **Key Personnel Changes** – There have been no personnel changes.

6. **Target and Actual Completion Dates** – This project has not deviated from the project schedule.

Matrix Environmental, Inc.
1880 W. Winchester Rd., Suite 111
Libertyville, Illinois 60048
Phone: 847-367-6835
Fax: 847-367-6845

10 April 2008

Ms. Bhooma Sundar
U.S. Environmental Protection Agency
Region 5
RCRA Enforcement and Compliance Assurance Branch (DE-9J)
77 West Jackson Boulevard
Chicago, Illinois 60604

Re: Central Wire, Union, Illinois Site Progress Report for March 2008

Dear Ms. Sundar:

Enclosed please find the Monthly Progress Report for the Central Wire facility located in Union, Illinois for the month of March 2008.

If you have any comments or questions regarding the progress of this project, please do not hesitate to call me at (847) 367-6835.

Sincerely,

John W. Thorsen

John W. Thorsen, P.E.
Matrix Environmental, Inc.

JWT:sk

Attachment

cc: Gerald W. Ruopp, Central Wire
Henry Lopes, Central Wire
Scott Carr, Central Wire
Steve Hughes, Central Wire
Joyce Munie, IEPA

MONTHLY PROGRESS REPORT
Central Wire Union, Illinois Site
1 March through 31 March 2008

1. **Progress Made This Reporting Period** – This reporting period Central Wire continued the operation and maintenance of the groundwater extraction system.

   Central Wire met with U.S.EPA personnel on March 11, 2008 to discuss actions to be taken as a result of the groundwater contaminant plume apparently moving past the downgradient well nest (DWG-S, DWG-I and DWG-D).

   As noted in the February Progress Report, IEPA conducted an audit of Central Wire's compliance with the IEPA Division of Land Regulations on February 27, 2008. While there were no significant findings, Central Wire has responded to information requests from the auditor.

   Central Wire has also tentatively identified geoprobe locations for a planned 2008 field investigation.

   Central Wire was informed that U.S. EPA and the USGS will be participating in this field investigation and a meeting is tentatively set at Central Wire on April 22, 2008 to discuss the scope and coordinate our respective activities.

   Central Wire has finalized the update of the financial assurance instrument for closure of the facility. An original copy was sent to U.S.EPA Region 5 and copies were sent by email to Ms. Karen Peaceman and Dr. Bhooma Sundar at U.S.EPA Region 5.

2. **Summary of Validated Data and Results** – As a result of the March 11, 2008 meeting with EPA, Central Wire has adjusted the RCRA quarterly monitoring to March and September from June and December. As a result the semi annual RCRA samples were collected in March. The data will be validated in April and should be available for the planned April 22, 2008 meeting.

3. **Upcoming Events/Activities Planned** – The existing remediation systems will continue to operate as planned.

   The one planned event for April is the April 22, 2008 meeting with Central Wire, U.S.EPA and USGS mentioned above to discuss the scope of the planned 2008 field investigation.

4. **Anticipated Problem Areas and Recommended Solutions** – There are no current or anticipated problem areas to be resolved.

5. **Key Personnel Changes** – There have been no personnel changes.

6. **Target and Actual Completion Dates** – This project has not deviated from the project schedule.

1317 South 13th Avenue P.O. Box 479 Kelso, Washington 98626 (360) 577-7222 (360) 636-1068 fax

Columbia Analytical Services INC.
An Employee - Owned Company

February 25, 2008 Analytical Report for Service Request No: K0801360

Michael Richardson
Conestoga-Rovers & Associates, Incorporated
6520 Corporate Drive
Indianapolis, IN 46278

RECEIVED
MAR 0 4 2008
CRA INC.
INDIANAPOLIS

RE: RMC-Attica, IN/19190

Dear Michael:

Enclosed are the results of the rush samples submitted to our laboratory on February 15, 2008. For your reference, these analyses have been assigned our service request number K0801360.

All analyses were performed according to our laboratory's quality assurance program. Where applicable, the methods cited conform to the Methods Update Rule (effective 4/11/2007), which relates to the use of analytical methods for the drinking water and waste water programs. The test results meet requirements of the NELAC standards. Exceptions are noted in the case narrative report where applicable. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 3376. You may also contact me via Email at GSalata@caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Gregory Salata, Ph.D.
Project Chemist

VALIDATED DATA
Project # 019190
Lab Report # K0801360
Initials MLR
Date 3/17/08

GS/ln

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

ATTACHMENT A

CITY WATER ANALYTICAL REPORTS

Non-responsive

Non-responsive

ATTACHMENT B

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*
Sample ID:		*IA-042006-MG-001*	*IA-120606-MG-002*	*IA-022307-MG-001*	*IA-041807-MG-001*	*IA-041807-MG-003*
Sample Date:		*4/20/2006*	*12/6/2006*	*2/23/2007*	*4/18/2007*	*4/18/2007*
						Duplicate
Parameters	*Units*					
Volatile Organic Compounds						
1,1,1-Trichloroethane	ug/m3	ND (1.1)	ND (0.11)	0.11	ND (0.11)	ND (0.11)
1,1,2,2-Tetrachloroethane	ug/m3	ND (1.4)	-	-	-	-
1,1,2-Trichloroethane	ug/m3	ND (1.1)	ND (0.098)	ND (0.098)	ND (0.098)	ND (0.098)
1,1-Dichloroethane	ug/m3	ND (0.81)	ND (0.020)	ND (0.020)	ND (0.020)	ND (0.020)
1,1-Dichloroethene	ug/m3	ND (0.79)	ND (0.040)	ND (0.040)	ND (0.040)	ND (0.040)
1,2,4-Trichlorobenzene	ug/m3	ND (7.4)	-	-	-	-
1,2,4-Trimethylbenzene	ug/m3	ND (0.98)	-	-	-	-
1,2-Dibromoethane (Ethylene Dibromide)	ug/m3	ND (1.5)	-	-	-	-
1,2-Dichlorobenzene	ug/m3	ND (1.2)	-	-	-	-
1,2-Dichloroethane	ug/m3	ND (0.81) UJ	0.12	0.12	0.092	0.088
1,2-Dichloropropane	ug/m3	ND (0.92)	-	-	-	-
1,2-Dichlorotetrafluoroethane (CFC 114)	ug/m3	ND (1.4)	-	-	-	-
1,3,5-Trimethylbenzene	ug/m3	ND (0.98)	-	-	-	-
1,3-Dichlorobenzene	ug/m3	ND (1.2)	-	-	-	-
1,4-Dichlorobenzene	ug/m3	ND (1.2)	-	-	-	-
2-Butanone (Methyl Ethyl Ketone)	ug/m3	-	-	-	-	-
2-Hexanone	ug/m3	-	-	-	-	-
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/m3	-	-	-	-	-
Acetone	ug/m3	-	-	-	-	-
Benzene	ug/m3	1.5	5.7	7.1	8.5	8.5
Benzyl Chloride	ug/m3	ND (1.0)	-	-	-	-
Bromodichloromethane	ug/m3	-	-	-	-	-
Bromoform	ug/m3	-	-	-	-	-
Bromomethane (Methyl Bromide)	ug/m3	ND (0.78)	-	-	-	-
Carbon disulfide	ug/m3	-	-	-	-	-
Carbon tetrachloride	ug/m3	ND (1.3)	-	-	-	-
Chlorobenzene	ug/m3	ND (0.92)	-	-	-	-
Chloroethane	ug/m3	ND (0.53)	-	-	-	-
Chloroform (Trichloromethane)	ug/m3	ND (0.98)	0.13	0.089	0.12	0.11
Chloromethane (Methyl Chloride)	ug/m3	1.4	-	-	-	-
cis-1,2-Dichloroethene	ug/m3	ND (0.79)	0.67	0.72	1.2	1.2
cis-1,3-Dichloropropene	ug/m3	ND (0.91)	-	-	-	-
Dibromochloromethane	ug/m3	-	-	-	-	-
Dichlorodifluoromethane (CFC-12)	ug/m3	2.1	-	-	-	-
Ethylbenzene	ug/m3	ND (0.87)	-	-	-	-

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*
Sample ID:		*IA-042006-MG-001*	*IA-120606-MG-002*	*IA-022307-MG-001*	*IA-041807-MG-001*	*IA-041807-MG-003*
Sample Date:		*4/20/2006*	*12/6/2006*	*2/23/2007*	*4/18/2007*	*4/18/2007*
						Duplicate
Parameters	*Units*					
Hexachlorobutadiene	ug/m3	ND (11)	-	-	-	-
m&p-Xylene	ug/m3	ND (0.87)	-	-	-	-
Methyl Tert Butyl Ether	ug/m3	-	-	-	-	-
Methylene chloride	ug/m3	ND (1.7)	ND (0.42)	0.43	ND (0.42)	ND (0.42)
o-Xylene	ug/m3	ND (0.87)	-	-	-	-
Styrene	ug/m3	ND (0.85)	-	-	-	-
Tetrachloroethene	ug/m3	2.9	1.9	1.3	4.7	4.9
Toluene	ug/m3	2.8	-	-	-	-
trans-1,2-Dichloroethene	ug/m3	-	ND (0.055)	ND (0.055)	ND (0.055)	ND (0.055)
trans-1,3-Dichloropropene	ug/m3	ND (0.91)	-	-	-	-
Trichloroethene	ug/m3	15	16	11	34	34
Trichlorofluoromethane (CFC-11)	ug/m3	2.1	-	-	-	-
Trifluorotrichloroethane (Freon 113)	ug/m3	ND (1.5)	-	-	-	-
Vinyl acetate	ug/m3	-	-	-	-	-
Vinyl chloride	ug/m3	ND (0.51)	0.016	0.026	ND (0.013)	ND (0.013)

Notes
- Not analyzed

ATTACHMENT B

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*
Sample ID:		*IA-062007-MG-001*	*IA-062007-MG-002*	*IA-121207-MG-001*	*IA-121207-MG-002*	*IA-022108-MG-001*
Sample Date:		*6/20/2007*	*6/20/2007*	*12/12/2007*	*12/12/2007*	*2/21/2008*
Parameters	*Units*					
Volatile Organic Compounds						
1,1,1-Trichloroethane	ug/m3	ND (0.11)	ND (0.11)	ND (0.11)	ND (0.11)	ND (0.11)
1,1,2,2-Tetrachloroethane	ug/m3	-	-	-	-	-
1,1,2-Trichloroethane	ug/m3	ND (0.098)	ND (0.098)	ND (0.098)	ND (0.098)	ND (0.098)
1,1-Dichloroethane	ug/m3	ND (0.020)	ND (0.020)	ND (0.020)	ND (0.020)	ND (0.020)
1,1-Dichloroethene	ug/m3	ND (0.040)	ND (0.040)	ND (0.040)	ND (0.040)	ND (0.040)
1,2,4-Trichlorobenzene	ug/m3	-	-	-	-	-
1,2,4-Trimethylbenzene	ug/m3	-	-	-	-	-
1,2-Dibromoethane (Ethylene Dibromide)	ug/m3	-	-	-	-	-
1,2-Dichlorobenzene	ug/m3	-	-	-	-	-
1,2-Dichloroethane	ug/m3	0.13	0.11	0.11	0.10	0.094
1,2-Dichloropropane	ug/m3	-	-	-	-	-
1,2-Dichlorotetrafluoroethane (CFC 114)	ug/m3	-	-	-	-	-
1,3,5-Trimethylbenzene	ug/m3	-	-	-	-	-
1,3-Dichlorobenzene	ug/m3	-	-	-	-	-
1,4-Dichlorobenzene	ug/m3	-	-	-	-	-
2-Butanone (Methyl Ethyl Ketone)	ug/m3	-	-	-	-	-
2-Hexanone	ug/m3	-	-	-	-	-
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/m3	-	-	-	-	-
Acetone	ug/m3	-	-	-	-	-
Benzene	ug/m3	6.8	6.1	8.9	8.6	4.0
Benzyl Chloride	ug/m3	-	-	-	-	-
Bromodichloromethane	ug/m3	-	-	-	-	-
Bromoform	ug/m3	-	-	-	-	-
Bromomethane (Methyl Bromide)	ug/m3	-	-	-	-	-
Carbon disulfide	ug/m3	-	-	-	-	-
Carbon tetrachloride	ug/m3	-	-	-	-	-
Chlorobenzene	ug/m3	-	-	-	-	-
Chloroethane	ug/m3	-	-	-	-	-
Chloroform (Trichloromethane)	ug/m3	0.16	0.14	0.11	0.11	0.13
Chloromethane (Methyl Chloride)	ug/m3	-	-	-	-	-
cis-1,2-Dichloroethene	ug/m3	1.0	0.93	0.61	0.62	1.0
cis-1,3-Dichloropropene	ug/m3	-	-	-	-	-
Dibromochloromethane	ug/m3	-	-	-	-	-
Dichlorodifluoromethane (CFC-12)	ug/m3	-	-	-	-	-
Ethylbenzene	ug/m3	-	-	-	-	-

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*
Sample ID:		*IA-062007-MG-001*	*IA-062007-MG-002*	*IA-121207-MG-001*	*IA-121207-MG-002*	*IA-022108-MG-001*
Sample Date:		*6/20/2007*	*6/20/2007*	*12/12/2007*	*12/12/2007*	*2/21/2008*
Parameters	*Units*					
Hexachlorobutadiene	ug/m3	-	-	-	-	-
m&p-Xylene	ug/m3	-	-	-	-	-
Methyl Tert Butyl Ether	ug/m3	-	-	-	-	-
Methylene chloride	ug/m3	ND (0.42)	ND (0.42)	0.42	0.45	0.93 J
o-Xylene	ug/m3	-	-	-	-	-
Styrene	ug/m3	-	-	-	-	-
Tetrachloroethene	ug/m3	3.0	3.5	3.3	3.2	31
Toluene	ug/m3	-	-	-	-	-
trans-1,2-Dichloroethene	ug/m3	ND (0.055)	ND (0.055)	ND (0.055)	ND (0.055)	ND (0.055)
trans-1,3-Dichloropropene	ug/m3	-	-	-	-	-
Trichloroethene	ug/m3	11	11	18	17	12
Trichlorofluoromethane (CFC-11)	ug/m3	-	-	-	-	-
Trifluorotrichloroethane (Freon 113)	ug/m3	-	-	-	-	-
Vinyl acetate	ug/m3	-	-	-	-	-
Vinyl chloride	ug/m3	0.019	0.019	ND (0.013)	ND (0.013)	0.013

Notes
- Not analyzed

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Basement - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*
Sample ID:		*IA-022108-MG-002*	*IA-121605-MG-001*	*IA-020906-MG-002*	*IA-042006-MG-002*	*IA-120606-MG-001*
Sample Date:		*2/21/2008*	*12/16/2005*	*2/9/2006*	*4/20/2006*	*12/6/2006*
Parameters	*Units*					
Volatile Organic Compounds						
1,1,1-Trichloroethane	ug/m3	ND (0.11)	ND (1.5)	ND (1.1)	ND (1.1)	0.11
1,1,2,2-Tetrachloroethane	ug/m3	-	ND (1.9)	ND (1.4)	ND (1.4)	-
1,1,2-Trichloroethane	ug/m3	ND (0.098)	ND (1.5)	ND (1.1)	ND (1.1)	ND (0.098)
1,1-Dichloroethane	ug/m3	ND (0.020)	ND (1.1)	ND (0.81)	ND (0.81)	ND (0.020)
1,1-Dichloroethene	ug/m3	ND (0.040)	ND (1.1)	ND (0.79)	ND (0.79)	ND (0.040)
1,2,4-Trichlorobenzene	ug/m3	-	ND (10)	ND (7.4)	ND (7.4)	-
1,2,4-Trimethylbenzene	ug/m3	-	ND (1.4)	ND (0.98)	2.9	-
1,2-Dibromoethane (Ethylene Dibromide)	ug/m3	-	ND (2.2)	ND (1.5)	ND (1.5)	-
1,2-Dichlorobenzene	ug/m3	-	ND (1.7)	ND (1.2)	ND (1.2)	-
1,2-Dichloroethane	ug/m3	0.071	ND (1.1)	ND (0.81)	ND (0.81) UJ	0.18
1,2-Dichloropropane	ug/m3	-	ND (1.3)	ND (0.92)	ND (0.92)	-
1,2-Dichlorotetrafluoroethane (CFC 114)	ug/m3	-	ND (2)	ND (1.4)	ND (1.4)	-
1,3,5-Trimethylbenzene	ug/m3	-	ND (1.4)	ND (0.98)	ND (0.98)	-
1,3-Dichlorobenzene	ug/m3	-	ND (1.7)	ND (1.2)	ND (1.2)	-
1,4-Dichlorobenzene	ug/m3	-	ND (1.7)	ND (1.2)	ND (1.2)	-
2-Butanone (Methyl Ethyl Ketone)	ug/m3	-	-	-	-	-
2-Hexanone	ug/m3	-	-	-	-	-
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/m3	-	-	-	-	-
Acetone	ug/m3	-	-	-	-	-
Benzene	ug/m3	3.1	ND (0.89)	ND (0.64)	2.2	12
Benzyl Chloride	ug/m3	-	ND (1.4)	ND (1)	ND (1.0)	-
Bromodichloromethane	ug/m3	-	-	-	-	-
Bromoform	ug/m3	-	-	-	-	-
Bromomethane (Methyl Bromide)	ug/m3	-	ND (1.1)	ND (0.78)	ND (0.78)	-
Carbon disulfide	ug/m3	-	-	-	-	-
Carbon tetrachloride	ug/m3	-	ND (1.8)	ND (1.3)	ND (1.3)	-
Chlorobenzene	ug/m3	-	ND (1.3)	ND (0.92)	ND (0.92)	-
Chloroethane	ug/m3	-	ND (0.74)	ND (0.53)	ND (0.53)	-
Chloroform (Trichloromethane)	ug/m3	0.083	ND (1.4)	ND (0.98)	ND (0.98)	0.18
Chloromethane (Methyl Chloride)	ug/m3	-	ND (1.4)	ND (1)	1.7	-
cis-1,2-Dichloroethene	ug/m3	1.0	ND (1.1)	ND (0.79)	ND (0.79)	0.79
cis-1,3-Dichloropropene	ug/m3	-	ND (1.3)	ND (0.91)	ND (0.91)	-
Dibromochloromethane	ug/m3	-	-	-	-	-
Dichlorodifluoromethane (CFC-12)	ug/m3	-	2.4	2.1	2.3	-
Ethylbenzene	ug/m3	-	ND (1.2)	ND (0.87)	1.6	-

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Basement - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*
Sample ID:		*IA-022108-MG-002*	*IA-121605-MG-001*	*IA-020906-MG-002*	*IA-042006-MG-002*	*IA-120606-MG-001*
Sample Date:		*2/21/2008*	*12/16/2005*	*2/9/2006*	*4/20/2006*	*12/6/2006*
Parameters	*Units*					
Hexachlorobutadiene	ug/m3	-	ND (15)	ND (11)	ND (11)	-
m&p-Xylene	ug/m3	-	ND (1.2)	ND (0.87)	4.5	-
Methyl Tert Butyl Ether	ug/m3	-	-	-	-	-
Methylene chloride	ug/m3	ND (0.42) UJ	ND (2.4)	ND (1.7)	ND (1.7)	ND (0.42)
o-Xylene	ug/m3	-	ND (1.2)	ND (0.87)	1.9	-
Styrene	ug/m3	-	ND (1.2)	ND (0.85)	ND (0.85)	-
Tetrachloroethene	ug/m3	35	ND (1.9)	ND (1.4)	2.5	1.9
Toluene	ug/m3	-	1.1	0.83	11	-
trans-1,2-Dichloroethene	ug/m3	ND (0.055)	-	-	-	ND (0.055)
trans-1,3-Dichloropropene	ug/m3	-	ND (1.3)	ND (0.91)	ND (0.91)	-
Trichloroethene	ug/m3	13	ND (1.5)	5.8	4.8	15
Trichlorofluoromethane (CFC-11)	ug/m3	-	ND (1.6)	ND (1.1)	2.6	-
Trifluorotrichloroethane (Freon 113)	ug/m3	-	ND (2.1)	ND (1.5)	ND (1.5)	-
Vinyl acetate	ug/m3	-	-	-	-	-
Vinyl chloride	ug/m3	0.016	ND (0.72)	ND (0.51)	ND (0.51)	0.019

Notes
- Not analyzed

ATTACHMENT B

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*
Sample ID:		*IA-022307-MG-002*	*IA-041807-MG-002*	*IA-062007-MG-003*	*IA-121207-MG-003*	*IA-022108-MG-003*
Sample Date:		*2/23/2007*	*4/18/2007*	*6/20/2007*	*12/12/2007*	*2/21/2008*
Parameters	*Units*					
Volatile Organic Compounds						
1,1,1-Trichloroethane	ug/m3	0.12	0.13	0.11	ND (0.11)	ND (0.11)
1,1,2,2-Tetrachloroethane	ug/m3	-	-	-	-	-
1,1,2-Trichloroethane	ug/m3	ND (0.098)	ND (0.098)	ND (0.098)	ND (0.098)	ND (0.098)
1,1-Dichloroethane	ug/m3	ND (0.020)	ND (0.020)	ND (0.020)	ND (0.020)	ND (0.020)
1,1-Dichloroethene	ug/m3	ND (0.040)	ND (0.040)	ND (0.040)	ND (0.040)	ND (0.040)
1,2,4-Trichlorobenzene	ug/m3	-	-	-	-	-
1,2,4-Trimethylbenzene	ug/m3	-	-	-	-	-
1,2-Dibromoethane (Ethylene Dibromide)	ug/m3	-	-	-	-	-
1,2-Dichlorobenzene	ug/m3	-	-	-	-	-
1,2-Dichloroethane	ug/m3	0.17	0.16	0.19	0.13	0.091
1,2-Dichloropropane	ug/m3	-	-	-	-	-
1,2-Dichlorotetrafluoroethane (CFC 114)	ug/m3	-	-	-	-	-
1,3,5-Trimethylbenzene	ug/m3	-	-	-	-	-
1,3-Dichlorobenzene	ug/m3	-	-	-	-	-
1,4-Dichlorobenzene	ug/m3	-	-	-	-	-
2-Butanone (Methyl Ethyl Ketone)	ug/m3	-	-	-	-	-
2-Hexanone	ug/m3	-	-	-	-	-
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/m3	-	-	-	-	-
Acetone	ug/m3	-	-	-	-	-
Benzene	ug/m3	13	14	10	16	5.5
Benzyl Chloride	ug/m3	-	-	-	-	-
Bromodichloromethane	ug/m3	-	-	-	-	-
Bromoform	ug/m3	-	-	-	-	-
Bromomethane (Methyl Bromide)	ug/m3	-	-	-	-	-
Carbon disulfide	ug/m3	-	-	-	-	-
Carbon tetrachloride	ug/m3	-	-	-	-	-
Chlorobenzene	ug/m3	-	-	-	-	-
Chloroethane	ug/m3	-	-	-	-	-
Chloroform (Trichloromethane)	ug/m3	0.088	0.16	0.17	0.12	0.088
Chloromethane (Methyl Chloride)	ug/m3	-	-	-	-	-
cis-1,2-Dichloroethene	ug/m3	0.87	0.68	1.0	0.64	1.0
cis-1,3-Dichloropropene	ug/m3	-	-	-	-	-
Dibromochloromethane	ug/m3	-	-	-	-	-
Dichlorodifluoromethane (CFC-12)	ug/m3	-	-	-	-	-
Ethylbenzene	ug/m3	-	-	-	-	-

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*	*Main level - 1009 Reimer St*
Sample ID:		*IA-022307-MG-002*	*IA-041807-MG-002*	*IA-062007-MG-003*	*IA-121207-MG-003*	*IA-022108-MG-003*
Sample Date:		*2/23/2007*	*4/18/2007*	*6/20/2007*	*12/12/2007*	*2/21/2008*
Parameters	*Units*					
Hexachlorobutadiene	ug/m3	-	-	-	-	-
m&p-Xylene	ug/m3	-	-	-	-	-
Methyl Tert Butyl Ether	ug/m3	-	-	-	-	-
Methylene chloride	ug/m3	0.55	0.71	0.47	0.43	ND (0.42)
o-Xylene	ug/m3	-	-	-	-	-
Styrene	ug/m3	-	-	-	-	-
Tetrachloroethene	ug/m3	1.0	1.4	3.5	2.2	22
Toluene	ug/m3	-	-	-	-	-
trans-1,2-Dichloroethene	ug/m3	ND (0.055)	ND (0.055)	ND (0.055)	ND (0.055)	ND (0.055)
trans-1,3-Dichloropropene	ug/m3	-	-	-	-	-
Trichloroethene	ug/m3	6.7	5.5	7.7	13	11
Trichlorofluoromethane (CFC-11)	ug/m3	-	-	-	-	-
Trifluorotrichloroethane (Freon 113)	ug/m3	-	-	-	-	-
Vinyl acetate	ug/m3	-	-	-	-	-
Vinyl chloride	ug/m3	0.018	ND (0.013)	0.019	ND (0.013)	0.015

Notes
- Not analyzed

ATTACHMENT C

JANUARY 2008 GROUNDWATER ANALYTICAL DATA

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-01*	*BW-02*	*BW-02*	*BW-03*	*BW-04*	*BW-05*	*BW-06*
Sample ID:		*GW-013008-NH-052*	*GW-012908-NH-048*	*GW-012908-NH-050*	*GW-012808-NH-043*	*GW-013008-NH-059*	*GW-012808-NH-033*	*GW-013008-NH-057*
Sample Date:		*1/30/2008*	*1/29/2008*	*1/29/2008*	*1/28/2008*	*1/30/2008*	*1/28/2008*	*1/30/2008*
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	0.64	ND (0.50)	ND (0.50)	0.23	2.4
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-01*	*BW-02*	*BW-02*	*BW-03*	*BW-04*	*BW-05*	*BW-06*
Sample ID:		*GW-013008-NH-052*	*GW-012908-NH-048*	*GW-012908-NH-050*	*GW-012808-NH-043*	*GW-013008-NH-059*	*GW-012808-NH-033*	*GW-013008-NH-057*
Sample Date:		*1/30/2008*	*1/29/2008*	*1/29/2008*	*1/28/2008*	*1/30/2008*	*1/28/2008*	*1/30/2008*
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
cis-1,2-Dichloroethene	ug/L	ND (0.50)	0.67	110	ND (0.50)	ND (0.50)	59	1000
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)
Tetrachloroethene	ug/L	0.19	ND (0.50)	ND (0.50)	0.14	0.22	0.13	2.1
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
trans-1,2-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	5.2	ND (0.50)	ND (0.50)	0.60	7.7
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Trichloroethene	ug/L	ND (0.50)	13	9.4	ND (0.50)	0.29	14	44
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	5.2	ND (0.50)	ND (0.50)	0.96	130
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes
J - Estimated concentration
- Not analyzed

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-07*	*BW-07A*	*BW-08*	*BW-09*	*BW-10*	*BW-11*	*BW-14*
Sample ID:		*GW-012908-NH-046*	*GW-012908-NH-047*	*GW-012308-NH-022*	*GW-013008-NH-053*	*GW-012508-NH-040*	*GW-013108-NH-062*	*GW-013108-NH-063*
Sample Date:		*1/29/2008*	*1/29/2008*	*1/23/2008*	*1/30/2008*	*1/25/2008*	*1/31/2008*	*1/31/2008*
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,1-Dichloroethene	ug/L	ND (0.50)	0.15	ND (0.50)	5.3	0.29	0.87	5.9
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	0.90	ND (2.0)	ND (2.0)	ND (10)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)	ND (20)	ND (100)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)	ND (20)	ND (100)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)	ND (20)	ND (100)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)	ND (20)	ND (100)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Carbon disulfide	ug/L	1.9	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-07*	*BW-07A*	*BW-08*	*BW-09*	*BW-10*	*BW-11*	*BW-14*
Sample ID:		*GW-012908-NH-046*	*GW-012908-NH-047*	*GW-012308-NH-022*	*GW-013008-NH-053*	*GW-012508-NH-040*	*GW-013108-NH-062*	*GW-013108-NH-063*
Sample Date:		*1/29/2008*	*1/29/2008*	*1/23/2008*	*1/30/2008*	*1/25/2008*	*1/31/2008*	*1/31/2008*
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
cis-1,2-Dichloroethene	ug/L	7.8	44	ND (0.50)	2200	58	160	1400
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Methylene chloride	ug/L	0.22	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)	ND (2.0)	ND (10)
Tetrachloroethene	ug/L	0.86	ND (0.50)	0.20	900	0.19	1.1	ND (2.5)
Toluene	ug/L	0.62	ND (0.50)	ND (0.50)	0.55	ND (0.50)	ND (0.50)	ND (2.5)
trans-1,2-Dichloroethene	ug/L	0.75	1.2	ND (0.50)	4.7	3.1	5.0	46
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Trichloroethene	ug/L	0.15	ND (0.50)	ND (0.50)	1300	2.1	57	350
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)	ND (0.50)	ND (2.5)
Vinyl chloride	ug/L	2.3	16	ND (0.50)	73	4.5	12	130
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes

J - Estimated concentration

- Not analyzed

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-15*	*BW-16*	*BW-17*	*BW-18*	*BW-18A*	*BW-19*	*BW-20*
Sample ID:		*GW-012408-NH-028*	*GW-012408-NH-026*	*GW-012208-NH-005*	*GW-012308-NH-019*	*GW-012408-NH-021*	*GW-012508-NH-034*	*GW-012408-NH-032*
Sample Date:		*1/24/2008*	*1/24/2008*	*1/22/2008*	*1/23/2008*	*1/24/2008*	*1/25/2008*	*1/24/2008*
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	0.19	ND (0.50)	ND (0.50)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-15*	*BW-16*	*BW-17*	*BW-18*	*BW-18A*	*BW-19*	*BW-20*
Sample ID:		*GW-012408-NH-028*	*GW-012408-NH-026*	*GW-012208-NH-005*	*GW-012308-NH-019*	*GW-012408-NH-021*	*GW-012508-NH-034*	*GW-012408-NH-032*
Sample Date:		*1/24/2008*	*1/24/2008*	*1/22/2008*	*1/23/2008*	*1/24/2008*	*1/25/2008*	*1/24/2008*
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	ND (0.50)	0.15	ND (0.50)	0.50	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Tetrachloroethene	ug/L	ND (0.50)	0.64	0.17	0.27	0.59	0.19	0.26
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	0.35	ND (0.50)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Trichloroethene	ug/L	ND (0.50)	0.47	ND (0.50)	1.7	0.14	ND (0.50)	0.25
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes
J - Estimated concentration
- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-23*	*OB-01*	*OB-01*	*OB-02*	*OB-08*	*OB-08*	*OB-09*
Sample ID:		*GW-012808-NH-035*	*GW-013008-NH-054*	*GW-013008-NH-055*	*GW-013008-NH-056*	*GW-013108-NH-060*	*GW-013108-NH-064*	*GW-012808-NH-044*
Sample Date:		*1/28/2008*	*1/30/2008*	*1/30/2008*	*1/30/2008*	*1/31/2008*	*1/31/2008*	*1/28/2008*
				Duplicate				
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	0.14	4.3	ND (0.50)
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (500)	ND (20)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (500)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (500)	ND (20)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (500)	ND (20)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*BW-23*	*OB-01*	*OB-01*	*OB-02*	*OB-08*	*OB-08*	*OB-09*
Sample ID:		*GW-012808-NH-035*	*GW-013008-NH-054*	*GW-013008-NH-055*	*GW-013008-NH-056*	*GW-013108-NH-060*	*GW-013108-NH-064*	*GW-012808-NH-044*
Sample Date:		*1/28/2008*	*1/30/2008*	*1/30/2008*	*1/30/2008*	*1/31/2008*	*1/31/2008*	*1/28/2008*
				Duplicate				
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	ND (0.50)	0.42	0.44	10	25	2000	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (50)	ND (2.0)
Tetrachloroethene	ug/L	0.39	0.21	0.30	11	ND (0.50)	360	3.1
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	0.59	1.1	31	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Trichloroethene	ug/L	0.86	29	26	69	2.9	9700	1.0
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (13)	ND (0.50)
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	1.4	ND (13)	ND (0.50)
Metals								
Chromium Total	ug/L	-	1.77	1.72	79.3	-	2.22	-
Lead	ug/L	-	0.38	0.391	2.8	-	0.635	-

Notes

J - Estimated concentration

- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-11*	*OB-14*	*OB-16*	*OB-16*	*OB-18*	*OB-19*	*OB-25*
Sample ID:		*GW-012808-NH-045*	*GW-012508-NH-038*	*GW-012808-NH-041*	*GW-012808-NH-042*	*GW-012208-NH-006*	*GW-012208-NH-008*	*GW-012308-NH-016*
Sample Date:		*1/28/2008*	*1/25/2008*	*1/28/2008*	*1/28/2008*	*1/22/2008*	*1/22/2008*	*1/23/2008*
					Duplicate			
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (100)	ND (20)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-11*	*OB-14*	*OB-16*	*OB-16*	*OB-18*	*OB-19*	*OB-25*
Sample ID:		*GW-012808-NH-045*	*GW-012508-NH-038*	*GW-012808-NH-041*	*GW-012808-NH-042*	*GW-012208-NH-006*	*GW-012208-NH-008*	*GW-012308-NH-016*
Sample Date:		*1/28/2008*	*1/25/2008*	*1/28/2008*	*1/28/2008*	*1/22/2008*	*1/22/2008*	*1/23/2008*
					Duplicate			
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	2.0	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	250	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (10)	ND (2.0)
Tetrachloroethene	ug/L	2.9	0.28	0.13	0.14	0.55	1700	17
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	1.7	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Trichloroethene	ug/L	2.1	5.8	ND (0.50)	ND (0.50)	ND (0.50)	1400	4.5
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	0.92
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (2.5)	ND (0.50)
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes

J - Estimated concentration

- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-27*	*OB-28*	*OB-30*	*OB-31*	*OB-31*	*OB-32*	*OB-33*
Sample ID:		*GW-012308-NH-020*	*GW-012208-NH-014*	*GW-012208-NH-010*	*GW-012208-NH-012*	*GW-012208-NH-013*	*GW-012208-NH-001*	*GW-012908-NH-051*
Sample Date:		*1/23/2008*	*1/22/2008*	*1/22/2008*	*1/22/2008*	*1/22/2008*	*1/22/2008*	*1/29/2008*
						Duplicate		
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-27*	*OB-28*	*OB-30*	*OB-31*	*OB-31*	*OB-32*	*OB-33*
Sample ID:		*GW-012308-NH-020*	*GW-012208-NH-014*	*GW-012208-NH-010*	*GW-012208-NH-012*	*GW-012208-NH-013*	*GW-012208-NH-001*	*GW-012908-NH-051*
Sample Date:		*1/23/2008*	*1/22/2008*	*1/22/2008*	*1/22/2008*	*1/22/2008*	*1/22/2008*	*1/29/2008*
						Duplicate		
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	0.19	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	27	6.7	8.5	11	12	2.3	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Tetrachloroethene	ug/L	230	170	11	18	19	30	0.23
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	0.22	ND (0.50)	ND (0.50)	0.15	0.16	ND (0.50)	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Trichloroethene	ug/L	120	36	17	16	17	29	7.9
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes

J - Estimated concentration

- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-34*	*OB-36*	*OB-37*	*OB-38*	*OB-39*	*OB-40*	*OB-43D*
Sample ID:		*GW-013008-NH-061*	*GW-012208-NH-003*	*GW-012208-NH-002*	*GW-012308-NH-018*	*GW-012408-NH-030*	*GW-012208-NH-004*	*GW-012508-NH-029*
Sample Date:		*1/30/2008*	*1/22/2008*	*1/22/2008*	*1/23/2008*	*1/24/2008*	*1/22/2008*	*1/25/2008*
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloropropene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (200)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Chlorotoluene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
2-Hexanone	ug/L	ND (200)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Chlorotoluene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (200)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Acetone	ug/L	ND (200)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Benzene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromobenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Bromodichloromethane	ug/L	ND (5.0)	0.38	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromoform	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon disulfide	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon tetrachloride	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-34*	*OB-36*	*OB-37*	*OB-38*	*OB-39*	*OB-40*	*OB-43D*
Sample ID:		*GW-013008-NH-061*	*GW-012208-NH-003*	*GW-012208-NH-002*	*GW-012308-NH-018*	*GW-012408-NH-030*	*GW-012208-NH-004*	*GW-012508-NH-029*
Sample Date:		*1/30/2008*	*1/22/2008*	*1/22/2008*	*1/23/2008*	*1/24/2008*	*1/22/2008*	*1/25/2008*
Parameters	*Units*							
Chlorobenzene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chlorobromomethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (5.0)	0.46	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	250	5.4	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Dibromochloromethane	ug/L	ND (5.0)	0.12	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dibromomethane	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Ethylbenzene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Isopropylbenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
m&p-Xylene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methylene chloride	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Naphthalene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Butylbenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Propylbenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
o-Xylene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Styrene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
tert-Butylbenzene	ug/L	ND (20)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Tetrachloroethene	ug/L	140	84	0.69	0.35	0.23	0.30	0.31
Toluene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	8.0	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Trichloroethene	ug/L	4400	20	1.0	ND (0.50)	1.2	ND (0.50)	10
Trichlorofluoromethane (CFC-11)	ug/L	ND (5.0)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Vinyl chloride	ug/L	6.3	ND (0.50)	ND (0.50)	18	ND (0.50)	ND (0.50)	ND (0.50)
Metals								
Chromium Total	ug/L	-	-	-	-	1.06	-	-
Lead	ug/L	-	-	-	-	1.04	-	-

Notes

J - Estimated concentration

- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-43S*	*OB-44*	*OB-45D*	*OB-45S*	*OB-46D*	*OB-47D*	*OB-47S*
Sample ID:		*GW-012408-NH-027*	*GW-012908-NH-039*	*GW-012508-NH-031*	*GW-012508-NH-036*	*GW-012208-NH-009*	*GW-012408-NH-023*	*GW-012408-NH-025*
Sample Date:		*1/24/2008*	*1/29/2008*	*1/25/2008*	*1/25/2008*	*1/22/2008*	*1/24/2008*	*1/24/2008*
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	0.22
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Bromodichloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	0.68

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-43S*	*OB-44*	*OB-45D*	*OB-45S*	*OB-46D*	*OB-47D*	*OB-47S*
Sample ID:		*GW-012408-NH-027*	*GW-012908-NH-039*	*GW-012508-NH-031*	*GW-012508-NH-036*	*GW-012208-NH-009*	*GW-012408-NH-023*	*GW-012408-NH-025*
Sample Date:		*1/24/2008*	*1/29/2008*	*1/25/2008*	*1/25/2008*	*1/22/2008*	*1/24/2008*	*1/24/2008*
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	0.47	28	ND (0.50)	ND (0.50)	ND (0.50)	0.12	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Dibromochloromethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Tetrachloroethene	ug/L	2.4	25	0.30	0.28	0.25	0.25	0.30
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	ND (0.50)	0.22	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Trichloroethene	ug/L	5.0	46	4.9	9.4	1.7	4.4	ND (0.50)
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes

J - Estimated concentration

- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-48D*	*OB-48S*	*OB-49*	*OB-50*	*OB-51*	*OB-53*	*OB-54*
Sample ID:		*GW-012308-NH-011*	*GW-012308-NH-015*	*GW-012208-NH-007*	*GW-012908-NH-037*	*GW-012908-NH-049*	*GW-012308-NH-017*	*GW-013008-NH-058*
Sample Date:		*1/23/2008*	*1/23/2008*	*1/22/2008*	*1/29/2008*	*1/29/2008*	*1/23/2008*	*1/30/2008*
Parameters	*Units*							
Volatile Organic Compounds								
1,1,1,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
2-Hexanone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Chlorotoluene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Acetone	ug/L	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)
Benzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromobenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Bromodichloromethane	ug/L	ND (0.50)	0.82	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromoform	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon disulfide	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Carbon tetrachloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*OB-48D*	*OB-48S*	*OB-49*	*OB-50*	*OB-51*	*OB-53*	*OB-54*
Sample ID:		*GW-012308-NH-011*	*GW-012308-NH-015*	*GW-012208-NH-007*	*GW-012908-NH-037*	*GW-012908-NH-049*	*GW-012308-NH-017*	*GW-013008-NH-058*
Sample Date:		*1/23/2008*	*1/23/2008*	*1/22/2008*	*1/29/2008*	*1/29/2008*	*1/23/2008*	*1/30/2008*
Parameters	*Units*							
Chlorobenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chlorobromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (0.50)	1.1	ND (0.50)	ND (0.50)	0.16	ND (0.50)	0.21
Chloromethane (Methyl Chloride)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	ND (0.50)	0.19	ND (0.50)	4.5	3.3	ND (0.50)	6.7
cis-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Dibromochloromethane	ug/L	ND (0.50)	0.27	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dibromomethane	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Ethylbenzene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Isopropylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
m&p-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methylene chloride	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Naphthalene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
n-Propylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
o-Xylene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Styrene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
tert-Butylbenzene	ug/L	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Tetrachloroethene	ug/L	0.30	0.35	0.15	ND (0.50)	0.19	0.36	ND (0.50)
Toluene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	0.33
trans-1,2-Dichloroethene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Trichloroethene	ug/L	0.35	2.9	ND (0.50)	28	20	3.7	30
Trichlorofluoromethane (CFC-11)	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Vinyl chloride	ug/L	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Metals								
Chromium Total	ug/L	-	-	-	-	-	-	-
Lead	ug/L	-	-	-	-	-	-	-

Notes
J - Estimated concentration
- Not analyzed

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*PZ-04*	*PZ-06*
Sample ID:		*GW-013108-NH-065*	*GW-012308-NH-024*
Sample Date:		*1/31/2008*	*1/23/2008*
Parameters	*Units*		
Volatile Organic Compounds			
1,1,1,2-Tetrachloroethane	ug/L	ND (13)	ND (0.50)
1,1,1-Trichloroethane	ug/L	ND (13)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/L	ND (13)	ND (0.50)
1,1,2-Trichloroethane	ug/L	ND (13)	ND (0.50)
1,1-Dichloroethane	ug/L	ND (13)	ND (0.50)
1,1-Dichloroethene	ug/L	5.8	ND (0.50)
1,1-Dichloropropene	ug/L	ND (13)	ND (0.50)
1,2,3-Trichlorobenzene	ug/L	ND (50)	ND (2.0)
1,2,3-Trichloropropane	ug/L	ND (13)	ND (0.50)
1,2,4-Trichlorobenzene	ug/L	ND (50)	ND (2.0)
1,2,4-Trimethylbenzene	ug/L	ND (50)	ND (2.0)
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND (50)	ND (2.0)
1,2-Dibromoethane (Ethylene Dibromide)	ug/L	ND (50)	ND (2.0)
1,2-Dichlorobenzene	ug/L	ND (13)	ND (0.50)
1,2-Dichloroethane	ug/L	ND (13)	ND (0.50)
1,2-Dichloropropane	ug/L	ND (13)	ND (0.50)
1,3,5-Trimethylbenzene	ug/L	ND (50)	ND (2.0)
1,3-Dichlorobenzene	ug/L	ND (13)	ND (0.50)
1,3-Dichloropropane	ug/L	ND (13)	ND (0.50)
1,4-Dichlorobenzene	ug/L	ND (13)	ND (0.50)
2,2-Dichloropropane	ug/L	ND (13)	ND (0.50)
2-Butanone (Methyl Ethyl Ketone)	ug/L	ND (500)	ND (20)
2-Chlorotoluene	ug/L	ND (50)	ND (2.0)
2-Hexanone	ug/L	ND (500)	ND (20)
2-Phenylbutane (sec-Butylbenzene)	ug/L	ND (50)	ND (2.0)
4-Chlorotoluene	ug/L	ND (50)	ND (2.0)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/L	ND (500)	ND (20)
Acetone	ug/L	ND (500)	ND (20)
Benzene	ug/L	ND (13)	ND (0.50)
Bromobenzene	ug/L	ND (50)	ND (2.0)
Bromodichloromethane	ug/L	ND (13)	ND (0.50)
Bromoform	ug/L	ND (13)	ND (0.50)
Bromomethane (Methyl Bromide)	ug/L	ND (13)	ND (0.50)
Carbon disulfide	ug/L	ND (13)	ND (0.50)
Carbon tetrachloride	ug/L	ND (13)	ND (0.50)

ATTACHMENT C

GROUNDWATER ANALYTICAL RESULTS SUMMARY
JANUARY 2008 MONITORING EVENT
RADIO MATERIAL CORPORATION
ATTICA, INDIANA

Sample Location:		*PZ-04*	*PZ-06*
Sample ID:		*GW-013108-NH-065*	*GW-012308-NH-024*
Sample Date:		*1/31/2008*	*1/23/2008*
Parameters	*Units*		
Chlorobenzene	ug/L	ND (13)	ND (0.50)
Chlorobromomethane	ug/L	ND (13)	ND (0.50)
Chloroethane	ug/L	ND (13)	ND (0.50)
Chloroform (Trichloromethane)	ug/L	ND (13)	ND (0.50)
Chloromethane (Methyl Chloride)	ug/L	ND (13)	ND (0.50)
cis-1,2-Dichloroethene	ug/L	3500	ND (0.50)
cis-1,3-Dichloropropene	ug/L	ND (13)	ND (0.50)
Cymene (p-Isopropyltoluene)	ug/L	ND (50)	ND (2.0)
Dibromochloromethane	ug/L	ND (13)	ND (0.50)
Dibromomethane	ug/L	ND (13)	ND (0.50)
Dichlorodifluoromethane (CFC-12)	ug/L	ND (13)	ND (0.50)
Ethylbenzene	ug/L	ND (13)	ND (0.50)
Hexachlorobutadiene	ug/L	ND (50)	ND (2.0)
Isopropylbenzene	ug/L	ND (50)	ND (2.0)
m&p-Xylene	ug/L	ND (13)	ND (0.50)
Methylene chloride	ug/L	ND (50)	ND (2.0)
Naphthalene	ug/L	ND (50)	ND (2.0)
n-Butylbenzene	ug/L	ND (50)	ND (2.0)
n-Propylbenzene	ug/L	ND (50)	ND (2.0)
o-Xylene	ug/L	ND (13)	ND (0.50)
Styrene	ug/L	ND (13)	ND (0.50)
tert-Butylbenzene	ug/L	ND (50)	ND (2.0)
Tetrachloroethene	ug/L	510	0.22
Toluene	ug/L	ND (13)	ND (0.50)
trans-1,2-Dichloroethene	ug/L	15	ND (0.50)
trans-1,3-Dichloropropene	ug/L	ND (13)	ND (0.50)
Trichloroethene	ug/L	5800	ND (0.50)
Trichlorofluoromethane (CFC-11)	ug/L	ND (13)	ND (0.50)
Vinyl chloride	ug/L	1.8	ND (0.50)
Metals			
Chromium Total	ug/L	-	-
Lead	ug/L	-	-

Notes
J - Estimated concentration
- Not analyzed

ATTACHMENT B

INDOOR AIR DATA – 1009 REIMER STREET

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Conestoga-Rovers & Associates, Incorpora	**Service Request:**	K0801360
Project:	RMC-Attica, IN/19190	**Date Extracted:**	02/21/2008
Sample Matrix:	Water	**Date Analyzed:**	02/21/2008
		Time Analyzed:	12:08

Lab Control Sample Summary
Volatile Organic Compounds

Sample Name:	Lab Control Sample	**File ID:**	J:\MS13\DATA\022108\0221F004.D
Lab Code:	KWG0801637-3	**Instrument ID:**	MS13
Extraction Method:	EPA 5030B	**Level:**	Low
Analysis Method:	8260B	**Extraction Lot:**	KWG0801637

This Lab Control Sample applies to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
CW-021408-MG-001MS	KWG0801637-1	J:\MS13\DATA\022108\0221F005.D	02/21/08	12:54
CW-021408-MG-001DMS	KWG0801637-2	J:\MS13\DATA\022108\0221F006.D	02/21/08	13:22
Method Blank	KWG0801637-4	J:\MS13\DATA\022108\0221F009.D	02/21/08	14:45
CW-021408-MG-001	K0801360-001	J:\MS13\DATA\022108\0221F010.D	02/21/08	15:13
CW-021408-MG-002	K0801360-002	J:\MS13\DATA\022108\0221F011.D	02/21/08	15:41
TB-021408-MG-001	K0801360-003	J:\MS13\DATA\022108\0221F012.D	02/21/08	16:09

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Conestoga-Rovers & Associates, Incorpora	**Service Request:**	K0801360
Project:	RMC-Attica, IN/19190	**Date Extracted:**	02/21/2008
Sample Matrix:	Water	**Date Analyzed:**	02/21/2008
		Time Analyzed:	14:45

Method Blank Summary
Volatile Organic Compounds

Sample Name:	Method Blank	**File ID:**	J:\MS13\DATA\022108\0221F009.D
Lab Code:	KWG0801637-4	**Instrument ID:**	MS13
Extraction Method:	EPA 5030B	**Level:**	Low
Analysis Method:	8260B	**Extraction Lot:**	KWG0801637

This Method Blank applies to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
Lab Control Sample	KWG0801637-3	J:\MS13\DATA\022108\0221F004.D	02/21/08	12:08
CW-021408-MG-001MS	KWG0801637-1	J:\MS13\DATA\022108\0221F005.D	02/21/08	12:54
CW-021408-MG-001DMS	KWG0801637-2	J:\MS13\DATA\022108\0221F006.D	02/21/08	13:22
CW-021408-MG-001	K0801360-001	J:\MS13\DATA\022108\0221F010.D	02/21/08	15:13
CW-021408-MG-002	K0801360-002	J:\MS13\DATA\022108\0221F011.D	02/21/08	15:41
TB-021408-MG-001	K0801360-003	J:\MS13\DATA\022108\0221F012.D	02/21/08	16:09

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Conestoga-Rovers & Associates, Incorpora	**Service Request:**	K0801360
Project:	RMC-Attica, IN/19190	**Date Extracted:**	02/21/2008
Sample Matrix:	Water	**Date Analyzed:**	02/21/2008

Lab Control Spike Summary
Volatile Organic Compounds

Extraction Method:	EPA 5030B	**Units:**	ug/L
Analysis Method:	8260B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	KWG0801637

	Lab Control Sample KWG0801637-3 Lab Control Spike			
Analyte Name	**Result**	**Expected**	**%Rec**	**%Rec Limits**
1,2-Dibromoethane (EDB)	10.5	10.0	105	75-117
Chlorobenzene	9.45	10.0	95	81-112
1,1,1,2-Tetrachloroethane	11.0	10.0	110	76-121
Ethylbenzene	10.5	10.0	105	77-119
m,p-Xylenes	20.7	20.0	104	76-123
o-Xylene	10.0	10.0	100	75-118
Styrene	11.1	10.0	111	80-125
Bromoform	11.2	10.0	112	65-133
Isopropylbenzene	9.37	10.0	94	66-107
1,1,2,2-Tetrachloroethane	10.8	10.0	108	68-119
1,2,3-Trichloropropane	11.2	10.0	112	73-117
Bromobenzene	9.81	10.0	98	77-107
n-Propylbenzene	9.84	10.0	98	70-122
2-Chlorotoluene	9.94	10.0	99	71-121
4-Chlorotoluene	9.93	10.0	99	69-121
1,3,5-Trimethylbenzene	10.2	10.0	102	71-121
tert-Butylbenzene	9.91	10.0	99	71-118
1,2,4-Trimethylbenzene	10.6	10.0	106	73-122
sec-Butylbenzene	10.5	10.0	105	70-131
1,3-Dichlorobenzene	9.49	10.0	95	79-109
4-Isopropyltoluene	9.86	10.0	99	62-124
1,4-Dichlorobenzene	9.25	10.0	93	77-109
n-Butylbenzene	9.38	10.0	94	57-130
1,2-Dichlorobenzene	9.52	10.0	95	80-108
1,2-Dibromo-3-chloropropane	9.34	10.0	93	54-123
1,2,4-Trichlorobenzene	9.62	10.0	96	64-120
1,2,3-Trichlorobenzene	9.55	10.0	96	65-118
Naphthalene	11.1	10.0	111	49-135
Hexachlorobutadiene	9.23	10.0	92	57-132

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Conestoga-Rovers & Associates, Incorpora
Project: RMC-Attica, IN/19190
Sample Matrix: Water

Service Request: K0801360
Date Extracted: 02/21/2008
Date Analyzed: 02/21/2008

Lab Control Spike Summary
Volatile Organic Compounds

Extraction Method: EPA 5030B
Analysis Method: 8260B

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: KWG0801637

	Lab Control Sample KWG0801637-3 Lab Control Spike			
Analyte Name	**Result**	**Expected**	**%Rec**	**%Rec Limits**
Dichlorodifluoromethane	9.44	10.0	94	24-160
Chloromethane	7.90	10.0	79	41-141
Vinyl Chloride	10.6	10.0	106	60-139
Bromomethane	8.81	10.0	88	32-153
Chloroethane	8.74	10.0	87	66-134
Trichlorofluoromethane	9.45	10.0	95	54-133
Acetone	50.0	50.0	100	57-133
1,1-Dichloroethene	11.9	10.0	119	72-127
Carbon Disulfide	18.9	20.0	95	66-134
Methylene Chloride	10.7	10.0	107	68-141
trans-1,2-Dichloroethene	10.4	10.0	104	73-118
1,1-Dichloroethane	9.38	10.0	94	74-119
2-Butanone (MEK)	50.4	50.0	101	64-131
2,2-Dichloropropane	9.59	10.0	96	28-154
cis-1,2-Dichloroethene	10.0	10.0	100	78-121
Chloroform	9.50	10.0	95	73-117
Bromochloromethane	10.1	10.0	101	76-119
1,1,1-Trichloroethane (TCA)	9.84	10.0	98	65-130
1,1-Dichloropropene	9.73	10.0	97	71-121
Carbon Tetrachloride	10.0	10.0	100	66-139
1,2-Dichloroethane (EDC)	9.89	10.0	99	67-125
Benzene	9.86	10.0	99	74-116
Trichloroethene (TCE)	9.89	10.0	99	73-117
1,2-Dichloropropane	9.78	10.0	98	73-116
Bromodichloromethane	10.6	10.0	106	76-130
Dibromomethane	9.78	10.0	98	73-118
2-Hexanone	61.8	50.0	124	49-133
cis-1,3-Dichloropropene	10.2	10.0	102	66-127
Toluene	9.57	10.0	96	71-117
trans-1,3-Dichloropropene	9.86	10.0	99	51-127
1,1,2-Trichloroethane	10.6	10.0	106	78-118
4-Methyl-2-pentanone (MIBK)	52.8	50.0	106	57-132
1,3-Dichloropropane	10.4	10.0	104	77-116
Tetrachloroethene (PCE)	10.2	10.0	102	72-117
Dibromochloromethane	11.3	10.0	113	76-125

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Conestoga-Rovers & Associates, Incorpora	**Service Request:**	K0801360
Project:	RMC-Attica, IN/19190	**Date Extracted:**	02/21/2008
Sample Matrix:	Water	**Date Analyzed:**	02/21/2008

Matrix Spike/Duplicate Matrix Spike Summary
Volatile Organic Compounds

Sample Name:	CW-021408-MG-001	**Units:**	ug/L
Lab Code:	K0801360-001	**Basis:**	NA
Extraction Method:	EPA 5030B	**Level:**	Low
Analysis Method:	8260B	**Extraction Lot:**	KWG0801637

Analyte Name	Sample Result	CW-021408-MG-001MS KWG0801637-1 Matrix Spike			CW-021408-MG-001DMS KWG0801637-2 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
1,1-Dichloroethene	ND	11.7	10.0	117	11.2	10.0	112	66-142	4	30
Benzene	ND	9.57	10.0	96	9.14	10.0	91	71-126	5	30
Trichloroethene (TCE)	3.1	12.2	10.0	91	11.7	10.0	86	61-130	4	30
Toluene	ND	9.69	10.0	97	9.34	10.0	93	68-125	4	30
Chlorobenzene	ND	9.21	10.0	92	8.84	10.0	88	74-122	4	30
1,2-Dichlorobenzene	ND	9.07	10.0	91	8.87	10.0	89	74-116	2	30
Naphthalene	ND	10.4	10.0	104	10.9	10.0	109	50-141	5	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Conestoga-Rovers & Associates, Incorpora
Project: RMC-Attica, IN/19190

Service Request: K0801360
Date Analyzed: 02/21/2008
Time Analyzed: 11:41

Internal Standard Area and RT Summary
Volatile Organic Compounds

File ID: J:\MS13\DATA\022108\0221F003.D
Instrument ID: MS13
Analysis Method: 8260B

Lab Code: KWG0801644-2
Analysis Lot: KWG0801644

		Fluorobenzene		Chlorobenzene-d5		1,4-Dichlorobenzene-d4	
		Area	RT	Area	RT	Area	RT
	Results ==>	426,281	6.14	180,552	12.05	167,205	15.08
	Upper Limit ==>	852,562	6.64	361,104	12.55	334,410	15.58
	Lower Limit ==>	213,141	5.64	90,276	11.55	83,603	14.58
	ICAL Result ==>	403,504	6.14	176,366	12.05	165,418	15.08
Associated Analyses							
Lab Control Sample	KWG0801637-3	443,715	6.14	185,756	12.05	170,585	15.08
CW-021408-MG-001MS	KWG0801637-1	402,004	6.13	174,931	12.05	164,504	15.08
CW-021408-MG-001DMS	KWG0801637-2	400,005	6.13	176,194	12.05	165,671	15.08
Method Blank	KWG0801637-4	423,853	6.14	177,720	12.05	157,182	15.08
CW-021408-MG-001	K0801360-001	421,181	6.13	176,396	12.05	154,334	15.08
CW-021408-MG-002	K0801360-002	415,522	6.14	175,664	12.05	154,432	15.08
TB-021408-MG-001	K0801360-003	362,582	6.14	162,912	12.05	146,066	15.08

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Conestoga-Rovers & Associates, Incorpora
Project: RMC-Attica, IN/19190
Sample Matrix: Water

Service Request: K0801360

Surrogate Recovery Summary
Volatile Organic Compounds

Extraction Method: EPA 5030B
Analysis Method: 8260B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1	Sur2	Sur3
CW-021408-MG-001	K0801360-001	91	92	87
CW-021408-MG-002	K0801360-002	90	93	88
TB-021408-MG-001	K0801360-003	94	96	88
Method Blank	KWG0801637-4	90	92	87
CW-021408-MG-001MS	KWG0801637-1	90	97	96
CW-021408-MG-001DMS	KWG0801637-2	90	98	94
Lab Control Sample	KWG0801637-3	91	94	95

Surrogate Recovery Control Limits (%)

Sur1 =	Dibromofluoromethane	82-125
Sur2 =	Toluene-d8	87-120
Sur3 =	4-Bromofluorobenzene	73-118

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

Organic Analysis:
Volatile Organic Compounds

Validation Package

QC Reports

Organic Analysis:
Volatile Organic Compounds

Validation Package

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Conestoga-Rovers & Associates, Incorpora
Project: RMC-Attica, IN/19190
Sample Matrix: Water

Service Request: K0801360
Date Extracted: 02/21/2008

Extraction Prep Log
Volatile Organic Compounds

Extraction Method: EPA 5030B
Analysis Method: 8260B

Extraction Lot: KWG0801637
Level: Low

Sample Name	Lab Code	Date Collected	Date Received	Sample Amount	Final Volume	% Solids	Note
CW-021408-MG-001	K0801360-001	02/14/08	02/15/08	10ml	10ml	NA	
CW-021408-MG-002	K0801360-002	02/14/08	02/15/08	10ml	10ml	NA	
TB-021408-MG-001	K0801360-003	02/14/08	02/15/08	10ml	10ml	NA	
Method Blank	KWG0801637-4	NA	NA	10ml	10ml	NA	
CW-021408-MG-001MS	KWG0801637-1	02/14/08	02/15/08	10ml	10ml	NA	
CW-021408-MG-001DMS	KWG0801637-2	02/14/08	02/15/08	10ml	10ml	NA	
Lab Control Sample	KWG0801637-3	NA	NA	10ml	10ml	NA	

Results flagged with an asterisk (*) indicate the holding time was exceeded for the analysis

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Conestoga-Rovers & Associates, Incorpora
Project: RMC-Attica, IN/19190

Service Request: K0801360

Analysis Run Log
Volatile Organic Compounds

Analysis Method: 8260B

Analysis Lot: KWG0801644
Instrument ID: MS13

File ID	Sample Name	Lab Code	Date Analysis Started	Start Time	Q	Date Analysis Finished	Finish Time
0221F002.D	GC/MS Tuning - Bromofluorobenzene	KWG0801644-1	2/21/2008	11:13		2/21/2008	11:32
0221F003.D	Continuing Calibration Verification	KWG0801644-2	2/21/2008	11:41		2/21/2008	12:00
0221F004.D	Lab Control Sample	KWG0801637-3	2/21/2008	12:08		2/21/2008	12:27
0221F005.D	CW-021408-MG-001MS	KWG0801637-1	2/21/2008	12:54		2/21/2008	13:13
0221F006.D	CW-021408-MG-001DMS	KWG0801637-2	2/21/2008	13:22		2/21/2008	13:41
0221F009.D	Method Blank	KWG0801637-4	2/21/2008	14:45		2/21/2008	15:04
0221F010.D	CW-021408-MG-001	K0801360-001	2/21/2008	15:13		2/21/2008	15:32
0221F011.D	CW-021408-MG-002	K0801360-002	2/21/2008	15:41		2/21/2008	16:00
0221F012.D	TB-021408-MG-001	K0801360-003	2/21/2008	16:09		2/21/2008	16:28

Results flagged with an asterisk (*) indicate the holding time was exceeded for the analysis

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Conestoga-Rovers & Associates, Incorpora	**Service Request:**	K0801360
Project:	RMC-Attica, IN/19190	**Date Extracted:**	02/21/2008
Sample Matrix:	Water	**Date Analyzed:**	02/21/2008
		Time Analyzed:	12:08

Lab Control Sample Summary
Volatile Organic Compounds

Sample Name:	Lab Control Sample	**File ID:**	J:\MS13\DATA\022108\0221F004.D
Lab Code:	KWG0801637-3	**Instrument ID:**	MS13
Extraction Method:	EPA 5030B	**Level:**	Low
Analysis Method:	8260B	**Extraction Lot:**	KWG0801637

This Lab Control Sample applies to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
CW-021408-MG-001MS	KWG0801637-1	J:\MS13\DATA\022108\0221F005.D	02/21/08	12:54
CW-021408-MG-001DMS	KWG0801637-2	J:\MS13\DATA\022108\0221F006.D	02/21/08	13:22
Method Blank	KWG0801637-4	J:\MS13\DATA\022108\0221F009.D	02/21/08	14:45
CW-021408-MG-001	K0801360-001	J:\MS13\DATA\022108\0221F010.D	02/21/08	15:13
CW-021408-MG-002	K0801360-002	J:\MS13\DATA\022108\0221F011.D	02/21/08	15:41
TB-021408-MG-001	K0801360-003	J:\MS13\DATA\022108\0221F012.D	02/21/08	16:09

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Conestoga-Rovers & Associates, Incorpora	**Service Request:**	K0801360
Project:	RMC-Attica, IN/19190	**Date Extracted:**	02/21/2008
Sample Matrix:	Water	**Date Analyzed:**	02/21/2008
		Time Analyzed:	14:45

Method Blank Summary
Volatile Organic Compounds

Sample Name:	Method Blank	**File ID:**	J:\MS13\DATA\022108\0221F009.D
Lab Code:	KWG0801637-4	**Instrument ID:**	MS13
Extraction Method:	EPA 5030B	**Level:**	Low
Analysis Method:	8260B	**Extraction Lot:**	KWG0801637

This Method Blank applies to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
Lab Control Sample	KWG0801637-3	J:\MS13\DATA\022108\0221F004.D	02/21/08	12:08
CW-021408-MG-001MS	KWG0801637-1	J:\MS13\DATA\022108\0221F005.D	02/21/08	12:54
CW-021408-MG-001DMS	KWG0801637-2	J:\MS13\DATA\022108\0221F006.D	02/21/08	13:22
CW-021408-MG-001	K0801360-001	J:\MS13\DATA\022108\0221F010.D	02/21/08	15:13
CW-021408-MG-002	K0801360-002	J:\MS13\DATA\022108\0221F011.D	02/21/08	15:41
TB-021408-MG-001	K0801360-003	J:\MS13\DATA\022108\0221F012.D	02/21/08	16:09

ATTACHMENT B

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*On Reimer Rd - 1009 Reimer St*	*On Reimer Rd - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*
Sample ID:		*IA-031408-MG-001*	*IA-031408-MG-002*	*IA-121605-MG-002*	*IA-020906-MG-001*	*IA-020906-MG-101*
Sample Date:		*3/14/2008*	*3/14/2008*	*12/16/2005*	*2/9/2006*	*2/9/2006*
Parameters	*Units*					
Volatile Organic Compounds						
1,1,1-Trichloroethane	ug/m3	ND (0.11)	ND (0.11)	ND (2.5)	ND (1.1)	ND (1.3)
1,1,2,2-Tetrachloroethane	ug/m3	-	-	ND (3.2)	ND (1.4)	ND (1.3)
1,1,2-Trichloroethane	ug/m3	ND (0.098)	ND (0.098)	ND (2.5)	ND (1.1)	ND (1.3)
1,1-Dichloroethane	ug/m3	0.026	0.059	ND (1.9)	ND (0.81)	ND (1.3)
1,1-Dichloroethene	ug/m3	ND (0.040)	ND (0.040)	ND (1.8)	ND (0.79)	ND (1.3)
1,2,4-Trichlorobenzene	ug/m3	-	-	ND (17)	ND (7.4)	-
1,2,4-Trimethylbenzene	ug/m3	-	-	ND (2.3)	ND (0.98)	-
1,2-Dibromoethane (Ethylene Dibromide)	ug/m3	-	-	ND (3.5)	ND (1.5)	ND (1.3)
1,2-Dichlorobenzene	ug/m3	-	-	ND (2.8)	ND (1.2)	ND (1.3)
1,2-Dichloroethane	ug/m3	0.069	0.16	ND (1.9)	ND (0.81)	ND (1.3)
1,2-Dichloropropane	ug/m3	-	-	ND (2.1)	ND (0.92)	ND (1.3)
1,2-Dichlorotetrafluoroethane (CFC 114)	ug/m3	-	-	ND (3.2)	ND (1.4)	-
1,3,5-Trimethylbenzene	ug/m3	-	-	ND (2.3)	ND (0.98)	-
1,3-Dichlorobenzene	ug/m3	-	-	ND (2.8)	ND (1.2)	ND (1.3)
1,4-Dichlorobenzene	ug/m3	-	-	ND (2.8)	ND (1.2)	ND (1.3)
2-Butanone (Methyl Ethyl Ketone)	ug/m3	-	-	-	-	ND (1.3)
2-Hexanone	ug/m3	-	-	-	-	ND (1.3)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ug/m3	-	-	-	-	ND (1.3)
Acetone	ug/m3	-	-	-	-	ND (13)
Benzene	ug/m3	18	39	2.3	ND (0.64)	ND (1.3)
Benzyl Chloride	ug/m3	-	-	ND (2.4)	ND (1)	-
Bromodichloromethane	ug/m3	-	-	-	-	ND (1.3)
Bromoform	ug/m3	-	-	-	-	ND (1.3)
Bromomethane (Methyl Bromide)	ug/m3	-	-	ND (1.8)	ND (0.78)	ND (1.3)
Carbon disulfide	ug/m3	-	-	-	-	ND (1.3)
Carbon tetrachloride	ug/m3	-	-	ND (2.9)	ND (1.3)	ND (1.3)
Chlorobenzene	ug/m3	-	-	ND (2.1)	ND (0.92)	ND (1.3)
Chloroethane	ug/m3	-	-	ND (1.2)	ND (0.53)	ND (1.3)
Chloroform (Trichloromethane)	ug/m3	0.095	0.10	ND (2.2)	ND (0.98)	ND (1.3)
Chloromethane (Methyl Chloride)	ug/m3	-	-	ND (2.4)	1.2	ND (1.3)
cis-1,2-Dichloroethene	ug/m3	6.8	5.9	ND (1.8)	ND (0.79)	ND (1.3)
cis-1,3-Dichloropropene	ug/m3	-	-	ND (2.1)	ND (0.91)	ND (1.3)
Dibromochloromethane	ug/m3	-	-	-	-	ND (1.3)
Dichlorodifluoromethane (CFC-12)	ug/m3	-	-	2.5	2.4	2.4
Ethylbenzene	ug/m3	-	-	ND (2)	ND (0.87)	ND (1.3)

INDOOR AIR ANALYTICAL RESULTS SUMMARY
1009 REIMER STREET
ATTICA, INDIANA

Sample Location:		*On Reimer Rd - 1009 Reimer St*	*On Reimer Rd - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*	*Basement - 1009 Reimer St*
Sample ID:		*IA-031408-MG-001*	*IA-031408-MG-002*	*IA-121605-MG-002*	*IA-020906-MG-001*	*IA-020906-MG-101*
Sample Date:		*3/14/2008*	*3/14/2008*	*12/16/2005*	*2/9/2006*	*2/9/2006*
Parameters	*Units*					
Hexachlorobutadiene	ug/m3	-	-	ND (25)	ND (11)	-
m&p-Xylene	ug/m3	-	-	3.3	ND (0.87)	ND (2.7)
Methyl Tert Butyl Ether	ug/m3	-	-	-	-	ND (1.3)
Methylene chloride	ug/m3	ND (0.42)	ND (0.42)	ND (4)	ND (1.7)	ND (1.3)
o-Xylene	ug/m3	-	-	ND (2)	ND (0.87)	ND (1.3)
Styrene	ug/m3	-	-	ND (2)	ND (0.85)	ND (1.3)
Tetrachloroethene	ug/m3	37	11	4.7	ND (1.4)	2.9
Toluene	ug/m3	-	-	7.5	ND (0.75)	ND (1.3)
trans-1,2-Dichloroethene	ug/m3	ND (0.055)	ND (0.055)	-	-	ND (1.3)
trans-1,3-Dichloropropene	ug/m3	-	-	ND (2.1)	ND (0.91)	ND (1.3)
Trichloroethene	ug/m3	25	20	43	ND (1.1)	14
Trichlorofluoromethane (CFC-11)	ug/m3	-	-	ND (2.6)	1.2	ND (1.3)
Trifluorotrichloroethane (Freon 113)	ug/m3	-	-	ND (3.5)	ND (1.5)	ND (1.3)
Vinyl acetate	ug/m3	-	-	-	-	ND (1.3)
Vinyl chloride	ug/m3	0.033	0.031	ND (1.2)	ND (0.51)	ND (1.3)

Notes
- Not analyzed

Matrix Environmental, Inc.
1880 W. Winchester Rd., Suite 111
Libertyville, Illinois 60048
Phone: 847-367-6835
Fax: 847-367-6845

5 March 2008

Dr. Bhooma Sundar
U.S. Environmental Protection Agency
Region V
RCRA Enforcement and Compliance Assurance Branch (DE-9J)
77 West Jackson Boulevard
Chicago, Illinois 60604

RE: Central Wire Company Union, Illinois Facility
Semi-Annual Groundwater Sampling Results – December 2007 Sampling Event

Dear Dr. Sundar:

Matrix Environmental, Inc. (Matrix) is pleased to submit the results for the December 2007 semi-annual groundwater sampling event conducted at the Central Wire Company facility located in Union, Illinois. This letter report provides a summary of the laboratory analytical results from groundwater samples collected from selected monitoring wells and potable drinking water wells. Groundwater sampling and analysis is being conducted to assess the on-going remediation activities and the groundwater plume migration.

For this sample round Techalloy has sent the samples to TriMatrix Laboratories, Inc. (TriMatrix) located in Grand Rapids, MI as we have for the last three rounds of semi-annual RCRA sampling and other interim potable well sampling events. TriMatrix is a NELAP certified laboratory in the State of Illinois.

Scope of Work

This sampling event Central Wire Company conducted the RCRA semi-annual groundwater monitoring at wells that have been regularly monitored, i.e., MW-2, MW-4, MW-5, MW5D, MW-6, MW-7, MW-8, MW-9, the Highbridge Road well the downgradient cluster of a shallow (DG-S), intermediate depth (DG-I) and deep well (DG-D). In addition, Central Wire sampled the Non-responsive Non-responsive [redacted] and the [redacted] (formerly Non-responsive side gradient on Non-responsive [redacted]

Based on past sampling events up to and including December 2006, Central Wire Company undertook a project to find the end of the plume and conduct groundwater modeling since the sentinel wells, known as the Downgradient Wells (or DG well nest) had detected increasing

concentrations of TCE and its byproducts in the intermediate depth and deep wells. The results of this study

The monitoring wells were analyzed for metal constituents by U.S. EPA Method 6010B and VOCs using U.S EPA Method 8260B. Groundwater samples were collected using low flow groundwater sampling techniques to ensure the most representative groundwater data. The metal constituents analyzed represented total metal concentration, i.e., they were not filtered prior to analysis. Table 1 presents both current and historical analytical data for metals and VOCs.

Soluble Metal Results

The data collected in June 2006 was compared to previously collected groundwater quality data. As in the past, all metals samples are less than the maximum contaminant limits (MCLs) for all RCRA semiannual monitoring wells.

Volatile Organic Compound Results

The VOC groundwater data collected in December 2007 was compared to the historical VOC data. The VOC results from monitoring wells MW-2, MW-5, MW-5D, MW-6, MW-7, MW-8, MW-9 and the Highbridge well all indicated generally decreasing VOC concentrations compared to the historical data. The chlorinated solvent constituents: 1,1-dichloroethene, 1,1,1-trichloroethane, trichloroethene, and tetrachloroethene still exceed the maximum contaminant levels (MCLs) in some wells; however, the concentrations have been reduced significantly. This is due to the degradation of the VOC source area, the downgradient extraction and treatment of impacted groundwater and the natural diffusion and dispersion of these chlorinated compounds. In addition, there is some evidence of natural degradation due to dechlorination of the solvent products to daughter products such as 1,1-dichloroethene.

The three well cluster located downgradient from the extraction wells continue to detect 1,1 dichloroethene and trichloroethene above their respective MCLs in the intermediated and the deep wells.

Samples from the two resident wells located downgradient of the 3-well cluster did not detect any volatile organic contaminants. The sample from the side gradient [redacted] well also did not detect any volatile organic contaminants.

Matrix appreciates the opportunity to assist Techalloy. Please feel free to contact me at (847) 367-6835 if you have any questions, or need additional information.

Sincerely,

Carlos J. Serna
Matrix Environmental, Inc

cc:	Ms. Joyce L. Munie, P.E.	IEPA
	Mr. Henry Lopes	Techalloy
	Mr. Scott Carr	Techalloy

encl

FIGURES



figure 1

VERTICAL WELL SVE SYSTEM - SWMU 1 AND 2
RADIO MATERIALS CORPORATION
Attica, Indiana

19190-00(SUND079)GN-WA002 APR 29/2008



figure 2

HORIZONTAL WELL SYSTEM - SWMU 1 AND 2
RADIO MATERIALS CORPORATION
Attica, Indiana

19190-00(SUND079)GN-WA001 APR 29/2008



Source: U.S.G.S. 7.5 MINUTE TOPOGRAPHIC MAPS.
MARENGO SOUTH, ILLINOIS QUADRANGLE

Figure 1

Matrix Environmental, Inc.
355 North Milwaukee, Suite A
Libertyville, Illinois 60048

Site Location Map
Techalloy Company, Inc.
Union, Illinois Facility

Non-responsive