report.2002-10-08, MW8R_complete

C&S COMPANIES
ENGINEERS
DESIGN BUILD
TECHNICAL RESOURCES
OPERATIONS

C&S Engineers, Inc.
Syracuse Hancock International Airport
Syracuse, NY 13212
phone 315-455-2000
fax 315-455-9667
www.cscos.com

October 8, 2002

RECEIVED
OCT 11 2002
BUREAU OF SOLID WASTE & LAND MANAGEMENT DIVISION OF SOLID & HAZARDOUS MATERIALS

Ms. Denise M. Radtke
Senior Engineering Geologist
New York State Department of Environmental Conservation
Bureau of Solid and Hazardous Materials
625 Broadway, 8th Floor
Albany, New York 12233-7252

Re: Former Wabash Aluminum Alloys Facility
East Syracuse, New York
Soil and Groundwater Results

Dear Ms. Radtke:

On behalf of our client, Wabash Aluminum Alloys, LLC (Wabash), this letter transmits the soil sampling and groundwater analytical results from the recent sampling activities at the above-referenced site. The soil samples were collected from five soil borings made in the area of former monitoring well MW-8. The groundwater samples are for replacement monitoring well MW-8R, which was installed at the boring B-1 location, as well as the quarterly groundwater sampling associated with the Corrective Action Management Unit (CAMU) monitoring wells.

Soil Borings

The proposed locations of the five borings and the field and laboratory procedures to be followed were outlined in a July 9, 2002 proposal submitted by C&S Engineers, Inc. on behalf of Wabash. Those procedures were subsequently approved by the New York State Department of Environmental Conservation (NYSDEC) Division of Solid and Hazardous Materials in an August 5, 2002 letter. The analytical data for the soil boring samples are summarized in Table 1 and the laboratory data sheets are provided in Attachment A.

The attached site sketch shows the approximate locations where the borings were installed. There was one deviation from the procedures presented in the July 9, 2002 letter. The drill rig was able to access the area within the former storage bins, so boring B-4 could be installed within a 20-foot radius of MW-8R, as requested by NYSDEC, rather than on the south side of the metal building.

C&S COMPANIES

MW-8 Replacement and Groundwater Sampling

MW-8R was constructed at the B-1 boring location, and subsequently developed, in the manners outlined in our July 9, 2002 letter. Groundwater samples were collected from monitoring well MW-8R for PCBs (Method 8082), lead (Method 6010) and Oil and Grease (Method 1664). The timing of the initial MW-8R groundwater sampling coincided with the quarterly CAMU monitoring sampling, so the results from all of these locations are provided herein. Table 2 provides the groundwater sampling results for this sampling, along with the historic sampling results for the CAMU program. The laboratory data sheets for the groundwater sampling are included in Attachment B.

Quarterly groundwater sampling for MW-8R will continue to be conducted and reported along with the subsequent quarterly CAMU sampling events. Thank you for your assistance in these matters. If you have any questions, please do not hesitate to contact Rory Woodmansee or me at (315) 455-2000.

Sincerely,

C&S ENGINEERS, INC.

Thomas A. Barba

Thomas A. Barba
Senior Project Scientist

cc: Mary Jane Peachey, NYSDEC Region 7
Burt Coleman – Wabash Aluminum Alloys, LLC
Michael E. Kellogg – Connell Limited Partnership
Rory Woodmansee – C&S Engineers

F:\DIVISION\ENV\PRIVATE\BARBA\Wabash\CAMU\Radkesoilgw10-02.doc

TABLES

Table 1
Summary of Analytical Results for Soil
Former Wabash Aluminum Alloys Facility
Soil Borings and Monitoring Well MW-8R Installation

Boring B1					
Sample ID.	B1A	B1B	B1C	B1D	B1E
Sample Depth (feet)	0-2	2-4	4-6	6-8	8-10
PCB Aroclor 1254 (mg/kg)	2.9	1.1	15	2.2	3.4
Total Lead (mg/kg)	7.8	6.3	ND	ND	ND
Oil and Grease (mg/kg)	466	2310	9040	ND	1020

Boring B2					
Sample ID.	B2A	B2B	B2C	B2D	B2E
Sample Depth (feet)	0-2	2-4	4-6	6-8	8-10
PCB Aroclor 1254 (mg/kg)	19	47	32	1.2	0.45
Total Lead (mg/kg)	45.3	ND	ND	ND	ND
Total Oil and Grease (mg/kg	2290	4780	16300	469	473

Boring B3					
Sample ID.	B3A	B3B	B3C	B3D	B3E
Sample Depth (feet)	0-2	2-4	4-6	6-8	8-10
PCB Aroclor 1254 (mg/kg)	4.8	2.8	1.2	0.44	0.037
Total Lead (mg/kg)	32	31.3	ND	ND	ND
Total Oil and Grease (mg/kg	1240	4850	3210	734	347

Boring B4					
Sample ID.	B4A	B4B	B4C	B4D	B4E
Sample Depth (feet)	0-2	2-4	4-6	6-8	8-10
PCB Aroclor 1254 (mg/kg)	0.068	NR	0.025	ND	ND
Total Lead (mg/kg)	ND	NR	13.8	ND	ND
Total Oil and Grease (mg/kg	24900	NR	786	227	ND

Boring B5					
Sample ID.	B5A	B5B	B5C	B5D	B5E
Sample Depth (feet)	0-2	2-4	4-6	6-8	8-10
PCB Aroclor 1254 (mg/kg)	2.3	0.38	0.22	1.6	ND
Total Lead (mg/kg)	ND	ND	ND	ND	ND
Total Oil and Grease (mg/kg	10400	256	659	ND	409

Analytical Methods:
PCBs by USEPA Method 8082
Lead by USEPA Method 6010
Total Recoverable Oil and Grease by USEPA Method 6071B (modified)

Notes:
1) Aroclor 1254 was the only PCB Aroclor detected for the soil samples submitted
2) Monitoring well MW-8R was installed at the boring B1 location
3) ND = parameter not detected at the reporting limit concentration
4) NR = insufficient sample recovery for sample preparation

Table 2
Wabash Aluminum Alloys, LLC - Syracuse Facility
Corrective Action Management Unit Groundwater Monitoring Data

Parameters ->		Arsenic (total)	Arsenic (dissolved)	Barium (total)	Barium (dissolved)	Lead (total)	Lead (dissolved)	pH	Specific Conduct.	Aroclors 1016	1221	1232	1242	1248	1254	1260	O&G
	Units ->	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	Std. Units	us/cm	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l
Class GA Standards ->		0.025	0.025	1.000	1.000	0.025	0.025	6.5-8.5	na	0.09*	0.09*	0.09*	0.09*	0.09*	0.09*	0.09*	na
B107	Jun-00	na	na	<0.3	<0.3	na	na	7.46	1,046	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.10	na
	Jul-00	na	na	na	na	na	na	7.57	916	<0.05	<0.05	<0.05	<0.05	<0.05	0.086	<0.05	na
	Aug-00	na	na	na	na	na	na	7.81	920	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	na	na	7.34	980	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Oct-00	na	na	na	na	na	na	7.68	834	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Nov-00	na	na	na	na	na	na	7.87	640	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Feb-01	na	na	na	na	na	na	7.71	608	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Apr-01	na	na	na	na	na	na	7.82	960	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	May-01	na	na	na	na	na	na	7.63	1,107	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	0.3	0.3	na	na	na	na	na	na	na	na	na	na	na	na
	Sep-02	na	na	0.31	0.34	na	na	7.44	947	na	na	na	na	na	na	na	na
B108	Jul-00	na	na	na	na	na	na	7.21	2,620	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Aug-00	na	na	na	na	na	na	7.33	2,750	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	0.002	0.001	7.27	2,510	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Oct-00	na	na	na	na	na	na	7.26	2,520	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Nov-00	na	na	na	na	na	na	7.00	2,210	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.004	<0.001	7.22	2,180	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jan-01	na	na	na	na	na	na	7.19	2,176	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Feb-01	na	na	na	na	na	na	7.74	2,110	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	<0.001	<0.001	7.01	2,100	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Apr-01	na	na	na	na	na	na	6.98	2,350	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	May-01	na	na	na	na	na	na	7.01	1,680	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	0.7	0.5	na	na	na	na	na	na	na	na	na	na	na	na
	Sep-02	na	na	0.73	0.78	na	na	7.08	254	na	na	na	na	na	na	na	na
B280**	Jun-98	<0.003	0.0036	na	na	0.0036	<0.002	7.06	801	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	1999	<0.01	<0.01	na	na	0.089	<0.01	6.24	893	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	na
	Jun-00	0.004	0.004	na	na	0.002	0.002	6.86	1,056	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na

Table 2
Wabash Aluminum Alloys, LLC - Syracuse Facility
Corrective Action Management Unit Groundwater Monitoring Data

Parameters ->		Arsenic (total)	Arsenic (dissolved)	Barium (total)	Barium (dissolved)	Lead (total)	Lead (dissolved)	pH	Specific Conduct.	Aroclors							O&G
										1016	1221	1232	1242	1248	1254	1260	
	Units ->	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	Std. Units	us/cm	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l
Class GA Standards ->		0.025	0.025	1.000	1.000	0.025	0.025	6.5-8.5	na	0.09*	0.09*	0.09*	0.09*	0.09*	0.09*	0.09*	na
B291**	Sep-00	na	na	na	na	0.007	0.001	7.31	877	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.001	0.001	7.24	848	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	0.003	<0.001	7.01	752	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	0.012	<0.010	na	na	<0.001	<0.001	na	na	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-02	<0.010	<0.010	na	na	0.002	<0.001	7.4	1,134	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
B281	Jun-98	0.0059	<0.003	na	na	<0.002	<0.002	6.53	2,690	na	na	na	na	na	na	na	na
	1999	<0.01	<0.01	na	na	<0.01	<0.01	7.47	3,120	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	na
	Jun-00	0.060	0.001	<0.3	<0.3	<0.001	<0.001	6.72	2,630	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	<0.001	<0.001	7.02	2,560	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	<0.001	<0.001	7.28	1,956	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	<0.001	<0.001	7.24	2,020	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	0.037	0.017	na	na	<0.001	<0.001	na	na	na	na	na	na	na	na	na	na
	Sep-02	0.023	<0.010	<0.03	<0.03	<0.001	<0.001	6.86	3000	na	na	na	na	na	na	na	na
B290	Jun-98	na	na	na	na	41.9	<0.02	6.94	2,180	na	na	na	na	na	na	na	na
	1999	na	na	na	na	<0.01	0.72	7.24	2,370	na	na	na	na	na	na	na	na
	Jun-00	na	na	na	na	0.045	<0.001	6.87	2,410	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	0.050	<0.001	7.42	2,120	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.092	<0.001	7.01	1,784	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	0.007	<0.001	7.01	1,693	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	na	na	0.048	<0.001	na	na	na	na	na	na	na	na	na	na
	Sep-02	na	na	na	na	0.008	<0.001	6.93	2,130	na	na	na	na	na	na	na	na
B401	Jun-98	na	na	na	na	0.0124	<0.002	na	na	na	na	na	na	na	na	na	na
	1999	na	na	na	na	0.061	<0.01	6.69	1,510	na	na	na	na	na	na	na	na
	Jun-00	na	na	na	na	0.044	0.003	6.78	1,275	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	0.35	0.002	7.29	1,159	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.059	0.007	7.44	1,180	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	0.033	<0.001	7.26	810	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	na	na	0.21	<0.001	na	na	na	na	na	na	na	na	na	na
	Sep-02	na	na	na	na	0.06	0.002	7.48	644	na	na	na	na	na	na	na	na

FOIL208106

Table 2
Wabash Aluminum Alloys, LLC - Syracuse Facility
Corrective Action Management Unit Groundwater Monitoring Data

Parameters ->		Arsenic (total)	Arsenic (dissolved)	Barium (total)	Barium (dissolved)	Lead (total)	Lead (dissolved)	pH	Specific Conduct.	Aroclors 1016	1221	1232	1242	1248	1254	1260	O&G
Units ->		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	Std. Units	us/cm	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l
Class GA Standards ->		0.025	0.025	1.000	1.000	0.025	0.025	6.5-8.5	na	0.09*	0.09*	0.09*	0.09*	0.09*	0.09*	0.09*	na
B402	Jun-98	na	na	na	na	0.0064	0.0041	na	na	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	1999	na	na	na	na	0.29	<0.01	8.12	3,350	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	na
	Jun-00	na	na	na	na	0.007	0.003	8.45	2,820	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	0.007	0.002	8.13	1,374	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.004	0.002	8.75	1,785	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	0.003	0.004	7.95	1,480	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	na	na	<0.001	<0.001	na	na	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-02	na	na	na	na	0.004	<0.001	8.44	2,260	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
B403	Jun-98	na	na	na	na	28.4	<0.002	7.21	1,280	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	1999	na	na	na	na	0.24	0.01	7.36	710	<0.01	<0.01	<0.01	<0.01	<0.01	0.17	<0.01	na
	Jun-00	na	na	na	na	0.010	0.004	7.35	402	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	0.007	0.003	8.41	520	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.002	0.002	8.12	970	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	0.004	0.003	7.54	415	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	na	na	<0.001	<0.001	na	na	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-02	na	na	na	na	0.005	<0.001	7.11	456	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
B404	Jun-98	na	na	na	na	0.0071	0.0027	10.55	2,380	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	1999	na	na	na	na	<0.01	<0.01	6.72	1,740	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	na
	Jun-00	na	na	na	na	0.004	0.002	6.97	1,573	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-00	na	na	na	na	0.002	0.002	7.32	1,114	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Dec-00	na	na	na	na	0.003	<0.001	7.47	589	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Mar-01	na	na	na	na	0.003	0.003	7.54	610	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Jun-02	na	na	na	na	<0.001	<0.001	na	na	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
	Sep-02	na	na	na	na	0.003	<0.001	7.09	731	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	na
MW-8R+	Sep-02	na	na	na	na	0.004	0.001	9.21	933	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<5

* applies to the sum of these substances

** Monitoring well B291 replaced monitoring well B280 in this program in September 2000.

na - Not Analyzed or Not Applicable

Shading denotes concentrations above Class GA Groundwater Quality Standards.

\+ MW-8R was installed in September 2002 and added to the CAMU monitoring at that time

FIGURE 1

Site Sketch


MIDLER PARK DRIVE
B-286
W-7
LDING
METAL BUILDING
+B-5
+B-4
+B3
+B2
B-1
MW-8R
Approximate Locations of Soil Borings and Replacement Monitoring Well MW-8R
FOIL208109

ATTACHMENT A

Analytical Laboratory Data Sheets

Soil Boring Samples

SEVERN TRENT SERVICES

STL Buffalo
10 Hazelwood Drive
Suite 106
Amherst, NY 14228

Tel: 716 691 2600
Fax: 716 691 7991
www.stl-inc.com

ANALYTICAL REPORT

Job#: A02-8818

STL Project#: NY2A8965
Site Name: C & S Engineers - Wabash Aluminum Alloys Site
Task: C & S - Wabash Aluminum Alloys Site

Mr. Rory Woodmansee
C & S Engineers, Inc.
499 Col. Eileen Collins Blvd
Syracuse, NY 13212

STL Buffalo

Brian J. Fischer
Project Manager

09/17/2002

This report contains 44 pages which are individually numbered.

STL Buffalo is a part of Severn Trent Laboratories, Inc.

SAMPLE SUMMARY

LAB SAMPLE ID	CLIENT SAMPLE ID	SAMPLED DATE	SAMPLED TIME	RECEIVED DATE	RECEIVED TIME
A2881801	B1A	09/05/2002	08:45	09/06/2002	09:45
A2881802	B1B	09/05/2002	08:50	09/06/2002	09:45
A2881803	B1C	09/05/2002	08:50	09/06/2002	09:45
A2881804	B1D	09/05/2002	08:55	09/06/2002	09:45
A2881805	B1E	09/05/2002	09:00	09/06/2002	09:45
A2881806	B2A	09/05/2002	09:15	09/06/2002	09:45
A2881807	B2B	09/05/2002	09:20	09/06/2002	09:45
A2881808	B2C	09/05/2002	09:25	09/06/2002	09:45
A2881809	B2D	09/05/2002	09:30	09/06/2002	09:45
A2881810	B2E	09/05/2002	09:35	09/06/2002	09:45
A2881811	B3A	09/05/2002	09:40	09/06/2002	09:45
A2881812	B3B	09/05/2002	09:45	09/06/2002	09:45
A2881813	B3C	09/05/2002	09:50	09/06/2002	09:45
A2881814	B3D	09/05/2002	09:55	09/06/2002	09:45
A2881815	B3E	09/05/2002	10:00	09/06/2002	09:45
A2881816	B4A	09/05/2002	10:10	09/06/2002	09:45
A2881817	B4C	09/05/2002	10:20	09/06/2002	09:45
A2881818	B4D	09/05/2002	10:25	09/06/2002	09:45
A2881819	B4E	09/05/2002	10:30	09/06/2002	09:45
A2881820	B5A	09/05/2002	10:45	09/06/2002	09:45
A2881821	B5B	09/05/2002	10:50	09/06/2002	09:45
A2881822	B5C	09/05/2002	10:55	09/06/2002	09:45
A2881823	B5D	09/05/2002	11:00	09/06/2002	09:45
A2881824	B5E	09/05/2002	11:05	09/06/2002	09:45

METHODS SUMMARY

Job#: A02-8818

STL Project#: NY2A8965
Site Name: C & S Engineers - Wabash Aluminum Alloys Site

PARAMETER	ANALYTICAL METHOD
C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S	SW8463 8082
Lead - Total	SW8463 6010
Total Recoverable Oil & Grease	SW8463 9071

References:

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A02-8818

STL Project#: NY2A8965
Site Name: C & S Engineers - Wabash Aluminum Alloys Site

General Comments

The enclosed data have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A02-8818
Sample Cooler(s) were received at the following temperature(s); 2 @ 2 °C
All samples were received in good condition.

GC Extractable Data

For Method 8082 (PCB), both surrogate recoveries were low for sample B1B. The sample was reprepped within extraction holding time and with compliant surrogate and spike recoveries. Only the re-extracted analysis has been reported for this sample.

Several samples analyzed for Method 8082 required dilution prior to analysis due to the high concentration of target analytes. The surrogates were diluted out of many of the sample extracts.

The recovery of surrogate Decachlorobiphenyl for the Method 8082 analysis of sample B1D was outside of established quality control limits. The recovery of surrogate Tetrachloro-m-xylene was within quality control limits; no corrective action was required.

Metals Data

The recovery of samples B5A Matrix Spike and B5A Matrix Spike Duplicate exhibited results below quality control limits for Lead. However, the LCS was compliant.

Wet Chemistry Data

No deviations from protocol were encountered during the analytical procedures.

****

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Dilution Log w/Code Information
For Job A02-8818

Client Sample ID	Lab Sample ID	Parameter (Inorganic)/Method (Organic)	Dilution	Code
B1A	A2881801	8082	20.00	008
B1B	A2881802RE	8082	4.00	008
B1C	A2881803	8082	20.00	008
B1D	A2881804	8082	5.00	008
B1E	A2881805	8082	20.00	008
B2A	A2881806	8082	40.00	008
B2B	A2881807	8082	50.00	008
B2C	A2881808	8082	40.00	008
B2D	A2881809	8082	4.00	008
B3A	A2881811	8082	50.00	008
B3B	A2881812	8082	20.00	008
B3C	A2881813	8082	5.00	008
B5A	A2881820	8082	100.00	008
B5B	A2881821	8082	2.00	008
B5E	A2881824	8082	10.00	008

lution Code Definition:

002 - sample matrix effects
003 - excessive foaming
004 - non-target compounds (TICS) exceeded 5X the total response of one of the Internal Standards
005 - sample matrix resulted in method non-compliance for an Internal Standard
006 - sample matrix resulted in method non-compliance for Surrogate
007 - nature of the TCLP matrix
008 - high concentration of target analyte(s)
009 - sample turbidity
010 - sample color
011 - insufficient volume for lower dilution
012 - sample viscosity
013 - other

DATA COMMENT PAGE

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.

C This flag applies to pesticide results where the identification has been confirmed by GC/MS.

B This flag is used when the analyte is found in the associated blank, as well as in the sample.

E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.

D This flag identifies all compounds identified in an analysis at the secondary dilution factor.

N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.

P This flag is used for a pesticide/Aroclor target analyte when there is greater than 25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on the data page and flagged with a "P".

A This flag indicates that a TIC is a suspected aldol-condensation product.

1 Indicates coelution.

* Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.

J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

N Indicates spike sample recovery is not within the quality control limits.

K Indicates the post digestion spike recovery is not within the quality control limits.

S Indicates value determined by the Method of Standard Addition.

M Indicates duplicate injection results exceeded quality control limits.

W Post digestion spike for Furnace AA analysis is out of quality control limits (85-115%) while sample absorbance is less than 50% of spike absorbance

E Indicates a value estimated or not reported due to the presence of interferences

H Indicates analytical holding time exceedance The value obtained should be considered an estimate.

* Indicates analysis is not within the quality control limits

+ Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995

Sample Data Package

Date: 09/23/2002
Time: 09:45:01

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Rept: AN0326

Client ID / Job No / Sample Date	Lab ID	B1A A02-8818 09/05/2002	A2881801	B1B A02-8818 09/05/2002	A2881802RE	B1C A02-8818 09/05/2002	A2881803	B1D A02-8818 09/05/2002	A2881804
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	370	ND	78	ND	390	ND	170
Aroclor 1221	UG/KG	ND	370	ND	78	ND	390	ND	170
Aroclor 1232	UG/KG	ND	370	ND	78	ND	390	ND	170
Aroclor 1242	UG/KG	ND	370	ND	78	ND	390	ND	170
Aroclor 1248	UG/KG	ND	370	ND	78	ND	390	ND	170
Aroclor 1254	UG/KG	2900	370	1100	78	15000	390	2200	170
Aroclor 1260	UG/KG	ND	370	ND	78	ND	390	ND	170
SURROGATE(S)									
Tetrachloro-m-xylene	%	0 D	32-148	94	32-148	0 D	32-148	35	32-148
Decachlorobiphenyl	%	0 D	36-153	92	36-153	0 D	36-153	30 *	36-153

Client ID / Job No / Sample Date	Lab ID	B1E A02-8818 09/05/2002	A2881805	B2A A02-8818 09/05/2002	A2881806	B2B A02-8818 09/05/2002	A2881807	B2C A02-8818 09/05/2002	A2881808
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	370	ND	700	ND	1000	ND	750
Aroclor 1221	UG/KG	ND	370	ND	700	ND	1000	ND	750
Aroclor 1232	UG/KG	ND	370	ND	700	ND	1000	ND	750
Aroclor 1242	UG/KG	ND	370	ND	700	ND	1000	ND	750
Aroclor 1248	UG/KG	ND	370	ND	700	ND	1000	ND	750
Aroclor 1254	UG/KG	3400	370	19000	700	47000	1000	32000	750
Aroclor 1260	UG/KG	ND	370	ND	700	ND	1000	ND	750
SURROGATE(S)									
Tetrachloro-m-xylene	%	0 D	32-148	0 D	32-148	0 D	32-148	0 D	32-148
Decachlorobiphenyl	%	0 D	36-153	0 D	36-153	0 D	36-153	0 D	36-153

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 09:45:01

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Rept: AN0326

Client ID		B2D		B2E		B3A		B3B	
Job No / Lab ID		A02-8818	A2881809	A02-8818	A2881810	A02-8818	A2881811	A02-8818	A2881812
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	76	ND	18	ND	900	ND	360
Aroclor 1221	UG/KG	ND	76	ND	18	ND	900	ND	360
Aroclor 1232	UG/KG	ND	76	ND	18	ND	900	ND	360
Aroclor 1242	UG/KG	ND	76	ND	18	ND	900	ND	360
Aroclor 1248	UG/KG	ND	76	ND	18	ND	900	ND	360
Aroclor 1254	UG/KG	1200	76	450	18	4800	900	2800	360
Aroclor 1260	UG/KG	ND	76	ND	18	ND	900	ND	360
SURROGATE(S)									
Tetrachloro-m-xylene	%	50	32-148	85	32-148	0 D	32-148	0 D	32-148
Decachlorobiphenyl	%	38	36-153	103	36-153	0 D	36-153	0 D	36-153

Client ID		B3C		B3D		B3E		B4A	
Job No / Lab ID		A02-8818	A2881813	A02-8818	A2881814	A02-8818	A2881815	A02-8818	A2881816
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	100	ND	20	ND	19	ND	19
Aroclor 1221	UG/KG	ND	100	ND	20	ND	19	ND	19
Aroclor 1232	UG/KG	ND	100	ND	20	ND	19	ND	19
Aroclor 1242	UG/KG	ND	100	ND	20	ND	19	ND	19
Aroclor 1248	UG/KG	ND	100	ND	20	ND	19	ND	19
Aroclor 1254	UG/KG	1200	100	440	20	37	19	68	19
Aroclor 1260	UG/KG	ND	100	ND	20	ND	19	ND	19
SURROGATE(S)									
Tetrachloro-m-xylene	%	55	32-148	84	32-148	84	32-148	70	32-148
Decachlorobiphenyl	%	52	36-153	106	36-153	105	36-153	93	36-153

000309

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 09:45:01

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Rept: AN0326

Client ID		B4C		B4D		B4E		B5A	
Job No / Lab ID		A02-8818	A2881817	A02-8818	A2881818	A02-8818	A2881819	A02-8818	A2881820
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	20	ND	18	ND	18	ND	1900
Aroclor 1221	UG/KG	ND	20	ND	18	ND	18	ND	1900
Aroclor 1232	UG/KG	ND	20	ND	18	ND	18	ND	1900
Aroclor 1242	UG/KG	ND	20	ND	18	ND	18	ND	1900
Aroclor 1248	UG/KG	ND	20	ND	18	ND	18	ND	1900
Aroclor 1254	UG/KG	25	20	ND	18	ND	18	2300	1900
Aroclor 1260	UG/KG	ND	20	ND	18	ND	18	ND	1900
SURROGATE(S)									
Tetrachloro-m-xylene	%	88	32-148	84	32-148	84	32-148	0 D	32-148
Decachlorobiphenyl	%	108	36-153	102	36-153	104	36-153	0 D	36-153

Client ID		B5B		B5C		B5D		B5E	
Job No / Lab ID		A02-8818	A2881821	A02-8818	A2881822	A02-8818	A2881823	A02-8818	A2881824
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	38	ND	19	ND	19	ND	180
Aroclor 1221	UG/KG	ND	38	ND	19	ND	19	ND	180
Aroclor 1232	UG/KG	ND	38	ND	19	ND	19	ND	180
Aroclor 1242	UG/KG	ND	38	ND	19	ND	19	ND	180
Aroclor 1248	UG/KG	ND	38	ND	19	ND	19	ND	180
Aroclor 1254	UG/KG	380	38	220	19	ND	19	1600	180
Aroclor 1260	UG/KG	ND	38	ND	19	ND	19	ND	180
SURROGATE(S)									
Tetrachloro-m-xylene	%	78	32-148	84	32-148	86	32-148	0 D	32-148
Decachlorobiphenyl	%	94	36-153	102	36-153	104	36-153	0 D	36-153

000510

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 09:45:08

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
TOTAL METALS

Rept: AN0326

Client ID		B1A		B1B		B1C		B1D	
Job No	Lab ID	A02-8818	A2881801	A02-8818	A2881802	A02-8818	A2881803	A02-8818	A2881804
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	7.8	5.7	6.3	6.1	ND	5.6	ND	10.8

Client ID		B1E		B2A		B2B		B2C	
Job No	Lab ID	A02-8818	A2881805	A02-8818	A2881806	A02-8818	A2881807	A02-8818	A2881808
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	ND	5.6	45.3	5.1	ND	6.3	ND	5.8

Client ID		B2D		B2E		B3A		B3B	
Job No	Lab ID	A02-8818	A2881809	A02-8818	A2881810	A02-8818	A2881811	A02-8818	A2881812
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	ND	5.7	ND	5.4	32.0	5.6	31.3	5.4

Client ID		B3C		B3D		B3E		B4A	
Job No	Lab ID	A02-8818	A2881813	A02-8818	A2881814	A02-8818	A2881815	A02-8818	A2881816
Sample Date		09/05/2002		09/05/2002		09/05/2002		09/05/2002	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	ND	6.3	ND	6.2	ND	5.8	ND	5.7

000044

NA = Not Applicable ND = Not Detected

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
TOTAL METALS

Client ID Job No Sample Date	Lab ID	B4C A02-8818 09/05/2002	A2881817	B4D A02-8818 09/05/2002	A2881818	B4E A02-8818 09/05/2002	A2881819	B5A A02-8818 09/05/2002	A2881820
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	13.8	5.9	ND	5.6	ND	5.5	ND	5.7

Client ID Job No Sample Date	Lab ID	B5B A02-8818 09/05/2002	A2881821	B5C A02-8818 09/05/2002	A2881822	B5D A02-8818 09/05/2002	A2881823	B5E A02-8818 09/05/2002	A2881824
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	ND	5.5	ND	5.7	ND	5.8	ND	5.4

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 14:33:39

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
WET CHEMISTRY ANALYSIS

Rept: AN0326

Client ID / Job No / Sample Date / Lab ID		B1A A02-8818 09/05/2002 A2881801		B1B A02-8818 09/05/2002 A2881802		B1C A02-8818 09/05/2002 A2881803		B1D A02-8818 09/05/2002 A2881804	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	466	100	2310	100	9040	100	ND	100

Client ID / Job No / Sample Date / Lab ID		B1E A02-8818 09/05/2002 A2881805		B2A A02-8818 09/05/2002 A2881806		B2B A02-8818 09/05/2002 A2881807		B2C A02-8818 09/05/2002 A2881808	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	1020	100	2290	100	4780	100	16300	100

Client ID / Job No / Sample Date / Lab ID		B2D A02-8818 09/05/2002 A2881809		B2E A02-8818 09/05/2002 A2881810		B3A A02-8818 09/05/2002 A2881811		B3B A02-8818 09/05/2002 A2881812	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	469	100	473	100	1240	100	4880	100

Client ID / Job No / Sample Date / Lab ID		B3C A02-8818 09/05/2002 A2881813		B3D A02-8818 09/05/2002 A2881814		B3E A02-8818 09/05/2002 A2881815		B4A A02-8818 09/05/2002 A2881816	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	3210	100	734	100	347	100	24900	100

000043

NA = Not Applicable ND = Not Detected

D[redacted]09/2[redacted]2 [redacted]
Time: 14:33:39

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
WET CHEMISTRY ANALYSIS

Rept: AN0326

Client ID Job No Sample Date	Lab ID	B4C A02-8818 09/05/2002	A2881817	B4D A02-8818 09/05/2002	A2881818	B4E A02-8818 09/05/2002	A2881819	B5A A02-8818 09/05/2002	A2881820
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	786	100	227	100	ND	100	10400	100

Client ID Job No Sample Date	Lab ID	B5B A02-8818 09/05/2002	A2881821	B5C A02-8818 09/05/2002	A2881822	B5D A02-8818 09/05/2002	A2881823	B5E A02-8818 09/05/2002	A2881824
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	256	100	659	100	ND	100	409	100

NA = Not Applicable ND = Not Detected

STL Buffalo

Chronology and QC Summary Package

Date: 09/23/2002
Time: 09:45:32

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Rept: AN0326

Client ID Job No Sample Date	Lab ID	Method Blank A02-8818	A2B0865803	Method Blank A02-8818	A2B0865903	Method Blank A02-8818	A2B0869903	Method Blank A02-8818	A2B0888203
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	17	ND	16	ND	17	ND	17
Aroclor 1221	UG/KG	ND	17	ND	16	ND	17	ND	17
Aroclor 1232	UG/KG	ND	17	ND	16	ND	17	ND	17
Aroclor 1242	UG/KG	ND	17	ND	16	ND	17	ND	17
Aroclor 1248	UG/KG	ND	17	ND	16	ND	17	ND	17
Aroclor 1254	UG/KG	ND	17	ND	16	ND	17	ND	17
Aroclor 1260	UG/KG	ND	17	ND	16	ND	17	ND	17
SURROGATE(S)									
Tetrachloro-m-xylene	%	68	32-148	88	32-148	77	32-148	86	32-148
Decachlorobiphenyl	%	90	36-153	104	36-153	98	36-153	106	36-153

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 09:45:32

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Rept: AN0326

Client ID / Job No / Sample Date	Lab ID	Matrix Spike Blank A02-8818	A2B0865801	Matrix Spike Blank A02-8818	A2B0865901	Matrix Spike Blank A02-8818	A2B0869901	Matrix Spike Blank A02-8818	A2B0888201
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1221	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1232	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1242	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1248	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1254	UG/KG	150	17	160	17	150	17	170	17
Aroclor 1260	UG/KG	ND	17	ND	17	ND	17	ND	17
SURROGATE(S)									
Tetrachloro-m-xylene	%	76	32-148	86	32-148	79	32-148	86	32-148
Decachlorobiphenyl	%	89	36-153	102	36-153	94	36-153	105	36-153

Client ID / Job No / Sample Date	Lab ID	Matrix Spike Blk Dup A02-8818	A2B0865802	Matrix Spike Blk Dup A02-8818	A2B0865902	Matrix Spike Blk Dup A02-8818	A2B0869902	Matrix Spike Blk Dup A02-8818	A2B0888202
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1221	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1232	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1242	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1248	UG/KG	ND	17	ND	17	ND	17	ND	17
Aroclor 1254	UG/KG	150	17	170	17	170	17	170	17
Aroclor 1260	UG/KG	ND	17	ND	17	ND	17	ND	17
SURROGATE(S)									
Tetrachloro-m-xylene	%	76	32-148	89	32-148	84	32-148	85	32-148
Decachlorobiphenyl	%	92	36-153	107	36-153	105	36-153	106	36-153

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 09:45:38

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
TOTAL METALS

Rept: AN0326

Client ID Job No Sample Date	Lab ID	Method Blank A02-8818	A2B0874802	Method Blank A02-8818	A2B0874902				
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	ND	5.0	ND	5.0	NA		NA	

NA = Not Applicable ND = Not Detected

STL Buffalo

FOIL208129

000019

Date: 09/23/2002
Time: 09:45:38

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
TOTAL METALS

Rept: AN0326

Client ID / Job No / Sample Date / Lab ID		B5A / A02-8818 / 09/05/2002 / A2881820MS		B5A / A02-8818 / 09/05/2002 / A2881820SD		LCS CLP Soils / A02-8818 / A2B0874801		LCS CLP Soils / A02-8818 / A2B0874901	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Lead - Total	MG/KG	28.3	5.8	28.1	5.8	56.5	5.2	50.9	5.0

NA = Not Applicable ND = Not Detected

Date: 09/23/2002
Time: 09:45:43

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
WET CHEMISTRY ANALYSIS

Rept: AN0326

Client ID Job No Lab ID Sample Date		Method Blank A02-8818 A2B0889802							
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	ND	100	NA		NA		NA	

NA = Not Applicable ND = Not Detected

000029

Date: 09/23/2002
Time: 09:45:43

C & S Engineers - Wabash Aluminum Alloys Site
C & S - Wabash Aluminum Alloys Site
WET CHEMISTRY ANALYSIS

Rept: AN0326

Client ID Job No Sample Date	Lab ID	LCS A02-8818	A280889801						
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Recoverable Oil & Grease	MG/KG	ND	100	NA		NA		NA	

NA = Not Applicable ND = Not Detected

FOIL208132

STL Buffalo

000084

Date : 09/23/2002 09:46:02
Job No: A02-8818

C & S ENGINEERS

Rept: AN0364

Client Sample ID: Method Blank — Matrix Spike Blank — Matrix Spike Blk Dup
Lab Sample ID: A2B0865803 — A2B0865801 — A2B0865802

Analyte	Units of Measure	Concentration		Spike Amount		% Recovery			% RPD	QC LIMITS	
		Spike Blank	Spike Blank Dup	SB	SBD	SB	SBD	Avg		RPD	REC.
C&S - METHOD 8082 - POLYCHLORINATED BIPH											
Aroclor 1254	UG/KG	147	151	166	164	89	92	91	3	30.0	52-153

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date : 09/23/2002 09:46:02
Job No: A02-8818

C & S ENGINEERS

Rept: AN0364

Client Sample ID: Method Blank — Matrix Spike Blank — Matrix Spike Blk Dup
Lab Sample ID: A2B0865903 — A2B0865901 — A2B0865902

Analyte	Units of Measure	Concentration		Spike Amount		% Recovery			% RPD	QC LIMITS	
		Spike Blank	Spike Blank Dup	SB	SBD	SB	SBD	Avg		RPD	REC.
C&S - METHOD 8082 - POLYCHLORINATED BIPH											
Aroclor 1254	UG/KG	165	174	163	165	101	105	103	4	30.0	52-153

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

000023

Date : 09/23/2002 09:46:02
Job No: A02-8818

C & S ENGINEERS

Rept: AN0364

Client Sample ID: Method Blank — Matrix Spike Blank — Matrix Spike Blk Dup
Lab Sample ID: A2B0869903 — A2B0869901 — A2B0869902

Analyte	Units of Measure	Concentration Spike Blank	Concentration Spike Blank Dup	Spike Amount SB	Spike Amount SBD	% Recovery SB	% Recovery SBD	% Recovery Avg	% RPD	QC LIMITS RPD	QC LIMITS REC.
C&S - METHOD 8082 - POLYCHLORINATED BIPH											
Aroclor 1254	UG/KG	148	170	166	166	89	102	96	14	30.0	52-153

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date : 09/23/2002 09:46:02
Job No: A02-8818

C & S ENGINEERS

Rept: AN0364

Client Sample ID: Method Blank — Matrix Spike Blank — Matrix Spike Blk Dup
Lab Sample ID: A2B0888203 — A2B0888201 — A2B0888202

Analyte	Units of Measure	Concentration Spike Blank	Concentration Spike Blank Dup	Spike Amount SB	Spike Amount SBD	% Recovery SB	% Recovery SBD	% Recovery Avg	% RPD	QC LIMITS RPD	QC LIMITS REC.
C&S - METHOD 8082 - POLYCHLORINATED BIPH Aroclor 1254	UG/KG	167	169	164	164	101	103	102	2	30.0	52-153

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

000035

Date : 09/23/2002 09:46:07
Job No: A02-8818

Rept: AN0364

C & S ENGINEERS
SAMPLE DATE 09/05/2002

Client Sample ID: B5A — B5A — B5A
Lab Sample ID: A2881820 — A2881820MS — A2881820SD

Analyte	Units of Measure	Concentration: Sample	Concentration: Matrix Spike	Concentration: Spike Duplicate	Spike Amount: MS	Spike Amount: MSD	% Recovery: MS	% Recovery: MSD	% Recovery: Avg	% RPD	QC LIMITS: RPD	QC LIMITS: REC.
TOTAL METALS ANALYSIS												
C&S - TOTAL LEAD - S	MG/KG	0.215	28.27	28.08	52.9	52.9	53 *	52 *	53	0.	20.0	80-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

000096

Date : 09/23/2002 09:46:07
Job No: A02-8818

C & S ENGINEERS

Rept: AN0364

Client Sample ID: Method Blank
Lab Sample ID: A2B0874802

LCS CLP Soils
A2B0874801

Analyte	Units of Measure	Concentration Blank Spike	Concentration Spike Amount	% Recovery Blank Spike	QC LIMITS
TOTAL METALS ANALYSIS C&S - TOTAL LEAD - S	MG/KG	56.51	52.9	106	80-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date : 09/23/2002 09:46:07
Job No: A02-8818

C & S ENGINEERS

Rept: AN0364

Client Sample ID: Method Blank LCS CLP Soils
Lab Sample ID: A2B0874902 A2B0874901

Analyte	Units of Measure	Concentration Blank Spike	Concentration Spike Amount	% Recovery Blank Spike	QC LIMITS
TOTAL METALS ANALYSIS					
C&S - TOTAL LEAD - S	MG/KG	50.89	52.9	96	80-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Client Sample ID: Method Blank LCS
Lab Sample ID: A2B0889802 A2B0889801

Analyte	Units of Measure	Concentration Blank Spike	Concentration Spike Amount	% Recovery Blank Spike	QC LIMITS
WET CHEMISTRY ANALYSIS C&S - METHOD 9071 - TOTAL RECOVERABLE	MG/KG	82500	84000	98	90-110

000029

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	B1A A02-8818 A2881801	B1B A02-8818 A2881802RE	B1C A02-8818 A2881803	B1D A02-8818 A2881804	B1E A02-8818 A2881805
Sample Date	09/05/2002 08:45	09/05/2002 08:50	09/05/2002 08:50	09/05/2002 08:55	09/05/2002 09:00
Received Date	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45
Extraction Date	09/06/2002 16:00	09/13/2002 07:00	09/06/2002 16:00	09/06/2002 16:00	09/09/2002 07:00
Analysis Date	09/09/2002 14:55	09/16/2002 14:20	09/10/2002 23:27	09/09/2002 17:02	09/10/2002 13:46
Extraction HT Met?	YES	YES	YES	YES	YES
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW
Dilution Factor	20.0	4.0	20.0	5.0	20.0
Sample wt/vol	30.39 GRAMS	30.59 GRAMS	30.19 GRAMS	30.52 GRAMS	30.88 GRAMS
% Dry	91.01	84.91	87.08	47.98	88.26

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	B2A A02-8818 A2881806	B2B A02-8818 A2881807	B2C A02-8818 A2881808	B2D A02-8818 A2881809	B2E A02-8818 A2881810
Sample Date	09/05/2002 09:15	09/05/2002 09:20	09/05/2002 09:25	09/05/2002 09:30	09/05/2002 09:35
Received Date	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45
Extraction Date	09/06/2002 16:00	09/06/2002 16:00	09/06/2002 16:00	09/06/2002 16:00	09/09/2002 07:00
Analysis Date	09/10/2002 23:53	09/09/2002 17:52	09/11/2002 00:18	09/09/2002 18:43	09/10/2002 15:27
Extraction HT Met?	YES	YES	YES	YES	YES
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW
Dilution Factor	40.0	50.0	40.0	4.0	1.0
Sample wt/vol	30.15 GRAMS	30.31 GRAMS	30.8 GRAMS	30.41 GRAMS	30.33 GRAMS
% Dry	96.02	82.14	87.80	88.81	91.79

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	B3A A02-8818 A2881811	B3B A02-8818 A2881812	B3C A02-8818 A2881813	B3D A02-8818 A2881814	B3E A02-8818 A2881815
Sample Date	09/05/2002 09:40	09/05/2002 09:45	09/05/2002 09:50	09/05/2002 09:55	09/05/2002 10:00
Received Date	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45
Extraction Date	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00
Analysis Date	09/10/2002 15:52	09/10/2002 16:18	09/10/2002 16:43	09/10/2002 17:59	09/10/2002 18:24
Extraction HT Met?	YES	YES	YES	YES	YES
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW
Dilution Factor	50.0	20.0	5.0	1.0	1.0
Sample wt/vol	30.49 GRAMS	30.11 GRAMS	30.48 GRAMS	30.77 GRAMS	30.6 GRAMS
% Dry	92.33	92.89	81.29	83.74	87.87

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	B4A A02-8818 A2881816	B4C A02-8818 A2881817	B4D A02-8818 A2881818	B4E A02-8818 A2881819	B5A A02-8818 A2881820
Sample Date	09/05/2002 10:10	09/05/2002 10:20	09/05/2002 10:25	09/05/2002 10:30	09/05/2002 10:45
Received Date	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45
Extraction Date	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00
Analysis Date	09/10/2002 18:49	09/10/2002 19:14	09/10/2002 19:40	09/10/2002 20:05	09/10/2002 20:30
Extraction HT Met?	YES	YES	YES	YES	YES
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW
Dilution Factor	1.0	1.0	1.0	1.0	100.0
Sample wt/vol	30.88 GRAMS	30.85 GRAMS	30.95 GRAMS	30.77 GRAMS	30.71 GRAMS
% Dry	88.58	82.99	90.35	89.77	86.32

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	B5B A02-8818 A2881821	B5C A02-8818 A2881822	B5D A02-8818 A2881823	B5E A02-8818 A2881824	
Sample Date	09/05/2002 10:50	09/05/2002 10:55	09/05/2002 11:00	09/05/2002 11:05	
Received Date	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	09/06/2002 09:45	
Extraction Date	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00	09/09/2002 07:00	
Analysis Date	09/10/2002 20:56	09/10/2002 21:21	09/10/2002 22:37	09/10/2002 23:02	
Extraction HT Met?	YES	YES	YES	YES	
Analytical HT Met?	YES	YES	YES	YES	
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	
Dilution Factor	2.0	1.0	1.0	10.0	
Sample wt/vol	30.72 GRAMS	30.8 GRAMS	30.47 GRAMS	30.1 GRAMS	
% Dry	88.14	87.67	86.22	92.05	

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	Method Blank A02-8818 A2B0865803	Method Blank A02-8818 A2B0865903	Method Blank A02-8818 A2B0869903	Method Blank A02-8818 A2B0888203	
Sample Date					
Received Date					
Extraction Date	09/06/2002 16:00	09/09/2002 07:00	09/09/2002 07:00	09/13/2002 07:00	
Analysis Date	09/09/2002 12:37	09/09/2002 15:02	09/10/2002 08:17	09/16/2002 13:54	
Extraction HT Met?	-	-	-	-	
Analytical HT Met?	-	-	-	-	
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	
Dilution Factor	1.0	1.0	1.0	1.0	
Sample wt/vol	30.52 GRAMS	30.82 GRAMS	30.26 GRAMS	30.18 GRAMS	
% Dry	100.00	100.00	100.00	100.00	

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	Matrix Spike Blank A02-8818 A2B0865801	Matrix Spike Blank A02-8818 A2B0865901	Matrix Spike Blank A02-8818 A2B0869901	Matrix Spike Blank A02-8818 A2B0888201	Matrix Spike Blk Dup A02-8818 A2B0865802
Sample Date					
Received Date					
Extraction Date	09/06/2002 16:00	09/09/2002 07:00	09/09/2002 07:00	09/13/2002 07:00	09/06/2002 16:00
Analysis Date	09/09/2002 11:46	09/09/2002 14:11	09/10/2002 07:27	09/16/2002 13:04	09/09/2002 12:12
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	-	-	-	-	-
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW	SOIL LOW
Dilution Factor	1.0	1.0	1.0	1.0	1.0
Sample wt/vol	30.07 GRAMS	30.54 GRAMS	30.03 GRAMS	30.31 GRAMS	30.42 GRAMS
% Dry	100.00	100.00	100.00	100.00	100.00

NA = Not Applicable

C&S - METHOD 8082 - POLYCHLORINATED BIPHENYLS - S

Client Sample ID Job No & Lab Sample ID	Matrix Spike Blk Dup A02-8818 A2B0865902	Matrix Spike Blk Dup A02-8818 A2B0869902	Matrix Spike Blk Dup A02-8818 A2B0888202		
Sample Date					
Received Date					
Extraction Date	09/09/2002 07:00	09/09/2002 07:00	09/13/2002 07:00		
Analysis Date	09/09/2002 14:36	09/10/2002 07:52	09/16/2002 13:29		
Extraction HT Met?	-	-	-		
Analytical HT Met?	-	-	-		
Sample Matrix	SOIL LOW	SOIL LOW	SOIL LOW		
Dilution Factor	1.0	1.0	1.0		
Sample wt/vol	30.18 GRAMS	30.02 GRAMS	30.33 GRAMS		
% Dry	100.00	100.00	100.00		

NA = Not Applicable

Date: 09/23/2002 09:48:53
Jobno: A02-8818

C & S ENGINEERING
SAMPLE CHRONOLOGY

Rept: AN0369

Lab ID	Sample ID	Units	Analyte	Method	Dilution Factor	Sample Date	Receive Date	TCLP Date	THT	Analysis Date	AHT	Matrix
A2881801	B1A	MG/KG	Lead - Total	6010	1.00	09/05/2002 08:45	09/06 09:45	NA	NA	09/12 18:36	Yes	SOIL
A2881802	B1B	MG/KG	Lead - Total	6010	1.00	09/05/2002 08:50	09/06 09:45	NA	NA	09/12 18:40	Yes	SOIL
A2881803	B1C	MG/KG	Lead - Total	6010	1.00	09/05/2002 08:50	09/06 09:45	NA	NA	09/12 18:44	Yes	SOIL
A2881804	B1D	MG/KG	Lead - Total	6010	1.00	09/05/2002 08:55	09/06 09:45	NA	NA	09/12 18:49	Yes	SOIL
A2881805	B1E	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:00	09/06 09:45	NA	NA	09/12 18:53	Yes	SOIL
A2881806	B2A	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:15	09/06 09:45	NA	NA	09/12 18:57	Yes	SOIL
A2881807	B2B	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:20	09/06 09:45	NA	NA	09/12 19:02	Yes	SOIL
A2881808	B2C	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:25	09/06 09:45	NA	NA	09/12 19:06	Yes	SOIL
A2881809	B2D	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:30	09/06 09:45	NA	NA	09/12 19:19	Yes	SOIL
A2881810	B2E	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:35	09/06 09:45	NA	NA	09/12 19:23	Yes	SOIL
A2881811	B3A	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:40	09/06 09:45	NA	NA	09/12 19:28	Yes	SOIL
A2881812	B3B	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:45	09/06 09:45	NA	NA	09/12 19:32	Yes	SOIL
A2881813	B3C	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:50	09/06 09:45	NA	NA	09/12 19:37	Yes	SOIL
A2881814	B3D	MG/KG	Lead - Total	6010	1.00	09/05/2002 09:55	09/06 09:45	NA	NA	09/12 19:41	Yes	SOIL
A2881815	B3E	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:00	09/06 09:45	NA	NA	09/12 19:45	Yes	SOIL
A2881816	B4A	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:10	09/06 09:45	NA	NA	09/12 19:50	Yes	SOIL
A2881817	B4C	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:20	09/06 09:45	NA	NA	09/12 19:54	Yes	SOIL
A2881818	B4D	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:25	09/06 09:45	NA	NA	09/12 19:58	Yes	SOIL
A2881819	B4E	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:30	09/06 09:45	NA	NA	09/12 20:11	Yes	SOIL
A2881820	B5A	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:45	09/06 09:45	NA	NA	09/12 20:16	Yes	SOIL
A2881821	B5B	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:50	09/06 09:45	NA	NA	09/20 08:18	Yes	SOIL
A2881822	B5C	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:55	09/06 09:45	NA	NA	09/20 08:22	Yes	SOIL
A2881823	B5D	MG/KG	Lead - Total	6010	1.00	09/05/2002 11:00	09/06 09:45	NA	NA	09/20 08:26	Yes	SOIL
A2881824	B5E	MG/KG	Lead - Total	6010	1.00	09/05/2002 11:05	09/06 09:45	NA	NA	09/20 08:31	Yes	SOIL

AHT = Analysis Holding Time Met
THT = TCLP Holding Time Met
NA = Not Applicable

STL Buffalo

Date: [redacted] 09/23/2002 09:[redacted]
Jobno: A02-8818

C & S ENGINEERINS
QC CHRONOLOGY

Rept: AN0369

Lab ID	Sample ID	Units	Analyte	Method	Dilution Factor	Sample Date	Receive Date	TCLP Date	THT	Analysis Date	AHT	Matrix
A2881820MS	B5A	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:45	09/06 09:45	NA	NA	09/20 07:51	Yes	SOIL
A2881820SD	B5A	MG/KG	Lead - Total	6010	1.00	09/05/2002 10:45	09/06 09:45	NA	NA	09/20 07:56	Yes	SOIL
A2B0874802	Method Blank	MG/KG	Lead - Total	6010	1.00	-	- 09:45	NA	NA	09/20 07:43	Yes	SOIL
A2B0874902	Method Blank	MG/KG	Lead - Total	6010	1.00	-	- 09:45	NA	NA	09/20 08:09	Yes	SOIL
A2B0874801	LCS CLP Soils	MG/KG	Lead - Total	6010	1.00	-	- 09:45	NA	NA	09/20 07:47	Yes	SOIL
A2B0874901	LCS CLP Soils	MG/KG	Lead - Total	6010	1.00	-	- 09:45	NA	NA	09/20 08:13	Yes	SOIL

AHT = Analysis Holding Time Met
THT = TCLP Holding Time Met
NA = Not Applicable

STL Buffalo

Da[redacted]9/23[redacted] 09:[redacted] [redacted] C & S ENGINEERING [redacted] Rept: AN0369
Jobno: A02-8818

SAMPLE CHRONOLOGY

Lab ID	Sample ID	Units	Analyte	Method	Dilution Factor	Sample Date	Receive Date	TCLP Date	THT	Analysis Date	AHT	Matrix
A2881801	B1A	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 08:45	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881802	B1B	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 08:50	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881803	B1C	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 08:50	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881804	B1D	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 08:55	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881805	B1E	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:00	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881806	B2A	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:15	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881807	B2B	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:20	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881808	B2C	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:25	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881809	B2D	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:30	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881810	B2E	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:35	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881811	B3A	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:40	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881812	B3B	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:45	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881813	B3C	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:50	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881814	B3D	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 09:55	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881815	B3E	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:00	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881816	B4A	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:10	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881817	B4C	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:20	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881818	B4D	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:25	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881819	B4E	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:30	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881820	B5A	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:45	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881821	B5B	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:50	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881822	B5C	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 10:55	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881823	B5D	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 11:00	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2881824	B5E	MG/KG	Total Recoverable Oil & Grease	9071	1.00	09/05/2002 11:05	09/06 09:45	NA	NA	09/13 07:00	Yes	SOIL

HT = Analysis Holding Time Met
HT = TCLP Holding Time Met
A = Not Applicable

STL Buffalo

Lab ID	Sample ID	Units	Analyte	Method	Dilution Factor	Sample Date	Receive Date	TCLP Date	THT	Analysis Date	AHT	Matrix
A2B0889802	Method Blank	MG/KG	Total Recoverable Oil & Grease	9071	1.00	-	- 09:45	NA	NA	09/13 07:00	Yes	SOIL
A2B0889801	LCS	MG/KG	Total Recoverable Oil & Grease	9071	1.00	-	- 09:45	NA	NA	09/13 07:00	Yes	SOIL

HT = Analysis Holding Time Met
HT = TCLP Holding Time Met
\ = Not Applicable

Chain of Custody

Chain of Custody Record

SEVERN TRENT SERVICES

Severn Trent Laboratories, Inc.

STL-4124 (1200)

Client: C&S Engineers, Inc. (Wabash)	Project Manager: Rory Woodmansee	Date: 9/05/02	Chain of Custody Number: 099028
Address: Syracuse Hancock Int'l. Airport	Telephone Number (Area Code)/Fax Number: 315 455 2000 ph 455-9667 Fax	Lab Number	Page 1 of 2
City: Syracuse; State: NY; Zip Code: 13212	Site Contact	Lab Contact	
Project Name and Location (State): Wabash Aluminum Alloys, East Syracuse	Carrier/Waybill Number		
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	O&G 9071B	8082 PCBs	6010 (Pb only)	Special Instructions/ Conditions of Receipt
B1A	9/5/02	0845				X	2						X	X	X	
B1B		0850					2						X	X	X	
B1C		0850					2						X	X	X	
B1D		0855					2						X	X	X	
B1E		0900					2						X	X	X	
B2A		0915					1							X	X	O&G TO BE DONE IF
B2B		0920					2						X	X	X	VOLUME ALLOWS - BOTH
B2C		0925					2						X	X	X	
B2D		0930					2						X	X	X	
B2E		0935					2						X	X	X	
B3A		0940					2						X	X	X	
B3B		0945					2						X	X	X	

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 3 months)

Turn Around Time Required: ☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☒ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By: Rory Woodmansee	09/05/02	1500	1. Received By: [signature] STL	9-06-02	09:45
2. Relinquished By			2. Received By: [signature]		
3. Relinquished By			3. Received By		

Comments: 2 @ 2

DISTRIBUTION: WHITE - Stays with the Sample; CANARY - Returned to Client with Report; PINK - Field Copy

FOIL208154

Chain of Custody Record

SEVERN TRENT SERVICES

Severn Trent Laboratories, Inc.

STL-4124 (1200)

Client: C&S Engineers, Inc. (Wabash)	Project Manager: Rory Woodmansee	Date: 9/05/02	Chain of Custody Number: 099027
Address: Syracuse Hancock Int'l. Airport	Telephone Number (Area Code)/Fax Number: 315 455-2000 ph 455-9667 FAX	Lab Number	Page 2 of 2
City: Syracuse; State: NY; Zip Code: 13212	Site Contact	Lab Contact	
Project Name and Location (State): Wabash Al. Alloys, East Syracuse	Carrier/Waybill Number		
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Analysis: OIG 9071B	8082 PCBs	6010 (Pb only)	Special Instructions/ Conditions of Receipt
B3C	9/5/02	0950				X	2						X	X	X	
B3D		0955					2						X	X	X	
B3E		1000					2						X	X	X	
B4A		1010					2						X	X	X	
B4C		1020					2						X	X	X	
B4D		1025					2						X	X	X	
B4E		1030					2						X	X	X	
B5A		1045					2						X	X	X	
B5B		1050					1							X	X	OIG To be Done for Volume Allows - BJF 9/10/02
B5C		1055					2						X	X	X	
B5D		1100					2						X	X	X	
B5E		1105					2						X	X	X	

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal: ☐ Return To Client ☐ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained longer than 3 months)

Turn Around Time Required: ☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☒ 14 Days ☐ 21 Days ☐ Other ____

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By: Rory Woodmansee	09/05/02	1500	1. Received By: [signature] STL	9-06-02	09:45
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By		

Comments

FOIL208155

DISTRIBUTION: WHITE - Stays with the Sample; CANARY - Returned to Client with Report; PINK - Field Copy

2 @ 2

ATTACHMENT B

Analytical Laboratory Data Sheets

Groundwater Samples

Upstate Laboratories inc.

Shipping: 6034 Corporate Dr. • E. Syracuse, NY 13057-1017 • (315) 437-0255 • Fax (315) 437-1209
Mailing: Box 289 • Syracuse, NY 13206
Albany (518) 459-3134
Binghamton (607) 724-0478
Buffalo (716) 649-2533
Rochester (585) 436-9070
New Jersey (201) 343-5353

October 7, 2002

Mr. Thomas A. Barba
Senior Project Scientist
C & S Engineers, P.C.
1099 Airport Blvd.
N. Syracuse, NY 13212

Re: Analysis Report #26302003 - Qtrly Wabash Wells

Dear Mr. Barba:

Please find enclosed the results for your samples which were collected by ULI personnel on September 19, 2002.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your sample. Samples will be disposed of approximately one month from final report date.

Should you have any questions, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala
Director

AJS/tp

Enclosures: report, field data, invoice

cc/encs: N. Scala, ULI
file

Note: Faxed results were given to your office on 10/4/02. AJS

Disclaimer: The test results and procedures utilized, and laboratory interpretations of data obtained by ULI as contained in this report are believed by ULI to be accurate and reliable for sample(s) tested. In accepting this report, the customer agrees that the full extent of any and all liability for actual and consequential damages of ULI for the services performed shall be equal to the fee charged to the customer for the services as liquidated damages.

DATE: 10/07/02

Upstate Laboratories, Inc.
Analysis Results
Report Number: 26302003
Client I.D.: C & S ENGINEERS, P.C.

APPROVAL: GS
QC: GS
Lab I.D.: 10170
Sampled by: ULI

ID:26302003 Mat:Water QRTLY WABASH WELLS B280 1115H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	7.45SU		09/19/02			FIELD
	Field Specific Conductivity	1134umhos/cm		09/19/02			FIELD
Total	Arsenic by Low Level	<0.010mg/l		09/26/02			MB4870
Total	Lead by Low Level	0.002mg/l		09/27/02			MB4860
Dissolved	Arsenic by Low Level	<0.010mg/l		10/01/02			MB4881
Dissolved	Lead by Low Level	<0.001mg/l		10/01/02			MB4876
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

ID:26302004 Mat:Water QRTLY WABASH WELLS B281 1425H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	6.86SU		09/19/02			FIELD
	Field Specific Conductivity	3080umhos/cm		09/19/02			FIELD
Total	Arsenic by Low Level	0.023mg/l		09/26/02			MB4870
Total	Barium	<0.3mg/l		09/27/02			MB4874
Total	Lead by Low Level	<0.001mg/l		09/27/02		28	MB4860
Dissolved	Arsenic by Low Level	<0.010mg/l		10/01/02			MB4881
Dissolved	Barium	<0.3mg/l		09/27/02			MB4874
Dissolved	Lead by Low Level	<0.0001mg/l		10/01/02		28	MB4876

ID:26302005 Mat:Water QRTLY WABASH WELLS B290 1315H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	6.93SU		09/19/02			FIELD
	Field Specific Conductivity	2130umhos/cm		09/19/02			FIELD
Total	Lead by Low Level	0.008mg/l		09/27/02		27	MB4860
Dissolved	Lead by Low Level	<0.001mg/l		10/01/02		28	MB4876

DATE: 10/07/02

Upstate Laboratories, Inc.
Analysis Results
Report Number: 26302003
Client I.D.: C & S ENGINEERS, P.C.

APPROVAL: GJS
QC: JS
Lab I.D.: 10170
Sampled by: ULI

ID:26302006 Mat:Water QRTLY WABASH WELLS B401 1030H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	7.48SU		09/19/02			FIELD
	Field Specific Conductivity	644umhos/cm		09/19/02			FIELD
Total	Lead by Low Level	0.068mg/l		09/27/02			MB4860
Dissolved	Lead by Low Level	0.002mg/l		10/01/02			MB4876

ID:26302007 Mat:Water QRTLY WABASH WELLS B402 1225H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	8.44SU		09/19/02			FIELD
	Field Specific Conductivity	2260umhos/cm		09/19/02			FIELD
Total	Lead by Low Level	0.004mg/l		09/27/02			MB4860
Dissolved	Lead by Low Level	<0.001mg/l		10/01/02			MB4876
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

ID:26302008 Mat:Water QRTLY WABASH WELLS B403 1255H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	7.11SU		09/19/02			FIELD
	Field Specific Conductivity	456umhos/cm		09/19/02			FIELD
Total	Lead by Low Level	0.005mg/l		09/27/02			MB4860
Dissolved	Lead by Low Level	<0.001mg/l		10/01/02		28	MB4876
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

DATE: 10/07/02

Upstate Laboratories, Inc.
Analysis Results
Report Number: 26302003
Client I.D.: C & S ENGINEERS, P.C.

APPROVAL: CJS
QC: JS
Lab I.D.: 10170
Sampled by: ULI

ID:26302009 Mat:Water QRTLY WABASH WELLS B404 1145H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	7.09SU		09/19/02			FIELD
	Field Specific Conductivity	731umhos/cm		09/19/02			FIELD
Total	Lead by Low Level	0.003mg/l		09/27/02			MB4860
Dissolved	Lead by Low Level	<0.001mg/l		10/01/02			MB4876
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

ID:26302010 Mat:Water QRTLY WABASH WELLS B107 1355H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	7.44SU		09/19/02			FIELD
	Field Specific Conductivity	947umhos/cm		09/19/02			FIELD
Total	Barium	0.31mg/l		09/27/02			MB4874
Dissolved	Barium	0.34mg/l		09/27/02		15	MB4874

ID:26302011 Mat:Water QRTLY WABASH WELLS B108 1335H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	7.08SU		09/19/02			FIELD
	Field Specific Conductivity	2540umhos/cm		09/19/02			FIELD
Total	Barium	0.73mg/l		09/27/02			MB4874
Dissolved	Barium	0.78mg/l		09/27/02		15	MB4874

DATE: 10/07/02

Upstate Laboratories, Inc.
Analysis Results
Report Number: 26302003
Client I.D.: C & S ENGINEERS, P.C.

APPROVAL: CJS
QC: JS
Lab I.D.: 10170
Sampled by: ULI

ID:26302012 Mat:Water QRTLY WABASH WELLS MW-8R 0955H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
	Field pH	9.21SU		09/19/02			FIELD
	Field Specific Conductivity	933umhos/cm		09/19/02			FIELD
	Oil & Grease (Hexane)	<5mg/l		09/25/02			WE0883
Total	Lead by Low Level	0.004mg/l		09/27/02			MB4860
Dissolved	Lead by Low Level	0.001mg/l		10/01/02		27	MB4876
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

ID:26302013 Mat:Water QRTLY WABASH WELLS B280 DUPE 1115H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
Total	Arsenic by Low Level	<0.010mg/l		09/26/02			MB4870
Total	Lead by Low Level	0.001mg/l		09/27/02			MB4860
Dissolved	Arsenic by Low Level	<0.010mg/l		10/01/02			MB4881
Dissolved	Lead by Low Level	<0.001mg/l		10/01/02			MB4876
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

DATE: 10/07/02

Upstate Laboratories, Inc.
Analysis Results
Report Number: 26302003
Client I.D.: C & S ENGINEERS, P.C.

APPROVAL: GJS
QC: JS
Lab I.D.: 10170
Sampled by: ULI

ID:26302014 Mat:Water QRTLY WABASH WELLS EQUIPMENT BLANK 1435H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
Total	Arsenic by Low Level	<0.010mg/l		09/26/02			MB4870
Total	Barium	<0.3mg/l		09/27/02			MB4874
Total	Lead by Low Level	<0.001mg/l		09/27/02			MB4860
Dissolved	Arsenic by Low Level	<0.010mg/l		09/26/02			MB4870
Dissolved	Barium	<0.3mg/l		09/27/02			MB4874
Dissolved	Lead by Low Level	0.002mg/l		09/27/02		15	MB4860
	PCB (Aroclors) by EPA Method 8082						
	Aroclor 1016	<0.05ug/l		09/28/02			GA1633
	Aroclor 1221	<0.05ug/l		09/28/02			GA1633
	Aroclor 1232	<0.05ug/l		09/28/02			GA1633
	Aroclor 1242	<0.05ug/l		09/28/02			GA1633
	Aroclor 1248	<0.05ug/l		09/28/02			GA1633
	Aroclor 1254	<0.05ug/l		09/28/02			GA1633
	Aroclor 1260	<0.05ug/l		09/28/02			GA1633
	Total PCB	<0.05ug/l		09/28/02			GA1633

ID:26302015 Mat:Water QRTLY WABASH WELLS FILTER BLANK 1440H 09/19/02 G

	PARAMETERS	RESULTS	TIME	DATE ANAL.	KEY	KEY	FILE#
Dissolved	Arsenic by Low Level	<0.010mg/l		09/26/02			MB4870
Dissolved	Barium	<0.3mg/l		09/27/02			MB4874
Dissolved	Lead by Low Level	0.001mg/l		09/27/02			MB4860

KEY PAGE

1 MATRIX INTERFERENCE PRECLUDES LOWER DETECTION LIMITS
2 REFERENCE SAMPLE/CCV RECOVERY WAS OUTSIDE OF CONTROL LIMITS
3 METHOD BLANK RESULT WAS ABOVE THE CONTROL LIMITS
4 ANALYSIS NOT PERFORMED BECAUSE OF INSUFFICIENT SAMPLE
5 THE PRESENCE OF OTHER TARGET ANALYTE(S) PRECLUDES LOWER DETECTION LIMITS
6 BLANK CORRECTED
7 HEAD SPACE PRESENT IN SAMPLE
8 QUANTITATION LIMIT IS GREATER THAN THE CALCULATED REGULATORY LEVEL. THE QUANTITATION LIMIT THEREFORE BECOMES THE REGULATORY LEVEL.
9 THE OIL WAS TREATED AS A SOLID AND LEACHED WITH EXTRACTION FLUID
10 RESULTS ARE REPORTED ON AN AS REC.D BASIS
11 POSSIBLE CONTAMINATION FROM FIELD/LABORATORY
12 SAMPLE ANALYZED OVER HOLDING TIME
13 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL DUE TO CONTAMINATION FROM THE FILTERING PROCEDURE
14 SAMPLED BY ULI
15 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL; HOWEVER, THE VALUES ARE WITHIN EXPERIMENTAL ERROR
16 AN INHIBITORY FACTOR WAS OBSERVED IN THIS ANALYSIS
17 PARAMETER NOT ANALYZED WITHIN 15 MINUTES OF SAMPLING
18 THE SERIAL DILUTION OF THIS SAMPLE SUGGESTS A POSSIBLE PHYSICAL AND/OR CHEMICAL INTERFERENT IN THIS DETERMINATION. THE DATA MAY BE BIASED EITHER HIGH OR LOW.
19 CALCULATION BASED ON DRY WEIGHT
20 INDICATES AN ESTIMATED VALUE, DETECTED BUT BELOW THE PRACTICAL QUANTITATION LIMITS
21 UG/KG AS REC.D / UG/KG DRY WT
22 MG/KG AS REC.D / MG/KG DRY WT
23 INSUFFICIENT SAMPLE PRECLUDES LOWER DETECTION LIMITS
24 SAMPLE DILUTED/BLANK CORRECTED
25 ND(NON-DETECTED)
26 DUPLICATE SAMPLE OUTSIDE QC CRITERIA
27 SPIKE RECOVERY ABNORMALLY HIGH/LOW DUE TO MATRIX INTERFERENCE
28 POST-DIGESTION SPIKE FOR FURNACE AA ANALYSIS IS OUTSIDE OF THE CONTROL LIMITS (85-115%); HOWEVER, THE SAMPLE CONCENTRATION IS BELOW THE PQL
29 ANALYZED BY METHOD OF STANDARD ADDITIONS
30
31 FIELD MEASURED PARAMETER TAKEN BY CLIENT
32 TARGET ANALYTE IS BIODEGRADED AND/OR ENVIRONMENTALLY WEATHERED
33 MILLIGRAMS PER LITER (MG/L) LINEAR ALKYL SULFONATE (LAS)/ POUNDS (LBS) PER DAY LAS
34 THE SAMPLE WAS ANALYZED ON A TOTAL BASIS; THE TEST RESULT CAN BE COMPARED TO THE TCLP REGULATORY CRITERIA BY DIVIDING THE TEST RESULT BY 20, CREATING A THEORETICAL TCLP VALUE
35 THE HYDROCARBONS DETECTED IN THE SAMPLE DID NOT CROSS-MATCH WITH COMMON PETROLEUM DISTILLATES
36 MATRIX INTERFERENCE CAUSING SPIKES TO RESULT IN LESS THAN 50.0% RECOVERY
37 MILLIGRAMS PER LITER (MG/L) / POUNDS (LBS) PER DAY
38 MILLIGRAMS PER LITER (MG/L) OF RESIDUAL CHLORINE (CL2) / POUNDS (LBS) PER DAY OF CL2
39 MICROGRAMS PER LITER (UG/L) / POUNDS (LBS) PER DAY
(B) DETECTED IN BLANK
(D) ALL COMPOUNDS IDENTIFIED IN AN ANALYSIS AT A SECONDARY DILUTION FACTOR
(E) COMPOUNDS WHOSE CONCENTRATIONS EXCEED THE CALIBRATION RANGE OF THE GC/MS INSTRUMENT FOR THAT SPECIFIC ANALYSIS
(J) DETECTED BELOW THE CRQL
(a) SAMPLE(S) RECEIVED AT THE IMPROPER TEMPERATURE
(b) HEADSPACE IN VOA VIAL(S)
(c) HEADSPACE IN ALKALINITY BOTTLE(S)
(d) SAMPLE CONTAINER(S) RECEIVED BROKEN

KEY PAGE

1 MATRIX INTERFERENCE PRECLUDES LOWER DETECTION LIMITS
2 REFERENCE SAMPLE/CCV RECOVERY WAS OUTSIDE OF CONTROL LIMITS
3 METHOD BLANK RESULT WAS ABOVE THE CONTROL LIMITS
4 ANALYSIS NOT PERFORMED BECAUSE OF INSUFFICIENT SAMPLE
5 THE PRESENCE OF OTHER TARGET ANALYTE(S) PRECLUDES LOWER DETECTION LIMITS
6 BLANK CORRECTED
7 HEAD SPACE PRESENT IN SAMPLE
8 QUANTITATION LIMIT IS GREATER THAN THE CALCULATED REGULATORY LEVEL. THE QUANTITATION LIMIT THEREFORE BECOMES THE REGULATORY LEVEL.
9 THE OIL WAS TREATED AS A SOLID AND LEACHED WITH EXTRACTION FLUID
10 RESULTS ARE REPORTED ON AN AS REC.D BASIS
11 POSSIBLE CONTAMINATION FROM FIELD/LABORATORY
12 SAMPLE ANALYZED OVER HOLDING TIME
13 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL DUE TO CONTAMINATION FROM THE FILTERING PROCEDURE
14 SAMPLED BY ULI
15 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL; HOWEVER, THE VALUES ARE WITHIN EXPERIMENTAL ERROR
16 AN INHIBITORY FACTOR WAS OBSERVED IN THIS ANALYSIS
17 PARAMETER NOT ANALYZED WITHIN 15 MINUTES OF SAMPLING
18 THE SERIAL DILUTION OF THIS SAMPLE SUGGESTS A POSSIBLE PHYSICAL AND/OR CHEMICAL INTERFERENT IN THIS DETERMINATION. THE DATA MAY BE BIASED EITHER HIGH OR LOW.
19 CALCULATION BASED ON DRY WEIGHT
20 INDICATES AN ESTIMATED VALUE, DETECTED BUT BELOW THE PRACTICAL QUANTITATION LIMITS
21 UG/KG AS REC.D / UG/KG DRY WT
22 MG/KG AS REC.D / MG/KG DRY WT
23 INSUFFICIENT SAMPLE PRECLUDES LOWER DETECTION LIMITS
24 SAMPLE DILUTED/BLANK CORRECTED
25 ND(NON-DETECTED)
26 DUPLICATE SAMPLE OUTSIDE QC CRITERIA
27 SPIKE RECOVERY ABNORMALLY HIGH/LOW DUE TO MATRIX INTERFERENCE
28 POST-DIGESTION SPIKE FOR FURNACE AA ANALYSIS IS OUTSIDE OF THE CONTROL LIMITS (85-115%); HOWEVER, THE SAMPLE CONCENTRATION IS BELOW THE PQL
29 ANALYZED BY METHOD OF STANDARD ADDITIONS
30
31 FIELD MEASURED PARAMETER TAKEN BY CLIENT
32 TARGET ANALYTE IS BIODEGRADED AND/OR ENVIRONMENTALLY WEATHERED
33 MILLIGRAMS PER LITER (MG/L) LINEAR ALKYL SULFONATE (LAS)/ POUNDS (LBS) PER DAY LAS
34 THE SAMPLE WAS ANALYZED ON A TOTAL BASIS; THE TEST RESULT CAN BE COMPARED TO THE TCLP REGULATORY CRITERIA BY DIVIDING THE TEST RESULT BY 20, CREATING A THEORETICAL TCLP VALUE
35 THE HYDROCARBONS DETECTED IN THE SAMPLE DID NOT CROSS-MATCH WITH COMMON PETROLEUM DISTILLATES
36 MATRIX INTERFERENCE CAUSING SPIKES TO RESULT IN LESS THAN 50.0% RECOVERY
37 MILLIGRAMS PER LITER (MG/L) / POUNDS (LBS) PER DAY
38 MILLIGRAMS PER LITER (MG/L) OF RESIDUAL CHLORINE (CL2) / POUNDS (LBS) PER DAY OF CL2
39 MICROGRAMS PER LITER (UG/L) / POUNDS (LBS) PER DAY
(B) DETECTED IN BLANK
(D) ALL COMPOUNDS IDENTIFIED IN AN ANALYSIS AT A SECONDARY DILUTION FACTOR
(E) COMPOUNDS WHOSE CONCENTRATIONS EXCEED THE CALIBRATION RANGE OF THE GC/MS INSTRUMENT FOR THAT SPECIFIC ANALYSIS
(J) DETECTED BELOW THE CRQL
(a) SAMPLE(S) RECEIVED AT THE IMPROPER TEMPERATURE
(b) HEADSPACE IN VOA VIAL(S)
(c) HEADSPACE IN ALKALINITY BOTTLE(S)
(d) SAMPLE CONTAINER(S) RECEIVED BROKEN

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells** ULI ID No. (enter by lab)

Well ID.: **B-280**

Condition of Well: Good Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose Lock ID: 3210

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	14.14	feet
C.	Depth to Water	5.85	feet
D.	Length of Water Column (calculated)	8.29	feet
	Conversion Factor	X.16	-----
	Well Volume (calculated)	1.3264	gallons
	No. of Volumes to be Evacuated	x3	-----
	Total Volume to be Evacuated	3.9792	gallons
	Actual Volume Evacuated	4	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	10:40 AM	11:15 AM
EH	N/A	N/A
Temperature	N/A	N/A
pH	6.84	7.45
Specific Cond.	1069	1134
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	sl cloudy	clear
Weather:	75 f sunny	75 f sunny

Observations:

% Recharge:

Initial Depth to Water	5.85	feet
Recharge Depth to Water	6.13	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

FOIL208165

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells** ULI ID No. (enter by lab)

Well ID.: **B-281**

Condition of Well: Good Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose Lock ID: 2537

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	13.03	feet
C.	Depth to Water	8.53	feet
D.	Length of Water Column (calculated)	4.5	feet
	Conversion Factor	X.16	-----
	Well Volume (calculated)	0.72	gallons
	No. of Volumes to be Evacuated	x3	-----
	Total Volume to be Evacuated	2.16	gallons
	Actual Volume Evacuated	2.5	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	2:10 PM	2:25 PM
EH	N/A	N/A
Temperature	N/A	N/A
pH	6.76	6.86
Specific Cond.	3180	3080
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear
Weather:	75 f sunny	75 f sunny

Observations:

% Recharge:

Initial Depth to Water	8.53	feet
Recharge Depth to Water	9.66	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

FOIL208166

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells** ULI ID No. (enter by lab)

Well ID.: **B-290**

Condition of Well: Good Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose Lock ID: 3303

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	10.26	feet
C.	Depth to Water	5.63	feet
D.	Length of Water Column (calculated)	4.63	feet
	Conversion Factor	X.16	-----
	Well Volume (calculated)	0.7408	gallons
	No. of Volumes to be Evacuated	x3	-----
	Total Volume to be Evacuated	2.2224	gallons
	Actual Volume Evacuated	2.5	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	1:00 PM	1:15 PM
EH	N/A	N/A
Temperature	N/A	N/A
pH	6.6	6.93
Specific Cond.	2610	2130
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	sl cloudy	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	5.63	feet
Recharge Depth to Water	5.73	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

1

FOIL208167

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells**

ULI ID No. (enter by lab)

Well ID.: **B-401**

Condition of Well: Good

Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose

Lock ID: 3303

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	11.64	feet
C.	Depth to Water	9.76	feet
D.	Length of Water Column (calculated)	1.88	feet
	Conversion Factor	X.16	----
	Well Volume (calculated)	0.3008	gallons
	No. of Volumes to be Evacuated	x3	----
	Total Volume to be Evacuated	0.9024	gallons
	Actual Volume Evacuated	1	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	10:05 AM	10:30 AM
EH	N/A	N/A
Temperature	N/A	N/A
pH	6.72	7.48
Specific Cond.	1150	644
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear
Weather:	75 f sunny	75 f sunny

Observations:

% Recharge:

Initial Depth to Water	9.76	feet
Recharge Depth to Water	10.31	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: *Paul Baltzersen*

Signature: Paul Baltz

FOIL208168

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: C & S Engineers

Project: Wabash Quarterly Wells

ULI ID No. (enter by lab)

Well ID.: B-402 MS/MSD

Condition of Well: Good

Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose

Lock ID: 3210

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	12.24	feet
C.	Depth to Water	5.58	feet
D.	Length of Water Column (calculated)	6.66	feet
	Conversion Factor	X.16	----
	Well Volume (calculated)	1.0656	gallons
	No. of Volumes to be Evacuated	x3	----
	Total Volume to be Evacuated	3.1968	gallons
	Actual Volume Evacuated	3.5	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	11:50 AM	12:25 PM
EH	N/A	N/A
Temperature	N/A	N/A
pH	8.76	8.44
Specific Cond.	2540	2260
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	5.58	feet
Recharge Depth to Water	6.96	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

FOIL208169

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: C & S Engineers

Project: Wabash Quarterly Wells

ULI ID No. (enter by lab)

Well ID.: B-403

Condition of Well: Good

Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose

Lock ID: 3303

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	11.26	feet
C.	Depth to Water	4.72	feet
D.	Length of Water Column (calculated)	6.54	feet
	Conversion Factor	X.16	-----
	Well Volume (calculated)	1.0464	gallons
	No. of Volumes to be Evacuated	x3	----
	Total Volume to be Evacuated	3.1392	gallons
	Actual Volume Evacuated	3.5	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	12:30 PM	12:55 PM
EH	N/A	N/A
Temperature	N/A	N/A
pH	7.11	7.11
Specific Cond.	608	456
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	4.72	feet
Recharge Depth to Water	5.11	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

1

FOIL208170

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells**

Well ID.: **B-404**

ULI ID No. (enter by lab)

Condition of Well: Good

Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose

Lock ID: 3210

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	16.14	feet
C.	Depth to Water	6.31	feet
D.	Length of Water Column (calculated)	9.83	feet
	Conversion Factor	X.16	------
	Well Volume (calculated)	1.5728	gallons
	No. of Volumes to be Evacuated	x3	------
	Total Volume to be Evacuated	4.7184	gallons
	Actual Volume Evacuated	5	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	11:20 AM	11:45 AM
EH	N/A	N/A
Temperature	N/A	N/A
pH	6.86	7.09
Specific Cond.	702	731
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	6.31	feet
Recharge Depth to Water	7.45	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

FOIL208171

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells** ULI ID No. (enter by lab)

Well ID.: **B-107**

Condition of Well: Good Locked: NO

Method of Evacuation: Peristaltic Pump w/ decicated hose Lock ID: *-------*

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	8.78	feet
C.	Depth to Water	2.77	feet
D.	Length of Water Column (calculated)	6.01	feet
	Conversion Factor	X.16	----
	Well Volume (calculated)	0.9616	gallons
	No. of Volumes to be Evacuated	x3	----
	Total Volume to be Evacuated	2.8848	gallons
	Actual Volume Evacuated	3	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	1:40 PM	1:55 PM
EH	N/A	N/A
Temperature	N/A	N/A
pH	7.41	7.44
Specific Cond.	817	947
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	2.77	feet
Recharge Depth to Water	3.07	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Balt

FOIL208172

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells** ULI ID No. (enter by lab)

Well ID.: **B-108**

Condition of Well: Good Locked: NO

Method of Evacuation: Peristaltic Pump w/ decicated hose Lock ID: *_____*

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	Diameter of Well	2"	inches
B.	Well Depth Measured	9.24	feet
C.	Depth to Water	3.69	feet
D.	Length of Water Column (calculated)	5.55	feet
	Conversion Factor	X.16	-----
	Well Volume (calculated)	0.888	gallons
	No. of Volumes to be Evacuated	x3	----
	Total Volume to be Evacuated	2.664	gallons
	Actual Volume Evacuated	3	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	1:20 PM	1:35 PM
EH	N/A	N/A
Temperature	N/A	N/A
pH	7.05	7.08
Specific Cond.	2560	2540
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	3.69	feet
Recharge Depth to Water	4	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

1

FOIL208173

Upstate Laboratories, Inc. Ground water Field Log

File: TS-30-01 Revised: 2/97

Client: **C & S Engineers**

Project: **Wabash Quarterly Wells** ULI ID No. (enter by lab)

Well ID.: **MW-8R**

Condition of Well: Good Locked: YES

Method of Evacuation: Peristaltic Pump w/ decicated hose Lock ID: 3210

Method of Sampling: Peristaltic Pump w/ decicated hose



A.	*Diameter of Well*	2"	*inches*
B.	Well Depth Measured	10.00	feet
C.	*Depth to Water*	4.82	*feet*
D.	Length of Water Column (calculated)	5.18	feet
	Conversion Factor	X.16	-----
	Well Volume (calculated)	0.8288	gallons
	No. of Volumes to be Evacuated	x3	----
	Total Volume to be Evacuated	2.4864	gallons
	Actual Volume Evacuated	2.5	gallons
E.	Installed Well Depth (if known)	N/A	feet
F.	Depth of Silt (calculated	N/A	feet

Field Measurements	Initial Evacuation	Final Sampling
Date	9/19/02	9/19/02
Time	9:35 AM	9:55 AM
EH	N/A	N/A
Temperature	N/A	N/A
pH	9.86	9.21
Specific Cond.	726	933
Turbidity	N/A	N/A
Dissolved Oxygen	N/A	N/A
Appearance	clear	clear

Weather: 75 f sunny 75 f sunny

Observations:

% Recharge:

Initial Depth to Water	4.82	feet
Recharge Depth to Water	5.93	feet
2nd water column height	N/A	%
1st water column height		
Elevation(Top of Casing)	N/A	feet
G.W. Elevation=	N/A	feet

G.W.Elevation =Top of Case Elev-Total Depth

Sampler: Paul Baltzersen

Signature: Paul Baltz

1

FOIL208174

Upstate Laboratories, Inc.

Chain of Custody Record

10/3

6034 Corporate Drive E. Syracuse New York 13057
Phone (315) 437 0255 Fax (315) 437 1209

Client: C&S ENGINEERS
Project # / Project Name: QUARTERLY WABASH WELLS
Client Contact: RORY WOODMONSEE
Phone #: 455-2000
Location (city/state) Address: SYRACUSE, N.Y.

Sample ID	Date	Time	Matrix	GRAB OR COMP	ULI Internal Use Only	Number of Containers	1	2	3	4	5	6	7	8	9	10	Remarks
B280	9-19-02	11:15A	H2O	GRAB	2603020D3	3	X	X		X	X	X		X			9-1531
B281		2:25P	H2O	GRAB	4	2	X	X	X		X	X	X	X			9-1532
B290		1:15P	H2O	GRAB	5	2		X				X		X			9-1533
B401		10:30A	H2O	GRAB	6	2		X				X		X			
B402		12:25P	H2O	GRAB	7	4		X		X		X		X			9-1534 MS/DUPE
B403		12:55P	H2O	GRAB	8	3		X		X		X		X			
B404		11:45A	H2O	GRAB	9	3		X		X		X		X			
B107		1:55P	H2O	GRAB	10	2			X				X	X			9-1535
B108		1:35P	H2O	GRAB	11	2			X				X	X			
MW-8R		9.55A	H2O	GRAB	12	4		X		X		X		X	X		
B280 DUPE		11:15A	H2O	GRAB	13	3	X	X		X	X	X					9-1531
EQUIPMENT BLANK		2:35P	H2O	GRAB	14	3	X	X	X	X	X	X	X				9-1536
FILTER BLANK		2:40P	H2O	GRAB	15	1					X	X	X				9-1537

	Parameter and Method	Sample bottle: Type	Size	Preservative
1	T-AS	PLASTIC	500ml	HNO3
2	T-PB*	PLASTIC	"	"
3	T-BA	PLASTIC	"	"
4	PCB (EPA 8082)	AMBER	32oz	NONE
5	D-AS	PLASTIC	500ml	HNO3
6	D-PB*	PLASTIC	"	"
7	D-BA	PLASTIC	"	"
8	FIELD PH,COND	N/A		
9	O&G	GLASS	32oz	H2SO4
10				

Sampled by (Print): PAUL BALTZERSEN
Company: ULI

Relinquished by:(sign)	Date	Time	Received by: (sign)
Relinquished by:(sign)	Date	Time	Received by: (sign)
Relinquished by:(sign) Paul Baltz	Date 9/19/02	Time 3:45 P	Rec'd for Lab by:

Name of Courier

Syracuse Rochester Buffalo Albany Binghamton Fair Lawn (NJ)

FOIL208175