Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

December 14, 2021

Henry Padilla
East Chicago Sanitary District
5201 Indianapolis Blvd
East Chicago, IN 46312
TEL: (219) 391-8466
FAX: (219) 391-8254

RE: S-901

Order No.: 21110831

Dear Henry Padilla:

Element Materials Technology - Fort Wayne received 2 sample(s) on 11/9/2021 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.
Sincerely,

Donald D Ellis II

Don Ellis II
Project Manager
328 Ley Rd.
Fort Wayne, IN 46825

Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Case Narrative

WO#: **21110831**
Date: **12/14/2021**

CLIENT: East Chicago Sanitary District
Project: S-901

The Available Cyanide testing was subcontracted to Eurofins/Test America Pittsburgh PA. Their report is attached in its entirety.

Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Analytical Report

(wastewater)

WO#: **21110831**

Date Reported **12/14/2021**

CLIENT: East Chicago Sanitary District
Collection Date: 11/8/2021 9:03:00 AM
Project: S-901
Lab ID: 21110831-001
Matrix: WASTEWATER
Client Sample ID S-901 Grab
Sample Location:

Analyses	Result	RL	Qual	Units	DF	PL	Date Analyzed
OIL AND GREASE, TOTAL					**E1664**		Analyst: **SEK**
Oil & Grease, Total	10.4	5.0		mg/L	1	50.0	11/29/2021 12:00:00 PM
OIL AND GREASE, PETROLEUM HYDROCARBONS					**E1664**		Analyst: **SME**
Oil & Grease, Petroleum	16.6	5.0		mg/L	1	100	12/3/2021 9:49:13 PM
PHENOLICS IN WASTEWATER					**E420.1**		Analyst: **ANS**
Phenolics, Total Recoverable	0.203	0.125		mg/L	5		11/26/2021 4:09:38 PM
SV COMPOUNDS FOR CATEGORICAL RQTS					**E625**		Analyst: **SKW**
Bis(2-ethylhexyl)phthalate	< 50	50		µg/L	5	160	11/17/2021 5:31:00 PM
Carbazole	< 50	50		µg/L	5		11/17/2021 5:31:00 PM
n-Decane	< 50	50		µg/L	5		11/17/2021 5:31:00 PM
n-Octadecane	< 50	50		µg/L	5		11/17/2021 5:31:00 PM
SEMI-VOLATILES IN WW					**E625**		Analyst: **SKW**
Fluoranthene	< 50	50		µg/L	5		11/17/2021 5:31:00 PM
Phenanthrene	< 50	50		µg/L	5		11/17/2021 5:31:00 PM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	M	Manual Integration used to determine area response
ND	Not Detected at the Reporting Limit	PL	Permit Limit
PQL	Practical Quantitation Limit	RL	Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits		

Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Analytical Report

(wastewater)

WO#: **21110831**

Date Reported **12/14/2021**

CLIENT: East Chicago Sanitary District
Collection Date: 11/8/2021 9:03:00 AM
Project: S-901
Lab ID: 21110831-002
Matrix: WASTEWATER
Client Sample ID S-901 Composite
Sample Location:

Analyses	Result	RL	Qual	Units	DF	PL	Date Analyzed
FLUORIDE					**E300.0**		Analyst: **HNN**
Fluoride	6.2	1.0	*	mg/L	10	2.9	11/16/2021 9:55:05 PM
CHEMICAL OXYGEN DEMAND					**M5220 D**		Analyst: **ASP**
Chemical Oxygen Demand	733	10.0		mg/L	1		11/11/2021 10:54:00 AM
AMMONIA AS N					**E350.1**		Analyst: **HNN**
Nitrogen, Ammonia (As N)	45.7	1.00		mg/L	10	77.0	11/30/2021 9:58:15 PM
TOTAL PHOSPHORUS					**M4500-P F**		Analyst: **RXB**
Total Phosphorus	0.269	0.100		mg/L	1	5.50	11/22/2021 1:54:05 PM
TOTAL SUSPENDED SOLIDS					**M2540 D**		Analyst: **ASP**
Suspended Solids (Residue, Non-Filterable)	64	29		mg/L	1		11/15/2021 11:51:00 AM
MERCURY					**E245.1**		Analyst: **FJR**
Mercury	0.00012	0.00010		mg/L	1		11/16/2021 11:49:53 AM
METALS IN WATER BY ICP-MS, TOTAL					**E200.8**		Analyst: **FJR**
Arsenic	0.00787	0.00020		mg/L	1	0.500	11/17/2021
Chromium	0.0135	0.00040		mg/L	1	0.282	11/17/2021
Cobalt	0.00189	0.00010		mg/L	1		11/17/2021
Copper	0.0201	0.00020		mg/L	1	0.301	11/17/2021
Lead	0.00102	0.00020		mg/L	1	0.224	11/17/2021
Molybdenum	0.0307	0.00020		mg/L	1	0.200	11/17/2021
Nickel	0.0186	0.00100		mg/L	1	0.390	11/17/2021
Tin	< 0.00500	0.00500		mg/L	1		11/17/2021

Qualifiers:

*	Value exceeds Maximum Contaminant Level	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	M	Manual Integration used to determine area response
ND	Not Detected at the Reporting Limit	PL	Permit Limit
PQL	Practical Quantitation Limit	RL	Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits		

Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Analytical Report

(wastewater)

WO#: **21110831**

Date Reported **12/14/2021**

CLIENT: East Chicago Sanitary District
Collection Date: 11/8/2021 9:03:00 AM
Project: S-901
Lab ID: 21110831-002
Matrix: WASTEWATER
Client Sample ID S-901 Composite
Sample Location:

Analyses	Result	RL	Qual	Units	DF	PL	Date Analyzed
METALS IN WATER BY ICP-MS, TOTAL					**E200.8**		Analyst: **FJR**
Zinc	0.110	0.00400		mg/L	10	1.48	11/23/2021

Qualifiers:

*	Value exceeds Maximum Contaminant Level	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	M	Manual Integration used to determine area response
ND	Not Detected at the Reporting Limit	PL	Permit Limit
PQL	Practical Quantitation Limit	RL	Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits		

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-130228-1
Client Project/Site: Available Cyanide 21110831

For:
Element Materials Technology
328 Ley Rd
Suite100
Fort Wayne, Indiana 46825

Attn: Don Ellis

Authorized for release by:
11/24/2021 9:02:23 AM

Andy Johnson, Manager of Project Management
(615)301-5045
Andy.Johnson@Eurofinset.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Table of Contents

Cover Page 1
Table of Contents 2
Case Narrative 3
Definitions/Glossary 4
Certification Summary 5
Sample Summary 6
Method Summary 7
Lab Chronicle 8
Client Sample Results 9
QC Sample Results 10
QC Association Summary 11
Chain of Custody 12
Receipt Checklists 14

Case Narrative

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Job ID: 180-130228-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative
180-130228-1

Comments
No additional comments.

Receipt
The sample was received on 11/19/2021 10:00 AM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.1º C.

General Chemistry
Method OIA-1677: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 180-379916 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
FL	MS and/or MSD recovery below control limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-21 *
California	State	2891	04-30-22
Connecticut	State	PH-0688	09-30-22
Florida	NELAP	E871008	06-30-22
Georgia	State	PA 02-00416	04-30-22
Illinois	NELAP	004375	06-30-22
Kansas	NELAP	E-10350	01-31-22
Kentucky (UST)	State	162013	04-30-22
Kentucky (WW)	State	KY98043	12-31-21
Louisiana	NELAP	04041	06-30-22
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-21
Nevada	State	PA00164	08-31-22
New Hampshire	NELAP	2030	04-05-22
New Jersey	NELAP	PA005	06-30-22
New York	NELAP	11182	04-01-22
North Carolina (WW/SW)	State	434	12-31-21
North Dakota	State	R-227	04-30-22
Oregon	NELAP	PA-2151	02-06-22
Pennsylvania	NELAP	02-00416	04-30-22
Rhode Island	State	LAO00362	12-31-21
South Carolina	State	89014	04-30-22
Texas	NELAP	T104704528	03-31-22
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-22
Virginia	NELAP	10043	09-15-22
West Virginia DEP	State	142	01-31-22
Wisconsin	State	998027800	08-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-130228-1	21110831-001A	Water	11/08/21 09:03	11/19/21 10:00

Method Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Method	Method Description	Protocol	Laboratory
OIA - 1677	Available Cyanide by Flow Injection, Lig	EPA	TAL PIT

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Client Sample ID: 21110831-001A

Date Collected: 11/08/21 09:03
Date Received: 11/19/21 10:00

Lab Sample ID: 180-130228-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	OIA - 1677		1			379916	11/22/21 19:07	SNR	TAL PIT
	Instrument ID: ALPKEM3									

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Analyst References:

Lab: TAL PIT

Batch Type: Analysis

SNR = Sabra Richart

Client Sample Results

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Client Sample ID: 21110831-001A

Date Collected: 11/08/21 09:03
Date Received: 11/19/21 10:00

Lab Sample ID: 180-130228-1

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available	0.041	FL	0.0020	0.0015	mg/L			11/22/21 19:07	1

QC Sample Results

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

Method: OIA - 1677 - Available Cyanide by Flow Injection, Lig

Lab Sample ID: MB 180-379916/22
Matrix: Water
Analysis Batch: 379916

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available	ND		0.0020	0.0015	mg/L			11/22/21 19:04	1

Lab Sample ID: LCS 180-379916/23
Matrix: Water
Analysis Batch: 379916

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cyanide, Available	0.0501	0.0435		mg/L		87	82 - 132

Lab Sample ID: 180-130228-1 MS
Matrix: Water
Analysis Batch: 379916

Client Sample ID: 21110831-001A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cyanide, Available	0.041	FL	0.0501	0.0499	FL	mg/L		18	82 - 130

Lab Sample ID: 180-130228-1 MSD
Matrix: Water
Analysis Batch: 379916

Client Sample ID: 21110831-001A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Cyanide, Available	0.041	FL	0.0501	0.0550	FL	mg/L		28	82 - 130	10	11

QC Association Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21110831

Job ID: 180-130228-1

General Chemistry

Analysis Batch: 379916

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-130228-1	21110831-001A	Total/NA	Water	OIA - 1677	
MB 180-379916/22	Method Blank	Total/NA	Water	OIA - 1677	
LCS 180-379916/23	Lab Control Sample	Total/NA	Water	OIA - 1677	
180-130228-1 MS	21110831-001A	Total/NA	Water	OIA - 1677	
180-130228-1 MSD	21110831-001A	Total/NA	Water	OIA - 1677	

element

CHAIN OF CUSTODY RECORD

Omega COCID 138887	PAGE: 1	OF: 1

ADDRESS
Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622
FAX: (260) 424-9124
Website: www.element.com

Test America-Pittsburgh
Sample Receiving
301 Alpha Dr.
Pittsburgh, PA 15238
800-765-0980

SPECIAL INSTRUCTIONS / COMMENTS:

PO #PIFW000862

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	21110831-001A	S-901 Grab	500HDPENAOH	Wastewater	11/8/2021 9:03:00 AM	1	
	CYAN_1677						

180-130228 Chain of Custody

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[illegible]	11-17-21	900	[illegible]	11-19-21	10:00
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

TAT: Standard ☐ **RUSH** Next BD ☐ 2nd BD ☐ 3rd BD ☐

Note: RUSH requests will incur surcharges!

REPORT TRANSMITTAL DESIRED:
☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE

FOR LAB USE ONLY
Temp of samples _____ °C Attempt to Cool ? _____
Comments: _____

ORIGIN ID:FWAA (260) 471-7000
SHIPPING/RECEIVING DEPT.
EXOVA
128 LEY RD. SUITE 100
FORT WAYNE, IN 46825
UNITED STATES US

SHIP DATE: 17NOV21
ACTWGT: 22.50 LB
CAD: 113021530/INET4400

BILL SENDER

TO TEST AMERICA-EUROFINS
TEST AMERICA-EUROFINS
301 ALPHA DRIVE RIDC PARK

PITTSBURGH PA 15238
(111) 111-1111
REF:

Part # 158297-435 RRDW2 EXP 08/22

1/3

Manager - Print Your Label(s)

doContinue

FedEx

TRK# 0201 7752 4442 0542

THU - 18 NOV AA
PRIORITY OVERNIGHT

NA AGCA

15238
PA-US PIT

Part # 158297-435 RRDW2 EXP 08/21

Uncorrected temp 2.1
Thermometer ID 8
CF 0 Initials 8
PT-WI-SR-001 effective 11/8/18

#3904269 11/17 56DJ2/9A7E/FE4A

180-130228 Waybill

Login Sample Receipt Checklist

Client: Element Materials Technology

Job Number: 180-130228-1

Login Number: 130228
List Number: 1
Creator: Watson, Debbie

List Source: Eurofins TestAmerica, Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

element™

Chain of Custody

W182, m97, 0310

Laboratory Number: 21110831

	Client Information:	Billing Information:	PO Number:	Project Name/Number:	Page 1 of 1
Company Name:	East Chicago Sanitary District	Same		S-901	**Matrix Code**
Contact Name:	Henry Padilla		Quote Number:		DW = Drinking Water WW = Waste Water GW = Ground Water AQ = Aqueous OT = Other
Address:	5201 Indianapolis Blvd			Sampler's Signature	
			Required QC Level		SL = Sludge SOL = Solid O = Oil SO = Soil F = Food SW = Swab NG = Natural Gas
City, State Zip:	East Chicago IN 46312				
Phone Number:	219-391-8466 Ext. 240	Ext:	Bill Monthly	Shipping Method:	NGL = Natural Gas Liquid PW = Produced Water CF = Completion Fluid
Fax Number:			☐Yes	UPS / FedEx	
E-mail Address:	hpadilla@eastchicago.com		☐No	Element / Hand / Mail	

Which Regulations Apply: ☐RCRA ☐POTW ☐NPDES ☐USDA/FDA ☐RECAP/RISC ☐Drinking Water ☐Distribution ☐Special ☐State ☐Other

Turn Time 5 TAT (Rush turn times will incur a surcharge and must be pre-approved by lab.)

Sample ID/Description	Collection Information: Date	Time	Grab / Composite	Matrix	Quantity	Type P=Plastic, G=Glass, V=Vial	HCl, HNO_3, H_2SO_4, NaOH, $Na_2S_2O_3$	CYANIDE 1677	Oil & Grease T&SI	**SVOC list	PHENOL	*Metals	NH3, T.PHOS, COD	300: Fluoride	TSS		
S-901 Grab	11-8-21	9:03	Grab	WW	1	P	NAOH	x									
S-901 Grab			Grab	WW	1	G	H2SO4		x								
S-901 Grab			Grab	WW	1	G	NONE			x							
S-901 Grab			Grab	WW	1	G	H2SO4				x						
S-901 Composite			Comp	WW	1	P	HNO3					x					
S-901 Composite			Comp	WW	1	P	H2SO4						x				
S-901 Composite			Comp	WW	2	P	NONE							x	x		

Comments

Samples Meet Acceptance Policy Yes No

*As, Cr, Cu, Pb, Mo, Ni, Zn, & Hg, Extra: Co, Sn

**Carbazole, n-Decane, Fluoranthene, n-Octedecane, Phenanthrene, Bis(2EH) Phthalate

F596000

	Relinquished by	Date/Time	Received by	Date/Time
1	[illegible]	11-8-21/10:15AM	Daniel Ramirez	11-09-21 1015
2	Daniel Ramirez	11-09-21 1610	[illegible]	11-9-21 1610
3				

Composite Sampler: **Start Date/Time:** 11-8-21 9:03 **End Date/Time:** 11-9-21 8:23

Received at lab on ice? ☑Yes ☐No Temp: 1.0°C

All samples submitted to Element Materials Technology for analysis are accepted on a custodial basis only. Ownership of the material remains with the client submitting the samples. Element Materials Technology reserves the right to return unused sample portions.

8800 North US 31, Columbus, IN 47201 USA, P 812-375-0531, F 812-375-0731
328 Ley Road, Suite 100, Fort Wayne, IN 46825 USA, P 260-471-7000, F 260-471-7777
909 Executive Dr, Warsaw, IN 46580 USA, P 574-267-3305, F 574-269-6569
3201 Cleveland Road, Suite 100A, South Bend, IN 46628-9780 USA, P 574-277-0707
2417 W. Pinhook Rd, Lafayette, LA 70508-3344 USA, P 337-235-0483, F 337-233-6540