35



[Interface 0] 0-27 Min Scale: 5 Mv Ch.A, 5 Mv Ch.B
94244566 Processed: 07-12-1994 17:26:18, segment 3, cycle 22
RAW DATA SAVED IN FILE Y:A193Y22.PTS Second Channel Stored in Y:B193Y22.PTS

********* EXTERNAL STANDARD TABLE *********

********************* 07-12-1994 17:27:13 Version 5.1 **********************

* Sample Name: 94244566 100ml Data File: Y:A193Y22 *
* Date: 07-12-1994 16:59:11 Method: APCBY180 06-30-1994 16:19:34 # 152 *
* Interface: 0 Cycle#: 22 Operator RHR Channel#: 0 Vial#: N.A. *
* Starting Peak Width: 6 Threshold: 1 Area Threshold: 60 *
* Instrument Type: T-585 WDOE#0 INST=Y Column Type: A=DB608, B=DB5 *
* Solvent Description: HELIUM @ APPROX. 7cc/min *
* Conditions: TEMPERATURE PROGRAM *
* Detector 0: ECD, Ni63 Detector 1: ECD, Ni63 *
* Misc. Information: OPPEST ANALYSIS *

Starting Delay: 0.00 Ending retention time: 27.00
Area reject: 1500 One sample per 0.602 sec.
Amount injected: 1.00 Dilution factor: 1.00
Sample Weight: 1.00000

PEAK NUM	RET TIME	PEAK NAME	CONCENTRATION in PG/UL	NORMALIZED CONC	AREA	HEIGHT	AREA/ HEIGHT	BL	REF PEAK	% DELTA RET TIME	CONC/AREA
1	0.592		0.0000	0.0000%	48468	10024	4.8	1			0.0000E+00
2	1.114		0.0000	0.0000%	2359	614	3.8	2			0.0000E+00
6	2.849	*DBOB (S.S.)	10.9042	0.2308%	10259	2395	4.3	1	0	-.3948	4.5527E-03
8	3.311	*TMX (S.S.)	9.4972	0.2010%	6800	1710	4.0	2	0	-.8682	5.5534E-03
13	7.545	PCB 1242-5	76.3160	1.6153%	1672	321	5.2	2	0	-.5465	2.3750E-01
18	9.271		0.0000	0.0000%	2041	416	4.9	2			0.0000E+00
19	9.471	PCB	77.2160	1.6344%	1642	285	5.8	2	0	-.8384	2.7085E-01
20	9.722		0.0000	0.0000%	11410	2060	5.5	2			0.0000E+00
21	9.903		0.0000	0.0000%	13959	2450	5.7	2			0.0000E+00
22	10.134		0.0000	0.0000%	3069	496	6.2	2			0.0000E+00

24	10.766		0.0000	0.0000%	1975	363	5.4	2			0.0000E+00
25	11.017		0.0000	0.0000%	3567	551	6.5	2			0.0000E+00
26	11.207		0.0000	0.0000%	5803	1007	5.8	2			0.0000E+00
27	11.548	PCB 1260-1	533.0416	11.2825%	24674	3858	6.4	2	0	-.4636	1.3818E-01
28	11.920		0.0000	0.0000%	21188	2043	10.4	2			0.0000E+00
29	12.110	PCB 1260-2	435.9955	9.2284%	27767	4659	6.0	2	0	-.5970	9.3576E-02
30	12.381	PCB 1260-3	438.5981	9.2834%	32974	5929	5.6	2	0	-.5526	7.3973E-02
31	12.672		0.0000	0.0000%	2300	340	6.8	2			0.0000E+00
33	13.033		0.0000	0.0000%	9559	1843	5.2	2			0.0000E+00
34	13.304		0.0000	0.0000%	4166	847	4.9	2			0.0000E+00
35	13.475		0.0000	0.0000%	19395	3192	6.1	2			0.0000E+00
36	13.615		0.0000	0.0000%	12278	2180	5.6	2			0.0000E+00
37	13.796		0.0000	0.0000%	37939	5854	6.5	2			0.0000E+00
38	13.896	PCB 1260-4	411.6779	8.7136%	22090	4327	5.1	2	0	-.4340	9.5144E-02
39	14.107		0.0000	0.0000%	6608	1503	4.4	1			0.0000E+00
40	14.558		0.0000	0.0000%	2067	400	5.2	1			0.0000E+00
41	14.980		0.0000	0.0000%	9271	1639	5.7	2			0.0000E+00
42	15.080	PCB 1260-5	261.9772	5.5451%	13763	2358	5.8	2	0	-.4264	1.1112E-01
43	15.221		0.0000	0.0000%	8095	1419	5.7	2			0.0000E+00
44	15.351		0.0000	0.0000%	13716	1986	6.9	2			0.0000E+00
45	15.512	*DBC (s.s.)	62.5889	1.3248%	55162	8627	6.4	2	0	-.1831	7.2548E-03
46	16.455		0.0000	0.0000%	3529	523	6.8	2			0.0000E+00
47	16.746	PCB 1260-7	1383.6659	29.2869%	46284	7766	6.0	2	0	-.3828	1.7818E-01
48	16.906		0.0000	0.0000%	38087	6439	5.9	2			0.0000E+00
49	17.027	PCB 1260-8	368.0209	7.7896%	25000	4606	5.4	2	0	-.3535	7.9908E-02
52	17.889		0.0000	0.0000%	20501	3564	5.8	1			0.0000E+00
53	18.311		0.0000	0.0000%	5650	894	6.3	2			0.0000E+00
54	18.632	PCB	630.5903	13.3472%	26422	3600	7.3	2	0	-.3327	1.7518E-01
55	20.087		0.0000	0.0000%	67024	8947	7.5	1			0.0000E+00
56	21.552	*DCB (SS)	24.4294	0.5171%	25112	2944	8.5	1	0	-.3903	8.2967E-03

TOTAL AMOUNT = 4724.5190

PEAKS NOT FOUND IN THIS RUN

NAME	ADJUSTED RET.TIME.	REFERENCE PEAK
PCB 1242-1	4.70	*DBOB (S.S.)
PCB 1242-2	5.74	*DBOB (S.S.)
PCB 1242-3 *	6.72	*DBOB (S.S.)
PCB 1242-4	7.18	*DBOB (S.S.)
PCB 1242-6	7.75	*DBOB (S.S.)
PCB 1242-7	8.95	*DBOB (S.S.)
PCB	10.42	*DBOB (S.S.)
PCB 1260-6	15.58	*DBOB (S.S.)

GROUP NUMBER	GROUP AMOUNT	GROUP PERCENT
1	85.8132	1.816337%
2	3895.5664	82.454239%

Areas, times, and heights stored in: Y:A193Y22.ATB
Data File = Y:A193Y22.PTS Printed on 07-12-1994 at 17:27:31
Start time: 0.00 min. Stop time: 27.00 min. Offset: 0 mv.
Low Value: 444 uv High Value: 10582 uv Scale factor: 1.0



******* EXTERNAL STANDARD TABLE *******

********** 07-12-1994 17:27:53 Version 5.1 **********

* Sample Name: 94244566 100ml Data File: Y:B193Y22 *
* Date: 07-12-1994 16:59:11 Method: BPCBY180 06-30-1994 16:21:30 # 141 *
* Interface: 0 Cycle#: 22 Operator RHR Channel#: 1 Vial#: N.A. *
* Starting Peak Width: 6 Threshold: 1 Area Threshold: 60 *

* Instrument Type: T-585 WDOE#0 INST=Y Column Type: A=DB608, B=DB5 *
* Solvent Description: HELIUM @ APPROX. 7cc/min *
* Conditions: TEMPERATURE PROGRAM *
* Detector 0: ECD, Ni63 Detector 1: ECD, Ni63 *
* Misc. Information: OPPEST ANALYSIS *

Starting Delay: 0.00 Ending retention time: 27.00
Area reject: 1500 One sample per 0.602 sec.
Amount injected: 1.00 Dilution factor: 1.00
Sample Weight: 1.00000

PEAK NUM	RET TIME	PEAK NAME	CONCENTRATION in PG/UL	NORMALIZED CONC	AREA	HEIGHT	AREA/ HEIGHT	BL	REF PEAK	% DELTA RET TIME	CONC/AREA
1	0.622		0.0000	0.0000%	31324	8712	3.6	1			0.0000E+00
3	1.405		0.0000	0.0000%	3594	934	3.8	2			0.0000E+00
9	4.294	*TMX (S.S.)	6.8694	0.1573%	8996	2307	3.9	1	0	-.8252	2.9773E-03
10	4.645	*DBOB (S.S.)	8.4212	0.1929%	11281	2757	4.1	1	0	-.5652	3.0540E-03
17	8.217	PCB 1242-6	97.1904	2.2262%	1912	424	4.5	2	0	-.7427	2.2900E-01
22	9.993		0.0000	0.0000%	3045	489	6.2	2			0.0000E+00
23	10.124		0.0000	0.0000%	14501	2916	5.0	2			0.0000E+00
25	10.635		0.0000	0.0000%	3698	704	5.3	2			0.0000E+00
26	10.806		0.0000	0.0000%	19286	3924	4.9	2			0.0000E+00
27	10.976		0.0000	0.0000%	2929	595	4.9	2			0.0000E+00
29	11.488		0.0000	0.0000%	2422	508	4.8	2			0.0000E+00
30	11.649		0.0000	0.0000%	8802	1581	5.6	2			0.0000E+00
31	11.960		0.0000	0.0000%	24989	3692	6.8	2			0.0000E+00
32	12.341		0.0000	0.0000%	13316	2564	5.2	2			0.0000E+00
33	12.481		0.0000	0.0000%	8163	1486	5.5	2			0.0000E+00
34	12.712	PCB 1260-1	415.0069	9.5059%	48080	7399	6.5	2	0	-.4942	5.6093E-02
35	13.063		0.0000	0.0000%	3357	435	7.7	2			0.0000E+00
36	13.264		0.0000	0.0000%	6062	1052	5.8	2			0.0000E+00
37	13.455		0.0000	0.0000%	44255	8746	5.1	2			0.0000E+00
38	13.585	PCB 1260-2	176.0726	4.0330%	20385	3343	6.1	2	0	.4596	5.2675E-02
39	13.866		0.0000	0.0000%	19048	2512	7.6	2			0.0000E+00
40	14.177		0.0000	0.0000%	7845	1319	5.9	2			0.0000E+00
41	14.348	PCB 1260-3	507.3854	11.6219%	61979	10729	5.8	2	0	-.4613	4.7290E-02
42	14.629		0.0000	0.0000%	9298	1472	6.3	2			0.0000E+00
43	14.879	PCB 1260-4	390.8300	8.9521%	30670	5882	5.2	2	0	-.3893	6.6445E-02
44	15.040		0.0000	0.0000%	11601	2223	5.2	2			0.0000E+00
45	15.241		0.0000	0.0000%	10039	1738	5.8	2			0.0000E+00
46	15.391		0.0000	0.0000%	4191	699	6.0	2			0.0000E+00
47	15.622	PCB 1260-5	258.8215	5.9284%	19395	3484	5.6	2	0	-.4026	7.4281E-02
48	15.803		0.0000	0.0000%	9089	1732	5.2	2			0.0000E+00
49	15.933		0.0000	0.0000%	21833	3080	7.1	2			0.0000E+00
50	16.164		0.0000	0.0000%	5711	983	5.8	2			0.0000E+00
51	16.274		0.0000	0.0000%	3787	687	5.5	2			0.0000E+00
52	16.485	PCB 1260-6 **	298.9535	6.8477%	55580	10270	5.4	3	0	-.3294	2.9109E-02
54	16.906	*DBC (S.S.)	3.1067	0.0712%	2986	576	5.2	2	0	-.3670	5.3975E-03
55	17.037		0.0000	0.0000%	7130	1291	5.5	2			0.0000E+00
56	17.438	PCB1260-7	279.6343	6.4051%	21198	3681	5.8	2	0	-.3120	7.5970E-02
57	17.699		0.0000	0.0000%	56770	10475	5.4	2			0.0000E+00

58	17.879	PCB 1260-8	1258.3655	28.8234%	57109	10186	5.6	2	0	-.3085	1.2354E-01
60	18.893		0.0000	0.0000%	27160	4132	6.6	2			0.0000E+00
61	19.184		0.0000	0.0000%	5306	846	6.3	2			0.0000E+00
62	19.665	PCB	644.0930	14.7532%	23497	3821	6.1	1	0	-.3157	1.6855E-01
63	21.281		0.0000	0.0000%	83307	11553	7.2	1			0.0000E+00
64	22.806	*DCB (SS)	21.0254	0.4816%	27422	3330	8.2	1	0	-.3693	6.3135E-03

TOTAL AMOUNT = 4365.7754

PEAKS NOT FOUND IN THIS RUN

NAME	ADJUSTED RET.TIME.	REFERENCE PEAK
PCB 1242-1	6.12	*DBOB (S.S.)
PCB 1242-2	6.62	*DBOB (S.S.)
PCB 1242-3 *	7.34	*DBOB (S.S.)
PCB 1242-4	7.62	*DBOB (S.S.)
PCB 1242-5	7.84	*DBOB (S.S.)
PCB1242-7	8.41	*DBOB (S.S.)
PCB	8.90	*DBOB (S.S.)
PCB	9.27	*DBOB (S.S.)

GROUP NUMBER	GROUP AMOUNT	GROUP PERCENT
1	97.1904	2.226188%
2	3588.1763	82.188751%

Areas, times, and heights stored in: Y:B193Y22.ATB
Data File = Y:B193Y22.PTS Printed on 07-12-1994 at 17:28:09
Start time: 0.00 min. Stop time: 27.00 min. Offset: 0 mv.
Low Value: 360 uv High Value: 12699 uv Scale factor: 1.0