From: Gorin, Jonathan
To: John M. Hoffman
Cc: carrie.mcgowan@aecom.com
Subject: RE: LCP Site access
Date: Friday, March 25, 2016 12:15:00 PM

Thanks John.

Jon Gorin
US Environmental Protection Agency - ERRD
290 Broadway, 19th Floor
New York, NY 10007

From: John M. Hoffman [mailto:jmhoffman@ashland.com]
Sent: Friday, March 25, 2016 12:12 PM
To: Gorin, Jonathan <Gorin.Jonathan@epa.gov>
Cc: carrie.mcgowan@aecom.com
Subject: RE: LCP Site access

Hi John,
Please send me back your mailing address, and I will overnight these keys to you.

Thanks
John

John Hoffman
Senior Manager - Remediation
302 995-3233

Ashland Inc.
Environmental Health Safety & Product Regulatory
500 Hercules Road
Wilmington, DE 19808-1599

M: 302 668-7259
F: 302 995-3485

ashland.com

From: "Gorin, Jonathan" <Gorin.Jonathan@epa.gov>
To: John M. Hoffman/RCWilm/NA/Herc@Ashland
Cc: "carrie.mcgowan@aecom.com" <carrie.mcgowan@aecom.com>
Date: 03/25/2016 11:01 AM
Subject: RE: LCP Site access

Carrie, John any word on this? I'd like to park at the "GAF" plant (or whatever we're calling it these days) and then walk over to LCP with a contractor. So, all I need is permission to cross the GAF property and park and someone to open the gate that across the road to LCP.

Thanks,

jon

From: John M. Hoffman [mailto:jmhoffman@ashland.com]
Sent: Wednesday, March 23, 2016 10:37 AM
To: Gorin, Jonathan <Gorin.Jonathan@epa.gov>
Cc: Carrie McGowan <Carrie.McGowan@ehs-support.com>
Subject: Re: LCP Site access

Hi Jon,
I have a call into Carrie to discuss the logistics - like you, I am not sure of what keys are needed/we have.

John

John Hoffman
Senior Manager - Remediation
302 995-3233

Ashland Inc.
Environmental Health Safety & Product Regulatory
500 Hercules Road
Wilmington, DE 19808-1599

M: 302 668-7259
F: 302 995-3485

ashland.com

From: "Gorin, Jonathan" <Gorin.Jonathan@epa.gov>
To: John M. Hoffman/RCWilm/NA/Herc@Ashland, Carrie McGowan <Carrie.McGowan@ehs-support.com>
Date: 03/23/2016 08:51 AM
Subject: LCP Site access

John, Carrie I can't even begin to guess the protocol for site access at LCP anymore. That said, I'd like to take an engineer from CDM to see the site next Tues morning. Could I drive through and park at the old GAF site and could someone unlike the gates from GAF?

We'll stay out of the main area, I'll just walk him near the new Praxair pipes.

Thanks, Jon

This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. It is not intended for transmission to, or receipt by, any unauthorized persons. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system without copying it, and notify us that you received it in error, so that our address record can be corrected. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.

This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. It is not intended for transmission to, or receipt by, any unauthorized persons. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system without copying it, and notify us that you received it in error, so that our address record can be corrected. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.