From: Gorin, Jonathan
To: Thorn, Paul; John M. Hoffman
Cc: Carrie McGowan
Subject: RE: Tomorrow"s call
Date: Tuesday, August 06, 2013 10:06:00 AM

Thanks Paul.

Carrie/John. I've been having a back and forth with Anne. My main point is the groundwater data did not show any NAPL. Paul's package lays that out thoroughly.

My second point is even if it did, if we select a containment remedy any NAPL would be controlled.

Would it be ok if I sent Paul's write-up to DEP? It could put an end to their concerns, and save us a conference call tomorrow.

Jon

From: Thorn, Paul [mailto:PThorn@Brwncald.com]
Sent: Tuesday, August 06, 2013 9:57 AM
To: Gorin, Jonathan; John M. Hoffman
Cc: Carrie McGowan
Subject: RE: Tomorrow's call

Jon,

I've attached a breakdown of the concerns raised regarding free product, and how it's been addressed throughout the RI and subsequent documents. If you'd like to call to discuss, I can be reached at (201)574-4754.

1:00 pm would be a good time to call if you have any further questions.

Thanks,
Paul

Paul Thorn
Brown and Caldwell | Upper Saddle River, NJ
PThorn@brwncald.com
T 201.574.4754 | **C** 201.803.1869

Get water industry news delivered to your desktop, free, from BCWaterNews.com Sign up now!

From: Gorin, Jonathan [mailto:Gorin.Jonathan@epa.gov]
Sent: Tuesday, August 06, 2013 9:33 AM
To: John M. Hoffman
Cc: Carrie McGowan; Thorn, Paul
Subject: RE: Tomorrow's call

Ok, great. Paul, I'll also need your number and a time to call. It won't take long.

On a related matter. I expect the final NRRB memo this week (my response is already drafted). I also expect HQ's comments on the proposed plan this or next week. Once those are approved and out of the way, it's only the RI/FS/BERA final submittal/approval and we're good.

It's going to be close....

From: John M. Hoffman [mailto:jmhoffman@ashland.com]
Sent: Tuesday, August 06, 2013 9:28 AM
To: Gorin, Jonathan
Cc: Carrie McGowan; PThorn@Brwncald.com
Subject: Re: Tomorrow's call

Jon,

Yes it would. Paul also will sending a summary of the issue to you today.
Scott will also be calling on tomorrow.

Thanks
John

John Hoffman
Project Manager - Remediation
302 995-3233

Ashland Inc.
Environmental Health Safety & Product Regulatory
500 Hercules Road
Wilmington, DE 19808-1599

M: 302 668-7259
F: 302 995-3485

ashland.com

From: "Gorin, Jonathan" <Gorin.Jonathan@epa.gov>
To: John M. Hoffman/RCWilm/NA/Herc@Ashland, Carrie McGowan <Carrie.McGowan@ehs-support.com>, "PThorn@Brwncald.com" <PThorn@Brwncald.com>,
Date: 08/06/2013 09:18 AM
Subject: Tomorrow's call

John, would it be all right for me to chat with Paul this afternoon about tomorrow's call?

jon

- -

This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system, and notify us that you received it in error. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.