From: Gorin, Jonathan
To: MacMillin, Scott
Subject: FW: Phone message
Date: Monday, December 02, 2013 9:38:00 AM

Hey Scott, I decided to use some of your figures from the RI rather than the tables. They're being reviewed right now by DEP and EPA-HQ. After everything is confirmed, I'll just need you do renumber them to align with the ROD.

Jon

From: John M. Hoffman [mailto:jmhoffman@ashland.com]
Sent: Monday, December 02, 2013 8:40 AM
To: Gorin, Jonathan; MacMillin, Scott
Subject: Phone message

Hi Jon,

Got your message, please contact Scott directly to discuss what you need.

Thanks
John

John Hoffman
Project Manager - Remediation
302 995-3233

Ashland Inc.
Environmental Health Safety & Product Regulatory
500 Hercules Road
Wilmington, DE 19808-1599

M: 302 668-7259
F: 302 995-3485

ashland.com
- -

This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system, and notify us that you received it in error. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.