From: Gorin, Jonathan
To: John M. Hoffman
Subject: RE: Pre-RA work, LCP
Date: Monday, June 30, 2014 11:21:00 AM

Hey John, I can't recall if I responded last week. Yes, please let me know as soon as you find out.

jon

From: John M. Hoffman [mailto:jmhoffman@ashland.com]
Sent: Thursday, June 26, 2014 3:14 PM
To: Gorin, Jonathan
Subject: Re: Pre-RA work, LCP

Hi Jon,
I have not had a chance to discuss internally as I am in the middle of the annual reserve update. Can I get back to you next week?

Thanks
John

John Hoffman
Senior Manager - Remediation
302 995-3233

Ashland Inc.
Environmental Health Safety & Product Regulatory
500 Hercules Road
Wilmington, DE 19808-1599

M: 302 668-7259
F: 302 995-3485

ashland.com

From: "Gorin, Jonathan" <Gorin.Jonathan@epa.gov>
To: John M. Hoffman/RCWilm/NA/Herc@Ashland,
Date: 06/26/2014 03:06 PM
Subject: Pre-RA work, LCP

Hey John, has Ashland made any decisions?

- -
This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. It is not intended for transmission to, or receipt by, any unauthorized persons. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system without copying it, and notify us that you received it in error, so that our address record can be corrected. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.