UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 6
1201 ELM STREET, SUITE 500
DALLAS, TEXAS 75270

January 17, 2023 Sent by email only

Peter Hollis
Capio [redacted] Sequestration, LLC
109 North Post Oak Lane, Suite 140
Houston, TX 77024

RE: Underground Injection Control (UIC) Permit Application R06-LA-0012
Class VI Pre-Construction Permit Application
Administrative Review of Application

Dear Mr. Hollis:

The United States Environmental Protection Agency, Region 6 (EPA), has received the Capio [redacted] Sequestration, LLC (Capio), UIC Class VI permit application via the Geologic Sequestration Data Tool (GSDT) for a new injection well (Capio [redacted] CCS Well No. 1) in Pointe Coupee Parish, LA. EPA has reviewed the permit application pursuant to 40 CFR §124.3(c) and has determined that it does not contain all information required by the GSDT. Several items were noted to be missing or incomplete (see attachment). Because the missing items are considered essential to EPA's review of Class VI applications, the administrative completeness review cannot continue until all missing and incomplete items have been adequately addressed.

Once the requested data is submitted to the GSDT and CBI-protected OneDrive folder, please notify us so that we may resume reviewing your application. Please note that the listing of missing/incomplete items is not considered all-inclusive, and additional and/or more detailed clarifications may be requested later during the technical review phase.

Additionally, EPA has a few requests that will help make the review process go more quickly and efficiently. These requests include a table of contents for each module narrative of the application; a separate file of figures and tables for each module (in addition to having the figures within the narratives); well/AP records that are separated to include one well's records per pdf file; and well or other location information provided as latitudes and longitudes rather than footages, section/township/range, or similar (e.g., for the AOR wells in Table 3-5, pdf page 13 of the AOR/CAP narrative).

If you have any questions about this letter, please contact Forrest Frederick (frederick.forrest@epa.gov), Lauren Ray (ray.lauren@epa.gov), or Brandon Maples (maples.brandon@epa.gov).

Sincerely,

Johnson, Ken-E Digitally signed by Johnson, Ken-E
Date: 2023.01.17 13:50:23 -06'00'

Ken Johnson, PE
Ground Water / UIC Section Chief