SFUND RECORDS CTR
3846-90014

ARIZONA DEPARTMENT OF HEALTH SERVICES

RCRA INSPECTION REPORT

Company Name Government Innovators

E.P.A. I.D. Number None

Street Address 734 E. Southern Pacific

City/State/Zip Phoenix AZ

Phone Number (602) 252-6031

Mailing Address same as above

Facility Representative(s) & Titles:

1. Mark Stragier - President (M.S.)
2. David Montaluo - Painter
3.

A.D.H.S. Representative(s):

1. Gail Clement
2. Brian Correa

Other Participants/Agencies:

1.
2.

Facility Name [illegible]

INSPECTION REPORT ATTACHMENT

- M.S. stated that the building was in use 2 years and that the observed waste represented 2 years accumulation. The inspector asked M.S. why if the observed waste represented 2 years accumulation there wasn't more waste on-site since the painter told the inspectors that they were generating one 55 gal. drum per every two to two and one half weeks. M.S. stated that since the operation began they have tripled their production and as a consequence waste production also increased. M.S. was asked what he intended to do about the waste on-site. M.S. responded that he had called Rinchem who came to the site to sample and that he had a letter from Rinchem stating that. M.S. stated that he hadn't recieved the analytical results yet but intended to have Rinchem dispose of the waste. The inspectors emphasized to M.S. that it was very poor operating procedures to have a forklift handled to perforate drums and that as a consequence both health and flammable hazards had resulted. M.S. was told that ground disposal of hazardous wastes was not acceptable and that sampling and clean-up were costly alternatives to proper waste management and handling practices. M.S. was told that he had accumulated more than 1000 Kg. of waste and as a consequence the facility classified as a large quantity generator. He was told that this would require an EPA identification

Facility Name _____

INSPECTION REPORT ATTACHMENT

number, shipments via an approved transporter to a permitted or interim status TSD. M.S. was also told that hazardous waste shipments would have to be manifested. He was directed to call either the inspectors or Waste Compliance Unit if he had any questions. M.S. stated that he had assigned a new employee to handle the waste disposal and that he intended to consolidate the drums and remove it off site within ~ one week. The inspector requested the MSD Sheets for the lacquer thinner in use at the facility and a copy of the letter sent by Rinchem to the facility. M.S. went to the office building while the inspectors obtained Sample GI-01. When M.S. returned to the yard area adjacent the paint shop, he told the inspectors that the facility didn't have any MSD Sheets. The inspector explained what a MSD Sheet was and that it was the responsibility of the employer to inform his employees of the chemicals and their associated hazards which could be encountered in the work place. M.S. told the inspectors that the letter from Rinchem and a copy of the letter from Rinchem were in an employee's car who was not at the facility at the time of the inspection. The inspector requested a copy of the Rinchem letter and the requested MSD Sheets be sent to the inspector when possible.

734 E. [illegible]
Phoenix AZ



▲ ADHS Sample Approximate Location
Not to Scale
Locations are approximate

RECORDS

SEPARATOR

PAGE

A20 981 673 544

2E

DATE

TIME 1:30 PM

SFUND RECORDS CTR
3846-90022

CONTACT NAME Marshall Macy

REPRESENTING Gov Innovators

PHONE NUMBER 252-6031

ADDRESS

SUBJECT LOW 6/10/86

CONVERSATION EPA I.D. # AZD 981 673 544
Will get this finished up right away.

CALL TAKEN BY J. Clayton

ARD 981 673 644

2E

SFUND RECORDS CTR

~~7014-00004~~

Date 4/2/87 3:35

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL SERVICES

Taken By Maria

Premises Government Innovators 734 E Southern Pacific - Phx

Complaint Paint Overspray (On-going problem)

Talked with John Freshley, Steve Evans, Beth McQuay and James DeVille who are complainants.

Report: I observed paint overspray damage to two vehicles; 1986 Jeep Cherokee ~~belong~~ belonging to McQuay and a 84 Olds 88 belonging to DeVille.

Date Investigated 4-6-87 District 208 By

(Use reverse side for additional details)

081 0535 R6-85

Talked with Reggie Stagier of Government Removals. The paint overspray problem has been going on for years and is still a problem even though sheet metal and fume hood has been installed. I instructed Government Removals to completely enclose area and install filtered exhaust. They will await letter from me.

Close out

FJW

Date 2/29/88 1:35 PM

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL SERVICES

Taken By B.G. Lamb Stuart Evans: Pres. 262-5401

Premises GOVERNMENT INNOVATORS, 734 E Southern Pacific

CI0645

Complaint Overspray. Spray painting outside.

Report: I arrived at approx 3:20. There was no painting being done in G.I's large painting shed. Mr. Freshley had two complaints: one that overspray was escaping from the painting shed just south

Date Investigated 2/29/88 District 208 By RK-H

(Use reverse side for additional details)

081 0535 R6-85

of his bldgs. on Sat. Feb. 27. He said they closed the door on Saturday, shortly after he drove up. The second was that they painted in their west yard with no walls & with great overspray evident. He said this overspray did not affect him personally but was a violation of Bureau statutes.

I suggested he call Buford Lamb to proposed Saturday or evening inspections, inasmuch as the Bureau has been there several times and have not seen a citable offense.

I called "Tim" on 3/1 and gave him substance of complaint. He said he'd give message to Chief, Stuart Evans.

Close Out.

Date 1-18-88

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL SERVICES

Taken By Lorane

Government Innovators

Premises 734 S. Southern Pacific Dr. 010509

Complaint Spray painting, mostly night. paint blowing on car.

Report: Lorane said the complainant would not give phone # and did not explain why he drives by at night if he gets paint on his car.
On site, President Marc Atragis said they had primed the garbage truck-box last night with the large bay door

Date Investigated 1/19/88 District 208 By 207 RK-H

(Use reverse side for additional details)

081 0535 R6-85

open (to comply c̄ Fire Dept. concerns) All three of the single filter exhaust fans were partly clogged. This facility does not at present have enough filter area for good booth exhausting. Overspray will escape. I gave Marc a copy of 40% rule & 3-side rule. Two options have some chance: (1) I gave him name of two equip. co's. who use water-borne paint so the fire dept could allow total enclosure (2) He may move the painting to another area in the west part of his premises.

→ I have no confidence in their buying a prof'l booth since they're trying to sell the co. & avoid spending money. c/o (I already have FYO on this: other CC)

Date 1-14-88 1155 AM

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL SERVICES

010502

Taken By Shan

Premises 734 E Southern Pacific DR. (Gov. Innovators)

Complaint Painting Outside

Report: Complnt. Freshley showed where in the alleyways Govt Innovators had sprayed next to the litter's spray booth. No spraying at present. Dated extensive spray paint film on windows of older Ford (copper-bronze) owned by

Date Investigated _____ District 208 By 207

(Use reverse side for additional details)

081 0535 R6-85

Freshley. G.I's Mrs Shapiro, President's wife, admitted having gotten overspray on cars. She & engr., Marshall Mary, said an employee had sprayed this A.M. in the alley by their spray booth until interdicted. She showed me two receipts from Consolidated Welding for paint & supplies. She said until they get an approved booth, they will continue to use this firm for paint spraying. They apologized for their employee's mistake. She confirmed Freshley's assertion that Fire Dept. had prohibiting usage of G.I's booth that J.J. Wells had pressured them to build.

G.I. makes refuse truck bodies & refuse can handling arms. c/o

Date 4/20/88
4:45 PM

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL SERVICES

010907

Taken By Maria

Premises GOVERNMENT INNOVATORS 734 S. South Pacific
Phoenix

Complaint Overspray & strong fumes

Report: No painting at present. Truck in painting bay has fresh coat of grey primer
5-17-88- Evidence of possible open spray paint. Advised Bob Bada THAT ANY OPEN SPRAYING

Date Investigated 4/22/88 District 208 By 207

(Use reverse side for additional details)

081 0535 R6-85

observed will be cited here (Os-17si)

Date 1-22-89

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL SERVICES

Taken By M. Lab W

Premises 734 E. South Pacific Dr.

Complaint Overspray + strong paint odors from painting trucks during nighttime hours

Report:

Date Investigated _____ District 208 By 209

(Use reverse side for additional details)

081 0535 R6-85

Maricopa County
Department of Health Services

DIVISION OF PUBLIC HEALTH
Environmental Services

1845 East Roosevelt Street
Phoenix, Arizona 85006
(602)258-6381

April 13, 1987

Ms. Peggy Stragier
Government Innovators
734 E. Southern Pacific Drive
Phoenix, AZ 85034

Dear Ms. Stragier:

During the past ten (10) months, our office has received several complaints about paint overspray from your sanitation truck, spray paint operation. On April 2, 1987 we received another complaint which was investigated on April 6, 1987. At this time I observed paint overspray damage to several vehicles in the area around your spray paint operation. Because of the color of the paint and the absence of other painting in the immediate area, I have determined that the paint overspray problem is the direct result of your operation.

Regulation 1, Rule 3 of the Maricopa Air Pollution Control Rules and Regulations, prohibits Air Pollution which causes damage to property or unreasonably interferes with the comfortable enjoyment of life or property.

The following changes, alterations and/or modifications must be made by June 15, 1987 to reduce emissions of paint overspray:

1. Installation of solid, non-porous doors that will replace existing sunscreen curtains.

2. Installation of filtered exhaust system. The top of the exhaust stack must be a minimum of five feet above the roof line.

All spray painting must be done inside the building with all doors closed and the filtered exhaust in operation. Please check with the Phoenix Fire Department for their requirements.

Yours truly,

J.J. Wells, Jr.

J.J. Wells, Jr.
Air Quality Control Investigator
Bureau of Air Pollution Control

mm

081 2251 7-86

PERMIT APPLICATION

****

* MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES *
* ENVIRONMENTAL SERVICES *
* P. O. Box 2111 *
* PHOENIX, AZ 85001 *
* BUREAU OF AIR POLLUTION CONTROL 258-6381 *

****

08

GOVERNMENT INNOVATORS
GOVERNMENT INNOVATORS
734 E SOUTHERN PACIFIC DR
PHOENIX AZ 85034

PAINTING
WELDING

734 E SOUTHERN PACIFIC DR PX

Your ANNUAL OPERATING permit NO. A8602449 expires on 30-Jun-1986. Please check the information shown above, enter any changes in the space allocated, sign this application and return it to the above address with payment in the amount of $75.00 .

This application, properly executed and accompanied by the correct fee ($75.00), must be received by 7-30-86. There is a penalty for late payment of fees, and you will be subject to legal action if this application and proper fees are not received by the date due.

==========
Enter Corrections (if any) Below
==========

Owner Name/Mgmt Co:_____

Business Name: INNOVATORS - Spelling

Mailing Address:_____

City:_____ State:____ Zip:_____

Business Phone: - 252-6031 Home Phone:_____-_____-_____

I/We assume complete responsibility for the business to be conducted at the premises for which I/We are making application for an operating permit. I/We certify that the said business at the premises will be operated in full compliance with all applicable environmental regulations duly adopted and all other Local, County and State Rules, Ordinances and Regulations pertaining thereto. I/We understand that I/We are responsible for knowing the contents of the applicable regulations as they pertain to said business.
COPY OF APPLICABLE REGULATIONS AVAILABLE AT ENVIRONMENTAL SERVICES OFFICE AT 1845 E ROOSEVELT, PHOENIX

SIGN APPLICATION HERE Margaret K Grazier DATE 7-11-86

NOTE: Due to computerization you will no longer receive multiple applications/permits. Upon our receipt of this single application form we will issue one Annual Permit covering your entire facility.

ANNUAL OPERATING PERMIT PROFILE

Existing Permit Number: P 3684 NEW PERMIT NUMBER: 8602449

BUSINESS NAME: GOVERNMENT INNOVATORS

STREET: 1314 E SOUTHERN PACIFIC DR

CITY: PX PHONE: 252-6032

SITELOCATION: A0103090D

OWNER NAME: GOVERNMENT INNOVATORS

STREET: 1314 E SOUTHERN PACIFIC DR

CITY: ~~602~~ PHOENIX STATE: AZ ZIP: 85034

PHONE: 602-252-6032 EXPIRATION DATE: 06/30/86

COS: M PERMIT UNIT NAME: J SOURCE CATEGORY: PB WE

DIST: 01 PERMIT FEE: 125.00 INSPECTION DATE: 06/17/86

☑ RENEWAL/EXISTING :PAAP

☐ NEW/CHANGE OWNER :PNAP

☐ INSTALLATION :PIAP (Expires in 2 Yrs)

CITY

AG	'AGUILA'	MC	'MARICOPA COUNTY'
AH	'AHWATUKEE'	ME	'MESA'
AJ	'APACHE JUNCTION'	MB	'MOBILE'
AR	'ARLINGTON'	MO	'MORRISTOWN'
AV	'AVONDALE'	NR	'NEW RIVER'
BE	'BEARDSLEY'	PA	'PALO VERDE'
BU	'BUCKEYE'	PO	'PALOMA'
CA	'CASHION'	PV	'PARADISE VALLEY'
CF	'CAREFREE'	PE	'PEORIA'
CC	'CAVE CREEK'	PX	'PHOENIX'
CH	'CHANDLER'	QC	'QUEEN CREEK'
CT	'CHANDLER HEIGHTS'	RV	'RIO VERDE'
CI	'CIRCLE CITY'	SC	'SCOTTSDALE'
EM	'EL MIRAGE'	SE	'SENTINEL'
FH	'FOUNTAIN HILLS'	SU	'SUN CITY'
FP	'FOREPAUGH'	SW	'SUN CITY WEST'
GB	'GILA BEND'	SL	'SUN LAKES'
GI	'GILBERT'	SF	'SUNFLOWER'
GL	'GLENDALE'	SR	'SURPRISE'
GO	'GOODYEAR'	TE	'TEMPE'
GU	'GUADALUPE'	TF	'TORTILLA FLAT'
HA	'HARQUAHALA'	TO	'TOLLESON'
HG	'HIGLEY'	TN	'TONOPAH'
HY	'HYDER'	WA	'WADDELL'
KC	'KANSAS CITY'	WH	'WHITE TANKS'
LA	'LAVEEN'	WI	'WICKENBURG'
LI	'LIBERTY'	WN	'WINTERSBURG'
LP	'LITCHFIELD PARK'	WT	'WITTMAN'
		YO	'YOUNGTOWN'

SOURCE CATEGORY

AB	'ABRASIVE BLASTING'
AS	'ADD'L SOURCES'
AP	'ASPHALT PLANT'
CM	'CHEM MIX/HAND'
CB	'CONCRETE BATCH'
CP	'CONDITIONAL'
CG	'COTTON GIN'
CR	'CREMATORY'
DG	'DEGREASER'
DC	'DRY CLEANER'
EA	'ELECTRONIC ASSY'
FM	'FEED MILL/GRAIN'
FE	'FERT HANDLING'
GB	'GAS BULK/LOAD'
FG	'GLASS FIB/MARB'
FN	'FOUNDRY'
FC	'FUEL BURN-COMM'
FI	'FUEL BURN-IND'
FR	'FURN REFINISH'
GN	'GAS-NON RESALE'
GR	'GAS-RESALE'
GE	'GENERATOR'
IN	'INCINERATOR'
IT	'INSTALLATION'
LN	'LAUNDRY'
MP	'METAL PROC/REC'
MS	'MULTI SOURCES'
ZZ	'OTHER'
OV	'OVEN'
PB	'PAINTING'
PS	'PLASTIC/FOAM'
PL	'PLATING'
PP	'POWER PLANT'
PR	'PRINTING'
SG	'SAND/GRAV/CRUSH'
SC	'SEMI-CON'
SS	'SOLV STOR/HAND'
TK	'TAR KETTLE'
WE	'WELDING'

PERMIT UNIT NAME

A	'FUEL BURNING'	K	'NEW FUEL BURNING'
B	'INSTALLATION'	L	'NEW KVA'
C	'KVA'	M	'NEW MISC.'
D	'MISCELLANEOUS'	N	'NEW PETROL STORE'
E	'PETROLEUM STORAGE'	O	'NEW PROCESS EQPT'
F	'PROCESS EQUIPMENT'	P	'NEW REFUSE BURN'
H	'REFUSE BURNING'	Q	'NEW MULTI UNITS'
I	'TANK TRUCK CERT.'		
J	'MULTIPLE UNITS'		

MARICOPA COUNTY HEALTH DEPARTMENT -- BUREAU OF AIR POLLUTION CONTROL

NAME Government Inovators

MAILING ADDRESS

OWNER Government Inovators Inc. PHONE 252-6031

PREMISE ADDRESS 734 E. Southern Pacific Dr., Phx. 85

Process Equip.--Welding Operation

DATE	REMARKS	UNITS	FEE	SAN.
6/30/81	insp. ok new folder to Kosters		$20	208
7/9/81	K5044 exp. 6/30/82 A063490	$20	hh	
6/18/82	insp. ok		$25	208
7/28/82	L5826 exp. 6/30/83 A124957	$25	hh	
8/9/83	insp. ok		$25	208
9/26/83	M7244 exp. 6/30/84 A142429	$25	hh	
7/13/84	insp ok		$25	208
8/2/84	N5362 exp.6/30/85 A200326	$25	cpb	
7/18/85	insp ok/ fee increased		$41	208
8/13/85	P3683 exp 6/30/86 A264383	$41	cbp	

Misc.Sched.--Paint Spray

DATE	REMARKS	UNITS	FEE	SAN.
6/30/81	insp. ok new folder to Kosters		$25	20
7/9/81	K5045 exp. 6/30/82		$25	
6/18/82	insp. ok		$31	
7/28/82	L5827 exp. 6/30/83		$31	hh
8/9/83	insp. ok		$31	2
9/26/83	M7243 exp. 6/30/84		$31	hh
7/13/84	insp ok		$31	2
8/2/84	N5363 exp. 6/30/85 $31			
7/18/85	insp ok/fee increased		$34	2
8/13/85	P3684 exp 6/30/86 $34 cpb			

5HO(NS)SAN:169 3/78

INSPECTION REPORT

BUSINESS

GOVERNMENT INNOVATORS
734 E SOUTHERN PACIFIC DR
PHOENIX
252-6031

PERMIT NO: 8602449
DISTRICT: 08
~~FEE: $75.00~~ 84.00
PREVIOUS INSPECTION DATE: 17-May-1988
CURRENT INSPECTION DATE: 4/6/89
EXPIRATION DATE: 30-Jun-1989

OWNER/MANAGEMENT

GOVERNMENT INNOVATORS
734 E SOUTHERN PACIFIC DR
PHOENIX AZ 85034
602-252-6031

CDS: N
Source 1: PAINTING
Source 2: WELDING
Source 3:
Source 4:

PERMIT UNIT NAME: MULTIPLE UNITS
SITE LOCATION: A01030900

FACILITY DESCRIPTION

Qty	Type	
1	71	MISCELANEOUS EQUIPMENT
	63	145 TO 449.9 TOTAL KVA

>>>>>MATERIAL(S) IN PROCESS<<<<<

Type	Amount	Meas.	Control Type
Paint (Reactive)	~~80~~ 20	Gal	~~Unel~~ BF
PT	25	G	BF

Comments:
1. LC RA 2000, 3000, 3115, 3316
(complete 1. before going to 2.)
2.

Janice P.

MAY 03 ENTD

INSPECTION REPORT

BUSINESS

GOVERNMENT INNOVATORS
734 E SOUTHERN PACIFIC DR
PHOENIX
252-6031

PERMIT NO: 8602449
DISTRICT: 08
PERMIT FEE: $75.00
PREVIOUS INSPECTION DATE: 23-Jun-1987
CURRENT INSPECTION DATE: 5/17/88
EXPIRATION DATE: 30-Jun-1988

OWNER/MANAGEMENT

GOVERNMENT INNOVATORS
734 E SOUTHERN PACIFIC DR
PHOENIX AZ 85034
602-252-6031

CDS: N
Source 1: PAINTING
Source 2: WELDING
Source 3:
Source 4:
PERMIT UNIT NAME: MULTIPLE UNITS
SITE LOCATION: A01030900

FACILITY DESCRIPTION

Qty		Type
1	71	MISCELANEOUS EQUIPMENT
~~1~~	~~71~~	~~MISCELANEOUS EQUIPMENT~~
	63	145 TO 449.9 TOTAL KVA
	~~63~~	~~145 TO 449.9 TOTAL KVA~~

>>>>>Material(s) In Process<<<<<

	Type	Amount	
PR	Paint (Reactive)	80	G
~~PR~~	~~Paint (Reactive)~~	~~80~~	~~G~~

Comments:
line 1 continued (complete bef
line 2 continued

JUL 08 ENT'D

MARICOPA COUNTY DEPARTMENT OF HEALTH SERVICES
BUREAU OF AIR POLLUTION CONTROL
1845 E. ROOSEVELT • PHOENIX, ARIZONA 85006 • PHONE 258-6381

COMPLIANCE INSPECTION

BUSINESS NAME: Government Innovators — PHONE NO.: 252-6032
EQUIPMENT LOCATION: 734 E Southern Pacific Dr — CITY: Phx — ZIP: 85034
MAILING ADDRESS: same — CITY: — STATE: — ZIP:
OWNER AGENT: Sandi — PHONE:
INDIVIDUAL(S) CONTACTED: (TITLE[S]) ~~Jim Parsons~~ Bob Bada (88) — CDS:
PERMIT UNIT NAME: Paint Spray area — OPERATING SCHEDULE:
PROCESS OR EQUIPMENT DESCRIPTION:

1-Paint area ~~Enclosure (88)~~
~~Booth~~ Booth see Install sheets. 7-12-88 next

RAW MATERIALS: (TYPES, AMOUNTS, PRODUCTION RATES)
acryl. enamel 50-60 ~~25-30~~ gal/mon (reactive)
Primer 30 ~~25~~ gal/mon (reactive)
reducer 55 ~~20~~ gal/mon. (non-reactive)

EMISSION CONTROLS: ~~filtered exhaust.~~ ~~covered area with one permanent wall~~ ~~curtains (fabric) on remaining three sides.~~

EMISSIONS: (OPACITY, QUANTITY, ALLOWABLE) Meets Reqs.

DRIVEWAY PARKING AND UTILITY AREAS: dirt

Close Out

REMARKS:

MARC STRAGIER
dba
RAPID RAIL® SYSTEMS
GOVERNMENT INNOVATORS, INC.
734 East Southern Pacific Drive
Phoenix, Arizona 85034
602-252-6032
800-528-5308

ANNUAL PERMIT FEE $ 34.00

NOTE: WITHIN TWO WEEKS, YOU WILL RECEIVE BY MAIL AN APPLICATION FOR AN ANNUAL OPERATING PERMIT.

INSPECTOR: L.L. Wellig — DATE: 6-17-86 — SUPERVISOR: [illegible]

INSPECTION REPORT

BUSINESS

GOVERNMENT INNOVATORS
734 E SOUTHERN PACIFIC DR
PHOENIX
252-6031
SITE LOCATION: A01030900
SITE LOCATION |_|_|_|_|_|_|_|_|_|

PERMIT NO: 8602449
DISTRICT: 08 |_|_|
|_|_|_|_|.|_|_|PERMIT FEE: $75.00
PREVIOUS INSPECTION DATE: 17-Jun-1986
CURRENT INSPECTION DATE: |6|25|87|
EXPIRATION DATE: 30-Jun-1987

OWNER/MANAGEMENT

GOVERNMENT INNOVATORS
PHOENIX AZ 85034

734 E SOUTHERN PACIFIC DR
602-252-6031

CDS: N
PERMIT UNIT NAME: MULTIPLE UNITS
Source 1: PAINTING
Source 2: WELDING
Source 3:
Source 4:

EQUIPMENT DESCRIPTION

NON ELECTRICAL EQUIPMENT INVENTORY

1) NUMBER OF UNITS: |1| TYPE: |21|
2) NUMBER OF UNITS: |__|__| TYPE: |__|__|
3) NUMBER OF UNITS: |__|__| TYPE: |__|__|
4) NUMBER OF UNITS: |__|__| TYPE: |__|__|
5) NUMBER OF UNITS: |__|__| TYPE: |__|__|
6) NUMBER OF UNITS: |__|__| TYPE: |__|__|
7) NUMBER OF UNITS: |__|__| TYPE: |__|__|
8) NUMBER OF UNITS: |__|__| TYPE: |__|__|

RAW MATERIALS IN PROCESS

1) TYPE: |PR| AMT: |__|__|__|__|__|__|__|80| MEAS: |G| CONT: |BF|
2) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|
3) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|
4) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|
5) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|
6) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|
7) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|
8) TYPE: |__|__| AMT: |__|__|__|__|__|__|__|__|__| MEAS: |__| CTRL: |__|__|

ELECTRICAL EQUIPMENT INVENTORY

1) EQUIPMENT DESCRIPTION: |63|
2) EQUIPMENT DESCRIPTION: |__|__|
3) EQUIPMENT DESCRIPTION: |__|__|
4) EQUIPMENT DESCRIPTION: |__|__|
5) EQUIPMENT DESCRIPTION: |__|__|
6) EQUIPMENT DESCRIPTION: |__|__|
7) EQUIPMENT DESCRIPTION: |__|__|
8) EQUIPMENT DESCRIPTION: |__|__|

COMMENTS

JJ Wells

RAPID RAIL SYSTEMS

June 15, 1987

Mr. J. J. Wells Jr.
Maricopa County
Dept. of Health Services
1845 E. Roosevelt St.
Phoenix, AZ 85006

Dear Mr. Wells:

In reply to your letter of April 13, we have purchased and installed solid, non-porous doors and the extra sheeting needed to enclose the paint spray area. We have also installed a filtered exhaust system and extended the stacks over five feet above the roof line. We are keeping the doors closed during spraying operations and believe we are in compliance with your requirements.

We are sorry for the inconvenience we have caused and appreciate the help you have given to us to bring our operations into compliance.

Yours truly,

M. G. Stragier
President

MGS/nv

GOVERNMENT INNOVATORS, INC. 734 E. SOUTHERN PACIFIC DRIVE PHOENIX, ARIZONA 85034 (602) 252-6031 (800) 528-5308

A20 981 673 544

2E

TELEPHONE CONTACT

SFUND RECORDS CTR
3346-90012

DATE: 1-30-87

FILE:

TIME: 9:50

CONTACT NAME: Marshall Macy

REPRESENTING: Geo Innovators

PHONE NUMBER: 252-6031

ADDRESS:

SUBJECT: Soil Sample Analysis

CONVERSATION: Mr Macy phoned to say results of samples were back and would be forwarded to our office. He also stated that a proposal for const. of a concrete slab and spill collection sump would be included.

(continued on reverse side)

CALL TAKEN/~~MADE~~ BY: T White

A2D 981 673 544

2E

TELEPHONE CONTACT

SFUND RECORDS CTR
3868-90013

DATE: 1-27-87

FILE:

TIME:

CONTACT NAME: Marshall Macy

REPRESENTING: Government Innovators

PHONE NUMBER: 252-6031

ADDRESS:

SUBJECT: Status of Soil Samples

CONVERSATION: Spoke to secretary (Peggy) who stated Mr Macy was out of town until 1-28-87. Still waiting on sample analysis of soils possibly contaminated. when complete schedule walk through

(continued on reverse side)

CALL ~~TAKEN~~/MADE BY: J. White

#29 981 673 544

3831

SOUTHWEST SOLVENTS

SFUND RECORDS CTR
3840-00003

6760 W. Allison Road Chandler, Arizona 85224
REMIT TO: P.O. Box 5004 Chandler, Arizona 85224
Phone (602) 961-1040

SOLD TO:
GOVERNMENT INOVATORS
734 EAST SOUTHERN PACIFIC DRIVE
PHOENIX, AZ.

SHIP TO:

INTEREST OF 1½% PER MONTH, 18% PER ANNUM MAY BE CHARGED ON DELINQUENT ACCOUNTS.

INVOICE NO. 63297

P.O. NO.	RELEASE NO.	SALESMAN	DATE ORDERED	DATE DELIVERED	DELIVERED BY	TERMS:
VERBAL			7/22/86	7/22/86	BILL	Net 30 days from delivery date

SELLER WILL TRANSFER AND DELIVER TO BUYER, AND BUYER WILL ACCEPT AND PAY FOR THE FOLLOWING GOODS AND SERVICES.

QUANTITY ORD.	QUANTITY SHPD.	QUANTITY B/O	UNIT	HM	DESCRIPTION	UNIT PRICE	TOTAL
26	26		55 GALLON DRUMS		CHARGE FOR REMOVAL OF 26 WASTE DRUMS @ $5.00 EACH		$130.00
					Paid ck 5287 7/23/86 JB		
					A REAL ARIZONA TORNADO		
					TOTAL DUE		$130.00
					THANK YOU		
					CONTAMINATED DEPOSIT DRUMS LOSE THEIR DEPOSIT DEPOSIT DRUMS MUST BE RETURNED WITHIN 6 MONTHS		

Terms: Net 30 days, or as otherwise indicated hereon. The Buyer herein, by signing this invoice agrees to be bound by these terms and further agrees to be bound by the same if this invoice is signed by his agent. In event total bill not paid when due, customer agrees to pay all collection costs including maximum legal interest from date due, collection agency charges, attorney's fees, court costs, and time lost by agents of seller, at hourly rate, who became involved in collection or litigation related to enforcement of terms hereof, and to litigate all claims based on this agreement. All disputes shall be determined according to the laws of Arizona, which shall be the proper forum for all litigation.

Southwest Solvents Blends and Solvents are sold by Southwest Solvents Corporation without warranty of any kind whatsoever, express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular use or purpose and without liability for damages from any cause, except replacement or refund of the purchase price. In no event shall Southwest Solvents Corporation be liable for either incidental or consequential damages whether arising from breach of warranty or otherwise.

RECEIVED
APR 29 1987
ADHS-OWWQM
COMPLIANCE SECTION

This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation and the Environmental Protection Agency.

Checker _____

Bob Pace for SWS
SELLER

SIGN HERE _____
BUYER, OWNER, PRINCIPAL OR AGENT

PLEASE PAY FROM THIS INVOICE - NO STATEMENT WILL BE SENT UNLESS REQUESTED.

CUSTOMER COPY.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No. 110786

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
GOVERNMENT INOVATORS, 734 E. SOUTHERN PACIFIC DR.
PHOENIX, AZ. 85034

4. Generator's Phone (602) 252-6031

A. State Manifest Document Number

B. State Generator's ID

5. Transporter 1 Company Name
SOUTHWEST SOLVENTS, INC.

6. US EPA ID Number
AZD009015389

C. State Transporter's ID

D. Transporter's Phone 602 961-1040

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
SOUTHWESTSSOLVENTS, INC
6760 W. ALLISON RD. CHANDLER, AZ.

10. US EPA ID Number
AZD009015389

G. State Facility's ID

H. Facility's Phone
602 961-1040

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	WASTE PETROLEUM SOLVENT MIXTURE	3	DM	165	GAL	
b.							
c.							
d.							

J. Additional Descriptions for Materials Listed Above

K. Handling Codes for Wastes Listed Above

RECEIVED
APR 29 1987
ADHS-OWWQM
COMPLIANCE SECTION

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

Unless I am a small quantity generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment.

Printed/Typed Name: M S MACY
Signature: [illegible]
Month Day Year: 11 5 86

GENERATOR

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: SOUTHWEST SOLVENTS
Signature: [illegible]
Month Day Year: 11 11 86

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name
Signature
Month Day Year

TRANSPORTER

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: ROBERT W. RHONE LAB. & PRODUCTION FOR S.W.S.
Signature
Month Day Year

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No. EXEMPT	Manifest Document No. 112186	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.

GENERATOR

3. Generator's Name and Mailing Address
GOVERNMENT INNOVATORS, 734 E. SOUTHERN PACIFIC DR.
PHOENIX, ARIZONA 85034

4. Generator's Phone (602) 252-6031

A. State Manifest Document Number

B. State Generator's ID

5. Transporter 1 Company Name: SOUTHWEST SOLVENTS, INC.

6. US EPA ID Number: AZD009015389

C. State Transporter's ID

D. Transporter's Phone 602 961-1040

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
SOUTHWEST SOLVENTS, INC.
6760 W. ALLISON RD. CHANDLER, AZ.

10. US EPA ID Number: AZD009015389

G. State Facility's ID

H. Facility's Phone 602 961-1040

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	WASTE PETROLEUM SOLVENT MIXTURE	1	DM	55	GAL.	
b.							
c.							
d.							

J. Additional Descriptions for Materials Listed Above

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

RECEIVED
APR 29 1987
ADHS-OWWQM
WASTE SERVICE

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

Unless I am a small quantity generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment.

Printed/Typed Name: M S MACY | Signature: [signature] | Month 11 Day 24 Year 86

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: SOUTHWEST SOLVENTS, INC. | Signature: [signature] | Month 11 Day 12 Year 86

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: RBT. W. RHONE RECLAIM SUPERVISOR FOR S.W.S. | Signature | Month Day Year