Romic Environmental

Technologies

Monitor Well Installation

Completion Report

Appendices

Volume 2

Aerotech Environmental Laboratories

Date: *06-Aug-07*

CLIENT:	Clear Creek Associates
Project:	Romic/212001
Lab Order:	07070754

CASE NARRATIVE

Analyses included in this report were performed by Aerotech Environmental Laboratories (AEL), 4645 E. Cotton Center Boulevard, Building 3, Suite 189, Phoenix, AZ.

AEL is licensed through the State of Arizona (License No. AZ0610), and holds NELAC accreditation (OR100001) through the State of Oregon for the analytical techniques noted on the scope of accreditation.

AEL is also accredited by the American Industrial Hygiene Association (AIHA) in the industrial hygiene program for the analytical techniques noted on the scope of accreditation.

Samples were analyzed using methods outlined in references such as:
-Standard Methods for the Examination of Water and Wastewater, 20th Edition, 1998.
-40 CFR, Part 136, July 2006. Appendix A to Part 136 - Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater.
-Methods for the Chemical Analysis of Water and Wastes, EPA/600/4-79-020, Revised March 1983.
-Methods for the Determination of Organic Compounds in Drinking Water: Supplement III, August 1995, EPA/600/R-95/131.
-Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, EPA, 3rd Edition 1986, and Updates.
-Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, EPA, Second Edition, 1999.
-NIOSH Manual of Analytical Methods, Fourth Edition, 1994. NIOSH Method 7300 analyses are performed using a modified digestion procedure to eliminate the use of perchloric acid.

Analytical Comments:
All method blanks and laboratory control spikes met method and/or laboratory quality control objectives for the analyses included in this report.

Data Qualifiers:
Listed below are the data qualifiers used in your analytical report to explain any analytical or quality control issues. You will find them noted in your report under the column header "QUAL". Any quality control deficiencies that cannot be adequately described by these qualifiers will be addressed in the analytical comments section of this case narrative.

E4 Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
L1 The associated blank spike recovery was above laboratory acceptance limits.
M3 The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M6 Matrix spike recovery was high. Data reported per ADEQ policy 0154.00.

CLIENT:	Clear Creek Associates
Project:	Romic/212001
Lab Order:	07070754

CASE NARRATIVE

M7 Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.
N1 See case narrative.
R9 Sample RPD exceeded the laboratory control limit.

N1 - Method 8260
RPD for MS/MSD was out due to the MSD spiked at 0.5ppm instead 1.25ppm. The AEL-limes system calculated base on the true values. The recoveries for both MS/MSD were good. LCS/LCSD RPD was OK. N1 flagged for MSD.

Aerotech Environmental L — Analytical Report

Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-05'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:26:00 AM
Lab ID:	07070754-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	5.8	1.0		mg/Kg	1	7/26/2007
Barium	110	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	5.8	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 4:37:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 4:37:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-05'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:26:00 AM
Lab ID:	07070754-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 4:37:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:37:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 4:37:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-05'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:26:00 AM
Lab ID:	07070754-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	47.3	18.4-86.3		%REC	1	7/31/2007 4:37:00 PM
Surr: Phenol-d6	51.2	29.2-91.5		%REC	1	7/31/2007 4:37:00 PM
Surr: Nitrobenzene-d5	49.6	22.4-96.4		%REC	1	7/31/2007 4:37:00 PM
Surr: 2-Fluorobiphenyl	39.2	17-102		%REC	1	7/31/2007 4:37:00 PM
Surr: 2,4,6-Tribromophenol	59.7	27.1-94.2		%REC	1	7/31/2007 4:37:00 PM
Surr: 4-Terphenyl-d14	32.9	10-120		%REC	1	7/31/2007 4:37:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.097	0.097		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.097	0.097		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.097	0.097		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.48	0.48		mg/Kg	1	7/30/2007
Benzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromoform	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-05'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:26:00 AM
Lab ID:	07070754-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroform	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.097	0.097		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.048	0.048		mg/Kg	1	7/30/2007
Methylene chloride	< 0.097	0.097		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
o-Xylene	< 0.048	0.048		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Styrene	< 0.048	0.048		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Toluene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	85.5	56.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	85.7	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	83.4	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-10'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:38:00 AM
Lab ID:	07070754-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	26	1.0		mg/Kg	1	7/26/2007
Barium	240	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	29	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 8:49:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 8:49:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-10'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:38:00 AM
Lab ID:	07070754-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 8:49:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:49:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 8:49:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-10'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:38:00 AM
Lab ID:	07070754-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	43.2	18.4-86.3		%REC	1	7/31/2007 8:49:00 PM
Surr: Phenol-d6	43.9	29.2-91.5		%REC	1	7/31/2007 8:49:00 PM
Surr: Nitrobenzene-d5	44.1	22.4-96.4		%REC	1	7/31/2007 8:49:00 PM
Surr: 2-Fluorobiphenyl	39.8	17-102		%REC	1	7/31/2007 8:49:00 PM
Surr: 2,4,6-Tribromophenol	44.8	27.1-94.2		%REC	1	7/31/2007 8:49:00 PM
Surr: 4-Terphenyl-d14	32.9	10-120		%REC	1	7/31/2007 8:49:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.10	0.10		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.10	0.10		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.10	0.10		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.50	0.50		mg/Kg	1	7/30/2007
Benzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromoform	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-10'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:38:00 AM
Lab ID:	07070754-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroform	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.10	0.10		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.050	0.050		mg/Kg	1	7/30/2007
Methylene chloride	< 0.10	0.10		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
o-Xylene	< 0.050	0.050		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Styrene	< 0.050	0.050		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Toluene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	83.4	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	82.6	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	81.2	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-15'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:48:00 AM
Lab ID:	07070754-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	98	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	19	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 6:22:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 6:22:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-15'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:48:00 AM
Lab ID:	07070754-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 6:22:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:22:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 6:22:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-15'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:48:00 AM
Lab ID:	07070754-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	36.8	18.4-86.3		%REC	1	7/31/2007 6:22:00 PM
Surr: Phenol-d6	37.4	29.2-91.5		%REC	1	7/31/2007 6:22:00 PM
Surr: Nitrobenzene-d5	34.5	22.4-96.4		%REC	1	7/31/2007 6:22:00 PM
Surr: 2-Fluorobiphenyl	40.0	17-102		%REC	1	7/31/2007 6:22:00 PM
Surr: 2,4,6-Tribromophenol	35.3	27.1-94.2		%REC	1	7/31/2007 6:22:00 PM
Surr: 4-Terphenyl-d14	28.2	10-120		%REC	1	7/31/2007 6:22:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.096	0.096		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.096	0.096		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.096	0.096		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.48	0.48		mg/Kg	1	7/30/2007
Benzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromoform	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-15'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:48:00 AM
Lab ID:	07070754-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroform	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.096	0.096		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.048	0.048		mg/Kg	1	7/30/2007
Methylene chloride	< 0.096	0.096		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
o-Xylene	< 0.048	0.048		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Styrene	< 0.048	0.048		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Toluene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	77.9	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	75.2	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	74.0	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-20'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:54:00 AM
Lab ID:	07070754-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	36	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	7.7	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 4:58:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 4:58:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-20'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:54:00 AM
Lab ID:	07070754-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 4:58:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 4:58:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 4:58:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-20'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:54:00 AM
Lab ID:	07070754-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	45.0	18.4-86.3		%REC	1	7/31/2007 4:58:00 PM
Surr: Phenol-d6	48.7	29.2-91.5		%REC	1	7/31/2007 4:58:00 PM
Surr: Nitrobenzene-d5	47.6	22.4-96.4		%REC	1	7/31/2007 4:58:00 PM
Surr: 2-Fluorobiphenyl	47.0	17-102		%REC	1	7/31/2007 4:58:00 PM
Surr: 2,4,6-Tribromophenol	47.5	27.1-94.2		%REC	1	7/31/2007 4:58:00 PM
Surr: 4-Terphenyl-d14	31.6	10-120		%REC	1	7/31/2007 4:58:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.096	0.096		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.096	0.096		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.096	0.096		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.48	0.48		mg/Kg	1	7/30/2007
Benzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromoform	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-20'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 7:54:00 AM
Lab ID:	07070754-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: JZ
Carbon tetrachloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroform	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.096	0.096		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.048	0.048		mg/Kg	1	7/30/2007
Methylene chloride	< 0.096	0.096		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
o-Xylene	< 0.048	0.048		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Styrene	< 0.048	0.048		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Toluene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	89.1	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	90.8	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	90.0	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-30'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:05:00 AM
Lab ID:	07070754-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	7.8	1.0		mg/Kg	1	7/26/2007
Barium	120	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	21	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 6:43:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 6:43:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-30'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:05:00 AM
Lab ID:	07070754-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 6:43:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 6:43:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 6:43:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-30'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:05:00 AM
Lab ID:	07070754-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	45.6	18.4-86.3		%REC	1	7/31/2007 6:43:00 PM
Surr: Phenol-d6	46.6	29.2-91.5		%REC	1	7/31/2007 6:43:00 PM
Surr: Nitrobenzene-d5	46.4	22.4-96.4		%REC	1	7/31/2007 6:43:00 PM
Surr: 2-Fluorobiphenyl	37.3	17-102		%REC	1	7/31/2007 6:43:00 PM
Surr: 2,4,6-Tribromophenol	43.9	27.1-94.2		%REC	1	7/31/2007 6:43:00 PM
Surr: 4-Terphenyl-d14	29.4	10-120		%REC	1	7/31/2007 6:43:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.10	0.10		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.10	0.10		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.10	0.10		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.50	0.50		mg/Kg	1	7/30/2007
Benzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromoform	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-30'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:05:00 AM
Lab ID:	07070754-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroform	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.10	0.10		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.050	0.050		mg/Kg	1	7/30/2007
Methylene chloride	< 0.10	0.10		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
o-Xylene	< 0.050	0.050		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Styrene	< 0.050	0.050		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Toluene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	77.3	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	77.7	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	76.1	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-40'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:20:00 AM
Lab ID:	07070754-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	43	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	33	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 7:04:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 7:04:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-40'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:20:00 AM
Lab ID:	07070754-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 7:04:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:04:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 7:04:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-40'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:20:00 AM
Lab ID:	07070754-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	41.0	18.4-86.3		%REC	1	7/31/2007 7:04:00 PM
Surr: Phenol-d6	43.3	29.2-91.5		%REC	1	7/31/2007 7:04:00 PM
Surr: Nitrobenzene-d5	36.3	22.4-96.4		%REC	1	7/31/2007 7:04:00 PM
Surr: 2-Fluorobiphenyl	36.3	17-102		%REC	1	7/31/2007 7:04:00 PM
Surr: 2,4,6-Tribromophenol	36.6	27.1-94.2		%REC	1	7/31/2007 7:04:00 PM
Surr: 4-Terphenyl-d14	25.3	10-120		%REC	1	7/31/2007 7:04:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.099	0.099		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.099	0.099		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.099	0.099		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-40'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:20:00 AM
Lab ID:	07070754-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.099	0.099		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.099	0.099		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	76.4	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	72.9	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	70.8	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-45'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:28:00 AM
Lab ID:	07070754-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	35	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	25	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 12:05:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 12:05:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 12:05:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-45'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:28:00 AM
Lab ID:	07070754-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 12:05:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 12:05:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 12:05:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 12:05:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 12:05:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-45'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:28:00 AM
Lab ID:	07070754-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	44.0	18.4-86.3		%REC	1	8/3/2007 12:05:00 PM
Surr: Phenol-d6	49.1	29.2-91.5		%REC	1	8/3/2007 12:05:00 PM
Surr: Nitrobenzene-d5	51.5	22.4-96.4		%REC	1	8/3/2007 12:05:00 PM
Surr: 2-Fluorobiphenyl	37.9	17-102		%REC	1	8/3/2007 12:05:00 PM
Surr: 2,4,6-Tribromophenol	41.4	27.1-94.2		%REC	1	8/3/2007 12:05:00 PM
Surr: 4-Terphenyl-d14	44.0	10-120		%REC	1	8/3/2007 12:05:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L — Analytical Report — Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-45'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:28:00 AM
Lab ID:	07070754-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.098	0.098		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.098	0.098		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	71.6	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	71.1	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	69.9	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-50'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:32:00 AM
Lab ID:	07070754-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	7.3	1.0		mg/Kg	1	7/26/2007
Barium	52	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	11	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 7:46:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 7:46:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-50'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:32:00 AM
Lab ID:	07070754-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 7:46:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 7:46:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 7:46:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-50'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:32:00 AM
Lab ID:	07070754-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	38.1	18.4-86.3		%REC	1	7/31/2007 7:46:00 PM
Surr: Phenol-d6	39.0	29.2-91.5		%REC	1	7/31/2007 7:46:00 PM
Surr: Nitrobenzene-d5	36.2	22.4-96.4		%REC	1	7/31/2007 7:46:00 PM
Surr: 2-Fluorobiphenyl	27.6	17-102		%REC	1	7/31/2007 7:46:00 PM
Surr: 2,4,6-Tribromophenol	36.7	27.1-94.2		%REC	1	7/31/2007 7:46:00 PM
Surr: 4-Terphenyl-d14	24.9	10-120		%REC	1	7/31/2007 7:46:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-50'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:32:00 AM
Lab ID:	07070754-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.098	0.098		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.098	0.098		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	76.0	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	69.4	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	67.3	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L — Analytical Report — Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-60'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:48:00 AM
Lab ID:	07070754-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	12	1.0		mg/Kg	1	7/26/2007
Barium	110	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	22	0.20		mg/Kg	1	7/26/2007
Lead	9.6	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 8:07:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 8:07:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-60'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:48:00 AM
Lab ID:	07070754-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 8:07:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:07:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 8:07:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-60'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:48:00 AM
Lab ID:	07070754-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	36.7	18.4-86.3		%REC	1	7/31/2007 8:07:00 PM
Surr: Phenol-d6	35.4	29.2-91.5		%REC	1	7/31/2007 8:07:00 PM
Surr: Nitrobenzene-d5	40.3	22.4-96.4		%REC	1	7/31/2007 8:07:00 PM
Surr: 2-Fluorobiphenyl	33.7	17-102		%REC	1	7/31/2007 8:07:00 PM
Surr: 2,4,6-Tribromophenol	35.2	27.1-94.2		%REC	1	7/31/2007 8:07:00 PM
Surr: 4-Terphenyl-d14	21.9	10-120		%REC	1	7/31/2007 8:07:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.097	0.097		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.097	0.097		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.097	0.097		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-60'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 8:48:00 AM
Lab ID:	07070754-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.097	0.097		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.097	0.097		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	83.1	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	78.9	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	77.8	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-70'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 9:00:00 AM
Lab ID:	07070754-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	150	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	10	0.20		mg/Kg	1	7/26/2007
Lead	6.4	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2,4-Dimethylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	7/31/2007 8:28:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	7/31/2007 8:28:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-70'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 9:00:00 AM
Lab ID:	07070754-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	7/31/2007 8:28:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
Nitrobenzene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	7/31/2007 8:28:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	7/31/2007 8:28:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-70'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 9:00:00 AM
Lab ID:	07070754-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	32.3	18.4-86.3		%REC	1	7/31/2007 8:28:00 PM
Surr: Phenol-d6	33.4	29.2-91.5		%REC	1	7/31/2007 8:28:00 PM
Surr: Nitrobenzene-d5	30.8	22.4-96.4		%REC	1	7/31/2007 8:28:00 PM
Surr: 2-Fluorobiphenyl	28.3	17-102		%REC	1	7/31/2007 8:28:00 PM
Surr: 2,4,6-Tribromophenol	30.7	27.1-94.2		%REC	1	7/31/2007 8:28:00 PM
Surr: 4-Terphenyl-d14	26.8	10-120		%REC	1	7/31/2007 8:28:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-70'
Lab Order:	07070754	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/23/2007 9:00:00 AM
Lab ID:	07070754-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.098	0.098		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.098	0.098		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	74.6	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	72.7	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	69.7	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

06-Aug-07

Lab Order: 07070754
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07070754-01A	RE104-05'	7/23/2007 7:26:00 AM	Soil	ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 4:37:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-02A	RE104-10'	7/23/2007 7:38:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 8:49:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-03A	RE104-15'	7/23/2007 7:48:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 6:22:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-04A	RE104-20'	7/23/2007 7:54:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 4:58:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-05A	RE104-30'	7/23/2007 8:05:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 6:43:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-06A	RE104-40'	7/23/2007 8:20:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 7:04:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-07A	RE104-45'	7/23/2007 8:28:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007

Lab Order: 07070754
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07070754-07A	RE104-45'	7/23/2007 8:28:00 AM	Soil	MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 12:05:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-08A	RE104-50'	7/23/2007 8:32:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 7:46:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-09A	RE104-60'	7/23/2007 8:48:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 8:07:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070754-10A	RE104-70'	7/23/2007 9:00:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		7/31/2007 10:45:00 AM	7/31/2007 8:28:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **MB-30034**	SampType: **MBLK**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058523**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	<5.0	5.0									
Barium	<5.0	5.0									
Cadmium	<0.50	0.50									
Chromium	<2.0	2.0									
Lead	<5.0	5.0									
Selenium	<5.0	5.0									
Silver	<2.5	2.5									

Sample ID: **LCS-30034**	SampType: **LCS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058521**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	24.50	5.0	25	0	98.0	80	120				
Barium	25.90	5.0	25	0	104	80	120				
Cadmium	24.95	0.50	25	0	99.8	80	120				
Chromium	24.90	2.0	25	0	99.6	80	120				
Lead	25.00	5.0	25	0	100	80	120				
Selenium	24.10	5.0	25	0	96.4	80	120				
Silver	25.65	2.5	25	0	103	80	120				

Sample ID: **LCSD-30034**	SampType: **LCSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058522**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	*24.30*	*5.0*	*25*	*0*	*97.2*	*80*	*120*	*24.50*	*0.820*	*20*	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **LCSD-30034**	SampType: **LCSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058522**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Barium	25.75	5.0	25	0	103	80	120	25.90	0.581	20	
Cadmium	24.90	0.50	25	0	99.6	80	120	24.95	0.201	20	
Chromium	24.85	2.0	25	0	99.4	80	120	24.90	0.201	20	
Lead	24.75	5.0	25	0	99.0	80	120	25.00	1.01	20	
Selenium	23.90	5.0	25	0	95.6	80	120	24.10	0.833	20	
Silver	25.60	2.5	25	0	102	80	120	25.65	0.195	20	

Sample ID: **07070754-01A MS**	SampType: **MS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID: **RE104-05'**	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058510**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	27.40	5.0	25	5.750	86.6	75	125				
Barium	160.5	5.0	25	111.0	198	75	125				M3
Cadmium	19.80	0.50	25	0	79.2	75	125				
Chromium	27.65	2.0	25	5.750	87.6	75	125				
Lead	24.85	5.0	25	0	99.4	75	125				
Selenium	20.90	5.0	25	0	83.6	75	125				
Silver	25.15	2.5	25	0	101	75	125				

Sample ID: **07070754-01A MSD**	SampType: **MSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID: **RE104-05'**	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058511**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	26.65	5.0	25	5.750	83.6	75	125	27.40	2.78	20	
Barium	136.0	5.0	25	111.0	100	75	125	160.5	16.5	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **07070754-01A MSD** SampType: **MSD** TestCode: **6010B_S** Units: **mg/Kg** Prep Date: **7/26/2007** RunNo: **89437**
Client ID: **RE104-05'** Batch ID: **30034** TestNo: **SW6010B** Analysis Date: **7/26/2007** SeqNo: **1058511**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cadmium	19.60	0.50	25	0	78.4	75	125	19.80	1.02	20	
Chromium	27.35	2.0	25	5.750	86.4	75	125	27.65	1.09	20	
Lead	25.05	5.0	25	0	100	75	125	24.85	0.802	20	
Selenium	21.40	5.0	25	0	85.6	75	125	20.90	2.36	20	
Silver	24.90	2.5	25	0	99.6	75	125	25.15	0.999	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7471A_S

Sample ID: **MB-30030**	SampType: **MBLK**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	Batch ID: **30030**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058876**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	<0.10	0.10									

Sample ID: **MB-30031**	SampType: **MBLK**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058926**

Analyte	*Result*	*PQL*	*SPK value*	*SPK Ref Val*	*%REC*	*LowLimit*	*HighLimit*	*RPD Ref Val*	*%RPD*	*RPDLimit*	*Qual*
Mercury	<0.10	0.10									

Sample ID: **LCS-30030**	SampType: **LCS**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	*Batch ID:* ***30030***	*TestNo:* ***SW7471A***		*Analysis Date:* ***7/27/2007***	*SeqNo:* ***1058902***

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.800	0.10	1.668	0	108	85	115				

Sample ID: **LCS-30031**	SampType: **LCS**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058927**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.767	0.10	1.668	0	106	85	115				

Sample ID: **LCSD-30030**	SampType: **LCSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	Batch ID: **30030**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058903**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7471A_S

Sample ID: **LCSD-30030**	SampType: **LCSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	Batch ID: **30030**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058903**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.800	0.10	1.668	0	108	85	115	1.800	0	20	

Sample ID: **LCSD-30031**	SampType: **LCSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058928**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.717	0.10	1.668	0	103	85	115	1.767	2.87	20	

Sample ID: **07070719-03AMS**	SampType: **MS**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	Batch ID: **30030**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058905**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.850	0.10	1.668	0	111	85	115				

Sample ID: **07070754-10AMS**	SampType: **MS**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID: **RE104-70'**	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058930**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.850	0.10	1.668	0	111	85	115				

Sample ID: **07070719-03AMSD**	SampType: **MSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	Batch ID: **30030**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058906**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: *Romic/212001*

ANALYTICAL QC SUMMARY REPORT

TestCode: 7471A_S

Sample ID: **07070719-03AMSD**	SampType: **MSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89475**
Client ID:	Batch ID: **30030**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058906**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.750	0.10	1.668	0	105	85	115	1.850	5.56	20	

Sample ID: **07070754-10AMSD**	SampType: **MSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID: **RE104-70'**	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058931**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.850	0.10	1.668	0	111	85	115	1.850	0	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **MB-29994**	SampType: **MBLK**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059366**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	<0.050	0.050									
1,1,2,2-Tetrachloroethane	<0.050	0.050									
1,1,2-Trichloroethane	<0.050	0.050									
1,1-Dichloroethane	<0.050	0.050									
1,1-Dichloroethene	<0.050	0.050									
1,1-Dichloropropene	<0.050	0.050									
1,2,3-Trichlorobenzene	<0.10	0.10									
1,2,3-Trichloropropane	<0.10	0.10									
1,2,4-Trimethylbenzene	<0.050	0.050									
1,2-Dibromoethane	<0.050	0.050									
1,2-Dichlorobenzene	<0.050	0.050									
1,2-Dichloroethane	<0.050	0.050									
1,2-Dichloropropane	<0.050	0.050									
1,3,5-Trimethylbenzene	<0.050	0.050									
1,3-Dichlorobenzene	<0.050	0.050									
1,3-Dichloropropane	<0.050	0.050									
1,4-Dichlorobenzene	<0.050	0.050									
2,2-Dichloropropane	<0.10	0.10									
2-Butanone (MEK)	<0.25	0.25									
2-Chlorotoluene	<0.050	0.050									
2-Hexanone	<0.25	0.25									
4-Chlorotoluene	<0.050	0.050									
4-Isopropyltoluene	<0.050	0.050									
4-Methyl-2-pentanone	<0.25	0.25									
Acetone	<0.50	0.50									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **MB-29994**	SampType: **MBLK**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059366**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	<0.050	0.050									
Bromobenzene	<0.050	0.050									
Bromochloromethane	<0.050	0.050									
Bromodichloromethane	<0.050	0.050									
Bromoform	<0.050	0.050									
Bromomethane	<0.25	0.25									
Carbon tetrachloride	<0.050	0.050									
Chlorobenzene	<0.050	0.050									
Chloroethane	<0.050	0.050									
Chloroform	<0.050	0.050									
Chloromethane	<0.25	0.25									
cis-1,2-Dichloroethene	<0.050	0.050									
cis-1,3-Dichloropropene	<0.050	0.050									
Dibromochloromethane	<0.050	0.050									
Dichlorodifluoromethane	<0.050	0.050									
Ethylbenzene	<0.050	0.050									
m,p-Xylene	<0.10	0.10									
Methyl tert-butyl ether	<0.050	0.050									
Methylene chloride	<0.10	0.10									
n-Butylbenzene	<0.050	0.050									
n-Propylbenzene	<0.050	0.050									
o-Xylene	<0.050	0.050									
sec-Butylbenzene	<0.050	0.050									
Styrene	<0.050	0.050									
tert-Butylbenzene	<0.050	0.050									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **MB-29994**	SampType: **MBLK**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	*Batch ID:* **29994**	*TestNo:* **SW8260B**		*Analysis Date:* **7/30/2007**	*SeqNo:* **1059366**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	<0.050	0.050									
Toluene	<0.050	0.050									
trans-1,2-Dichloroethene	<0.050	0.050									
trans-1,3-Dichloropropene	<0.050	0.050									
Trichloroethene	<0.050	0.050									
Trichlorofluoromethane	<0.050	0.050									
Vinyl acetate	<0.050	0.050									
Vinyl chloride	<0.050	0.050									
Surr: 4-Bromofluorobenzene	2.114	0	2.5	0	84.6	66	123				
Surr: Dibromofluoromethane	2.188	0	2.5	0	87.5	74.7	126				
Surr: Toluene-d8	2.110	0	2.5	0	84.4	73.2	130				

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	1.415	0.050	1.25	0	113	63.6	124				
1,1,2,2-Tetrachloroethane	1.204	0.050	1.25	0	96.3	63	116				
1,1,2-Trichloroethane	1.376	0.050	1.25	0	110	69.6	115				
1,1-Dichloroethane	1.391	0.050	1.25	0	111	59.3	128				
1,1-Dichloroethene	1.288	0.050	1.25	0	103	42.3	145				
1,1-Dichloropropene	1.325	0.050	1.25	0	106	63	125				
1,2,3-Trichlorobenzene	0.8105	0.10	1.25	0	64.8	64	129				
1,2,3-Trichloropropane	1.162	0.10	1.25	0	93.0	62.4	118				
1,2,4-Trimethylbenzene	1.352	0.050	1.25	0	108	70.7	121				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: *8260_S*

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane	1.344	0.050	1.25	0	108	69.8	116				
1,2-Dichlorobenzene	1.336	0.050	1.25	0	107	70.8	115				
1,2-Dichloroethane	1.394	0.050	1.25	0	112	63	120				
1,2-Dichloropropane	1.344	0.050	1.25	0	107	70.6	113				
1,3,5-Trimethylbenzene	1.366	0.050	1.25	0	109	72.5	121				
1,3-Dichlorobenzene	1.339	0.050	1.25	0	107	71.9	118				
1,3-Dichloropropane	1.326	0.050	1.25	0	106	72.2	113				
1,4-Dichlorobenzene	1.323	0.050	1.25	0	106	71.8	116				
2,2-Dichloropropane	1.554	0.10	1.25	0	124	61.9	139				
2-Butanone (MEK)	0.6390	0.25	1.25	0	51.1	49.2	166				
2-Chlorotoluene	1.357	0.050	1.25	0	109	70.3	119				
2-Hexanone	0.7710	0.25	1.25	0	61.7	52.9	153				
4-Chlorotoluene	1.376	0.050	1.25	0	110	72.4	118				
4-Isopropyltoluene	1.410	0.050	1.25	0	113	75.7	121				
4-Methyl-2-pentanone	1.273	0.25	1.25	0	102	56.6	133				
Acetone	1.144	0.50	1.25	0	91.5	21.5	177				
Benzene	1.231	0.050	1.25	0	98.5	58.9	124				
Bromobenzene	1.305	0.050	1.25	0	104	70.2	118				
Bromochloromethane	1.290	0.050	1.25	0	103	64.4	123				
Bromodichloromethane	1.398	0.050	1.25	0	112	72.5	112				
Bromoform	1.089	0.050	1.25	0	87.1	62.4	113				
Bromomethane	0.4545	0.25	1.25	0	36.4	10	143				
Carbon tetrachloride	1.408	0.050	1.25	0	113	58	126				
Chlorobenzene	1.286	0.050	1.25	0	103	73.8	115				
Chloroethane	0.2260	0.050	1.25	0	18.1	10	82.9				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroform	*1.323*	*0.050*	*1.25*	*0*	*106*	*67.1*	*120*				
Chloromethane	0.5865	0.25	1.25	0	46.9	10	158				
cis-1,2-Dichloroethene	1.419	0.050	1.25	0	114	61.8	123				
cis-1,3-Dichloropropene	1.356	0.050	1.25	0	108	73.3	113				
Dibromochloromethane	1.265	0.050	1.25	0	101	69.8	116				
Dichlorodifluoromethane	0.1675	0.050	1.25	0	13.4	10	175				
Ethylbenzene	1.305	0.050	1.25	0	104	73.6	118				
m,p-Xylene	2.612	0.10	2.5	0	104	72.2	119				
Methyl tert-butyl ether	1.008	0.050	1.25	0	80.6	44.8	132				
Methylene chloride	1.218	0.10	1.25	0	97.5	52.8	123				
n-Butylbenzene	1.474	0.050	1.25	0	118	73.8	124				
n-Propylbenzene	1.430	0.050	1.25	0	114	72.8	121				
o-Xylene	1.294	0.050	1.25	0	104	72.1	120				
sec-Butylbenzene	1.434	0.050	1.25	0	115	74.9	122				
Styrene	1.288	0.050	1.25	0	103	71.6	120				
tert-Butylbenzene	1.400	0.050	1.25	0	112	72.8	124				
Tetrachloroethene	1.298	0.050	1.25	0	104	70.1	121				
Toluene	1.345	0.050	1.25	0	108	73.7	115				
trans-1,2-Dichloroethene	1.311	0.050	1.25	0	105	58.6	128				
trans-1,3-Dichloropropene	1.369	0.050	1.25	0	110	71.9	115				
Trichloroethene	1.308	0.050	1.25	0	105	70.8	113				
Trichlorofluoromethane	1.099	0.050	1.25	0	87.9	10	156				
Vinyl acetate	1.094	0.050	1.25	0	87.5	10	140				
Vinyl chloride	0.7685	0.050	1.25	0	61.5	10	165				
Surr: 4-Bromofluorobenzene	*2.246*	*0*	*2.5*	*0*	*89.9*	*66*	*123*				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	2.322	0	2.5	0	92.9	74.7	126				
Surr: Toluene-d8	2.376	0	2.5	0	95.0	73.2	130				

Sample ID: **LCSD-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059375**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	1.316	0.050	1.25	0	105	63.6	124	1.415	7.25	25	
1,1,2,2-Tetrachloroethane	1.202	0.050	1.25	0	96.2	63	116	1.204	0.0831	25	
1,1,2-Trichloroethane	1.306	0.050	1.25	0	104	69.6	115	1.376	5.26	25	
1,1-Dichloroethane	1.328	0.050	1.25	0	106	59.3	128	1.391	4.60	25	
1,1-Dichloroethene	1.243	0.050	1.25	0	99.4	42.3	145	1.288	3.56	25	
1,1-Dichloropropene	1.263	0.050	1.25	0	101	63	125	1.325	4.79	25	
1,2,3-Trichlorobenzene	0.9320	0.10	1.25	0	74.6	64	129	0.8105	13.9	25	
1,2,3-Trichloropropane	1.140	0.10	1.25	0	91.2	62.4	118	1.162	1.95	25	
1,2,4-Trimethylbenzene	1.348	0.050	1.25	0	108	70.7	121	1.352	0.296	25	
1,2-Dibromoethane	1.310	0.050	1.25	0	105	69.8	116	1.344	2.56	25	
1,2-Dichlorobenzene	1.288	0.050	1.25	0	103	70.8	115	1.336	3.62	25	
1,2-Dichloroethane	1.302	0.050	1.25	0	104	63	120	1.394	6.86	25	
1,2-Dichloropropane	1.260	0.050	1.25	0	101	70.6	113	1.344	6.41	25	
1,3,5-Trimethylbenzene	1.354	0.050	1.25	0	108	72.5	121	1.366	0.956	25	
1,3-Dichlorobenzene	1.355	0.050	1.25	0	108	71.9	118	1.339	1.19	25	
1,3-Dichloropropane	1.267	0.050	1.25	0	101	72.2	113	1.326	4.51	25	
1,4-Dichlorobenzene	1.314	0.050	1.25	0	105	71.8	116	1.323	0.721	25	
2,2-Dichloropropane	1.370	0.10	1.25	0	110	61.9	139	1.554	12.6	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCSD-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059375**

Analyte	*Result*	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone (MEK)	0.6315	0.25	1.25	0	50.5	49.2	166	0.6390	1.18	25	
2-Chlorotoluene	1.331	0.050	1.25	0	106	70.3	119	1.357	1.93	25	
2-Hexanone	0.9135	0.25	1.25	0	73.1	52.9	153	0.7710	16.9	25	
4-Chlorotoluene	1.366	0.050	1.25	0	109	72.4	118	1.376	0.693	25	
4-Isopropyltoluene	1.400	0.050	1.25	0	112	75.7	121	1.410	0.712	25	
4-Methyl-2-pentanone	1.228	0.25	1.25	0	98.2	56.6	133	1.273	3.64	25	
Acetone	1.248	0.50	1.25	0	99.8	21.5	177	1.144	8.70	25	
Benzene	1.226	0.050	1.25	0	98.1	58.9	124	1.231	0.366	25	
Bromobenzene	1.305	0.050	1.25	0	104	70.2	118	1.305	0	25	
Bromochloromethane	1.271	0.050	1.25	0	102	64.4	123	1.290	1.48	25	
Bromodichloromethane	1.316	0.050	1.25	0	105	72.5	112	1.398	6.04	25	
Bromoform	1.062	0.050	1.25	0	85.0	62.4	113	1.089	2.46	25	
Bromomethane	0.3770	0.25	1.25	0	30.2	10	143	0.4545	18.6	25	
Carbon tetrachloride	1.301	0.050	1.25	0	104	58	126	1.408	7.90	25	
Chlorobenzene	1.270	0.050	1.25	0	102	73.8	115	1.286	1.29	25	
Chloroethane	0.1920	0.050	1.25	0	15.4	10	82.9	0.2260	16.3	25	
Chloroform	1.296	0.050	1.25	0	104	67.1	120	1.323	2.06	25	
Chloromethane	0.5165	0.25	1.25	0	41.3	10	158	0.5865	12.7	25	
cis-1,2-Dichloroethene	1.276	0.050	1.25	0	102	61.8	123	1.419	10.7	25	
cis-1,3-Dichloropropene	1.292	0.050	1.25	0	103	73.3	113	1.356	4.83	25	
Dibromochloromethane	1.192	0.050	1.25	0	95.4	69.8	116	1.265	5.94	25	
Dichlorodifluoromethane	0.1490	0.050	1.25	0	11.9	10	175	0.1675	11.7	25	
Ethylbenzene	1.264	0.050	1.25	0	101	73.6	118	1.305	3.11	25	
m,p-Xylene	2.555	0.10	2.5	0	102	72.2	119	2.612	2.21	25	
Methyl tert-butyl ether	0.9630	0.050	1.25	0	77.0	44.8	132	1.008	4.57	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCSD-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059375**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methylene chloride	1.166	0.10	1.25	0	93.3	52.8	123	1.218	4.36	25	
n-Butylbenzene	1.452	0.050	1.25	0	116	73.8	124	1.474	1.47	25	
n-Propylbenzene	1.420	0.050	1.25	0	114	72.8	121	1.430	0.667	25	
o-Xylene	1.278	0.050	1.25	0	102	72.1	120	1.294	1.21	25	
sec-Butylbenzene	1.435	0.050	1.25	0	115	74.9	122	1.434	0.0697	25	
Styrene	1.277	0.050	1.25	0	102	71.6	120	1.288	0.858	25	
tert-Butylbenzene	1.392	0.050	1.25	0	111	72.8	124	1.400	0.537	25	
Tetrachloroethene	1.276	0.050	1.25	0	102	70.1	121	1.298	1.75	25	
Toluene	1.281	0.050	1.25	0	102	73.7	115	1.345	4.87	25	
trans-1,2-Dichloroethene	1.272	0.050	1.25	0	102	58.6	128	1.311	2.98	25	
trans-1,3-Dichloropropene	1.327	0.050	1.25	0	106	71.9	115	1.369	3.12	25	
Trichloroethene	1.272	0.050	1.25	0	102	70.8	113	1.308	2.79	25	
Trichlorofluoromethane	1.028	0.050	1.25	0	82.3	10	156	1.099	6.63	25	
Vinyl acetate	0.9755	0.050	1.25	0	78.0	10	140	1.094	11.5	25	
Vinyl chloride	0.6670	0.050	1.25	0	53.4	10	165	0.7685	14.1	25	
Surr: 4-Bromofluorobenzene	2.154	0	2.5	0	86.1	66	123	2.246	0	0	
Surr: Dibromofluoromethane	2.218	0	2.5	0	88.7	74.7	126	2.322	0	0	
Surr: Toluene-d8	2.191	0	2.5	0	87.6	73.2	130	2.376	0	0	

Sample ID: **07070791-01AMS**	SampType: **MS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	27.50	5.0	25	0	110	48.8	130				
1,1,2,2-Tetrachloroethane	27.80	5.0	25	0	111	34	144				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMS**	SampType: **MS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2-Trichloroethane	26.05	5.0	25	0	104	50.7	131				
1,1-Dichloroethane	27.15	5.0	25	0	109	47.3	131				
1,1-Dichloroethene	25.15	5.0	25	0	101	21.3	152				
1,1-Dichloropropene	26.35	5.0	25	0	105	45.1	134				
1,2,3-Trichlorobenzene	23.25	10	25	0	93.0	42.6	141				
1,2,3-Trichloropropane	31.45	10	25	0	126	49.2	132				
1,2,4-Trimethylbenzene	24.75	5.0	25	0	99.0	52.9	135				
1,2-Dibromoethane	25.05	5.0	25	0	100	49.7	132				
1,2-Dichlorobenzene	25.50	5.0	25	0	102	46.5	135				
1,2-Dichloroethane	28.95	5.0	25	0	116	51.3	123				
1,2-Dichloropropane	25.50	5.0	25	0	102	53.8	125				
1,3,5-Trimethylbenzene	24.60	5.0	25	0	98.4	39.6	149				
1,3-Dichlorobenzene	25.25	5.0	25	0	101	45.5	140				
1,3-Dichloropropane	25.95	5.0	25	0	104	52.8	129				
1,4-Dichlorobenzene	25.65	5.0	25	0	103	45.8	137				
2,2-Dichloropropane	28.30	10	25	0	113	48.6	141				
2-Butanone (MEK)	34.80	25	25	0	139	42.5	170				
2-Chlorotoluene	25.00	5.0	25	0	100	49.3	137				
2-Hexanone	29.10	25	25	0	116	44.1	164				
4-Chlorotoluene	26.50	5.0	25	0	106	48.7	138				
4-Isopropyltoluene	26.25	5.0	25	0	105	40.4	150				
4-Methyl-2-pentanone	27.05	25	25	0	108	46.9	142				
Acetone	<50	50	25	0	0	40	179				M7
Benzene	25.55	5.0	25	0	102	45.2	130				
Bromobenzene	25.40	5.0	25	0	102	49	137				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMS** SampType: **MS** TestCode: **8260_S** Units: **mg/Kg** Prep Date: **7/24/2007** RunNo: **89511**
Client ID: Batch ID: **29994** TestNo: **SW8260B** Analysis Date: **7/30/2007** SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromochloromethane	25.85	5.0	25	0	103	50.2	133				
Bromodichloromethane	25.55	5.0	25	0	102	55.4	125				
Bromoform	25.20	5.0	25	0	101	48.6	124				
Bromomethane	<25	25	25	0	0	20	148				M7
Carbon tetrachloride	24.55	5.0	25	0	98.2	43.7	130				
Chlorobenzene	24.30	5.0	25	0	97.2	50.3	133				
Chloroethane	18.45	5.0	25	0	73.8	10	67.1				M6
Chloroform	26.55	5.0	25	0	106	54.9	127				
Chloromethane	<25	25	25	0	51.6	20	165				E4
cis-1,2-Dichloroethene	25.20	5.0	25	0	101	47.9	129				
cis-1,3-Dichloropropene	23.25	5.0	25	0	93.0	55.3	124				
Dibromochloromethane	26.45	5.0	25	0	106	49.8	134				
Dichlorodifluoromethane	<5.0	5.0	25	0	19.8	10	172				E4
Ethylbenzene	23.65	5.0	25	0	94.6	47.5	140				
m,p-Xylene	48.20	10	50	0	96.4	56	131				
Methyl tert-butyl ether	22.40	5.0	25	0	89.6	33.9	138				
Methylene chloride	27.10	10	25	0	108	39	128				
n-Butylbenzene	26.35	5.0	25	0	105	44.5	146				
n-Propylbenzene	25.30	5.0	25	0	101	41.5	147				
o-Xylene	24.40	5.0	25	0	97.6	54.9	132				
sec-Butylbenzene	25.20	5.0	25	0	101	40.7	151				
Styrene	23.45	5.0	25	0	93.8	50	137				
tert-Butylbenzene	25.15	5.0	25	0	101	43.4	146				
Tetrachloroethene	25.85	5.0	25	0	103	16.6	190				
Toluene	48.25	5.0	25	25.40	91.4	58.2	127				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMS**	SampType: **MS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	25.50	5.0	25	0	102	39.8	137				
trans-1,3-Dichloropropene	23.60	5.0	25	0	94.4	55.4	125				
Trichloroethene	25.40	5.0	25	0	102	41.9	141				
Trichlorofluoromethane	20.60	5.0	25	0	82.4	10	164				
Vinyl acetate	19.75	5.0	25	0	79.0	10	126				
Vinyl chloride	15.00	5.0	25	0	60.0	10	163				
Surr: 4-Bromofluorobenzene	42.60	0	50	0	85.2	55.4	129				
Surr: Dibromofluoromethane	46.95	0	50	0	93.9	60.2	137				
Surr: Toluene-d8	42.55	0	50	0	85.1	60	139				

Sample ID: **07070791-01AMSD**	SampType: **MSD**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059860**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	10.95	5.0	10	0	110	48.8	130	27.50	86.1	25	N1
1,1,2,2-Tetrachloroethane	12.35	5.0	10	0	124	34	144	27.80	77.0	25	N1
1,1,2-Trichloroethane	11.10	5.0	10	0	111	50.7	131	26.05	80.5	25	N1
1,1-Dichloroethane	<5.0	5.0	10	0	43.5	47.3	131	27.15	0	25	E4M7
1,1-Dichloroethene	8.800	5.0	10	0	88.0	21.3	152	25.15	96.3	25	N1
1,1-Dichloropropene	9.900	5.0	10	0	99.0	45.1	134	26.35	90.8	25	N1
1,2,3-Trichlorobenzene	12.75	10	10	0	128	42.6	141	23.25	58.3	25	N1
1,2,3-Trichloropropane	18.05	10	10	0	180	49.2	132	31.45	54.1	25	M7N1
1,2,4-Trimethylbenzene	9.800	5.0	10	0	98.0	52.9	135	24.75	86.5	25	N1
1,2-Dibromoethane	10.05	5.0	10	0	101	49.7	132	25.05	85.5	25	N1
1,2-Dichlorobenzene	11.35	5.0	10	0	114	46.5	135	25.50	76.8	25	N1

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMSD**	SampType: **MSD**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059860**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane	10.95	5.0	10	0	110	51.3	123	28.95	90.2	25	N1
1,2-Dichloropropane	9.900	5.0	10	0	99.0	53.8	125	25.50	88.1	25	N1
1,3,5-Trimethylbenzene	10.25	5.0	10	0	103	39.6	149	24.60	82.4	25	N1
1,3-Dichlorobenzene	10.95	5.0	10	0	110	45.5	140	25.25	79.0	25	N1
1,3-Dichloropropane	10.10	5.0	10	0	101	52.8	129	25.95	87.9	25	N1
1,4-Dichlorobenzene	10.90	5.0	10	0	109	45.8	137	25.65	80.7	25	N1
2,2-Dichloropropane	14.70	10	10	0	147	48.6	141	28.30	63.3	25	M6N1
2-Butanone (MEK)	<25	25	10	0	0	42.5	170	34.80	0	25	M7
2-Chlorotoluene	10.45	5.0	10	0	104	49.3	137	25.00	82.1	25	N1
2-Hexanone	<25	25	10	0	0	44.1	164	29.10	0	25	M7
4-Chlorotoluene	10.45	5.0	10	0	104	48.7	138	26.50	86.9	25	N1
4-Isopropyltoluene	10.45	5.0	10	0	104	40.4	150	26.25	86.1	25	N1
4-Methyl-2-pentanone	<25	25	10	0	0	46.9	142	27.05	0	25	M7
Acetone	<50	50	10	0	0	40	179	0	0	25	M7
Benzene	9.950	5.0	10	0	99.5	45.2	130	25.55	87.9	25	N1
Bromobenzene	9.300	5.0	10	0	93.0	49	137	25.40	92.8	25	N1
Bromochloromethane	9.100	5.0	10	0	91.0	50.2	133	25.85	95.9	25	N1
Bromodichloromethane	9.250	5.0	10	0	92.5	55.4	125	25.55	93.7	25	N1
Bromoform	11.00	5.0	10	0	110	48.6	124	25.20	78.5	25	N1
Bromomethane	<25	25	10	0	0	20	148	0	0	25	M7
Carbon tetrachloride	9.650	5.0	10	0	96.5	43.7	130	24.55	87.1	25	N1
Chlorobenzene	10.20	5.0	10	0	102	50.3	133	24.30	81.7	25	N1
Chloroethane	6.700	5.0	10	0	67.0	10	67.1	18.45	93.4	25	N1
Chloroform	10.10	5.0	10	0	101	54.9	127	26.55	89.8	25	N1
Chloromethane	<25	25	10	0	31.0	20	165	12.90	0	25	E4

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMSD**	SampType: **MSD**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059860**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,2-Dichloroethene	9.450	5.0	10	0	94.5	47.9	129	25.20	90.9	25	N1
cis-1,3-Dichloropropene	8.950	5.0	10	0	89.5	55.3	124	23.25	88.8	25	N1
Dibromochloromethane	14.40	5.0	10	0	144	49.8	134	26.45	59.0	25	M6N1
Dichlorodifluoromethane	<5.0	5.0	10	0	0	10	172	4.950	0	25	M7
Ethylbenzene	9.700	5.0	10	0	97.0	47.5	140	23.65	83.7	25	N1
m,p-Xylene	20.15	10	20	0	101	56	131	48.20	82.1	25	N1
Methyl tert-butyl ether	9.150	5.0	10	0	91.5	33.9	138	22.40	84.0	25	N1
Methylene chloride	10.70	10	10	0	107	39	128	27.10	86.8	25	N1
n-Butylbenzene	11.25	5.0	10	0	112	44.5	146	26.35	80.3	25	N1
n-Propylbenzene	10.20	5.0	10	0	102	41.5	147	25.30	85.1	25	N1
o-Xylene	10.15	5.0	10	0	102	54.9	132	24.40	82.5	25	N1
sec-Butylbenzene	10.80	5.0	10	0	108	40.7	151	25.20	80.0	25	N1
Styrene	9.150	5.0	10	0	91.5	50	137	23.45	87.7	25	N1
tert-Butylbenzene	10.15	5.0	10	0	102	43.4	146	25.15	85.0	25	N1
Tetrachloroethene	10.15	5.0	10	0	102	16.6	190	25.85	87.2	25	N1
Toluene	26.75	5.0	10	25.40	13.5	58.2	127	48.25	57.3	25	M7N1
trans-1,2-Dichloroethene	9.800	5.0	10	0	98.0	39.8	137	25.50	89.0	25	N1
trans-1,3-Dichloropropene	8.650	5.0	10	0	86.5	55.4	125	23.60	92.7	25	N1
Trichloroethene	9.600	5.0	10	0	96.0	41.9	141	25.40	90.3	25	N1
Trichlorofluoromethane	<5.0	5.0	10	0	43.5	10	164	20.60	0	25	E4
Vinyl acetate	7.150	5.0	10	0	71.5	10	126	19.75	93.7	25	N1
Vinyl chloride	<5.0	5.0	10	0	38.5	10	163	15.00	0	25	E4
Surr: 4-Bromofluorobenzene	45.30	0	50	0	90.6	55.4	129	42.60	0	0	
Surr: Dibromofluoromethane	47.50	0	50	0	95.0	60.2	137	46.95	0	0	
Surr: Toluene-d8	43.90	0	50	0	87.8	60	139	42.55	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30077**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060194**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	<0.25	0.25									
1,2-Dichlorobenzene	<0.50	0.50									
1,2-Diphenylhydrazine (As Azobenzene)	<0.25	0.25									
1,3-Dichlorobenzene	<0.25	0.25									
1,4-Dichlorobenzene	<0.25	0.25									
2,4,5-Trichlorophenol	<0.25	0.25									
2,4,6-Trichlorophenol	<0.25	0.25									
2,4-Dichlorophenol	<0.25	0.25									
2,4-Dimethylphenol	<0.25	0.25									
2,4-Dinitrophenol	<2.5	2.5									
2,4-Dinitrotoluene	<0.25	0.25									
2,6-Dinitrotoluene	<0.25	0.25									
2-Chloronaphthalene	<0.25	0.25									
2-Chlorophenol	<0.25	0.25									
2-Methylnaphthalene	<0.50	0.50									
2-Methylphenol	<0.25	0.25									
2-Nitroaniline	<0.25	0.25									
2-Nitrophenol	<0.25	0.25									
3 & 4-Methylphenol	<0.25	0.25									
3,3'-Dichlorobenzidine	<0.25	0.25									
3-Nitroaniline	<0.25	0.25									
4,6-Dinitro-2-methylphenol	<2.5	2.5									
4-Bromophenyl phenyl ether	<0.25	0.25									
4-Chloro-3-methylphenol	<0.25	0.25									
4-Chloroaniline	<0.25	0.25									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30077**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060194**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	<0.25	0.25									
4-Nitroaniline	<0.25	0.25									
4-Nitrophenol	<0.50	0.50									
Acenaphthene	<0.25	0.25									
Acenaphthylene	<0.25	0.25									
Anthracene	<0.25	0.25									
Benz(a)anthracene	<0.25	0.25									
Benzo(a)pyrene	<0.25	0.25									
Benzo(b)fluoranthene	<0.25	0.25									
Benzo(g,h,i)perylene	<0.25	0.25									
Benzo(k)fluoranthene	<0.25	0.25									
Benzoic acid	<1.0	1.0									
Benzyl alcohol	<0.25	0.25									
Bis(2-chloroethoxy)methane	<0.25	0.25									
Bis(2-chloroethyl)ether	<0.25	0.25									
Bis(2-chloroisopropyl)ether	<0.25	0.25									
Bis(2-ethylhexyl)phthalate	<0.25	0.25									
Butyl benzyl phthalate	<0.25	0.25									
Chrysene	<0.25	0.25									
Dibenz(a,h)anthracene	<0.25	0.25									
Dibenzofuran	<0.25	0.25									
Diethyl phthalate	<0.25	0.25									
Dimethyl phthalate	<0.25	0.25									
Di-n-butyl phthalate	<0.25	0.25									
Di-n-octyl phthalate	<0.25	0.25									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30077**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060194**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	<0.25	0.25									
Fluorene	<0.25	0.25									
Hexachlorobenzene	<0.25	0.25									
Hexachlorobutadiene	<0.25	0.25									
Hexachlorocyclopentadiene	<0.50	0.50									
Hexachloroethane	<0.50	0.50									
Indeno(1,2,3-cd)pyrene	<0.25	0.25									
Isophorone	<0.25	0.25									
Naphthalene	<0.50	0.50									
Nitrobenzene	<0.25	0.25									
N-Nitrosodi-n-propylamine	<0.50	0.50									
N-Nitrosodiphenylamine	<0.25	0.25									
Pentachlorophenol	<0.50	0.50									
Phenanthrene	<0.25	0.25									
Phenol	<0.50	0.50									
Pyrene	<0.25	0.25									
Pyridine	<0.50	0.50									
Surr: 2,4,6-Tribromophenol	1.624	0	2.5	0	64.9	47.1	101				
Surr: 2-Fluorobiphenyl	1.635	0	2.5	0	65.4	52.8	96.3				
Surr: 2-Fluorophenol	1.638	0	2.5	0	65.5	49.1	93.8				
Surr: 4-Terphenyl-d14	0.9315	0	2.5	0	37.3	10	113				
Surr: Nitrobenzene-d5	1.767	0	2.5	0	70.7	53.1	98.7				
Surr: Phenol-d6	1.706	0	2.5	0	68.2	51.3	103				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30118**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061651**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	<0.25	0.25									
1,2-Dichlorobenzene	<0.50	0.50									
1,2-Diphenylhydrazine (As Azobenzene)	<0.25	0.25									
1,3-Dichlorobenzene	<0.25	0.25									
1,4-Dichlorobenzene	<0.25	0.25									
2,4,5-Trichlorophenol	<0.25	0.25									
2,4,6-Trichlorophenol	<0.25	0.25									
2,4-Dichlorophenol	<0.25	0.25									
2,4-Dimethylphenol	<0.25	0.25									
2,4-Dinitrophenol	<2.5	2.5									
2,4-Dinitrotoluene	<0.25	0.25									
2,6-Dinitrotoluene	<0.25	0.25									
2-Chloronaphthalene	<0.25	0.25									
2-Chlorophenol	<0.25	0.25									
2-Methylnaphthalene	<0.50	0.50									
2-Methylphenol	<0.25	0.25									
2-Nitroaniline	<0.25	0.25									
2-Nitrophenol	<0.25	0.25									
3 & 4-Methylphenol	<0.25	0.25									
3,3'-Dichlorobenzidine	<0.25	0.25									
3-Nitroaniline	<0.25	0.25									
4,6-Dinitro-2-methylphenol	<2.5	2.5									
4-Bromophenyl phenyl ether	<0.25	0.25									
4-Chloro-3-methylphenol	<0.25	0.25									
4-Chloroaniline	<0.25	0.25									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30118**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061651**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	<0.25	0.25									
4-Nitroaniline	<0.25	0.25									
4-Nitrophenol	<0.50	0.50									
Acenaphthene	<0.25	0.25									
Acenaphthylene	<0.25	0.25									
Anthracene	<0.25	0.25									
Benz(a)anthracene	<0.25	0.25									
Benzo(a)pyrene	<0.25	0.25									
Benzo(b)fluoranthene	<0.25	0.25									
Benzo(g,h,i)perylene	<0.25	0.25									
Benzo(k)fluoranthene	<0.25	0.25									
Benzoic acid	<1.0	1.0									
Benzyl alcohol	<0.25	0.25									
Bis(2-chloroethoxy)methane	<0.25	0.25									
Bis(2-chloroethyl)ether	<0.25	0.25									
Bis(2-chloroisopropyl)ether	<0.25	0.25									
Bis(2-ethylhexyl)phthalate	<0.25	0.25									
Butyl benzyl phthalate	<0.25	0.25									
Chrysene	<0.25	0.25									
Dibenz(a,h)anthracene	<0.25	0.25									
Dibenzofuran	<0.25	0.25									
Diethyl phthalate	<0.25	0.25									
Dimethyl phthalate	<0.25	0.25									
Di-n-butyl phthalate	<0.25	0.25									
Di-n-octyl phthalate	<0.25	0.25									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30118**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061651**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	<0.25	0.25									
Fluorene	<0.25	0.25									
Hexachlorobenzene	<0.25	0.25									
Hexachlorobutadiene	<0.25	0.25									
Hexachlorocyclopentadiene	<0.50	0.50									
Hexachloroethane	<0.50	0.50									
Indeno(1,2,3-cd)pyrene	<0.25	0.25									
Isophorone	<0.25	0.25									
Naphthalene	<0.50	0.50									
Nitrobenzene	<0.25	0.25									
N-Nitrosodi-n-propylamine	<0.50	0.50									
N-Nitrosodiphenylamine	<0.25	0.25									
Pentachlorophenol	<0.50	0.50									
Phenanthrene	<0.25	0.25									
Phenol	<0.50	0.50									
Pyrene	<0.25	0.25									
Pyridine	<0.50	0.50									
Surr: 2,4,6-Tribromophenol	1.734	0	2.5	0	69.4	47.1	101				
Surr: 2-Fluorobiphenyl	1.682	0	2.5	0	67.3	52.8	96.3				
Surr: 2-Fluorophenol	1.692	0	2.5	0	67.7	49.1	93.8				
Surr: 4-Terphenyl-d14	1.268	0	2.5	0	50.7	10	113				
Surr: Nitrobenzene-d5	2.125	0	2.5	0	85.0	53.1	98.7				
Surr: Phenol-d6	1.672	0	2.5	0	66.9	51.3	103				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30077**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060195**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.814	0.25	2.5	0	72.6	46.6	93.4				
1,2-Dichlorobenzene	1.682	0.50	2.5	0	67.3	43.9	92.4				
1,2-Diphenylhydrazine (As Azobenzene)	1.662	0.25	2.5	0	66.5	48.1	99.4				
1,3-Dichlorobenzene	1.636	0.25	2.5	0	65.4	42.5	91				
1,4-Dichlorobenzene	1.640	0.25	2.5	0	65.6	43.5	91.2				
2,4,5-Trichlorophenol	1.783	0.25	2.5	0	71.3	49.2	103				
2,4,6-Trichlorophenol	1.798	0.25	2.5	0	71.9	49.7	103				
2,4-Dichlorophenol	1.987	0.25	2.5	0	79.5	50	98.5				
2,4-Dimethylphenol	1.934	0.25	2.5	0	77.3	43.7	92.9				
2,4-Dinitrophenol	<2.5	2.5	4.375	0	56.5	16.7	124				E4
2,4-Dinitrotoluene	1.887	0.25	2.5	0	75.5	43.8	119				
2,6-Dinitrotoluene	1.748	0.25	2.5	0	69.9	44.1	111				
2-Chloronaphthalene	1.623	0.25	2.5	0	64.9	46.7	97.7				
2-Chlorophenol	1.731	0.25	2.5	0	69.2	47.1	94.3				
2-Methylnaphthalene	1.869	0.50	2.5	0	74.7	48.4	93.6				
2-Methylphenol	1.758	0.25	2.5	0	70.3	47	95.5				
2-Nitroaniline	1.772	0.25	2.5	0	70.9	49.4	107				
2-Nitrophenol	1.982	0.25	2.5	0	79.3	42.8	109				
3 & 4-Methylphenol	1.794	0.25	2.5	0	71.8	25.2	139				
3,3'-Dichlorobenzidine	1.530	0.25	2.5	0	61.2	37.8	92.3				
3-Nitroaniline	1.732	0.25	2.5	0	69.3	41.5	93.7				
4,6-Dinitro-2-methylphenol	2.869	2.5	4.375	0	65.6	44.9	118				
4-Bromophenyl phenyl ether	1.556	0.25	2.5	0	62.2	47.2	93				
4-Chloro-3-methylphenol	*2.098*	0.25	2.5	0	83.9	53.9	103				
4-Chloroaniline	1.740	0.25	2.5	0	69.6	18.2	97.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30077**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060195**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.581	0.25	2.5	0	63.2	46.2	91.9				
4-Nitroaniline	1.800	0.25	2.5	0	72.0	46.1	106				
4-Nitrophenol	2.698	0.50	3.75	0	72.0	38.4	118				
Acenaphthene	1.704	0.25	2.5	0	68.2	50.3	102				
Acenaphthylene	1.672	0.25	2.5	0	66.9	50.1	99.3				
Anthracene	1.727	0.25	2.5	0	69.1	51.4	102				
Benz(a)anthracene	1.632	0.25	2.5	0	65.3	48.8	105				
Benzo(a)pyrene	1.638	0.25	2.5	0	65.5	49.6	103				
Benzo(b)fluoranthene	1.642	0.25	2.5	0	65.7	45.8	99.3				
Benzo(g,h,i)perylene	1.504	0.25	2.5	0	60.1	49.1	107				
Benzo(k)fluoranthene	1.656	0.25	2.5	0	66.3	49.1	107				
Benzoic acid	2.150	1.0	5	0	43.0	20	111				
Benzyl alcohol	1.780	0.25	2.5	0	71.2	51.2	95.5				
Bis(2-chloroethoxy)methane	1.671	0.25	2.5	0	66.8	42.6	87.3				
Bis(2-chloroethyl)ether	1.622	0.25	2.5	0	64.9	43.5	85				
Bis(2-chloroisopropyl)ether	1.408	0.25	2.5	0	56.3	39.2	85.1				
Bis(2-ethylhexyl)phthalate	1.561	0.25	2.5	0	62.4	41.4	94.9				
Butyl benzyl phthalate	1.568	0.25	2.5	0	62.7	41.5	97.5				
Chrysene	1.664	0.25	2.5	0	66.6	47	107				
Dibenz(a,h)anthracene	1.514	0.25	2.5	0	60.5	39.1	115				
Dibenzofuran	1.730	0.25	2.5	0	69.2	49.8	102				
Diethyl phthalate	1.622	0.25	2.5	0	64.9	46	94.8				
Dimethyl phthalate	2.280	0.25	3.75	0	60.8	39.8	102				
Di-n-butyl phthalate	1.656	0.25	2.5	0	66.2	46.9	94.5				
Di-n-octyl phthalate	1.672	0.25	2.5	0	66.9	37.7	98.4				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30077**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060195**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.817	0.25	2.5	0	72.7	52	105				
Fluorene	1.753	0.25	2.5	0	70.1	52.4	103				
Hexachlorobenzene	1.696	0.25	2.5	0	67.9	51.1	102				
Hexachlorobutadiene	1.837	0.25	2.5	0	73.5	44.5	94.2				
Hexachlorocyclopentadiene	1.300	0.50	2.5	0	52.0	38.9	90.6				
Hexachloroethane	1.630	0.50	2.5	0	65.2	44.1	89				
Indeno(1,2,3-cd)pyrene	1.514	0.25	2.5	0	60.5	48.9	113				
Isophorone	1.597	0.25	2.5	0	63.9	48.8	97.1				
Naphthalene	1.895	0.50	2.5	0	75.8	48.7	97.3				
Nitrobenzene	1.806	0.25	2.5	0	72.2	43.1	98				
N-Nitrosodi-n-propylamine	1.509	0.50	2.5	0	60.4	43.7	85.9				
N-Nitrosodiphenylamine	1.422	0.25	2.5	0	56.9	42.8	84.8				
Pentachlorophenol	2.968	0.50	3.75	0	79.1	34.6	122				
Phenanthrene	1.764	0.25	2.5	0	70.6	52.2	104				
Phenol	1.809	0.50	2.5	0	72.4	44.5	100				
Pyrene	1.664	0.25	2.5	0	66.6	47.5	105				
Pyridine	1.604	0.50	2.5	0	64.2	40.5	89.3				
Surr: 2,4,6-Tribromophenol	1.698	0	2.5	0	67.9	39.3	104				
Surr: 2-Fluorobiphenyl	1.589	0	2.5	0	63.6	37.6	96				
Surr: 2-Fluorophenol	1.606	0	2.5	0	64.2	31.6	90.7				
Surr: 4-Terphenyl-d14	0.9235	0	2.5	0	36.9	7.58	73.2				
Surr: Nitrobenzene-d5	1.786	0	2.5	0	71.4	35.2	97.8				
Surr: Phenol-d6	1.672	0	2.5	0	66.9	34.7	93.3				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30118**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061652**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	2.139	0.25	2.5	0	85.6	46.6	93.4				
1,2-Dichlorobenzene	1.922	0.50	2.5	0	76.9	43.9	92.4				
1,2-Diphenylhydrazine (As Azobenzene)	2.084	0.25	2.5	0	83.4	48.1	99.4				
1,3-Dichlorobenzene	1.844	0.25	2.5	0	73.8	42.5	91				
1,4-Dichlorobenzene	1.890	0.25	2.5	0	75.6	43.5	91.2				
2,4,5-Trichlorophenol	2.008	0.25	2.5	0	80.3	49.2	103				
2,4,6-Trichlorophenol	2.051	0.25	2.5	0	82.0	49.7	103				
2,4-Dichlorophenol	2.348	0.25	2.5	0	93.9	50	98.5				
2,4-Dimethylphenol	2.292	0.25	2.5	0	91.7	43.7	92.9				
2,4-Dinitrophenol	2.738	2.5	4.375	0	62.6	16.7	124				
2,4-Dinitrotoluene	1.937	0.25	2.5	0	77.5	43.8	119				
2,6-Dinitrotoluene	1.785	0.25	2.5	0	71.4	44.1	111				
2-Chloronaphthalene	1.885	0.25	2.5	0	75.4	46.7	97.7				
2-Chlorophenol	2.075	0.25	2.5	0	83.0	47.1	94.3				
2-Methylnaphthalene	2.253	0.50	2.5	0	90.1	48.4	93.6				
2-Methylphenol	2.060	0.25	2.5	0	82.4	47	95.5				
2-Nitroaniline	2.416	0.25	2.5	0	96.7	49.4	107				
2-Nitrophenol	2.554	0.25	2.5	0	102	42.8	109				
3 & 4-Methylphenol	2.178	0.25	2.5	0	87.1	25.2	139				
3,3'-Dichlorobenzidine	2.074	0.25	2.5	0	83.0	37.8	92.3				
3-Nitroaniline	1.909	0.25	2.5	0	76.4	41.5	93.7				
4,6-Dinitro-2-methylphenol	2.602	2.5	4.375	0	59.5	44.9	118				
4-Bromophenyl phenyl ether	1.778	0.25	2.5	0	71.1	47.2	93				
4-Chloro-3-methylphenol	2.494	0.25	2.5	0	99.8	53.9	103				
4-Chloroaniline	2.239	0.25	2.5	0	89.6	18.2	97.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30118**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061652**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.774	0.25	2.5	0	71.0	46.2	91.9				
4-Nitroaniline	2.174	0.25	2.5	0	87.0	46.1	106				
4-Nitrophenol	3.114	0.50	3.75	0	83.1	38.4	118				
Acenaphthene	1.888	0.25	2.5	0	75.5	50.3	102				
Acenaphthylene	1.938	0.25	2.5	0	77.5	50.1	99.3				
Anthracene	1.956	0.25	2.5	0	78.2	51.4	102				
Benz(a)anthracene	2.089	0.25	2.5	0	83.6	48.8	105				
Benzo(a)pyrene	2.040	0.25	2.5	0	81.6	49.6	103				
Benzo(b)fluoranthene	2.040	0.25	2.5	0	81.6	45.8	99.3				
Benzo(g,h,i)perylene	2.049	0.25	2.5	0	82.0	49.1	107				
Benzo(k)fluoranthene	1.908	0.25	2.5	0	76.3	49.1	107				
Benzoic acid	3.028	1.0	5	0	60.6	20	111				
Benzyl alcohol	2.130	0.25	2.5	0	85.2	51.2	95.5				
Bis(2-chloroethoxy)methane	2.162	0.25	2.5	0	86.5	42.6	87.3				
Bis(2-chloroethyl)ether	1.777	0.25	2.5	0	71.1	43.5	85				
Bis(2-chloroisopropyl)ether	1.838	0.25	2.5	0	73.5	39.2	85.1				
Bis(2-ethylhexyl)phthalate	1.911	0.25	2.5	0	76.4	41.4	94.9				
Butyl benzyl phthalate	1.990	0.25	2.5	0	79.6	41.5	97.5				
Chrysene	2.084	0.25	2.5	0	83.4	47	107				
Dibenz(a,h)anthracene	2.064	0.25	2.5	0	82.6	39.1	115				
Dibenzofuran	1.914	0.25	2.5	0	76.6	49.8	102				
Diethyl phthalate	1.822	0.25	2.5	0	72.9	46	94.8				
Dimethyl phthalate	2.582	0.25	3.75	0	68.9	39.8	102				
Di-n-butyl phthalate	1.863	0.25	2.5	0	74.5	46.9	94.5				
Di-n-octyl phthalate	1.894	0.25	2.5	0	75.7	37.7	98.4				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30118**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061652**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	2.042	0.25	2.5	0	81.7	52	105				
Fluorene	2.003	0.25	2.5	0	80.1	52.4	103				
Hexachlorobenzene	1.986	0.25	2.5	0	79.4	51.1	102				
Hexachlorobutadiene	2.136	0.25	2.5	0	85.4	44.5	94.2				
Hexachlorocyclopentadiene	1.596	0.50	2.5	0	63.8	38.9	90.6				
Hexachloroethane	1.871	0.50	2.5	0	74.8	44.1	89				
Indeno(1,2,3-cd)pyrene	2.048	0.25	2.5	0	81.9	48.9	113				
Isophorone	2.062	0.25	2.5	0	82.5	48.8	97.1				
Naphthalene	2.336	0.50	2.5	0	93.4	48.7	97.3				
Nitrobenzene	2.376	0.25	2.5	0	95.1	43.1	98				
N-Nitrosodi-n-propylamine	1.987	0.50	2.5	0	79.5	43.7	85.9				
N-Nitrosodiphenylamine	1.667	0.25	2.5	0	66.7	42.8	84.8				
Pentachlorophenol	2.739	0.50	3.75	0	73.0	34.6	122				
Phenanthrene	2.047	0.25	2.5	0	81.9	52.2	104				
Phenol	2.098	0.50	2.5	0	83.9	44.5	100				
Pyrene	2.145	0.25	2.5	0	85.8	47.5	105				
Pyridine	2.080	0.50	2.5	0	83.2	40.5	89.3				
Surr: 2,4,6-Tribromophenol	1.964	0	2.5	0	78.6	39.3	104				
Surr: 2-Fluorobiphenyl	1.780	0	2.5	0	71.2	37.6	96				
Surr: 2-Fluorophenol	1.827	0	2.5	0	73.1	31.6	90.7				
Surr: 4-Terphenyl-d14	1.290	0	2.5	0	51.6	7.58	73.2				
Surr: Nitrobenzene-d5	2.356	0	2.5	0	94.3	35.2	97.8				
Surr: Phenol-d6	1.933	0	2.5	0	77.3	34.7	93.3				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30077**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060197**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.858	0.25	2.5	0	74.3	46.6	93.4	1.814	2.34	35	
1,2-Dichlorobenzene	1.726	0.50	2.5	0	69.0	43.9	92.4	1.682	2.58	35	
1,2-Diphenylhydrazine (As Azobenzene)	1.676	0.25	2.5	0	67.0	48.1	99.4	1.662	0.779	35	
1,3-Dichlorobenzene	1.714	0.25	2.5	0	68.5	42.5	91	1.636	4.63	35	
1,4-Dichlorobenzene	1.686	0.25	2.5	0	67.4	43.5	91.2	1.640	2.74	35	
2,4,5-Trichlorophenol	1.860	0.25	2.5	0	74.4	49.2	103	1.783	4.23	35	
2,4,6-Trichlorophenol	1.788	0.25	2.5	0	71.5	49.7	103	1.798	0.613	35	
2,4-Dichlorophenol	2.046	0.25	2.5	0	81.8	50	98.5	1.987	2.93	35	
2,4-Dimethylphenol	1.984	0.25	2.5	0	79.4	43.7	92.9	1.934	2.58	35	
2,4-Dinitrophenol	<2.5	2.5	4.375	0	54.1	16.7	124	2.474	4.42	35	E4
2,4-Dinitrotoluene	1.996	0.25	2.5	0	79.9	43.8	119	1.887	5.64	35	
2,6-Dinitrotoluene	1.767	0.25	2.5	0	70.7	44.1	111	1.748	1.05	35	
2-Chloronaphthalene	1.637	0.25	2.5	0	65.5	46.7	97.7	1.623	0.859	35	
2-Chlorophenol	1.816	0.25	2.5	0	72.6	47.1	94.3	1.731	4.79	35	
2-Methylnaphthalene	1.926	0.50	2.5	0	77.0	48.4	93.6	1.869	3.00	35	
2-Methylphenol	1.796	0.25	2.5	0	71.9	47	95.5	1.758	2.19	35	
2-Nitroaniline	1.848	0.25	2.5	0	73.9	49.4	107	1.772	4.14	35	
2-Nitrophenol	2.022	0.25	2.5	0	80.9	42.8	109	1.982	2.00	35	
3 & 4-Methylphenol	1.884	0.25	2.5	0	75.4	25.2	139	1.794	4.92	35	
3,3'-Dichlorobenzidine	1.601	0.25	2.5	0	64.0	37.8	92.3	1.530	4.54	35	
3-Nitroaniline	1.848	0.25	2.5	0	73.9	41.5	93.7	1.732	6.45	35	
4,6-Dinitro-2-methylphenol	2.944	2.5	4.375	0	67.3	44.9	118	2.869	2.58	35	
4-Bromophenyl phenyl ether	1.518	0.25	2.5	0	60.7	47.2	93	1.556	2.41	35	
4-Chloro-3-methylphenol	2.283	0.25	2.5	0	91.3	53.9	103	2.098	8.42	35	
4-Chloroaniline	1.838	0.25	2.5	0	73.5	18.2	97.5	1.740	5.51	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30077**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060197**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.650	0.25	2.5	0	66.0	46.2	91.9	1.581	4.24	35	
4-Nitroaniline	1.930	0.25	2.5	0	77.2	46.1	106	1.800	6.94	35	
4-Nitrophenol	2.884	0.50	3.75	0	76.9	38.4	118	2.698	6.63	35	
Acenaphthene	1.762	0.25	2.5	0	70.5	50.3	102	1.704	3.32	35	
Acenaphthylene	1.722	0.25	2.5	0	68.9	50.1	99.3	1.672	2.95	35	
Anthracene	1.691	0.25	2.5	0	67.6	51.4	102	1.727	2.11	35	
Benz(a)anthracene	1.691	0.25	2.5	0	67.6	48.8	105	1.632	3.52	35	
Benzo(a)pyrene	1.649	0.25	2.5	0	66.0	49.6	103	1.638	0.639	35	
Benzo(b)fluoranthene	1.630	0.25	2.5	0	65.2	45.8	99.3	1.642	0.703	35	
Benzo(g,h,i)perylene	1.515	0.25	2.5	0	60.6	49.1	107	1.504	0.762	35	
Benzo(k)fluoranthene	1.726	0.25	2.5	0	69.0	49.1	107	1.656	4.08	35	
Benzoic acid	1.740	1.0	5	0	34.8	20	111	2.150	21.1	35	
Benzyl alcohol	1.864	0.25	2.5	0	74.6	51.2	95.5	1.780	4.58	35	
Bis(2-chloroethoxy)methane	1.699	0.25	2.5	0	68.0	42.6	87.3	1.671	1.69	35	
Bis(2-chloroethyl)ether	1.673	0.25	2.5	0	66.9	43.5	85	1.622	3.13	35	
Bis(2-chloroisopropyl)ether	1.482	0.25	2.5	0	59.3	39.2	85.1	1.408	5.12	35	
Bis(2-ethylhexyl)phthalate	1.559	0.25	2.5	0	62.4	41.4	94.9	1.561	0.128	35	
Butyl benzyl phthalate	1.554	0.25	2.5	0	62.2	41.5	97.5	1.568	0.833	35	
Chrysene	1.694	0.25	2.5	0	67.7	47	107	1.664	1.76	35	
Dibenz(a,h)anthracene	1.528	0.25	2.5	0	61.1	39.1	115	1.514	0.921	35	
Dibenzofuran	1.788	0.25	2.5	0	71.5	49.8	102	1.730	3.24	35	
Diethyl phthalate	1.696	0.25	2.5	0	67.8	46	94.8	1.622	4.40	35	
Dimethyl phthalate	2.352	0.25	3.75	0	62.7	39.8	102	2.280	3.11	35	
Di-n-butyl phthalate	*1.678*	*0.25*	*2.5*	0	*67.1*	*46.9*	*94.5*	*1.656*	*1.32*	*35*	
Di-n-octyl phthalate	1.626	0.25	2.5	0	65.1	37.7	98.4	1.672	2.73	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: *Romic/212001*

ANALYTICAL QC SUMMARY REPORT

TestCode: ***8270_s***

Sample ID: **LCSD-30077**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID:	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060197**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.860	0.25	2.5	0	74.4	52	105	1.817	2.34	35	
Fluorene	1.830	0.25	2.5	0	73.2	52.4	103	1.753	4.33	35	
Hexachlorobenzene	1.694	0.25	2.5	0	67.7	51.1	102	1.696	0.177	35	
Hexachlorobutadiene	1.858	0.25	2.5	0	74.3	44.5	94.2	1.837	1.19	35	
Hexachlorocyclopentadiene	1.298	0.50	2.5	0	51.9	38.9	90.6	1.300	0.154	35	
Hexachloroethane	1.682	0.50	2.5	0	67.3	44.1	89	1.630	3.14	35	
Indeno(1,2,3-cd)pyrene	1.531	0.25	2.5	0	61.2	48.9	113	1.514	1.15	35	
Isophorone	1.617	0.25	2.5	0	64.7	48.8	97.1	1.597	1.24	35	
Naphthalene	1.935	0.50	2.5	0	77.4	48.7	97.3	1.895	2.09	35	
Nitrobenzene	1.826	0.25	2.5	0	73.0	43.1	98	1.806	1.10	35	
N-Nitrosodi-n-propylamine	1.598	0.50	2.5	0	63.9	43.7	85.9	1.509	5.70	35	
N-Nitrosodiphenylamine	1.416	0.25	2.5	0	56.7	42.8	84.8	1.422	0.423	35	
Pentachlorophenol	3.013	0.50	3.75	0	80.3	34.6	122	2.968	1.52	35	
Phenanthrene	1.804	0.25	2.5	0	72.1	52.2	104	1.764	2.19	35	
Phenol	1.847	0.50	2.5	0	73.9	44.5	100	1.809	2.08	35	
Pyrene	1.652	0.25	2.5	0	66.1	47.5	105	1.664	0.754	35	
Pyridine	1.620	0.50	2.5	0	64.8	40.5	89.3	1.604	0.931	35	
Surr: 2,4,6-Tribromophenol	1.750	0	2.5	0	70.0	39.3	104	1.698	0	0	
Surr: 2-Fluorobiphenyl	1.606	0	2.5	0	64.2	37.6	96	1.589	0	0	
Surr: 2-Fluorophenol	1.639	0	2.5	0	65.6	31.6	90.7	1.606	0	0	
Surr: 4-Terphenyl-d14	0.9020	0	2.5	0	36.1	7.58	73.2	0.9235	0	0	
Surr: Nitrobenzene-d5	1.788	0	2.5	0	71.5	35.2	97.8	1.786	0	0	
Surr: Phenol-d6	1.738	0	2.5	0	69.5	34.7	93.3	1.672	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30118**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061653**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	2.298	0.25	2.5	0	91.9	46.6	93.4	2.139	7.17	35	
1,2-Dichlorobenzene	1.980	0.50	2.5	0	79.2	43.9	92.4	1.922	3.00	35	
1,2-Diphenylhydrazine (As Azobenzene)	2.087	0.25	2.5	0	83.5	48.1	99.4	2.084	0.144	35	
1,3-Dichlorobenzene	1.955	0.25	2.5	0	78.2	42.5	91	1.844	5.84	35	
1,4-Dichlorobenzene	1.978	0.25	2.5	0	79.1	43.5	91.2	1.890	4.55	35	
2,4,5-Trichlorophenol	2.131	0.25	2.5	0	85.2	49.2	103	2.008	5.92	35	
2,4,6-Trichlorophenol	2.030	0.25	2.5	0	81.2	49.7	103	2.051	1.05	35	
2,4-Dichlorophenol	2.447	0.25	2.5	0	97.9	50	98.5	2.348	4.13	35	
2,4-Dimethylphenol	2.439	0.25	2.5	0	97.6	43.7	92.9	2.292	6.24	35	L1
2,4-Dinitrophenol	2.976	2.5	4.375	0	68.0	16.7	124	2.738	8.37	35	
2,4-Dinitrotoluene	1.977	0.25	2.5	0	79.1	43.8	119	1.937	2.04	35	
2,6-Dinitrotoluene	1.944	0.25	2.5	0	77.8	44.1	111	1.785	8.55	35	
2-Chloronaphthalene	1.982	0.25	2.5	0	79.3	46.7	97.7	1.885	5.04	35	
2-Chlorophenol	2.140	0.25	2.5	0	85.6	47.1	94.3	2.075	3.11	35	
2-Methylnaphthalene	2.187	0.50	2.5	0	87.5	48.4	93.6	2.253	2.97	35	
2-Methylphenol	2.086	0.25	2.5	0	83.5	47	95.5	2.060	1.30	35	
2-Nitroaniline	2.549	0.25	2.5	0	102	49.4	107	2.416	5.34	35	
2-Nitrophenol	2.724	0.25	2.5	0	109	42.8	109	2.554	6.42	35	
3 & 4-Methylphenol	2.316	0.25	2.5	0	92.6	25.2	139	2.178	6.12	35	
3,3'-Dichlorobenzidine	1.986	0.25	2.5	0	79.4	37.8	92.3	2.074	4.36	35	
3-Nitroaniline	1.997	0.25	2.5	0	79.9	41.5	93.7	1.909	4.51	35	
4,6-Dinitro-2-methylphenol	2.825	2.5	4.375	0	64.6	44.9	118	2.602	8.24	35	
4-Bromophenyl phenyl ether	1.770	0.25	2.5	0	70.8	47.2	93	1.778	0.451	35	
4-Chloro-3-methylphenol	2.493	0.25	2.5	0	99.7	53.9	103	2.494	0.0401	35	
4-Chloroaniline	2.335	0.25	2.5	0	93.4	18.2	97.5	2.239	4.20	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30118**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061653**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.826	0.25	2.5	0	73.0	46.2	91.9	1.774	2.83	35	
4-Nitroaniline	2.292	0.25	2.5	0	91.7	46.1	106	2.174	5.28	35	
4-Nitrophenol	3.213	0.50	3.75	0	85.7	38.4	118	3.114	3.11	35	
Acenaphthene	1.986	0.25	2.5	0	79.4	50.3	102	1.888	5.01	35	
Acenaphthylene	1.970	0.25	2.5	0	78.8	50.1	99.3	1.938	1.69	35	
Anthracene	1.986	0.25	2.5	0	79.4	51.4	102	1.956	1.50	35	
Benz(a)anthracene	2.048	0.25	2.5	0	81.9	48.8	105	2.089	1.96	35	
Benzo(a)pyrene	2.071	0.25	2.5	0	82.8	49.6	103	2.040	1.48	35	
Benzo(b)fluoranthene	1.988	0.25	2.5	0	79.5	45.8	99.3	2.040	2.58	35	
Benzo(g,h,i)perylene	2.156	0.25	2.5	0	86.3	49.1	107	2.049	5.11	35	
Benzo(k)fluoranthene	2.116	0.25	2.5	0	84.7	49.1	107	1.908	10.4	35	
Benzoic acid	2.398	1.0	5	0	48.0	20	111	3.028	23.2	35	
Benzyl alcohol	2.194	0.25	2.5	0	87.8	51.2	95.5	2.130	2.94	35	
Bis(2-chloroethoxy)methane	2.203	0.25	2.5	0	88.1	42.6	87.3	2.162	1.88	35	L1
Bis(2-chloroethyl)ether	1.914	0.25	2.5	0	76.6	43.5	85	1.777	7.42	35	
Bis(2-chloroisopropyl)ether	1.868	0.25	2.5	0	74.7	39.2	85.1	1.838	1.59	35	
Bis(2-ethylhexyl)phthalate	1.853	0.25	2.5	0	74.1	41.4	94.9	1.911	3.11	35	
Butyl benzyl phthalate	1.978	0.25	2.5	0	79.1	41.5	97.5	1.990	0.605	35	
Chrysene	2.114	0.25	2.5	0	84.5	47	107	2.084	1.38	35	
Dibenz(a,h)anthracene	2.160	0.25	2.5	0	86.4	39.1	115	2.064	4.57	35	
Dibenzofuran	2.068	0.25	2.5	0	82.7	49.8	102	1.914	7.73	35	
Diethyl phthalate	1.894	0.25	2.5	0	75.8	46	94.8	1.822	3.85	35	
Dimethyl phthalate	2.702	0.25	3.75	0	72.0	39.8	102	2.582	4.50	35	
Di-n-butyl phthalate	1.882	0.25	2.5	0	75.3	46.9	94.5	1.863	0.988	35	
Di-n-octyl phthalate	1.995	0.25	2.5	0	79.8	37.7	98.4	1.894	5.22	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30118**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061653**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	2.040	0.25	2.5	0	81.6	52	105	2.042	0.0980	35	
Fluorene	2.084	0.25	2.5	0	83.3	52.4	103	2.003	3.94	35	
Hexachlorobenzene	1.938	0.25	2.5	0	77.5	51.1	102	1.986	2.47	35	
Hexachlorobutadiene	2.312	0.25	2.5	0	92.5	44.5	94.2	2.136	7.89	35	
Hexachlorocyclopentadiene	1.776	0.50	2.5	0	71.0	38.9	90.6	1.596	10.6	35	
Hexachloroethane	1.992	0.50	2.5	0	79.7	44.1	89	1.871	6.26	35	
Indeno(1,2,3-cd)pyrene	2.124	0.25	2.5	0	84.9	48.9	113	2.048	3.60	35	
Isophorone	2.166	0.25	2.5	0	86.7	48.8	97.1	2.062	4.92	35	
Naphthalene	2.374	0.50	2.5	0	95.0	48.7	97.3	2.336	1.63	35	
Nitrobenzene	2.513	0.25	2.5	0	101	43.1	98	2.376	5.58	35	L1
N-Nitrosodi-n-propylamine	1.939	0.50	2.5	0	77.6	43.7	85.9	1.987	2.42	35	
N-Nitrosodiphenylamine	1.666	0.25	2.5	0	66.6	42.8	84.8	1.667	0.0900	35	
Pentachlorophenol	2.711	0.50	3.75	0	72.3	34.6	122	2.739	1.03	35	
Phenanthrene	2.010	0.25	2.5	0	80.4	52.2	104	2.047	1.82	35	
Phenol	2.130	0.50	2.5	0	85.2	44.5	100	2.098	1.51	35	
Pyrene	2.146	0.25	2.5	0	85.8	47.5	105	2.145	0.0233	35	
Pyridine	2.152	0.50	2.5	0	86.1	40.5	89.3	2.080	3.43	35	
Surr: 2,4,6-Tribromophenol	1.942	0	2.5	0	77.7	39.3	104	1.964	0	0	
Surr: 2-Fluorobiphenyl	1.860	0	2.5	0	74.4	37.6	96	1.780	0	0	
Surr: 2-Fluorophenol	1.902	0	2.5	0	76.1	31.6	90.7	1.827	0	0	
Surr: 4-Terphenyl-d14	1.570	0	2.5	0	62.8	7.58	73.2	1.290	0	0	
Surr: Nitrobenzene-d5	2.428	0	2.5	0	97.1	35.2	97.8	2.356	0	0	
Surr: Phenol-d6	1.957	0	2.5	0	78.3	34.7	93.3	1.933	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-04A MS**	SampType: **MS**	TestCode: **8270_S**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID: **RE104-20'**	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060512**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.654	0.25	2.5	0	66.1	28.5	83.7				
1,2-Dichlorobenzene	1.582	0.50	2.5	0	63.3	32.9	78.9				
1,2-Diphenylhydrazine (As Azobenzene)	1.575	0.25	2.5	0	63.0	33.3	87.2				
1,3-Dichlorobenzene	1.513	0.25	2.5	0	60.5	23	82				
1,4-Dichlorobenzene	1.530	0.25	2.5	0	61.2	26	81.2				
2,4,5-Trichlorophenol	1.592	0.25	2.5	0	63.7	39.8	90.4				
2,4,6-Trichlorophenol	1.641	0.25	2.5	0	65.6	41.6	91.4				
2,4-Dichlorophenol	1.730	0.25	2.5	0	69.2	39	87.4				
2,4-Dimethylphenol	1.621	0.25	2.5	0	64.8	13.1	93.9				
2,4-Dinitrophenol	<2.5	2.5	4.375	0	14.5	50	76.2				E4M7
2,4-Dinitrotoluene	1.668	0.25	2.5	0	66.7	31.2	96.2				
2,6-Dinitrotoluene	1.592	0.25	2.5	0	63.7	27.3	93.6				
2-Chloronaphthalene	1.508	0.25	2.5	0	60.3	32.8	85.7				
2-Chlorophenol	1.607	0.25	2.5	0	64.3	38.4	80.5				
2-Methylnaphthalene	1.691	0.50	2.5	0	67.6	30.4	87.4				
2-Methylphenol	1.564	0.25	2.5	0	62.6	34.8	83.6				
2-Nitroaniline	1.645	0.25	2.5	0	65.8	40.3	94.9				
2-Nitrophenol	1.759	0.25	2.5	0	70.4	20.8	119				
3 & 4-Methylphenol	1.620	0.25	2.5	0	64.8	39	99.9				
3,3'-Dichlorobenzidine	1.418	0.25	2.5	0	56.7	20.9	71.3				
3-Nitroaniline	1.613	0.25	2.5	0	64.5	38.2	85.9				
4,6-Dinitro-2-methylphenol	<2.5	2.5	4.375	0	55.5	50	104				E4
4-Bromophenyl phenyl ether	1.460	0.25	2.5	0	58.4	31.7	84				
4-Chloro-3-methylphenol	1.922	0.25	2.5	0	76.9	28.1	109				
4-Chloroaniline	1.532	0.25	2.5	0	61.3	34.4	73.7				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-04A MS**	SampType: **MS**	TestCode: **8270_S**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID: **RE104-20'**	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060512**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.480	0.25	2.5	0	59.2	30.3	83.3				
4-Nitroaniline	1.652	0.25	2.5	0	66.1	40.8	85.4				
4-Nitrophenol	2.152	0.50	3.75	0	57.4	39	97.2				
Acenaphthene	1.598	0.25	2.5	0	63.9	34.3	90.6				
Acenaphthylene	1.577	0.25	2.5	0	63.1	35.6	87.5				
Anthracene	1.637	0.25	2.5	0	65.5	31.6	90.4				
Benz(a)anthracene	1.654	0.25	2.5	0	66.2	25.5	105				
Benzo(a)pyrene	1.634	0.25	2.5	0	65.3	34.1	87.9				
Benzo(b)fluoranthene	1.608	0.25	2.5	0	64.3	16	106				
Benzo(g,h,i)perylene	1.457	0.25	2.5	0	58.3	10	120				
Benzo(k)fluoranthene	1.691	0.25	2.5	0	67.6	10	122				
Benzoic acid	<1.0	1.0	5	0	0	20	84.2				M7
Benzyl alcohol	1.622	0.25	2.5	0	64.9	26.9	98				
Bis(2-chloroethoxy)methane	1.526	0.25	2.5	0	61.0	31.7	77				
Bis(2-chloroethyl)ether	1.514	0.25	2.5	0	60.6	33.6	73.3				
Bis(2-chloroisopropyl)ether	1.334	0.25	2.5	0	53.4	30.2	68.1				
Bis(2-ethylhexyl)phthalate	1.580	0.25	2.5	0	63.2	30.1	82.2				
Butyl benzyl phthalate	1.506	0.25	2.5	0	60.2	16.7	92.3				
Chrysene	1.663	0.25	2.5	0	66.5	35.3	92.4				
Dibenz(a,h)anthracene	1.505	0.25	2.5	0	60.2	10	117				
Dibenzofuran	1.631	0.25	2.5	0	65.2	30.5	96.6				
Diethyl phthalate	1.489	0.25	2.5	0	59.6	33.2	77.9				
Dimethyl phthalate	2.114	0.25	3.75	0	56.4	26.2	98.2				
Di-n-butyl phthalate	1.572	0.25	2.5	0	62.9	34.3	82.1				
Di-n-octyl phthalate	1.662	0.25	2.5	0	66.5	15.5	102				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: 07070754-04A MS	SampType: MS	TestCode: 8270_S	Units: mg/Kg	Prep Date: 7/31/2007	RunNo: 89581
Client ID: RE104-20'	Batch ID: 30077	TestNo: SW8270C		Analysis Date: 7/31/2007	SeqNo: 1060512

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.750	0.25	2.5	0	70.0	22.9	104				
Fluorene	1.642	0.25	2.5	0	65.7	36.8	90.2				
Hexachlorobenzene	1.678	0.25	2.5	0	67.1	23	105				
Hexachlorobutadiene	1.694	0.25	2.5	0	67.7	26	85.9				
Hexachlorocyclopentadiene	1.013	0.50	2.5	0	40.5	20	98.7				
Hexachloroethane	1.490	0.50	2.5	0	59.6	25.1	79				
Indeno(1,2,3-cd)pyrene	1.484	0.25	2.5	0	59.4	22.5	102				
Isophorone	1.498	0.25	2.5	0	59.9	18.1	104				
Naphthalene	1.768	0.50	2.5	0	70.7	33.5	87.1				
Nitrobenzene	1.646	0.25	2.5	0	65.8	34.9	82.6				
N-Nitrosodi-n-propylamine	1.434	0.50	2.5	0	57.3	34.5	71.2				
N-Nitrosodiphenylamine	1.350	0.25	2.5	0	54.0	10	115				
Pentachlorophenol	2.638	0.50	3.75	0	70.3	38.3	104				
Phenanthrene	1.674	0.25	2.5	0	66.9	16	123				
Phenol	1.624	0.50	2.5	0	64.9	24	96.9				
Pyrene	1.659	0.25	2.5	0	66.4	26.3	99.1				
Pyridine	1.413	0.50	2.5	0	56.5	19.5	77.9				
Surr: 2,4,6-Tribromophenol	1.662	0	2.5	0	66.5	19.6	102				
Surr: 2-Fluorobiphenyl	1.478	0	2.5	0	59.1	17.2	94.5				
Surr: 2-Fluorophenol	1.446	0	2.5	0	57.9	14	83.2				
Surr: 4-Terphenyl-d14	0.9310	0	2.5	0	37.2	10	79.7				
Surr: Nitrobenzene-d5	1.620	0	2.5	0	64.8	19.5	94.4				
Surr: Phenol-d6	1.520	0	2.5	0	60.8	21.6	87.9				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MS** SampType: **MS** TestCode: **8270_S** Units: **mg/Kg** Prep Date: **8/2/2007** RunNo: **89715**
Client ID: **RE104-45'** Batch ID: **30118** TestNo: **SW8270C** Analysis Date: **8/3/2007** SeqNo: **1061704**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.630	0.25	2.5	0	65.2	28.5	83.7				
1,2-Dichlorobenzene	1.408	0.50	2.5	0	56.3	32.9	78.9				
1,2-Diphenylhydrazine (As Azobenzene)	1.790	0.25	2.5	0	71.6	33.3	87.2				
1,3-Dichlorobenzene	1.346	0.25	2.5	0	53.8	23	82				
1,4-Dichlorobenzene	1.371	0.25	2.5	0	54.8	26	81.2				
2,4,5-Trichlorophenol	1.556	0.25	2.5	0	62.3	39.8	90.4				
2,4,6-Trichlorophenol	1.502	0.25	2.5	0	60.1	41.6	91.4				
2,4-Dichlorophenol	1.720	0.25	2.5	0	68.8	39	87.4				
2,4-Dimethylphenol	1.506	0.25	2.5	0	60.2	13.1	93.9				
2,4-Dinitrophenol	<2.5	2.5	4.375	0	32.0	50	76.2				E4M7
2,4-Dinitrotoluene	1.600	0.25	2.5	0	64.0	31.2	96.2				
2,6-Dinitrotoluene	1.504	0.25	2.5	0	60.1	27.3	93.6				
2-Chloronaphthalene	1.556	0.25	2.5	0	62.3	32.8	85.7				
2-Chlorophenol	1.472	0.25	2.5	0	58.9	38.4	80.5				
2-Methylnaphthalene	1.709	0.50	2.5	0	68.4	30.4	87.4				
2-Methylphenol	1.450	0.25	2.5	0	58.0	34.8	83.6				
2-Nitroaniline	2.052	0.25	2.5	0	82.1	40.3	94.9				
2-Nitrophenol	1.904	0.25	2.5	0	76.2	20.8	119				
3 & 4-Methylphenol	1.610	0.25	2.5	0	64.4	39	99.9				
3,3'-Dichlorobenzidine	1.460	0.25	2.5	0	58.4	20.9	71.3				
3-Nitroaniline	1.570	0.25	2.5	0	62.8	38.2	85.9				
4,6-Dinitro-2-methylphenol	<2.5	2.5	4.375	0	47.0	50	104				E4M7
4-Bromophenyl phenyl ether	1.472	0.25	2.5	0	58.9	31.7	84				
4-Chloro-3-methylphenol	1.970	0.25	2.5	0	78.8	28.1	109				
4-Chloroaniline	1.694	0.25	2.5	0	67.8	34.4	73.7				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MS**	SampType: **MS**	TestCode: **8270_S**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID: **RE104-45'**	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061704**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.471	0.25	2.5	0	58.8	30.3	83.3				
4-Nitroaniline	1.738	0.25	2.5	0	69.5	40.8	85.4				
4-Nitrophenol	2.589	0.50	3.75	0	69.0	39	97.2				
Acenaphthene	1.620	0.25	2.5	0	64.8	34.3	90.6				
Acenaphthylene	1.539	0.25	2.5	0	61.6	35.6	87.5				
Anthracene	1.637	0.25	2.5	0	65.5	31.6	90.4				
Benz(a)anthracene	1.676	0.25	2.5	0	67.0	25.5	105				
Benzo(a)pyrene	1.728	0.25	2.5	0	69.1	34.1	87.9				
Benzo(b)fluoranthene	1.697	0.25	2.5	0	67.9	16	106				
Benzo(g,h,i)perylene	1.743	0.25	2.5	0	69.7	10	120				
Benzo(k)fluoranthene	1.722	0.25	2.5	0	68.9	10	122				
Benzoic acid	<1.0	1.0	5	0	0	20	84.2				M7
Benzyl alcohol	1.566	0.25	2.5	0	62.6	26.9	98				
Bis(2-chloroethoxy)methane	1.616	0.25	2.5	0	64.6	31.7	77				
Bis(2-chloroethyl)ether	1.400	0.25	2.5	0	56.0	33.6	73.3				
Bis(2-chloroisopropyl)ether	1.374	0.25	2.5	0	54.9	30.2	68.1				
Bis(2-ethylhexyl)phthalate	1.574	0.25	2.5	0	63.0	30.1	82.2				
Butyl benzyl phthalate	1.603	0.25	2.5	0	64.1	16.7	92.3				
Chrysene	1.699	0.25	2.5	0	68.0	35.3	92.4				
Dibenz(a,h)anthracene	1.769	0.25	2.5	0	70.7	10	117				
Dibenzofuran	1.678	0.25	2.5	0	67.1	30.5	96.6				
Diethyl phthalate	1.437	0.25	2.5	0	57.5	33.2	77.9				
Dimethyl phthalate	2.191	0.25	3.75	0	58.4	26.2	98.2				
Di-n-butyl phthalate	1.550	0.25	2.5	0	62.0	34.3	82.1				
Di-n-octyl phthalate	1.698	0.25	2.5	0	67.9	15.5	102				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MS**	SampType: **MS**	TestCode: **8270_S**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID: **RE104-45'**	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061704**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.678	0.25	2.5	0	67.1	22.9	104				
Fluorene	1.672	0.25	2.5	0	66.9	36.8	90.2				
Hexachlorobenzene	1.578	0.25	2.5	0	63.1	23	105				
Hexachlorobutadiene	1.618	0.25	2.5	0	64.7	26	85.9				
Hexachlorocyclopentadiene	1.059	0.50	2.5	0	42.4	20	98.7				
Hexachloroethane	1.332	0.50	2.5	0	53.3	25.1	79				
Indeno(1,2,3-cd)pyrene	1.750	0.25	2.5	0	70.0	22.5	102				
Isophorone	1.573	0.25	2.5	0	62.9	18.1	104				
Naphthalene	1.832	0.50	2.5	0	73.3	33.5	87.1				
Nitrobenzene	1.952	0.25	2.5	0	78.1	34.9	82.6				
N-Nitrosodi-n-propylamine	1.418	0.50	2.5	0	56.7	34.5	71.2				
N-Nitrosodiphenylamine	1.296	0.25	2.5	0	51.9	10	115				
Pentachlorophenol	2.130	0.50	3.75	0	56.8	38.3	104				
Phenanthrene	1.697	0.25	2.5	0	67.9	16	123				
Phenol	1.532	0.50	2.5	0	61.3	24	96.9				
Pyrene	1.747	0.25	2.5	0	69.9	26.3	99.1				
Pyridine	1.534	0.50	2.5	0	61.4	19.5	77.9				
Surr: 2,4,6-Tribromophenol	1.253	0	2.5	0	50.1	19.6	102				
Surr: 2-Fluorobiphenyl	1.208	0	2.5	0	48.3	17.2	94.5				
Surr: 2-Fluorophenol	1.210	0	2.5	0	48.4	14	83.2				
Surr: 4-Terphenyl-d14	1.054	0	2.5	0	42.2	10	79.7				
Surr: Nitrobenzene-d5	1.583	0	2.5	0	63.3	19.5	94.4				
Surr: Phenol-d6	1.431	0	2.5	0	57.2	21.6	87.9				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-04A MSD** SampType: **MSD** TestCode: **8270_s** Units: **mg/Kg** Prep Date: **7/31/2007** RunNo: **89581**
Client ID: **RE104-20'** Batch ID: **30077** TestNo: **SW8270C** Analysis Date: **7/31/2007** SeqNo: **1060513**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.581	0.25	2.5	0	63.2	28.5	83.7	1.654	4.48	35	
1,2-Dichlorobenzene	1.460	0.50	2.5	0	58.4	32.9	78.9	1.582	8.02	35	
1,2-Diphenylhydrazine (As Azobenzene)	1.431	0.25	2.5	0	57.2	33.3	87.2	1.575	9.58	35	
1,3-Dichlorobenzene	1.410	0.25	2.5	0	56.4	23	82	1.513	7.01	35	
1,4-Dichlorobenzene	1.416	0.25	2.5	0	56.6	26	81.2	1.530	7.74	35	
2,4,5-Trichlorophenol	1.536	0.25	2.5	0	61.4	39.8	90.4	1.592	3.58	35	
2,4,6-Trichlorophenol	1.580	0.25	2.5	0	63.2	41.6	91.4	1.641	3.79	35	
2,4-Dichlorophenol	1.614	0.25	2.5	0	64.6	39	87.4	1.730	6.97	35	
2,4-Dimethylphenol	1.534	0.25	2.5	0	61.4	13.1	93.9	1.621	5.45	35	
2,4-Dinitrophenol	1.088	0	4.375	0	24.9	50	76.2	0.6345	52.7	35	E4M7R9
2,4-Dinitrotoluene	1.596	0.25	2.5	0	63.8	31.2	96.2	1.668	4.41	35	
2,6-Dinitrotoluene	1.530	0.25	2.5	0	61.2	27.3	93.6	1.592	4.00	35	
2-Chloronaphthalene	1.472	0.25	2.5	0	58.9	32.8	85.7	1.508	2.48	35	
2-Chlorophenol	1.524	0.25	2.5	0	60.9	38.4	80.5	1.607	5.33	35	
2-Methylnaphthalene	1.612	0.50	2.5	0	64.5	30.4	87.4	1.691	4.75	35	
2-Methylphenol	1.530	0.25	2.5	0	61.2	34.8	83.6	1.564	2.20	35	
2-Nitroaniline	1.630	0.25	2.5	0	65.2	40.3	94.9	1.645	0.947	35	
2-Nitrophenol	1.662	0.25	2.5	0	66.5	20.8	119	1.759	5.70	35	
3 & 4-Methylphenol	1.566	0.25	2.5	0	62.7	39	99.9	1.620	3.36	35	
3,3'-Dichlorobenzidine	1.305	0.25	2.5	0	52.2	20.9	71.3	1.418	8.26	35	
3-Nitroaniline	1.583	0.25	2.5	0	63.3	38.2	85.9	1.613	1.88	35	
4,6-Dinitro-2-methylphenol	2.262	0	4.375	0	51.7	50	104	2.428	7.06	35	E4
4-Bromophenyl phenyl ether	1.380	0.25	2.5	0	55.2	31.7	84	1.460	5.70	35	
4-Chloro-3-methylphenol	1.810	0.25	2.5	0	72.4	28.1	109	1.922	5.98	35	
4-Chloroaniline	1.456	0.25	2.5	0	58.3	34.4	73.7	1.532	5.09	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-04A MSD** SampType: **MSD** TestCode: **8270_s** Units: **mg/Kg** Prep Date: **7/31/2007** RunNo: **89581**
Client ID: **RE104-20'** Batch ID: **30077** TestNo: **SW8270C** Analysis Date: **7/31/2007** SeqNo: **1060513**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.421	0.25	2.5	0	56.8	30.3	83.3	1.480	4.03	35	
4-Nitroaniline	1.704	0.25	2.5	0	68.1	40.8	85.4	1.652	3.07	35	
4-Nitrophenol	2.206	0.50	3.75	0	58.8	39	97.2	2.152	2.50	35	
Acenaphthene	1.526	0.25	2.5	0	61.0	34.3	90.6	1.598	4.67	35	
Acenaphthylene	1.504	0.25	2.5	0	60.2	35.6	87.5	1.577	4.71	35	
Anthracene	1.546	0.25	2.5	0	61.8	31.6	90.4	1.637	5.69	35	
Benz(a)anthracene	1.502	0.25	2.5	0	60.1	25.5	105	1.654	9.60	35	
Benzo(a)pyrene	1.501	0.25	2.5	0	60.0	34.1	87.9	1.634	8.45	35	
Benzo(b)fluoranthene	1.488	0.25	2.5	0	59.5	16	106	1.608	7.75	35	
Benzo(g,h,i)perylene	1.335	0.25	2.5	0	53.4	10	120	1.457	8.74	35	
Benzo(k)fluoranthene	1.522	0.25	2.5	0	60.9	10	122	1.691	10.6	35	
Benzoic acid	<1.0	1.0	5	0	0	20	84.2	0	0	35	M7
Benzyl alcohol	1.524	0.25	2.5	0	61.0	26.9	98	1.622	6.23	35	
Bis(2-chloroethoxy)methane	1.452	0.25	2.5	0	58.1	31.7	77	1.526	4.97	35	
Bis(2-chloroethyl)ether	1.441	0.25	2.5	0	57.6	33.6	73.3	1.514	4.94	35	
Bis(2-chloroisopropyl)ether	1.264	0.25	2.5	0	50.6	30.2	68.1	1.334	5.43	35	
Bis(2-ethylhexyl)phthalate	1.433	0.25	2.5	0	57.3	30.1	82.2	1.580	9.76	35	
Butyl benzyl phthalate	1.366	0.25	2.5	0	54.6	16.7	92.3	1.506	9.72	35	
Chrysene	1.523	0.25	2.5	0	60.9	35.3	92.4	1.663	8.79	35	
Dibenz(a,h)anthracene	1.348	0.25	2.5	0	53.9	10	117	1.505	11.0	35	
Dibenzofuran	1.559	0.25	2.5	0	62.4	30.5	96.6	1.631	4.51	35	
Diethyl phthalate	1.443	0.25	2.5	0	57.7	33.2	77.9	1.489	3.14	35	
Dimethyl phthalate	2.058	0.25	3.75	0	54.9	26.2	98.2	2.114	2.73	35	
Di-n-butyl phthalate	1.493	0.25	2.5	0	59.7	34.3	82.1	1.572	5.19	35	
Di-n-octyl phthalate	1.500	0.25	2.5	0	60.0	15.5	102	1.662	10.3	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-04A MSD**	SampType: **MSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **7/31/2007**	RunNo: **89581**
Client ID: **RE104-20'**	Batch ID: **30077**	TestNo: **SW8270C**		Analysis Date: **7/31/2007**	SeqNo: **1060513**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.661	0.25	2.5	0	66.4	22.9	104	1.750	5.25	35	
Fluorene	1.608	0.25	2.5	0	64.3	36.8	90.2	1.642	2.03	35	
Hexachlorobenzene	1.488	0.25	2.5	0	59.5	23	105	1.678	12.0	35	
Hexachlorobutadiene	1.559	0.25	2.5	0	62.4	26	85.9	1.694	8.27	35	
Hexachlorocyclopentadiene	0.9400	0.50	2.5	0	37.6	20	98.7	1.013	7.48	35	
Hexachloroethane	1.387	0.50	2.5	0	55.5	25.1	79	1.490	7.13	35	
Indeno(1,2,3-cd)pyrene	1.350	0.25	2.5	0	54.0	22.5	102	1.484	9.49	35	
Isophorone	1.378	0.25	2.5	0	55.1	18.1	104	1.498	8.35	35	
Naphthalene	1.654	0.50	2.5	0	66.1	33.5	87.1	1.768	6.66	35	
Nitrobenzene	1.538	0.25	2.5	0	61.5	34.9	82.6	1.646	6.78	35	
N-Nitrosodi-n-propylamine	1.286	0.50	2.5	0	51.5	34.5	71.2	1.434	10.8	35	
N-Nitrosodiphenylamine	1.202	0.25	2.5	0	48.1	10	115	1.350	11.6	35	
Pentachlorophenol	2.411	0.50	3.75	0	64.3	38.3	104	2.638	8.97	35	
Phenanthrene	1.603	0.25	2.5	0	64.1	16	123	1.674	4.33	35	
Phenol	1.544	0.50	2.5	0	61.8	24	96.9	1.624	5.02	35	
Pyrene	1.494	0.25	2.5	0	59.8	26.3	99.1	1.659	10.5	35	
Pyridine	1.326	0.50	2.5	0	53.0	19.5	77.9	1.413	6.35	35	
Surr: 2,4,6-Tribromophenol	1.574	0	2.5	0	62.9	19.6	102	1.662	0	0	
Surr: 2-Fluorobiphenyl	1.350	0	2.5	0	54.0	17.2	94.5	1.478	0	0	
Surr: 2-Fluorophenol	1.410	0	2.5	0	56.4	14	83.2	1.446	0	0	
Surr: *4-Terphenyl-d14*	*0.7855*	*0*	2.5	*0*	*31.4*	*10*	*79.7*	*0.9310*	*0*	*0*	
Surr: Nitrobenzene-d5	1.562	0	2.5	0	62.5	19.5	94.4	1.620	0	0	
Surr: Phenol-d6	1.479	0	2.5	0	59.2	21.6	87.9	1.520	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MSD** SampType: **MSD** TestCode: **8270_s** Units: **mg/Kg** Prep Date: **8/2/2007** RunNo: **89715**
Client ID: **RE104-45'** Batch ID: **30118** TestNo: **SW8270C** Analysis Date: **8/3/2007** SeqNo: **1061705**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.706	0.25	2.5	0	68.3	28.5	83.7	1.630	4.59	35	
1,2-Dichlorobenzene	1.426	0.50	2.5	0	57.1	32.9	78.9	1.408	1.34	35	
1,2-Diphenylhydrazine (As Azobenzene)	1.778	0.25	2.5	0	71.1	33.3	87.2	1.790	0.645	35	
1,3-Dichlorobenzene	1.394	0.25	2.5	0	55.8	23	82	1.346	3.58	35	
1,4-Dichlorobenzene	1.407	0.25	2.5	0	56.3	26	81.2	1.371	2.59	35	
2,4,5-Trichlorophenol	1.513	0.25	2.5	0	60.5	39.8	90.4	1.556	2.83	35	
2,4,6-Trichlorophenol	1.536	0.25	2.5	0	61.5	41.6	91.4	1.502	2.27	35	
2,4-Dichlorophenol	1.837	0.25	2.5	0	73.5	39	87.4	1.720	6.58	35	
2,4-Dimethylphenol	1.548	0.25	2.5	0	61.9	13.1	93.9	1.506	2.78	35	
2,4-Dinitrophenol	<2.5	2.5	4.375	0	30.9	50	76.2	1.400	3.34	35	E4M7
2,4-Dinitrotoluene	1.559	0.25	2.5	0	62.4	31.2	96.2	1.600	2.56	35	
2,6-Dinitrotoluene	1.424	0.25	2.5	0	57.0	27.3	93.6	1.504	5.43	35	
2-Chloronaphthalene	1.484	0.25	2.5	0	59.4	32.8	85.7	1.556	4.77	35	
2-Chlorophenol	1.575	0.25	2.5	0	63.0	38.4	80.5	1.472	6.79	35	
2-Methylnaphthalene	1.770	0.50	2.5	0	70.8	30.4	87.4	1.709	3.48	35	
2-Methylphenol	1.524	0.25	2.5	0	60.9	34.8	83.6	1.450	4.94	35	
2-Nitroaniline	2.070	0.25	2.5	0	82.8	40.3	94.9	2.052	0.849	35	
2-Nitrophenol	2.088	0.25	2.5	0	83.5	20.8	119	1.904	9.19	35	
3 & 4-Methylphenol	1.748	0.25	2.5	0	69.9	39	99.9	1.610	8.28	35	
3,3'-Dichlorobenzidine	1.414	0.25	2.5	0	56.6	20.9	71.3	1.460	3.20	35	
3-Nitroaniline	1.577	0.25	2.5	0	63.1	38.2	85.9	1.570	0.413	35	
4,6-Dinitro-2-methylphenol	<2.5	2.5	4.375	0	46.6	50	104	2.057	0.805	35	E4M7
4-Bromophenyl phenyl ether	1.412	0.25	2.5	0	56.5	31.7	84	1.472	4.19	35	
4-Chloro-3-methylphenol	2.002	0.25	2.5	0	80.1	28.1	109	1.970	1.64	35	
4-Chloroaniline	1.739	0.25	2.5	0	69.6	34.4	73.7	1.694	2.59	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MSD** SampType: **MSD** TestCode: **8270_s** Units: **mg/Kg** Prep Date: **8/2/2007** RunNo: **89715**
Client ID: **RE104-45'** Batch ID: **30118** TestNo: **SW8270C** Analysis Date: **8/3/2007** SeqNo: **1061705**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.428	0.25	2.5	0	57.1	30.3	83.3	1.471	2.93	35	
4-Nitroaniline	1.713	0.25	2.5	0	68.5	40.8	85.4	1.738	1.42	35	
4-Nitrophenol	2.454	0.50	3.75	0	65.4	39	97.2	2.589	5.35	35	
Acenaphthene	1.543	0.25	2.5	0	61.7	34.3	90.6	1.620	4.87	35	
Acenaphthylene	1.490	0.25	2.5	0	59.6	35.6	87.5	1.539	3.20	35	
Anthracene	1.588	0.25	2.5	0	63.5	31.6	90.4	1.637	3.04	35	
Benz(a)anthracene	1.602	0.25	2.5	0	64.1	25.5	105	1.676	4.52	35	
Benzo(a)pyrene	1.598	0.25	2.5	0	63.9	34.1	87.9	1.728	7.81	35	
Benzo(b)fluoranthene	1.650	0.25	2.5	0	66.0	16	106	1.697	2.78	35	
Benzo(g,h,i)perylene	1.622	0.25	2.5	0	64.9	10	120	1.743	7.16	35	
Benzo(k)fluoranthene	1.516	0.25	2.5	0	60.6	10	122	1.722	12.8	35	
Benzoic acid	<1.0	1.0	5	0	0	20	84.2	0	0	35	M7
Benzyl alcohol	1.700	0.25	2.5	0	68.0	26.9	98	1.566	8.27	35	
Bis(2-chloroethoxy)methane	1.675	0.25	2.5	0	67.0	31.7	77	1.616	3.62	35	
Bis(2-chloroethyl)ether	1.408	0.25	2.5	0	56.3	33.6	73.3	1.400	0.570	35	
Bis(2-chloroisopropyl)ether	1.402	0.25	2.5	0	56.1	30.2	68.1	1.374	2.02	35	
Bis(2-ethylhexyl)phthalate	1.478	0.25	2.5	0	59.1	30.1	82.2	1.574	6.26	35	
Butyl benzyl phthalate	1.479	0.25	2.5	0	59.2	16.7	92.3	1.603	8.05	35	
Chrysene	1.620	0.25	2.5	0	64.8	35.3	92.4	1.699	4.76	35	
Dibenz(a,h)anthracene	1.654	0.25	2.5	0	66.1	10	117	1.769	6.72	35	
Dibenzofuran	1.563	0.25	2.5	0	62.5	30.5	96.6	1.678	7.13	35	
Diethyl phthalate	1.364	0.25	2.5	0	54.6	33.2	77.9	1.437	5.21	35	
Dimethyl phthalate	1.974	0.25	3.75	0	52.6	26.2	98.2	2.191	10.4	35	
Di-n-butyl phthalate	1.486	0.25	2.5	0	59.4	34.3	82.1	1.550	4.22	35	
Di-n-octyl phthalate	1.558	0.25	2.5	0	62.3	15.5	102	1.698	8.60	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070754
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MSD**	SampType: **MSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID: **RE104-45'**	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061705**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.636	0.25	2.5	0	65.4	22.9	104	1.678	2.50	35	
Fluorene	1.564	0.25	2.5	0	62.6	36.8	90.2	1.672	6.61	35	
Hexachlorobenzene	1.542	0.25	2.5	0	61.7	23	105	1.578	2.28	35	
Hexachlorobutadiene	1.720	0.25	2.5	0	68.8	26	85.9	1.618	6.17	35	
Hexachlorocyclopentadiene	1.064	0.50	2.5	0	42.6	20	98.7	1.059	0.471	35	
Hexachloroethane	1.460	0.50	2.5	0	58.4	25.1	79	1.332	9.13	35	
Indeno(1,2,3-cd)pyrene	1.634	0.25	2.5	0	65.4	22.5	102	1.750	6.83	35	
Isophorone	1.648	0.25	2.5	0	65.9	18.1	104	1.573	4.66	35	
Naphthalene	1.935	0.50	2.5	0	77.4	33.5	87.1	1.832	5.44	35	
Nitrobenzene	2.018	0.25	2.5	0	80.7	34.9	82.6	1.952	3.30	35	
N-Nitrosodi-n-propylamine	1.502	0.50	2.5	0	60.1	34.5	71.2	1.418	5.68	35	
N-Nitrosodiphenylamine	1.242	0.25	2.5	0	49.7	10	115	1.296	4.25	35	
Pentachlorophenol	2.196	0.50	3.75	0	58.6	38.3	104	2.130	3.07	35	
Phenanthrene	1.676	0.25	2.5	0	67.0	16	123	1.697	1.28	35	
Phenol	1.613	0.50	2.5	0	64.5	24	96.9	1.532	5.15	35	
Pyrene	1.648	0.25	2.5	0	65.9	26.3	99.1	1.747	5.86	35	
Pyridine	1.540	0.50	2.5	0	61.6	19.5	77.9	1.534	0.423	35	
Surr: 2,4,6-Tribromophenol	1.235	0	2.5	0	49.4	19.6	102	1.253	0	0	
Surr: 2-Fluorobiphenyl	1.238	0	2.5	0	49.5	17.2	94.5	1.208	0	0	
Surr: 2-Fluorophenol	1.306	0	2.5	0	52.2	14	83.2	1.210	0	0	
Surr: 4-Terphenyl-d14	0.8870	0	2.5	0	35.5	10	79.7	1.054	0	0	
Surr: Nitrobenzene-d5	1.778	0	2.5	0	71.1	19.5	94.4	1.583	0	0	
Surr: Phenol-d6	1.423	0	2.5	0	56.9	21.6	87.9	1.431	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories Sample Receipt Checklist — Project Checked By: [illegible] 7/23/07

Laboratory Number: 07070754	Completed By/On: [illegible] 7/23/07
Client Name: Clear Creek	Date/Time Rec'd: 7/23/07 1106 By: PF
Matrix: Air Soil Aqueous Oil Sludge Solid WW DW	Carrier Name: Client

Temperature	Cooler #1 10.4 °C	Cooler #2 °C	Cooler #3 °C	Cooler #4 °C
Temp. Read With	Thermometer IR	Thermometer IR	Thermometer IR	Thermometer IR

(Client) or PM made aware of temp. out of range? (Yes) No Circle one: Blue Ice (Wet Ice) Not Present

	Yes	No*	Not Present
Shipping container/cooler in good condition?	X		
Custody seals intact on shipping container/cooler?			X
Custody seals intact on sample containers?			X
Chain of Custody present and relinquished/received properly?	X		
Chain of Custody agrees with sample labels?	X		
Samples in proper containers/bottles?	X		
Sample containers intact?	X		
All samples received within holding time?	X		**See Comments about Chlorine and pH
Is there sufficient sample volume to perform the tests?	X		
40mL vials for volatiles & SOCs received with zero headspace?			X

Soil Containers: Brass Sleeve X; Glass Jar ___; Methanol ___; Plastic Bag ___; Encore Samplers ___; Sterile Plastic ___

Total number of bottles received: 20 — IH sample media: —

If applicable, how many sample bottles were shipped from AEL-Tucson? N/A X

Number of containers received by preservative and by sample number: (If more than 10 samples are rec'd, please continue on separate sheet(s)).

Preservative	Simple***	1	2	3	4	5	6	7	8	9	10
A-General		2	2	2	2	2	2	2	2	2	2
B-HNO3											
C-H2SO4											
D-HCl											
E-Na2S2O3											
F-NaOH											
G-Sulfide											
H-Na Sulfite											
I-MCAA											
J-Methanol											
K-HAA											
L-Other											

*Any No response must be detailed in the comments section. Contact the PM immediately to determine how to proceed. Refer to SOP 11-001 and continue on back if additional space is needed.

**The holding time for pH and Total Residual Chlorine analysis is immediate. For the most accurate results, the pH and Total Residual Chlorine should be taken in the field within 15 minutes of sampling.

***The Simple box is only to be used when there is one bottle per preservative in equal sample sets.

Water-pH acceptable upon receipt? Yes No N/A X

Preservative & pH	pH of samples upon receipt	If pH requires adjustment, list sample number and reagent I.D. number.
Metals <2		
H_2SO_4 <2		
1664 <2		
Cyanide >12		
Sulfide >9		

Comments: ___

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

[X] Main Lab - 4645 E. Cotton Center Blvd., Building 3, Suite 189, Phoenix, AZ 85040 602.437.3340 - FAX 623.445.6192
[ ] North Phoenix - 1501 W. Knudsen, Phoenix, AZ 85027 623.780.4800 - FAX 623.445.6216
[ ] Tucson - 4455 S. Park Ave, Suite 110, Tucson, AZ 85714 520.807.3801 - FAX 520.807.3803
www.aeroenvirolabs.com or call toll-free 866.772.5227

Lab Number: 070707541

Customer Number:	**Page** 1 of 1
Customer: Clear Creek Associates	**Sampler:** Gene Mammini
Address: 6155 E Indian School Road Ste 200	**Project Name:** Bam's
City, State, Zip: Scottsdale AZ 85251	**Project Number:** 7.17.001
Contact: Tom Simon	**P.O. Number:** N/A
Phone: 480-649-3131 **Fax:** 480-649-3143	**Fax Results:** Y (N)
E-Mail Address: tsimon@clearcreekaz.com	**E-Mail Results:** (Y) N

Sample Type Codes: DW - Drinking Water; WW - Waste Water; HW - Hazardous Waste; A - Air; S - Soil; Other

Sample Receipt
Temperature 10.4 °C
Custody Seals: Yes ____ No X
Custody Seals Intact: Yes ____ No N/A
Total # of Containers: ____

Turn Around Request
____ 24 Hours ____ 48 Hours
____ 72 Hours
____ 5 Working Days
X Standard 10 Working Days
Subject to scheduling & availability (surcharges apply).

Sample Information

Lab #	Sample Identification	Date	Time	Type	8260	8270	RCRA Metals 7431 Metals 7470	# of sample Containers
1	RE104-05'	7/23	0726	So.	X	X	X	2
2	RE104-10'	7/23	0738	So.	X	X	X	2
3	RE104-15'	7/23	0748	So.	X	X	X	2
4	RE104-20'	7/23	0754	So.	X	X	X	2
5	RE104-30'	7/23	0805	So.	X	X	X	2
6	RE104-40'	7/23	0820	So.	X	X	X	2
7	RE104-45'	7/23	0828	So.	X	X	X	2
8	DE104-50'	7/23	0832	So.	X	X	X	2
9	RE104-60'	7/23	0848	So.	X	X	X	2
10	RE104-70'	7/23	0900	So.	X	X	X	2

Instructions / Special Requirements: Preserve Encore samples by EPA Method 5035.

Date:	Time:	Samples Relinquished By:	Received By:
7/23	1106		

Analysis performed is subject to the Terms & Conditions available at www.aeroenvirolabs.com or call 866.772.5227 to request a copy.

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Monday, August 06, 2007

Tom Suriano
Clear Creek Associates
6155 East Indian School Rd., Suite 200
Scottsdale, AZ 85251

TEL: (480) 659-7131
FAX (480) 659-7143

RE: Romic/212001

Order No.: 07070795

Dear Tom Suriano:

Aerotech Environmental Laboratories received 10 sample(s) on 7/24/2007 for the analyses presented in the following report.

This report includes the following information:
- Case Narrative.
- Analytical Report: includes test results, report limit (Limit), any applicable data qualifier (Qual), units, dilution factor (DF), and date analyzed.
- QC Summary Report.

This communication is intended only for the individual or entity to whom it is directed. It may contain information that is privileged, confidential, or otherwise exempt from disclosure under applicable law. Dissemination, distribution, or copying of this communication by anyone other than the intended recipient, or a duly designated employee or agent of such recipient, is prohibited. If you have received this communication in error, please notify us immediately and destroy this message and all attachments thereto. If you have any questions regarding these test results, please do not hesitate to call.

Sincerely,

Matt Hill
Project manager

Aerotech Environmental Laboratories

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Project: Romic/212001
Lab Order: 07070795

CASE NARRATIVE

Analyses included in this report were performed by Aerotech Environmental Laboratories (AEL), 4645 E. Cotton Center Boulevard, Building 3, Suite 189, Phoenix, AZ.

AEL is licensed through the State of Arizona (License No. AZ0610), and holds NELAC accreditation (OR100001) through the State of Oregon for the analytical techniques noted on the scope of accreditation.

AEL is also accredited by the American Industrial Hygiene Association (AIHA) in the industrial hygiene program for the analytical techniques noted on the scope of accreditation.

Samples were analyzed using methods outlined in references such as:
-Standard Methods for the Examination of Water and Wastewater, 20th Edition, 1998.
-40 CFR, Part 136, July 2006. Appendix A to Part 136 - Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater.
-Methods for the Chemical Analysis of Water and Wastes, EPA/600/4-79-020, Revised March 1983.
-Methods for the Determination of Organic Compounds in Drinking Water: Supplement III, August 1995, EPA/600/R-95/131.
-Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, EPA, 3rd Edition 1986, and Updates.
-Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, EPA, Second Edition, 1999.
-NIOSH Manual of Analytical Methods, Fourth Edition, 1994. NIOSH Method 7300 analyses are performed using a modified digestion procedure to eliminate the use of perchloric acid.

Analytical Comments:
All method blanks and laboratory control spikes met method and/or laboratory quality control objectives for the analyses included in this report.

Data Qualifiers:
Listed below are the data qualifiers used in your analytical report to explain any analytical or quality control issues. You will find them noted in your report under the column header "QUAL". Any quality control deficiencies that cannot be adequately described by these qualifiers will be addressed in the analytical comments section of this case narrative.

- E4 Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
- L1 The associated blank spike recovery was above laboratory acceptance limits.
- L2 The associated blank spike recovery was below laboratory acceptance limits.
- M3 The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.

CLIENT:	Clear Creek Associates
Project:	Romic/212001
Lab Order:	07070795

CASE NARRATIVE

M6 Matrix spike recovery was high. Data reported per ADEQ policy 0154.00.
M7 Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.
N1 See case narrative.
Q8 Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
R7 LCS/LCSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R9 Sample RPD exceeded the laboratory control limit.
V1 CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.

L2 - Method 8270
Benzoic acid was recovered below AEL historical limits in the LCS, but the LCSD met laboratory criteria. The sample is a field blank associated with soil samples. Benzoic acid was not detected in any of the associated soil samples. The LCS and associated sample were flagged with the L2 data qualifier.

N1 - Method 8260
RPD for MS/MSD was out due to the MSD having been spiked at 0.5ppm instead 1.25ppm. Calculations were performed base on the true values. The recoveries for both the MS and MSD were good. All LCS/LCSD RPD's were OK.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-05'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:00:00 AM
Lab ID:	07070795-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.099	0.099		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.099	0.099		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.099	0.099		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.50	0.50		mg/Kg	1	7/30/2007
Benzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromoform	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007
Carbon tetrachloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroform	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-05'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:00:00 AM
Lab ID:	07070795-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Dichlorodifluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.099	0.099		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.050	0.050		mg/Kg	1	7/30/2007
Methylene chloride	< 0.099	0.099		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
o-Xylene	< 0.050	0.050		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Styrene	< 0.050	0.050		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Toluene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	78.8	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	79.8	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	78.6	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L — Analytical Report

Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-10'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:14:00 AM
Lab ID:	07070795-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	6.8	1.0		mg/Kg	1	7/26/2007
Barium	19	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	4.7	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:07:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 1:07:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 1:07:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-10'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:14:00 AM
Lab ID:	07070795-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: CL
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 1:07:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:07:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:07:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:07:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 1:07:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-10'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:14:00 AM
Lab ID:	07070795-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	50.8	18.4-86.3		%REC	1	8/3/2007 1:07:00 PM
Surr: Phenol-d6	52.0	29.2-91.5		%REC	1	8/3/2007 1:07:00 PM
Surr: Nitrobenzene-d5	57.1	22.4-96.4		%REC	1	8/3/2007 1:07:00 PM
Surr: 2-Fluorobiphenyl	42.3	17-102		%REC	1	8/3/2007 1:07:00 PM
Surr: 2,4,6-Tribromophenol	54.7	27.1-94.2		%REC	1	8/3/2007 1:07:00 PM
Surr: 4-Terphenyl-d14	42.6	10-120		%REC	1	8/3/2007 1:07:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.10	0.10		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.10	0.10		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.050	0.050		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.10	0.10		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.25	0.25		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
2-Hexanone	< 0.25	0.25		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.050	0.050		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.25	0.25		mg/Kg	1	7/30/2007
Acetone	< 0.50	0.50		mg/Kg	1	7/30/2007
Benzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromoform	< 0.050	0.050		mg/Kg	1	7/30/2007
Bromomethane	< 0.25	0.25		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-10'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:14:00 AM
Lab ID:	07070795-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloroform	< 0.050	0.050		mg/Kg	1	7/30/2007
Chloromethane	< 0.25	0.25		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.10	0.10		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.050	0.050		mg/Kg	1	7/30/2007
Methylene chloride	< 0.10	0.10		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
o-Xylene	< 0.050	0.050		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Styrene	< 0.050	0.050		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.050	0.050		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Toluene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichloroethene	< 0.050	0.050		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.050	0.050		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.050	0.050		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	81.2	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	84.9	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	81.7	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L — Analytical Report — Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-15'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:23:00 AM
Lab ID:	07070795-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	25	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	9.4	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:28:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 1:28:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 1:28:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-15'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:23:00 AM
Lab ID:	07070795-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 1:28:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:28:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:28:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:28:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 1:28:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-15'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:23:00 AM
Lab ID:	07070795-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	57.7	18.4-86.3		%REC	1	8/3/2007 1:28:00 PM
Surr: Phenol-d6	56.1	29.2-91.5		%REC	1	8/3/2007 1:28:00 PM
Surr: Nitrobenzene-d5	59.3	22.4-96.4		%REC	1	8/3/2007 1:28:00 PM
Surr: 2-Fluorobiphenyl	40.9	17-102		%REC	1	8/3/2007 1:28:00 PM
Surr: 2,4,6-Tribromophenol	51.8	27.1-94.2		%REC	1	8/3/2007 1:28:00 PM
Surr: 4-Terphenyl-d14	42.0	10-120		%REC	1	8/3/2007 1:28:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-15'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:23:00 AM
Lab ID:	07070795-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.098	0.098		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.098	0.098		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	78.1	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	82.9	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	79.3	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-20'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:34:00 AM
Lab ID:	07070795-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	6.2	1.0		mg/Kg	1	7/26/2007
Barium	140	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	20	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:49:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 1:49:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 1:49:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-20'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:34:00 AM
Lab ID:	07070795-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 1:49:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:49:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 1:49:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 1:49:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 1:49:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-20'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:34:00 AM
Lab ID:	07070795-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	53.1	18.4-86.3		%REC	1	8/3/2007 1:49:00 PM
Surr: Phenol-d6	55.6	29.2-91.5		%REC	1	8/3/2007 1:49:00 PM
Surr: Nitrobenzene-d5	64.5	22.4-96.4		%REC	1	8/3/2007 1:49:00 PM
Surr: 2-Fluorobiphenyl	46.8	17-102		%REC	1	8/3/2007 1:49:00 PM
Surr: 2,4,6-Tribromophenol	56.8	27.1-94.2		%REC	1	8/3/2007 1:49:00 PM
Surr: 4-Terphenyl-d14	43.4	10-120		%REC	1	8/3/2007 1:49:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.098	0.098		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/30/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-20'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:34:00 AM
Lab ID:	07070795-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: JZ
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.098	0.098		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/30/2007
Methylene chloride	< 0.098	0.098		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	73.3	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	68.7	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	66.6	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-30'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:44:00 AM
Lab ID:	07070795-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2,2-Tetrachloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1,2-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,1-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2,3-Trichlorobenzene	< 0.096	0.096		mg/Kg	1	7/30/2007
1,2,3-Trichloropropane	< 0.096	0.096		mg/Kg	1	7/30/2007
1,2,4-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dibromoethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,2-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3,5-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
1,3-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/30/2007
1,4-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
2,2-Dichloropropane	< 0.096	0.096		mg/Kg	1	7/30/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/30/2007
2-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/30/2007
4-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Isopropyltoluene	< 0.048	0.048		mg/Kg	1	7/30/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/30/2007
Acetone	< 0.48	0.48		mg/Kg	1	7/30/2007
Benzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromodichloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromoform	< 0.048	0.048		mg/Kg	1	7/30/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/30/2007
Carbon tetrachloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Chlorobenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloroform	< 0.048	0.048		mg/Kg	1	7/30/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/30/2007
cis-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
cis-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Dibromochloromethane	< 0.048	0.048		mg/Kg	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-30'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:44:00 AM
Lab ID:	07070795-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: JZ
Dichlorodifluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Ethylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
m,p-Xylene	< 0.096	0.096		mg/Kg	1	7/30/2007
Methyl tert-butyl ether	< 0.048	0.048		mg/Kg	1	7/30/2007
Methylene chloride	< 0.096	0.096		mg/Kg	1	7/30/2007
n-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
n-Propylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
o-Xylene	< 0.048	0.048		mg/Kg	1	7/30/2007
sec-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Styrene	< 0.048	0.048		mg/Kg	1	7/30/2007
tert-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/30/2007
Tetrachloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Toluene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
trans-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichloroethene	< 0.048	0.048		mg/Kg	1	7/30/2007
Trichlorofluoromethane	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl acetate	< 0.048	0.048		mg/Kg	1	7/30/2007
Vinyl chloride	< 0.048	0.048		mg/Kg	1	7/30/2007
Surr: 4-Bromofluorobenzene	90.1	55.4-129		%REC	1	7/30/2007
Surr: Dibromofluoromethane	87.3	60.2-137		%REC	1	7/30/2007
Surr: Toluene-d8	85.5	60-139		%REC	1	7/30/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-40'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:56:00 AM
Lab ID:	07070795-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	49	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	26	0.20		mg/Kg	1	7/26/2007
Lead	6.0	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:09:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 2:09:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 2:09:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-40'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:56:00 AM
Lab ID:	07070795-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 2:09:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:09:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:09:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:09:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 2:09:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-40'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:56:00 AM
Lab ID:	07070795-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	43.6	18.4-86.3		%REC	1	8/3/2007 2:09:00 PM
Surr: Phenol-d6	48.9	29.2-91.5		%REC	1	8/3/2007 2:09:00 PM
Surr: Nitrobenzene-d5	52.7	22.4-96.4		%REC	1	8/3/2007 2:09:00 PM
Surr: 2-Fluorobiphenyl	40.3	17-102		%REC	1	8/3/2007 2:09:00 PM
Surr: 2,4,6-Tribromophenol	40.6	27.1-94.2		%REC	1	8/3/2007 2:09:00 PM
Surr: 4-Terphenyl-d14	39.7	10-120		%REC	1	8/3/2007 2:09:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2,3-Trichlorobenzene	< 0.097	0.097		mg/Kg	1	7/31/2007
1,2,3-Trichloropropane	< 0.097	0.097		mg/Kg	1	7/31/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dichloroethane	< 0.049	0.049	V1	mg/Kg	1	7/31/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
2,2-Dichloropropane	< 0.097	0.097		mg/Kg	1	7/31/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/31/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/31/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/31/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/31/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/31/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/31/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/31/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-40'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 7:56:00 AM
Lab ID:	07070795-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/31/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/31/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/31/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/31/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
m,p-Xylene	< 0.097	0.097		mg/Kg	1	7/31/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/31/2007
Methylene chloride	< 0.097	0.097		mg/Kg	1	7/31/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/31/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/31/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/31/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/31/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/31/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/31/2007
Surr: 4-Bromofluorobenzene	74.3	55.4-129		%REC	1	7/31/2007
Surr: Dibromofluoromethane	78.3	60.2-137		%REC	1	7/31/2007
Surr: Toluene-d8	74.7	60-139		%REC	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-45'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:02:00 AM
Lab ID:	07070795-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	32	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	18	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:30:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 2:30:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 2:30:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-45'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:02:00 AM
Lab ID:	07070795-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 2:30:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:30:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:30:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:30:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 2:30:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-45'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:02:00 AM
Lab ID:	07070795-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	37.4	18.4-86.3		%REC	1	8/3/2007 2:30:00 PM
Surr: Phenol-d6	37.4	29.2-91.5		%REC	1	8/3/2007 2:30:00 PM
Surr: Nitrobenzene-d5	42.9	22.4-96.4		%REC	1	8/3/2007 2:30:00 PM
Surr: 2-Fluorobiphenyl	30.6	17-102		%REC	1	8/3/2007 2:30:00 PM
Surr: 2,4,6-Tribromophenol	37.5	27.1-94.2		%REC	1	8/3/2007 2:30:00 PM
Surr: 4-Terphenyl-d14	29.2	10-120		%REC	1	8/3/2007 2:30:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1,2,2-Tetrachloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1,2-Trichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,1-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2,3-Trichlorobenzene	< 0.097	0.097		mg/Kg	1	7/31/2007
1,2,3-Trichloropropane	< 0.097	0.097		mg/Kg	1	7/31/2007
1,2,4-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dibromoethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dichloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,2-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,3,5-Trimethylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,3-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
1,3-Dichloropropane	< 0.049	0.049		mg/Kg	1	7/31/2007
1,4-Dichlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
2,2-Dichloropropane	< 0.097	0.097		mg/Kg	1	7/31/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/31/2007
2-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/31/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/31/2007
4-Chlorotoluene	< 0.049	0.049		mg/Kg	1	7/31/2007
4-Isopropyltoluene	< 0.049	0.049		mg/Kg	1	7/31/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/31/2007
Acetone	< 0.49	0.49		mg/Kg	1	7/31/2007
Benzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromochloromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromodichloromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromoform	< 0.049	0.049		mg/Kg	1	7/31/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-45'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:02:00 AM
Lab ID:	07070795-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.049	0.049		mg/Kg	1	7/31/2007
Chlorobenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Chloroethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Chloroform	< 0.049	0.049		mg/Kg	1	7/31/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/31/2007
cis-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
cis-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/31/2007
Dibromochloromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Dichlorodifluoromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Ethylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
m,p-Xylene	< 0.097	0.097		mg/Kg	1	7/31/2007
Methyl tert-butyl ether	< 0.049	0.049		mg/Kg	1	7/31/2007
Methylene chloride	< 0.097	0.097		mg/Kg	1	7/31/2007
n-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
n-Propylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
o-Xylene	< 0.049	0.049		mg/Kg	1	7/31/2007
sec-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Styrene	< 0.049	0.049		mg/Kg	1	7/31/2007
tert-Butylbenzene	< 0.049	0.049		mg/Kg	1	7/31/2007
Tetrachloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
Toluene	< 0.049	0.049		mg/Kg	1	7/31/2007
trans-1,2-Dichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
trans-1,3-Dichloropropene	< 0.049	0.049		mg/Kg	1	7/31/2007
Trichloroethene	< 0.049	0.049		mg/Kg	1	7/31/2007
Trichlorofluoromethane	< 0.049	0.049		mg/Kg	1	7/31/2007
Vinyl acetate	< 0.049	0.049		mg/Kg	1	7/31/2007
Vinyl chloride	< 0.049	0.049		mg/Kg	1	7/31/2007
Surr: 4-Bromofluorobenzene	69.3	55.4-129		%REC	1	7/31/2007
Surr: Dibromofluoromethane	71.4	60.2-137		%REC	1	7/31/2007
Surr: Toluene-d8	70.7	60-139		%REC	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-50'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:10:00 AM
Lab ID:	07070795-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 1.0	1.0		mg/Kg	1	7/26/2007
Barium	22	0.10		mg/Kg	1	7/26/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/26/2007
Chromium	16	0.20		mg/Kg	1	7/26/2007
Lead	< 0.50	0.50		mg/Kg	1	7/26/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/26/2007
Silver	< 0.30	0.30		mg/Kg	1	7/26/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:51:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 2:51:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 2:51:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-50'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:10:00 AM
Lab ID:	07070795-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 2:51:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:51:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 2:51:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 2:51:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 2:51:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-50'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:10:00 AM
Lab ID:	07070795-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	51.2	18.4-86.3		%REC	1	8/3/2007 2:51:00 PM
Surr: Phenol-d6	49.2	29.2-91.5		%REC	1	8/3/2007 2:51:00 PM
Surr: Nitrobenzene-d5	57.8	22.4-96.4		%REC	1	8/3/2007 2:51:00 PM
Surr: 2-Fluorobiphenyl	41.3	17-102		%REC	1	8/3/2007 2:51:00 PM
Surr: 2,4,6-Tribromophenol	47.3	27.1-94.2		%REC	1	8/3/2007 2:51:00 PM
Surr: 4-Terphenyl-d14	32.2	10-120		%REC	1	8/3/2007 2:51:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,1,2,2-Tetrachloroethane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,1,2-Trichloroethane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,1-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,1-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/31/2007
1,1-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/31/2007
1,2,3-Trichlorobenzene	< 0.096	0.096		mg/Kg	1	7/31/2007
1,2,3-Trichloropropane	< 0.096	0.096		mg/Kg	1	7/31/2007
1,2,4-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
1,2-Dibromoethane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,2-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
1,2-Dichloroethane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,2-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,3,5-Trimethylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
1,3-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
1,3-Dichloropropane	< 0.048	0.048		mg/Kg	1	7/31/2007
1,4-Dichlorobenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
2,2-Dichloropropane	< 0.096	0.096		mg/Kg	1	7/31/2007
2-Butanone (MEK)	< 0.24	0.24		mg/Kg	1	7/31/2007
2-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/31/2007
2-Hexanone	< 0.24	0.24		mg/Kg	1	7/31/2007
4-Chlorotoluene	< 0.048	0.048		mg/Kg	1	7/31/2007
4-Isopropyltoluene	< 0.048	0.048		mg/Kg	1	7/31/2007
4-Methyl-2-pentanone	< 0.24	0.24		mg/Kg	1	7/31/2007
Acetone	< 0.48	0.48		mg/Kg	1	7/31/2007
Benzene	< 0.048	0.048		mg/Kg	1	7/31/2007
Bromobenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
Bromochloromethane	< 0.048	0.048		mg/Kg	1	7/31/2007
Bromodichloromethane	< 0.048	0.048		mg/Kg	1	7/31/2007
Bromoform	< 0.048	0.048		mg/Kg	1	7/31/2007
Bromomethane	< 0.24	0.24		mg/Kg	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-50'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:10:00 AM
Lab ID:	07070795-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.048	0.048		mg/Kg	1	7/31/2007
Chlorobenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
Chloroethane	< 0.048	0.048		mg/Kg	1	7/31/2007
Chloroform	< 0.048	0.048		mg/Kg	1	7/31/2007
Chloromethane	< 0.24	0.24		mg/Kg	1	7/31/2007
cis-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/31/2007
cis-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/31/2007
Dibromochloromethane	< 0.048	0.048		mg/Kg	1	7/31/2007
Dichlorodifluoromethane	< 0.048	0.048		mg/Kg	1	7/31/2007
Ethylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
m,p-Xylene	< 0.096	0.096		mg/Kg	1	7/31/2007
Methyl tert-butyl ether	< 0.048	0.048		mg/Kg	1	7/31/2007
Methylene chloride	< 0.096	0.096		mg/Kg	1	7/31/2007
n-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
n-Propylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
o-Xylene	< 0.048	0.048		mg/Kg	1	7/31/2007
sec-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
Styrene	< 0.048	0.048		mg/Kg	1	7/31/2007
tert-Butylbenzene	< 0.048	0.048		mg/Kg	1	7/31/2007
Tetrachloroethene	< 0.048	0.048		mg/Kg	1	7/31/2007
Toluene	< 0.048	0.048		mg/Kg	1	7/31/2007
trans-1,2-Dichloroethene	< 0.048	0.048		mg/Kg	1	7/31/2007
trans-1,3-Dichloropropene	< 0.048	0.048		mg/Kg	1	7/31/2007
Trichloroethene	< 0.048	0.048		mg/Kg	1	7/31/2007
Trichlorofluoromethane	< 0.048	0.048		mg/Kg	1	7/31/2007
Vinyl acetate	< 0.048	0.048		mg/Kg	1	7/31/2007
Vinyl chloride	< 0.048	0.048		mg/Kg	1	7/31/2007
Surr: 4-Bromofluorobenzene	92.4	55.4-129		%REC	1	7/31/2007
Surr: Dibromofluoromethane	91.1	60.2-137		%REC	1	7/31/2007
Surr: Toluene-d8	90.3	60-139		%REC	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:20:00 AM
Lab ID:	07070795-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **RF**
Arsenic	6.8	1.0		mg/Kg	1	7/30/2007
Barium	94	0.10		mg/Kg	1	7/30/2007
Cadmium	< 0.10	0.10		mg/Kg	1	7/30/2007
Chromium	15	0.20		mg/Kg	1	7/30/2007
Lead	6.6	0.50		mg/Kg	1	7/30/2007
Selenium	< 2.0	2.0		mg/Kg	1	7/30/2007
Silver	< 0.30	0.30		mg/Kg	1	7/30/2007
MERCURY, TOTAL		**SW7471A**				Analyst: **PC**
Mercury	< 0.10	0.10		mg/Kg	1	7/27/2007
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
1,2-Dichlorobenzene	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
1,3-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
1,4-Dichlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2,4,5-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2,4,6-Trichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2,4-Dichlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2,4-Dimethylphenol	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 3:12:00 PM
2,4-Dinitrophenol	< 2.5	2.5		mg/Kg	1	8/3/2007 3:12:00 PM
2,4-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2,6-Dinitrotoluene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2-Chloronaphthalene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2-Chlorophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2-Methylnaphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
2-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
2-Nitrophenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
3 & 4-Methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
3,3'-Dichlorobenzidine	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
3-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
4,6-Dinitro-2-methylphenol	< 2.5	2.5		mg/Kg	1	8/3/2007 3:12:00 PM
4-Bromophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
4-Chloro-3-methylphenol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
4-Chloroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
4-Chlorophenyl phenyl ether	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
4-Nitroaniline	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
4-Nitrophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:20:00 AM
Lab ID:	07070795-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Acenaphthene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Acenaphthylene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Benz(a)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Benzo(a)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Benzo(b)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Benzo(g,h,i)perylene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Benzo(k)fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Benzoic acid	< 1.0	1.0		mg/Kg	1	8/3/2007 3:12:00 PM
Benzyl alcohol	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Bis(2-chloroethoxy)methane	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 3:12:00 PM
Bis(2-chloroethyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Bis(2-chloroisopropyl)ether	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Bis(2-ethylhexyl)phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Butyl benzyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Chrysene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Dibenz(a,h)anthracene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Dibenzofuran	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Diethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Dimethyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Di-n-butyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Di-n-octyl phthalate	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Fluoranthene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Fluorene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Hexachlorobenzene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Hexachlorobutadiene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Hexachlorocyclopentadiene	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
Hexachloroethane	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
Indeno(1,2,3-cd)pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Isophorone	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Naphthalene	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
Nitrobenzene	< 0.25	0.25	L1	mg/Kg	1	8/3/2007 3:12:00 PM
N-Nitrosodi-n-propylamine	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
N-Nitrosodiphenylamine	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Pentachlorophenol	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
Phenanthrene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Phenol	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM
Pyrene	< 0.25	0.25		mg/Kg	1	8/3/2007 3:12:00 PM
Pyridine	< 0.50	0.50		mg/Kg	1	8/3/2007 3:12:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:20:00 AM
Lab ID:	07070795-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Surr: 2-Fluorophenol	43.6	18.4-86.3		%REC	1	8/3/2007 3:12:00 PM
Surr: Phenol-d6	44.5	29.2-91.5		%REC	1	8/3/2007 3:12:00 PM
Surr: Nitrobenzene-d5	58.2	22.4-96.4		%REC	1	8/3/2007 3:12:00 PM
Surr: 2-Fluorobiphenyl	43.6	17-102		%REC	1	8/3/2007 3:12:00 PM
Surr: 2,4,6-Tribromophenol	40.8	27.1-94.2		%REC	1	8/3/2007 3:12:00 PM
Surr: 4-Terphenyl-d14	33.8	10-120		%REC	1	8/3/2007 3:12:00 PM
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
1,1,1-Trichloroethane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,1,2,2-Tetrachloroethane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,1,2-Trichloroethane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,1-Dichloroethane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,1-Dichloroethene	< 0.044	0.044		mg/Kg	1	7/31/2007
1,1-Dichloropropene	< 0.044	0.044		mg/Kg	1	7/31/2007
1,2,3-Trichlorobenzene	< 0.088	0.088		mg/Kg	1	7/31/2007
1,2,3-Trichloropropane	< 0.088	0.088		mg/Kg	1	7/31/2007
1,2,4-Trimethylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
1,2-Dibromoethane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,2-Dichlorobenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
1,2-Dichloroethane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,2-Dichloropropane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,3,5-Trimethylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
1,3-Dichlorobenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
1,3-Dichloropropane	< 0.044	0.044		mg/Kg	1	7/31/2007
1,4-Dichlorobenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
2,2-Dichloropropane	< 0.088	0.088		mg/Kg	1	7/31/2007
2-Butanone (MEK)	< 0.22	0.22		mg/Kg	1	7/31/2007
2-Chlorotoluene	< 0.044	0.044		mg/Kg	1	7/31/2007
2-Hexanone	< 0.22	0.22		mg/Kg	1	7/31/2007
4-Chlorotoluene	< 0.044	0.044		mg/Kg	1	7/31/2007
4-Isopropyltoluene	< 0.044	0.044		mg/Kg	1	7/31/2007
4-Methyl-2-pentanone	< 0.22	0.22		mg/Kg	1	7/31/2007
Acetone	< 0.44	0.44		mg/Kg	1	7/31/2007
Benzene	< 0.044	0.044		mg/Kg	1	7/31/2007
Bromobenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
Bromochloromethane	< 0.044	0.044		mg/Kg	1	7/31/2007
Bromodichloromethane	< 0.044	0.044		mg/Kg	1	7/31/2007
Bromoform	< 0.044	0.044		mg/Kg	1	7/31/2007
Bromomethane	< 0.22	0.22		mg/Kg	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L — Analytical Report — Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:20:00 AM
Lab ID:	07070795-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **JZ**
Carbon tetrachloride	< 0.044	0.044		mg/Kg	1	7/31/2007
Chlorobenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
Chloroethane	< 0.044	0.044		mg/Kg	1	7/31/2007
Chloroform	< 0.044	0.044		mg/Kg	1	7/31/2007
Chloromethane	< 0.22	0.22		mg/Kg	1	7/31/2007
cis-1,2-Dichloroethene	< 0.044	0.044		mg/Kg	1	7/31/2007
cis-1,3-Dichloropropene	< 0.044	0.044		mg/Kg	1	7/31/2007
Dibromochloromethane	< 0.044	0.044		mg/Kg	1	7/31/2007
Dichlorodifluoromethane	< 0.044	0.044		mg/Kg	1	7/31/2007
Ethylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
m,p-Xylene	< 0.088	0.088		mg/Kg	1	7/31/2007
Methyl tert-butyl ether	< 0.044	0.044		mg/Kg	1	7/31/2007
Methylene chloride	< 0.088	0.088		mg/Kg	1	7/31/2007
n-Butylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
n-Propylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
o-Xylene	< 0.044	0.044		mg/Kg	1	7/31/2007
sec-Butylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
Styrene	< 0.044	0.044		mg/Kg	1	7/31/2007
tert-Butylbenzene	< 0.044	0.044		mg/Kg	1	7/31/2007
Tetrachloroethene	< 0.044	0.044		mg/Kg	1	7/31/2007
Toluene	< 0.044	0.044		mg/Kg	1	7/31/2007
trans-1,2-Dichloroethene	< 0.044	0.044		mg/Kg	1	7/31/2007
trans-1,3-Dichloropropene	< 0.044	0.044		mg/Kg	1	7/31/2007
Trichloroethene	< 0.044	0.044		mg/Kg	1	7/31/2007
Trichlorofluoromethane	< 0.044	0.044		mg/Kg	1	7/31/2007
Vinyl acetate	< 0.044	0.044		mg/Kg	1	7/31/2007
Vinyl chloride	< 0.044	0.044		mg/Kg	1	7/31/2007
Surr: 4-Bromofluorobenzene	62.9	55.4-129		%REC	1	7/31/2007
Surr: Dibromofluoromethane	65.9	60.2-137		%REC	1	7/31/2007
Surr: Toluene-d8	61.9	60-139		%REC	1	7/31/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60TB
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:44:00 AM
Lab ID:	07070795-10A	**Matrix:**	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	7/25/2007 4:09:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	7/25/2007 4:09:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	7/25/2007 4:09:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2-Chlorophenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2-Methylphenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2-Nitroaniline	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
2-Nitrophenol	< 15	15		µg/L	1	7/25/2007 4:09:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
3-Nitroaniline	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	7/25/2007 4:09:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
4-Chloroaniline	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
4-Nitroaniline	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
4-Nitrophenol	< 25	25		µg/L	1	7/25/2007 4:09:00 PM
Acenaphthene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Acenaphthylene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Anthracene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	7/25/2007 4:09:00 PM
Benzyl alcohol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	7/25/2007 4:09:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental L Analytical Report Date: *06-Aug-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'FB
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:44:00 AM
Lab ID:	07070795-10A	**Matrix:**	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	7/25/2007 4:09:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Chrysene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Dibenzofuran	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Diethyl phthalate	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Dimethyl phthalate	< 20	20		µg/L	1	7/25/2007 4:09:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Fluoranthene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Fluorene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Hexachloroethane	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Isophorone	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Naphthalene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Nitrobenzene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Pentachlorophenol	< 50	50		µg/L	1	7/25/2007 4:09:00 PM
Phenanthrene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Phenol	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Pyrene	< 10	10		µg/L	1	7/25/2007 4:09:00 PM
Surr: 2,4,6-Tribromophenol	63.3	27.6-111		%REC	1	7/25/2007 4:09:00 PM
Surr: 2-Fluorobiphenyl	63.2	40.4-91		%REC	1	7/25/2007 4:09:00 PM
Surr: 2-Fluorophenol	32.5	24.4-69.3		%REC	1	7/25/2007 4:09:00 PM
Surr: 4-Terphenyl-d14	20.8	16.1-92.3		%REC	1	7/25/2007 4:09:00 PM
Surr: Nitrobenzene-d5	71.1	49.3-92.1		%REC	1	7/25/2007 4:09:00 PM
Surr: Phenol-d6	21.9	19.1-50.6		%REC	1	7/25/2007 4:09:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'FB
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:44:00 AM
Lab ID:	07070795-10B	**Matrix:**	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Arsenic	< 0.10	0.10		mg/L	1	7/25/2007
Barium	< 0.010	0.010		mg/L	1	7/25/2007
Cadmium	< 0.0010	0.0010		mg/L	1	7/25/2007
Chromium	< 0.010	0.010		mg/L	1	7/25/2007
Lead	< 0.015	0.015		mg/L	1	7/25/2007
Selenium	< 0.10	0.10		mg/L	1	7/25/2007
Silver	< 0.010	0.010		mg/L	1	7/25/2007
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/1/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'FB
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:44:00 AM
Lab ID:	07070795-10D	**Matrix:**	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	7/26/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	7/26/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	7/26/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	7/26/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	7/26/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	7/26/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	7/26/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	7/26/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	7/26/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	7/26/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	7/26/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	7/26/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	7/26/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	7/26/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	7/26/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	7/26/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	7/26/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	7/26/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	7/26/2007
2-Hexanone	< 5.0	5.0		µg/L	1	7/26/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	7/26/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	7/26/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	7/26/2007
Acetone	< 20	20		µg/L	1	7/26/2007
Benzene	< 1.0	1.0		µg/L	1	7/26/2007
Bromobenzene	< 1.0	1.0		µg/L	1	7/26/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	7/26/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	7/26/2007
Bromoform	< 1.0	1.0		µg/L	1	7/26/2007
Bromomethane	< 2.0	2.0		µg/L	1	7/26/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	7/26/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	7/26/2007
Chloroethane	< 1.0	1.0		µg/L	1	7/26/2007
Chloroform	< 1.0	1.0		µg/L	1	7/26/2007
Chloromethane	< 5.0	5.0		µg/L	1	7/26/2007
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	7/26/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	7/26/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE107-60'FB
Lab Order:	07070795	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	7/24/2007 8:44:00 AM
Lab ID:	07070795-10D	**Matrix:**	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
Dibromochloromethane	< 1.0	1.0		µg/L	1	7/26/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	7/26/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	7/26/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	7/26/2007
Methylene chloride	< 2.0	2.0		µg/L	1	7/26/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
o-Xylene	< 1.0	1.0		µg/L	1	7/26/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
Styrene	< 1.0	1.0		µg/L	1	7/26/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	7/26/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	7/26/2007
Toluene	< 1.0	1.0		µg/L	1	7/26/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	7/26/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	7/26/2007
Trichloroethene	< 1.0	1.0		µg/L	1	7/26/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	7/26/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	7/26/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	7/26/2007
Surr: 4-Bromofluorobenzene	93.3	63.3-123		%REC	1	7/26/2007
Surr: Dibromofluoromethane	107	62.8-120		%REC	1	7/26/2007
Surr: Toluene-d8	93.0	60-122		%REC	1	7/26/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

06-Aug-07

Lab Order: 07070795
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07070795-01A	RE107-05'	7/24/2007 7:00:00 AM	Soil	VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070795-02A	RE107-10'	7/24/2007 7:14:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 1:07:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070795-03A	RE107-15'	7/24/2007 7:23:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 1:28:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070795-04A	RE107-20'	7/24/2007 7:34:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 1:49:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070795-05A	RE107-30'	7/24/2007 7:44:00 AM		VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/30/2007
07070795-06A	RE107-40'	7/24/2007 7:56:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 2:09:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/31/2007
07070795-07A	RE107-45'	7/24/2007 8:02:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 2:30:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/31/2007
07070795-08A	RE107-50'	7/24/2007 8:10:00 AM		ICP METALS		7/26/2007 7:00:00 AM	7/26/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 2:51:00 PM

Lab Order: 07070795
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07070795-08A	RE107-50'	7/24/2007 8:10:00 AM	Soil	VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/31/2007
07070795-09A	RE107-60'	7/24/2007 8:20:00 AM		ICP METALS		7/27/2007 5:56:16 PM	7/30/2007
				MERCURY, Total		7/26/2007 2:00:00 PM	7/27/2007
				SEMIVOLATILE ORGANICS		8/2/2007 5:50:00 PM	8/3/2007 3:12:00 PM
				VOLATILES by GC/MS		7/24/2007 2:00:00 PM	7/31/2007
07070795-10A	RE107-60'FB	7/24/2007 8:44:00 AM	Water	SEMIVOLATILE ORGANICS		7/25/2007 8:15:00 AM	7/25/2007 4:09:00 PM
07070795-10B				ICP METALS		7/24/2007 3:39:28 PM	7/25/2007
				MERCURY, Total		8/1/2007 12:00:00 PM	8/1/2007
07070795-10D				VOLATILES by GC/MS			7/26/2007

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **MB-30034**	SampType: **MBLK**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058523**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	<5.0	5.0									
Barium	<5.0	5.0									
Cadmium	<0.50	0.50									
Chromium	<2.0	2.0									
Lead	<5.0	5.0									
Selenium	<5.0	5.0									
Silver	<2.5	2.5									

Sample ID: **MB-30053**	SampType: **MBLK**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/27/2007**	RunNo: **89574**
Client ID:	Batch ID: **30053**	TestNo: **SW6010B**		Analysis Date: **7/30/2007**	SeqNo: **1060041**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	<5.0	5.0									
Barium	<5.0	5.0									
Cadmium	<0.50	0.50									
Chromium	<2.0	2.0									
Lead	<5.0	5.0									
Selenium	<5.0	5.0									
Silver	<2.5	2.5									

Sample ID: **LCS-30034**	SampType: **LCS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058521**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	24.50	5.0	25	0	98.0	80	120				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: *Romic/212001*

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **LCS-30034**	SampType: **LCS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058521**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Barium	25.90	5.0	25	0	104	80	120				
Cadmium	24.95	0.50	25	0	99.8	80	120				
Chromium	24.90	2.0	25	0	99.6	80	120				
Lead	25.00	5.0	25	0	100	80	120				
Selenium	24.10	5.0	25	0	96.4	80	120				
Silver	25.65	2.5	25	0	103	80	120				

Sample ID: **LCS-30053**	SampType: **LCS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/27/2007**	RunNo: **89574**
Client ID:	Batch ID: **30053**	TestNo: **SW6010B**		Analysis Date: **7/30/2007**	SeqNo: **1060042**

Analyte	*Result*	*PQL*	*SPK value*	*SPK Ref Val*	*%REC*	*LowLimit*	*HighLimit*	*RPD Ref Val*	*%RPD*	*RPDLimit*	*Qual*
Arsenic	24.60	5.0	25	0	98.4	80	120				
Barium	26.35	5.0	25	0	105	80	120				
Cadmium	24.50	0.50	25	0	98.0	80	120				
Chromium	25.20	2.0	25	0	101	80	120				
Lead	24.15	5.0	25	0	96.6	80	120				
Selenium	23.55	5.0	25	0	94.2	80	120				
Silver	26.10	2.5	25	0	104	80	120				

Sample ID: **LCSD-30034**	SampType: **LCSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058522**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	24.30	5.0	25	0	97.2	80	120	24.50	0.820	20	
Barium	25.75	5.0	25	0	103	80	120	25.90	0.581	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **LCSD-30034**	SampType: **LCSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058522**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cadmium	24.90	0.50	25	0	99.6	80	120	24.95	0.201	20	
Chromium	24.85	2.0	25	0	99.4	80	120	24.90	0.201	20	
Lead	24.75	5.0	25	0	99.0	80	120	25.00	1.01	20	
Selenium	23.90	5.0	25	0	95.6	80	120	24.10	0.833	20	
Silver	25.60	2.5	25	0	102	80	120	25.65	0.195	20	

Sample ID: **LCSD-30053**	SampType: **LCSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/27/2007**	RunNo: **89574**
Client ID:	Batch ID: **30053**	TestNo: **SW6010B**		Analysis Date: **7/30/2007**	SeqNo: **1060058**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	24.50	5.0	25	0	98.0	80	120	24.60	0.407	20	
Barium	26.20	5.0	25	0	105	80	120	26.35	0.571	20	
Cadmium	24.35	0.50	25	0	97.4	80	120	24.50	0.614	20	
Chromium	24.95	2.0	25	0	99.8	80	120	25.20	0.997	20	
Lead	24.10	5.0	25	0	96.4	80	120	24.15	0.207	20	
Selenium	23.75	5.0	25	0	95.0	80	120	23.55	0.846	20	
Silver	26.15	2.5	25	0	105	80	120	26.10	0.191	20	

Sample ID: **07070754-01A MS**	SampType: **MS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058510**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	27.40	5.0	25	5.750	86.6	75	125				
Barium	160.5	5.0	25	111.0	198	75	125				M3
Cadmium	19.80	0.50	25	0	79.2	75	125				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **07070754-01A MS**	SampType: **MS**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058510**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	27.65	2.0	25	5.750	87.6	75	125				
Lead	24.85	5.0	25	0	99.4	75	125				
Selenium	20.90	5.0	25	0	83.6	75	125				
Silver	25.15	2.5	25	0	101	75	125				

Sample ID: **07070812-08A MS**	SampType: **MS**	TestCode: **6010B_S**	Units: **mg/Kg-dry**	Prep Date: **7/27/2007**	RunNo: **89574**
Client ID:	Batch ID: **30053**	TestNo: **SW6010B**		Analysis Date: **7/30/2007**	SeqNo: **1060045**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	1766	360	1825	0	96.8	75	125				
Barium	2361	360	1825	463.5	104	75	125				
Cadmium	1748	36	1825	0	95.8	75	125				
Chromium	1825	150	1825	0	100	75	125				
Lead	1723	360	1825	0	94.4	75	125				
Selenium	1741	360	1825	0	95.4	75	125				
Silver	1865	180	1825	0	102	75	125				

Sample ID: **07070754-01A MSD**	SampType: **MSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058511**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	26.65	5.0	25	5.750	83.6	75	125	27.40	2.78	20	
Barium	136.0	5.0	25	111.0	100	75	125	160.5	16.5	20	
Cadmium	19.60	0.50	25	0	78.4	75	125	19.80	1.02	20	
Chromium	27.35	2.0	25	5.750	86.4	75	125	27.65	1.09	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_S

Sample ID: **07070754-01A MSD**	SampType: **MSD**	TestCode: **6010B_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89437**
Client ID:	Batch ID: **30034**	TestNo: **SW6010B**		Analysis Date: **7/26/2007**	SeqNo: **1058511**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	25.05	5.0	25	0	100	75	125	24.85	0.802	20	
Selenium	21.40	5.0	25	0	85.6	75	125	20.90	2.36	20	
Silver	24.90	2.5	25	0	99.6	75	125	25.15	0.999	20	

Sample ID: **07070812-08A MSD**	SampType: **MSD**	TestCode: **6010B_S**	Units: **mg/Kg-dry**	Prep Date: **7/27/2007**	RunNo: **89574**
Client ID:	Batch ID: **30053**	TestNo: **SW6010B**		Analysis Date: **7/30/2007**	SeqNo: **1060046**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	1755	360	1825	0	96.2	75	125	1766	0.622	20	
Barium	2376	360	1825	463.5	105	75	125	2361	0.616	20	
Cadmium	1737	36	1825	0	95.2	75	125	1748	0.628	20	
Chromium	1807	150	1825	0	99.0	75	125	1825	1.01	20	
Lead	1697	360	1825	0	93.0	75	125	1723	1.49	20	
Selenium	1737	360	1825	0	95.2	75	125	1741	0.210	20	
Silver	1865	180	1825	0	102	75	125	1865	0	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **MB-30000**	SampType: **MBLK**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **7/24/2007**	RunNo: **89385**
Client ID:	Batch ID: **30000**	TestNo: **SW6010B**		Analysis Date: **7/25/2007**	SeqNo: **1057791**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	<0.10	0.10									
Barium	<0.010	0.010									
Cadmium	<0.0010	0.0010									
Chromium	<0.010	0.010									
Lead	<0.015	0.015									
Selenium	<0.10	0.10									
Silver	<0.010	0.010									

Sample ID: **LCS-30000**	SampType: **LCS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **7/24/2007**	RunNo: **89385**
Client ID:	Batch ID: **30000**	TestNo: **SW6010B**		Analysis Date: **7/25/2007**	SeqNo: **1057789**

Analyte	*Result*	*PQL*	*SPK value*	*SPK Ref Val*	*%REC*	*LowLimit*	*HighLimit*	*RPD Ref Val*	*%RPD*	*RPDLimit*	*Qual*
Arsenic	0.5050	0.10	0.5	0	101	85	115				
Barium	0.5080	0.010	0.5	0	102	85	115				
Cadmium	0.4960	0.0010	0.5	0	99.2	85	115				
Chromium	0.4880	0.010	0.5	0	97.6	85	115				
Lead	0.5030	0.015	0.5	0	101	85	115				
Selenium	0.5240	0.10	0.5	0	105	85	115				
Silver	*0.5060*	*0.010*	*0.5*	*0*	*101*	*85*	*115*				

Sample ID: **LCSD-30000**	SampType: **LCSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **7/24/2007**	RunNo: **89385**
Client ID:	Batch ID: **30000**	TestNo: **SW6010B**		Analysis Date: **7/25/2007**	SeqNo: **1057790**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.5110	0.10	0.5	0	102	85	115	0.5050	1.18	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **LCSD-30000**	SampType: **LCSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **7/24/2007**	RunNo: **89385**
Client ID:	Batch ID: **30000**	TestNo: **SW6010B**		Analysis Date: **7/25/2007**	SeqNo: **1057790**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Barium	0.5160	0.010	0.5	0	103	85	115	0.5080	1.56	20	
Cadmium	0.5030	0.0010	0.5	0	101	85	115	0.4960	1.40	20	
Chromium	0.4950	0.010	0.5	0	99.0	85	115	0.4880	1.42	20	
Lead	0.5100	0.015	0.5	0	102	85	115	0.5030	1.38	20	
Selenium	0.5260	0.10	0.5	0	105	85	115	0.5240	0.381	20	
Silver	0.5150	0.010	0.5	0	103	85	115	0.5060	1.76	20	

Sample ID: **07070783-12B MS**	SampType: **MS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **7/24/2007**	RunNo: **89385**
Client ID:	Batch ID: **30000**	TestNo: **SW6010B**		Analysis Date: **7/25/2007**	SeqNo: **1057786**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.5070	0.10	0.5	0	101	70	130				
Barium	0.5580	0.010	0.5	0.06860	97.9	70	130				
Cadmium	0.4730	0.0010	0.5	0	94.6	70	130				
Chromium	0.4790	0.010	0.5	0	95.8	70	130				
Lead	0.4920	0.015	0.5	0	98.4	70	130				
Selenium	0.5160	0.10	0.5	0	103	70	130				
Silver	0.5110	0.010	0.5	0	102	70	130				

Sample ID: **07070783-12B MSD**	SampType: **MSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **7/24/2007**	RunNo: **89385**
Client ID:	Batch ID: **30000**	TestNo: **SW6010B**		Analysis Date: **7/25/2007**	SeqNo: **1057787**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.5140	0.10	0.5	0	103	70	130	0.5070	1.37	20	
Barium	0.5610	0.010	0.5	0.06860	98.5	70	130	0.5580	0.536	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **07070783-12B MSD** SampType: **MSD** TestCode: **6010B_W** Units: **mg/L** Prep Date: **7/24/2007** RunNo: **89385**
Client ID: Batch ID: **30000** TestNo: **SW6010B** Analysis Date: **7/25/2007** SeqNo: **1057787**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cadmium	0.4780	0.0010	0.5	0	95.6	70	130	0.4730	1.05	20	
Chromium	0.4830	0.010	0.5	0	96.6	70	130	0.4790	0.832	20	
Lead	0.4980	0.015	0.5	0	99.6	70	130	0.4920	1.21	20	
Selenium	0.5330	0.10	0.5	0	107	70	130	0.5160	3.24	20	
Silver	0.5150	0.010	0.5	0	103	70	130	0.5110	0.780	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7470A_W

Sample ID: **07070719-10BMSD**	SampType: **MSD**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/1/2007**	RunNo: **89624**
Client ID:	Batch ID: **30089**	TestNo: **SW7470A**		Analysis Date: **8/1/2007**	SeqNo: **1060730**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	*0.01020*	*0.00050*	*0.01*	*0*	*102*	*85*	*115*	*0.01010*	*0.985*	*20*	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7471A_S

Sample ID: **MB-30031**	SampType: **MBLK**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058926**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	<0.10	0.10									

Sample ID: **LCS-30031**	SampType: **LCS**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058927**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.767	0.10	1.668	0	106	85	115				

Sample ID: **LCSD-30031**	SampType: **LCSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058928**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.717	0.10	1.668	0	103	85	115	1.767	2.87	20	

Sample ID: **07070754-10AMS**	SampType: **MS**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058930**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.850	0.10	1.668	0	111	85	115				

Sample ID: **07070754-10AMSD**	SampType: **MSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058931**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7471A_S

Sample ID: **07070754-10AMSD**	SampType: **MSD**	TestCode: **7471A_S**	Units: **mg/Kg**	Prep Date: **7/26/2007**	RunNo: **89476**
Client ID:	Batch ID: **30031**	TestNo: **SW7471A**		Analysis Date: **7/27/2007**	SeqNo: **1058931**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	1.850	0.10	1.668	0	111	85	115	1.850	0	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: *07070795*
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **MB-29994**	SampType: **MBLK**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059366**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	<0.050	0.050									
1,1,2,2-Tetrachloroethane	<0.050	0.050									
1,1,2-Trichloroethane	<0.050	0.050									
1,1-Dichloroethane	<0.050	0.050									
1,1-Dichloroethene	<0.050	0.050									
1,1-Dichloropropene	<0.050	0.050									
1,2,3-Trichlorobenzene	<0.10	0.10									
1,2,3-Trichloropropane	<0.10	0.10									
1,2,4-Trimethylbenzene	<0.050	0.050									
1,2-Dibromoethane	<0.050	0.050									
1,2-Dichlorobenzene	<0.050	0.050									
1,2-Dichloroethane	<0.050	0.050									
1,2-Dichloropropane	<0.050	0.050									
1,3,5-Trimethylbenzene	<0.050	0.050									
1,3-Dichlorobenzene	<0.050	0.050									
1,3-Dichloropropane	<0.050	0.050									
1,4-Dichlorobenzene	<0.050	0.050									
2,2-Dichloropropane	<0.10	0.10									
2-Butanone (MEK)	<0.25	0.25									
2-Chlorotoluene	<0.050	0.050									
2-Hexanone	<0.25	0.25									
4-Chlorotoluene	<0.050	0.050									
4-Isopropyltoluene	<0.050	0.050									
4-Methyl-2-pentanone	<0.25	0.25									
Acetone	<0.50	0.50									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **MB-29994** SampType: **MBLK** TestCode: **8260_S** Units: **mg/Kg** Prep Date: **7/24/2007** RunNo: **89511**
Client ID: Batch ID: **29994** TestNo: **SW8260B** Analysis Date: **7/30/2007** SeqNo: **1059366**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	<0.050	0.050									
Bromobenzene	<0.050	0.050									
Bromochloromethane	<0.050	0.050									
Bromodichloromethane	<0.050	0.050									
Bromoform	<0.050	0.050									
Bromomethane	<0.25	0.25									
Carbon tetrachloride	<0.050	0.050									
Chlorobenzene	<0.050	0.050									
Chloroethane	<0.050	0.050									
Chloroform	<0.050	0.050									
Chloromethane	<0.25	0.25									
cis-1,2-Dichloroethene	<0.050	0.050									
cis-1,3-Dichloropropene	<0.050	0.050									
Dibromochloromethane	<0.050	0.050									
Dichlorodifluoromethane	<0.050	0.050									
Ethylbenzene	<0.050	0.050									
m,p-Xylene	<0.10	0.10									
Methyl tert-butyl ether	<0.050	0.050									
Methylene chloride	<0.10	0.10									
n-Butylbenzene	<0.050	0.050									
n-Propylbenzene	<0.050	0.050									
o-Xylene	<0.050	0.050									
sec-Butylbenzene	<0.050	0.050									
Styrene	<0.050	0.050									
tert-Butylbenzene	<0.050	0.050									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **MB-29994**	SampType: **MBLK**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059366**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	<0.050	0.050									
Toluene	<0.050	0.050									
trans-1,2-Dichloroethene	<0.050	0.050									
trans-1,3-Dichloropropene	<0.050	0.050									
Trichloroethene	<0.050	0.050									
Trichlorofluoromethane	<0.050	0.050									
Vinyl acetate	<0.050	0.050									
Vinyl chloride	<0.050	0.050									
Surr: 4-Bromofluorobenzene	2.114	0	2.5	0	84.6	66	123				
Surr: Dibromofluoromethane	2.188	0	2.5	0	87.5	74.7	126				
Surr: Toluene-d8	*2.110*	*0*	*2.5*	*0*	*84.4*	*73.2*	*130*				

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	1.415	0.050	1.25	0	113	63.6	124				
1,1,2,2-Tetrachloroethane	1.204	0.050	1.25	0	96.3	63	116				
1,1,2-Trichloroethane	1.376	0.050	1.25	0	110	69.6	115				
1,1-Dichloroethane	1.391	0.050	1.25	0	111	59.3	128				
1,1-Dichloroethene	1.288	0.050	1.25	0	103	42.3	145				
1,1-Dichloropropene	1.325	0.050	1.25	0	106	63	125				
1,2,3-Trichlorobenzene	0.8105	0.10	1.25	0	64.8	64	129				
1,2,3-Trichloropropane	1.162	0.10	1.25	0	93.0	62.4	118				
1,2,4-Trimethylbenzene	1.352	0.050	1.25	0	108	70.7	121				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCS-29994** SampType: **LCS** TestCode: **8260_S** Units: **mg/Kg** Prep Date: **7/24/2007** RunNo: **89511**
Client ID: Batch ID: **29994** TestNo: **SW8260B** Analysis Date: **7/30/2007** SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane	1.344	0.050	1.25	0	108	69.8	116				
1,2-Dichlorobenzene	1.336	0.050	1.25	0	107	70.8	115				
1,2-Dichloroethane	1.394	0.050	1.25	0	112	63	120				
1,2-Dichloropropane	1.344	0.050	1.25	0	107	70.6	113				
1,3,5-Trimethylbenzene	1.366	0.050	1.25	0	109	72.5	121				
1,3-Dichlorobenzene	1.339	0.050	1.25	0	107	71.9	118				
1,3-Dichloropropane	1.326	0.050	1.25	0	106	72.2	113				
1,4-Dichlorobenzene	1.323	0.050	1.25	0	106	71.8	116				
2,2-Dichloropropane	1.554	0.10	1.25	0	124	61.9	139				
2-Butanone (MEK)	0.6390	0.25	1.25	0	51.1	49.2	166				
2-Chlorotoluene	1.357	0.050	1.25	0	109	70.3	119				
2-Hexanone	0.7710	0.25	1.25	0	61.7	52.9	153				
4-Chlorotoluene	1.376	0.050	1.25	0	110	72.4	118				
4-Isopropyltoluene	1.410	0.050	1.25	0	113	75.7	121				
4-Methyl-2-pentanone	1.273	0.25	1.25	0	102	56.6	133				
Acetone	1.144	0.50	1.25	0	91.5	21.5	177				
Benzene	1.231	0.050	1.25	0	98.5	58.9	124				
Bromobenzene	1.305	0.050	1.25	0	104	70.2	118				
Bromochloromethane	1.290	0.050	1.25	0	103	64.4	123				
Bromodichloromethane	1.398	0.050	1.25	0	112	72.5	112				
Bromoform	1.089	0.050	1.25	0	87.1	62.4	113				
Bromomethane	0.4545	0.25	1.25	0	36.4	10	143				
Carbon tetrachloride	1.408	0.050	1.25	0	113	58	126				
Chlorobenzene	1.286	0.050	1.25	0	103	73.8	115				
Chloroethane	0.2260	0.050	1.25	0	18.1	10	82.9				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroform	1.323	0.050	1.25	0	106	67.1	120				
Chloromethane	0.5865	0.25	1.25	0	46.9	10	158				
cis-1,2-Dichloroethene	1.419	0.050	1.25	0	114	61.8	123				
cis-1,3-Dichloropropene	1.356	0.050	1.25	0	108	73.3	113				
Dibromochloromethane	1.265	0.050	1.25	0	101	69.8	116				
Dichlorodifluoromethane	0.1675	0.050	1.25	0	13.4	10	175				
Ethylbenzene	1.305	0.050	1.25	0	104	73.6	118				
m,p-Xylene	2.612	0.10	2.5	0	104	72.2	119				
Methyl tert-butyl ether	1.008	0.050	1.25	0	80.6	44.8	132				
Methylene chloride	1.218	0.10	1.25	0	97.5	52.8	123				
n-Butylbenzene	1.474	0.050	1.25	0	118	73.8	124				
n-Propylbenzene	1.430	0.050	1.25	0	114	72.8	121				
o-Xylene	1.294	0.050	1.25	0	104	72.1	120				
sec-Butylbenzene	1.434	0.050	1.25	0	115	74.9	122				
Styrene	1.288	0.050	1.25	0	103	71.6	120				
tert-Butylbenzene	1.400	0.050	1.25	0	112	72.8	124				
Tetrachloroethene	1.298	0.050	1.25	0	104	70.1	121				
Toluene	1.345	0.050	1.25	0	108	73.7	115				
trans-1,2-Dichloroethene	1.311	0.050	1.25	0	105	58.6	128				
trans-1,3-Dichloropropene	1.369	0.050	1.25	0	110	71.9	115				
Trichloroethene	1.308	0.050	1.25	0	105	70.8	113				
Trichlorofluoromethane	1.099	0.050	1.25	0	87.9	10	156				
Vinyl acetate	1.094	0.050	1.25	0	87.5	10	140				
Vinyl chloride	0.7685	0.050	1.25	0	61.5	10	165				
Surr: 4-Bromofluorobenzene	2.246	0	2.5	0	89.9	66	123				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCS-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	2.322	0	2.5	0	92.9	74.7	126				
Surr: Toluene-d8	2.376	0	2.5	0	95.0	73.2	130				

Sample ID: **LCSD-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059375**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	1.316	0.050	1.25	0	105	63.6	124	1.415	7.25	25	
1,1,2,2-Tetrachloroethane	1.202	0.050	1.25	0	96.2	63	116	1.204	0.0831	25	
1,1,2-Trichloroethane	1.306	0.050	1.25	0	104	69.6	115	1.376	5.26	25	
1,1-Dichloroethane	1.328	0.050	1.25	0	106	59.3	128	1.391	4.60	25	
1,1-Dichloroethene	1.243	0.050	1.25	0	99.4	42.3	145	1.288	3.56	25	
1,1-Dichloropropene	1.263	0.050	1.25	0	101	63	125	1.325	4.79	25	
1,2,3-Trichlorobenzene	0.9320	0.10	1.25	0	74.6	64	129	0.8105	13.9	25	
1,2,3-Trichloropropane	1.140	0.10	1.25	0	91.2	62.4	118	1.162	1.95	25	
1,2,4-Trimethylbenzene	1.348	0.050	1.25	0	108	70.7	121	1.352	0.296	25	
1,2-Dibromoethane	1.310	0.050	1.25	0	105	69.8	116	1.344	2.56	25	
1,2-Dichlorobenzene	1.288	0.050	1.25	0	103	70.8	115	1.336	3.62	25	
1,2-Dichloroethane	1.302	0.050	1.25	0	104	63	120	1.394	6.86	25	
1,2-Dichloropropane	1.260	0.050	1.25	0	101	70.6	113	1.344	6.41	25	
1,3,5-Trimethylbenzene	1.354	0.050	1.25	0	108	72.5	121	1.366	0.956	25	
1,3-Dichlorobenzene	1.355	0.050	1.25	0	108	71.9	118	1.339	1.19	25	
1,3-Dichloropropane	1.267	0.050	1.25	0	101	72.2	113	1.326	4.51	25	
1,4-Dichlorobenzene	1.314	0.050	1.25	0	105	71.8	116	1.323	0.721	25	
2,2-Dichloropropane	1.370	0.10	1.25	0	110	61.9	139	1.554	12.6	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCSD-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059375**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone (MEK)	0.6315	0.25	1.25	0	50.5	49.2	166	0.6390	1.18	25	
2-Chlorotoluene	1.331	0.050	1.25	0	106	70.3	119	1.357	1.93	25	
2-Hexanone	0.9135	0.25	1.25	0	73.1	52.9	153	0.7710	16.9	25	
4-Chlorotoluene	1.366	0.050	1.25	0	109	72.4	118	1.376	0.693	25	
4-Isopropyltoluene	1.400	0.050	1.25	0	112	75.7	121	1.410	0.712	25	
4-Methyl-2-pentanone	1.228	0.25	1.25	0	98.2	56.6	133	1.273	3.64	25	
Acetone	1.248	0.50	1.25	0	99.8	21.5	177	1.144	8.70	25	
Benzene	1.226	0.050	1.25	0	98.1	58.9	124	1.231	0.366	25	
Bromobenzene	1.305	0.050	1.25	0	104	70.2	118	1.305	0	25	
Bromochloromethane	1.271	0.050	1.25	0	102	64.4	123	1.290	1.48	25	
Bromodichloromethane	1.316	0.050	1.25	0	105	72.5	112	1.398	6.04	25	
Bromoform	1.062	0.050	1.25	0	85.0	62.4	113	1.089	2.46	25	
Bromomethane	0.3770	0.25	1.25	0	30.2	10	143	0.4545	18.6	25	
Carbon tetrachloride	1.301	0.050	1.25	0	104	58	126	1.408	7.90	25	
Chlorobenzene	1.270	0.050	1.25	0	102	73.8	115	1.286	1.29	25	
Chloroethane	0.1920	0.050	1.25	0	15.4	10	82.9	0.2260	16.3	25	
Chloroform	1.296	0.050	1.25	0	104	67.1	120	1.323	2.06	25	
Chloromethane	0.5165	0.25	1.25	0	41.3	10	158	0.5865	12.7	25	
cis-1,2-Dichloroethene	1.276	0.050	1.25	0	102	61.8	123	1.419	10.7	25	
cis-1,3-Dichloropropene	1.292	0.050	1.25	0	103	73.3	113	1.356	4.83	25	
Dibromochloromethane	1.192	0.050	1.25	0	95.4	69.8	116	1.265	5.94	25	
Dichlorodifluoromethane	0.1490	0.050	1.25	0	11.9	10	175	0.1675	11.7	25	
Ethylbenzene	1.264	0.050	1.25	0	101	73.6	118	1.305	3.11	25	
m,p-Xylene	2.555	0.10	2.5	0	102	72.2	119	2.612	2.21	25	
Methyl tert-butyl ether	0.9630	0.050	1.25	0	77.0	44.8	132	1.008	4.57	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **LCSD-29994**	SampType: **LCS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059375**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methylene chloride	1.166	0.10	1.25	0	93.3	52.8	123	1.218	4.36	25	
n-Butylbenzene	1.452	0.050	1.25	0	116	73.8	124	1.474	1.47	25	
n-Propylbenzene	1.420	0.050	1.25	0	114	72.8	121	1.430	0.667	25	
o-Xylene	1.278	0.050	1.25	0	102	72.1	120	1.294	1.21	25	
sec-Butylbenzene	1.435	0.050	1.25	0	115	74.9	122	1.434	0.0697	25	
Styrene	1.277	0.050	1.25	0	102	71.6	120	1.288	0.858	25	
tert-Butylbenzene	1.392	0.050	1.25	0	111	72.8	124	1.400	0.537	25	
Tetrachloroethene	1.276	0.050	1.25	0	102	70.1	121	1.298	1.75	25	
Toluene	1.281	0.050	1.25	0	102	73.7	115	1.345	4.87	25	
trans-1,2-Dichloroethene	1.272	0.050	1.25	0	102	58.6	128	1.311	2.98	25	
trans-1,3-Dichloropropene	1.327	0.050	1.25	0	106	71.9	115	1.369	3.12	25	
Trichloroethene	1.272	0.050	1.25	0	102	70.8	113	1.308	2.79	25	
Trichlorofluoromethane	*1.028*	*0.050*	*1.25*	*0*	*82.3*	*10*	*156*	*1.099*	*6.63*	*25*	
Vinyl acetate	0.9755	0.050	1.25	0	78.0	10	140	1.094	11.5	25	
Vinyl chloride	0.6670	0.050	1.25	0	53.4	10	165	0.7685	14.1	25	
Surr: 4-Bromofluorobenzene	2.154	0	2.5	0	86.1	66	123	2.246	0	0	
Surr: Dibromofluoromethane	2.218	0	2.5	0	88.7	74.7	126	2.322	0	0	
Surr: Toluene-d8	2.191	0	2.5	0	87.6	73.2	130	2.376	0	0	

Sample ID: **07070791-01AMS**	SampType: **MS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	27.50	5.0	25	0	110	48.8	130				
1,1,2,2-Tetrachloroethane	27.80	5.0	25	0	111	34	144				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMS**	SampType: **MS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2-Trichloroethane	26.05	5.0	25	0	104	50.7	131				
1,1-Dichloroethane	27.15	5.0	25	0	109	47.3	131				
1,1-Dichloroethene	25.15	5.0	25	0	101	21.3	152				
1,1-Dichloropropene	26.35	5.0	25	0	105	45.1	134				
1,2,3-Trichlorobenzene	23.25	10	25	0	93.0	42.6	141				
1,2,3-Trichloropropane	31.45	10	25	0	126	49.2	132				
1,2,4-Trimethylbenzene	24.75	5.0	25	0	99.0	52.9	135				
1,2-Dibromoethane	25.05	5.0	25	0	100	49.7	132				
1,2-Dichlorobenzene	25.50	5.0	25	0	102	46.5	135				
1,2-Dichloroethane	28.95	5.0	25	0	116	51.3	123				
1,2-Dichloropropane	25.50	5.0	25	0	102	53.8	125				
1,3,5-Trimethylbenzene	24.60	5.0	25	0	98.4	39.6	149				
1,3-Dichlorobenzene	25.25	5.0	25	0	101	45.5	140				
1,3-Dichloropropane	25.95	5.0	25	0	104	52.8	129				
1,4-Dichlorobenzene	25.65	5.0	25	0	103	45.8	137				
2,2-Dichloropropane	28.30	10	25	0	113	48.6	141				
2-Butanone (MEK)	34.80	25	25	0	139	42.5	170				
2-Chlorotoluene	25.00	5.0	25	0	100	49.3	137				
2-Hexanone	29.10	25	25	0	116	44.1	164				
4-Chlorotoluene	26.50	5.0	25	0	106	48.7	138				
4-Isopropyltoluene	26.25	5.0	25	0	105	40.4	150				
4-Methyl-2-pentanone	27.05	25	25	0	108	46.9	142				
Acetone	<50	50	25	0	0	40	179				M7
Benzene	25.55	5.0	25	0	102	45.2	130				
Bromobenzene	25.40	5.0	25	0	102	49	137				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMS**	SampType: **MS**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	*Batch ID:* **29994**	TestNo: **SW8260B**		*Analysis Date:* **7/30/2007**	SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromochloromethane	25.85	5.0	25	0	103	50.2	133				
Bromodichloromethane	25.55	5.0	25	0	102	55.4	125				
Bromoform	25.20	5.0	25	0	101	48.6	124				
Bromomethane	<25	25	25	0	0	20	148				M7
Carbon tetrachloride	24.55	5.0	25	0	98.2	43.7	130				
Chlorobenzene	24.30	5.0	25	0	97.2	50.3	133				
Chloroethane	18.45	5.0	25	0	73.8	10	67.1				M6
Chloroform	26.55	5.0	25	0	106	54.9	127				
Chloromethane	<25	25	25	0	51.6	20	165				E4
cis-1,2-Dichloroethene	25.20	5.0	25	0	101	47.9	129				
cis-1,3-Dichloropropene	23.25	5.0	25	0	93.0	55.3	124				
Dibromochloromethane	26.45	5.0	25	0	106	49.8	134				
Dichlorodifluoromethane	<5.0	5.0	25	0	19.8	10	172				E4
Ethylbenzene	23.65	5.0	25	0	94.6	47.5	140				
m,p-Xylene	48.20	10	50	0	96.4	56	131				
Methyl tert-butyl ether	22.40	5.0	25	0	89.6	33.9	138				
Methylene chloride	27.10	10	25	0	108	39	128				
n-Butylbenzene	26.35	5.0	25	0	105	44.5	146				
n-Propylbenzene	25.30	5.0	25	0	101	41.5	147				
o-Xylene	24.40	5.0	25	0	97.6	54.9	132				
sec-Butylbenzene	25.20	5.0	25	0	101	40.7	151				
Styrene	23.45	5.0	25	0	93.8	50	137				
tert-Butylbenzene	25.15	5.0	25	0	101	43.4	146				
Tetrachloroethene	25.85	5.0	25	0	103	16.6	190				
Toluene	48.25	5.0	25	25.40	91.4	58.2	127				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMS** SampType: **MS** TestCode: **8260_S** Units: **mg/Kg** Prep Date: **7/24/2007** RunNo: **89511**
Client ID: Batch ID: **29994** TestNo: **SW8260B** Analysis Date: **7/30/2007** SeqNo: **1059859**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	25.50	5.0	25	0	102	39.8	137				
trans-1,3-Dichloropropene	23.60	5.0	25	0	94.4	55.4	125				
Trichloroethene	25.40	5.0	25	0	102	41.9	141				
Trichlorofluoromethane	20.60	5.0	25	0	82.4	10	164				
Vinyl acetate	19.75	5.0	25	0	79.0	10	126				
Vinyl chloride	15.00	5.0	25	0	60.0	10	163				
Surr: 4-Bromofluorobenzene	42.60	0	50	0	85.2	55.4	129				
Surr: Dibromofluoromethane	46.95	0	50	0	93.9	60.2	137				
Surr: Toluene-d8	42.55	0	50	0	85.1	60	139				

Sample ID: **07070791-01AMSD** SampType: **MSD** TestCode: **8260_S** Units: **mg/Kg** Prep Date: **7/24/2007** RunNo: **89511**
Client ID: Batch ID: **29994** TestNo: **SW8260B** Analysis Date: **7/30/2007** SeqNo: **1059860**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	10.95	5.0	10	0	110	48.8	130	27.50	86.1	25	N1
1,1,2,2-Tetrachloroethane	12.35	5.0	10	0	124	34	144	27.80	77.0	25	N1
1,1,2-Trichloroethane	11.10	5.0	10	0	111	50.7	131	26.05	80.5	25	N1
1,1-Dichloroethane	<5.0	5.0	10	0	43.5	47.3	131	27.15	0	25	E4M7
1,1-Dichloroethene	8.800	5.0	10	0	88.0	21.3	152	25.15	96.3	25	N1
1,1-Dichloropropene	9.900	5.0	10	0	99.0	45.1	134	26.35	90.8	25	N1
1,2,3-Trichlorobenzene	12.75	10	10	0	128	42.6	141	23.25	58.3	25	N1
1,2,3-Trichloropropane	18.05	10	10	0	180	49.2	132	31.45	54.1	25	M7N1
1,2,4-Trimethylbenzene	9.800	5.0	10	0	98.0	52.9	135	24.75	86.5	25	N1
1,2-Dibromoethane	10.05	5.0	10	0	101	49.7	132	25.05	85.5	25	N1
1,2-Dichlorobenzene	11.35	5.0	10	0	114	46.5	135	25.50	76.8	25	N1

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMSD**	SampType: **MSD**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059860**

Analyte	*Result*	*PQL*	*SPK value*	*SPK Ref Val*	*%REC*	*LowLimit*	*HighLimit*	*RPD Ref Val*	*%RPD*	*RPDLimit*	*Qual*
1,2-Dichloroethane	10.95	5.0	10	0	110	51.3	123	28.95	90.2	25	N1
1,2-Dichloropropane	9.900	5.0	10	0	99.0	53.8	125	25.50	88.1	25	N1
1,3,5-Trimethylbenzene	10.25	5.0	10	0	103	39.6	149	24.60	82.4	25	N1
1,3-Dichlorobenzene	10.95	5.0	10	0	110	45.5	140	25.25	79.0	25	N1
1,3-Dichloropropane	10.10	5.0	10	0	101	52.8	129	25.95	87.9	25	N1
1,4-Dichlorobenzene	10.90	5.0	10	0	109	45.8	137	25.65	80.7	25	N1
2,2-Dichloropropane	14.70	10	10	0	147	48.6	141	28.30	63.3	25	M6N1
2-Butanone (MEK)	<25	25	10	0	0	42.5	170	34.80	0	25	M7
2-Chlorotoluene	10.45	5.0	10	0	104	49.3	137	25.00	82.1	25	N1
2-Hexanone	<25	25	10	0	0	44.1	164	29.10	0	25	M7
4-Chlorotoluene	10.45	5.0	10	0	104	48.7	138	26.50	86.9	25	N1
4-Isopropyltoluene	10.45	5.0	10	0	104	40.4	150	26.25	86.1	25	N1
4-Methyl-2-pentanone	<25	25	10	0	0	46.9	142	27.05	0	25	M7
Acetone	<50	50	10	0	0	40	179	0	0	25	M7
Benzene	9.950	5.0	10	0	99.5	45.2	130	25.55	87.9	25	N1
Bromobenzene	9.300	5.0	10	0	93.0	49	137	25.40	92.8	25	N1
Bromochloromethane	9.100	5.0	10	0	91.0	50.2	133	25.85	95.9	25	N1
Bromodichloromethane	9.250	5.0	10	0	92.5	55.4	125	25.55	93.7	25	N1
Bromoform	11.00	5.0	10	0	110	48.6	124	25.20	78.5	25	N1
Bromomethane	<25	25	10	0	0	20	148	0	0	25	M7
Carbon tetrachloride	9.650	5.0	10	0	96.5	43.7	130	24.55	87.1	25	N1
Chlorobenzene	10.20	5.0	10	0	102	50.3	133	24.30	81.7	25	N1
Chloroethane	6.700	5.0	10	0	67.0	10	67.1	18.45	93.4	25	N1
Chloroform	10.10	5.0	10	0	101	54.9	127	26.55	89.8	25	N1
Chloromethane	<25	25	10	0	31.0	20	165	12.90	0	25	E4

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_S

Sample ID: **07070791-01AMSD**	SampType: **MSD**	TestCode: **8260_S**	Units: **mg/Kg**	Prep Date: **7/24/2007**	RunNo: **89511**
Client ID:	Batch ID: **29994**	TestNo: **SW8260B**		Analysis Date: **7/30/2007**	SeqNo: **1059860**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,2-Dichloroethene	9.450	5.0	10	0	94.5	47.9	129	25.20	90.9	25	N1
cis-1,3-Dichloropropene	8.950	5.0	10	0	89.5	55.3	124	23.25	88.8	25	N1
Dibromochloromethane	14.40	5.0	10	0	144	49.8	134	26.45	59.0	25	M6N1
Dichlorodifluoromethane	<5.0	5.0	10	0	0	10	172	4.950	0	25	M7
Ethylbenzene	9.700	5.0	10	0	97.0	47.5	140	23.65	83.7	25	N1
m,p-Xylene	20.15	10	20	0	101	56	131	48.20	82.1	25	N1
Methyl tert-butyl ether	9.150	5.0	10	0	91.5	33.9	138	22.40	84.0	25	N1
Methylene chloride	10.70	10	10	0	107	39	128	27.10	86.8	25	N1
n-Butylbenzene	11.25	5.0	10	0	112	44.5	146	26.35	80.3	25	N1
n-Propylbenzene	10.20	5.0	10	0	102	41.5	147	25.30	85.1	25	N1
o-Xylene	10.15	5.0	10	0	102	54.9	132	24.40	82.5	25	N1
sec-Butylbenzene	*10.80*	*5.0*	*10*	*0*	*108*	*40.7*	*151*	*25.20*	*80.0*	*25*	*N1*
Styrene	9.150	5.0	10	0	91.5	50	137	23.45	87.7	25	N1
tert-Butylbenzene	10.15	5.0	10	0	102	43.4	146	25.15	85.0	25	N1
Tetrachloroethene	10.15	5.0	10	0	102	16.6	190	25.85	87.2	25	N1
Toluene	26.75	5.0	10	25.40	13.5	58.2	127	48.25	57.3	25	M7N1
trans-1,2-Dichloroethene	9.800	5.0	10	0	98.0	39.8	137	25.50	89.0	25	N1
trans-1,3-Dichloropropene	8.650	5.0	10	0	86.5	55.4	125	23.60	92.7	25	N1
Trichloroethene	9.600	5.0	10	0	96.0	41.9	141	25.40	90.3	25	N1
Trichlorofluoromethane	<5.0	5.0	10	0	43.5	10	164	20.60	0	25	E4
Vinyl acetate	7.150	5.0	10	0	71.5	10	126	19.75	93.7	25	N1
Vinyl chloride	<5.0	5.0	10	0	38.5	10	163	15.00	0	25	E4
Surr: 4-Bromofluorobenzene	45.30	0	50	0	90.6	55.4	129	42.60	0	0	
Surr: Dibromofluoromethane	47.50	0	50	0	95.0	60.2	137	46.95	0	0	
Surr: Toluene-d8	43.90	0	50	0	87.8	60	139	42.55	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R89431**	SampType: **MBLK**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058406**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	<1.0	1.0									
1,1,2,2-Tetrachloroethane	<1.0	1.0									
1,1,2-Trichloroethane	<1.0	1.0									
1,1-Dichloroethane	<1.0	1.0									
1,1-Dichloroethene	<1.0	1.0									
1,1-Dichloropropene	<1.0	1.0									
1,2,3-Trichlorobenzene	<2.0	2.0									
1,2,3-Trichloropropane	<2.0	2.0									
1,2,4-Trichlorobenzene	<2.0	2.0									
1,2,4-Trimethylbenzene	<1.0	1.0									
1,2-Dibromoethane	<1.0	1.0									
1,2-Dichlorobenzene	<1.0	1.0									
1,2-Dichloroethane	<1.0	1.0									
1,2-Dichloropropane	<1.0	1.0									
1,3,5-Trimethylbenzene	<1.0	1.0									
1,3-Dichlorobenzene	<1.0	1.0									
1,3-Dichloropropane	<1.0	1.0									
1,4-Dichlorobenzene	<1.0	1.0									
2,2-Dichloropropane	<2.0	2.0									
2-Butanone (MEK)	<5.0	5.0									
2-Chlorotoluene	<1.0	1.0									
2-Hexanone	<5.0	5.0									
4-Chlorotoluene	<1.0	1.0									
4-Isopropyltoluene	*<1.0*	*1.0*									
4-Methyl-2-pentanone	<5.0	5.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R89431**	SampType: **MBLK**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058406**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	<20	20									
Benzene	<1.0	1.0									
Bromobenzene	<1.0	1.0									
Bromochloromethane	<1.0	1.0									
Bromodichloromethane	<1.0	1.0									
Bromoform	<1.0	1.0									
Bromomethane	<2.0	2.0									
Carbon tetrachloride	<1.0	1.0									
Chlorobenzene	<1.0	1.0									
Chloroethane	<1.0	1.0									
Chloroform	<1.0	1.0									
Chloromethane	<5.0	5.0									
cis-1,2-Dichloroethene	<1.0	1.0									
cis-1,3-Dichloropropene	<1.0	1.0									
Dibromochloromethane	<1.0	1.0									
Dichlorodifluoromethane	<1.0	1.0									
Ethylbenzene	<1.0	1.0									
m,p-Xylene	<2.0	2.0									
Methyl tert-butyl ether	<1.0	1.0									
Methylene chloride	<2.0	2.0									
n-Butylbenzene	<1.0	1.0									
n-Propylbenzene	<1.0	1.0									
o-Xylene	<1.0	1.0									
sec-Butylbenzene	<1.0	1.0									
Styrene	<1.0	1.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: *07070795*
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R89431**	SampType: **MBLK**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058406**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	<1.0	1.0									
Tetrachloroethene	<1.0	1.0									
Toluene	<1.0	1.0									
trans-1,2-Dichloroethene	<1.0	1.0									
trans-1,3-Dichloropropene	<1.0	1.0									
Trichloroethene	<1.0	1.0									
Trichlorofluoromethane	<1.0	1.0									
Vinyl acetate	<1.0	1.0									
Vinyl chloride	<1.0	1.0									
Surr: 4-Bromofluorobenzene	23.54	0	25	0	94.2	61.9	124				
Surr: Dibromofluoromethane	25.61	0	25	0	102	63.1	119				
Surr: Toluene-d8	24.49	0	25	0	98.0	61.8	120				

Sample ID: **LCS-R89431**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	23.84	1.0	25	0	95.4	72.5	131				
1,1,2,2-Tetrachloroethane	27.03	1.0	25	0	108	78.5	117				
1,1,2-Trichloroethane	24.82	1.0	25	0	99.3	78.2	120				
1,1-Dichloroethane	22.40	1.0	25	0	89.6	75.7	123				
1,1-Dichloroethene	21.21	1.0	25	0	84.8	76.1	127				
1,1-Dichloropropene	22.87	1.0	25	0	91.5	76.5	126				
1,2,3-Trichlorobenzene	27.20	2.0	25	0	109	67.7	131				
1,2,3-Trichloropropane	28.21	2.0	25	0	113	75.4	123				

Qualifiers: * *Value exceeds Maximum Contaminant Level* ND *Not Detected at the Reporting Limit*

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R89431**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	25.64	2.0	25	0	103	69.8	126				
1,2,4-Trimethylbenzene	25.30	1.0	25	0	101	71.8	122				
1,2-Dibromoethane	22.90	1.0	25	0	91.6	78.9	124				
1,2-Dichlorobenzene	25.26	1.0	25	0	101	78	115				
1,2-Dichloroethane	22.92	1.0	25	0	91.7	64	137				
1,2-Dichloropropane	23.05	1.0	25	0	92.2	82.2	115				
1,3,5-Trimethylbenzene	24.64	1.0	25	0	98.6	74.5	121				
1,3-Dichlorobenzene	24.81	1.0	25	0	99.2	76.4	114				
1,3-Dichloropropane	23.16	1.0	25	0	92.6	78.4	119				
1,4-Dichlorobenzene	24.89	1.0	25	0	99.6	77.4	113				
2,2-Dichloropropane	22.97	2.0	25	0	91.9	69.6	128				
2-Butanone (MEK)	20.65	5.0	25	0	82.6	44.9	136				
2-Chlorotoluene	24.14	1.0	25	0	96.6	75	115				
2-Hexanone	22.58	5.0	25	0	90.3	51.7	133				
4-Chlorotoluene	24.61	1.0	25	0	98.4	75	117				
4-Isopropyltoluene	24.75	1.0	25	0	99.0	76	118				
4-Methyl-2-pentanone	24.63	5.0	25	0	98.5	74.9	124				
Acetone	<20	20	25	0	66.8	27.5	150				E4
Benzene	21.94	1.0	25	0	87.8	75.9	124				
Bromobenzene	25.13	1.0	25	0	101	79.3	115				
Bromochloromethane	24.96	1.0	25	0	99.8	81.2	120				
Bromodichloromethane	23.98	1.0	25	0	95.9	75.8	123				
Bromoform	24.63	1.0	25	0	98.5	76.2	128				
Bromomethane	23.40	2.0	25	0	93.6	62.6	147				
Carbon tetrachloride	23.32	1.0	25	0	93.3	72	134				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R89431**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	23.87	1.0	25	0	95.5	82.5	110				
Chloroethane	24.43	1.0	25	0	97.7	72.3	124				
Chloroform	23.07	1.0	25	0	92.3	74.6	122				
Chloromethane	18.93	5.0	25	0	75.7	63.8	125				
cis-1,2-Dichloroethene	*22.51*	*1.0*	25	*0*	*90.0*	*78.9*	*119*				
cis-1,3-Dichloropropene	24.21	1.0	25	0	96.8	81.3	120				
Dibromochloromethane	23.89	1.0	25	0	95.6	78	126				
Dichlorodifluoromethane	19.69	1.0	25	0	78.8	54.2	142				
Ethylbenzene	23.66	1.0	25	0	94.6	81.4	115				
m,p-Xylene	47.89	2.0	50	0	95.8	81.6	115				
Methyl tert-butyl ether	23.42	1.0	25	0	93.7	76.4	128				
Methylene chloride	20.01	2.0	25	0	80.0	73.3	118				
n-Butylbenzene	24.22	1.0	25	0	96.9	74.5	120				
n-Propylbenzene	24.56	1.0	25	0	98.2	76.9	117				
o-Xylene	24.17	1.0	25	0	96.7	79.3	119				
sec-Butylbenzene	25.20	1.0	25	0	101	77	120				
Styrene	24.01	1.0	25	0	96.0	80.8	119				
tert-Butylbenzene	24.87	1.0	25	0	99.5	75.6	120				
Tetrachloroethene	22.63	1.0	25	0	90.5	76.6	123				
Toluene	22.18	1.0	25	0	88.7	80.8	116				
trans-1,2-Dichloroethene	21.41	1.0	25	0	85.6	77.7	122				
trans-1,3-Dichloropropene	24.53	1.0	25	0	98.1	71.3	128				
Trichloroethene	23.20	1.0	25	0	92.8	80.7	115				
Trichlorofluoromethane	23.54	1.0	25	0	94.2	73.9	131				
Vinyl acetate	24.56	1.0	25	0	98.2	72.5	130				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R89431**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	20.34	1.0	25	0	81.4	74.4	126				
Surr: 4-Bromofluorobenzene	24.03	0	25	0	96.1	61.9	124				
Surr: Dibromofluoromethane	24.66	0	25	0	98.6	63.1	119				
Surr: Toluene-d8	23.29	0	25	0	93.2	61.8	120				

Sample ID: **LCSD-R89431**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058408**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	24.02	1.0	25	0	96.1	72.5	131	23.84	0.752	25	
1,1,2,2-Tetrachloroethane	25.74	1.0	25	0	103	78.5	117	27.03	4.89	25	
1,1,2-Trichloroethane	22.99	1.0	25	0	92.0	78.2	120	24.82	7.66	25	
1,1-Dichloroethane	22.86	1.0	25	0	91.4	75.7	123	22.40	2.03	25	
1,1-Dichloroethene	20.74	1.0	25	0	83.0	76.1	127	21.21	2.24	25	
1,1-Dichloropropene	22.34	1.0	25	0	89.4	76.5	126	22.87	2.34	25	
1,2,3-Trichlorobenzene	27.52	2.0	25	0	110	67.7	131	27.20	1.17	25	
1,2,3-Trichloropropane	28.28	2.0	25	0	113	75.4	123	28.21	0.248	25	
1,2,4-Trichlorobenzene	26.26	2.0	25	0	105	69.8	126	25.64	2.39	25	
1,2,4-Trimethylbenzene	26.03	1.0	25	0	104	71.8	122	25.30	2.84	25	
1,2-Dibromoethane	22.83	1.0	25	0	91.3	78.9	124	22.90	0.306	25	
1,2-Dichlorobenzene	25.43	1.0	25	0	102	78	115	25.26	0.671	25	
1,2-Dichloroethane	22.57	1.0	25	0	90.3	64	137	22.92	1.54	25	
1,2-Dichloropropane	23.41	1.0	25	0	93.6	82.2	115	23.05	1.55	25	
1,3,5-Trimethylbenzene	25.85	1.0	25	0	103	74.5	121	24.64	4.79	25	
1,3-Dichlorobenzene	25.68	1.0	25	0	103	76.4	114	24.81	3.45	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCSD-R89431**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058408**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichloropropane	22.14	1.0	25	0	88.6	78.4	119	23.16	4.50	25	
1,4-Dichlorobenzene	25.32	1.0	25	0	101	77.4	113	24.89	1.71	25	
2,2-Dichloropropane	23.23	2.0	25	0	92.9	69.6	128	22.97	1.13	25	
2-Butanone (MEK)	21.64	5.0	25	0	86.6	44.9	136	20.65	4.68	25	
2-Chlorotoluene	25.38	1.0	25	0	102	75	115	24.14	5.01	25	
2-Hexanone	23.44	5.0	25	0	93.8	51.7	133	22.58	3.74	25	
4-Chlorotoluene	25.33	1.0	25	0	101	75	117	24.61	2.88	25	
4-Isopropyltoluene	25.13	1.0	25	0	101	76	118	24.75	1.52	25	
4-Methyl-2-pentanone	21.75	5.0	25	0	87.0	74.9	124	24.63	12.4	25	
Acetone	22.78	20	25	0	91.1	27.5	150	16.71	30.7	25	R7
Benzene	21.72	1.0	25	0	86.9	75.9	124	21.94	1.01	25	
Bromobenzene	25.92	1.0	25	0	104	79.3	115	25.13	3.10	25	
Bromochloromethane	24.62	1.0	25	0	98.5	81.2	120	24.96	1.37	25	
Bromodichloromethane	23.96	1.0	25	0	95.8	75.8	123	23.98	0.0834	25	
Bromoform	23.85	1.0	25	0	95.4	76.2	128	24.63	3.22	25	
Bromomethane	22.02	2.0	25	0	88.1	62.6	147	23.40	6.08	25	
Carbon tetrachloride	23.03	1.0	25	0	92.1	72	134	23.32	1.25	25	
Chlorobenzene	24.94	1.0	25	0	99.8	82.5	110	23.87	4.38	25	
Chloroethane	22.46	1.0	25	0	89.8	72.3	124	24.43	8.40	25	
Chloroform	22.97	1.0	25	0	91.9	74.6	122	23.07	0.434	25	
Chloromethane	17.79	5.0	25	0	71.2	63.8	125	18.93	6.21	25	
cis-1,2-Dichloroethene	22.38	1.0	25	0	89.5	78.9	119	22.51	0.579	25	
cis-1,3-Dichloropropene	24.37	1.0	25	0	97.5	81.3	120	24.21	0.659	25	
Dibromochloromethane	23.81	1.0	25	0	95.2	78	126	23.89	0.335	25	
Dichlorodifluoromethane	17.68	1.0	25	0	70.7	54.2	142	19.69	10.8	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCSD-R89431**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058408**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethylbenzene	24.44	1.0	25	0	97.8	81.4	115	23.66	3.24	25	
m,p-Xylene	49.68	2.0	50	0	99.4	81.6	115	47.89	3.67	25	
Methyl tert-butyl ether	21.92	1.0	25	0	87.7	76.4	128	23.42	6.62	25	
Methylene chloride	19.36	2.0	25	0	77.4	73.3	118	20.01	3.30	25	
n-Butylbenzene	24.89	1.0	25	0	99.6	74.5	120	24.22	2.73	25	
n-Propylbenzene	25.31	1.0	25	0	101	76.9	117	24.56	3.01	25	
o-Xylene	24.63	1.0	25	0	98.5	79.3	119	24.17	1.89	25	
sec-Butylbenzene	25.29	1.0	25	0	101	77	120	25.20	0.357	25	
Styrene	24.78	1.0	25	0	99.1	80.8	119	24.01	3.16	25	
tert-Butylbenzene	25.12	1.0	25	0	100	75.6	120	24.87	1.00	25	
Tetrachloroethene	22.84	1.0	25	0	91.4	76.6	123	22.63	0.924	25	
Toluene	22.49	1.0	25	0	90.0	80.8	116	22.18	1.39	25	
trans-1,2-Dichloroethene	20.95	1.0	25	0	83.8	77.7	122	21.41	2.17	25	
trans-1,3-Dichloropropene	23.84	1.0	25	0	95.4	71.3	128	24.53	2.85	25	
Trichloroethene	23.20	1.0	25	0	92.8	80.7	115	23.20	0	25	
Trichlorofluoromethane	21.94	1.0	25	0	87.8	73.9	131	23.54	7.04	25	
Vinyl acetate	25.21	1.0	25	0	101	72.5	130	24.56	2.61	25	
Vinyl chloride	19.34	1.0	25	0	77.4	74.4	126	20.34	5.04	25	
Surr: 4-Bromofluorobenzene	23.52	0	25	0	94.1	61.9	124	24.03	0	0	
Surr: Dibromofluoromethane	25.09	0	25	0	100	63.1	119	24.66	0	0	
Surr: Toluene-d8	23.70	0	25	0	94.8	61.8	120	23.29	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: *Romic/212001*

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07070855-01D MS** SampType: **MS** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **89431**
Client ID: Batch ID: **R89431** TestNo: **SW8260B** Analysis Date: **7/26/2007** SeqNo: **1058409**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	22.28	1.0	25	0	89.1	73.1	130				
1,1,2,2-Tetrachloroethane	26.44	1.0	25	0	106	74.8	112				
1,1,2-Trichloroethane	24.29	1.0	25	0	97.2	73.9	115				
1,1-Dichloroethane	20.55	1.0	25	0	82.2	74.8	121				
1,1-Dichloroethene	19.83	1.0	25	0	79.3	73.3	134				
1,1-Dichloropropene	21.93	1.0	25	0	87.7	71.7	131				
1,2,3-Trichlorobenzene	27.67	2.0	25	0	111	64.7	129				
1,2,3-Trichloropropane	26.23	2.0	25	0	105	71.5	117				
1,2,4-Trichlorobenzene	25.88	2.0	25	0	104	66.2	125				
1,2,4-Trimethylbenzene	26.24	1.0	25	0	105	67.1	122				
1,2-Dibromoethane	23.12	1.0	25	0	92.5	75.4	118				
1,2-Dichlorobenzene	24.94	1.0	25	0	99.8	73.8	113				
1,2-Dichloroethane	20.22	1.0	25	0	80.9	60.7	132				
1,2-Dichloropropane	22.22	1.0	25	0	88.9	78.4	113				
1,3,5-Trimethylbenzene	25.64	1.0	25	0	103	70.5	121				
1,3-Dichlorobenzene	24.94	1.0	25	0	99.8	72.4	113				
1,3-Dichloropropane	22.59	1.0	25	0	90.4	74.6	114				
1,4-Dichlorobenzene	25.27	1.0	25	0	101	72.7	112				
2,2-Dichloropropane	21.60	2.0	25	0	86.4	57.2	141				
2-Butanone (MEK)	17.16	5.0	25	0	68.6	39	131				
2-Chlorotoluene	25.26	1.0	25	0	101	70.4	116				
2-Hexanone	22.08	5.0	25	0	88.3	50.1	119				
4-Chlorotoluene	24.92	1.0	25	0	99.7	70.6	116				
4-Isopropyltoluene	25.83	1.0	25	0	103	61.8	130				
4-Methyl-2-pentanone	23.17	5.0	25	0	92.7	71.2	118				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: *07070795*
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07070855-01D MS**	SampType: **MS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058409**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	<20	20	25	0	57.3	26.4	126				E4
Benzene	20.92	1.0	25	0	83.7	69.3	128				
Bromobenzene	25.04	1.0	25	0	100	75.2	113				
Bromochloromethane	22.37	1.0	25	0	89.5	77.3	117				
Bromodichloromethane	23.12	1.0	25	0	92.5	73.6	118				
Bromoform	21.97	1.0	25	0	87.9	72.9	119				
Bromomethane	23.74	2.0	25	0	95.0	61.8	146				
Carbon tetrachloride	22.40	1.0	25	0	89.6	73.5	134				
Chlorobenzene	24.51	1.0	25	0	98.0	78.4	109				
Chloroethane	23.77	1.0	25	0	95.1	71.8	126				
Chloroform	21.03	1.0	25	0	84.1	72.9	120				
Chloromethane	19.96	5.0	25	0	79.8	62.7	127				
cis-1,2-Dichloroethene	20.74	1.0	25	0	83.0	57.8	138				
cis-1,3-Dichloropropene	23.76	1.0	25	0	95.0	76.9	116				
Dibromochloromethane	24.17	1.0	25	0	96.7	74.1	121				
Dichlorodifluoromethane	19.90	1.0	25	0	79.6	52.9	148				
Ethylbenzene	24.86	1.0	25	0	99.4	77.2	116				
m,p-Xylene	50.69	2.0	50	0	101	77.8	115				
Methyl tert-butyl ether	19.16	1.0	25	0	76.6	69.1	128				
Methylene chloride	19.27	2.0	25	0	77.1	71.5	114				
n-Butylbenzene	25.82	1.0	25	0	103	68.3	126				
n-Propylbenzene	25.64	1.0	25	0	103	71.6	121				
o-Xylene	25.24	1.0	25	0	101	65.1	126				
sec-Butylbenzene	26.30	1.0	25	0	105	73.1	124				
Styrene	24.76	1.0	25	0	99.0	50.2	132				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07070855-01D MS**	SampType: **MS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058409**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	26.34	1.0	25	0	105	72.8	121				
Tetrachloroethene	23.57	1.0	25	0	94.3	73.8	126				
Toluene	24.60	1.0	25	0	98.4	75.6	119				
trans-1,2-Dichloroethene	19.79	1.0	25	0	79.2	76.8	123				
trans-1,3-Dichloropropene	24.77	1.0	25	0	99.1	67.8	121				
Trichloroethene	22.80	1.0	25	0	91.2	65.2	130				
Trichlorofluoromethane	21.41	1.0	25	0	85.6	75.2	136				
Vinyl acetate	23.96	1.0	25	0	95.8	52.9	134				
Vinyl chloride	21.52	1.0	25	0	86.1	64.6	140				
Surr: 4-Bromofluorobenzene	24.30	0	25	0	97.2	63.3	123				
Surr: Dibromofluoromethane	23.07	0	25	0	92.3	62.8	120				
Surr: Toluene-d8	25.12	0	25	0	100	60	122				

Sample ID: **07070855-01D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058410**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	24.23	1.0	25	0	96.9	73.1	130	22.28	8.39	25	
1,1,2,2-Tetrachloroethane	27.56	1.0	25	0	110	74.8	112	26.44	4.15	25	
1,1,2-Trichloroethane	24.00	1.0	25	0	96.0	73.9	115	24.29	1.20	25	
1,1-Dichloroethane	23.13	1.0	25	0	92.5	74.8	121	20.55	11.8	25	
1,1-Dichloroethene	22.11	1.0	25	0	88.4	73.3	134	19.83	10.9	25	
1,1-Dichloropropene	23.49	1.0	25	0	94.0	71.7	131	21.93	6.87	25	
1,2,3-Trichlorobenzene	27.00	2.0	25	0	108	64.7	129	27.67	2.45	25	
1,2,3-Trichloropropane	27.32	2.0	25	0	109	71.5	117	26.23	4.07	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07070855-01D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **89431**
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**	SeqNo: **1058410**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	25.83	2.0	25	0	103	66.2	125	25.88	0.193	25	
1,2,4-Trimethylbenzene	25.28	1.0	25	0	101	67.1	122	26.24	3.73	25	
1,2-Dibromoethane	22.94	1.0	25	0	91.8	75.4	118	23.12	0.782	25	
1,2-Dichlorobenzene	24.70	1.0	25	0	98.8	73.8	113	24.94	0.967	25	
1,2-Dichloroethane	22.53	1.0	25	0	90.1	60.7	132	20.22	10.8	25	
1,2-Dichloropropane	23.04	1.0	25	0	92.2	78.4	113	22.22	3.62	25	
1,3,5-Trimethylbenzene	24.99	1.0	25	0	100	70.5	121	25.64	2.57	25	
1,3-Dichlorobenzene	25.31	1.0	25	0	101	72.4	113	24.94	1.47	25	
1,3-Dichloropropane	22.66	1.0	25	0	90.6	74.6	114	22.59	0.309	25	
1,4-Dichlorobenzene	25.12	1.0	25	0	100	72.7	112	25.27	0.595	25	
2,2-Dichloropropane	24.10	2.0	25	0	96.4	57.2	141	21.60	10.9	25	
2-Butanone (MEK)	19.50	5.0	25	0	78.0	39	131	17.16	12.8	25	
2-Chlorotoluene	24.89	1.0	25	0	99.6	70.4	116	25.26	1.48	25	
2-Hexanone	21.49	5.0	25	0	86.0	50.1	119	22.08	2.71	25	
4-Chlorotoluene	24.47	1.0	25	0	97.9	70.6	116	24.92	1.82	25	
4-Isopropyltoluene	25.28	1.0	25	0	101	61.8	130	25.83	2.15	25	
4-Methyl-2-pentanone	22.66	5.0	25	0	90.6	71.2	118	23.17	2.23	25	
Acetone	<20	20	25	0	68.8	26.4	126	14.33	18.1	25	E4
Benzene	21.87	1.0	25	0	87.5	69.3	128	20.92	4.44	25	
Bromobenzene	25.06	1.0	25	0	100	75.2	113	25.04	0.0798	25	
Bromochloromethane	23.74	1.0	25	0	95.0	77.3	117	22.37	5.94	25	
Bromodichloromethane	23.51	1.0	25	0	94.0	73.6	118	23.12	1.67	25	
Bromoform	23.69	1.0	25	0	94.8	72.9	119	21.97	7.53	25	
Bromomethane	23.26	2.0	25	0	93.0	61.8	146	23.74	2.04	25	
Carbon tetrachloride	24.40	1.0	25	0	97.6	73.5	134	22.40	8.55	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07070855-01D MSD** SampType: **MSD** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **89431**
Client ID: Batch ID: **R89431** TestNo: **SW8260B** Analysis Date: **7/26/2007** SeqNo: **1058410**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	23.77	1.0	25	0	95.1	78.4	109	24.51	3.07	25	
Chloroethane	23.80	1.0	25	0	95.2	71.8	126	23.77	0.126	25	
Chloroform	23.56	1.0	25	0	94.2	72.9	120	21.03	11.3	25	
Chloromethane	18.43	5.0	25	0	73.7	62.7	127	19.96	7.97	25	
cis-1,2-Dichloroethene	22.75	1.0	25	0	91.0	57.8	138	20.74	9.24	25	
cis-1,3-Dichloropropene	24.12	1.0	25	0	96.5	76.9	116	23.76	1.50	25	
Dibromochloromethane	23.97	1.0	25	0	95.9	74.1	121	24.17	0.831	25	
Dichlorodifluoromethane	19.17	1.0	25	0	76.7	52.9	148	19.90	3.74	25	
Ethylbenzene	23.90	1.0	25	0	95.6	77.2	116	24.86	3.94	25	
m,p-Xylene	48.52	2.0	50	0	97.0	77.8	115	50.69	4.37	25	
Methyl tert-butyl ether	22.24	1.0	25	0	89.0	69.1	128	19.16	14.9	25	
Methylene chloride	19.61	2.0	25	0	78.4	71.5	114	19.27	1.75	25	
n-Butylbenzene	25.32	1.0	25	0	101	68.3	126	25.82	1.96	25	
n-Propylbenzene	25.02	1.0	25	0	100	71.6	121	25.64	2.45	25	
o-Xylene	23.94	1.0	25	0	95.8	65.1	126	25.24	5.29	25	
sec-Butylbenzene	25.56	1.0	25	0	102	73.1	124	26.30	2.85	25	
Styrene	24.15	1.0	25	0	96.6	50.2	132	24.76	2.49	25	
tert-Butylbenzene	25.94	1.0	25	0	104	72.8	121	26.34	1.53	25	
Tetrachloroethene	22.19	1.0	25	0	88.8	73.8	126	23.57	6.03	25	
Toluene	22.89	1.0	25	0	91.6	75.6	119	24.60	7.20	25	
trans-1,2-Dichloroethene	22.06	1.0	25	0	88.2	76.8	123	19.79	10.8	25	
trans-1,3-Dichloropropene	23.58	1.0	25	0	94.3	67.8	121	24.77	4.92	25	
Trichloroethene	23.02	1.0	25	0	92.1	65.2	130	22.80	0.960	25	
Trichlorofluoromethane	24.05	1.0	25	0	96.2	75.2	136	21.41	11.6	25	
Vinyl acetate	25.52	1.0	25	0	102	52.9	134	23.96	6.31	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: *Romic/212001*

ANALYTICAL QC SUMMARY REPORT

TestCode: *8260_W*

Sample ID: **07070855-01D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:			RunNo: **89431**			
Client ID:	Batch ID: **R89431**	TestNo: **SW8260B**		Analysis Date: **7/26/2007**			SeqNo: **1058410**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	20.77	1.0	25	0	83.1	64.6	140	21.52	3.55	25	
Surr: 4-Bromofluorobenzene	24.21	0	25	0	96.8	63.3	123	24.30	0	0	
Surr: Dibromofluoromethane	26.28	0	25	0	105	62.8	120	23.07	0	0	
Surr: Toluene-d8	23.97	0	25	0	95.9	60	122	25.12	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30118**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061651**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	<0.25	0.25									
1,2-Dichlorobenzene	<0.50	0.50									
1,2-Diphenylhydrazine (As Azobenzene)	<0.25	0.25									
1,3-Dichlorobenzene	<0.25	0.25									
1,4-Dichlorobenzene	<0.25	0.25									
2,4,5-Trichlorophenol	<0.25	0.25									
2,4,6-Trichlorophenol	<0.25	0.25									
2,4-Dichlorophenol	<0.25	0.25									
2,4-Dimethylphenol	<0.25	0.25									
2,4-Dinitrophenol	<2.5	2.5									
2,4-Dinitrotoluene	<0.25	0.25									
2,6-Dinitrotoluene	<0.25	0.25									
2-Chloronaphthalene	<0.25	0.25									
2-Chlorophenol	<0.25	0.25									
2-Methylnaphthalene	<0.50	0.50									
2-Methylphenol	<0.25	0.25									
2-Nitroaniline	<0.25	0.25									
2-Nitrophenol	<0.25	0.25									
3 & 4-Methylphenol	<0.25	0.25									
3,3'-Dichlorobenzidine	<0.25	0.25									
3-Nitroaniline	<0.25	0.25									
4,6-Dinitro-2-methylphenol	<2.5	2.5									
4-Bromophenyl phenyl ether	<0.25	0.25									
4-Chloro-3-methylphenol	<0.25	0.25									
4-Chloroaniline	<0.25	0.25									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30118**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061651**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	<0.25	0.25									
4-Nitroaniline	<0.25	0.25									
4-Nitrophenol	<0.50	0.50									
Acenaphthene	<0.25	0.25									
Acenaphthylene	<0.25	0.25									
Anthracene	<0.25	0.25									
Benz(a)anthracene	<0.25	0.25									
Benzo(a)pyrene	<0.25	0.25									
Benzo(b)fluoranthene	<0.25	0.25									
Benzo(g,h,i)perylene	<0.25	0.25									
Benzo(k)fluoranthene	<0.25	0.25									
Benzoic acid	<1.0	1.0									
Benzyl alcohol	<0.25	0.25									
Bis(2-chloroethoxy)methane	<0.25	0.25									
Bis(2-chloroethyl)ether	<0.25	0.25									
Bis(2-chloroisopropyl)ether	*<0.25*	*0.25*									
Bis(2-ethylhexyl)phthalate	<0.25	0.25									
Butyl benzyl phthalate	<0.25	0.25									
Chrysene	<0.25	0.25									
Dibenz(a,h)anthracene	<0.25	0.25									
Dibenzofuran	<0.25	0.25									
Diethyl phthalate	<0.25	0.25									
Dimethyl phthalate	<0.25	0.25									
Di-n-butyl phthalate	<0.25	0.25									
Di-n-octyl phthalate	<0.25	0.25									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **MB-30118**	SampType: **MBLK**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061651**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	<0.25	0.25									
Fluorene	<0.25	0.25									
Hexachlorobenzene	<0.25	0.25									
Hexachlorobutadiene	<0.25	0.25									
Hexachlorocyclopentadiene	<0.50	0.50									
Hexachloroethane	<0.50	0.50									
Indeno(1,2,3-cd)pyrene	<0.25	0.25									
Isophorone	<0.25	0.25									
Naphthalene	<0.50	0.50									
Nitrobenzene	<0.25	0.25									
N-Nitrosodi-n-propylamine	<0.50	0.50									
N-Nitrosodiphenylamine	<0.25	0.25									
Pentachlorophenol	<0.50	0.50									
Phenanthrene	<0.25	0.25									
Phenol	<0.50	0.50									
Pyrene	<0.25	0.25									
Pyridine	<0.50	0.50									
Surr: 2,4,6-Tribromophenol	1.734	0	2.5	0	69.4	47.1	101				
Surr: 2-Fluorobiphenyl	1.682	0	2.5	0	67.3	52.8	96.3				
Surr: 2-Fluorophenol	1.692	0	2.5	0	67.7	49.1	93.8				
Surr: 4-Terphenyl-d14	1.268	0	2.5	0	50.7	10	113				
Surr: Nitrobenzene-d5	2.125	0	2.5	0	85.0	53.1	98.7				
Surr: Phenol-d6	1.672	0	2.5	0	66.9	51.3	103				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30118**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061652**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	2.139	0.25	2.5	0	85.6	46.6	93.4				
1,2-Dichlorobenzene	1.922	0.50	2.5	0	76.9	43.9	92.4				
1,2-Diphenylhydrazine (As Azobenzene)	2.084	0.25	2.5	0	83.4	48.1	99.4				
1,3-Dichlorobenzene	1.844	0.25	2.5	0	73.8	42.5	91				
1,4-Dichlorobenzene	1.890	0.25	2.5	0	75.6	43.5	91.2				
2,4,5-Trichlorophenol	2.008	0.25	2.5	0	80.3	49.2	103				
2,4,6-Trichlorophenol	2.051	0.25	2.5	0	82.0	49.7	103				
2,4-Dichlorophenol	2.348	0.25	2.5	0	93.9	50	98.5				
2,4-Dimethylphenol	2.292	0.25	2.5	0	91.7	43.7	92.9				
2,4-Dinitrophenol	2.738	2.5	4.375	0	62.6	16.7	124				
2,4-Dinitrotoluene	1.937	0.25	2.5	0	77.5	43.8	119				
2,6-Dinitrotoluene	1.785	0.25	2.5	0	71.4	44.1	111				
2-Chloronaphthalene	1.885	0.25	2.5	0	75.4	46.7	97.7				
2-Chlorophenol	2.075	0.25	2.5	0	83.0	47.1	94.3				
2-Methylnaphthalene	2.253	0.50	2.5	0	90.1	48.4	93.6				
2-Methylphenol	2.060	0.25	2.5	0	82.4	47	95.5				
2-Nitroaniline	2.416	0.25	2.5	0	96.7	49.4	107				
2-Nitrophenol	2.554	0.25	2.5	0	102	42.8	109				
3 & 4-Methylphenol	2.178	0.25	2.5	0	87.1	25.2	139				
3,3'-Dichlorobenzidine	2.074	0.25	2.5	0	83.0	37.8	92.3				
3-Nitroaniline	1.909	0.25	2.5	0	76.4	41.5	93.7				
4,6-Dinitro-2-methylphenol	2.602	2.5	4.375	0	59.5	44.9	118				
4-Bromophenyl phenyl ether	1.778	0.25	2.5	0	71.1	47.2	93				
4-Chloro-3-methylphenol	2.494	0.25	2.5	0	99.8	53.9	103				
4-Chloroaniline	2.239	0.25	2.5	0	89.6	18.2	97.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30118**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061652**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.774	0.25	2.5	0	71.0	46.2	91.9				
4-Nitroaniline	2.174	0.25	2.5	0	87.0	46.1	106				
4-Nitrophenol	3.114	0.50	3.75	0	83.1	38.4	118				
Acenaphthene	1.888	0.25	2.5	0	75.5	50.3	102				
Acenaphthylene	1.938	0.25	2.5	0	77.5	50.1	99.3				
Anthracene	1.956	0.25	2.5	0	78.2	51.4	102				
Benz(a)anthracene	2.089	0.25	2.5	0	83.6	48.8	105				
Benzo(a)pyrene	2.040	0.25	2.5	0	81.6	49.6	103				
Benzo(b)fluoranthene	2.040	0.25	2.5	0	81.6	45.8	99.3				
Benzo(g,h,i)perylene	2.049	0.25	2.5	0	82.0	49.1	107				
Benzo(k)fluoranthene	1.908	0.25	2.5	0	76.3	49.1	107				
Benzoic acid	3.028	1.0	5	0	60.6	20	111				
Benzyl alcohol	2.130	0.25	2.5	0	85.2	51.2	95.5				
Bis(2-chloroethoxy)methane	2.162	0.25	2.5	0	86.5	42.6	87.3				
Bis(2-chloroethyl)ether	1.777	0.25	2.5	0	71.1	43.5	85				
Bis(2-chloroisopropyl)ether	1.838	0.25	2.5	0	73.5	39.2	85.1				
Bis(2-ethylhexyl)phthalate	1.911	0.25	2.5	0	76.4	41.4	94.9				
Butyl benzyl phthalate	1.990	0.25	2.5	0	79.6	41.5	97.5				
Chrysene	2.084	0.25	2.5	0	83.4	47	107				
Dibenz(a,h)anthracene	2.064	0.25	2.5	0	82.6	39.1	115				
Dibenzofuran	1.914	0.25	2.5	0	76.6	49.8	102				
Diethyl phthalate	1.822	0.25	2.5	0	72.9	46	94.8				
Dimethyl phthalate	2.582	0.25	3.75	0	68.9	39.8	102				
Di-n-butyl phthalate	1.863	0.25	2.5	0	74.5	46.9	94.5				
Di-n-octyl phthalate	1.894	0.25	2.5	0	75.7	37.7	98.4				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCS-30118**	SampType: **LCS**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061652**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	2.042	0.25	2.5	0	81.7	52	105				
Fluorene	2.003	0.25	2.5	0	80.1	52.4	103				
Hexachlorobenzene	1.986	0.25	2.5	0	79.4	51.1	102				
Hexachlorobutadiene	2.136	0.25	2.5	0	85.4	44.5	94.2				
Hexachlorocyclopentadiene	1.596	0.50	2.5	0	63.8	38.9	90.6				
Hexachloroethane	1.871	0.50	2.5	0	74.8	44.1	89				
Indeno(1,2,3-cd)pyrene	2.048	0.25	2.5	0	81.9	48.9	113				
Isophorone	2.062	0.25	2.5	0	82.5	48.8	97.1				
Naphthalene	2.336	0.50	2.5	0	93.4	48.7	97.3				
Nitrobenzene	2.376	0.25	2.5	0	95.1	43.1	98				
N-Nitrosodi-n-propylamine	1.987	0.50	2.5	0	79.5	43.7	85.9				
N-Nitrosodiphenylamine	1.667	0.25	2.5	0	66.7	42.8	84.8				
Pentachlorophenol	2.739	0.50	3.75	0	73.0	34.6	122				
Phenanthrene	2.047	0.25	2.5	0	81.9	52.2	104				
Phenol	2.098	0.50	2.5	0	83.9	44.5	100				
Pyrene	2.145	0.25	2.5	0	85.8	47.5	105				
Pyridine	2.080	0.50	2.5	0	83.2	40.5	89.3				
Surr: 2,4,6-Tribromophenol	1.964	0	2.5	0	78.6	39.3	104				
Surr: 2-Fluorobiphenyl	1.760	0	2.5	0	71.2	37.6	96				
Surr: 2-Fluorophenol	1.827	0	2.5	0	73.1	31.6	90.7				
Surr: 4-Terphenyl-d14	1.290	0	2.5	0	51.6	7.58	73.2				
Surr: Nitrobenzene-d5	2.356	0	2.5	0	94.3	35.2	97.8				
Surr: Phenol-d6	1.933	0	2.5	0	77.3	34.7	93.3				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: LCSD-30118	SampType: LCSD	TestCode: 8270_s	Units: mg/Kg	Prep Date: 8/2/2007	RunNo: 89715
Client ID:	Batch ID: 30118	TestNo: SW8270C		Analysis Date: 8/3/2007	SeqNo: 1061653

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	2.298	0.25	2.5	0	91.9	46.6	93.4	2.139	7.17	35	
1,2-Dichlorobenzene	1.980	0.50	2.5	0	79.2	43.9	92.4	1.922	3.00	35	
1,2-Diphenylhydrazine (As Azobenzene)	2.087	0.25	2.5	0	83.5	48.1	99.4	2.084	0.144	35	
1,3-Dichlorobenzene	1.955	0.25	2.5	0	78.2	42.5	91	1.844	5.84	35	
1,4-Dichlorobenzene	1.978	0.25	2.5	0	79.1	43.5	91.2	1.890	4.55	35	
2,4,5-Trichlorophenol	2.131	0.25	2.5	0	85.2	49.2	103	2.008	5.92	35	
2,4,6-Trichlorophenol	2.030	0.25	2.5	0	81.2	49.7	103	2.051	1.05	35	
2,4-Dichlorophenol	2.447	0.25	2.5	0	97.9	50	98.5	2.348	4.13	35	
2,4-Dimethylphenol	2.439	0.25	2.5	0	97.6	43.7	92.9	2.292	6.24	35	L1
2,4-Dinitrophenol	2.976	2.5	4.375	0	68.0	16.7	124	2.738	8.37	35	
2,4-Dinitrotoluene	1.977	0.25	2.5	0	79.1	43.8	119	1.937	2.04	35	
2,6-Dinitrotoluene	1.944	0.25	2.5	0	77.8	44.1	111	1.785	8.55	35	
2-Chloronaphthalene	1.982	0.25	2.5	0	79.3	46.7	97.7	1.885	5.04	35	
2-Chlorophenol	2.140	0.25	2.5	0	85.6	47.1	94.3	2.075	3.11	35	
2-Methylnaphthalene	2.187	0.50	2.5	0	87.5	48.4	93.6	2.253	2.97	35	
2-Methylphenol	2.086	0.25	2.5	0	83.5	47	95.5	2.060	1.30	35	
2-Nitroaniline	2.549	0.25	2.5	0	102	49.4	107	2.416	5.34	35	
2-Nitrophenol	2.724	0.25	2.5	0	109	42.8	109	2.554	6.42	35	
3 & 4-Methylphenol	2.316	0.25	2.5	0	92.6	25.2	139	2.178	6.12	35	
3,3'-Dichlorobenzidine	1.986	0.25	2.5	0	79.4	37.8	92.3	2.074	4.36	35	
3-Nitroaniline	1.997	0.25	2.5	0	79.9	41.5	93.7	1.909	4.51	35	
4,6-Dinitro-2-methylphenol	2.825	2.5	4.375	0	64.6	44.9	118	2.602	8.24	35	
4-Bromophenyl phenyl ether	1.770	0.25	2.5	0	70.8	47.2	93	1.778	0.451	35	
4-Chloro-3-methylphenol	2.493	0.25	2.5	0	99.7	53.9	103	2.494	0.0401	35	
4-Chloroaniline	2.335	0.25	2.5	0	93.4	18.2	97.5	2.239	4.20	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30118**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061653**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.826	0.25	2.5	0	73.0	46.2	91.9	1.774	2.83	35	
4-Nitroaniline	2.292	0.25	2.5	0	91.7	46.1	106	2.174	5.28	35	
4-Nitrophenol	3.213	0.50	3.75	0	85.7	38.4	118	3.114	3.11	35	
Acenaphthene	1.986	0.25	2.5	0	79.4	50.3	102	1.888	5.01	35	
Acenaphthylene	1.970	0.25	2.5	0	78.8	50.1	99.3	1.938	1.69	35	
Anthracene	1.986	0.25	2.5	0	79.4	51.4	102	1.956	1.50	35	
Benz(a)anthracene	2.048	0.25	2.5	0	81.9	48.8	105	2.089	1.96	35	
Benzo(a)pyrene	2.071	0.25	2.5	0	82.8	49.6	103	2.040	1.48	35	
Benzo(b)fluoranthene	1.988	0.25	2.5	0	79.5	45.8	99.3	2.040	2.58	35	
Benzo(g,h,i)perylene	2.156	0.25	2.5	0	86.3	49.1	107	2.049	5.11	35	
Benzo(k)fluoranthene	2.116	0.25	2.5	0	84.7	49.1	107	1.908	10.4	35	
Benzoic acid	2.398	1.0	5	0	48.0	20	111	3.028	23.2	35	
Benzyl alcohol	2.194	0.25	2.5	0	87.8	51.2	95.5	2.130	2.94	35	
Bis(2-chloroethoxy)methane	2.203	0.25	2.5	0	88.1	42.6	87.3	2.162	1.88	35	L1
Bis(2-chloroethyl)ether	1.914	0.25	2.5	0	76.6	43.5	85	1.777	7.42	35	
Bis(2-chloroisopropyl)ether	1.868	0.25	2.5	0	74.7	39.2	85.1	1.838	1.59	35	
Bis(2-ethylhexyl)phthalate	1.853	0.25	2.5	0	74.1	41.4	94.9	1.911	3.11	35	
Butyl benzyl phthalate	1.978	0.25	2.5	0	79.1	41.5	97.5	1.990	0.605	35	
Chrysene	2.114	0.25	2.5	0	84.5	47	107	2.084	1.38	35	
Dibenz(a,h)anthracene	2.160	0.25	2.5	0	86.4	39.1	115	2.064	4.57	35	
Dibenzofuran	2.068	0.25	2.5	0	82.7	49.8	102	1.914	7.73	35	
Diethyl phthalate	1.894	0.25	2.5	0	75.8	46	94.8	1.822	3.85	35	
Dimethyl phthalate	2.702	0.25	3.75	0	72.0	39.8	102	2.582	4.50	35	
Di-n-butyl phthalate	1.882	0.25	2.5	0	75.3	46.9	94.5	1.863	0.988	35	
Di-n-octyl phthalate	1.995	0.25	2.5	0	79.8	37.7	98.4	1.894	5.22	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **LCSD-30118**	SampType: **LCSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061653**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	2.040	0.25	2.5	0	81.6	52	105	2.042	0.0980	35	
Fluorene	2.084	0.25	2.5	0	83.3	52.4	103	2.003	3.94	35	
Hexachlorobenzene	1.938	0.25	2.5	0	77.5	51.1	102	1.986	2.47	35	
Hexachlorobutadiene	2.312	0.25	2.5	0	92.5	44.5	94.2	2.136	7.89	35	
Hexachlorocyclopentadiene	1.776	0.50	2.5	0	71.0	38.9	90.6	1.596	10.6	35	
Hexachloroethane	1.992	0.50	2.5	0	79.7	44.1	89	1.871	6.26	35	
Indeno(1,2,3-cd)pyrene	2.124	0.25	2.5	0	84.9	48.9	113	2.048	3.60	35	
Isophorone	2.166	0.25	2.5	0	86.7	48.8	97.1	2.062	4.92	35	
Naphthalene	2.374	0.50	2.5	0	95.0	48.7	97.3	2.336	1.63	35	
Nitrobenzene	2.513	0.25	2.5	0	101	43.1	98	2.376	5.58	35	L1
N-Nitrosodi-n-propylamine	1.939	0.50	2.5	0	77.6	43.7	85.9	1.987	2.42	35	
N-Nitrosodiphenylamine	1.666	0.25	2.5	0	66.6	42.8	84.8	1.667	0.0900	35	
Pentachlorophenol	2.711	0.50	3.75	0	72.3	34.6	122	2.739	1.03	35	
Phenanthrene	2.010	0.25	2.5	0	80.4	52.2	104	2.047	1.82	35	
Phenol	2.130	0.50	2.5	0	85.2	44.5	100	2.098	1.51	35	
Pyrene	2.146	0.25	2.5	0	85.8	47.5	105	2.145	0.0233	35	
Pyridine	2.152	0.50	2.5	0	86.1	40.5	89.3	2.080	3.43	35	
Surr: 2,4,6-Tribromophenol	1.942	0	2.5	0	77.7	39.3	104	1.964	0	0	
Surr: 2-Fluorobiphenyl	1.860	0	2.5	0	74.4	37.6	96	1.780	0	0	
Surr: 2-Fluorophenol	1.902	0	2.5	0	76.1	31.6	90.7	1.827	0	0	
Surr: 4-Terphenyl-d14	1.570	0	2.5	0	62.8	7.58	73.2	1.290	0	0	
Surr: Nitrobenzene-d5	2.428	0	2.5	0	97.1	35.2	97.8	2.356	0	0	
Surr: Phenol-d6	1.957	0	2.5	0	78.3	34.7	93.3	1.933	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MS** SampType: **MS** TestCode: **8270_S** Units: **mg/Kg** Prep Date: **8/2/2007** RunNo: **89715**
Client ID: Batch ID: **30118** TestNo: **SW8270C** Analysis Date: **8/3/2007** SeqNo: **1061704**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.630	0.25	2.5	0	65.2	28.5	83.7				
1,2-Dichlorobenzene	1.408	0.50	2.5	0	56.3	32.9	78.9				
1,2-Diphenylhydrazine (As Azobenzene)	1.790	0.25	2.5	0	71.6	33.3	87.2				
1,3-Dichlorobenzene	1.346	0.25	2.5	0	53.8	23	82				
1,4-Dichlorobenzene	1.371	0.25	2.5	0	54.8	26	81.2				
2,4,5-Trichlorophenol	1.556	0.25	2.5	0	62.3	39.8	90.4				
2,4,6-Trichlorophenol	1.502	0.25	2.5	0	60.1	41.6	91.4				
2,4-Dichlorophenol	1.720	0.25	2.5	0	68.8	39	87.4				
2,4-Dimethylphenol	1.506	0.25	2.5	0	60.2	13.1	93.9				
2,4-Dinitrophenol	<2.5	2.5	4.375	0	32.0	50	76.2				E4M7
2,4-Dinitrotoluene	1.600	0.25	2.5	0	64.0	31.2	96.2				
2,6-Dinitrotoluene	1.504	0.25	2.5	0	60.1	27.3	93.6				
2-Chloronaphthalene	1.556	0.25	2.5	0	62.3	32.8	85.7				
2-Chlorophenol	1.472	0.25	2.5	0	58.9	38.4	80.5				
2-Methylnaphthalene	1.709	0.50	2.5	0	68.4	30.4	87.4				
2-Methylphenol	1.450	0.25	2.5	0	58.0	34.8	83.6				
2-Nitroaniline	2.052	0.25	2.5	0	82.1	40.3	94.9				
2-Nitrophenol	1.904	0.25	2.5	0	76.2	20.8	119				
3 & 4-Methylphenol	1.610	0.25	2.5	0	64.4	39	99.9				
3,3'-Dichlorobenzidine	1.460	0.25	2.5	0	58.4	20.9	71.3				
3-Nitroaniline	1.570	0.25	2.5	0	62.8	38.2	85.9				
4,6-Dinitro-2-methylphenol	<2.5	2.5	4.375	0	47.0	50	104				E4M7
4-Bromophenyl phenyl ether	1.472	0.25	2.5	0	58.9	31.7	84				
4-Chloro-3-methylphenol	1.970	0.25	2.5	0	78.8	28.1	109				
4-Chloroaniline	1.694	0.25	2.5	0	67.8	34.4	73.7				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MS**	SampType: **MS**	TestCode: **8270_S**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061704**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.471	0.25	2.5	0	58.8	30.3	83.3				
4-Nitroaniline	1.738	0.25	2.5	0	69.5	40.8	85.4				
4-Nitrophenol	2.589	0.50	3.75	0	69.0	39	97.2				
Acenaphthene	1.620	0.25	2.5	0	64.8	34.3	90.6				
Acenaphthylene	1.539	0.25	2.5	0	61.6	35.6	87.5				
Anthracene	1.637	0.25	2.5	0	65.5	31.6	90.4				
Benz(a)anthracene	1.676	0.25	2.5	0	67.0	25.5	105				
Benzo(a)pyrene	1.728	0.25	2.5	0	69.1	34.1	87.9				
Benzo(b)fluoranthene	1.697	0.25	2.5	0	67.9	16	106				
Benzo(g,h,i)perylene	1.743	0.25	2.5	0	69.7	10	120				
Benzo(k)fluoranthene	1.722	0.25	2.5	0	68.9	10	122				
Benzoic acid	<1.0	1.0	5	0	0	20	84.2				M7
Benzyl alcohol	1.566	0.25	2.5	0	62.6	26.9	98				
Bis(2-chloroethoxy)methane	1.616	0.25	2.5	0	64.6	31.7	77				
Bis(2-chloroethyl)ether	1.400	0.25	2.5	0	56.0	33.6	73.3				
Bis(2-chloroisopropyl)ether	1.374	0.25	2.5	0	54.9	30.2	68.1				
Bis(2-ethylhexyl)phthalate	1.574	0.25	2.5	0	63.0	30.1	82.2				
Butyl benzyl phthalate	1.603	0.25	2.5	0	64.1	16.7	92.3				
Chrysene	1.699	0.25	2.5	0	68.0	35.3	92.4				
Dibenz(a,h)anthracene	1.769	0.25	2.5	0	70.7	10	117				
Dibenzofuran	1.678	0.25	2.5	0	67.1	30.5	96.6				
Diethyl phthalate	1.437	0.25	2.5	0	57.5	33.2	77.9				
Dimethyl phthalate	2.191	0.25	3.75	0	58.4	26.2	98.2				
Di-n-butyl phthalate	1.550	0.25	2.5	0	62.0	34.3	82.1				
Di-n-octyl phthalate	1.698	0.25	2.5	0	67.9	15.5	102				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MS**	SampType: **MS**	TestCode: **8270_S**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061704**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.678	0.25	2.5	0	67.1	22.9	104				
Fluorene	1.672	0.25	2.5	0	66.9	36.8	90.2				
Hexachlorobenzene	1.578	0.25	2.5	0	63.1	23	105				
Hexachlorobutadiene	1.618	0.25	2.5	0	64.7	26	85.9				
Hexachlorocyclopentadiene	1.059	0.50	2.5	0	42.4	20	98.7				
Hexachloroethane	1.332	0.50	2.5	0	53.3	25.1	79				
Indeno(1,2,3-cd)pyrene	1.750	0.25	2.5	0	70.0	22.5	102				
Isophorone	1.573	0.25	2.5	0	62.9	18.1	104				
Naphthalene	1.832	0.50	2.5	0	73.3	33.5	87.1				
Nitrobenzene	1.952	0.25	2.5	0	78.1	34.9	82.6				
N-Nitrosodi-n-propylamine	1.418	0.50	2.5	0	56.7	34.5	71.2				
N-Nitrosodiphenylamine	1.296	0.25	2.5	0	51.9	10	115				
Pentachlorophenol	2.130	0.50	3.75	0	56.8	38.3	104				
Phenanthrene	1.697	0.25	2.5	0	67.9	16	123				
Phenol	1.532	0.50	2.5	0	61.3	24	96.9				
Pyrene	1.747	0.25	2.5	0	69.9	26.3	99.1				
Pyridine	1.534	0.50	2.5	0	61.4	19.5	77.9				
Surr: 2,4,6-Tribromophenol	1.253	0	2.5	0	50.1	19.6	102				
Surr: 2-Fluorobiphenyl	1.208	0	2.5	0	48.3	17.2	94.5				
Surr: 2-Fluorophenol	1.210	0	2.5	0	48.4	14	83.2				
Surr: 4-Terphenyl-d14	1.054	0	2.5	0	42.2	10	79.7				
Surr: Nitrobenzene-d5	1.583	0	2.5	0	63.3	19.5	94.4				
Surr: Phenol-d6	1.431	0	2.5	0	57.2	21.6	87.9				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MSD**	SampType: **MSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061705**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1.706	0.25	2.5	0	68.3	28.5	83.7	1.630	4.59	35	
1,2-Dichlorobenzene	1.426	0.50	2.5	0	57.1	32.9	78.9	1.408	1.34	35	
1,2-Diphenylhydrazine (As Azobenzene)	1.778	0.25	2.5	0	71.1	33.3	87.2	1.790	0.645	35	
1,3-Dichlorobenzene	1.394	0.25	2.5	0	55.8	23	82	1.346	3.58	35	
1,4-Dichlorobenzene	1.407	0.25	2.5	0	56.3	26	81.2	1.371	2.59	35	
2,4,5-Trichlorophenol	1.513	0.25	2.5	0	60.5	39.8	90.4	1.556	2.83	35	
2,4,6-Trichlorophenol	1.536	0.25	2.5	0	61.5	41.6	91.4	1.502	2.27	35	
2,4-Dichlorophenol	1.837	0.25	2.5	0	73.5	39	87.4	1.720	6.58	35	
2,4-Dimethylphenol	1.548	0.25	2.5	0	61.9	13.1	93.9	1.506	2.78	35	
2,4-Dinitrophenol	<2.5	2.5	4.375	0	30.9	50	76.2	1.400	3.34	35	E4M7
2,4-Dinitrotoluene	1.559	0.25	2.5	0	62.4	31.2	96.2	1.600	2.56	35	
2,6-Dinitrotoluene	1.424	0.25	2.5	0	57.0	27.3	93.6	1.504	5.43	35	
2-Chloronaphthalene	1.484	0.25	2.5	0	59.4	32.8	85.7	1.556	4.77	35	
2-Chlorophenol	1.575	0.25	2.5	0	63.0	38.4	80.5	1.472	6.79	35	
2-Methylnaphthalene	1.770	0.50	2.5	0	70.8	30.4	87.4	1.709	3.48	35	
2-Methylphenol	1.524	0.25	2.5	0	60.9	34.8	83.6	1.450	4.94	35	
2-Nitroaniline	2.070	0.25	2.5	0	82.8	40.3	94.9	2.052	0.849	35	
2-Nitrophenol	2.088	0.25	2.5	0	83.5	20.8	119	1.904	9.19	35	
3 & 4-Methylphenol	1.748	0.25	2.5	0	69.9	39	99.9	1.610	8.28	35	
3,3'-Dichlorobenzidine	1.414	0.25	2.5	0	56.6	20.9	71.3	1.460	3.20	35	
3-Nitroaniline	1.577	0.25	2.5	0	63.1	36.2	85.9	1.570	0.413	35	
4,6-Dinitro-2-methylphenol	<2.5	2.5	4.375	0	46.6	50	104	2.057	0.805	35	E4M7
4-Bromophenyl phenyl ether	1.412	0.25	2.5	0	56.5	31.7	84	1.472	4.19	35	
4-Chloro-3-methylphenol	2.002	0.25	2.5	0	80.1	28.1	109	1.970	1.64	35	
4-Chloroaniline	1.739	0.25	2.5	0	69.6	34.4	73.7	1.694	2.59	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: 07070754-07A MSD	SampType: MSD	TestCode: 8270_s	Units: mg/Kg	Prep Date: 8/2/2007	RunNo: 89715
Client ID:	Batch ID: 30118	TestNo: SW8270C		Analysis Date: 8/3/2007	SeqNo: 1061705

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	1.428	0.25	2.5	0	57.1	30.3	83.3	1.471	2.93	35	
4-Nitroaniline	1.713	0.25	2.5	0	68.5	40.8	85.4	1.738	1.42	35	
4-Nitrophenol	2.454	0.50	3.75	0	65.4	39	97.2	2.589	5.35	35	
Acenaphthene	1.543	0.25	2.5	0	61.7	34.3	90.6	1.620	4.87	35	
Acenaphthylene	1.490	0.25	2.5	0	59.6	35.6	87.5	1.539	3.20	35	
Anthracene	1.588	0.25	2.5	0	63.5	31.6	90.4	1.637	3.04	35	
Benz(a)anthracene	1.602	0.25	2.5	0	64.1	25.5	105	1.676	4.52	35	
Benzo(a)pyrene	1.598	0.25	2.5	0	63.9	34.1	87.9	1.728	7.81	35	
Benzo(b)fluoranthene	1.650	0.25	2.5	0	66.0	16	106	1.697	2.78	35	
Benzo(g,h,i)perylene	1.622	0.25	2.5	0	64.9	10	120	1.743	7.16	35	
Benzo(k)fluoranthene	1.516	0.25	2.5	0	60.6	10	122	1.722	12.8	35	
Benzoic acid	<1.0	1.0	5	0	0	20	84.2	0	0	35	M7
Benzyl alcohol	1.700	0.25	2.5	0	68.0	26.9	98	1.566	8.27	35	
Bis(2-chloroethoxy)methane	1.675	0.25	2.5	0	67.0	31.7	77	1.616	3.62	35	
Bis(2-chloroethyl)ether	1.408	0.25	2.5	0	56.3	33.6	73.3	1.400	0.570	35	
Bis(2-chloroisopropyl)ether	1.402	0.25	2.5	0	56.1	30.2	68.1	1.374	2.02	35	
Bis(2-ethylhexyl)phthalate	1.478	0.25	2.5	0	59.1	30.1	82.2	1.574	6.26	35	
Butyl benzyl phthalate	1.479	0.25	2.5	0	59.2	16.7	92.3	1.603	8.05	35	
Chrysene	1.620	0.25	2.5	0	64.8	35.3	92.4	1.699	4.76	35	
Dibenz(a,h)anthracene	1.654	0.25	2.5	0	66.1	10	117	1.769	6.72	35	
Dibenzofuran	1.563	0.25	2.5	0	62.5	30.5	96.6	1.678	7.13	35	
Diethyl phthalate	1.364	0.25	2.5	0	54.6	33.2	77.9	1.437	5.21	35	
Dimethyl phthalate	1.974	0.25	3.75	0	52.6	26.2	98.2	2.191	10.4	35	
Di-n-butyl phthalate	1.486	0.25	2.5	0	59.4	34.3	82.1	1.550	4.22	35	
Di-n-octyl phthalate	1.558	0.25	2.5	0	62.3	15.5	102	1.698	8.60	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_s

Sample ID: **07070754-07A MSD**	SampType: **MSD**	TestCode: **8270_s**	Units: **mg/Kg**	Prep Date: **8/2/2007**	RunNo: **89715**
Client ID:	Batch ID: **30118**	TestNo: **SW8270C**		Analysis Date: **8/3/2007**	SeqNo: **1061705**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	1.636	0.25	2.5	0	65.4	22.9	104	1.678	2.50	35	
Fluorene	1.564	0.25	2.5	0	62.6	36.8	90.2	1.672	6.61	35	
Hexachlorobenzene	1.542	0.25	2.5	0	61.7	23	105	1.578	2.28	35	
Hexachlorobutadiene	1.720	0.25	2.5	0	68.8	26	85.9	1.618	6.17	35	
Hexachlorocyclopentadiene	1.064	0.50	2.5	0	42.6	20	98.7	1.059	0.471	35	
Hexachloroethane	1.460	0.50	2.5	0	58.4	25.1	79	1.332	9.13	35	
Indeno(1,2,3-cd)pyrene	1.634	0.25	2.5	0	65.4	22.5	102	1.750	6.83	35	
Isophorone	1.648	0.25	2.5	0	65.9	18.1	104	1.573	4.66	35	
Naphthalene	1.935	0.50	2.5	0	77.4	33.5	87.1	1.832	5.44	35	
Nitrobenzene	2.018	0.25	2.5	0	80.7	34.9	82.6	1.952	3.30	35	
N-Nitrosodi-n-propylamine	1.502	0.50	2.5	0	60.1	34.5	71.2	1.418	5.68	35	
N-Nitrosodiphenylamine	1.242	0.25	2.5	0	49.7	10	115	1.296	4.25	35	
Pentachlorophenol	2.196	0.50	3.75	0	58.6	38.3	104	2.130	3.07	35	
Phenanthrene	1.676	0.25	2.5	0	67.0	16	123	1.697	1.28	35	
Phenol	1.613	0.50	2.5	0	64.5	24	96.9	1.532	5.15	35	
Pyrene	1.648	0.25	2.5	0	65.9	26.3	99.1	1.747	5.86	35	
Pyridine	1.540	0.50	2.5	0	61.6	19.5	77.9	1.534	0.423	35	
Surr: 2,4,6-Tribromophenol	1.235	0	2.5	0	49.4	19.6	102	1.253	0	0	
Surr: 2-Fluorobiphenyl	1.238	0	2.5	0	49.5	17.2	94.5	1.208	0	0	
Surr: 2-Fluorophenol	1.306	0	2.5	0	52.2	14	83.2	1.210	0	0	
Surr: 4-Terphenyl-d14	0.8870	0	2.5	0	35.5	10	79.7	1.054	0	0	
Surr: Nitrobenzene-d5	1.778	0	2.5	0	71.1	19.5	94.4	1.583	0	0	
Surr: Phenol-d6	1.423	0	2.5	0	56.9	21.6	87.9	1.431	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30013**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058300**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	<10	10									
1,2-Dichlorobenzene	<10	10									
1,2-Diphenylhydrazine (As Azobenzene)	<10	10									
1,3-Dichlorobenzene	<10	10									
1,4-Dichlorobenzene	<10	10									
2,4,5-Trichlorophenol	<20	20									
2,4,6-Trichlorophenol	<20	20									
2,4-Dichlorophenol	<10	10									
2,4-Dimethylphenol	<10	10									
2,4-Dinitrophenol	<50	50									
2,4-Dinitrotoluene	<10	10									
2,6-Dinitrotoluene	<10	10									
2-Chloronaphthalene	<10	10									
2-Chlorophenol	<10	10									
2-Methylnaphthalene	<10	10									
2-Methylphenol	<10	10									
2-Nitroaniline	<10	10									
2-Nitrophenol	<15	15									
3 & 4-Methylphenol	<10	10									
3,3'-Dichlorobenzidine	<10	10									
3-Nitroaniline	<10	10									
4,6-Dinitro-2-methylphenol	<50	50									
4-Bromophenyl phenyl ether	<10	10									
4-Chloro-3-methylphenol	<10	10									
4-Chloroaniline	<10	10									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30013**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058300**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	<10	10									
4-Nitroaniline	<10	10									
4-Nitrophenol	<25	25									
Acenaphthene	<10	10									
Acenaphthylene	<10	10									
Anthracene	<10	10									
Benz(a)anthracene	<10	10									
Benzo(a)pyrene	<10	10									
Benzo(b)fluoranthene	<10	10									
Benzo(g,h,i)perylene	<10	10									
Benzo(k)fluoranthene	<10	10									
Benzoic acid	<25	25									
Benzyl alcohol	<10	10									
Bis(2-chloroethoxy)methane	<10	10									
Bis(2-chloroethyl)ether	<10	10									
Bis(2-chloroisopropyl)ether	<10	10									
Bis(2-ethylhexyl)phthalate	<5.0	5.0									
Butyl benzyl phthalate	<10	10									
Chrysene	<10	10									
Dibenz(a,h)anthracene	<10	10									
Dibenzofuran	<10	10									
Diethyl phthalate	<10	10									
Dimethyl phthalate	<20	20									
Di-n-butyl phthalate	<10	10									
Di-n-octyl phthalate	<10	10									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30013**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058300**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	<10	10									
Fluorene	<10	10									
Hexachlorobenzene	<10	10									
Hexachlorobutadiene	<10	10									
Hexachlorocyclopentadiene	<10	10									
Hexachloroethane	<10	10									
Indeno(1,2,3-cd)pyrene	<10	10									
Isophorone	<10	10									
Naphthalene	<10	10									
Nitrobenzene	<10	10									
N-Nitrosodi-n-propylamine	<10	10									
N-Nitrosodiphenylamine	<10	10									
Pentachlorophenol	<50	50									
Phenanthrene	<10	10									
Phenol	<10	10									
Pyrene	<10	10									
Surr: 2,4,6-Tribromophenol	59.76	0	100	0	59.8	39	116				
Surr: 2-Fluorobiphenyl	57.76	0	100	0	57.8	34.9	107				
Surr: 2-Fluorophenol	29.56	0	100	0	29.6	20.5	83.5				
Surr: 4-Terphenyl-d14	32.78	0	100	0	32.8	17.7	94.9				
Surr: Nitrobenzene-d5	69.52	0	100	0	69.5	41.3	114				
Surr: Phenol-d6	20.64	0	100	0	20.6	14.4	62.3				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: *Romic/212001*

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30013**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058301**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	73.72	10	120	0	61.4	22.6	91.1				Q8
1,2-Dichlorobenzene	48.14	10	80	0	60.2	17.2	85.6				Q8
1,2-Diphenylhydrazine (As Azobenzene)	56.44	10	80	0	70.6	36.1	114				Q8
1,3-Dichlorobenzene	45.42	10	80	0	56.8	13.9	78.8				Q8
1,4-Dichlorobenzene	47.22	10	80	0	59.0	15.6	80.8				Q8
2,4,5-Trichlorophenol	53.20	20	80	0	66.5	46.2	94.1				Q8
2,4,6-Trichlorophenol	52.72	20	80	0	65.9	45	98				Q8
2,4-Dichlorophenol	55.86	10	80	0	69.8	43.1	93				Q8
2,4-Dimethylphenol	54.08	10	80	0	67.6	41.6	89.3				Q8
2,4-Dinitrophenol	57.32	50	120	0	47.8	41.7	105				Q8
2,4-Dinitrotoluene	63.10	10	80	0	78.9	36.4	122				Q8
2,6-Dinitrotoluene	59.94	10	80	0	74.9	34.6	118				Q8
2-Chloronaphthalene	76.22	10	120	0	63.5	32.2	105				Q8
2-Chlorophenol	50.44	10	80	0	63.0	39.5	86.6				Q8
2-Methylnaphthalene	54.68	10	80	0	68.4	29.1	100				Q8
2-Methylphenol	43.76	10	80	0	54.7	34.2	84.2				Q8
2-Nitroaniline	59.40	10	80	0	74.2	31	130				Q8
2-Nitrophenol	53.92	15	80	0	67.4	40.8	99.1				Q8
3 & 4-Methylphenol	40.32	10	80	0	50.4	18.5	96.8				Q8
3,3'-Dichlorobenzidine	57.92	10	80	0	72.4	36.1	111				Q8
3-Nitroaniline	57.80	10	80	0	72.3	30.8	117				Q8
4,6-Dinitro-2-methylphenol	70.12	50	120	0	58.4	42.5	105				Q8
4-Bromophenyl phenyl ether	53.14	10	80	0	66.4	33.2	104				Q8
4-Chloro-3-methylphenol	56.72	10	80	0	70.9	42.2	96.5				Q8
4-Chloroaniline	55.84	10	80	0	69.8	24.1	124				Q8

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30013**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058301**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	53.88	10	80	0	67.4	32.9	103				Q8
4-Nitroaniline	61.44	10	80	0	76.8	33.8	119				Q8
4-Nitrophenol	30.14	25	120	0	25.1	20.8	56.9				Q8
Acenaphthene	57.48	10	80	0	71.8	34.7	114				Q8
Acenaphthylene	*56.66*	*10*	*80*	*0*	*70.8*	*35.7*	*111*				Q8
Anthracene	59.88	10	80	0	74.8	37.1	116				Q8
Benz(a)anthracene	58.60	10	80	0	73.2	39.7	115				Q8
Benzo(a)pyrene	58.16	10	80	0	72.7	38.6	113				Q8
Benzo(b)fluoranthene	56.48	10	80	0	70.6	35.6	107				Q8
Benzo(g,h,i)perylene	61.14	10	80	0	76.4	34.4	128				Q8
Benzo(k)fluoranthene	59.48	10	80	0	74.4	39.9	115				Q8
Benzoic acid	<25	25	200	0	4.65	15.6	46.2				E4L2Q8
Benzyl alcohol	49.34	10	80	0	61.7	29.8	98.2				Q8
Bis(2-chloroethoxy)methane	54.22	10	80	0	67.8	31.8	102				Q8
Bis(2-chloroethyl)ether	53.38	10	80	0	66.7	30.2	102				Q8
Bis(2-chloroisopropyl)ether	50.28	10	80	0	62.8	29.2	97.2				Q8
Bis(2-ethylhexyl)phthalate	54.92	5.0	80	0	68.6	35	104				Q8
Butyl benzyl phthalate	50.08	10	80	0	62.6	31.3	99.3				Q8
Chrysene	60.36	10	80	0	75.4	39.9	117				Q8
Dibenz(a,h)anthracene	60.50	10	80	0	75.6	33.4	124				Q8
Dibenzofuran	57.54	10	80	0	71.9	35.5	114				Q8
Diethyl phthalate	34.90	10	80	0	43.6	19.9	85.7				Q8
Dimethyl phthalate	22.56	20	120	0	18.8	16.7	65.2				Q8
Di-n-butyl phthalate	54.36	10	80	0	68.0	33.4	105				Q8
Di-n-octyl phthalate	53.96	10	80	0	67.4	33.2	102				Q8

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30013**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058301**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	62.64	10	80	0	78.3	39.5	119				Q8
Fluorene	59.06	10	80	0	73.8	36.3	117				Q8
Hexachlorobenzene	58.44	10	80	0	73.0	37	114				Q8
Hexachlorobutadiene	39.24	10	80	0	49.0	12.5	73				Q8
Hexachlorocyclopentadiene	30.40	10	80	0	38.0	12.5	73.1				Q8
Hexachloroethane	59.50	10	120	0	49.6	13.5	71.3				Q8
Indeno(1,2,3-cd)pyrene	60.42	10	80	0	75.5	35.2	129				Q8
Isophorone	52.06	10	80	0	65.1	35.7	111				Q8
Naphthalene	57.40	10	80	0	71.8	28.2	107				Q8
Nitrobenzene	58.84	10	80	0	73.6	33.6	111				Q8
N-Nitrosodi-n-propylamine	54.18	10	80	0	67.7	30.3	102				Q8
N-Nitrosodiphenylamine	*46.98*	*10*	*80*	*0*	58.7	31.9	96.4				Q8
Pentachlorophenol	85.88	50	120	0	71.6	41.7	110				Q8
Phenanthrene	60.14	10	80	0	75.2	38.2	117				Q8
Phenol	22.56	10	80	0	28.2	13.6	55.4				Q8
Pyrene	60.28	10	80	0	75.4	39	116				Q8
Surr: 2,4,6-Tribromophenol	68.60	0	100	0	68.6	41.8	98.4				
Surr: 2-Fluorobiphenyl	62.76	0	100	0	62.8	29.9	104				
Surr: 2-Fluorophenol	34.66	0	100	0	34.7	20.3	63.7				
Surr: 4-Terphenyl-d14	*35.18*	*0*	*100*	*0*	35.2	17.7	60.2				
Surr: Nitrobenzene-d5	71.94	0	100	0	71.9	33.5	109				
Surr: Phenol-d6	25.16	0	100	0	25.2	13.4	46.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30013** SampType: **LCSD** TestCode: **8270_w** Units: **µg/L** Prep Date: **7/25/2007** RunNo: **89424**
Client ID: Batch ID: **30013** TestNo: **SW8270C** Analysis Date: **7/25/2007** SeqNo: **1058302**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	61.16	10	120	0	51.0	22.6	91.1	73.72	18.6	35	Q8
1,2-Dichlorobenzene	39.78	10	80	0	49.7	17.2	85.6	48.14	19.0	35	Q8
1,2-Diphenylhydrazine (As Azobenzene)	54.02	10	80	0	67.5	36.1	114	56.44	4.38	35	Q8
1,3-Dichlorobenzene	36.22	10	80	0	45.3	13.9	78.8	45.42	22.5	35	Q8
1,4-Dichlorobenzene	37.02	10	80	0	46.3	15.6	80.8	47.22	24.2	35	Q8
2,4,5-Trichlorophenol	54.38	20	80	0	68.0	46.2	94.1	53.20	2.19	35	Q8
2,4,6-Trichlorophenol	53.52	20	80	0	66.9	45	98	52.72	1.51	35	Q8
2,4-Dichlorophenol	50.46	10	80	0	63.1	43.1	93	55.86	10.2	35	Q8
2,4-Dimethylphenol	48.08	10	80	0	60.1	41.6	89.3	54.08	11.7	35	Q8
2,4-Dinitrophenol	77.96	50	120	0	65.0	41.7	105	57.32	30.5	35	Q8
2,4-Dinitrotoluene	59.34	10	80	0	74.2	36.4	122	63.10	6.14	35	Q8
2,6-Dinitrotoluene	54.66	10	80	0	68.3	34.6	118	59.94	9.21	35	Q8
2-Chloronaphthalene	73.22	10	120	0	61.0	32.2	105	76.22	4.01	35	Q8
2-Chlorophenol	45.52	10	80	0	56.9	39.5	86.6	50.44	10.3	35	Q8
2-Methylnaphthalene	50.46	10	80	0	63.1	29.1	100	54.68	8.03	35	Q8
2-Methylphenol	39.60	10	80	0	49.5	34.2	84.2	43.76	9.98	35	Q8
2-Nitroaniline	56.70	10	80	0	70.9	31	130	59.40	4.65	35	Q8
2-Nitrophenol	*52.28*	*15*	*80*	*0*	*65.4*	*40.8*	*99.1*	*53.92*	*3.09*	*35*	*Q8*
3 & 4-Methylphenol	38.76	10	80	0	48.5	18.5	96.8	40.32	3.95	35	Q8
3,3'-Dichlorobenzidine	52.42	10	80	0	65.5	36.1	111	57.92	9.97	35	Q8
3-Nitroaniline	54.38	10	80	0	68.0	30.8	117	57.80	6.10	35	Q8
4,6-Dinitro-2-methylphenol	82.06	50	120	0	68.4	42.5	105	70.12	15.7	35	Q8
4-Bromophenyl phenyl ether	50.42	10	80	0	63.0	33.2	104	53.14	5.25	35	Q8
4-Chloro-3-methylphenol	53.06	10	80	0	66.3	42.2	96.5	56.72	6.67	35	Q8
4-Chloroaniline	49.58	10	80	0	62.0	24.1	124	55.84	11.9	35	Q8

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: Clear Creek Associates
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30013**	SampType: **LCSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058302**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	49.48	10	80	0	61.8	32.9	103	53.88	8.51	35	Q8
4-Nitroaniline	55.64	10	80	0	69.6	33.8	119	61.44	9.91	35	Q8
4-Nitrophenol	36.26	25	120	0	30.2	20.8	56.9	30.14	18.4	35	Q8
Acenaphthene	53.36	10	80	0	66.7	34.7	114	57.48	7.43	35	Q8
Acenaphthylene	52.68	10	80	0	65.8	35.7	111	56.66	7.28	35	Q8
Anthracene	55.34	10	80	0	69.2	37.1	116	59.88	7.88	35	Q8
Benz(a)anthracene	53.64	10	80	0	67.0	39.7	115	58.60	8.84	35	Q8
Benzo(a)pyrene	54.22	10	80	0	67.8	38.6	113	58.16	7.01	35	Q8
Benzo(b)fluoranthene	51.28	10	80	0	64.1	35.6	107	56.48	9.65	35	Q8
Benzo(g,h,i)perylene	55.84	10	80	0	69.8	34.4	128	61.14	9.06	35	Q8
Benzo(k)fluoranthene	55.56	10	80	0	69.4	39.9	115	59.48	6.82	35	Q8
Benzoic acid	42.46	25	200	0	21.2	15.6	46.2	9.300	128	35	Q8R9
Benzyl alcohol	43.22	10	80	0	54.0	29.8	98.2	49.34	13.2	35	Q8
Bis(2-chloroethoxy)methane	47.90	10	80	0	59.9	31.8	102	54.22	12.4	35	Q8
Bis(2-chloroethyl)ether	45.26	10	80	0	56.6	30.2	102	53.38	16.5	35	Q8
Bis(2-chloroisopropyl)ether	41.86	10	80	0	52.3	29.2	97.2	50.28	18.3	35	Q8
Bis(2-ethylhexyl)phthalate	50.36	5.0	80	0	63.0	35	104	54.92	8.66	35	Q8
Butyl benzyl phthalate	45.16	10	80	0	56.4	31.3	99.3	50.08	10.3	35	Q8
Chrysene	55.00	10	80	0	68.8	39.9	117	60.36	9.29	35	Q8
Dibenz(a,h)anthracene	56.04	10	80	0	70.1	33.4	124	60.50	7.65	35	Q8
Dibenzofuran	*54.34*	*10*	*80*	*0*	*67.9*	*35.5*	*114*	*57.54*	*5.72*	*35*	*Q8*
Diethyl phthalate	33.08	10	80	0	41.4	19.9	85.7	34.90	5.35	35	Q8
Dimethyl phthalate	22.54	20	120	0	18.8	16.7	65.2	22.56	0.0887	35	Q8
Di-n-butyl phthalate	50.34	10	80	0	62.9	33.4	105	54.36	7.68	35	Q8
Di-n-octyl phthalate	50.30	10	80	0	62.9	33.2	102	53.96	7.02	35	Q8

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *08-Aug-07*

CLIENT: *Clear Creek Associates*
Work Order: 07070795
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30013**	SampType: **LCSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **7/25/2007**	RunNo: **89424**
Client ID:	Batch ID: **30013**	TestNo: **SW8270C**		Analysis Date: **7/25/2007**	SeqNo: **1058302**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	58.30	10	80	0	72.9	39.5	119	62.64	7.18	35	Q8
Fluorene	55.84	10	80	0	69.8	36.3	117	59.06	5.60	35	Q8
Hexachlorobenzene	55.38	10	80	0	69.2	37	114	58.44	5.38	35	Q8
Hexachlorobutadiene	32.44	10	80	0	40.6	12.5	73	39.24	19.0	35	Q8
Hexachlorocyclopentadiene	27.64	10	80	0	34.6	12.5	73.1	30.40	9.51	35	Q8
Hexachloroethane	46.10	10	120	0	38.4	13.5	71.3	59.50	25.4	35	Q8
Indeno(1,2,3-cd)pyrene	55.62	10	80	0	69.5	35.2	129	60.42	8.27	35	Q8
Isophorone	45.68	10	80	0	57.1	35.7	111	52.06	13.1	35	Q8
Naphthalene	49.32	10	80	0	61.6	28.2	107	57.40	15.1	35	Q8
Nitrobenzene	50.36	10	80	0	63.0	33.6	111	58.84	15.5	35	Q8
N-Nitrosodi-n-propylamine	46.32	10	80	0	57.9	30.3	102	54.18	15.6	35	Q8
N-Nitrosodiphenylamine	45.90	10	80	0	57.4	31.9	96.4	46.98	2.33	35	Q8
Pentachlorophenol	94.36	50	120	0	78.6	41.7	110	85.88	9.41	35	Q8
Phenanthrene	57.74	10	80	0	72.2	38.2	117	60.14	4.07	35	Q8
Phenol	21.36	10	80	0	26.7	13.6	55.4	22.56	5.46	35	Q8
Pyrene	53.60	10	80	0	67.0	39	116	60.28	11.7	35	Q8
Surr: 2,4,6-Tribromophenol	68.52	0	100	0	68.5	41.8	98.4	68.60	0	0	
Surr: 2-Fluorobiphenyl	56.30	0	100	0	56.3	29.9	104	62.76	0	0	
Surr: 2-Fluorophenol	33.04	0	100	0	33.0	20.3	63.7	34.66	0	0	
Surr: 4-Terphenyl-d14	32.06	0	100	0	32.1	17.7	60.2	35.18	0	0	
Surr: Nitrobenzene-d5	61.42	0	100	0	61.4	33.5	109	71.94	0	0	
Surr: Phenol-d6	22.66	0	100	0	22.7	13.4	46.5	25.16	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories Sample Receipt Checklist

Project Checked By:

Laboratory Number: 07070795	Completed By/On: [illegible] 7/24/07
Client Name: Clear Creek	Date/Time Rec'd: 7/24/07 1020 By: RC
Matrix: Air (Soil) (Aqueous) Oil Sludge Solid WW DW	Carrier Name: Client

Temperature	Cooler #1 4.3 °C	Cooler #2 °C	Cooler #3 °C	Cooler #4 °C
Temp. Read With	Thermometer (IR)	Thermometer IR	Thermometer IR	Thermometer IR

Client or PM made aware of temp. out of range? Yes No Circle one: Blue Ice (~~Wet Ice~~) Not Present

	Yes	No*	Not Present
Shipping container/cooler in good condition?	X		
Custody seals intact on shipping container/cooler?			X
Custody seals intact on sample containers?			X
Chain of Custody present and relinquished/received properly?	X		
Chain of Custody agrees with sample labels?	X		
Samples in proper containers/bottles?	X		
Sample containers intact?	X		
All samples received within holding time?	X		**See Comments about Chlorine and pH
Is there sufficient sample volume to perform the tests?	X		
40mL vials for volatiles & SOGs received with zero headspace?	X		

Soil Containers:
Brass Sleeve X
Glass Jar
Methanol
Plastic Bag
Encore Samplers X
Sterile Plastic

Total number of bottles received: 22 | IH sample media:

If applicable, how many sample bottles were shipped from AEL-Tucson? N/A X

Number of containers received by preservative and by sample number: (If more than 10 samples are rec'd, please continue on separate sheet(s)).

Preservative	Simple***	1	2	3	4	5	6	7	8	9	10
A-General		1	2	2	2	1	2	2	2	2	2
B-HNO3											1
C-H2SO4											
D-HCl											3
E-Na2S2O3											
F-NaOH											
G-Sulfide											
H-Na Sulfite											
I-MCAA											
J-Methanol											
K-HAA											
L-Other											

*Any No response must be detailed in the comments section. Contact the PM immediately to determine how to proceed. Refer to SOP 11-001 and continue on back if additional space is needed.

**The holding time for pH and Total Residual Chlorine analysis is immediate. For the most accurate results, the pH and Total Residual Chlorine should be taken in the field within 15 minutes of sampling.

***The Simple box is only to be used when there is one bottle per preservative in equal sample sets.

Water-pH acceptable upon receipt? Yes X No N/A

Preservative & pH		pH of samples upon receipt	If pH requires adjustment, list sample number and reagent I.D. number.
Metals	<2	<2	
H_2SO_4	<2		
1664	<2		
Cyanide	>12		
Sulfide	>9		

Comments:

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

[X] Main Lab - 4645 E. Cotton Center Blvd., Building 3, Suite 189, Phoenix, AZ 85040 602.437.3340 - FAX 623.445.6192
[ ] North Phoenix - 1501 W. Knudsen, Phoenix, AZ 85027 623.780.4800 - FAX 623.445.6216
[ ] Tucson - 4455 S. Park Ave., Suite 110, Tucson, AZ 85714 520.807.3801 - FAX 520.807.3803
www.aeroenvirolabs.com or call toll-free 866.772.5227

Lab Number: 07070795

Customer Number:		**Page** 1 of 1	
Customer: Clear Creek Associates		**Sampler:** Gene Mamm	
Address: 6155 E. Indian School Road Ste 200		**Project Name:** Rome	
City, State, Zip: Scottsdale AZ 85251		**Project Number:** 2120.01	
Contact: Tom Sertic		**P.O. Number:** N/A	
Phone: 480-659-7131	**Fax:** 480-659-7143	**Fax Results:** Y (N)	
E-Mail Address:		**E-Mail Results:** (Y) N	

Sample Type Codes: DW - Drinking Water; A - Air; WW - Waste Water; S - Soil; HW - Hazardous Waste; Other

Sample Receipt
Temperature 4.3 °C
Custody Seals: Yes ____ No ____
Custody Seals Intact: Yes ____ No N/A
Total # of Containers: 22

Turn Around Request
____ 24 Hours ____ 48 Hours
____ 72 Hours
____ 5 Working Days
X Standard 10 Working Days
Subject to scheduling & availability (surcharges apply)

Sample Information

Lab #	Sample Identification	Date	Time	Type	8260	8270	TEH 418.1	RCRA Metals 6010	# of sample Containers
1	RE107-05'	7/24/07	0700	Soil	X				1
2	RE107-10'		0714	Soil	X	X	X		2
3	RE107-15'		0723	Soil	X	X	X		2
4	RE107-20'		0734	Soil	X	X	X		2
5	RE107-30'		0744	Soil	X				1
6	RE107-40'		0756	Soil	X	X	X		2
7	RE107-45'		0808	Soil	X	X	X		2
8	RE107-50'		0810	Soil	X	X	X		2
9	RE107-60'		0820	Soil	X	X	X		2
10	RE107-60' FB	d	0844	Water	X	X	X		6

Instructions / Special Requirements: Preserve Encore Samples by EPA Method 5035

Date:	Time:	Samples Relinquished By:	Received By:
7/27/1	1020		

Analysis performed is subject to the Terms & Conditions available at www.aeroenvirolabs.com or call 866.772.5227 to request a copy.

APPENDIX E

WELL INSTALLATION AND DEVELOPMENT FIELD FORMS

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.: Ronsa	Project No.: 21200/
Well No.: RE101	Date: 7-17-07
Location: D(2-4)4b	Pipe Talley for: 4" casing
Total Depth: 100 ft	Geologist: GQ

Type of Connections: ☐ Welded ☐ T+C ☐ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type	Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10.00	10.00	SCH 40 PVC Slotted					
2	✓	10.00	20.00	"					
3	✓	10.00	30.00	"					
4	✓	5.00	35.00	"					
5	✓	5.00	40.00	SCH 40 PVC Blank					
6	✓	10.00	50.00	"					
7	✓	10.00	60.00	"					
8	✓	10.00	70.00	"					
9	✓	10.00	80.00	"					
10	✓	20.00	100.00	LCS Blank					

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.): 100

Length of casing cut off after landing (ft.): N/A

Bottom of Casing (feet below land surface): 100

Screened Interval(s) (ft.bls): 65-100

Total feet of blank casing in hole (ft.): 65

Notes:

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.: Romic	Project No.: 212001
Well No.: RE 102	Date: 7-16-07
Location: D(2-4)4b	Pipe Talley for: 4" casing
Total Depth: 100 ft	Geologist: GJM, GQ

Type of Connections: ☐ Welded ☐ T+C ☐ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10.00	10.00	SCH 40 PVC Slotted
2	✓	10.00	20.00	"
3	✓	10.00	30.00	"
4	✓	5.00	35.00	"
5	✓	5.00	40.00	SCH 40 PVC Blank
6	✓	10.00	50.00	"
7	✓	10.00	60.00	"
8	✓	10.00	70.00	"
9	✓	10.00	80.00	"
10	✓	20.00	100.00	LCS Blank

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.): 100

Length of casing cut off after landing (ft.): N/A

Bottom of Casing (feet below land surface): 100

Screened Interval(s) (ft.bls): 65-100

Total feet of blank casing in hole (ft.): 65

Notes:

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.: Romic	Project No.: 212001
Well No.: RE103	Date: 7-20-07
Location: D(2-4)4b	Pipe Talley for: 4" casing
Total Depth: 100 ft	Geologist: GQ

Type of Connections: ☐ Welded ☐ T+C ☐ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type	Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10.00	10.00	SCH 40 PVC Slotted					
2	✓	10.00	20.00	"					
3	✓	10.00	30.00	"					
4	✓	5.00	35.00	"					
5	✓	5.00	40.00	SCH 40 PVC Blank					
6	✓	10.00	50.00	"					
7	✓	10.00	60.00	"					
8	✓	10.00	70.00	"					
9	✓	10.00	80.00	"					
10	✓	20.00	100.00	LCS Blank					

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.): 100

Length of casing cut off after landing (ft.): N/A

Bottom of Casing (feet below land surface): 100

Screened Interval(s) (ft.bls): 65-100

Total feet of blank casing in hole (ft.): 65

Notes:

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.: Romic	Project No.: 212001
Well No.: RE104	Date: 7-23-07
Location: D(2-4)4b	Pipe Talley for: 4" casing
Total Depth: 100 ft	Geologist: GQ

Type of Connections: ☐ Welded ☐ T+C ☐ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type	Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10.00	10.00	SCH 40 PVC Slotted					
2	✓	10.00	20.00	"					
3	✓	10.00	30.00	"					
4	✓	5.00	35.00	"					
5	✓	5.00	40.00	SCH 40 PVC Blank					
6	✓	10.00	50.00	"					
7	✓	10.00	60.00	"					
8	✓	10.00	70.00	"					
9	✓	10.00	80.00	"					
10	✓	20.00	100.00	LCS Blank					

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.): 100

Length of casing cut off after landing (ft.): N/A

Bottom of Casing (feet below land surface): 100

Screened Interval(s) (ft.bls): 65-100

Total feet of blank casing in hole (ft.): 65

Notes:

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.:	Ramic	Project No.:	712001
Well No.:	RE105	Date:	7/18/07
Location:	D(24)46	Pipe Talley for:	4" casing
Total Depth:	100 ft	Geologist:	KWH

Type of Connections: ☐ Welded ☐ T+C ☒ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10	10	PVC Slot Scrn
2	✓	10	20	PVC Slot Scrn
3	✓	10	30	PVC Slot Scrn
4	✓	5	35	PVC Slot Scrn
5	✓	5	40	PVC Blank
6	✓	10	50	PVC Blank
7	✓	10	60	PVC Blank
8	✓	10	70	PVC Blank
9	✓	10	80	PVC Blank
10	✓	20	100	PVC Blank

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.):	100
Length of casing cut off after landing (ft.):	N/A
Bottom of Casing (feet below land surface):	100
Screened Interval(s) (ft.bls):	65-100
Total feet of blank casing in hole (ft.):	65

Notes:
Bottom cap screwed to lowest casing section

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.:	Round 2	**Project No.:**	212001
Well No.:	RE106	**Date:**	7/18/07
Location:	D(2-9)16b	**Pipe Talley for:**	4" PVC casing
Total Depth:	100 FT	**Geologist:**	KWH

Type of Connections: ☐ Welded ☐ T+C ☑ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10	10	PVC Slot Screen
2	✓	10	20	"
3	✓	10	30	"
4	✓	5	35	"
5	✓	5	40	PVC Blank
6	✓	10	50	"
7	✓	10	60	"
8	✓	10	70	"
9	✓	10	80	"
10	✓	20	100	LCS Blank

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.): 100

Length of casing cut off after landing (ft.): N/A

Bottom of Casing (feet below land surface): 100

Screened Interval(s) (ft.bls): 65-100

Total feet of blank casing in hole (ft.): 65

Notes: Bottom cap screwed to lowest screened section

CLEAR CREEK ASSOCIATES

PIPE TALLY

Project Name.:	Romic	Project No.:	212001
Well No.:	RE-107	Date:	7/24/07
Location:	D(24)45	Pipe Talley for:	4" PVC casing
Total Depth:	100 ft	Geologist:	KWH

Type of Connections: ☐ Welded ☐ T+C ☒ Flush Thread ☐ Other

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type
1	✓	10	10	PVC Slot Scrn
2	✓	10	20	"
3	✓	10	30	"
4	✓	5	35	"
5	✓	5	40	PVC Blank
6	✓	10	50	"
7	✓	10	60	"
8	✓	10	70	"
9	✓	10	80	"
10		20	100	LCS blank

Pipe	✓	Length (ft)	Length Σ (ft)	Pipe Type

SUMMARY OF TALLY

Total length of casing/screen tallied (ft.):	100
Length of casing cut off after landing (ft.):	N/A
Bottom of Casing (feet below land surface):	100
Screened Interval(s) (ft.bls):	65-100
Total feet of blank casing in hole (ft.):	65

Notes: Bottom cap screwed to lowest screened section

CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7-19-07 Project No.: 212001 Geologist: GQ

Well No.: RE101 Project Name: Rom.C

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]:	100 feet	Total Cased Depth:	100 feet
Length of Interval to be filled [L]:	60 feet	Rat Hole Volume [R]:	— Ft^3
Borehole Diameter [D]:	9.0 inches	Casing Diameter [d]:	4.0 inch.
Annular Volume (A): (D^2-d^2) 0.005454 =	0.35451 Ft^3/Lin. Ft		
Expected Calculated Volume = (AxL)+R=	21.27 Ft^3		

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb. bags

Measurement Method: Label on Bag ✓

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
27	✓	1350	13.50	13.50	61.92	60	10-20 Colorado Silica Sand
8	✓	400	4.00	17.50	48.72	45	Pel Plug-Bentonite Pellets Bucket.



CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7-16-07 Project No.: 212001 Geologist: GJM, GQ

Well No.: RE107 Project Name: Romic

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]:	100 feet	Total Cased Depth:	100 feet
Length of Interval to be filled [L]:	60 feet	Rat Hole Volume [R]:	— Ft³
Borehole Diameter [D]:	9.0 inches	Casing Diameter [d]:	4.0 inch.
Annular Volume (A): (D^2-d^2) 0.005454 =	0.35451 Ft³/Lin. Ft		
Expected Calculated Volume = (AxL)+R=	21.27 Ft³		

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb bags

Measurement Method: Label on Bag ✓

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
26	✓	1300	13.00	13.00	63.33	60	10-30 Colorado Silica Sand
9	✓	450	4.50	17.50	47.31	45	Pel Plug - Bentonite Pellets
							Bucket
12	✓	1128	11.28	28.78	13.18	0	Portland Cement I/II



CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7-20-07 Project No.: 212001 Geologist: GQ

Well No.: RE103 Project Name: Romic

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]: 100 feet Total Cased Depth: 100 feet

Length of Interval to be filled [L]: 100 feet Rat Hole Volume [R]: — Ft^3

Borehole Diameter [D]: 9.0 inches Casing Diameter [d]: 4.0 inch.

Annular Volume (A): (D^2-d^2) 0.005454 = 0.35451 Ft^3/Lin. Ft

Expected Calculated Volume = (AxL)+R= ~~21.27~~ 35.45 Ft^3

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb- bags

Measurement Method: Table on bag

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
~~22~~	✓	1600	16.00	16.00	54.87	60	10-20 Colorado Silica Sand
8	✓	400	4.00	20.00	48.72	45	Pel Plug - Bentonite Pellets
							Bucket
10	✓	940	9.40	29.40	18.48	0	Portland Cement + I/II



CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7-23-07 Project No.: ~~Rom~~ 212001 Geologist: GQ

Well No.: RE104 Project Name: Romic

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]: 100 feet Total Cased Depth: 100 feet

Length of Interval to be filled [L]: 100 feet Rat Hole Volume [R]: N/A Ft³

Borehole Diameter [D]: 9.0 inches Casing Diameter [d]: 4.0 inch.

Annular Volume (A): (D^2-d^2) 0.005454 = 0.35451 Ft³/Lin. Ft

Expected Calculated Volume = (AxL)+R= 35.45 Ft³

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb bags

Measurement Method: Label on bag ✓

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
26	✓	1300	13.00	13.00	63.33	60	10-20 Colorado Silica Sand
9	✓	450	4.50	17.50	47.31	45	PelPlug-Bentonite Pellets Bucket
8	✓	752	7.52	25.02	23.79	0	Portland Cement I/II



Sand

Page 1 of 1

CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7/18/07 Project No.: 712001 Geologist: KWH

Well No.: RE105 Project Name: Romic

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]: 100 feet — Total Cased Depth: 100 feet

Length of Interval to be filled [L]: 60 feet — Rat Hole Volume [R]: — Ft³

Borehole Diameter [D]: 9.0 inches — Casing Diameter [d]: 4.0 inch.

Annular Volume (A): (D^2-d^2) 0.005454 = 0.3545 Ft³/Lin. Ft

Expected Calculated Volume = (AxL)+R= 21.27 Ft³

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb bags

Measurement Method: wt. of bag

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
1-25	✓	50	0.50	12.50	NA	60	CSS 10x20
26-34	✓	50	0.69	18.71	NA	45	Pel-Plug bentonite
35-40	✓	94 lbs	~~2.44 lbs~~ (KH)		NA	-0-	Type I/II portland cement



Sand

Page 1

CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7/19/07 Project No.: 212061 Geologist: KWH

Well No.: RE106 Project Name: Komic

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]: 100 feet Total Cased Depth: 100 feet

Length of Interval to be filled [L]: 60 feet Rat Hole Volume [R]: — Ft³

Borehole Diameter [D]: 9.0 inches Casing Diameter [d]: 4.0 inch.

Annular Volume (A): (D^2-d^2) 0.005454 = 0.3545 Ft³/Lin. Ft

Expected Calculated Volume = (AxL)+R= 21.27 Ft³

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb bags

Measurement Method: wt on bag

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
1–29	✓	50	.50	14	60.50	62	CSS 10x20
29	✓	50	.50	14.5	59.01	60	CSS 10 x20
30–37	✓	50	.69	20.02		45	3/8" bentonite pellets
38–49	✓	94				0	Type I/II portland cmt



CLEAR CREEK ASSOCIATES

ESTIMATED ANNULAR MATERIAL RECORD

Date: 7/24/07 Project No.: 21001 Geologist: KWH

Well No.: RE107 Project Name: Rom. C

ANNULAR VOLUME CALCULATIONS

Total Depth of Borehole [T]: 100 feet Total Cased Depth: 100 feet

Length of Interval to be filled [L]: 60 feet Rat Hole Volume [R]: — Ft³

Borehole Diameter [D]: 9.0 inches Casing Diameter [d]: 4.0 inch.

Annular Volume (A): (D^2-d^2) 0.005454 = 0.3545 Ft³/Lin. Ft

Expected Calculated Volume = (AxL)+R= 21.27 Ft³

ANNULAR MATERIALS TALLY

Type of Annular Material: CSS 10x20

Type/Size of Container: 50 lb bags

Measurement Method: Wt on bag

EQUATIONS

2,700 lbs. Silica Sand=1 cubic yard=27 cubic ft

[1] Volume of bag (Ft^3) = bag weight/100

[2] Calculated depth=previous calculated depth - (v/A)

No.	✓	Weight of Bag (lbs.)	Volume of Bag[1] (v) (ft^3)	Total Vol. of Bags (ft^3)	Calculated Depth[2] (ft bls)	Tagged Depth (ft bls)	Comments
1-28	✓	50	.50	14	59.01	60	CSS 10x20
29-37	✓	50	.69	20.21	41.5	45	3/8" bentonite pellets 65
38-48	✓	94	N/A				type I/II portland cement
							w/ quick gel / bentonite



CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.: 712001	Project: Romic
Well No.: RE101	Date: 7/26/2007
Location: D(2-4)9650	Weather: hot humid overcast
Purpose of Sampling Event: monitor well development	

WELL DATA

Total Depth of Well (ft bls): 100' bls	Static Water Level (ft bls): -
Sample Interval (ft bls): 65-100' bls	Date/Time: 7/26/2007
Casing Diameter (in): 4"	Pt. of Measurement: -

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments	
16:04	~15	0						brown		pump on	
16:06		30	7.61	77.8	1677		.1	brown	none	Turb - error 3	TDS 1204 ppm
16:15		165	7.84	78.5	1663	2-5	trace	lt brown		Turb: 416 NTU	TDS 1195
16:20		240	7.80	77.6	1650		trace	cloudy		Turb: 93.8	TDS 1185
16:28		360	7.81	77.7	1650		none	lt cloudy		Turb: 27.9	TDS 1183
16:35		465	7.78	77.9	1645		none	lt cloudy		Turb: 14.1	TDS 1180
16:42		570	7.81	77.4	1660	2	none	clear		Turb: 9.41	TDS 1192
16:48		660	7.80	77.0	1643		none	clear		Turb - 7.96	TDS 1180
16:55		765	7.83	77.2	1642		none	clear		Turb - 5.46	TDS 1180
17:05		915	7.83	77.0	1644		none	clear		Turb - 4.01	TDS 1182
17:06	↓	930 *							↓	pump off	

Time Pumping Started: 16:04 Time of Sample Collection: -

Type of Samples Collected: -

Total Discharge (gallons): ~930 EC-T-pH Meter Type: Myron Ultrameter II

Sample Collected by: CMB

How Sample Collected: -

Additional Comments: * total discharge into totes ~1000 gallons in 62 minutes. Estimated rate above is a little low

Turbidity Units: Nephelometric Turbidity Units

CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.: 212001	Project: Ronic
Well No.: RE102	Date: 7/25/2007
Location: 65-100' bls	Weather: hot, humid, overcast
Purpose of Sampling Event: monitor well development	

WELL DATA

Total Depth of Well (ft bls): 100' bls	Static Water Level (ft bls): ~
Sample Interval (ft bls): 65-100' bls	Date/Time: 7/25/2007
Casing Diameter (in): 4"	Pt. of Measurement: ~

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments	
10:18	~22	66	7.95	78.3°	481+	2-5	,1	lt brown	none	~~481+~~ ~~,3001~~ cond vTDS, rising at 10 minutes, not stabilized	
										TDS 330 ppm	
										Turb 778	
10:30		330	7.86	80.3	677		trace	lt cloudy	none	Turb 44.9	TDS 430
10:35		440	7.82	77.8	855	2-5	trace	lt cloudy	none	Turb 47.3	TDS 497
10:36		~450								1st total Q / pump off	
12:59	~17	467	7.79	78.9	1647		trace	cloudy	none	Turb 75.8	TDS 1183
13:04		552	7.75	77.7	1603		trace	lt cloudy	none	Turb 15.8	TDS 1146
13:09		637	7.78	78.2	1600		none	clear	none	Turb 10.10	TDS 1146
13:14		722	7.79	78.3	1628	2-5	none	clear	none	Turb 5.36	TDS 1167
13:19		807	7.86	78.1	1617		none	clear	none	Turb 4.24	TDS 1157
13:22		~850								~~2nd~~ pump off	TOTAL Q

Time Pumping Started: 10:15 Time of Sample Collection: ~

Type of Samples Collected: ~

Total Discharge (gallons): ~~~~ ~850 EC-T-pH Meter Type: Myron Ultrameter II

Sample Collected by: CMB

How Sample Collected: Inhoff Cone

Additional Comments: ~~30"-34"~~ ~300 Gallon Totes

TDS in ppMillion

~~2~~ 13:16 Cell

Turbidity Units : Nephelometric Turbidity Units

CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.: 212001	Project: Romic
Well No.: RE103	Date: 7/30/07
Location: D(2-4)466d	Weather: Sunny Hot Humid
Purpose of Sampling Event: well development	

WELL DATA

Total Depth of Well (ft bls): 100	Static Water Level (ft bls): 73.70
Sample Interval (ft bls): NA	Date/Time: 7/30/07 1220
Casing Diameter (in): 4"	Pt. of Measurement: top of steel casing

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments
1000	15.4	0	7.48	79.3	1878	NA	0.1	brown	none	
1005	"		10.41	78.8	2000	NA	trace	brown	none	
1009	"		7.30	78.8	1955	NA	none	lt tan	none	T=240
1016	"		7.43	78.6	1901	NA	trace	lt tan	none	T=330
1022	"		7.51	79.6	1859	NA	trace	none	none	T=50
1027	"	~525	7.51	78.9	1837	NA	none	none	none	T=16
1034	"	575	7.59	79.8	1838	NA	trace	none	none	T=32
1039	"	625	7.57	79.4	1803	NA	trace	none	none	T=55
1045	"	750	7.58	79.7	1774	NA	none	none	none	T=13
1051	"	875	7.54	78.4	1837	NA	none	none	none	T=6
1056	"	980	7.56	79.0	1827	NA	none	none	none	T=6
1100	"	1060	7.61	79.2	1818	NA	none	none	none	T=27
1105	"	1150	7.61	79.1	1821	NA	none	none	none	T=8
1113	"	1250	7.61	78.9	1821	NA	none	none	none	T=5.1
1115	"	1275	7.57	78.3	1850	NA	none	none	none	T=4.4

Time Pumping Started: 1000 Time of Sample Collection: NA

Type of Samples Collected: NA

Total Discharge (gallons): 1275 EC-T-pH Meter Type: Myron Ultrameter

Sample Collected by: NA

How Sample Collected: NA

Additional Comments:

CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.: 212001	Project: Romic
Well No.: RE104	Date: 7/27/2007
Location: D(2-4) 46Sd	Weather: Clear hot
Purpose of Sampling Event: monitor well development	

WELL DATA

Total Depth of Well (ft bls): 100' bls	Static Water Level (ft bls): —
Sample Interval (ft bls): 65-100' bls	Date/Time: 7/27/2007
Casing Diameter (in): 4"	Pt. of Measurement: —

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments	
10:08	~17	0								Pump On	
10:12		68	7.77	81.4	2418		trace	brown	none	Turb: error3	TDS: 1787
10:16		136	7.60	78.9	1924		trace	brown	none	Turb: 818	TDS: 1399
10:24		272	7.73	77.9	1903	2	trace	cloudy	none	Turb: 141	TDS: 1382
10:31		391	7.77	77.0	1843		trace	cloudy	none	Turb: 43.6	TDS: 1336
10:39		527	7.72	76.3	1825		trace	lt cloudy	none	Turb: 21.8	TDS: 1322
10:46		646	7.61	75.9	1829		trace	lt cloudy	none	Turb: 15.1	TDS: 1326
10:54		782	7.49	76.9	1843	2-5	trace	clear	none	Turb: 9.31	TDS: 1336
11:00		884	7.56	76.7	1819		none	clear	none	Turb: 7.74	TDS: 1315
11:07		1003	7.57	76.7	1830		trace	clear	none	Turb: 6.52	TDS: 1320
11:14		1122	7.57	77.4	1812		trace	clear	none	Turb: 5.71	TDS: 1308
11:15	↓	1139								pump off	

Time Pumping Started: 10:08 Time of Sample Collection: —

Type of Samples Collected: —

Total Discharge (gallons): 1139 EC-T-pH Meter Type: Myron Ultrameter II

Sample Collected by: CWB

How Sample Collected: —

Additional Comments:

CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.: 212001	Project: Ronie
Well No.: RE105	Date: 7/27/2007
Location: D(2-4)4bbd	Weather: hot cloudy
Purpose of Sampling Event: monitor well development	

WELL DATA

Total Depth of Well (ft bls): 100' bls	Static Water Level (ft bls): –
Sample Interval (ft bls): 65'-100' bls	Date/Time: –
Casing Diameter (in): 4"	Pt. of Measurement: –

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments	
15:08	~17	0								Pump On	
15:11		51	6.88	80.1	1915		trace	brown	none	Turb: 108.7	TDS: 1388 ppm
15:20		204	7.29	78.2	1741	2-5	trace	cloudy		Turb: 66.9	TDS: 1244
15:26		306	7.51	77.3	1766		none	cloudy		Turb: 33.5	TDS: 1270
15:32		408	7.20	77.5	1758		trace	lt cloudy		Turb: 17.7	TDS: 1267
15:38		510	6.94	76.8	1776		none	lt cloudy		Turb: 16.9	TDS: 1279
15:45		629	7.27	75.6	1758		none	clear		Turb: 8.44	TDS: 1265
15:53		765	7.13	75.7	1899	2-5	none	clear		Turb: 5.49	TDS: 1260
15:58		850	6.73	76.3	1752		none	clear		Turb: 4.94	TDS: 1265
16:00		884								pump off	

Time Pumping Started: 1508 Time of Sample Collection: –

Type of Samples Collected: –

Total Discharge (gallons): 884 EC-T-pH Meter Type: Myron Ultrameter II

Sample Collected by: CMB

How Sample Collected: –

Additional Comments:

CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.: 212001	Project: Ronic
Well No.: RE10.6	Date: 7/31/07
Location: D(2-4)4bbd	Weather: Sunny hot humid
Purpose of Sampling Event: Well development	

WELL DATA

Total Depth of Well (ft bls): 100	Static Water Level (ft bls): 74.20
Sample Interval (ft bls): NA	Date/Time: 7/31/07 0728
Casing Diameter (in): 4"	Pt. of Measurement: Top of steel casing

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments
0938	16.2	10	7.66	79.3	1649	NA	0.3	brown	none	
0943	"	75	7.49	76.7	1664	NA	trace	brown	none	
0948	"	200	7.41	76.7	1614	NA	trace	lt brown	none	T = 350
0958	"	300	7.45	76.6	1734	NA	trace	lt brown	none	T = 330
1005	"	400	7.35	76.2	1653	NA	trace	none	none	T = 60
1014	"	550	7.36	79.9	1636	NA	trace	none	none	T = 23
1018	"	600	7.52	77.2	1671	NA	trace	none	none	T = 60
1027	"	700	7.41	78.9	1735	NA	trace	none	none	T = 17
1032	"	850	7.54	78.5	1605	NA	none	none	none	T = 8.2
1037	"	900	7.57	80.4	1588	NA	trace	none	none	T = 16
1042	"	1000	7.57	77.7	1788	NA	trace	none	none	T = 11
1048	"	1100	7.60	78.3	1803	NA	trace	none	none	T = 6.3
1052	"	1150	7.55	76.1	1683	NA	none	none	none	T = 4.5

Time Pumping Started: 0936 Time of Sample Collection: NA

Type of Samples Collected: NA

Total Discharge (gallons): 1150 EC-T-pH Meter Type: MyRon Ultrameter

Sample Collected by: NA

How Sample Collected: NA

Additional Comments: Total Discharge estimated from markings on side of tote

CLEAR CREEK ASSOCIATES

WATER SAMPLE DATA LOG

Project No.:	212061	Project:	Remic
Well No.:	RE 107	Date:	7/30/07
Location:	D(2-4) 465d	Weather:	Humid - Stormy
Purpose of Sampling Event:	Well development		

WELL DATA

Total Depth of Well (ft bls):	100	Static Water Level (ft bls):	73.16
Sample Interval (ft bls):	NA	Date/Time:	7/30/07 0719
Casing Diameter (in):	4"	Pt. of Measurement:	Top of Steel Casing

FIELD SAMPLING DATA

Time	Discharge Rate (gpm)	Total Discharge (gallons)	pH	Temp. (°F)	Specific Conduct. (µs/cm)	Field Nitrate (mg/l)	Sand Content (ml/l)	Color	Odor	Comments
1453	16.6	10	7.36	82.5	1958	NA	.5	brown	none	
1455	"	50	7.32	80.9	1900	NA	Trace	brown	none	
1500	"	100	7.48	80.8	1924	NA	trace	lt brown	none	
1505	"	175	7.54	79.5	1968	NA	trace	lt tan	none	T=300
1510	"	240	7.58	78.5	1985	Na	trace	lt tan	none	T=160
1517	"	340	7.60	81.0	2044	NA	trace	none	none	T=60
1521	"	400	7.61	81.5	2064	NA	trace	none	none	T=26
1527	"	500	7.82	88.5	2053	NA	trace	none	none	T=15
1531	"	535	7.56	82.2	2053	NA	trace	none	none	T=30
1538	"	650	7.62	81.6	1936	NA	trace	none	none	T=19
1547	"	830	7.56	80.3	1892	NA	trace	none	none	T=7.5
1552	"	950	7.56	81.3	1898	NA	trace	none	none	T=20
1557	"	950	7.56	80.7	1895	NA	trace	none	none	T=9.9
1606	"	1110	7.55	79.0	1822	NA	none	none	none	T=4.5
1608	"	1150	7.53	77.9	1817	NA	none	none	none	T=4.8

Time Pumping Started: 1451 Time of Sample Collection: NA

Type of Samples Collected: NA

Total Discharge (gallons): 1150 EC-T-pH Meter Type: Myron Ultrameter

Sample Collected by: NA

How Sample Collected: NA

Additional Comments:

APPENDIX F

WELL SURVEY RESULTS

ROMIC ENVIRONMENTAL TECHNOLOGIES
SURVEY FOR: CLEAR CREEK ASSOCIATES
ENTELLUS PROJECT NO.: 704.001
SURVEY DATE: AUGUST 29-30, 2007
REPORT DATE: SEPTEMBER 5, 2007

WELL	OBJECT	NORTH	EAST	ELEVATION
RE 101	Lid	832666.32	687862.65	1158.86
	Casing	832665.78	687862.83	1157.97
	Ground			1155.22
RE 102	Lid	832833.48	687716.82	1160.63
	Casing	832833.04	687716.72	1159.81
	Ground			1156.82
RE 103	Lid	832422.53	687323.68	1152.57
	Casing	832421.78	687323.89	1151.92
RE 104	Lid	832536.02	687295.24	1153.53
	Casing	832536.02	687296.29	1152.90
RE 105	Lid	832637.45	687298.36	1153.63
	Casing	832637.68	687299.04	1152.84
RE 106	Lid	832766.42	687294.30	1153.37
	Casing	832766.49	687295.10	1152.82
RE 107	Lid	832414.28	687461.69	1152.92
	Casing	832413.42	687461.76	1152.48

NOTES

1. Horizontal locations obtained by utilizing survey-grade GPS equipment and methods. Survey tied to the AZGPS VRS network.
2. Northings and Eastings are on the Arizona State Plane Coordinate System, Central Zone, based on the North American Datum of 1983 (2002.0 epoch), or NAD83(2002). Per state statute, the unit of measurement is the International Foot.
3. Elevations obtained by utilizing conventional survey methods tied to the City of Chandler datum.
4. City of Chandler Benchmark # 8, a brass cap flush located at the centerline intersection of Aspen Drive and Chicago Street, was used as the basis of elevation for this survey. Elevation = 1158.756 feet.
5. Horizontal coordinates and elevations shown were obtained at specific locations on the objects noted. These locations were delineated by Clear Creek personnel on site.

Entellus

2255 N. 44th Street
Suite 125
Phoenix, Arizona
85008.3279

Tel 602.244.2566
Fax [illegible]
Web [illegible]

REGISTERED LAND SURVEYOR
CERTIFICATE NO.
33874
DANIEL G.
FRANCETIC
Date Signed 9.5.2007
ARIZONA U.S.A.

APPENDIX G

WELL SAMPLING FIELD FORMS

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE101
SAMPLE ID: RE101-82'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/27/07
TIME OF SAMPLING: 0820
WELL HEAD CONDITION: Good Condition, no odor

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/27/07
TIME OF INITIAL GAUGING: 0745
TOTAL DEPTH OF WELL: ~~100~~ ft 104.2
WATER LEVEL (PRE-PURGE): 79.31
WATER COLUMN (FT): 24.89
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING OEVICE: QED MP
DEPTH OF PUMP INTAKE: 82'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
759	9:42	0.4	3	79.32	8.13	1.67	79.0	6.83	164	4.9	None	Clear	None
805	19:34	0.4	6	79.31	8.10	1.69	81.3	6.49	172	2.7	"	"	"
812	22:43	0.4	7	79.31	8.09	1.70	79.3	6.74	176	2.5	"	"	"
815	25:58	0.4	8	79.32	8.08	1.70	79.2	6.58	177	1.2	"	"	"
818	29:09	0.4	9	79.32	8.09	1.70	79.4	6.28	178	0.5	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Begin purge 0749

Sample Collected @ 0820 placed in cooler w/ ice

Liters - IIII MPID - 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Greg Mammini
SAMPLER'S SIGNATURE:
DATE: 8/27/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Ramsey
SITE ADDRESS: Allison Road, Lisle
WELL ID: RE101
SAMPLE ID: RE101-87'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/27/07
TIME OF SAMPLING: 0903
WELL HEAD CONDITION: See Remarks

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/27/07
TIME OF INITIAL GAUGING: 0832
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 79.32
WATER COLUMN (FT): 24.88
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0843	9:24	0.4	3	79.32	8.04	1.74	79.0	6.82	152	0.0	None	Clear	None
0853	18:33	0.4	6	79.32	8.03	1.73	78.5	6.42	163	0.0	"	"	"
856	21:56	0.4	7	79.32	8.03	1.73	78.7	6.36	165	0.0	"	"	"
859	24:49	0.4	8	79.33	8.03	1.73	79.2	6.28	166	0.0	"	"	"
0902	28:07	0.4	9	79.33	8.03	1.73	79.1	6.28	167	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 0834

1L @ 3' 20"

Sample collected @ 0903, Placed in cooler w/ice.

Liters IIII IIII MP103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gene Mammini
SAMPLER'S SIGNATURE:
DATE: 8/27/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBJIC
WELL ID: RE101
SAMPLE ID: RE101-92'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/27
TIME OF SAMPLING: 0950
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/27/07
TIME OF INITIAL GAUGING: 0916
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 79.33
WATER COLUMN (FT): 24.87
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
09:28	9:58	0.4	3	79.33	8.06	1.73	79.3	6.72	133	0.0	None	Clear	None
09:38	20:02	0.4	6	79.33	8.05	1.74	79.5	6.28	155	0.0	None	Clear	None
9:43	24:00	0.4	7	79.33	8.05	1.73	79.1	6.37	158	0.0	"	"	"
9:46	27:15	0.4	8	79.33	8.05	1.75	79.6	6.32	162	0.0	"	"	"
9:49	30:31	0.4	9	79.33	8.05	1.74	80.0	6.25	165	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge began 0919

Sample collected @ 0950, placed in cooler w/ice

Liters - |||| ||||

MP103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) Gene Mammoni
SAMPLER'S SIGNATURE:
DATE: 8/27/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE101
SAMPLE ID: RE101-97'
DUPLICATE ID: Field Dup 4
DATE OF SAMPLING: 8/27/07
TIME OF SAMPLING: 1040
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/27/07
TIME OF INITIAL GAUGING: 1004
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 79.33
WATER COLUMN (FT): 24.87
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 97'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1019	10:43	0.4	3	79.32	8.03	1.74	81.8	6.02	156	0.35	None	Clear	None
1025	20:15	0.4	6	79.33	8.05	1.74	80.2	5.99	164	0.60	"	"	"
1030	23:59	0.4	7	79.33	8.04	1.74	80.3	5.94	167	0.0	"	"	"
10:33	27:10	0.4	8	79.33	8.05	1.74	80.3	5.94	167	0.0	"	"	"
10:36	30:07	0.4	9	79.32	8.05	1.74	81.0	5.90	169	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 1005

1L @ 3'33"

collect sample and duplicate at 10:40
placed in cooler w/ ice

Liters ||||| |||| QED MP ID 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gena Mammini
SAMPLER'S SIGNATURE Gena Mammini
DATE: 8/27/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE101
SAMPLE ID: RE101-102'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/27/07
TIME OF SAMPLING: 1135
WELL HEAD CONDITION: See previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/27/07
TIME OF INITIAL GAUGING: ~~77.33~~ m 1105
TOTAL DEPTH OF WELL: ~~100~~ ft 104.20'
WATER LEVEL (PRE-PURGE): 79.33
WATER COLUMN (FT): 24.87
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 102'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1113	11:37	0.4	3	79.32	8.02	1.76	82.0	5.68	154	0.80	clear	clear	None
1122	21:28	0.4	5	79.31	8.03	1.75	80.3	5.91	159	0.0	"	"	"
1125	24:32	0.4	7	79.31	8.03	1.75	80.1	5.87	160	0.0	"	"	"
1129	27:52	0.4	9	79.31	8.03	1.75	80.8	5.88	161	0.0	"	"	"
1132	31:14	0.4	9	79.31	8.03	1.75	81.8	5.84	161	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 1101

Sample collected @ 1135 & placed in a cooler w/ ice

~~HH~~ 1111 QED MP ID - 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	X
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gene Mammini
SAMPLER'S SIGNATURE:
DATE: 8/27/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: ROMIC
SITE ADDRESS: LD INDUSTRIAL PARK
WELL ID: RE 102
SAMPLE ID: RE 102-84
DUPLICATE ID: NA
DATE OF SAMPLING: 8/28/07
TIME OF SAMPLING: ~~0730~~CP 0803
WELL HEAD CONDITION: GOOD CONDITION / NO ODOR

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/28/07
TIME OF INITIAL GAUGING: 0730
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 81.11
WATER COLUMN (FT): CP ~~18.5~~ 22.4
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 84
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
CP ~~0734~~ 0744	10:05	.40	3	81.11	7.86	1.84	77.7	5.63	172	1.30	NONE	CLEAR	NONE
0753	18:40	.40	6	81.11	7.87	1.84	77.9	5.36	177	0.85	NONE	CLEAR	NONE
0756	21:44	.40	7	81.11	7.88	1.83	78.3	5.20	179	0.00	NONE	CLEAR	NONE
0759	24.48	.40	8	81.11	7.89	1.83	78.2	5.15	180	.25	NONE	CLEAR	NONE
08:02	27:49	.40	9	81.11	7.88	1.83	78.1	5.25	182	0.00	NONE	CLEAR	NONE

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 0734, BEGIN PURGE
SAMPLE @ 08:03 PLACED IN COOLER W/ICE
TOTAL VOLUME PURGED 10

LITERS: NN IIII MPED 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) C. PEREZ
SAMPLER'S SIGNATURE:
DATE: 8/28/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: ROMIC
SITE ADDRESS: LB INDUSTRIAL PARK
WELL ID: RE-102
SAMPLE ID: RE-102-89
DUPLICATE ID: NA
DATE OF SAMPLING: 8/28/07
TIME OF SAMPLING: ~~CP 8:20~~ 08:49
WELL HEAD CONDITION: GOOD CONDITION / NO ODOR

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/28/07
TIME OF INITIAL GAUGING: 08:20
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 81.11
WATER COLUMN (FT): 22.4
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sudano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: ~~CP 84~~ 89'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0830	08:52	.4	3	81.11	7.86	1.87	78.7	5.04	162	3.4	NONE	CLEAR	NONE
0839	17:50	.4	6	81.11	7.84	1.87	78.3	4.96	175	0.75	NONE	CLEAR	NONE
8:42	21:00	.4	7	81.11	7.85	1.87	78.2	4.92	178	0.85	NONE	CLEAR	NONE
8:45	23:55	.4	8	81.11	7.86	1.87	78.6	4.85	180	0.55	NONE	CLEAR	NONE
8:48	26:57	.4	9	81.11	7.87	1.86	78.7	4.95	182	.80	NONE	CLEAR	NONE

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 0820 BEGIN PURGE
SAMPLE @ 8:49 PLACED IN COOLER W/ ICE
TOTAL VOLUME PURGED 10.5 L.

MP ID 103

LITERS: IIIIIII

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) C. PEREZ
SAMPLER'S SIGNATURE: [signature]
DATE: 8/28/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: ROMIC
CCA PROJECT NO: 212001
CCA PROJECT MANAGER: Tom Sunano

SITE ADDRESS: LB INDUSTRIAL PARK
DATE OF INITIAL GAUGING: 8/28/07
SAMPLING METHOD: Low-Flow Sampling

WELL ID: RE 102
TIME OF INITIAL GAUGING: 0904
TYPE OF PURGING DEVICE: QED MP

SAMPLE ID: RE 102 94
TOTAL DEPTH OF WELL: 100 ft
DEPTH OF PUMP INTAKE: 94'

DUPLICATE ID: NA
WATER LEVEL (PRE-PURGE): 81.11
COLLECTION EQUIPMENT: Dedicated Tubing

DATE OF SAMPLING: 8/28/07
WATER COLUMN (FT): 22.4
METER TYPE: QED Flow Cell

TIME OF SAMPLING: 0935
METERING DEVICE: QED Flow cell

WELL HEAD CONDITION: GOOD CONDITION/NO ODOR

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0914	09:50	.4	3	81.11	7.83	1.98	79.4	4.78	159	1.3	NONE	CLEAR	NONE
0924	19:29	.33	6	81.12	7.84	1.97	79.1	4.84	170	1.5	NONE	CLEAR	NONE
9:27	22:45	.33	7	81.12	7.83	1.97	79.1	4.77	172	1.5	NONE	CLEAR	NONE
9:30	26.15	.35	8	81.12	7.83	1.97	79.2	4.85	176	2.0	NONE	CLEAR	NONE
0934	29:16	.35	9	81.12	7.83	1.97	78.7	4.83	177	1.2	NON	CLEAR	NONE

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 0904 BEGIN PURGE
SAMPLE @ 0935 PLACED IN COOLER W/ICE
TOTAL VOLUME PURGED 10.5 L.

MPZD 103

LITERS: NNNNN

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) C. PEREZ
SAMPLER'S SIGNATURE:
DATE: 8/28/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: ROMEC
SITE ADDRESS: LB INDUSTRIAL PARK
WELL ID: RE 102
SAMPLE ID: RE 102 99
DUPLICATE ID: NA
DATE OF SAMPLING: 8/28/07
TIME OF SAMPLING: 1024
WELL HEAD CONDITION: GOOD CONDITION / NO ODOR

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/28/07
TIME OF INITIAL GAUGING: 10:01
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 81.12
WATER COLUMN (FT): 22.4
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 99'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
10:01	1:20	.35	3	81.12	7.82	2.00	79.5	4.80	162	1.1	NONE	CLEAR	NONE
10:11	2:40	.35	6	81.12	7.82	2.0	80.7	4.67	173	2.4	NONE	CLEAR	NONE
10:14	5:20	.33	7	81.12	7.82	2.00	80.5	4.75	175	0.95	NONE	CLEAR	NONE
10:18	28:50	.33	8	81.12	7.82	1.99	79.8	4.74	178	.75	NONE	CLEAR	NONE
10:22	30:39	.33	9	81.12	7.83	1.79	79.4	4.76	180	1.8	NONE	CLEAR	NONE

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 715 L

NOTES: 10:01 BEGIN PURGE
SAMPLE @ 10:24 PLACED IN COOLER W/ ICE
TOTAL VOLUME PURGED 10.5 L.

MPTD 103

LITERS: 1111

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) C PEREZ
SAMPLER'S SIGNATURE:
DATE: 8/28/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Ronic
SITE ADDRESS: LB Industrial Park
WELL ID: RE 103
SAMPLE ID: RE 103 - 77
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/23/07
TIME OF SAMPLING: 12:33
WELL HEAD CONDITION: Vault intact, 1/2" H_2O in vault

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23/07
TIME OF INITIAL GAUGING: 11:57
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.34
WATER COLUMN (FT): 26.66
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED Micropurge
DEPTH OF PUMP INTAKE: 77' bls
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
12:13	11:00	.27	3	73.38	8.35	1.83	85.9	7.70	124	1.3	none	clear	none
12:22	20:00	.30	6	73.37	8.27	1.83	85.4	7.48	153	0.35			
12:25	23:00	.30	7	73.37	8.25	1.84	85.3	7.48	158	0.45			
12:28	26:00	"	8	73.37	8.24	1.85	84.9	7.51	162	0			
12:31:30	29:30		9	73.37	8.23	1.84	84.8	7.47	166	0			

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: pump started at 12:02
sample collected at 12:33, placed in cooler w/ ice

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	✓	
SVOCs	E8270	✓	
RCRA Metals	E6020	✓	
Mercury	E7470A	✓	
Selenium	E6010B	✓	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Curtis Barnes
SAMPLER'S SIGNATURE: Curt Barnes
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Ronil
SITE ADDRESS: Lone Butte Ind. Pk
WELL ID: RE 103
SAMPLE ID: RE 103-82
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/23/07
TIME OF SAMPLING: 1324
WELL HEAD CONDITION: See previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23/07
TIME OF INITIAL GAUGING: 12:49
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.35
WATER COLUMN (FT): 26.65
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Surlano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED Micro Purge
DEPTH OF PUMP INTAKE: 82' bls
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
13:05	10:00	.4	3	73.36	8.05	1.91	83.4	7.53	146	0.55	clear	clear	none
13:13	18:00	.33	6	73.36	8.04	1.92	82.9	7.45	164	0.45			
13:16	21:00	.33	7	73.35	8.04	1.92	82.7	7.48	167	0.0			
13:19	24:00	.33	8	73.35	8.04	1.92	82.3	7.48	172	0.0			
13:22	27:00	.33	9	73.35	8.04	1.91	81.9	7.51	174	0.0			

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: pump on 12:49
pump off 12:51, add gas to generator
pump on 12:57
samples collected @ 13:24. samples in cooler w/ ice

MPID 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Curtis Barnes
SAMPLER'S SIGNATURE: Curt Barnes
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Ramic
SITE ADDRESS: Lone Butte Ind Park
WELL ID: ~~10~~ RE 103
SAMPLE ID: RE 103 - 87
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/23/07
TIME OF SAMPLING: 14:08
WELL HEAD CONDITION: See previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23/07
TIME OF INITIAL GAUGING: 13:39
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.34
WATER COLUMN (FT): 26.66
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED Micro Purge
DEPTH OF PUMP INTAKE: 87' SLS
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
13:48	9:00	.33	3	73.34	7.93	1.95	82.9	7.16	154	0.15	none	clear	none
13:67	18:00	.33	6	73.34	7.93	1.94	83.1	7.05	169	0.35	↓	↓	↓
14:00	21:06	.33	7	73.34	7.93	1.94	83.4	7.09	174	0.00			
14:03	24:00	.33	8	73.34	7.93	1.94	82.9	7.05	177	0.00			
14:06	27:00	.33	9	73.34	7.94	1.94	83.0	7.09	178	1.00			

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 175 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: pump on 13:39
purge complete 14:08, collect samples & place in cooler w/ ice

MPID 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	✓	
SVOCs	E8270	✓	
RCRA Metals	E6020	✓	
Mercury	E7470A	✓	
Selenium	E6010B	✓	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	✓	
Anions (SO4, Cl, CO3, HCO3)		✓	
Cations (Ca, Mg, Na, K)		✓	
Total Alkalinity		✓	
Nitrate		✓	
Nitrite		✓	
TDS		✓	

SAMPLERS NAME (Print) Gina Mannini
SAMPLER'S SIGNATURE: Gina Mannini
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE103
SAMPLE ID: RE103-92'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/24/07
TIME OF SAMPLING: 0757
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/24/07
TIME OF INITIAL GAUGING: 0715
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.45
WATER COLUMN (FT): 26.55
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0734	12:30	0.4	3	73.45	7.98	1.91	78.8'	7.46	170	0.10	None	Clear	None
0745	23:24	0.4	6	73.46	7.98	1.91	79.1	7.35	178	0.00	"	"	"
0749	27:23	0.4	7	73.46	7.99	1.91	79.1	7.37	180	0.00	"	"	"
0752	30:32	0.4	8	73.46	7.99	1.91	79.0	7.38	182	0.00	"	"	"
0756	34:20	0.4	9	73.46	7.99	1.91	78.8	7.43	183	0.00	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 0721

Sample collected @ 0757 placed in cooler w/ice.

Liters - IIII IIII ID103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gene Mannini
SAMPLER'S SIGNATURE:
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road LBIC
WELL ID: RE103
SAMPLE ID: RE103-97'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/24
TIME OF SAMPLING: 0848
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/24/07
TIME OF INITIAL GAUGING: 0812
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.46
WATER COLUMN (FT): 26.54
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 97'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos~~ mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0824	10:44	0.40	3	73.47	7.99	1.91	79.2	7.53	163	5.4	None	Clear	None
0835	21:47	0.40	6	73.47	7.99	1.91	79.2	7.42	175	6.6	"	"	"
0838	25:23	0.40	7	73.47	7.99	1.91	79.5	7.37	178	5.1	"	"	"
0842	29:05	0.40	8	73.47	7.99	1.92	79.7	7.33	181	2.1	"	"	"
0846	32:43	0.40	9	73.47	7.98	1.92	79.6	7.35	183	0.85	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 113 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 0813

1L @ 3'36" 0.40L/min

Sample collected @ 0848 placed in cooler w/ ice. 2 Addl 1L Ambers collected for Lab MS/MSD

Liters - HHT IIII MPID - 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	X
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Greg Mammini
SAMPLER'S SIGNATURE:
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road
WELL ID: RE104
SAMPLE ID: RE104-77'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/22/07
TIME OF SAMPLING: 1400
WELL HEAD CONDITION: Good, No odors

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/22/07
TIME OF INITIAL GAUGING: 1330
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.30
WATER COLUMN (FT): 25.60
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sunano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 77'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1336	09:26	0.4	3	74.31	8.30	1.76	83.6	7.58	134	8.95	None	Clear	None
1340	18:03	0.4	6	74.31	8.16	1.79	84.1	7.33	141	7.11	None	clear	None
1349	20:33	0.4	7	74.31	7.98	1.84	83.8	7.00	150	4.28	"	"	"
1352	23.40	0.4	8	74.32	7.90	1.86	83.6	6.35	155	3.97	"	"	"
1355	27.03	0.4	9	74.31	7.90	1.86	83.3	6.12	157	1.39	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge begin @ 1332

2L @ 7:00 ~ 0.40 L/min

Sample placed in cooler w/ Ice

MPID - 103

Liters: ||||

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Gina Mammoni
SAMPLER'S SIGNATURE:
DATE: 8/22/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE104
SAMPLE ID: RE104-82'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/23
TIME OF SAMPLING: 0745
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23/07
TIME OF INITIAL GAUGING: 0715
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.41
WATER COLUMN (FT): 25.59
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: 82' ✓
DEPTH OF PUMP INTAKE: QED MP
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~umhos~~/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
7:26	10:00	0.40	3	74.43	~~7.75~~	1.89	76.7	5.87	164	0.66	None	Clear	None
7:35	18:40	0.40	6	74.43	7.76	1.89	76.7	5.75	165	0.3	"	"	"
7:38	21:42	0.40	7	74.43	7.76	1.89	76.7	5.80	167	0.0	"	"	"
7:41	24:33	0.40	8	74.43	7.77	1.89	76.7	5.81	168	0.0	"	"	"
7:43	26:47	0.40	9	74.43	7.77	1.89	76.7	5.63	168	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 0717

2L @ 7'18" ~ .40 L/min

0745 - Sample collected, placed in cooler w/ Ice

Liters - IIII IIII MP ID-103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Gino Mammini
SAMPLER'S SIGNATURE:
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road
WELL ID: RE104
SAMPLE ID: RE104-87'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/23
TIME OF SAMPLING: 0828
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23/07
TIME OF INITIAL GAUGING: 0800
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.41
WATER COLUMN (FT): 25.59
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 87'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0809	7'38"												
~~0809~~	~~0811~~	0.4	3	74.43	7.79	1.89	77.1	6.01	152	7.0	None	Clear	None
0818	16:31"	0.4	5	74.43	7.79	1.88	77.5	5.95	160	0.85	"	"	"
0821	19:19	0.4	7	74.43	7.79	1.88	77.5	5.88	161	0.85	"	"	"
0823	21:57	0.4	8	74.43	7.79	1.88	77.7	5.88	162	0.75	"	"	"
0826	24:50	0.4	9	74.41	7.79	1.88	77.4	5.89	163	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES:

- Started Purge @ 801
- 2L @ 4'38" ~0.40 L/min
- Sample collected @ 0828 placed in cooler W/Ice

Liters IIII IIII MPID 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) Gene Mammini
SAMPLER'S SIGNATURE: [signature]
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE104
SAMPLE ID: RE104-92'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/23/07
TIME OF SAMPLING: 0920
WELL HEAD CONDITION: See previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23
TIME OF INITIAL GAUGING: 0845
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.41
WATER COLUMN (FT): 25.59
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0900	9:45	0.4	3	74.41	7.80	1.90	78.4	5.70	164	4.5	None	Clear	None
0909	19:26	0.4	6	74.41	7.80	1.89	78.1	5.53	169	2.4	None	Clear	None
0913	22:47	0.4	7	74.41	7.80	1.90	78.1	5.75	169	0.70	"	"	"
0916	25:59	0.4	8	74.41	7.80	1.90	78.2	5.69	169	0.40	"	"	"
0919	29:16	0.4	9	74.41	7.80	1.90	78.3	5.60	170		"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES:

Purge Started @ 0850

1L @ 3:26 ~0.40 L/m

Sample collected @ 0920, Placed in cooler on ice

Liters - IIII III MP ID - 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gina Mammini
SAMPLER'S SIGNATURE: [signature]
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE104
SAMPLE ID: RE104-97
DUPLICATE ID: Field Dup 2
DATE OF SAMPLING: 8/23/07
TIME OF SAMPLING: 1004
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/23/01
TIME OF INITIAL GAUGING: 0932
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.41
WATER COLUMN (FT): 25.59
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: 97'
DEPTH OF PUMP INTAKE: QED MP
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos~~ mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
943	10:11	0.40	3	74.41	7.80	1.90	79.2	5.58	150	3.4	None	Clear	None
952	19:19	0.40	6	74.41	7.81	1.90	78.7	5.53	153	2.4	"	"	"
956	22:48	0.40	7	74.41	7.80	1.90	79.1	5.54	154	0.4	"	"	"
959	25:32	0.40	8	74.41	7.81	1.90	78.8	5.67	155	0.0	"	"	"
1002	29:05	0.40	9	74.41	7.80	1.90	79.3	5.74	156	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Begin purge @ 0933

2L @ 6'55" ~0.40L/min

1004 - Sample collected, placed in cooler w/ ice.
Field dup 2 collected.

Liters ||||| |||| MPID - 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gen Mammini
SAMPLER'S SIGNATURE:
DATE: 8/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road ~~LBIC~~ LBIC
WELL ID: RE105
SAMPLE ID: RE105-77'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/22/07
TIME OF SAMPLING:
WELL HEAD CONDITION: Good condition, No odor

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/22/07
TIME OF INITIAL GAUGING: 0720
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.35
WATER COLUMN (FT): 25.65
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 77'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos~~ mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0740	10:05	350 ML/min	3	74.37	7.75	1.95	77.2	6.55	130	4.15	None	Clear	None
0748	17:08	350 ML	6	74.37	7.74	1.95	77.3	5.20	141	2.37	None	Clear	None
0750	19:13	350 ML	7	74.37	7.75	1.95	77.4	5.19	143	3.23	None	Clear	None
0753	21:53	350 ML	8	74.37	7.75	1.95	77.6	5.10	145	1.95	None	Clear	None
0755	24:35	350 ML	9	74.37	7.75	1.95	77.3	5.08	146	2.05	None	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started @ 07:31

1L @ 4'10" ~ 350 ML/Min

2L @ 6'42"

Sample @ 0758 Placed in cooler w/Ice

Liters - IIII IIII MPID 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Gina Mannini
SAMPLER'S SIGNATURE:
DATE: 8/22/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road LBIP
WELL ID: RE105'
SAMPLE ID: RE105-82'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/22/07
TIME OF SAMPLING: Sample @ 0838
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/22/07
TIME OF INITIAL GAUGING: 0816
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.35
WATER COLUMN (FT): 25.65
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 82'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0823	09:17	.40	3	74.36	7.76	1.95	76.7	6.05	138	1.45	Clear	Clear	None
0830	16:23	0.40	6	74.36	7.76	1.95	76.7	5.71	151	0.92	None	Clear	None
0832	18:23	0.40	7	74.36	7.76	1.95	76.7	5.70	153	0.57	"	"	"
0834	20:38	0.40	8	74.36	7.76	1.95	76.8	5.66	155	0.78	"	"	"
0836	22:36	0.40	9		7.76	1.95	76.8	5.25	156	0.65	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X _____ Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = _____ L

NOTES: Purge started @ 0813

1 Liter @ 03:27 ~ 0.35L/min
2 Liters @ 07:07 ~ 0.40L/min

Sample placed in cooler w/Ice

Liters - IIII IIII MPID - 105

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Irene Mammini
SAMPLER'S SIGNATURE: [signature]
DATE: 8/22/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Alison
WELL ID: RE105
SAMPLE ID: RE105-87'
DUPLICATE ID: N/A
DATE OF SAMPLING: 08/22/07
TIME OF SAMPLING: 0917
WELL HEAD CONDITION: See previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 08/22/07
TIME OF INITIAL GAUGING: 0854
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.36
WATER COLUMN (FT): 25.64
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suhano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 87'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0901	7:40	0.40	3	74.37	7.77	1.95	76.5	5.51	143	3.86	None	Clear	None
0910	16:10	0.40	6	74.37	7.77	1.95	76.5	5.36	152	1.29	None	Clear	None
0919	17:59	0.40	7	74.39	7.77	1.95	76.4	5.31	153	0.00	"	"	"
0929	20:10	0.40	8	74.37	7.77	1.95	76.6	5.33	154	0.0	"	"	"
9:16	22:15	0.40	9	74.37	7.77	1.95	76.5	5.24	156	0.04	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES:

Purge - started @ 0854

@ 1 L - 400 ML/Min

ZLB 5'16"

Sample placed in cooler w/ Ice.

Liters - IIII IIII QED MPID 105

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print): Geza Mammini
SAMPLER'S SIGNATURE:
DATE: 8/22/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIC
WELL ID: RE105
SAMPLE ID: RE105-92'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/22/07
TIME OF SAMPLING: 1011
WELL HEAD CONDITION: See Previous

CCA PROJECT NO. 212001
DATE OF INITIAL GAUGING: 8/22/07
TIME OF INITIAL GAUGING: 0942
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.37
WATER COLUMN (FT): 25.63
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sunano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC ~~(µmhos~~ mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0952	0828	0.40	3	74.37	7.74	1.95	76.8	5.29	150	0.12	None	Clear	None
1000	1548	0.40	6	74.37	7.78	1.95	76.6	5.32	155	0.0	None	Clear	None
1002	18:27	0.40	7	74.37	7.78	1.95	76.5	5.33	157	0.6	"	"	"
1005	21:02	0.40	8	74.37	7.78	1.91	76.8	5.31	158	0.67	"	"	"
1007	23:24	0.40	9	74.37	7.78	1.95	76.6	5.44	159	0.28	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES:
Started @ 0944
Field Blank collected (1011)
1 Liter @ 2:56 ~ 0.40 L/M

Sample placed in cooler w/ Ice

Liters - IIII IIII MPID 106

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	X
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

For MS

SAMPLERS NAME (Print) Geno Mammini
SAMPLER'S SIGNATURE:
DATE: 8/22/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road
WELL ID: RE105~~97~~'
SAMPLE ID: RE105-97'
DUPLICATE ID: Field Dup~~mash~~ 1
DATE OF SAMPLING: 8/22/07
TIME OF SAMPLING: 1054
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/22/07
TIME OF INITIAL GAUGING: 1029
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.37
WATER COLUMN (FT): 25.63
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 97'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos~~ mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
10:38	07:32	0.40	3	74.37	7.78	1.96	76.6	5.19	144	0.0	None	Clear	None
10:45	14:48	0.40	6	74.37	7.78	1.96	76.2	5.21	152	0.0	"	"	"
10:47	17:07	0.40	7	74.36	7.78	1.96	76.3	5.24	153	0.0	"	"	"
10:49	19:27	0.40	8	74.36	7.78	1.95	76.3	5.22	154	0.0	"	"	"
10:52	21:45	0.40	9	74.36	7.78	1.95	76.4	5.16	155	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES:

Purge Started @ 1030

1L @ 2:40 ~ 0.40L

2L @ 05:08

Sample placed in cooler w/ Ice

Liters - IIII II MPID 108

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gena Mammini
SAMPLER'S SIGNATURE:
DATE: 8/22/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road. LBIP
WELL ID: RE106
SAMPLE ID: RE106-77'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/21/07
TIME OF SAMPLING: 09:36
WELL HEAD CONDITION: Good, Vault intact, no odor

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/21/07
TIME OF INITIAL GAUGING: 0739
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.35'
WATER COLUMN (FT): 25.65'
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED Micro purge
DEPTH OF PUMP INTAKE: 77'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0845	33:23	~~FS~~	3	74.35	8.02	1.90	84.4	6.53	166	6.3	none	clear	none
0918	67:20	100 ML	6	74.35	7.93	1.93	85.0	7.29	183	5.4	None	Clear	None
0929	76:46	100 ML	7	74.35	7.90	1.95	85.2	7.27	189	7.9	None	clear	None
0931	78:58	100 ML	7.08	74.35	7.89	1.95	85.1	7.27	190	8.0	None	Clear	None
0932	80:40	100 ML	7.15	74.35	7.89	1.95	85.1	7.27	191	4.8	None	clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Pumping Started @ 0811
After 1L → 100 ML/min
5 Liters after 56 minutes.

Total Purge sampling Time 1hr 48mins 36 sec

Liters = ~~FS~~ Data Storage = 01 on Flow Cell Meter

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gene Mammini / Dave Giles
SAMPLER'S SIGNATURE
DATE: 8/21/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Ramic
CCA PROJECT NO: 212001
CCA PROJECT MANAGER: Tom Sunano

SITE ADDRESS: LB Ind Park
DATE OF INITIAL GAUGING: 08/21/07
SAMPLING METHOD: Low-Flow Sampling

WELL ID: RE 105
TIME OF INITIAL GAUGING: 10:03
TYPE OF PURGING DEVICE: QED Micropurge 4

SAMPLE ID: RE105-82'
TOTAL DEPTH OF WELL: 100 ft
DEPTH OF PUMP INTAKE: 82'

DUPLICATE ID: N/A
WATER LEVEL (PRE-PURGE): 74.35
COLLECTION EQUIPMENT: Dedicated Tubing

DATE OF SAMPLING: 8/21/07
WATER COLUMN (FT): 25.65
METER TYPE: QED Flow Cell

TIME OF SAMPLING: 10:57
METERING DEVICE: QED Flow cell

WELL HEAD CONDITION: Good, vault intact, no odor

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
10:32	19:20	0.15	3	74.35	7.66	2.12	80.7	7.76	1x82	2.59	None	clear	None
10:46	33:42	0.21	6	74.34	7.66	2.12	81.2	7.71	1x91	6.32	None	clear	None
10:50	37:50	0.20	8	74.34	7.66	2.11	82.0	7.57	1x94	1.88	None	clear	None
10:52	40:08	0.21	8.5	74.34	7.66	2.12	81.5	7.85	1x96	N/A	None	Clear	None
10:55	42.23	0.21	9.0	74.34	7.66	2.12	81.4	7.64	197	0.22	None	clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Pump started @ 1012
@1.5L = 350 mL/Min, 300mL/min@1.75

Liters - IIII

Setting 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Greg Mammini
SAMPLER'S SIGNATURE:
DATE: 8/21/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: LB Ind. Park
WELL ID: RE106
SAMPLE ID: RE-106-87
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/21/07
TIME OF SAMPLING: 1147
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/21/07
TIME OF INITIAL GAUGING: ~~74.33~~ 1113
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): ~~25.67~~ 1126 74.33
WATER COLUMN (FT): ~~25.67~~

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

METERING DEVICE: QED Flow cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos~~ MS/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
~~1031~~ 1145	10:34	.350	3	74.33	7.7	2.13	80.3	7.82	170	1.8	none	clear	none
1136	21.05	.4	6	74.32	7.7	2.13	79.6	7.58	186	3.1	"	"	"
1139	24.20	.4	7	74.32	7.7	2.13	79.6	7.71	189	1.2	"	"	"
1142	27.35	.4	8	74.32	7.7	2.13	79.4	7.96	190	2.2	"	"	"
1145	30.18	.4	9	74.32	7.7	2.12	79.3	7.81	193	0.8	none	clear	none

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 1114 START Purge

liters - 1111

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) D. Giles
SAMPLER'S SIGNATURE: D. Giles
DATE: 8/21/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: 45 Industrial Park
WELL ID: RE106
SAMPLE ID: RE106-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/21/07
TIME OF SAMPLING: 1201
WELL HEAD CONDITION: See Previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/21/07
TIME OF INITIAL GAUGING: 1202
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.31
WATER COLUMN (FT): 26.69
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC ~~(µmhos/cm)~~ mS	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1213	10:14	0.35	2.5	74.31	7.7	2.13	78.7	7.94	~~-5~~ 148	3.5	none	clear	none
~~20~~ 1224	20:00	0.4	5.5	74.32	7.7	2.13	77.9	8.01	174	2.8	"	"	"
1228	24:12	0.4	7.25	74.31	7.7	2.14	77.8	8.16	178	2.7	"	"	"
1230	26.26	0.4	8.25	74.30	7.7	2.14	77.5	7.95	181	0.0	"	"	"
1232	29:00	0.4	9.25	74.30	7.7	2.14	77.5	7.84	182	0.5	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 1203 Begin Purge
Sample @ 12:33
Total Vol Purged ~ 12 L

Liters - HH HH II

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): O. Giles
SAMPLER'S SIGNATURE: [signature]
DATE: 8/21/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Barrick
SITE ADDRESS: Allison Road LBIC
WELL ID: RE106
SAMPLE ID: RE106-97'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/21/07
TIME OF SAMPLING: 1249 Sample @ 1311
WELL HEAD CONDITION: See Above

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/21
TIME OF INITIAL GAUGING: 1248
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.29
WATER COLUMN (FT): 25.71
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sunano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED Micro Purge
DEPTH OF PUMP INTAKE: 97'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
12:57	8:02	0.45	3	74.29	7.68	2.16	77.8	8.56	169	2.16	Clear	Clear	None
13:03	14:00	0.45	6	74.29	7.66	2.16	77.2	7.94	180	2.47	None	clear	None
13:05	16:00	0.45	7	74.29	7.66	2.16	77.5	8.17	182	2.40	"	"	"
13:07	17:58	0.45	8	74.29	7.64	2.16	77.6	7.95	183	2.17	None	clear	None
13:09	19:59	0.45	9	74.29	7.66	2.15	77.7	8.07	184	2.17	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Begin Purge @ 1249

@ 1 Liter - 450 ML/min

@ 2.5 Liter - 450 ML/min

Liters - IIII IIII

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gene Mammini
SAMPLER'S SIGNATURE: [signature]
DATE: 8/21/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Bomic
CCA PROJECT NO. 212001
CCA PROJECT MANAGER: Tom Surlano

SITE ADDRESS: Allison Road LBIP
DATE OF INITIAL GAUGING: 8/24
SAMPLING METHOD: Low-Flow Sampling

WELL ID: RE107
TIME OF INITIAL GAUGING: 0930
TYPE OF PURGING DEVICE: QED MP

SAMPLE ID: RE107-77'
TOTAL DEPTH OF WELL: 100 ft
DEPTH OF PUMP INTAKE: 77'

DUPLICATE ID: N/A
WATER LEVEL (PRE-PURGE): 73.97
COLLECTION EQUIPMENT: Dedicated Tubing

DATE OF SAMPLING: 8/24/07
WATER COLUMN (FT): 26.03
METER TYPE: QED Flow Cell

TIME OF SAMPLING: 0959
METERING DEVICE: QED Flow cell

WELL HEAD CONDITION: Good condition, No odor

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS ~~µmhos~~/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0940	9:44	0.4	3	73.97	8.10	1.86	83.4	6.92	160	4.3	None	Clear	None
0948	9:16	0.4	6	73.97	8.09	1.87	82.8	6.68	169	3.0	"	"	"
0952	21:28	0.4	7	73.97	8.09	1.88	82.9	6.76	174	2.1	"	"	"
0955	24:13	0.4	8	73.97	8.08	1.88	82.9	6.64	178	2.4	"	"	"
0957	27:02	0.4	9	73.97	8.09	1.89	83.0	6.60	181	1.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 0930 - Begin Purge

@ .35 L/m @ 1.5 L ↑ to MPID 104

Sample collected @ 0959 & placed in Cooler w/ ice.

Liters - ~~HH~~ IIII MPID 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Gene Mammini
SAMPLER'S SIGNATURE: [signature]
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd. LBIP
WELL ID: RE107
SAMPLE ID: RE107-82'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/24/07
TIME OF SAMPLING: 1044
WELL HEAD CONDITION: Same as previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/24
TIME OF INITIAL GAUGING: 1015
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): ~~73~~ 73.97
WATER COLUMN (FT): 26.03
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 82'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time min	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos~~ mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1025	9	0.4	3	73.98	7.97	2.00	82.4	7.00	159	1.3	None	clear	None
1034	18	0.4	6	73.98	7.96	2.00	82.4	7.16	173	2.1	"	"	"
1036	20	0.4	7	73.98	7.96	2.00	83.2	7.16	177	1.8	"	"	"
1034	22	0.4	8	73.98	7.96	2.01	83.1	7.16	180	.35	"	"	"
1036	24	0.4	9	73.98	7.96	2.00	83.4	7.23	183	.40	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge started at 1016

Sample collected at 1044 placed in cooler w/ice

MPFD 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Grandfous
SAMPLER'S SIGNATURE:
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd LBIP
WELL ID: RE107
SAMPLE ID: RE107-87
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/24/07
TIME OF SAMPLING: 1123
WELL HEAD CONDITION: Same as previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/24/07
TIME OF INITIAL GAUGING: 1055
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.98
WATER COLUMN (FT): 26.03
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 87'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (~~µmhos/cm~~ mS)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1103	8:57	0.4	3	73.98	7.92	2.01	83.8	6.93	116	1.3	None	Clear	None
1112	17:18	0.4	6	73.98	7.89	2.01	83.2	6.63	155	1.8	"	"	"
1115	20:07	0.4	7	73.98	7.88	2.02	83.4	6.56	161	2.5	"	"	"
1117	22:51	0.4	8	73.98	7.88	2.02	83.3	6.35	165	0.65	"	"	"
1120	25:45	0.4	9	73.98	7.88	2.02	83.6	6.37	170	1.4	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge began @ 1055

Sample collected at 1123 and put in a cooler with ice

Liters - ~~1111~~ MPID 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd LBIP
WELL ID: RE107
SAMPLE ID: RE107-92'
DUPLICATE ID: Field duplicate 3
DATE OF SAMPLING: 8/24/07
TIME OF SAMPLING: 12:07
WELL HEAD CONDITION: Same as previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/24/07
TIME OF INITIAL GAUGING: 1141
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.95
WATER COLUMN (FT): 26.05
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sunano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1149	8:45	0.4	3	73.95	7.82	2.04	80.3	5.60	123	6.8	None	Clear	None
1157	16:26	0.4	6	73.95	7.81	2.05	80.4	5.43	142	1.00	"	"	"
1159	18:49	0.4	7	73.95	7.81	2.05	79.9	5.42	147	0.20	"	"	"
1202	21:38	0.4	8	73.95	7.82	2.05	79.8	5.65	150	0.40	"	"	"
1205	24:18	0.4	9	73.95	7.81	2.05	79.4	5.43	154	0.00	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Purge Began 1141

Sample taken 1207 placed in cooler w/ice

HH 1111 MPID 106

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Greenfors
SAMPLER'S SIGNATURE: Russell Greenfors
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Hillsboro Rd LBJP
WELL ID: RE107
SAMPLE ID: RE107-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/24/07
TIME OF SAMPLING: 1306
WELL HEAD CONDITION: Same as previous

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/24/07
TIME OF INITIAL GAUGING: 1230
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.94
WATER COLUMN (FT): 26.06
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Surlano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 97'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1247	1641	0.4	3	73.95	7.81	2.04	80.5	5.38	167	2.0	None	Clear	None
1257	2649	0.4	6	73.95	7.81	2.04	81.1	5.34	171	2.8	"	"	"
1300	2929	0.4	7	73.95	7.81	2.04	80.9	5.39	172	2.0	"	"	"
1302	3206	0.4	8	73.95	7.81	2.05	80.4	5.01	173	1.3	"	"	"
1305	3421	0.4	9	73.95	7.81	2.05	80.2	5.02	175	1.6	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: Began purge at 1230
Shut down pump for approx 5 minutes in order to refuel air pump.

Sample taken 1306 put in cooler with ice.

TH11 MPTD 106

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Granfor
SAMPLER'S SIGNATURE: Russell Granfor
DATE: 8/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Bomic
SITE ADDRESS: Allison Road, LBIC
WELL ID: LB-4
SAMPLE ID: LB-4-87'
DUPLICATE ID: Field Dup 5
DATE OF SAMPLING: 8/29/07
TIME OF SAMPLING: 0954
WELL HEAD CONDITION: Good condition, No odor

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/29/07
TIME OF INITIAL GAUGING: 09:11
TOTAL DEPTH OF WELL: ~~100~~ ft 100.9
WATER LEVEL (PRE-PURGE): 72.27
WATER COLUMN (FT): 28.63
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 87'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (mL/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0930	17:36	150 ML	2	72.28	7.82	2.31	83.7	6.41	145	0.70	None	Clear	None
0937	24:37	150 ML	3	72.28	7.81	2.31	83.1	6.48	150	0.00	"	"	"
0944	31:34	150 ML	4	72.28	7.81	2.31	83.2	6.59	155	0.00	"	"	"
0951	38:37	150 ML	5	72.28	7.81	2.30	83.2	5.96	159	0.00	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 100 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 3.25 L

NOTES: Purge started @ 0913

1L @ 10:58"

@ 1.5L - 175 ML/min adjust to MPID 102

Sample collected @ 0954 + Field Dup 5

Samples placed in coolers w/ice

Final WL - 72.28' btoc

Liters - ~~IIII~~ MPID - 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) Gena Mammini / Dave Giles
SAMPLER'S SIGNATURE: Gena
DATE: 8/29/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Road, LBIP
WELL ID: LB-5
SAMPLE ID: LB-5-85'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/29/07
TIME OF SAMPLING: 1159
WELL HEAD CONDITION: Good condition, Dry, No odor

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/29/07
TIME OF INITIAL GAUGING: 11:05
TOTAL DEPTH OF WELL: ~~100.1~~ 100.1
WATER LEVEL (PRE-PURGE): 70.09
WATER COLUMN (FT): 30.01
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sunano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 85'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
			2	~~70.11~~		N/A	due to bladder replacement						
1139	33:02	150mL	3	70.11	7.82	3.18	82.4	6.96	177	1.6	None	Clear	None
1144	38:30	150 mL	4	70.11	7.80	3.19	84.3	6.75	176	1.7	None	clear	None
1150	44:22	150 mL	5	70.11	7.80	3.19	83.6	6.97	177	1.2	"	"	"
1157	50:56	150 mL	6	70.11	7.79	3.20	83.1	7.00	178	0.0	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 100 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 3.25 L

NOTES: Purge started @ 11:06

1L @ 6'42"

1118- Purge paused to replace bladder. Restart @1125

↑ psi to 50, MPID 105

Sample collected @ 1159, Placed in cooler w/ice

Liters - 1111

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print): Dave Giles/Gene Mammini
SAMPLER'S SIGNATURE:
DATE: 8/29/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Bomic
SITE ADDRESS: Allison Road, LBIC
WELL ID: LB-6
SAMPLE ID: LB-6-85'
DUPLICATE ID: N/A
DATE OF SAMPLING: 8/29/07
TIME OF SAMPLING: 0805
WELL HEAD CONDITION: Good condition, No odor

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 8/29/07
TIME OF INITIAL GAUGING: 0721
TOTAL DEPTH OF WELL: ~~100ft~~ 94.07
WATER LEVEL (PRE-PURGE): 76.06
WATER COLUMN (FT): 18.01
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 85'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate ~~(L/min)~~ (ml/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS ~~umhos~~/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0741 ~~0728~~ DNC	12:41	200ml	2	76.06	8.1	1.53	77.0°	7.18	180	1.5	None	Clear	None
0750	22:02	150ml	4	76.06	8.1	1.53	78.5°	6.97	180	3.3	"	"	"
0756	27:36	150ml	5	76.06	8.1	1.53	78.6°	7.00	180	1.9	"	"	"
0802	33:13	150ml	6	76.06	8.1	1.53	78.5°	7.04	180	9.2	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 100 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = ~~3~~ 3.25 L (PNC)

NOTES: Cascading water noted in well
0728 Begin purge
0805 Purge Complete Begin Sampling collect Sample, place in cooler w/ice

Final WL-76.06' btoc.

Liters-~~111~~ 1 50psi MP&D-103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1	X	
Anions (SO4, Cl, CO3, HCO3)		X	
Cations (Ca, Mg, Na, K)		X	
Total Alkalinity		X	
Nitrate		X	
Nitrite		X	
TDS		X	

SAMPLERS NAME (Print) Dave Giles / Gene Mammini
SAMPLER'S SIGNATURE:
DATE: 8/29/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE101
SAMPLE ID: RE101-82
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/29/07
TIME OF SAMPLING: 1115
WELL HEAD CONDITION: Good.

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/29/07
TIME OF INITIAL GAUGING: 1010
TOTAL DEPTH OF WELL: ~~100 ft~~ 104.20
WATER LEVEL (PRE-PURGE): 79.85
WATER COLUMN (FT): ~~20.15~~ 24.35
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 82
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1052	14	.2	3	79.83	8.99	1.69	81.0	7.04	110	1.16	Clear	Clear	None
1103	25	.2	6	79.83	8.88	1.70	81.6	6.70	128	1.56	Clear	Clear	None
1107	29	.3	7	79.83	8.80	1.71	81.5	6.72	135	2.58	Clear	Clear	None
1111	33	.3	8	79.83	8.75	1.71	81.8	6.45	138	2.01	Clear	Clear	None
1114	36	.3	9	79.83	8.73	1.71	81.0	6.61	141	2.44	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1038 start purging

1115 sample taken, store in cooler with wet ice

FD=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/29/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE101
SAMPLE ID: RE101-87'
DUPLICATE ID: Field Dup 4
DATE OF SAMPLING: 10/29/07
TIME OF SAMPLING: 1158
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/29/07
TIME OF INITIAL GAUGING: 1010
TOTAL DEPTH OF WELL: ~~100 ft~~ 104.20
WATER LEVEL (PRE-PURGE): 79.85
WATER COLUMN (FT): 24.35
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1139	8	.4	3	79.81	8.55	1.76	79.7	6.54	150	-2.65	Clear	Clear	None
1148	17	.4	6	79.80	8.54	1.76	80.4	6.25	151	-2.25	Clear	Clear	None
1151	20	.4	7	79.80	8.54	1.76	81.0	6.26	151	-2.84	Clear	Clear	None
1154	23	.4	8	79.80	8.55	1.76	80.5	6.21	152	-2.46	Clear	Clear	None
1157	26	.4	9	79.80	8.55	1.76	81.2	5.78	152	-1.09	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1131 Start purging

1158 Take sample, store in a cooler w/ wet ice, Also take ~~Dup~~ Field Dup 4

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Granfors
SAMPLER'S SIGNATURE: Russell Granfors
DATE: 10/29/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd
WELL ID: RE101
SAMPLE ID: RE101-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/29/07
TIME OF SAMPLING: 1309
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/29/07
TIME OF INITIAL GAUGING: 1010
TOTAL DEPTH OF WELL: ~~100ft~~ 104.20
WATER LEVEL (PRE-PURGE): 79.85
WATER COLUMN (FT): 24.35
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 92
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1249	9	.4	3	79.77	8.58	1.74	80.3	5.91	152	2.00	Clear	Clear	None
1254	19	.3	6	79.77	8.60	1.74	80.4	5.91	154	-1.61	Clear	Clear	None
1302	22	.4	7	79.77	8.59	1.74	80.2	5.94	155	-1.10	Clear	Clear	None
1305	25	.4	8	79.77	8.59	1.75	79.8	5.91	156	0.18	Clear	Clear	None
1308	28	.4	9	79.77	8.59	1.74	80.0	5.77	155	-0.16	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1240 start purging

1309 Sample taken, stored in a cooler w/ wet ice

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Granfors
SAMPLER'S SIGNATURE: [signature]
DATE: 10/29/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE 101
SAMPLE ID: RE101-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/29/07
TIME OF SAMPLING:
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/29/07
TIME OF INITIAL GAUGING: 1010
TOTAL DEPTH OF WELL: ~~100~~ 104.20
WATER LEVEL (PRE-PURGE): 79.85
WATER COLUMN (FT): 24.35
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 97
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1333	10	.3	3	79.75	8.58	1.76	80.5	5.75	155	1.14	Clear	Clear	None
1343	20	.3	6	79.75	8.58	1.75	80.8	5.80	157	0.05	Clear	Clear	None
1346	23	.3	7	79.75	8.58	1.76	79.9	5.81	157	0.68	Clear	Clear	None
1349	26	.3	8	79.75	8.59	1.75	79.7	5.88	157	2.23	Clear	Clear	None
1352	29	.3	9	79.75	8.59	1.76	79.7	5.83	157	1.85	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.145 L

NOTES: 1323 start purging
1353 sample taken, stored in a cooler with wet ice

FD-103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Granfors
SAMPLER'S SIGNATURE: Russell Granfors
DATE: 10/29/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE101
SAMPLE ID: RE101-102
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/30/07
TIME OF SAMPLING: 1200
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/29/07
TIME OF INITIAL GAUGING: 10/0
TOTAL DEPTH OF WELL: ~~100ft~~ 104.20
WATER LEVEL (PRE-PURGE): 79.85
WATER COLUMN (FT): 24.35
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suflano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QBD
DEPTH OF PUMP INTAKE: 102
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1139	10	.3	3	79.78	8.53	1.74	77.6	7.21	114	-2.10	Clear	Clear	None
1149	20	.3	6	79.76	8.54	1.74	77.9	5.48	122	-2.61	Clear	Clear	None
1152	23	.3	7	79.76	8.54	1.75	77.8	5.42	124	-2.33	Clear	Clear	None
1155	26	.3	8	79.76	8.55	1.74	77.5	5.48	126	-3.02	Clear	Clear	None
1158	29	.3	9	79.76	8.55	1.74	77.6	5.40	127	-2.92	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.15 L

NOTES: 1129 Start purging

1200 sample taken, Store in a cooler w/wet ice

FP=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Grandstaff
SAMPLER'S SIGNATURE: Russell Grandstaff
DATE: 10/30/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: CB Industrial Park
WELL ID: RE102
SAMPLE ID: RE102-84
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/30/07
TIME OF SAMPLING: 0852
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/30/07
TIME OF INITIAL GAUGING: 0805
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 80.49
WATER COLUMN (FT): 19.51
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 84
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0830	12	.2	3	81.52	8.47	1.77	74.4	4.80	128	-2.47	Clear	Clear	None
0840	22	.3	6	81.52	8.47	1.77	74.7	4.46	134	-2.82	Clear	Clear	None
0843	25	.3	7	81.53	8.47	1.77	74.7	4.44	136	-2.61	Clear	Clear	None
0847	29	.3	8	81.53	8.47	1.77	74.6	4.37	137	-2.59	Clear	Clear	None
0850	22	.3	9	81.53	8.47	1.77	74.8	4.38	139	-2.37	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0818 start purging

0852 sample taken, stored in a cooler with wet ice

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Granfors
SAMPLER'S SIGNATURE: Russell Granfors
DATE: 10/30/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: LB Industrial Park
WELL ID: RE102
SAMPLE ID: RE102-89
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/30/07
TIME OF SAMPLING: 0930
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/30/07
TIME OF INITIAL GAUGING: 0805
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 80.44
WATER COLUMN (FT): 19.57
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suflaro
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 89
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0914	8	.4	3	81.53	8.47	1.79	74.5	4.39	145	-2.23	Clear	Clear	None
0921	~~15~~ 15	.4	6	81.53	8.47	1.79	74.8	4.36	145	-2.59	Clear	Clear	None
0924	18	.4	7	81.52	8.47	1.79	75.0	4.41	145	0.05	Clear	Clear	None
0927	21	.5	8	81.52	8.48	1.79	75.0	4.40	145	-0.32	Clear	Clear	None
0929	23	.5	9	81.52	8.48	1.79	75.0	4.42	145	-0.22	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0906 start purging

0930 sample taken store in a cooler with wet ice

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/30/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: LB Industrial Park
WELL ID: RE102
SAMPLE ID: RE102-94
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/30/07
TIME OF SAMPLING: 1012
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/30/07
TIME OF INITIAL GAUGING: 0805
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 80.49
WATER COLUMN (FT): 19.51
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suhano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 94
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0956	8	.4	3	81.52	8.39	2.00	75.5	4.38	151	-1.57	Clear	Clear	None
1004	16	.4	6	81.52	8.39	1.99	75.7	4.45	152	-2.07	Clear	Clear	None
1006	18	.5	7	81.52	8.39	1.99	75.8	4.45	152	-2.59	Clear	Clear	None
1009	21	.4	8	81.52	8.38	1.98	75.9	4.44	152	-2.46	Clear	Clear	None
1011	23	.5	9	81.52	8.39	1.97	75.9	4.43	152	-2.19	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0948 start purging

1012 Sample taken stored in a cooler w/ wet ice

FD=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Granfort
SAMPLER'S SIGNATURE: Russell Granfort
DATE: 10/30/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: LB Industrial Park
WELL ID: RE 102
SAMPLE ID: RE102-99
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/30/07
TIME OF SAMPLING: 1054
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/30/07
TIME OF INITIAL GAUGING: 0805
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 80.49
WATER COLUMN (FT): 19.51
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Surlanc
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 99
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ±2° C	Conductance ± 3%
pH ±0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1036	8	.4	3	81.51	8.37	2.02	76.4	4.45	152	-1.52	Clear	Clear	None
1045	Re-set 17	.4	6	81.51	8.37	2.01	76.4	4.44	154	-0.13	Clear	Clear	None
1047	19	.5	7	81.51	8.38	2.01	76.3	4.44	156	1.94	Clear	Clear	None
1050	22	.4	8	81.51	8.38	2.00	76.6	4.41	155	-2.95	Clear	Clear	None
1053	25	.4	9	81.51	8.38	1.99	76.5	4.41	155	-3.46	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.75 L

NOTES: 1028 start purging

1054 Sample taken, store in a cooler w/ wet ice

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Granfors
SAMPLER'S SIGNATURE: [signature]
DATE: 10/30/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd
WELL ID: RE103
SAMPLE ID: RE103-77
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/25/07
TIME OF SAMPLING: 1340
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 1305
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.80
WATER COLUMN (FT): 26.20
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 77
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1324	9	.4	3	73.80	8.97	1.78	81.5	8.57	102	2.24	Clear	Clear	None
1332	17	.4	6	73.80	8.98	1.78	80.7	7.81	120	1.84	Clear	Clear	None
1334	19	.5	7	73.80	8.96	1.78	80.7	7.93	124	1.95	Clear	Clear	None
1336	21	.5	8	73.80	8.95	1.79	80.8	7.73	126	1.95	Clear	Clear	None
1339	24	.4	9	73.80	8.93	1.79	80.9	7.63	127	1.82	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1315 Start purging

1340 sample RE103-77 Store in a cooler with ice

FD=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/25/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE103
SAMPLE ID: RE103-82
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING: 0724
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 1305
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.80
WATER COLUMN (FT): 26.20
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 82
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0706	8	.4	3	73.89	8.69	1.83	73.1	7.17	122	0.38	Clear	Clear	None
0714	~~RO~~ 16	.4	6	73.92	8.70	1.83	73.3	7.02	131	0.05	Clear	Clear	None
0717	19	.4	7	73.91	8.70	1.84	73.3	6.93	134	0.12	Clear	Clear	None
0719	21	.4	8	73.91	8.68	1.84	73.4	6.95	136	0.12	Clear	Clear	None
0722	24	.4	9	73.91	8.68	1.85	73.5	6.84	138	-0.16	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0658 start purging

0724 sample taken store in a cooler w/wet ice

FP=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Grantoo
SAMPLER'S SIGNATURE: Russell Grantoo
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE103
SAMPLE ID: RE103-87
DUPLICATE ID: Field Dup 3
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING: 0804
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 1305
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.80
WATER COLUMN (FT): 26.20
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Surlano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0745	7	.4	3	73.92	8.52	1.92	73.1	6.63	148	0.00	Clear	Clear	None
0754	16	.4	6	73.92	8.50	1.92	73.3	6.59	151	-0.04	Clear	Clear	None
0757	19	.4	7	73.93	8.51	1.92	73.3	6.60	151	-0.68	Clear	Clear	None
0800	22	.4	8	73.93	8.51	1.92	73.3	6.65	152	0.00	Clear	Clear	None
0802	24	.4	9	73.94	8.51	1.92	73.0	6.65	153	0.14	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0738 start purging

0804 sample taken, Duplicate taken, stored in a cooler with wet ice

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: LB Industrial Park
WELL ID: RE103
SAMPLE ID: RE103-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING: 0853
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 1305
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.80
WATER COLUMN (FT): 26.20
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Surfano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 92
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ±2° C	Conductance ± 3%
pH ±0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0835	8	.4	3	73.93	8.51	1.92	74.1	6.35	156	0.71	Clear	Clear	None
0843	16	.4	6	73.93	8.52	1.92	74.3	6.35	155	0.20	Clear	Clear	None
0845	18	.5	7	73.93	8.52	1.91	74.3	6.43	155	0.20	Clear	Clear	None
0848	21	.4	8	73.93	8.53	1.91	74.5	6.27	155	0.28	Clear	Clear	None
0851	24	.4	9	73.93	8.52	1.91	74.6	6.39	155	0.23	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0827 start purging

0853 sample taken, store in a cooler with wet ice

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd
WELL ID: RE103
SAMPLE ID: RE103-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING:
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 1305
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 73.80
WATER COLUMN (FT): 26.20
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sutane
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 97
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0913	7	.4	3	73.94	8.53	1.91	75.5	6.24	155	0.27	Clear	Clear	None
0921	8 15	.4	6	73.94	8.54	1.91	75.8	6.28	155	0.35	Clear	Clear	None
0924	AG 1 18	.4	7	73.94	8.53	1.91	76.0	6.28	154	0.31	Clear	Clear	None
0927	1 H 21	.4	8	73.93	8.54	1.91	76.0	6.34	154	0.21	Clear	Clear	None
0929	16 23		9	73.93	8.53	1.91	75.9	6.34	153	0.36	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0906 start purging

0932 sample taken, stored in a cooler w/ice

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE104
SAMPLE ID: RE104-77
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/23/07
TIME OF SAMPLING: 1145
WELL HEAD CONDITION: good.

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/23/07
TIME OF INITIAL GAUGING: 0945
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.30
WATER COLUMN (FT): 24.70
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 77'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (mS µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
11:03	24	.13	3	75.1	8.5	1.85	84.0	~~5.07~~ ~~75.12~~	142	8.47	clear	clear	none
11:25	46	.13	6	75.05	8.25	1.90	84.5	4.75	160	4.72	clear	clear	none
11:33	~~0854~~	.13	7	75.05	8.24	1.90	84.5	4.64	161	3.15	clear	clear	none
11:38	~~1359~~	2.2	8	75.05	8.23	1.90	85.0	4.58	162	2.84	Clear	Clear	None
1145	66.	2	9	75.05	8.23	1.91	86.3	3.73	162	1.98	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: Purge started at 10:45

Sample 11:45 store in cooler w/ wet ice

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): RG, RH
SAMPLER'S SIGNATURE: Rli Head
DATE: 10/23/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE104
SAMPLE ID: RE104-82
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/23/07
TIME OF SAMPLING: 1332
WELL HEAD CONDITION: good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/23/07
TIME OF INITIAL GAUGING: 12:10
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75
WATER COLUMN (FT): 25
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suflana
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 82'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm) MS	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1235	25	0.12	3	75.0	8.22	1.90	87.7	4.38	160	.94	Clear	Clear	None
1302	52	0.11	6	75.0	8.22	1.91	88.5	4.36	163	0.64	Clear	Clear	None
1310	60	.125	7	75.0	8.22	1.90	88.6	4.38	163	2.29	clear	clear	none
1320	70	.12	8	75.0	8.23	1.90	88.8	4.38	162	2.59	Clear	Clear	None
1332	82	.08	9	75.0	8.23	1.91	89.3	4.19	162	0.35	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: purge start 12:10

1332 Sample taken RE104-82 store in a cooler w/ wet ice

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): RG, RH
SAMPLER'S SIGNATURE: [signature]
DATE: 10/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE104
SAMPLE ID: RE104-87
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/23/07
TIME OF SAMPLING: 1443
WELL HEAD CONDITION: good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/23/07
TIME OF INITIAL GAUGING: 1354
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.95
WATER COLUMN (FT): 25.05
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QEDMP
DEPTH OF PUMP INTAKE: 97'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm) mS	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1410	16	.19	3	75.0	8.30	1.90	83.1	6.71	102	-0.22	Clear	Clear	None
1425	31	.20	6	74.95	8.30	1.91	83.0	4.88	139	-0.32	Clear	Clear	None
1431	37	.16	7	75.0	8.30	1.90	83.1	4.99	145	0.50	clear	Clear	None
1438	44	.14	8	75.0	8.30	1.90	83.0	4.88	148	.09	clear	clear	none
1443	49	.20	9	75.0	8.29	1.93	82.8	4.73	152	.37	"	"	"

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: Purge started at 1354

1443 Samples taken RE104-87
Store in cooler w/ wet ice

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) RG, RH
SAMPLER'S SIGNATURE:
DATE: 10/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE104
SAMPLE ID: RE104-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/23/07
TIME OF SAMPLING: 1558
WELL HEAD CONDITION: good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/23/07
TIME OF INITIAL GAUGING: 1400
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75
WATER COLUMN (FT): 25
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED MP
DEPTH OF PUMP INTAKE: 92'
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm) MS	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1521	21	.14	3	75.0	8.27	1.91	82.8	4.87	161	0.25	Clear	Clear	None
1540	41	.15	6	75.0	8.29	1.91	80.6	4.99	166	0.66	Clear	Clear	None
1547	48	.14	7	75.0	8.29	1.90	80.0	5.03	167	0.88	Clear	Clear	None
1553	53	.20	8	74.97	8.29	1.90	79.7	5.04	168	0.00	Clear	Clear	None
1558	58	.20	9	74.97	8.30	1.91	74.6	4.54	169	0.47	Clear	Clear	none

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: Purge started @ 1500

1558 Samples taken RE104-92
Store in cooler w/ wet ice

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): RG, RH
SAMPLER'S SIGNATURE: Rich Hall
DATE: 10/23/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE104
SAMPLE ID: RE104-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/24/07
TIME OF SAMPLING: 0924
WELL HEAD CONDITION: good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/24/07
TIME OF INITIAL GAUGING: 0845
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.05
WATER COLUMN (FT): 24.95
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 97
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0905	15	0.2	3	75.05	8.22	1.89	73.7	5.86	135	0.62	Clear	Clear	None
0915	25	0.3	6	75.05	8.23	1.89	73.9	5.37	141	0.5	Clear	Clear	None
0917	27	0.5	7	75.05	8.23	1.89	73.9	5.48	142	0.21	Clear	Clear	None
0920	30	0.3	8	75.05	8.23	1.89	74.0	5.26	143	0.0	Clear	Clear	None
0923	33	0.3	9	75.05	8.23	1.89	74.0	5.20	144	0.44	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0850 start purging RE104-97

0924 sample RE104-97 place samples in a cooler w/ wet ice.

ID = 104

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE 105
SAMPLE ID: RE 105-77
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/24/07
TIME OF SAMPLING: 1057
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/24/07
TIME OF INITIAL GAUGING: 0950
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.00
WATER COLUMN (FT): 25.00
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 77
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1015	23	.13	3	75.0	8.23	1.95	76.5	5.40	143	.69	Clear	Clear	None
1035	43	.15	6	75.0	8.23	1.97	76.8	5.57	151	.71	Clear	Clear	None
1041	49	.16	7	75.0	8.22	1.97	77.7	5.32	153	.45	Clear	Clear	None
1049	57	.125	8	75.0	8.22	1.96	78.8	5.02	154	.62	Clear	Clear	None
1055	63	.16	9	75.0	8.22	1.97	78.8	4.90	155	.82	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0952 start purging

1057 sample RE105-77 place containers in a cooler w/ wet ice.

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/24/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd
WELL ID: RE105
SAMPLE ID: RE105-82
DUPLICATE ID: Field Dup1
DATE OF SAMPLING: 10/24/07
TIME OF SAMPLING: 1145
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/24/07
TIME OF INITIAL GAUGING: 0950
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.00
WATER COLUMN (FT): 25.00
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 82
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1128	8	.4	3	75.00	8.23	1.97	76.1	5.61	151	.47	Clear	Clear	None
1136	16	.4	6	75.00	8.27	1.97	76.5	5.28	153	.61	Clear	Clear	None
1139	19	.4	7	75.00	8.28	1.97	76.5	5.21	153	.13	Clear	Clear	None
1141	21	.4	8	75.00	8.28	1.97	76.5	5.09	153	.67	Clear	Clear	None
1143	23	.4	9	75.00	8.27	1.97	77.1	5.08	152		Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1128 start purging RE105-82

1145 sample RE105-82 and Field Dup1
store in a cooler w/ wet ice

FD = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Cranford
SAMPLER'S SIGNATURE: Russell Cranford
DATE: 10/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE105-87
SAMPLE ID: RE105-87
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/24/07
TIME OF SAMPLING: 1228
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/24/07
TIME OF INITIAL GAUGING: 0950
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.00
WATER COLUMN (FT): 25.00
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C °F	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1213	7	.4	3	75.00	8.28	1.97	79.2	5.19	149	0.15	Clear	Clear	None
1219	13	.4	6	75.00	8.29	1.95	79.0	4.64	150	0.33	Clear	Clear	None
1222	16	.4	7	75.00	8.30	1.96	79.2	4.61	150	0.82	Clear	Clear	None
1224	18	.4	8	75.00	8.29	1.96	79.1	4.49	150	0.48	Clear	Clear	None
1226	20	.4	9	75.00	8.29	1.96	79.0	4.51	150	1.56	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1206 start purging

1228 sample RE105-87 store in a cooler with wet ice

FD=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE105
SAMPLE ID: RE105-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/24/07
TIME OF SAMPLING: 1303
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/24/07
TIME OF INITIAL GAUGING: 0950
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.00
WATER COLUMN (FT): 25.00
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Sunano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 92
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ±2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1248	8	.4	3	75.00	8.29	1.96	79.2	4.62	150	0.27	Clear	Clear	None
1255	7	.4	6	75.00	8.30	1.96	79.2	4.62	151	0.43	Clear	Clear	None
1258	10	.4	7	75.00	8.30	1.96	79.1	4.56	152	0.48	Clear	clear	None
1300	12	.5	8	75.00	8.30	1.96	79.4	4.61	152	0.48	Clear	Clear	None
1302	14	.5	9	75.00	8.30	1.96	79.1	4.56	153	0.17	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1240 Start purging RE105-92

1303 Sample RE105-92 store in a cooler w/wet ice

FD = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/24/07

CLEAR CREEK ASSOCIATES
8155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE105
SAMPLE ID: RE105-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/24/07
TIME OF SAMPLING: 1345
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/24/07
TIME OF INITIAL GAUGING: 0950
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 75.00
WATER COLUMN (FT): 25.00
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 97
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1327	8	.4	3	75.00	8.29	1.97	79.0	6.25	155	0.59	Clear	Clear	None
1335	16	.4	6	75.00	8.29	1.96	79.3	5.62	154	0.71	Clear	Clear	None
1338	19	.4	7	75.00	8.30	1.97	78.9	5.54	153	1.58	Clear	Clear	None
1341	22	.4	8	75.00	8.30	1.96	79.2	4.71	153	0.62	Clear	Clear	None
1343	24	.4	9	75.00	8.30	1.96	79.3	4.55	152	0.17	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1319 start purging RE105-97

1345 sample RE105-97 store in a cooler w/wet ice
Sample a Field blank

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Granfors
SAMPLER'S SIGNATURE: Russell Granfors
DATE: 10/24/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd,
WELL ID: RE106-~~77~~
SAMPLE ID: RE106-77
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/25/07
TIME OF SAMPLING: 0921
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 0832
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.87
WATER COLUMN (FT): 25.13
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 77
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0859	11	.27	3	74.87	8.88	1.79	72.2	8.29	126	16.1	Clear	Clear	None
0910	22	.27	6	74.87	8.74	1.83	72.4	6.68	139	8.22	Clear	Clear	None
0913	25	.3	7	74.87	8.70	1.84	72.5	6.53	143	7.94	Clear	Clear	None
0917	29	.3	8	74.87	8.68	1.85	72.6	6.45	146	7.11	Clear	Clear	None
0920	32	.3	9	74.87	8.62	1.86	72.7	6.37	150	5.91	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0848 Start purging

0921 Sample taken RE106-77 stored in a cooler with ice

ID703

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/25/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE 106
SAMPLE ID: RE 106-82
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/25/07
TIME OF SAMPLING: 1000
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 0832
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.87
WATER COLUMN (FT): 25.13
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 82
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0943	8	.4	3	74.87	8.29	2.00	73.1	5.68	164	2.07	Clear	Clear	None
0951	16	.4	6	74.87	8.28	2.00	73.2	5.55	164	1.21	Clear	Clear	None
0954	19	.4	7	74.87	8.28	2.00	73.2	5.56	164	1.09	Clear	Clear	None
0956	21	.4	8	74.87	8.29	2.00	73.1	5.61	165	1.19	Clear	Clear	None
0959	24	.4	9	74.87	8.28	2.00	73.2	5.57	165	0.50	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0935 Start purge

1000 sample RE106-82 store in a cooler with wet ice.

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/25/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE106
SAMPLE ID: RE106-87
DUPLICATE ID: Field Dup 2
DATE OF SAMPLING: 10/25/07
TIME OF SAMPLING: 1042
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 0832
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.87
WATER COLUMN (FT): 25.13
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suniano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ±2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1024	9	.4	3	74.87	8.28	1.99	74.0	5.35	163	0.84	Clear	Clear	None
1032	~~8~~ 17	.4	6	74.87	8.29	1.99	74.2	5.40	163	1.01	Clear	Clear	None
1035	20	.4	7	74.87	8.29	1.99	74.2	5.40	163	1.82	Clear	Clear	None
1038	23	.4	8	74.87	8.30	1.99	74.3	5.45	163	1.20	Clear	Clear	None
1040	25	.4	9	74.87	8.30	2.00	74.6	5.37	163	1.28	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.145 L

NOTES: 1015 start purging

1042 Sample RE106-87 also Field Dup 2
store in a cooler w/ ice

FD=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	X
SVOCs	E8270	X	X
RCRA Metals	E6020	X	X
Mercury	E7470A	X	X
Selenium	E6010B	X	X
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/25/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd,
WELL ID: RE106
SAMPLE ID: RE106-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/25/07
TIME OF SAMPLING: 1134
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 0832
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.87
WATER COLUMN (FT): 25.13
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 92
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1115	9	.4	3	74.87	8.29	1.99	76.8	5.20	164	1.42	Clear	Clear	None
1125	19	.4	6	74.87	8.30	1.99	76.6	5.22	165	1.05	Clear	Clear	None
1127	21	.4	7	74.87	8.30	1.99	76.8	5.23	166	1.05	Clear	Clear	None
1129	23	.4	8	75.01	8.30	1.99	76.8	5.19	166	1.27	Clear	Clear	None
1132	26	.4	9	75.01	8.30	1.99	76.9	5.26	166	1.33	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1106 start purging

1134 sample RE106-92 store in cooler with ice. Take 2 extra amber jars for MS

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Gronfors
SAMPLER'S SIGNATURE: Russell Gronfors
DATE: 10/25/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE106
SAMPLE ID: RE106-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/25/07
TIME OF SAMPLING: 1219
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/25/07
TIME OF INITIAL GAUGING: 0832
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.87
WATER COLUMN (FT): 25.13
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suflita
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 97
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1200	8	.4	3	74.80	8.31	2.02	77.5	5.24	165	1.64	Clear	Clear	None
1209	17	.4	6	74.80	8.32	2.02	77.5	5.00	163	0.96	Clear	Clear	None
1212	20	.4	7	74.80	8.32	2.02	77.3	5.14	162	1.12	Clear	Clear	None
1215	23	.4	8	74.80	8.32	2.02	77.4	5.09	160	0.93	Clear	Clear	None
1217	25	.4	9		8.32	2.02	77.3	5.15	159	0.91	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1152 Start Purging

1219 Sample RE106-97 store in a cooler w/ice

ID=103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Granfors
SAMPLER'S SIGNATURE: [signature]
DATE: 10/25/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd
WELL ID: RE107
SAMPLE ID: RE107-77
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING: 1040
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/26/07
TIME OF INITIAL GAUGING: 1005
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.42
WATER COLUMN (FT): 25.58
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 77
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1024	7	.4	3	74.44	8.68	1.67	78.0	8.11	106	0.00	Clear	Clear	None
1031	Add 14	.4	6	74.45	8.67	1.68	78.0	6.79	121	0.29	Clear	Clear	None
1033	16	.5	7	74.45	8.66	1.68	78.0	6.73	125	0.29	Clear	Clear	None
1036	19	.4	8	74.45	8.66	1.68	78.0	6.69	128	0.29	Clear	Clear	None
1038	21	.5	9	74.45	8.65	1.69	78.1	6.59	130	0.41	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1017 Start purging

1040 Sample taken, stored in a cooler with wet ice

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Cranfors
SAMPLER'S SIGNATURE: Russell Cranfors
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE107
SAMPLE ID: RE107-82
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING: 1115
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/26/07
TIME OF INITIAL GAUGING: 1005
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.42
WATER COLUMN (FT): 25.58
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 82
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (°F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1100	8	.4	3	74.44	8.42	1.92	78.5	6.68	155	1.32	Clear	Clear	None
1107	15	.4	6	74.44	8.42	1.93	78.5	6.67	159	1.67	Clear	Clear	None
1109	17	.5	7	74.44	8.42	1.94	78.5	6.63	160	1.87	Clear	Clear	None
1112	20	.4	8	74.43	8.42	1.93	78.6	6.60	161	1.44	Clear	Clear	None
1114	22	.5	9	74.43	8.42	1.94	78.4	6.67	162	1.34	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1052 start purging

1115 sample taken, stored in a cooler w/ wet ice

FD = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawfors
SAMPLER'S SIGNATURE: Russell Crawfors
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE107
SAMPLE ID: RE107-87
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/26/07
TIME OF SAMPLING: 1150
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/26/07
TIME OF INITIAL GAUGING: 1005
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.42
WATER COLUMN (FT): 25.58
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 87
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
1134	8	.4	3	74.42	8.36	1.99	78.5	5.96	167	1.03	Clear	Clear	None
1141	15	.4	6	74.42	8.35	1.99	78.4	5.80	168	0.90	Clear	Clear	None
1144	18	.4	7	74.42	8.35	1.99	78.4	5.76	168	1.32	Clear	Clear	None
1146	20	.5	8	74.42	8.35	1.99	78.4	5.75	168	0.92	Clear	Clear	None
1148	22	.5	9	74.42	8.35	2.00	78.4	5.71	169	0.84	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 1126 Start purging

1150 Sample taken, stored in a cooler w/ice.

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/26/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE107
SAMPLE ID: RE107-92
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/29/07
TIME OF SAMPLING: 0850
WELL HEAD CONDITION: Good

CCA PROJECT NO: 212001
DATE OF INITIAL GAUGING: 10/26/07
TIME OF INITIAL GAUGING: 1005
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.42 (10/29 74.57)
WATER COLUMN (FT): 25.58
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER: Tom Suflas
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 92
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0831	10	.3	3	74.58	8.22	2.08	75.8	7.26	139	0.63	Clear	Clear	None
0840	19	.3	6	74.58	8.24	2.01	76.1	6.47	147	2.04	Clear	Clear	None
0843	22	.3	7	74.58	8.25	2.01	76.2	6.49	148	3.03	Clear	Clear	None
0846	25	.3	8	74.59	8.25	2.01	76.3	6.26	150	0.13	Clear	Clear	None
0849	27	.3	9	74.59	8.25	2.00	76.3	6.23	151	-2.60	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0821 start purging

0850 Sample RE107-92 storing cooler with wet ice

ID = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print): Russell Crawfors
SAMPLER'S SIGNATURE: Russell Crawfors
DATE: 10/29/07

CLEAR CREEK ASSOCIATES
6155 E. Indian School Rd
Suite 200
Scottsdale, AZ 85251
Phone (480) 659-7131

GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

PROJECT NAME: Romic
SITE ADDRESS: Allison Rd.
WELL ID: RE107
SAMPLE ID: RE107-97
DUPLICATE ID: N/A
DATE OF SAMPLING: 10/29/07
TIME OF SAMPLING: 0938
WELL HEAD CONDITION: Good

CCA PROJECT NO. 212001
DATE OF INITIAL GAUGING: 10/26/07
TIME OF INITIAL GAUGING: 1005
TOTAL DEPTH OF WELL: 100 ft
WATER LEVEL (PRE-PURGE): 74.42
WATER COLUMN (FT): 25.58
METERING DEVICE: QED Flow cell

CCA PROJECT MANAGER. Tom Suriano
SAMPLING METHOD: Low-Flow Sampling
TYPE OF PURGING DEVICE: QED
DEPTH OF PUMP INTAKE: 97
COLLECTION EQUIPMENT: Dedicated Tubing
METER TYPE: QED Flow Cell

Parameters for water quality stabilization

Temperature ± 2° C	Conductance ± 3%
pH ± 0.2	ORP ± 20 mV

Clock Time	Elapsed Time	Purge Rate (L/min)	Volume Purged (L)	Depth to Water (bmp)	pH	EC (µmhos/cm)	Temperature °C (F)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTUs)	Color	Clarity	Odor
0916	9	.3	3	74.58	8.26	1.99	77.2	5.62	154	-2.00	Clear	Clear	None
0927	20	.3	6	74.58	8.26	1.99	77.6	5.50	155	-2.16	Clear	Clear	None
0931	24	.3	7	74.58	8.27	1.99	77.7	5.42	155	-1.95	Clear	Clear	None
0934	27	.4	8	74.58	8.27	1.99	77.6	5.32	155	-2.06	Clear	Clear	None
0936	29	.4	9	74.58	8.27	1.99	77.8	5.68	155	-1.49	Clear	Clear	None

MIN. PURGE VOLUME: 0.03 L per Ft of tubing X 115 Ft tubing X 2 tubing volumes + 0.25 L flow thru cell = 7.45 L

NOTES: 0907 start purge

0938 sample taken, store in a cooler with wet ice. Also sample Field Blank

FD = 103

REQUESTED ANALYSES

Analysis		Sample	Duplicate
VOCs	E8260	X	
SVOCs	E8270	X	
RCRA Metals	E6020	X	
Mercury	E7470A	X	
Selenium	E6010B	X	
(request 0.05 mg/L detection limit for Selenium)			
Hex. Chromium	E218.1		
Anions (SO4, Cl, CO3, HCO3)			
Cations (Ca, Mg, Na, K)			
Total Alkalinity			
Nitrate			
Nitrite			
TDS			

SAMPLERS NAME (Print) Russell Crawford
SAMPLER'S SIGNATURE: Russell Crawford
DATE: 10/29/07

APPENDIX H

WATER QUALITY SAMPLING LABORATORY ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY FORMS

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Tuesday, October 16, 2007

Tom Suriano
Clear Creek Associates
6155 East Indian School Rd., Suite 200
Scottsdale, AZ 85251

TEL: (480) 659-7131
FAX: (480) 659-7143

Amended Report

RE: Romic/212001

Order No.: 07080817

Dear Tom Suriano:

The original report has been revised to include an additional data qualifier statement in the case narrative. Please replace the original report with the enclosed amended report. We apologize for any inconvenience this may have caused.

Aerotech Environmental Laboratories received 6 sample(s) on 8/21/2007 for the analyses presented in the following report.

This report includes the following information:
- Case Narrative.
- Analytical Report: includes test results, report limit (Limit), any applicable data qualifier (Qual), units, dilution factor (DF), and date analyzed.
- QC Summary Report.

This communication is intended only for the individual or entity to whom it is directed. It may contain information that is privileged, confidential, or otherwise exempt from disclosure under applicable law. Dissemination, distribution, or copying of this communication by anyone other than the intended recipient, or a duly designated employee or agent of such recipient, is prohibited. If you have received this communication in error, please notify us immediately and destroy this message and all attachments thereto. If you have any questions regarding these test results, please do not hesitate to call.

Sincerely,

Matt Hill
Project Manager

Aerotech Environmental Laboratories

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Project: Romic/212001
Lab Order: 07080817

CASE NARRATIVE

Analyses included in this report were performed by Aerotech Environmental Laboratories (AEL), 4645 E. Cotton Center Boulevard, Building 3, Suite 189, Phoenix, AZ.

AEL is licensed through the State of Arizona (License No. AZ0610), and holds NELAC accreditation (OR100001) through the State of Oregon for the analytical techniques noted on the scope of accreditation.

AEL is also accredited by the American Industrial Hygiene Association (AIHA) in the industrial hygiene program for the analytical techniques noted on the scope of accreditation.

Samples were analyzed using methods outlined in references such as:
-Standard Methods for the Examination of Water and Wastewater, 20th Edition, 1998.
-40 CFR, Part 136, July 2006. Appendix A to Part 136 - Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater.
-Methods for the Chemical Analysis of Water and Wastes, EPA/600/4-79-020, Revised March 1983.
-Methods for the Determination of Organic Compounds in Drinking Water: Supplement III, August 1995, EPA/600/R-95/131.
-Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, EPA, 3rd Edition 1986, and Updates
-Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, EPA, Second Edition, 1999.
-NIOSH Manual of Analytical Methods, Fourth Edition, 1994. NIOSH Method 7300 analyses are performed using a modified digestion procedure to eliminate the use of perchloric acid.

Analytical Comments:
All method blanks and laboratory control spikes met method and/or laboratory quality control objectives for the analyses included in this report.

Chloride and Sulfate by EPA method 300 was performed by TestAmerica in Phoenix, AZ. A copy of their report is enclosed.

Data Qualifiers:
Listed below are the data qualifiers used in your analytical report to explain any analytical or quality control issues. You will find them noted in your report under the column header "QUAL". Any quality control deficiencies that cannot be adequately described by these qualifiers will be addressed in the analytical comments section of this case narrative.

D2 Sample required dilution due to high concentration of target analyte.
L2 The associated blank spike recovery was below laboratory acceptance limits.
M7 Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

N1 See case narrative.
R9 Sample RPD exceeded the laboratory control limit.
V1 CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.

L2 & N1 - Method 8270

Benzoic acid was lower than AEL historical limits in the LCS, LCSD, MS and MSD. Dimethyl phthalate was lower than AEL historical limits in LCS and LCSD, but the MS and MSD met criteria. No analytes were detected in any of the associated samples. The LCS, LCSD and associated samples were flagged with the L2 data qualifier for Benzoic acid and Dimethyl phthalate, and the MS and MSD were flagged with the N1 data qualifier for Benzoic acid. 2,4-Dinitrophenol and 4-Nitrophenol were lower than laboratory historical limits in the LCS; however, the LCSD, MS, and MSD met criteria for these analytes. This satisfies the EPA 8000C method requirement but deviates from AEL's SOP. The LCS was flagged with N1 data qualifier for these analytes.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-77'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 9:36:00 AM
Lab ID:	07080817-01A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2,4,5-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 8:51:00 PM
2,4,6-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 8:51:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2,4-Dinitrophenol	< 53	53		µg/L	1	8/27/2007 8:51:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/27/2007 8:51:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
4,6-Dinitro-2-methylphenol	< 53	53		µg/L	1	8/27/2007 8:51:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/27/2007 8:51:00 PM
Acenaphthene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Anthracene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/27/2007 8:51:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-77'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 9:36:00 AM
Lab ID:	07080817-01A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Bis(2-ethylhexyl)phthalate	< 5.3	5.3		µg/L	1	8/27/2007 8:51:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Chrysene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Dimethyl phthalate	< 21	21	L2	µg/L	1	8/27/2007 8:51:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Fluoranthene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Fluorene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Isophorone	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Naphthalene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Pentachlorophenol	< 53	53		µg/L	1	8/27/2007 8:51:00 PM
Phenanthrene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Phenol	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Pyrene	< 11	11		µg/L	1	8/27/2007 8:51:00 PM
Surr: 2,4,6-Tribromophenol	49.0	41.6-98.2		%REC	1	8/27/2007 8:51:00 PM
Surr: 2-Fluorobiphenyl	54.9	36.2-93.9		%REC	1	8/27/2007 8:51:00 PM
Surr: 2-Fluorophenol	24.1	15.3-64.2		%REC	1	8/27/2007 8:51:00 PM
Surr: 4-Terphenyl-d14	21.7	8.57-55.3		%REC	1	8/27/2007 8:51:00 PM
Surr: Nitrobenzene-d5	63.1	31.8-110		%REC	1	8/27/2007 8:51:00 PM
Surr: Phenol-d6	17.5	11-46.8		%REC	1	8/27/2007 8:51:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-77'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 9:36:00 AM
Lab ID:	07080817-01B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/23/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.068	0.0010		mg/L	1	8/28/2007 6:30:18 PM
Barium	0.024	0.0010		mg/L	1	8/28/2007 6:30:18 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 6:30:18 PM
Chromium	0.0021	0.0010		mg/L	1	8/28/2007 6:30:18 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 6:30:18 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 6:30:18 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-77'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 9:36:00 AM
Lab ID:	07080817-01D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-77'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 9:36:00 AM
Lab ID:	07080817-01D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	100	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	103	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-82'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 10:57:00 AM
Lab ID:	07080817-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/27/2007 9:12:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/27/2007 9:12:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2,4-Dinitrophenol	< 54	54		µg/L	1	8/27/2007 9:12:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/27/2007 9:12:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
4,6-Dinitro-2-methylphenol	< 54	54		µg/L	1	8/27/2007 9:12:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/27/2007 9:12:00 PM
Acenaphthene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Anthracene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/27/2007 9:12:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-82'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 10:57:00 AM
Lab ID:	07080817-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Bis(2-ethylhexyl)phthalate	< 5.4	5.4		µg/L	1	8/27/2007 9:12:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Chrysene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Dimethyl phthalate	< 22	22	L2	µg/L	1	8/27/2007 9:12:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Fluoranthene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Fluorene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Isophorone	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Naphthalene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Pentachlorophenol	< 54	54		µg/L	1	8/27/2007 9:12:00 PM
Phenanthrene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Phenol	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Pyrene	< 11	11		µg/L	1	8/27/2007 9:12:00 PM
Surr: 2,4,6-Tribromophenol	54.1	41.6-98.2		%REC	1	8/27/2007 9:12:00 PM
Surr: 2-Fluorobiphenyl	54.0	36.2-93.9		%REC	1	8/27/2007 9:12:00 PM
Surr: 2-Fluorophenol	29.1	15.3-64.2		%REC	1	8/27/2007 9:12:00 PM
Surr: 4-Terphenyl-d14	21.8	8.57-55.3		%REC	1	8/27/2007 9:12:00 PM
Surr: Nitrobenzene-d5	62.4	31.8-110		%REC	1	8/27/2007 9:12:00 PM
Surr: Phenol-d6	19.7	11-46.8		%REC	1	8/27/2007 9:12:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-82'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 10:57:00 AM
Lab ID:	07080817-02B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/23/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.025	0.0010		mg/L	1	8/28/2007 6:34:19 PM
Barium	0.025	0.0010		mg/L	1	8/28/2007 6:34:19 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 6:34:19 PM
Chromium	0.0020	0.0010		mg/L	1	8/28/2007 6:34:19 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 6:34:19 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 6:34:19 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-82'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 10:57:00 AM
Lab ID:	07080817-02D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-82'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 10:57:00 AM
Lab ID:	07080817-02D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	100	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	103	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-87'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 11:47:00 AM
Lab ID:	07080817-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 9:32:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 9:32:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/27/2007 9:32:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/27/2007 9:32:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/27/2007 9:32:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/27/2007 9:32:00 PM
Acenaphthene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Anthracene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/27/2007 9:32:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-87'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 11:47:00 AM
Lab ID:	07080817-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/27/2007 9:32:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Chrysene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Dimethyl phthalate	< 20	20	L2	µg/L	1	8/27/2007 9:32:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Fluoranthene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Fluorene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Isophorone	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Naphthalene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/27/2007 9:32:00 PM
Phenanthrene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Phenol	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Pyrene	< 10	10		µg/L	1	8/27/2007 9:32:00 PM
Surr: 2,4,6-Tribromophenol	43.2	41.6-98.2		%REC	1	8/27/2007 9:32:00 PM
Surr: 2-Fluorobiphenyl	43.6	36.2-93.9		%REC	1	8/27/2007 9:32:00 PM
Surr: 2-Fluorophenol	24.3	15.3-64.2		%REC	1	8/27/2007 9:32:00 PM
Surr: 4-Terphenyl-d14	19.4	8.57-55.3		%REC	1	8/27/2007 9:32:00 PM
Surr: Nitrobenzene-d5	51.4	31.8-110		%REC	1	8/27/2007 9:32:00 PM
Surr: Phenol-d6	19.0	11-46.8		%REC	1	8/27/2007 9:32:00 PM
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Nitrogen, Nitrate (As N)	4.6	0.20		mg/L	1	8/21/2007 4:12:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-87'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 11:47:00 AM
Lab ID:	07080817-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Nitrogen, Nitrite (As N)	< 0.20	0.20		mg/L	1	8/21/2007 4:12:00 PM
ALKALINITY		**M2320 B**				Analyst: **AC**
Alkalinity, Bicarbonate (As CaCO3)	270	2.0		mg/L CaCO3	1	8/22/2007
Alkalinity, Carbonate (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/22/2007
Alkalinity, Hydroxide (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/22/2007
Alkalinity, Total (As CaCO3)	270	6.0		mg/L CaCO3	1	8/22/2007
HEXAVALENT CHROMIUM		**M3500-CR D**				Analyst: **AC**
Chromium VI	< 0.010	0.010		mg/L	1	8/22/2007 10:20:00 AM
RESIDUE, FILTERABLE		**M2540 C**				Analyst: **AC**
Total Dissolved Solids	1200	10		mg/L	1	8/23/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-87'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 11:47:00 AM
Lab ID:	07080817-03B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS, TOTAL RECOVERABLE		**E200.7**				Analyst: **HK**
Calcium	16	2.0		mg/L	1	8/23/2007
Magnesium	7.4	2.0		mg/L	1	8/23/2007
Potassium	3.3	2.0		mg/L	1	8/23/2007
Sodium	500	10	D2	mg/L	5	8/30/2007
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/23/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.024	0.0010		mg/L	1	8/28/2007 6:38:20 PM
Barium	0.024	0.0010		mg/L	1	8/28/2007 6:38:20 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 6:38:20 PM
Chromium	0.0020	0.0010		mg/L	1	8/28/2007 6:38:20 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 6:38:20 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 6:38:20 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-87'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 11:47:00 AM
Lab ID:	07080817-03D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-87'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 11:47:00 AM
Lab ID:	07080817-03D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	101	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	102	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-92'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 12:33:00 PM
Lab ID:	07080817-04A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 9:53:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 9:53:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/27/2007 9:53:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/27/2007 9:53:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/27/2007 9:53:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/27/2007 9:53:00 PM
Acenaphthene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Anthracene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/27/2007 9:53:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-92'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 12:33:00 PM
Lab ID:	07080817-04A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/27/2007 9:53:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Chrysene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Dimethyl phthalate	< 20	20	L2	µg/L	1	8/27/2007 9:53:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Fluoranthene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Fluorene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Isophorone	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Naphthalene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/27/2007 9:53:00 PM
Phenanthrene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Phenol	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Pyrene	< 10	10		µg/L	1	8/27/2007 9:53:00 PM
Surr: 2,4,6-Tribromophenol	51.3	41.6-98.2		%REC	1	8/27/2007 9:53:00 PM
Surr: 2-Fluorobiphenyl	47.4	36.2-93.9		%REC	1	8/27/2007 9:53:00 PM
Surr: 2-Fluorophenol	29.4	15.3-64.2		%REC	1	8/27/2007 9:53:00 PM
Surr: 4-Terphenyl-d14	17.9	8.57-55.3		%REC	1	8/27/2007 9:53:00 PM
Surr: Nitrobenzene-d5	55.0	31.8-110		%REC	1	8/27/2007 9:53:00 PM
Surr: Phenol-d6	22.2	11-46.8		%REC	1	8/27/2007 9:53:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-92'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 12:33:00 PM
Lab ID:	07080817-04B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/23/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.024	0.0010		mg/L	1	8/28/2007 6:42:21 PM
Barium	0.025	0.0010		mg/L	1	8/28/2007 6:42:21 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 6:42:21 PM
Chromium	0.0021	0.0010		mg/L	1	8/28/2007 6:42:21 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 6:42:21 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 6:42:21 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-92'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 12:33:00 PM
Lab ID:	07080817-04D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-92'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 12:33:00 PM
Lab ID:	07080817-04D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	99.8	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	103	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	103	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-97'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 1:11:00 PM
Lab ID:	07080817-05A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 10:14:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 10:14:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/27/2007 10:14:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/27/2007 10:14:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/27/2007 10:14:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/27/2007 10:14:00 PM
Acenaphthene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Anthracene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/27/2007 10:14:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RB106-97'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 1:11:00 PM
Lab ID:	07080817-05A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/27/2007 10:14:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Chrysene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Dimethyl phthalate	< 20	20	L2	µg/L	1	8/27/2007 10:14:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Fluoranthene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Fluorene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Isophorone	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Naphthalene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/27/2007 10:14:00 PM
Phenanthrene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Phenol	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Pyrene	< 10	10		µg/L	1	8/27/2007 10:14:00 PM
Surr: 2,4,6-Tribromophenol	57.0	41.6-98.2		%REC	1	8/27/2007 10:14:00 PM
Surr: 2-Fluorobiphenyl	48.9	36.2-93.9		%REC	1	8/27/2007 10:14:00 PM
Surr: 2-Fluorophenol	35.3	15.3-64.2		%REC	1	8/27/2007 10:14:00 PM
Surr: 4-Terphenyl-d14	20.4	8.57-55.3		%REC	1	8/27/2007 10:14:00 PM
Surr: Nitrobenzene-d5	55.4	31.8-110		%REC	1	8/27/2007 10:14:00 PM
Surr: Phenol-d6	27.0	11-46.8		%REC	1	8/27/2007 10:14:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-97'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 1:11:00 PM
Lab ID:	07080817-05B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/23/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.024	0.0010		mg/L	1	8/28/2007 6:46:22 PM
Barium	0.025	0.0010		mg/L	1	8/28/2007 6:46:22 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 6:46:22 PM
Chromium	0.0022	0.0010		mg/L	1	8/28/2007 6:46:22 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 6:46:22 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 6:46:22 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-97'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 1:11:00 PM
Lab ID:	07080817-05D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE106-97'
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007 1:11:00 PM
Lab ID:	07080817-05D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	97.3	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	104	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Trip Blank
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007
Lab ID:	07080817-06D	**Matrix:**	TRIP BLANK

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Trip Blank
Lab Order:	07080817	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/21/2007
Lab ID:	07080817-06D	**Matrix:**	TRIP BLANK

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	102	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	117	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	101	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

16-Oct-07

Lab Order: 07080817
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080817-01A	RE106-77'	8/21/2007 9:36:00 AM	Groundwater	SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 8:51:00 PM
07080817-01B				ICP METALS		8/22/2007 1:58:11 PM	8/23/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 6:30:18 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080817-01D				VOLATILES by GC/MS			8/27/2007
07080817-02A	RE106-82'	8/21/2007 10:57:00 AM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 9:12:00 PM
07080817-02B				ICP METALS		8/22/2007 1:58:11 PM	8/23/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 6:34:19 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080817-02D				VOLATILES by GC/MS			8/27/2007
07080817-03A	RE106-87'	8/21/2007 11:47:00 AM		ALKALINITY			8/22/2007
				ANIONS by ION CHROMATOGRAPHY			8/21/2007 4:12:00 PM
				ANIONS by ION CHROMATOGRAPHY			8/21/2007 4:12:00 PM
				HEXAVALENT CHROMIUM			8/22/2007 10:20:00 AM
				SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 9:32:00 PM
				TOTAL DISSOLVED SOLIDS			8/23/2007
07080817-03B				ICP METALS		8/22/2007 1:58:11 PM	8/23/2007
				ICP METALS, TOTAL RECOVERABLE		8/22/2007 1:58:04 PM	8/23/2007
				ICP METALS, TOTAL RECOVERABLE		8/22/2007 1:58:04 PM	8/30/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 6:38:20 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080817-03D				VOLATILES by GC/MS			8/27/2007
07080817-04A	RE106-92'	8/21/2007 12:33:00 PM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 9:53:00 PM
07080817-04B				ICP METALS		8/22/2007 1:58:11 PM	8/23/2007

Lab Order: 07080817
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080817-04B	RE106-92'	8/21/2007 12:33:00 PM	Groundwater	ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 6:42:21 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080817-04D				VOLATILES by GC/MS			8/27/2007
07080817-05A	RE106-97'	8/21/2007 1:11:00 PM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 10:14:00 PM
07080817-05B				ICP METALS		8/22/2007 1:58:11 PM	8/23/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 6:46:22 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080817-05D				VOLATILES by GC/MS			8/27/2007
07080817-06D	Trip Blank	8/21/2007	Trip Blank	VOLATILES by GC/MS			8/27/2007

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 200.7

Sample ID: **MB-30318**	SampType: **MBLK**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90385**
Client ID:	Batch ID: **30318**	TestNo: **E200.7**		Analysis Date: **8/23/2007**	SeqNo: **1070350**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	<2.0	2.0									
Magnesium	<2.0	2.0									
Potassium	<2.0	2.0									
Sodium	<2.0	2.0									

Sample ID: **LCS-30318**	SampType: **LCS**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90385**
Client ID:	Batch ID: **30318**	TestNo: **E200.7**		Analysis Date: **8/23/2007**	SeqNo: **1070348**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	10.20	2.0	10.5	0	97.1	85	115				
Magnesium	10.70	2.0	10.5	0	102	85	115				
Potassium	10.10	2.0	10	0	101	85	115				
Sodium	10.34	2.0	10	0	103	85	115				

Sample ID: **LCSD-30318**	SampType: **LCSD**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90385**
Client ID:	Batch ID: **30318**	TestNo: **E200.7**		Analysis Date: **8/23/2007**	SeqNo: **1070349**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	10.50	2.0	10.5	0	100	85	115	10.20	2.90	20	
Magnesium	10.90	2.0	10.5	0	104	85	115	10.70	1.85	20	
Potassium	10.40	2.0	10	0	104	85	115	10.10	2.93	20	
Sodium	10.33	2.0	10	0	103	85	115	10.34	0.0968	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 200.7

Sample ID: **07080831-01B MS** SampType: **MS** TestCode: **200.7** Units: **mg/L** Prep Date: **8/22/2007** RunNo: **90385**
Client ID: Batch ID: **30318** TestNo: **E200.7** Analysis Date: **8/23/2007** SeqNo: **1070335**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	39.60	2.0	10.5	28.50	106	75	125				
Magnesium	23.10	2.0	10.5	12.00	106	75	125				
Potassium	13.80	2.0	10	2.630	112	75	125				
Sodium	27.38	2.0	10	15.51	119	75	125				

Sample ID: **07080831-01B MSD** SampType: **MSD** TestCode: **200.7** Units: **mg/L** Prep Date: **8/22/2007** RunNo: **90385**
Client ID: Batch ID: **30318** TestNo: **E200.7** Analysis Date: **8/23/2007** SeqNo: **1070336**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	39.00	2.0	10.5	28.50	100	75	125	39.60	1.53	10	
Magnesium	22.70	2.0	10.5	12.00	102	75	125	23.10	1.75	10	
Potassium	13.50	2.0	10	2.630	109	75	125	13.80	2.20	10	
Sodium	27.77	2.0	10	15.51	123	75	125	27.38	1.41	10	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **MB-R90376**	SampType: **MBLK**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90376**
Client ID:	Batch ID: **R90376**	TestNo: **E300**		Analysis Date: **8/21/2007**	SeqNo: **1070257**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	<0.20	0.20									
Nitrogen, Nitrite (As N)	<0.20	0.20									

Sample ID: **LCS-R90376**	SampType: **LCS**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90376**
Client ID:	Batch ID: **R90376**	TestNo: **E300**		Analysis Date: **8/21/2007**	SeqNo: **1070270**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	3.708	0.20	4	0	92.7	90	110				
Nitrogen, Nitrite (As N)	3.843	0.20	4	0	96.1	90	110				

Sample ID: **LCSD-R90376**	SampType: **LCSD**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90376**
Client ID:	Batch ID: **R90376**	TestNo: **E300**		Analysis Date: **8/21/2007**	SeqNo: **1070271**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	3.685	0.20	4	0	92.1	90	110	3.708	0.622	20	
Nitrogen, Nitrite (As N)	3.814	0.20	4	0	95.4	90	110	3.843	0.757	20	

Sample ID: **07080817-03AMS**	SampType: **MS**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90376**
Client ID: **RE106-87'**	Batch ID: **R90376**	TestNo: **E300**		Analysis Date: **8/21/2007**	SeqNo: **1070261**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	8.198	0.20	4	4.588	90.2	80	120				
Nitrogen, Nitrite (As N)	4.258	0.20	4	0	106	80	120				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **07080817-03AMSD** SampType: **MSD** TestCode: **300_W** Units: **mg/L** Prep Date: RunNo: **90376**
Client ID: **RE106-87'** Batch ID: **R90376** TestNo: **E300** Analysis Date: **8/21/2007** SeqNo: **1070262**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	8.092	0.20	4	4.588	87.6	80	120	8.198	1.30	20	
Nitrogen, Nitrite (As N)	4.164	0.20	4	0	104	80	120	4.258	2.23	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **MB-30319**	SampType: **MBLK**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90387**
Client ID:	Batch ID: **30319**	TestNo: **SW6010B**		Analysis Date: **8/23/2007**	SeqNo: **1070408**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	<0.050	0.050									

Sample ID: **LCS-30319**	SampType: **LCS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90387**
Client ID:	Batch ID: **30319**	TestNo: **SW6010B**		Analysis Date: **8/23/2007**	SeqNo: **1070406**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5170	0.050	0.5	0	103	85	115				

Sample ID: **LCSD-30319**	SampType: **LCSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90387**
Client ID:	Batch ID: **30319**	TestNo: **SW6010B**		Analysis Date: **8/23/2007**	SeqNo: **1070407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5100	0.050	0.5	0	102	85	115	0.5170	1.36	20	

Sample ID: **07080817-01B MS**	SampType: **MS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90387**
Client ID: **RE106-77'**	Batch ID: **30319**	TestNo: **SW6010B**		Analysis Date: **8/23/2007**	SeqNo: **1070387**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.4680	0.050	0.5	0	93.6	70	130				

Sample ID: **07080817-01B MSD**	SampType: **MSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/22/2007**	RunNo: **90387**
Client ID: **RE106-77'**	Batch ID: **30319**	TestNo: **SW6010B**		Analysis Date: **8/23/2007**	SeqNo: **1070388**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **07080817-01B MSD** SampType: **MSD** TestCode: **6010B_W** Units: **mg/L** Prep Date: **8/22/2007** RunNo: **90387**
Client ID: **RE106-77'** Batch ID: **30319** TestNo: **SW6010B** Analysis Date: **8/23/2007** SeqNo: **1070388**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.4820	0.050	0.5	0	96.4	70	130	0.4680	2.95	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_W

Sample ID: **MB-30342**	SampType: **MBLK**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073589**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	<0.0010	0.0010									
Barium	<0.0010	0.0010									
Cadmium	<0.0010	0.0010									
Chromium	<0.0010	0.0010									
Lead	<0.0010	0.0010									
Silver	<0.0010	0.0010									

Sample ID: **LCS-30342**	SampType: **LCS**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073590**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1003	0.0010	0.1	0	100	80	120				
Barium	0.1018	0.0010	0.1	0	102	80	120				
Cadmium	0.1030	0.0010	0.1	0	103	80	120				
Chromium	0.1054	0.0010	0.1	0	105	80	120				
Lead	0.1021	0.0010	0.1	0	102	80	120				
Silver	0.1058	0.0010	0.1	0	106	80	120				

Sample ID: **LCSD-30342**	SampType: **LCSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073591**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1001	0.0010	0.1	0	100	80	120	0.1003	0.167	20	
Barium	0.1021	0.0010	0.1	0	102	80	120	0.1018	0.279	20	
Cadmium	0.1033	0.0010	0.1	0	103	80	120	0.1030	0.319	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_W

Sample ID: **LCSD-30342**	SampType: **LCSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073591**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	0.1056	0.0010	0.1	0	106	80	120	0.1054	0.164	20	
Lead	0.1019	0.0010	0.1	0	102	80	120	0.1021	0.187	20	
Silver	0.1059	0.0010	0.1	0	106	80	120	0.1058	0.0784	20	

Sample ID: **07080877-05B MS**	SampType: **MS**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073593**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1295	0.0010	0.1	0.02876	101	70	130				
Barium	0.1547	0.0010	0.1	0.05336	101	70	130				
Cadmium	0.09510	0.0010	0.1	0	95.1	70	130				
Chromium	0.1082	0.0010	0.1	0.003590	105	70	130				
Lead	0.09348	0.0010	0.1	0	93.5	70	130				
Silver	0.04640	0.0010	0.1	0	46.4	70	130				M7

Sample ID: **07080878-05B MS**	SampType: **MS**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073601**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1238	0.0010	0.1	0.02183	102	70	130				
Barium	0.1571	0.0010	0.1	0.05829	98.8	70	130				
Cadmium	0.09454	0.0010	0.1	0	94.5	70	130				
Chromium	0.1051	0.0010	0.1	0.001460	104	70	130				
Lead	0.09618	0.0010	0.1	0.001376	94.8	70	130				
Silver	0.05083	0.0010	0.1	0	50.8	70	130				M7

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_W

Sample ID: **07080877-05B MSD**	SampType: **MSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073594**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1317	0.0010	0.1	0.02876	103	70	130	0.1295	1.66	20	
Barium	0.1540	0.0010	0.1	0.05336	101	70	130	0.1547	0.449	20	
Cadmium	0.09519	0.0010	0.1	0	95.2	70	130	0.09510	0.0925	20	
Chromium	0.1090	0.0010	0.1	0.003590	105	70	130	0.1082	0.707	20	
Lead	0.09479	0.0010	0.1	0	94.8	70	130	0.09348	1.40	20	
Silver	0.06275	0.0010	0.1	0	62.7	70	130	0.04640	30.0	20	M7,R9

Sample ID: **07080878-05B MSD**	SampType: **MSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073602**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1214	0.0010	0.1	0.02183	99.5	70	130	0.1238	1.96	20	
Barium	0.1578	0.0010	0.1	0.05829	99.5	70	130	0.1571	0.409	20	
Cadmium	0.09234	0.0010	0.1	0	92.3	70	130	0.09454	2.35	20	
Chromium	0.1040	0.0010	0.1	0.001460	102	70	130	0.1051	1.11	20	
Lead	0.09535	0.0010	0.1	0.001376	94.0	70	130	0.09618	0.869	20	
Silver	0.06237	0.0010	0.1	0	62.4	70	130	0.05083	20.4	20	M7,R9

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7470A_W

Sample ID: **MB-30351**	SampType: **MBLK**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	<0.00050	0.00050									

Sample ID: **LCS-30351**	SampType: **LCS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071408**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01010	0.00050	0.01	0	101	85	115				

Sample ID: **LCSD-30351**	SampType: **LCSD**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071409**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01030	0.00050	0.01	0	103	85	115	0.01010	1.96	20	

Sample ID: **07080694-01BMS**	SampType: **MS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071411**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01040	0.00050	0.01	0	104	85	115				

Sample ID: **07080866-03BMS**	SampType: **MS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071423**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7470A_W

Sample ID: **07080866-03BMS**	SampType: **MS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071423**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01000	0.00050	0.01	0	100	85	115				

Sample ID: **07080694-01BMSD**	SampType: **MSD**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071412**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01030	0.00050	0.01	0	103	85	115	0.01040	0.966	20	

Sample ID: **07080866-03BMSD**	SampType: **MSD**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071424**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01020	0.00050	0.01	0	102	85	115	0.01000	1.98	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R90428** SampType: **MBLK** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90428**
Client ID: Batch ID: **R90428** TestNo: **SW8260B** Analysis Date: **8/27/2007** SeqNo: **1072192**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	<1.0	1.0									
1,1,2,2-Tetrachloroethane	<1.0	1.0									
1,1,2-Trichloroethane	<1.0	1.0									
1,1-Dichloroethane	<1.0	1.0									
1,1-Dichloroethene	<1.0	1.0									
1,1-Dichloropropene	<1.0	1.0									
1,2,3-Trichlorobenzene	<2.0	2.0									
1,2,3-Trichloropropane	<2.0	2.0									
1,2,4-Trichlorobenzene	<2.0	2.0									
1,2,4-Trimethylbenzene	<1.0	1.0									
1,2-Dibromoethane	<1.0	1.0									
1,2-Dichlorobenzene	<1.0	1.0									
1,2-Dichloroethane	<1.0	1.0									
1,2-Dichloropropane	<1.0	1.0									
1,3,5-Trimethylbenzene	<1.0	1.0									
1,3-Dichlorobenzene	<1.0	1.0									
1,3-Dichloropropane	<1.0	1.0									
1,4-Dichlorobenzene	<1.0	1.0									
2,2-Dichloropropane	<2.0	2.0									
2-Butanone (MEK)	<5.0	5.0									
2-Chlorotoluene	<1.0	1.0									
2-Hexanone	<5.0	5.0									
4-Chlorotoluene	<1.0	1.0									
4-Isopropyltoluene	<1.0	1.0									
4-Methyl-2-pentanone	<5.0	5.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R90428** SampType: **MBLK** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90428**
Client ID: Batch ID: **R90428** TestNo: **SW8260B** Analysis Date: **8/27/2007** SeqNo: **1072192**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	<20	20									
Benzene	<1.0	1.0									
Bromobenzene	<1.0	1.0									
Bromochloromethane	<1.0	1.0									
Bromodichloromethane	<1.0	1.0									
Bromoform	<1.0	1.0									
Bromomethane	<2.0	2.0									
Carbon tetrachloride	<1.0	1.0									
Chlorobenzene	<1.0	1.0									
Chloroethane	<1.0	1.0									
Chloroform	<1.0	1.0									
Chloromethane	<5.0	5.0									
cis-1,2-Dichloroethene	<1.0	1.0									
cis-1,3-Dichloropropene	<1.0	1.0									
Dibromochloromethane	<1.0	1.0									
Dichlorodifluoromethane	<1.0	1.0									
Ethylbenzene	<1.0	1.0									
m,p-Xylene	<2.0	2.0									
Methyl tert-butyl ether	<1.0	1.0									
Methylene chloride	<2.0	2.0									
n-Butylbenzene	<1.0	1.0									
n-Propylbenzene	<1.0	1.0									
o-Xylene	<1.0	1.0									
sec-Butylbenzene	<1.0	1.0									
Styrene	<1.0	1.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R90428**	SampType: **MBLK**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072192**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	<1.0	1.0									
Tetrachloroethene	<1.0	1.0									
Toluene	<1.0	1.0									
trans-1,2-Dichloroethene	<1.0	1.0									
trans-1,3-Dichloropropene	<1.0	1.0									
Trichloroethene	<1.0	1.0									
Trichlorofluoromethane	<1.0	1.0									
Vinyl acetate	<1.0	1.0									
Vinyl chloride	<1.0	1.0									
Surr: 4-Bromofluorobenzene	25.21	0	25	0	101	86.5	114				
Surr: Dibromofluoromethane	25.28	0	25	0	101	80.3	130				
Surr: Toluene-d8	25.51	0	25	0	102	88.4	111				

Sample ID: **LCS-R90428**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072193**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	29.34	1.0	25	0	117	72.5	131				
1,1,2,2-Tetrachloroethane	24.63	1.0	25	0	98.5	78.5	117				
1,1,2-Trichloroethane	26.60	1.0	25	0	106	78.2	120				
1,1-Dichloroethane	27.62	1.0	25	0	110	75.7	123				
1,1-Dichloroethene	28.59	1.0	25	0	114	76.1	127				
1,1-Dichloropropene	28.12	1.0	25	0	112	76.5	126				
1,2,3-Trichlorobenzene	26.82	2.0	25	0	107	67.7	131				
1,2,3-Trichloropropane	25.78	2.0	25	0	103	75.4	123				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R90428**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072193**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	27.17	2.0	25	0	109	69.8	126				
1,2,4-Trimethylbenzene	26.19	1.0	25	0	105	71.8	122				
1,2-Dibromoethane	27.05	1.0	25	0	108	78.9	124				
1,2-Dichlorobenzene	25.88	1.0	25	0	104	78	115				
1,2-Dichloroethane	28.39	1.0	25	0	114	64	137				
1,2-Dichloropropane	27.32	1.0	25	0	109	82.2	115				
1,3,5-Trimethylbenzene	26.79	1.0	25	0	107	74.5	121				
1,3-Dichlorobenzene	25.66	1.0	25	0	103	76.4	114				
1,3-Dichloropropane	26.24	1.0	25	0	105	78.4	119				
1,4-Dichlorobenzene	25.38	1.0	25	0	102	77.4	113				
2,2-Dichloropropane	30.08	2.0	25	0	120	69.6	128				
2-Butanone (MEK)	28.89	5.0	25	0	116	44.9	136				
2-Chlorotoluene	25.88	1.0	25	0	104	75	115				
2-Hexanone	25.96	5.0	25	0	104	51.7	133				
4-Chlorotoluene	26.10	1.0	25	0	104	75	117				
4-Isopropyltoluene	25.96	1.0	25	0	104	76	118				
4-Methyl-2-pentanone	26.21	5.0	25	0	105	74.9	124				
Acetone	31.16	20	25	0	125	27.5	150				
Benzene	27.15	1.0	25	0	109	75.9	124				
Bromobenzene	25.64	1.0	25	0	103	79.3	115				
Bromochloromethane	26.75	1.0	25	0	107	81.2	120				
Bromodichloromethane	27.56	1.0	25	0	110	75.8	123				
Bromoform	26.23	1.0	25	0	105	76.2	128				
Bromomethane	25.21	2.0	25	0	101	62.6	147				
Carbon tetrachloride	29.32	1.0	25	0	117	72	134				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R90428** SampType: **LCS** TestCode: **8260_W** Units: µg/L Prep Date: RunNo: **90428**
Client ID: Batch ID: **R90428** TestNo: **SW8260B** Analysis Date: **8/27/2007** SeqNo: **1072193**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	26.08	1.0	25	0	104	82.5	110				
Chloroethane	26.06	1.0	25	0	104	72.3	124				
Chloroform	27.79	1.0	25	0	111	74.6	122				
Chloromethane	26.07	5.0	25	0	104	63.8	125				
cis-1,2-Dichloroethene	27.63	1.0	25	0	111	78.9	119				
cis-1,3-Dichloropropene	27.58	1.0	25	0	110	81.3	120				
Dibromochloromethane	27.62	1.0	25	0	110	78	126				
Dichlorodifluoromethane	27.91	1.0	25	0	112	54.2	142				
Ethylbenzene	27.26	1.0	25	0	109	81.4	115				
m,p-Xylene	55.89	2.0	50	0	112	81.6	115				
Methyl tert-butyl ether	27.70	1.0	25	0	111	76.4	128				
Methylene chloride	27.07	2.0	25	0	108	73.3	118				
n-Butylbenzene	26.81	1.0	25	0	107	74.5	120				
n-Propylbenzene	26.28	1.0	25	0	105	76.9	117				
o-Xylene	27.57	1.0	25	0	110	79.3	119				
sec-Butylbenzene	26.59	1.0	25	0	106	77	120				
Styrene	27.64	1.0	25	0	111	80.8	119				
tert-Butylbenzene	26.31	1.0	25	0	105	75.6	120				
Tetrachloroethene	27.69	1.0	25	0	111	76.6	123				
Toluene	27.56	1.0	25	0	110	80.8	116				
trans-1,2-Dichloroethene	27.44	1.0	25	0	110	77.7	122				
trans-1,3-Dichloropropene	27.86	1.0	25	0	111	71.3	128				
Trichloroethene	27.17	1.0	25	0	109	80.7	115				
Trichlorofluoromethane	28.33	1.0	25	0	113	73.9	131				
Vinyl acetate	28.23	1.0	25	0	113	72.5	130				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R90428**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072193**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	26.51	1.0	25	0	106	74.4	126				
Surr: 4-Bromofluorobenzene	25.52	0	25	0	102	86.5	114				
Surr: Dibromofluoromethane	25.19	0	25	0	101	80.3	130				
Surr: Toluene-d8	25.32	0	25	0	101	88.4	111				

Sample ID: **LCSD-R90428**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072194**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	25.15	1.0	25	0	101	72.5	131	29.34	15.4	25	
1,1,2,2-Tetrachloroethane	22.83	1.0	25	0	91.3	78.5	117	24.63	7.59	25	
1,1,2-Trichloroethane	24.99	1.0	25	0	100	78.2	120	26.60	6.24	25	
1,1-Dichloroethane	23.97	1.0	25	0	95.9	75.7	123	27.62	14.2	25	
1,1-Dichloroethene	24.27	1.0	25	0	97.1	76.1	127	28.59	16.3	25	
1,1-Dichloropropene	24.38	1.0	25	0	97.5	76.5	126	28.12	14.2	25	
1,2,3-Trichlorobenzene	23.63	2.0	25	0	94.5	67.7	131	26.82	12.6	25	
1,2,3-Trichloropropane	24.04	2.0	25	0	96.2	75.4	123	25.78	6.99	25	
1,2,4-Trichlorobenzene	23.53	2.0	25	0	94.1	69.8	126	27.17	14.4	25	
1,2,4-Trimethylbenzene	22.09	1.0	25	0	88.4	71.8	122	26.19	17.0	25	
1,2-Dibromoethane	25.25	1.0	25	0	101	78.9	124	27.05	6.88	25	
1,2-Dichlorobenzene	21.99	1.0	25	0	88.0	78	115	25.88	16.3	25	
1,2-Dichloroethane	25.71	1.0	25	0	103	64	137	28.39	9.91	25	
1,2-Dichloropropane	24.21	1.0	25	0	96.8	82.2	115	27.32	12.1	25	
1,3,5-Trimethylbenzene	22.25	1.0	25	0	89.0	74.5	121	26.79	18.5	25	
1,3-Dichlorobenzene	21.89	1.0	25	0	87.6	76.4	114	25.66	15.9	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCSD-R90428**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072194**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichloropropane	24.71	1.0	25	0	98.8	78.4	119	26.24	6.01	25	
1,4-Dichlorobenzene	21.53	1.0	25	0	86.1	77.4	113	25.38	16.4	25	
2,2-Dichloropropane	25.37	2.0	25	0	101	69.6	128	30.08	17.0	25	
2-Butanone (MEK)	26.92	5.0	25	0	108	44.9	136	28.89	7.06	25	
2-Chlorotoluene	21.78	1.0	25	0	87.1	75	115	25.88	17.2	25	
2-Hexanone	25.21	5.0	25	0	101	51.7	133	25.96	2.93	25	
4-Chlorotoluene	21.79	1.0	25	0	87.2	75	117	26.10	18.0	25	
4-Isopropyltoluene	21.93	1.0	25	0	87.7	76	118	25.96	16.8	25	
4-Methyl-2-pentanone	26.45	5.0	25	0	106	74.9	124	26.21	0.912	25	
Acetone	26.67	20	25	0	107	27.5	150	31.16	15.5	25	
Benzene	23.43	1.0	25	0	93.7	75.9	124	27.15	14.7	25	
Bromobenzene	21.94	1.0	25	0	87.8	79.3	115	25.64	15.6	25	
Bromochloromethane	23.96	1.0	25	0	95.8	81.2	120	26.75	11.0	25	
Bromodichloromethane	24.78	1.0	25	0	99.1	75.8	123	27.56	10.6	25	
Bromoform	24.60	1.0	25	0	98.4	76.2	128	26.23	6.41	25	
Bromomethane	21.95	2.0	25	0	87.8	62.6	147	25.21	13.8	25	
Carbon tetrachloride	25.25	1.0	25	0	101	72	134	29.32	14.9	25	
Chlorobenzene	22.49	1.0	25	0	90.0	82.5	110	26.08	14.8	25	
Chloroethane	22.34	1.0	25	0	89.4	72.3	124	26.06	15.4	25	
Chloroform	23.90	1.0	25	0	95.6	74.6	122	27.79	15.1	25	
Chloromethane	22.08	5.0	25	0	88.3	63.8	125	26.07	16.6	25	
cis-1,2-Dichloroethene	23.99	1.0	25	0	96.0	78.9	119	27.63	14.1	25	
cis-1,3-Dichloropropene	24.87	1.0	25	0	99.5	81.3	120	27.58	10.3	25	
Dibromochloromethane	25.54	1.0	25	0	102	78	126	27.62	7.83	25	
Dichlorodifluoromethane	25.04	1.0	25	0	100	54.2	142	27.91	10.8	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCSD-R90428**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072194**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethylbenzene	23.13	1.0	25	0	92.5	81.4	115	27.26	16.4	25	
m,p-Xylene	47.04	2.0	50	0	94.1	81.6	115	55.89	17.2	25	
Methyl tert-butyl ether	25.93	1.0	25	0	104	76.4	128	27.70	6.60	25	
Methylene chloride	23.48	2.0	25	0	93.9	73.3	118	27.07	14.2	25	
n-Butylbenzene	22.05	1.0	25	0	88.2	74.5	120	26.81	19.5	25	
n-Propylbenzene	21.90	1.0	25	0	87.6	76.9	117	26.28	18.2	25	
o-Xylene	23.51	1.0	25	0	94.0	79.3	119	27.57	15.9	25	
sec-Butylbenzene	22.12	1.0	25	0	88.5	77	120	26.59	18.4	25	
Styrene	23.83	1.0	25	0	95.3	80.8	119	27.64	14.8	25	
tert-Butylbenzene	21.94	1.0	25	0	87.8	75.6	120	26.31	18.1	25	
Tetrachloroethene	24.18	1.0	25	0	96.7	76.6	123	27.69	13.5	25	
Toluene	23.79	1.0	25	0	95.2	80.8	116	27.56	14.7	25	
trans-1,2-Dichloroethene	23.68	1.0	25	0	94.7	77.7	122	27.44	14.7	25	
trans-1,3-Dichloropropene	25.84	1.0	25	0	103	71.3	128	27.86	7.52	25	
Trichloroethene	23.50	1.0	25	0	94.0	80.7	115	27.17	14.5	25	
Trichlorofluoromethane	24.68	1.0	25	0	98.7	73.9	131	28.33	13.8	25	
Vinyl acetate	24.58	1.0	25	0	98.3	72.5	130	28.23	13.8	25	
Vinyl chloride	22.75	1.0	25	0	91.0	74.4	126	26.51	15.3	25	
Surr: 4-Bromofluorobenzene	25.77	0	25	0	103	86.5	114	25.52	0	0	
Surr: Dibromofluoromethane	25.12	0	25	0	100	80.3	130	25.19	0	0	
Surr: Toluene-d8	25.61	0	25	0	102	88.4	111	25.32	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080877-03D MS** SampType: **MS** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90428**
Client ID: Batch ID: **R90428** TestNo: **SW8260B** Analysis Date: **8/27/2007** SeqNo: **1072195**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	28.03	1.0	25	0	112	73.1	130				
1,1,2,2-Tetrachloroethane	22.89	1.0	25	0	91.6	74.8	112				
1,1,2-Trichloroethane	24.76	1.0	25	0	99.0	73.9	115				
1,1-Dichloroethane	26.03	1.0	25	0	104	74.8	121				
1,1-Dichloroethene	27.64	1.0	25	0	111	73.3	134				
1,1-Dichloropropene	27.41	1.0	25	0	110	71.7	131				
1,2,3-Trichlorobenzene	24.97	2.0	25	0	99.9	64.7	129				
1,2,3-Trichloropropane	23.75	2.0	25	0	95.0	71.5	117				
1,2,4-Trichlorobenzene	25.46	2.0	25	0	102	66.2	125				
1,2,4-Trimethylbenzene	24.28	1.0	25	0	97.1	67.1	122				
1,2-Dibromoethane	25.08	1.0	25	0	100	75.4	118				
1,2-Dichlorobenzene	23.81	1.0	25	0	95.2	73.8	113				
1,2-Dichloroethane	26.18	1.0	25	0	105	60.7	132				
1,2-Dichloropropane	25.84	1.0	25	0	103	78.4	113				
1,3,5-Trimethylbenzene	24.75	1.0	25	0	99.0	70.5	121				
1,3-Dichlorobenzene	23.98	1.0	25	0	95.9	72.4	113				
1,3-Dichloropropane	24.96	1.0	25	0	99.8	74.6	114				
1,4-Dichlorobenzene	23.31	1.0	25	0	93.2	72.7	112				
2,2-Dichloropropane	29.09	2.0	25	0	116	57.2	141				
2-Butanone (MEK)	25.33	5.0	25	0	101	39	131				
2-Chlorotoluene	23.92	1.0	25	0	95.7	70.4	116				
2-Hexanone	23.86	5.0	25	0	95.4	50.1	119				
4-Chlorotoluene	24.15	1.0	25	0	96.6	70.6	116				
4-Isopropyltoluene	24.63	1.0	25	0	98.5	61.8	130				
4-Methyl-2-pentanone	25.34	5.0	25	0	101	71.2	118				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080877-03D MS**	SampType: **MS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072195**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	24.37	20	25	0	97.5	26.4	126				
Benzene	25.56	1.0	25	0	102	69.3	128				
Bromobenzene	23.36	1.0	25	0	93.4	75.2	113				
Bromochloromethane	25.14	1.0	25	0	101	77.3	117				
Bromodichloromethane	25.76	1.0	25	0	103	73.6	118				
Bromoform	24.56	1.0	25	0	98.2	72.9	119				
Bromomethane	24.45	2.0	25	0	97.8	61.8	146				
Carbon tetrachloride	28.15	1.0	25	0	113	73.5	134				
Chlorobenzene	24.17	1.0	25	0	96.7	78.4	109				
Chloroethane	25.66	1.0	25	0	103	71.8	126				
Chloroform	26.68	1.0	25	0	107	72.9	120				
Chloromethane	24.90	5.0	25	0	99.6	62.7	127				
cis-1,2-Dichloroethene	26.08	1.0	25	0	104	57.8	138				
cis-1,3-Dichloropropene	25.65	1.0	25	0	103	76.9	116				
Dibromochloromethane	26.09	1.0	25	0	104	74.1	121				
Dichlorodifluoromethane	27.44	1.0	25	0	110	52.9	148				
Ethylbenzene	25.41	1.0	25	0	102	77.2	116				
m,p-Xylene	51.37	2.0	50	0	103	77.8	115				
Methyl tert-butyl ether	26.17	1.0	25	0	105	69.1	128				
Methylene chloride	25.22	2.0	25	0	101	71.5	114				
n-Butylbenzene	25.66	1.0	25	0	103	68.3	126				
n-Propylbenzene	24.45	1.0	25	0	97.8	71.6	121				
o-Xylene	25.31	1.0	25	0	101	65.1	126				
sec-Butylbenzene	25.33	1.0	25	0	101	73.1	124				
Styrene	24.92	1.0	25	0	99.7	50.2	132				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080877-03D MS**	SampType: **MS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072195**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	24.67	1.0	25	0	98.7	72.8	121				
Tetrachloroethene	51.49	1.0	25	23.79	111	73.8	126				
Toluene	25.97	1.0	25	0	104	75.6	119				
trans-1,2-Dichloroethene	26.32	1.0	25	0	105	76.8	123				
trans-1,3-Dichloropropene	26.20	1.0	25	0	105	67.8	121				
Trichloroethene	25.83	1.0	25	0	103	65.2	130				
Trichlorofluoromethane	27.91	1.0	25	0	112	75.2	136				
Vinyl acetate	27.02	1.0	25	0	108	52.9	134				
Vinyl chloride	26.36	1.0	25	0	105	64.6	140				
Surr: 4-Bromofluorobenzene	25.60	0	25	0	102	86.5	114				
Surr: Dibromofluoromethane	25.02	0	25	0	100	80.3	130				
Surr: Toluene-d8	24.97	0	25	0	99.9	88.4	111				

Sample ID: **07080877-03D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072196**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	26.65	1.0	25	0	107	73.1	130	28.03	5.05	25	
1,1,2,2-Tetrachloroethane	22.13	1.0	25	0	88.5	74.8	112	22.89	3.38	25	
1,1,2-Trichloroethane	24.08	1.0	25	0	96.3	73.9	115	24.76	2.78	25	
1,1-Dichloroethane	25.21	1.0	25	0	101	74.8	121	26.03	3.20	25	
1,1-Dichloroethene	26.02	1.0	25	0	104	73.3	134	27.64	6.04	25	
1,1-Dichloropropene	25.74	1.0	25	0	103	71.7	131	27.41	6.28	25	
1,2,3-Trichlorobenzene	23.10	2.0	25	0	92.4	64.7	129	24.97	7.78	25	
1,2,3-Trichloropropane	23.04	2.0	25	0	92.2	71.5	117	23.75	3.03	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080877-03D MSD** SampType: **MSD** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90428**
Client ID: Batch ID: **R90428** TestNo: **SW8260B** Analysis Date: **8/27/2007** SeqNo: **1072196**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	24.36	2.0	25	0	97.4	66.2	125	25.46	4.42	25	
1,2,4-Trimethylbenzene	23.61	1.0	25	0	94.4	67.1	122	24.28	2.80	25	
1,2-Dibromoethane	24.24	1.0	25	0	97.0	75.4	118	25.08	3.41	25	
1,2-Dichlorobenzene	22.90	1.0	25	0	91.6	73.8	113	23.81	3.90	25	
1,2-Dichloroethane	25.91	1.0	25	0	104	60.7	132	26.18	1.04	25	
1,2-Dichloropropane	24.94	1.0	25	0	99.8	78.4	113	25.84	3.54	25	
1,3,5-Trimethylbenzene	24.10	1.0	25	0	96.4	70.5	121	24.75	2.66	25	
1,3-Dichlorobenzene	23.14	1.0	25	0	92.6	72.4	113	23.98	3.57	25	
1,3-Dichloropropane	23.75	1.0	25	0	95.0	74.6	114	24.96	4.97	25	
1,4-Dichlorobenzene	22.64	1.0	25	0	90.6	72.7	112	23.31	2.92	25	
2,2-Dichloropropane	27.21	2.0	25	0	109	57.2	141	29.09	6.68	25	
2-Butanone (MEK)	23.03	5.0	25	0	92.1	39	131	25.33	9.51	25	
2-Chlorotoluene	23.71	1.0	25	0	94.8	70.4	116	23.92	0.882	25	
2-Hexanone	22.00	5.0	25	0	88.0	50.1	119	23.86	8.11	25	
4-Chlorotoluene	23.67	1.0	25	0	94.7	70.6	116	24.15	2.01	25	
4-Isopropyltoluene	23.08	1.0	25	0	92.3	61.8	130	24.63	6.50	25	
4-Methyl-2-pentanone	23.38	5.0	25	0	93.5	71.2	118	25.34	8.05	25	
Acetone	21.11	20	25	0	84.4	26.4	126	24.37	14.3	25	
Benzene	24.84	1.0	25	0	99.4	69.3	128	25.56	2.86	25	
Bromobenzene	23.04	1.0	25	0	92.2	75.2	113	23.36	1.38	25	
Bromochloromethane	24.34	1.0	25	0	97.4	77.3	117	25.14	3.23	25	
Bromodichloromethane	24.92	1.0	25	0	99.7	73.6	118	25.76	3.31	25	
Bromoform	23.28	1.0	25	0	93.1	72.9	119	24.56	5.35	25	
Bromomethane	23.25	2.0	25	0	93.0	61.8	146	24.45	5.03	25	
Carbon tetrachloride	26.08	1.0	25	0	104	73.5	134	28.15	7.63	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080877-03D MSD** SampType: **MSD** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90428**
Client ID: Batch ID: **R90428** TestNo: **SW8260B** Analysis Date: **8/27/2007** SeqNo: **1072196**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	23.53	1.0	25	0	94.1	78.4	109	24.17	2.68	25	
Chloroethane	24.33	1.0	25	0	97.3	71.8	126	25.66	5.32	25	
Chloroform	25.91	1.0	25	0	104	72.9	120	26.68	2.93	25	
Chloromethane	23.87	5.0	25	0	95.5	62.7	127	24.90	4.22	25	
cis-1,2-Dichloroethene	25.05	1.0	25	0	100	57.8	138	26.08	4.03	25	
cis-1,3-Dichloropropene	25.02	1.0	25	0	100	76.9	116	25.65	2.49	25	
Dibromochloromethane	25.08	1.0	25	0	100	74.1	121	26.09	3.95	25	
Dichlorodifluoromethane	24.20	1.0	25	0	96.8	52.9	148	27.44	12.5	25	
Ethylbenzene	24.36	1.0	25	0	97.4	77.2	116	25.41	4.22	25	
m,p-Xylene	49.49	2.0	50	0	99.0	77.8	115	51.37	3.73	25	
Methyl tert-butyl ether	25.03	1.0	25	0	100	69.1	128	26.17	4.45	25	
Methylene chloride	24.35	2.0	25	0	97.4	71.5	114	25.22	3.51	25	
n-Butylbenzene	24.13	1.0	25	0	96.5	68.3	126	25.66	6.15	25	
n-Propylbenzene	23.79	1.0	25	0	95.2	71.6	121	24.45	2.74	25	
o-Xylene	24.58	1.0	25	0	98.3	65.1	126	25.31	2.93	25	
sec-Butylbenzene	23.74	1.0	25	0	95.0	73.1	124	25.33	6.48	25	
Styrene	24.37	1.0	25	0	97.5	50.2	132	24.92	2.23	25	
tert-Butylbenzene	23.49	1.0	25	0	94.0	72.8	121	24.67	4.90	25	
Tetrachloroethene	48.36	1.0	25	23.79	98.3	73.8	126	51.49	6.27	25	
Toluene	24.91	1.0	25	0	99.6	75.6	119	25.97	4.17	25	
trans-1,2-Dichloroethene	25.25	1.0	25	0	101	76.8	123	26.32	4.15	25	
trans-1,3-Dichloropropene	25.04	1.0	25	0	100	67.8	121	26.20	4.53	25	
Trichloroethene	24.79	1.0	25	0	99.2	65.2	130	25.83	4.11	25	
Trichlorofluoromethane	25.35	1.0	25	0	101	75.2	136	27.91	9.61	25	
Vinyl acetate	25.78	1.0	25	0	103	52.9	134	27.02	4.70	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080877-03D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90428**
Client ID:	Batch ID: **R90428**	TestNo: **SW8260B**		Analysis Date: **8/27/2007**	SeqNo: **1072196**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	24.38	1.0	25	0	97.5	64.6	140	26.36	7.80	25	
Surr: 4-Bromofluorobenzene	25.56	0	25	0	102	86.5	114	25.60	0	0	
Surr: Dibromofluoromethane	25.30	0	25	0	101	80.3	130	25.02	0	0	
Surr: Toluene-d8	25.32	0	25	0	101	88.4	111	24.97	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30371**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071983**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	<10	10									
1,2-Dichlorobenzene	<10	10									
1,2-Diphenylhydrazine (As Azobenzene)	<10	10									
1,3-Dichlorobenzene	<10	10									
1,4-Dichlorobenzene	<10	10									
2,4,5-Trichlorophenol	<20	20									
2,4,6-Trichlorophenol	<20	20									
2,4-Dichlorophenol	<10	10									
2,4-Dimethylphenol	<10	10									
2,4-Dinitrophenol	<50	50									
2,4-Dinitrotoluene	<10	10									
2,6-Dinitrotoluene	<10	10									
2-Chloronaphthalene	<10	10									
2-Chlorophenol	<10	10									
2-Methylnaphthalene	<10	10									
2-Methylphenol	<10	10									
2-Nitroaniline	<10	10									
2-Nitrophenol	<15	15									
3 & 4-Methylphenol	<10	10									
3,3'-Dichlorobenzidine	<10	10									
3-Nitroaniline	<10	10									
4,6-Dinitro-2-methylphenol	<50	50									
4-Bromophenyl phenyl ether	<10	10									
4-Chloro-3-methylphenol	<10	10									
4-Chloroaniline	<10	10									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30371**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071983**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	<10	10									
4-Nitroaniline	<10	10									
4-Nitrophenol	<25	25									
Acenaphthene	<10	10									
Acenaphthylene	<10	10									
Anthracene	<10	10									
Benz(a)anthracene	<10	10									
Benzo(a)pyrene	<10	10									
Benzo(b)fluoranthene	<10	10									
Benzo(g,h,i)perylene	<10	10									
Benzo(k)fluoranthene	<10	10									
Benzoic acid	<25	25									
Benzyl alcohol	<10	10									
Bis(2-chloroethoxy)methane	<10	10									
Bis(2-chloroethyl)ether	<10	10									
Bis(2-chloroisopropyl)ether	<10	10									
Bis(2-ethylhexyl)phthalate	<5.0	5.0									
Butyl benzyl phthalate	<10	10									
Chrysene	<10	10									
Dibenz(a,h)anthracene	<10	10									
Dibenzofuran	<10	10									
Diethyl phthalate	<10	10									
Dimethyl phthalate	<20	20									
Di-n-butyl phthalate	<10	10									
Di-n-octyl phthalate	<10	10									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30371**	SampType: **MBLK**	TestCode: **8270_w**	Units: µg/L	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071983**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	<10	10									
Fluorene	<10	10									
Hexachlorobenzene	<10	10									
Hexachlorobutadiene	<10	10									
Hexachlorocyclopentadiene	<10	10									
Hexachloroethane	<10	10									
Indeno(1,2,3-cd)pyrene	<10	10									
Isophorone	<10	10									
Naphthalene	<10	10									
Nitrobenzene	<10	10									
N-Nitrosodi-n-propylamine	<10	10									
N-Nitrosodiphenylamine	<10	10									
Pentachlorophenol	<50	50									
Phenanthrene	<10	10									
Phenol	<10	10									
Pyrene	<10	10									
Surr: 2,4,6-Tribromophenol	48.24	0	100	0	48.2	41.8	98.4				
Surr: 2-Fluorobiphenyl	58.32	0	100	0	58.3	29.9	104				
Surr: 2-Fluorophenol	25.68	0	100	0	25.7	20.3	63.7				
Surr: 4-Terphenyl-d14	23.94	0	100	0	23.9	17.7	60.2				
Surr: Nitrobenzene-d5	68.96	0	100	0	69.0	33.5	109				
Surr: Phenol-d6	18.16	0	100	0	18.2	13.4	46.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30371**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071984**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	65.18	10	120	0	54.3	22.6	91.1				
1,2-Dichlorobenzene	41.64	10	80	0	52.0	17.2	85.6				
1,2-Diphenylhydrazine (As Azobenzene)	53.52	10	80	0	66.9	36.1	114				
1,3-Dichlorobenzene	38.52	10	80	0	48.2	13.9	78.8				
1,4-Dichlorobenzene	39.78	10	80	0	49.7	15.6	80.8				
2,4,5-Trichlorophenol	43.00	20	80	0	53.8	46.2	94.1				
2,4,6-Trichlorophenol	43.30	20	80	0	54.1	45	98				
2,4-Dichlorophenol	44.98	10	80	0	56.2	43.1	93				
2,4-Dimethylphenol	44.24	10	80	0	55.3	41.6	89.3				
2,4-Dinitrophenol	<50	50	120	0	38.8	41.7	105				N1
2,4-Dinitrotoluene	58.06	10	80	0	72.6	36.4	122				
2,6-Dinitrotoluene	53.28	10	80	0	66.6	34.6	118				
2-Chloronaphthalene	74.06	10	120	0	61.7	32.2	105				
2-Chlorophenol	42.66	10	80	0	53.3	39.5	86.6				
2-Methylnaphthalene	51.70	10	80	0	64.6	29.1	100				
2-Methylphenol	38.78	10	80	0	48.5	34.2	84.2				
2-Nitroaniline	54.26	10	80	0	67.8	31	130				
2-Nitrophenol	41.60	15	80	0	52.0	40.8	99.1				
3 & 4-Methylphenol	34.50	10	80	0	43.1	18.5	96.8				
3,3'-Dichlorobenzidine	54.16	10	80	0	67.7	36.1	111				
3-Nitroaniline	55.06	10	80	0	68.8	30.8	117				
4,6-Dinitro-2-methylphenol	60.50	50	120	0	50.4	42.5	105				
4-Bromophenyl phenyl ether	49.00	10	80	0	61.2	33.2	104				
4-Chloro-3-methylphenol	47.48	10	80	0	59.4	42.2	96.5				
4-Chloroaniline	56.12	10	80	0	70.2	24.1	124				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: LCS-30371	SampType: LCS	TestCode: 8270_w	Units: µg/L	Prep Date: 8/27/2007	RunNo: 90532
Client ID:	Batch ID: 30371	TestNo: SW8270C		Analysis Date: 8/27/2007	SeqNo: 1071984

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	50.66	10	80	0	63.3	32.9	103				
4-Nitroaniline	56.82	10	80	0	71.0	33.8	119				
4-Nitrophenol	<25	25	120	0	20.6	20.8	56.9				N1
Acenaphthene	53.94	10	80	0	67.4	34.7	114				
Acenaphthylene	52.72	10	80	0	65.9	35.7	111				
Anthracene	56.60	10	80	0	70.8	37.1	116				
Benz(a)anthracene	55.96	10	80	0	70.0	39.7	115				
Benzo(a)pyrene	54.56	10	80	0	68.2	38.6	113				
Benzo(b)fluoranthene	51.60	10	80	0	64.5	35.6	107				
Benzo(g,h,i)perylene	59.08	10	80	0	73.8	34.4	128				
Benzo(k)fluoranthene	56.32	10	80	0	70.4	39.9	115				
Benzoic acid	<25	25	200	0	3.16	15.6	46.2				L2
Benzyl alcohol	48.42	10	80	0	60.5	29.8	98.2				
Bis(2-chloroethoxy)methane	52.70	10	80	0	65.9	31.8	102				
Bis(2-chloroethyl)ether	44.52	10	80	0	55.6	30.2	102				
Bis(2-chloroisopropyl)ether	47.64	10	80	0	59.6	29.2	97.2				
Bis(2-ethylhexyl)phthalate	52.66	5.0	80	0	65.8	35	104				
Butyl benzyl phthalate	41.24	10	80	0	51.6	31.3	99.3				
Chrysene	57.54	10	80	0	71.9	39.9	117				
Dibenz(a,h)anthracene	57.72	10	80	0	72.2	33.4	124				
Dibenzofuran	55.96	10	80	0	70.0	35.5	114				
Diethyl phthalate	26.94	10	80	0	33.7	19.9	85.7				
Dimethyl phthalate	<20	20	120	0	6.45	16.7	65.2				L2
Di-n-butyl phthalate	48.04	10	80	0	60.0	33.4	105				
Di-n-octyl phthalate	49.74	10	80	0	62.2	33.2	102				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30371**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071984**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	59.86	10	80	0	74.8	39.5	119				
Fluorene	56.26	10	80	0	70.3	36.3	117				
Hexachlorobenzene	54.68	10	80	0	68.4	37	114				
Hexachlorobutadiene	35.76	10	80	0	44.7	12.5	73				
Hexachlorocyclopentadiene	27.56	10	80	0	34.5	12.5	73.1				
Hexachloroethane	50.60	10	120	0	42.2	13.5	71.3				
Indeno(1,2,3-cd)pyrene	59.04	10	80	0	73.8	35.2	129				
Isophorone	50.72	10	80	0	63.4	35.7	111				
Naphthalene	52.60	10	80	0	65.8	28.2	107				
Nitrobenzene	54.08	10	80	0	67.6	33.6	111				
N-Nitrosodi-n-propylamine	51.28	10	80	0	64.1	30.3	102				
N-Nitrosodiphenylamine	45.44	10	80	0	56.8	31.9	96.4				
Pentachlorophenol	67.98	50	120	0	56.6	41.7	110				
Phenanthrene	57.14	10	80	0	71.4	38.2	117				
Phenol	18.14	10	80	0	22.7	13.6	55.4				
Pyrene	56.78	10	80	0	71.0	39	116				
Surr: 2,4,6-Tribromophenol	55.92	0	100	0	55.9	41.8	98.4				
Surr: 2-Fluorobiphenyl	60.06	0	100	0	60.1	29.9	104				
Surr: 2-Fluorophenol	29.82	0	100	0	29.8	20.3	63.7				
Surr: 4-Terphenyl-d14	23.64	0	100	0	23.6	17.7	60.2				
Surr: Nitrobenzene-d5	67.30	0	100	0	67.3	33.5	109				
Surr: Phenol-d6	21.14	0	100	0	21.1	13.4	46.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30371**	SampType: **LCSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071985**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	59.48	10	120	0	49.6	22.6	91.1	65.18	9.14	35	
1,2-Dichlorobenzene	38.44	10	80	0	48.0	17.2	85.6	41.64	7.99	35	
1,2-Diphenylhydrazine (As Azobenzene)	55.88	10	80	0	69.8	36.1	114	53.52	4.31	35	
1,3-Dichlorobenzene	35.14	10	80	0	43.9	13.9	78.8	38.52	9.18	35	
1,4-Dichlorobenzene	36.24	10	80	0	45.3	15.6	80.8	39.78	9.31	35	
2,4,5-Trichlorophenol	48.06	20	80	0	60.1	46.2	94.1	43.00	11.1	35	
2,4,6-Trichlorophenol	51.10	20	80	0	63.9	45	98	43.30	16.5	35	
2,4-Dichlorophenol	49.28	10	80	0	61.6	43.1	93	44.98	9.12	35	
2,4-Dimethylphenol	44.74	10	80	0	55.9	41.6	89.3	44.24	1.12	35	
2,4-Dinitrophenol	66.12	50	120	0	55.1	41.7	105	46.52	34.8	35	
2,4-Dinitrotoluene	54.38	10	80	0	68.0	36.4	122	58.06	6.55	35	
2,6-Dinitrotoluene	53.00	10	80	0	66.2	34.6	118	53.28	0.527	35	
2-Chloronaphthalene	74.22	10	120	0	61.8	32.2	105	74.06	0.216	35	
2-Chlorophenol	45.02	10	80	0	56.3	39.5	86.6	42.66	5.38	35	
2-Methylnaphthalene	47.98	10	80	0	60.0	29.1	100	51.70	7.46	35	
2-Methylphenol	40.42	10	80	0	50.5	34.2	84.2	38.78	4.14	35	
2-Nitroaniline	54.44	10	80	0	68.0	31	130	54.26	0.331	35	
2-Nitrophenol	48.12	15	80	0	60.2	40.8	99.1	41.60	14.5	35	
3 & 4-Methylphenol	37.50	10	80	0	46.9	18.5	96.8	34.50	8.33	35	
3,3'-Dichlorobenzidine	57.32	10	80	0	71.6	36.1	111	54.16	5.67	35	
3-Nitroaniline	53.14	10	80	0	66.4	30.8	117	55.06	3.55	35	
4,6-Dinitro-2-methylphenol	77.28	50	120	0	64.4	42.5	105	60.50	24.4	35	
4-Bromophenyl phenyl ether	50.70	10	80	0	63.4	33.2	104	49.00	3.41	35	
4-Chloro-3-methylphenol	48.98	10	80	0	61.2	42.2	96.5	47.48	3.11	35	
4-Chloroaniline	54.00	10	80	0	67.5	24.1	124	56.12	3.85	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30371** SampType: **LCSD** TestCode: **8270_w** Units: **µg/L** Prep Date: **8/27/2007** RunNo: **90532**
Client ID: Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071985**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	48.96	10	80	0	61.2	32.9	103	50.66	3.41	35	
4-Nitroaniline	53.58	10	80	0	67.0	33.8	119	56.82	5.87	35	
4-Nitrophenol	30.76	25	120	0	25.6	20.8	56.9	24.66	22.0	35	
Acenaphthene	53.60	10	80	0	67.0	34.7	114	53.94	0.632	35	
Acenaphthylene	52.10	10	80	0	65.1	35.7	111	52.72	1.18	35	
Anthracene	55.84	10	80	0	69.8	37.1	116	56.60	1.35	35	
Benz(a)anthracene	56.50	10	80	0	70.6	39.7	115	55.96	0.960	35	
Benzo(a)pyrene	53.94	10	80	0	67.4	38.6	113	54.56	1.14	35	
Benzo(b)fluoranthene	50.66	10	80	0	63.3	35.6	107	51.60	1.84	35	
Benzo(g,h,i)perylene	55.70	10	80	0	69.6	34.4	128	59.08	5.89	35	
Benzo(k)fluoranthene	54.52	10	80	0	68.2	39.9	115	56.32	3.25	35	
Benzoic acid	27.96	25	200	0	14.0	15.6	46.2	6.320	126	35	L2R9
Benzyl alcohol	49.14	10	80	0	61.4	29.8	98.2	48.42	1.48	35	
Bis(2-chloroethoxy)methane	49.66	10	80	0	62.1	31.8	102	52.70	5.94	35	
Bis(2-chloroethyl)ether	43.54	10	80	0	54.4	30.2	102	44.52	2.23	35	
Bis(2-chloroisopropyl)ether	45.80	10	80	0	57.2	29.2	97.2	47.64	3.94	35	
Bis(2-ethylhexyl)phthalate	50.04	5.0	80	0	62.6	35	104	52.66	5.10	35	
Butyl benzyl phthalate	39.68	10	80	0	49.6	31.3	99.3	41.24	3.86	35	
Chrysene	58.68	10	80	0	73.4	39.9	117	57.54	1.96	35	
Dibenz(a,h)anthracene	56.12	10	80	0	70.2	33.4	124	57.72	2.81	35	
Dibenzofuran	54.46	10	80	0	68.1	35.5	114	55.96	2.72	35	
Diethyl phthalate	25.72	10	80	0	32.2	19.9	85.7	26.94	4.63	35	
Dimethyl phthalate	<20	20	120	0	0	16.7	65.2	7.740	0	35	L2
Di-n-butyl phthalate	46.34	10	80	0	57.9	33.4	105	48.04	3.60	35	
Di-n-octyl phthalate	45.10	10	80	0	56.4	33.2	102	49.74	9.78	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30371**	SampType: **LCSD**	TestCode: **8270_w**	Units: µg/L	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071985**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	57.40	10	80	0	71.8	39.5	119	59.86	4.20	35	
Fluorene	54.28	10	80	0	67.8	36.3	117	56.26	3.58	35	
Hexachlorobenzene	55.02	10	80	0	68.8	37	114	54.68	0.620	35	
Hexachlorobutadiene	32.62	10	80	0	40.8	12.5	73	35.76	9.18	35	
Hexachlorocyclopentadiene	29.62	10	80	0	37.0	12.5	73.1	27.56	7.21	35	
Hexachloroethane	48.14	10	120	0	40.1	13.5	71.3	50.60	4.98	35	
Indeno(1,2,3-cd)pyrene	55.94	10	80	0	69.9	35.2	129	59.04	5.39	35	
Isophorone	47.94	10	80	0	59.9	35.7	111	50.72	5.64	35	
Naphthalene	49.54	10	80	0	61.9	28.2	107	52.60	5.99	35	
Nitrobenzene	52.04	10	80	0	65.0	33.6	111	54.08	3.84	35	
N-Nitrosodi-n-propylamine	48.26	10	80	0	60.3	30.3	102	51.28	6.07	35	
N-Nitrosodiphenylamine	46.80	10	80	0	58.5	31.9	96.4	45.44	2.95	35	
Pentachlorophenol	82.94	50	120	0	69.1	41.7	110	67.98	19.8	35	
Phenanthrene	58.34	10	80	0	72.9	38.2	117	57.14	2.08	35	
Phenol	19.98	10	80	0	25.0	13.6	55.4	18.14	9.65	35	
Pyrene	57.60	10	80	0	72.0	39	116	56.78	1.43	35	
Surr: 2,4,6-Tribromophenol	65.06	0	100	0	65.1	41.8	98.4	55.92	0	0	
Surr: 2-Fluorobiphenyl	61.30	0	100	0	61.3	29.9	104	60.06	0	0	
Surr: 2-Fluorophenol	33.90	0	100	0	33.9	20.3	63.7	29.82	0	0	
Surr: 4-Terphenyl-d14	22.52	0	100	0	22.5	17.7	60.2	23.64	0	0	
Surr: Nitrobenzene-d5	63.50	0	100	0	63.5	33.5	109	67.30	0	0	
Surr: Phenol-d6	23.52	0	100	0	23.5	13.4	46.5	21.14	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MS** SampType: **MS** TestCode: **8270_w** Units: **µg/L** Prep Date: **8/27/2007** RunNo: **90532**
Client ID: Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071987**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	74.93	11	136.4	0	55.0	41.3	86.6				
1,2-Dichlorobenzene	47.25	11	90.91	0	52.0	36.2	82.5				
1,2-Diphenylhydrazine (As Azobenzene)	63.70	11	90.91	0	70.1	56.5	98.6				
1,3-Dichlorobenzene	44.77	11	90.91	0	49.3	32.3	77.5				
1,4-Dichlorobenzene	46.23	11	90.91	0	50.9	33.2	80.9				
2,4,5-Trichlorophenol	61.98	23	90.91	0	68.2	50	92.8				
2,4,6-Trichlorophenol	63.75	23	90.91	0	70.1	54.7	89.6				
2,4-Dichlorophenol	64.20	11	90.91	0	70.6	44.6	92.1				
2,4-Dimethylphenol	57.89	11	90.91	0	63.7	12.5	96.6				
2,4-Dinitrophenol	71.64	57	136.4	0	52.5	41.7	124				
2,4-Dinitrotoluene	66.77	11	90.91	0	73.5	58.2	107				
2,6-Dinitrotoluene	63.82	11	90.91	0	70.2	58.7	97.3				
2-Chloronaphthalene	88.11	11	136.4	0	64.6	54.1	88.6				
2-Chlorophenol	59.57	11	90.91	0	65.5	40.6	86.4				
2-Methylnaphthalene	60.32	11	90.91	0	66.4	38.9	103				
2-Methylphenol	53.41	11	90.91	0	58.8	30.9	85.3				
2-Nitroaniline	64.07	11	90.91	0	70.5	54.5	109				
2-Nitrophenol	59.34	17	90.91	0	65.3	37.7	114				
3 & 4-Methylphenol	49.34	11	90.91	0	54.3	26.2	86.5				
3,3'-Dichlorobenzidine	62.61	11	90.91	0	68.9	49.5	91.3				
3-Nitroaniline	65.18	11	90.91	0	71.7	47.2	96.3				
4,6-Dinitro-2-methylphenol	89.89	57	136.4	0	65.9	44.5	119				
4-Bromophenyl phenyl ether	56.57	11	90.91	0	62.2	57.3	81				
4-Chloro-3-methylphenol	65.61	11	90.91	0	72.2	33	114				
4-Chloroaniline	62.80	11	90.91	0	69.1	20.4	121				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MS**	SampType: **MS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071987**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	58.25	11	90.91	0	64.1	56.2	81.2				
4-Nitroaniline	62.55	11	90.91	0	68.8	51.2	99.2				
4-Nitrophenol	37.20	28	136.4	0	27.3	20.8	60.1				
Acenaphthene	63.82	11	90.91	0	70.2	59.9	93.8				
Acenaphthylene	62.43	11	90.91	0	68.7	59.6	90.5				
Anthracene	63.80	11	90.91	0	70.2	63.3	93.9				
Benz(a)anthracene	65.39	11	90.91	0	71.9	63.3	92.5				
Benzo(a)pyrene	63.59	11	90.91	0	70.0	61.7	92.6				
Benzo(b)fluoranthene	59.61	11	90.91	0	65.6	55.2	87.4				
Benzo(g,h,i)perylene	65.43	11	90.91	0	72.0	59.3	105				
Benzo(k)fluoranthene	66.09	11	90.91	0	72.7	61.1	99				
Benzoic acid	<28	28	227.3	0	9.02	15.6	58.1				N1
Benzyl alcohol	56.02	11	90.91	0	61.6	37.7	87				
Bis(2-chloroethoxy)methane	59.23	11	90.91	0	65.2	39.9	102				
Bis(2-chloroethyl)ether	51.30	11	90.91	0	56.4	45	90.3				
Bis(2-chloroisopropyl)ether	53.00	11	90.91	0	58.3	44.7	86.4				
Bis(2-ethylhexyl)phthalate	60.34	5.7	90.91	0	66.4	58	84.4				
Butyl benzyl phthalate	52.91	11	90.91	0	58.2	53.3	82.6				
Chrysene	66.59	11	90.91	0	73.2	64.9	93.4				
Dibenz(a,h)anthracene	64.93	11	90.91	0	71.4	53.6	108				
Dibenzofuran	64.64	11	90.91	0	71.1	59.7	94.3				
Diethyl phthalate	42.82	11	90.91	0	47.1	46.3	79.8				
Dimethyl phthalate	25.66	23	136.4	0	18.8	16.7	82.3				
Di-n-butyl phthalate	57.34	11	90.91	0	63.1	12.5	125				
Di-n-octyl phthalate	58.45	11	90.91	0	64.3	49.3	87.6				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MS**	SampType: **MS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071987**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	65.27	11	90.91	0	71.8	63.6	97				
Fluorene	65.43	11	90.91	0	72.0	63.7	92.5				
Hexachlorobenzene	62.14	11	90.91	0	68.4	60	92.6				
Hexachlorobutadiene	44.16	11	90.91	0	48.6	18.4	84.8				
Hexachlorocyclopentadiene	37.55	11	90.91	0	41.3	18.5	75.4				
Hexachloroethane	62.66	11	136.4	0	46.0	28.1	72.4				
Indeno(1,2,3-cd)pyrene	65.66	11	90.91	0	72.2	57.4	108				
Isophorone	57.05	11	90.91	0	62.8	47.1	108				
Naphthalene	58.89	11	90.91	0	64.8	51.3	91.7				
Nitrobenzene	62.05	11	90.91	0	68.3	47.2	107				
N-Nitrosodi-n-propylamine	57.89	11	90.91	0	63.7	47.3	89.9				
N-Nitrosodiphenylamine	53.68	11	90.91	0	59.0	54	77.6				
Pentachlorophenol	101.1	57	136.4	0	74.2	57.2	93.8				
Phenanthrene	67.09	11	90.91	0	73.8	65	94.4				
Phenol	28.18	11	90.91	0	31.0	14.3	53.1				
Pyrene	66.43	11	90.91	0	73.1	58.9	98.8				
Surr: 2,4,6-Tribromophenol	80.05	0	113.6	0	70.4	41.6	98.2				
Surr: 2-Fluorobiphenyl	72.59	0	113.6	0	63.9	36.2	93.9				
Surr: 2-Fluorophenol	46.43	0	113.6	0	40.9	15.3	64.2				
Surr: 4-Terphenyl-d14	25.95	0	113.6	0	22.8	8.57	55.3				
Surr: Nitrobenzene-d5	75.50	0	113.6	0	66.4	31.8	110				
Surr: Phenol-d6	31.93	0	113.6	0	28.1	11	46.8				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MSD**	SampType: **MSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071988**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	69.43	11	127.7	0	54.4	41.3	86.6	74.93	7.63	35	
1,2-Dichlorobenzene	46.23	11	85.11	0	54.3	36.2	82.5	47.25	2.17	35	
1,2-Diphenylhydrazine (As Azobenzene)	58.91	11	85.11	0	69.2	56.5	98.6	63.70	7.81	35	
1,3-Dichlorobenzene	42.21	11	85.11	0	49.6	32.3	77.5	44.77	5.89	35	
1,4-Dichlorobenzene	44.68	11	85.11	0	52.5	33.2	80.9	46.23	3.40	35	
2,4,5-Trichlorophenol	51.70	21	85.11	0	60.8	50	92.8	61.98	18.1	35	
2,4,6-Trichlorophenol	55.83	21	85.11	0	65.6	54.7	89.6	63.75	13.2	35	
2,4-Dichlorophenol	53.55	11	85.11	0	62.9	44.6	92.1	64.20	18.1	35	
2,4-Dimethylphenol	48.38	11	85.11	0	56.9	12.5	96.6	57.89	17.9	35	
2,4-Dinitrophenol	65.26	53	127.7	0	51.1	41.7	124	71.64	9.32	35	
2,4-Dinitrotoluene	60.09	11	85.11	0	70.6	58.2	107	66.77	10.5	35	
2,6-Dinitrotoluene	59.51	11	85.11	0	69.9	58.7	97.3	63.82	6.99	35	
2-Chloronaphthalene	81.94	11	127.7	0	64.2	54.1	88.6	88.11	7.27	35	
2-Chlorophenol	49.81	11	85.11	0	58.5	40.6	86.4	59.57	17.8	35	
2-Methylnaphthalene	55.70	11	85.11	0	65.4	38.9	103	60.32	7.96	35	
2-Methylphenol	46.26	11	85.11	0	54.4	30.9	85.3	53.41	14.4	35	
2-Nitroaniline	58.34	11	85.11	0	68.6	54.5	109	64.07	9.36	35	
2-Nitrophenol	50.74	16	85.11	0	59.6	37.7	114	59.34	15.6	35	
3 & 4-Methylphenol	41.00	11	85.11	0	48.2	26.2	86.5	49.34	18.5	35	
3,3'-Dichlorobenzidine	56.43	11	85.11	0	66.3	49.5	91.3	62.61	10.4	35	
3-Nitroaniline	56.96	11	85.11	0	66.9	47.2	96.3	65.18	13.5	35	
4,6-Dinitro-2-methylphenol	78.26	53	127.7	0	61.3	44.5	119	89.89	13.8	35	
4-Bromophenyl phenyl ether	53.62	11	85.11	0	63.0	57.3	81	56.57	5.36	35	
4-Chloro-3-methylphenol	54.28	11	85.11	0	63.8	33	114	65.61	18.9	35	
4-Chloroaniline	57.53	11	85.11	0	67.6	20.4	121	62.80	8.75	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MSD**	SampType: **MSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071988**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	54.21	11	85.11	0	63.7	56.2	81.2	58.25	7.18	35	
4-Nitroaniline	57.47	11	85.11	0	67.5	51.2	99.2	62.55	8.46	35	
4-Nitrophenol	31.38	27	127.7	0	24.6	20.8	60.1	37.20	17.0	35	
Acenaphthene	59.32	11	85.11	0	69.7	59.9	93.8	63.82	7.31	35	
Acenaphthylene	58.00	11	85.11	0	68.2	59.6	90.5	62.43	7.36	35	
Anthracene	59.66	11	85.11	0	70.1	63.3	93.9	63.80	6.70	35	
Benz(a)anthracene	59.98	11	85.11	0	70.5	63.3	92.5	65.39	8.63	35	
Benzo(a)pyrene	56.83	11	85.11	0	66.8	61.7	92.6	63.59	11.2	35	
Benzo(b)fluoranthene	54.89	11	85.11	0	64.5	55.2	87.4	59.61	8.24	35	
Benzo(g,h,i)perylene	60.34	11	85.11	0	70.9	59.3	105	65.43	8.10	35	
Benzo(k)fluoranthene	59.04	11	85.11	0	69.4	61.1	99	66.09	11.3	35	
Benzoic acid	<27	27	212.8	0	9.91	15.6	58.1	20.50	2.81	35	N1
Benzyl alcohol	50.15	11	85.11	0	58.9	37.7	87	56.02	11.1	35	
Bis(2-chloroethoxy)methane	53.89	11	85.11	0	63.3	39.9	102	59.23	9.43	35	
Bis(2-chloroethyl)ether	47.32	11	85.11	0	55.6	45	90.3	51.30	8.06	35	
Bis(2-chloroisopropyl)ether	51.04	11	85.11	0	60.0	44.7	86.4	53.00	3.76	35	
Bis(2-ethylhexyl)phthalate	57.15	5.3	85.11	0	67.2	58	84.4	60.34	5.43	35	
Butyl benzyl phthalate	50.17	11	85.11	0	59.0	53.3	82.6	52.91	5.31	35	
Chrysene	62.34	11	85.11	0	73.2	64.9	93.4	66.59	6.59	35	
Dibenz(a,h)anthracene	60.30	11	85.11	0	70.8	53.6	108	64.93	7.40	35	
Dibenzofuran	61.06	11	85.11	0	71.8	59.7	94.3	64.64	5.68	35	
Diethyl phthalate	40.00	11	85.11	0	47.0	46.3	79.8	42.82	6.81	35	
Dimethyl phthalate	25.62	21	127.7	0	20.1	16.7	82.3	25.66	0.164	35	
Di-n-butyl phthalate	53.23	11	85.11	0	62.6	12.5	125	57.34	7.43	35	
Di-n-octyl phthalate	55.66	11	85.11	0	65.4	49.3	87.6	58.45	4.90	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MSD** SampType: **MSD** TestCode: **8270_w** Units: **µg/L** Prep Date: **8/27/2007** RunNo: **90532**
Client ID: Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071988**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	59.89	11	85.11	0	70.4	63.6	97	65.27	8.60	35	
Fluorene	61.02	11	85.11	0	71.7	63.7	92.5	65.43	6.98	35	
Hexachlorobenzene	57.94	11	85.11	0	68.1	60	92.6	62.14	7.00	35	
Hexachlorobutadiene	43.17	11	85.11	0	50.7	18.4	84.8	44.16	2.26	35	
Hexachlorocyclopentadiene	35.85	11	85.11	0	42.1	18.5	75.4	37.55	4.62	35	
Hexachloroethane	59.79	11	127.7	0	46.8	28.1	72.4	62.66	4.69	35	
Indeno(1,2,3-cd)pyrene	61.64	11	85.11	0	72.4	57.4	108	65.66	6.32	35	
Isophorone	53.09	11	85.11	0	62.4	47.1	108	57.05	7.19	35	
Naphthalene	55.72	11	85.11	0	65.5	51.3	91.7	58.89	5.52	35	
Nitrobenzene	56.02	11	85.11	0	65.8	47.2	107	62.05	10.2	35	
N-Nitrosodi-n-propylamine	54.00	11	85.11	0	63.4	47.3	89.9	57.89	6.95	35	
N-Nitrosodiphenylamine	50.11	11	85.11	0	58.9	54	77.6	53.68	6.89	35	
Pentachlorophenol	84.89	53	127.7	0	66.5	57.2	93.8	101.1	17.5	35	
Phenanthrene	60.70	11	85.11	0	71.3	65	94.4	67.09	10.0	35	
Phenol	22.13	11	85.11	0	26.0	14.3	53.1	28.18	24.1	35	
Pyrene	62.87	11	85.11	0	73.9	58.9	98.8	66.43	5.51	35	
Surr: 2,4,6-Tribromophenol	65.55	0	106.4	0	61.6	41.6	98.2	80.05	0	0	
Surr: 2-Fluorobiphenyl	67.64	0	106.4	0	63.6	36.2	93.9	72.59	0	0	
Surr: 2-Fluorophenol	35.38	0	106.4	0	33.3	15.3	64.2	46.43	0	0	
Surr: 4-Terphenyl-d14	24.30	0	106.4	0	22.8	8.57	55.3	25.95	0	0	
Surr: Nitrobenzene-d5	68.17	0	106.4	0	64.1	31.8	110	75.50	0	0	
Surr: Phenol-d6	24.94	0	106.4	0	23.4	11	46.8	31.93	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: ALKALINITY

Sample ID: **MB-R90346**	SampType: **MBLK**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90346**		
Client ID:	Batch ID: **R90346**	TestNo: **M2320 B**		Analysis Date: **8/22/2007**				SeqNo: **1069963**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	<6.0	6.0									

Sample ID: **LCS-R90346**	SampType: **LCS**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90346**		
Client ID:	Batch ID: **R90346**	TestNo: **M2320 B**		Analysis Date: **8/22/2007**				SeqNo: **1069977**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	241.9	6.0	250	0	96.8	90	110				

Sample ID: **LCSD-R90346**	SampType: **LCSD**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90346**		
Client ID:	Batch ID: **R90346**	TestNo: **M2320 B**		Analysis Date: **8/22/2007**				SeqNo: **1069978**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	242.1	6.0	250	0	96.8	90	110	241.9	0.0537	20	

Sample ID: **07080812-01ADUP**	SampType: **DUP**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90346**		
Client ID:	Batch ID: **R90346**	TestNo: **M2320 B**		Analysis Date: **8/22/2007**				SeqNo: **1069972**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	335.0	6.0						335.5	0.161	20	

Sample ID: **07080814-01ADUP**	SampType: **DUP**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90346**		
Client ID:	Batch ID: **R90346**	TestNo: **M2320 B**		Analysis Date: **8/22/2007**				SeqNo: **1069975**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: ALKALINITY

Sample ID: **07080814-01ADUP**	SampType: **DUP**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:	RunNo: **90346**
Client ID:	Batch ID: **R90346**	TestNo: **M2320 B**		Analysis Date: **8/22/2007**	SeqNo: **1069975**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	205.6	6.0						204.5	0.527	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: Cr6_W

Sample ID: **MB-R90402**	SampType: **MBLK**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:			RunNo: **90402**			
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**			SeqNo: **1070548**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	<0.010	0.010									

Sample ID: **LCS-R90402**	SampType: **LCS**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:			RunNo: **90402**			
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**			SeqNo: **1070553**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.09900	0.010	0.1	0	99.0	90	110				

Sample ID: **LCSD-R90402**	SampType: **LCSD**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:			RunNo: **90402**			
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**			SeqNo: **1070554**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.1020	0.010	0.1	0	102	90	110	0.09900	2.99	20	

Sample ID: **07080817-03AMS**	SampType: **MS**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:			RunNo: **90402**			
Client ID: **RE106-87'**	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**			SeqNo: **1070550**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.1060	0.010	0.1	0	106	85	115				

Sample ID: **07080817-03AMSD**	SampType: **MSD**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:			RunNo: **90402**			
Client ID: **RE106-87'**	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**			SeqNo: **1070551**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: Cr6_W

Sample ID: **07080817-03AMSD** SampType: **MSD** TestCode: **Cr6_W** Units: **mg/L** Prep Date: RunNo: **90402**
Client ID: **RE106-87'** Batch ID: **R90402** TestNo: **M3500-Cr D** Analysis Date: **8/22/2007** SeqNo: **1070551**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.1030	0.010	0.1	0	103	85	115	0.1060	2.87	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080817
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: S_TDS

Sample ID: **MB-R90435**	SampType: **MBLK**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070864**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	<10	10									

Sample ID: **LCS-R90435**	SampType: **LCS**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070873**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	980.0	10	1000	0	98.0	90	110				

Sample ID: **LCSD-R90435**	SampType: **LCSD**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070874**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	976.0	10	1000	0	97.6	90	110	980.0	0.409	10	

Sample ID: **07080817-03ADUP**	SampType: **DUP**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID: **RE106-87'**	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070866**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	1184	10						1182	0.169	10	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories Sample Receipt Checklist

Project Checked By: [illegible] 8/21/07

Laboratory Number: D708081 7	Completed By/On: [illegible] 8/21/07
Client Name: Clear Creek (CW)	Date/Time Rec'd: 8/21/07 1417 By: PR
Matrix: Air Soil Aqueous Oil Sludge Solid WW DW	Carrier Name: Client

Temperature	Cooler #1 2.3°C	Cooler #2 °C	Cooler #3 °C	Cooler #4 °C
Temp. Read With	Thermometer IR	Thermometer IR	Thermometer IR	Thermometer IR

Client or PM made aware of temp. out of range? Yes No Circle one: Blue Ice ~~Wet Ice~~ Not Present

	Yes	No*	Not Present
Shipping container/cooler in good condition?	X		
Custody seals intact on shipping container/cooler?			X
Custody seals intact on sample containers?			X
Chain of Custody present and relinquished/received properly?	X		
Chain of Custody agrees with sample labels?	X		
Samples in proper containers/bottles?	X		
Sample containers intact?	X		
All samples received within holding time?	X		*See Comments about Chlorine and pH
Is there sufficient sample volume to perform the tests?	X		
40mL vials for volatiles & SOCs received with zero headspace?	X		

Soil Containers: Brass Sleeve___ Glass Jar___ Methanol___ Plastic Bag___ Encore Samplers___ Sterile Plastic___

Total number of bottles received: 32 | IH sample media: | If applicable, how many sample bottles were shipped from AEL-Tucson? N/A X

Number of containers received by preservative and by sample number: (If more than 10 samples are rec'd, please continue on separate sheet(s)).

Preservative	Simple***	1	2	3	4	5	6	7	8	9	10
A-General		2	2	3	2	2					
B-HNO3		1	1	1	1	1					
C-H2SO4											
D-HCl		3	3	3	3	3	1				
E-Na2S2O3									"		
F-NaOH											
G-Sulfide											
H-Na Sulfite											
I-MCAA											
J-Methanol											
K-HAA											
L-Other											

*Any No response must be detailed in the comments section. Contact the PM immediately to determine how to proceed. Refer to SOP 11-001 and continue on back if additional space is needed.

**The holding time for pH and Total Residual Chlorine analysis is immediate. For the most accurate results, the pH and Total Residual Chlorine should be taken in the field within 15 minutes of sampling.

***The Simple box is only to be used when there is one bottle per preservative in equal-sample sets.

Water pH acceptable upon receipt? Yes X No N/A

Preservative & pH	pH of samples upon receipt	If pH requires adjustment, list sample number and reagent I.D. number.
Metals <2	<2	
H_2SO_4 <2		
1664 <2		
Cyanide >12		
Sulfide >9		

Comments: Split: 03A1 created 03A4 bottle to be subbed to 4A Phx for Cl + SO4

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

[X] Main Lab - 4646 E. Cotton Center Blvd., Building 3, Suite 189, Phoenix, AZ 85040 602.437.3340 - FAX 623.445.6192
[ ] North Phoenix - 1501 W. Knudsen, Phoenix, AZ 85027 623.780.4800 - FAX 623.445.5216
[ ] Tucson - 4455 S. Park Ave, Suite 110. Tucson, AZ 85714 520.807.3801 - FAX 520.807.3803
www.aeroenvirolabs.com or call toll-free 866.772.5227

Lab Number: 07-08-0817

Customer Number: NA	**Page** 1 of 1		
Customer: Cleo-Creek Associates	**Sampler:** Geo Mohammadi / Dave Giles		
Address: 5155 E Indian School Road	**Project Name:** Remic		
City, State, Zip: Scottsdale AZ 85251	**Project Number:** 2.1001		
Contact: Tom Suriano	**P.O. Number:** N/A		
Phone: 480-659-7131	**Fax:** 480-659-7143	**Fax Results:** Y (N)	
E-Mail Address: tsuriano@cleo-creek.assoc.net		**E-Mail Results:** (Y) N	

Sample Type Codes:
DW - Drinking Water; A - Air; WW - Waste Water; S - Soil; HW - Hazardous Waste; Other

Sample Receipt:
Temperature 2.3 °C
Custody Seals: Yes ____ No X
Custody Seals Intact: Yes ____ No X
Total # of Containers: 32

Turn Around Request:
____ 24 Hours ____ 48 Hours
____ 72 Hours
____ 5 Working Days
X Standard 10 Working Days
Subject to scheduling & availability (surcharges apply).

Analyses Requested:

Sample Information

Lab #	Sample Identification	Date	Time	Type	VOCs 8260	VOCs 8270	SVOCs 8270	Alkalinity	Anions	Cations	Total Hardness	Total Dissolved Solids	Nitrate + Nitrite	pH				# of Containers
1	RE106-77'	8/21	0936	GW	X	X	X	X	X									6
2	RE106-82'	8/21	1057	GW	X	X	X	X	X									6
3	RE106-87'	8/21	1147	GW	X	X	X	X	X	X	X	X	X	X	X	X		11
4	RE106-92'	8/21	1233	GW	X	X	X	X	X									6
5	RE106-97'	8/21	1311	GW	X	X	X	X	X									6
6	Trip Blank	—	—	GW	X													1

Instructions / Special Requirements: Detection Limit of .005 mg/l for Selenium. Lab to calculate carbonate and bicarbonate.

Date:	Time:	Samples Relinquished By:	Received By:
8/21/09	14:17		

Analysis performed is subject to the Terms & Conditions available at www.aeroenvirolabs.com or call 866.772.5227 to request a copy.

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Tuesday, October 16, 2007

Tom Suriano
Clear Creek Associates
6155 East Indian School Rd., Suite 200
Scottsdale, AZ 85251
TEL: (480) 659-7131
FAX: (480) 659-7143

Amended Report

RE: Romic/212001

Order No.: 07080866

Dear Tom Suriano:

The original report has been revised to include an additional data qualifier statement in the case narrative. Please replace the original report with the enclosed amended report. We apologize for any inconvenience this may have caused.

Aerotech Environmental Laboratories received 9 sample(s) on 8/22/2007 for the analyses presented in the following report.

This report includes the following information:
- Case Narrative.
- Analytical Report: includes test results, report limit (Limit), any applicable data qualifier (Qual), units, dilution factor (DF), and date analyzed.
- QC Summary Report.

This communication is intended only for the individual or entity to whom it is directed. It may contain information that is privileged, confidential, or otherwise exempt from disclosure under applicable law. Dissemination, distribution, or copying of this communication by anyone other than the intended recipient, or a duly designated employee or agent of such recipient, is prohibited. If you have received this communication in error, please notify us immediately and destroy this message and all attachments thereto. If you have any questions regarding these test results, please do not hesitate to call.

Sincerely,

Matt Hill
Project Manager

Aerotech Environmental Laboratories

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Project: Romic/212001
Lab Order: 07080866

CASE NARRATIVE

Analyses included in this report were performed by Aerotech Environmental Laboratories (AEL), 4645 E. Cotton Center Boulevard, Building 3, Suite 189, Phoenix, AZ.

AEL is licensed through the State of Arizona (License No. AZ0610), and holds NELAC accreditation (OR100001) through the State of Oregon for the analytical techniques noted on the scope of accreditation.

AEL is also accredited by the American Industrial Hygiene Association (AIHA) in the industrial hygiene program for the analytical techniques noted on the scope of accreditation.

Samples were analyzed using methods outlined in references such as:
-Standard Methods for the Examination of Water and Wastewater, 20th Edition, 1998.
-40 CFR, Part 136, July 2006. Appendix A to Part 136 - Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater.
-Methods for the Chemical Analysis of Water and Wastes, EPA/600/4-79-020, Revised March 1983.
-Methods for the Determination of Organic Compounds in Drinking Water: Supplement III, August 1995, EPA/600/R-95/131.
-Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, EPA, 3rd Edition 1986, and Updates.
-Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, EPA, Second Edition, 1999.
-NIOSH Manual of Analytical Methods, Fourth Edition, 1994. NIOSH Method 7300 analyses are performed using a modified digestion procedure to eliminate the use of perchloric acid.

Analytical Comments:
All method blanks and laboratory control spikes met method and/or laboratory quality control objectives for the analyses included in this report.

Data Qualifiers:
Listed below are the data qualifiers used in your analytical report to explain any analytical or quality control issues. You will find them noted in your report under the column header "QUAL". Any quality control deficiencies that cannot be adequately described by these qualifiers will be addressed in the analytical comments section of this case narrative.

D2 Sample required dilution due to high concentration of target analyte.
E4 Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
L2 The associated blank spike recovery was below laboratory acceptance limits.
M3 The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.

M7 Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.
N1 See case narrative.
R9 Sample RPD exceeded the laboratory control limit.
V1 CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.

N1 - Method 300

The sample selected as the duplicate and matrix spike contained high concentrations of chloride and/or sulfate. The analyte concentration in the sample is disproportionate to the spike level and it was not practical to analyze the sample at a dilution, as the spike would be diluted out. The LCS/LCSD were recovered acceptably demonstrating that the analytical process was in control.

L2 & N1 - Method 8270

Benzoic acid was lower than AEL historical limits in the LCS, LCSD, MS and MSD. Dimethyl phthalate was lower than AEL historical limits in LCS and LCSD, but the MS and MSD met criteria. No analytes were detected in any of the associated samples. The LCS, LCSD and associated samples were flagged with the L2 data qualifier for Benzoic acid and Dimethyl phthalate, and the MS and MSD were flagged with the N1 data qualifier for Benzoic acid. 2,4-Dinitrophenol and 4-Nitrophenol were lower than laboratory historical limits in the LCS; however, the LCSD, MS, and MSD met criteria for these analytes. This satisfies the EPA 8000C method requirement but deviates from AEL's SOP. The LCS was flagged with N1 data qualifier for these analytes.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 7:58:00 AM
Lab ID:	07080866-01A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 10:35:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 10:35:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/27/2007 10:35:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/27/2007 10:35:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/27/2007 10:35:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/27/2007 10:35:00 PM
Acenaphthene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Anthracene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/27/2007 10:35:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 7:58:00 AM
Lab ID:	07080866-01A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Chrysene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Dimethyl phthalate	< 20	20	L2	µg/L	1	8/27/2007 10:35:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Fluoranthene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Fluorene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Isophorone	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Naphthalene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/27/2007 10:35:00 PM
Phenanthrene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Phenol	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Pyrene	< 10	10		µg/L	1	8/27/2007 10:35:00 PM
Surr: 2,4,6-Tribromophenol	57.7	41.6-98.2		%REC	1	8/27/2007 10:35:00 PM
Surr: 2-Fluorobiphenyl	49.7	36.2-93.9		%REC	1	8/27/2007 10:35:00 PM
Surr: 2-Fluorophenol	32.4	15.3-64.2		%REC	1	8/27/2007 10:35:00 PM
Surr: 4-Terphenyl-d14	22.7	8.57-55.3		%REC	1	8/27/2007 10:35:00 PM
Surr: Nitrobenzene-d5	55.9	31.8-110		%REC	1	8/27/2007 10:35:00 PM
Surr: Phenol-d6	28.4	11-46.8		%REC	1	8/27/2007 10:35:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 7:58:00 AM
Lab ID:	07080866-01B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.038	0.0010		mg/L	1	8/28/2007 7:02:26 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 7:02:26 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:02:26 PM
Chromium	0.0018	0.0010		mg/L	1	8/28/2007 7:02:26 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:02:26 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:02:26 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 7:58:00 AM
Lab ID:	07080866-01D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	1.8	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 7:58:00 AM
Lab ID:	07080866-01D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	1.6	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	1.3	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	93.6	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	119	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	97.5	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-82'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 8:38:00 AM
Lab ID:	07080866-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2,4,5-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 10:56:00 PM
2,4,6-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 10:56:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2,4-Dinitrophenol	< 53	53		µg/L	1	8/27/2007 10:56:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/27/2007 10:56:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
4,6-Dinitro-2-methylphenol	< 53	53		µg/L	1	8/27/2007 10:56:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/27/2007 10:56:00 PM
Acenaphthene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Anthracene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/27/2007 10:56:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-82'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 8:38:00 AM
Lab ID:	07080866-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Bis(2-ethylhexyl)phthalate	< 5.3	5.3		µg/L	1	8/27/2007 10:56:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Chrysene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Dimethyl phthalate	< 21	21	L2	µg/L	1	8/27/2007 10:56:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Fluoranthene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Fluorene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Isophorone	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Naphthalene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Pentachlorophenol	< 53	53		µg/L	1	8/27/2007 10:56:00 PM
Phenanthrene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Phenol	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Pyrene	< 11	11		µg/L	1	8/27/2007 10:56:00 PM
Surr: 2,4,6-Tribromophenol	47.7	41.6-98.2		%REC	1	8/27/2007 10:56:00 PM
Surr: 2-Fluorobiphenyl	53.3	36.2-93.9		%REC	1	8/27/2007 10:56:00 PM
Surr: 2-Fluorophenol	28.5	15.3-64.2		%REC	1	8/27/2007 10:56:00 PM
Surr: 4-Terphenyl-d14	21.9	8.57-55.3		%REC	1	8/27/2007 10:56:00 PM
Surr: Nitrobenzene-d5	57.7	31.8-110		%REC	1	8/27/2007 10:56:00 PM
Surr: Phenol-d6	21.8	11-46.8		%REC	1	8/27/2007 10:56:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-82'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 8:38:00 AM
Lab ID:	07080866-02B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.039	0.0010		mg/L	1	8/28/2007 7:06:27 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 7:06:27 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:06:27 PM
Chromium	0.0018	0.0010		mg/L	1	8/28/2007 7:06:27 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:06:27 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:06:27 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-82'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 8:38:00 AM
Lab ID:	07080866-02D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-82'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 8:38:00 AM
Lab ID:	07080866-02D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	94.2	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	125	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	96.3	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-87'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 9:17:00 AM
Lab ID:	07080866-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2,4,5-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 11:17:00 PM
2,4,6-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 11:17:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2,4-Dinitrophenol	< 53	53		µg/L	1	8/27/2007 11:17:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/27/2007 11:17:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
4,6-Dinitro-2-methylphenol	< 53	53		µg/L	1	8/27/2007 11:17:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/27/2007 11:17:00 PM
Acenaphthene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Anthracene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/27/2007 11:17:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-87'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 9:17:00 AM
Lab ID:	07080866-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Bis(2-ethylhexyl)phthalate	< 5.3	5.3		µg/L	1	8/27/2007 11:17:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Chrysene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Dimethyl phthalate	< 21	21	L2	µg/L	1	8/27/2007 11:17:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Fluoranthene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Fluorene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Isophorone	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Naphthalene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Pentachlorophenol	< 53	53		µg/L	1	8/27/2007 11:17:00 PM
Phenanthrene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Phenol	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Pyrene	< 11	11		µg/L	1	8/27/2007 11:17:00 PM
Surr: 2,4,6-Tribromophenol	58.8	41.6-98.2		%REC	1	8/27/2007 11:17:00 PM
Surr: 2-Fluorobiphenyl	53.3	36.2-93.9		%REC	1	8/27/2007 11:17:00 PM
Surr: 2-Fluorophenol	32.2	15.3-64.2		%REC	1	8/27/2007 11:17:00 PM
Surr: 4-Terphenyl-d14	22.4	8.57-55.3		%REC	1	8/27/2007 11:17:00 PM
Surr: Nitrobenzene-d5	60.4	31.8-110		%REC	1	8/27/2007 11:17:00 PM
Surr: Phenol-d6	24.3	11-46.8		%REC	1	8/27/2007 11:17:00 PM
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Chloride	340	10	D2	mg/L	5	8/29/2007 4:19:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-87'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 9:17:00 AM
Lab ID:	07080866-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Nitrogen, Nitrate (As N)	4.2	0.20		mg/L	1	8/23/2007 9:18:00 AM
Nitrogen, Nitrite (As N)	< 0.20	0.20		mg/L	1	8/23/2007 9:18:00 AM
Sulfate	190	4.0	D2	mg/L	2	8/29/2007 3:06:00 PM
ALKALINITY		**M2320 B**				Analyst: **AC**
Alkalinity, Bicarbonate (As CaCO3)	260	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Carbonate (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Hydroxide (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Total (As CaCO3)	260	6.0		mg/L CaCO3	1	8/24/2007
HEXAVALENT CHROMIUM		**M3500-CR D**				Analyst: **AC**
Chromium VI	< 0.010	0.010		mg/L	1	8/22/2007 5:45:00 PM
RESIDUE, FILTERABLE		**M2540 C**				Analyst: **AC**
Total Dissolved Solids	1100	10		mg/L	1	8/23/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-87'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 9:17:00 AM
Lab ID:	07080866-03B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS, TOTAL RECOVERABLE		**E200.7**				Analyst: **HK**
Calcium	15	2.0		mg/L	1	8/27/2007
Magnesium	7.3	2.0		mg/L	1	8/27/2007
Potassium	3.8	2.0		mg/L	1	8/27/2007
Sodium	470	10	D2	mg/L	5	8/29/2007
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.039	0.0010		mg/L	1	8/28/2007 7:26:20 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 7:26:20 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:26:20 PM
Chromium	0.0018	0.0010		mg/L	1	8/28/2007 7:26:20 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:26:20 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:26:20 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-87'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 9:17:00 AM
Lab ID:	07080866-03D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-87'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 9:17:00 AM
Lab ID:	07080866-03D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	92.8	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	118	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	97.4	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-92'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-04A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2,4,5-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 7:48:00 PM
2,4,6-Trichlorophenol	< 21	21		µg/L	1	8/27/2007 7:48:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2,4-Dinitrophenol	< 53	53		µg/L	1	8/27/2007 7:48:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/27/2007 7:48:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
4,6-Dinitro-2-methylphenol	< 53	53		µg/L	1	8/27/2007 7:48:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/27/2007 7:48:00 PM
Acenaphthene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Anthracene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/27/2007 7:48:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-92'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-04A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Bis(2-ethylhexyl)phthalate	< 5.3	5.3		µg/L	1	8/27/2007 7:48:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Chrysene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Dimethyl phthalate	< 21	21	L2	µg/L	1	8/27/2007 7:48:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Fluoranthene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Fluorene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Isophorone	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Naphthalene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Pentachlorophenol	< 53	53		µg/L	1	8/27/2007 7:48:00 PM
Phenanthrene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Phenol	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Pyrene	< 11	11		µg/L	1	8/27/2007 7:48:00 PM
Surr: 2,4,6-Tribromophenol	56.8	41.6-98.2		%REC	1	8/27/2007 7:48:00 PM
Surr: 2-Fluorobiphenyl	53.8	36.2-93.9		%REC	1	8/27/2007 7:48:00 PM
Surr: 2-Fluorophenol	34.6	15.3-64.2		%REC	1	8/27/2007 7:48:00 PM
Surr: 4-Terphenyl-d14	16.1	8.57-55.3		%REC	1	8/27/2007 7:48:00 PM
Surr: Nitrobenzene-d5	63.1	31.8-110		%REC	1	8/27/2007 7:48:00 PM
Surr: Phenol-d6	27.9	11-46.8		%REC	1	8/27/2007 7:48:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-92'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-04B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.040	0.0010		mg/L	1	8/28/2007 7:30:21 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 7:30:21 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:30:21 PM
Chromium	0.0018	0.0010		mg/L	1	8/28/2007 7:30:21 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:30:21 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:30:21 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-92'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-04D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-92'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-04D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	92.9	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	127	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	95.5	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-97'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:54:00 AM
Lab ID:	07080866-05A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/27/2007 11:38:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/27/2007 11:38:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2,4-Dinitrophenol	< 54	54		µg/L	1	8/27/2007 11:38:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/27/2007 11:38:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
4,6-Dinitro-2-methylphenol	< 54	54		µg/L	1	8/27/2007 11:38:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/27/2007 11:38:00 PM
Acenaphthene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Anthracene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/27/2007 11:38:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-97'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:54:00 AM
Lab ID:	07080866-05A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Bis(2-ethylhexyl)phthalate	< 5.4	5.4		µg/L	1	8/27/2007 11:38:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Chrysene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Dimethyl phthalate	< 22	22	L2	µg/L	1	8/27/2007 11:38:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Fluoranthene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Fluorene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Isophorone	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Naphthalene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Pentachlorophenol	< 54	54		µg/L	1	8/27/2007 11:38:00 PM
Phenanthrene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Phenol	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Pyrene	< 11	11		µg/L	1	8/27/2007 11:38:00 PM
Surr: 2,4,6-Tribromophenol	55.1	41.6-98.2		%REC	1	8/27/2007 11:38:00 PM
Surr: 2-Fluorobiphenyl	53.9	36.2-93.9		%REC	1	8/27/2007 11:38:00 PM
Surr: 2-Fluorophenol	37.4	15.3-64.2		%REC	1	8/27/2007 11:38:00 PM
Surr: 4-Terphenyl-d14	13.8	8.57-55.3		%REC	1	8/27/2007 11:38:00 PM
Surr: Nitrobenzene-d5	63.3	31.8-110		%REC	1	8/27/2007 11:38:00 PM
Surr: Phenol-d6	27.3	11-46.8		%REC	1	8/27/2007 11:38:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-97'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:54:00 AM
Lab ID:	07080866-05B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.038	0.0010		mg/L	1	8/28/2007 7:34:23 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 7:34:23 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:34:23 PM
Chromium	0.0017	0.0010		mg/L	1	8/28/2007 7:34:23 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:34:23 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:34:23 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-97'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:54:00 AM
Lab ID:	07080866-05D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE105-97'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:54:00 AM
Lab ID:	07080866-05D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	94.3	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	124	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	95.2	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 2:00:00 PM
Lab ID:	07080866-06A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 11:59:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/27/2007 11:59:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/27/2007 11:59:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/27/2007 11:59:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/27/2007 11:59:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/27/2007 11:59:00 PM
Acenaphthene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Anthracene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/27/2007 11:59:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 2:00:00 PM
Lab ID:	07080866-06A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/27/2007 11:59:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Chrysene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Dimethyl phthalate	< 20	20	L2	µg/L	1	8/27/2007 11:59:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Fluoranthene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Fluorene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Isophorone	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Naphthalene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/27/2007 11:59:00 PM
Phenanthrene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Phenol	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Pyrene	< 10	10		µg/L	1	8/27/2007 11:59:00 PM
Surr: 2,4,6-Tribromophenol	57.5	41.6-98.2		%REC	1	8/27/2007 11:59:00 PM
Surr: 2-Fluorobiphenyl	53.9	36.2-93.9		%REC	1	8/27/2007 11:59:00 PM
Surr: 2-Fluorophenol	40.6	15.3-64.2		%REC	1	8/27/2007 11:59:00 PM
Surr: 4-Terphenyl-d14	14.0	8.57-55.3		%REC	1	8/27/2007 11:59:00 PM
Surr: Nitrobenzene-d5	64.7	31.8-110		%REC	1	8/27/2007 11:59:00 PM
Surr: Phenol-d6	28.3	11-46.8		%REC	1	8/27/2007 11:59:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 2:00:00 PM
Lab ID:	07080866-06B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.061	0.0010		mg/L	1	8/28/2007 7:38:24 PM
Barium	0.027	0.0010		mg/L	1	8/28/2007 7:38:24 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:38:24 PM
Chromium	0.0016	0.0010		mg/L	1	8/28/2007 7:38:24 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:38:24 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:38:24 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 2:00:00 PM
Lab ID:	07080866-06D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-77'
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 2:00:00 PM
Lab ID:	07080866-06D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	40	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	2.3	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	92.3	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	124	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	96.1	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Dup 1
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-07A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2,4,5-Trichlorophenol	< 21	21		µg/L	1	8/28/2007 12:19:00 AM
2,4,6-Trichlorophenol	< 21	21		µg/L	1	8/28/2007 12:19:00 AM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2,4-Dinitrophenol	< 53	53		µg/L	1	8/28/2007 12:19:00 AM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2-Chloronaphthalene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2-Chlorophenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2-Methylnaphthalene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2-Methylphenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2-Nitroaniline	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
2-Nitrophenol	< 16	16		µg/L	1	8/28/2007 12:19:00 AM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
3-Nitroaniline	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
4,6-Dinitro-2-methylphenol	< 53	53		µg/L	1	8/28/2007 12:19:00 AM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
4-Chloroaniline	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
4-Nitroaniline	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
4-Nitrophenol	< 27	27		µg/L	1	8/28/2007 12:19:00 AM
Acenaphthene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Acenaphthylene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Anthracene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Benz(a)anthracene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Benzo(a)pyrene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Benzoic acid	< 27	27	L2	µg/L	1	8/28/2007 12:19:00 AM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Dup 1
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-07A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Bis(2-ethylhexyl)phthalate	< 5.3	5.3		µg/L	1	8/28/2007 12:19:00 AM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Chrysene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Dibenzofuran	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Diethyl phthalate	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Dimethyl phthalate	< 21	21	L2	µg/L	1	8/28/2007 12:19:00 AM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Fluoranthene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Fluorene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Hexachlorobenzene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Hexachlorobutadiene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Hexachloroethane	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Isophorone	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Naphthalene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Nitrobenzene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Pentachlorophenol	< 53	53		µg/L	1	8/28/2007 12:19:00 AM
Phenanthrene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Phenol	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Pyrene	< 11	11		µg/L	1	8/28/2007 12:19:00 AM
Surr: 2,4,6-Tribromophenol	61.4	41.6-98.2		%REC	1	8/28/2007 12:19:00 AM
Surr: 2-Fluorobiphenyl	57.6	36.2-93.9		%REC	1	8/28/2007 12:19:00 AM
Surr: 2-Fluorophenol	36.5	15.3-64.2		%REC	1	8/28/2007 12:19:00 AM
Surr: 4-Terphenyl-d14	15.3	8.57-55.3		%REC	1	8/28/2007 12:19:00 AM
Surr: Nitrobenzene-d5	68.4	31.8-110		%REC	1	8/28/2007 12:19:00 AM
Surr: Phenol-d6	28.0	11-46.8		%REC	1	8/28/2007 12:19:00 AM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Dup 1
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-07B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.039	0.0010		mg/L	1	8/28/2007 7:42:25 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 7:42:25 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 7:42:25 PM
Chromium	0.0017	0.0010		mg/L	1	8/28/2007 7:42:25 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 7:42:25 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 7:42:25 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Dup 1
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-07D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Dup 1
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-07D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	94.6	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	125	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	94.6	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Trip Blank
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-08D	**Matrix:**	TRIP BLANK

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Trip Blank
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007
Lab ID:	07080866-08D	**Matrix:**	TRIP BLANK

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	98.5	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	114	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	98.2	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Blank
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-09D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/24/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/24/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/24/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/24/2007
2-Butanone (MEK)	< 5.0	5.0	V1	µg/L	1	8/24/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
2-Hexanone	< 5.0	5.0	V1	µg/L	1	8/24/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/24/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/24/2007
Acetone	< 20	20	V1	µg/L	1	8/24/2007
Benzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Bromoform	< 1.0	1.0		µg/L	1	8/24/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/24/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/24/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/24/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/24/2007
Chloroform	< 1.0	1.0		µg/L	1	8/24/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *16-Oct-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Field Blank
Lab Order:	07080866	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/22/2007 10:11:00 AM
Lab ID:	07080866-09D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/24/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/24/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/24/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/24/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/24/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Styrene	< 1.0	1.0		µg/L	1	8/24/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/24/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Toluene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/24/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/24/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/24/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/24/2007
Surr: 4-Bromofluorobenzene	95.4	86.5-114		%REC	1	8/24/2007
Surr: Dibromofluoromethane	128	80.3-130		%REC	1	8/24/2007
Surr: Toluene-d8	94.3	88.4-111		%REC	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

16-Oct-07

Lab Order: 07080866
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080866-01A	RE105-77'	8/22/2007 7:58:00 AM	Groundwater	SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 10:35:00 PM
07080866-01B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:02:26 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-01D				VOLATILES by GC/MS			8/24/2007
07080866-02A	RE105-82'	8/22/2007 8:38:00 AM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 10:56:00 PM
07080866-02B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:06:27 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-02D				VOLATILES by GC/MS			8/24/2007
07080866-03A	RE105-87'	8/22/2007 9:17:00 AM		ALKALINITY			8/24/2007
				ANIONS by ION CHROMATOGRAPHY			8/23/2007 9:18:00 AM
				ANIONS by ION CHROMATOGRAPHY			8/29/2007 3:06:00 PM
				ANIONS by ION CHROMATOGRAPHY			8/29/2007 4:19:00 PM
				HEXAVALENT CHROMIUM			8/22/2007 5:45:00 PM
				SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 11:17:00 PM
				TOTAL DISSOLVED SOLIDS			8/23/2007
07080866-03B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP METALS, TOTAL RECOVERABLE		8/24/2007 3:08:07 PM	8/27/2007
				ICP METALS, TOTAL RECOVERABLE		8/24/2007 3:08:07 PM	8/29/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:26:20 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-03D				VOLATILES by GC/MS			8/24/2007
07080866-04A	RE105-92'	8/22/2007 10:11:00 AM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 7:48:00 PM

Lab Order: 07080866
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080866-04B	RE105-92'	8/22/2007 10:11:00 AM	Groundwater	ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:30:21 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-04D				VOLATILES by GC/MS			8/24/2007
07080866-05A	RE105-97'	8/22/2007 10:54:00 AM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 11:38:00 PM
07080866-05B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:34:23 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-05D				VOLATILES by GC/MS			8/24/2007
07080866-06A	RE104-77'	8/22/2007 2:00:00 PM		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/27/2007 11:59:00 PM
07080866-06B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:38:24 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-06D				VOLATILES by GC/MS			8/24/2007
07080866-07A	Field Dup 1	8/22/2007		SEMIVOLATILE ORGANICS		8/27/2007 9:30:00 AM	8/28/2007 12:19:00 AM
07080866-07B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/23/2007 1:31:22 PM	8/28/2007 7:42:25 PM
				MERCURY, Total		8/24/2007 11:30:00 AM	8/24/2007
07080866-07D				VOLATILES by GC/MS			8/24/2007
07080866-08D	Trip Blank		Trip Blank	VOLATILES by GC/MS			8/24/2007
07080866-09D	Field Blank	8/22/2007 10:11:00 AM	Groundwater	VOLATILES by GC/MS			8/24/2007

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 200.7

Sample ID: **MB-30355**	SampType: **MBLK**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90490**
Client ID:	Batch ID: **30355**	TestNo: **E200.7**		Analysis Date: **8/27/2007**	SeqNo: **1071514**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	<2.0	2.0									
Magnesium	<2.0	2.0									
Potassium	<2.0	2.0									
Sodium	<2.0	2.0									

Sample ID: **LCS-30355**	SampType: **LCS**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90490**
Client ID:	Batch ID: **30355**	TestNo: **E200.7**		Analysis Date: **8/27/2007**	SeqNo: **1071512**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	10.80	2.0	10.5	0	103	85	115				
Magnesium	11.20	2.0	10.5	0	107	85	115				
Potassium	10.80	2.0	10	0	108	85	115				
Sodium	9.899	2.0	10	0	99.0	85	115				

Sample ID: **LCSD-30355**	SampType: **LCSD**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90490**
Client ID:	Batch ID: **30355**	TestNo: **E200.7**		Analysis Date: **8/27/2007**	SeqNo: **1071513**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	10.60	2.0	10.5	0	101	85	115	10.80	1.87	20	
Magnesium	11.00	2.0	10.5	0	105	85	115	11.20	1.80	20	
Potassium	10.70	2.0	10	0	107	85	115	10.80	0.930	20	
Sodium	10.05	2.0	10	0	100	85	115	9.899	1.51	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 200.7

Sample ID: **07080862-01B MS**	SampType: **MS**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90490**
Client ID:	Batch ID: **30355**	TestNo: **E200.7**		Analysis Date: **8/27/2007**	SeqNo: **1071491**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	50.20	2.0	10.5	38.80	109	75	125				
Magnesium	36.60	2.0	10.5	25.40	107	75	125				
Potassium	14.80	2.0	10	3.750	110	75	125				
Sodium	36.61	2.0	10	24.77	118	75	125				

Sample ID: **07080867-01B MS**	SampType: **MS**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90490**
Client ID:	Batch ID: **30355**	TestNo: **E200.7**		Analysis Date: **8/27/2007**	SeqNo: **1071495**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	106.0	2.0	10.5	93.20	122	75	125				
Magnesium	24.60	2.0	10.5	13.20	109	75	125				
Potassium	14.90	2.0	10	3.620	113	75	125				
Sodium	82.21	2.0	10	68.82	134	75	125				M3

Sample ID: **07080862-01B MSD**	SampType: **MSD**	TestCode: **200.7**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90490**
Client ID:	Batch ID: **30355**	TestNo: **E200.7**		Analysis Date: **8/27/2007**	SeqNo: **1071492**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	50.90	2.0	10.5	38.80	115	75	125	50.20	1.38	10	
Magnesium	37.00	2.0	10.5	25.40	110	75	125	36.60	1.09	10	
Potassium	14.90	2.0	10	3.750	112	75	125	14.80	0.673	10	
Sodium	36.79	2.0	10	24.77	120	75	125	36.61	0.490	10	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 200.7

Sample ID: **07080867-01B MSD** SampType: **MSD** TestCode: **200.7** Units: **mg/L** Prep Date: **8/24/2007** RunNo: **90490**
Client ID: Batch ID: **30355** TestNo: **E200.7** Analysis Date: **8/27/2007** SeqNo: **1071496**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	103.0	2.0	10.5	93.20	93.3	75	125	106.0	2.87	10	
Magnesium	24.10	2.0	10.5	13.20	104	75	125	24.60	2.05	10	
Potassium	14.70	2.0	10	3.620	111	75	125	14.90	1.35	10	
Sodium	82.10	2.0	10	68.82	133	75	125	82.21	0.134	10	M3

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **MB-R90496**	SampType: **MBLK**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90496**
Client ID:	Batch ID: **R90496**	TestNo: **E300**		Analysis Date: **8/23/2007**	SeqNo: **1071680**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	<2.0	2.0									
Nitrogen, Nitrate (As N)	<0.20	0.20									
Nitrogen, Nitrite (As N)	<0.20	0.20									
Sulfate	<2.0	2.0									

Sample ID: **MB-R90672**	SampType: **MBLK**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90672**
Client ID:	Batch ID: **R90672**	TestNo: **E300**		Analysis Date: **8/29/2007**	SeqNo: **1073735**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	<2.0	2.0									
Nitrogen, Nitrate (As N)	<0.20	0.20									
Nitrogen, Nitrite (As N)	<0.20	0.20									
Sulfate	<2.0	2.0									

Sample ID: **LCS-R90496**	SampType: **LCS**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90496**
Client ID:	Batch ID: **R90496**	TestNo: **E300**		Analysis Date: **8/23/2007**	SeqNo: **1071693**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	18.45	2.0	20	0	92.3	90	110				
Nitrogen, Nitrate (As N)	3.772	0.20	4	0	94.3	90	110				
Nitrogen, Nitrite (As N)	3.892	0.20	4	0	97.3	90	110				
Sulfate	18.61	2.0	20	0	93.0	90	110				N1

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **LCS-R90672**	SampType: **LCS**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90672**
Client ID:	Batch ID: **R90672**	TestNo: **E300**		Analysis Date: **8/29/2007**	SeqNo: **1073746**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	19.43	2.0	20	0	97.2	90	110				
Nitrogen, Nitrate (As N)	3.984	0.20	4	0	99.6	90	110				
Nitrogen, Nitrite (As N)	4.125	0.20	4	0	103	90	110				
Sulfate	19.69	2.0	20	0	98.4	90	110				

Sample ID: **LCSD-R90496**	SampType: **LCSD**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90496**
Client ID:	Batch ID: **R90496**	TestNo: **E300**		Analysis Date: **8/23/2007**	SeqNo: **1071694**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	18.47	2.0	20	0	92.4	90	110	18.45	0.108	20	
Nitrogen, Nitrate (As N)	3.770	0.20	4	0	94.3	90	110	3.772	0.0530	20	
Nitrogen, Nitrite (As N)	3.928	0.20	4	0	98.2	90	110	3.892	0.921	20	
Sulfate	18.69	2.0	20	0	93.4	90	110	18.61	0.434	20	N1

Sample ID: **LCSD-R90672**	SampType: **LCSD**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90672**
Client ID:	Batch ID: **R90672**	TestNo: **E300**		Analysis Date: **8/29/2007**	SeqNo: **1073747**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	19.51	2.0	20	0	97.5	90	110	19.43	0.385	20	
Nitrogen, Nitrate (As N)	4.015	0.20	4	0	100	90	110	3.984	0.775	20	
Nitrogen, Nitrite (As N)	4.153	0.20	4	0	104	90	110	4.125	0.676	20	
Sulfate	19.82	2.0	20	0	99.1	90	110	19.69	0.653	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **07080866-03AMS**	SampType: **MS**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90496**
Client ID: **RE105-87'**	Batch ID: **R90496**	TestNo: **E300**		Analysis Date: **8/23/2007**	SeqNo: **1071687**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	7.880	0.20	4	4.177	92.6	80	120				
Nitrogen, Nitrite (As N)	4.351	0.20	4	0	109	80	120				

Sample ID: **07081070-01AMS**	SampType: **MS**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90672**
Client ID:	Batch ID: **R90672**	TestNo: **E300**		Analysis Date: **8/29/2007**	SeqNo: **1073740**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	35.70	2.0	20	15.37	102	80	120				
Nitrogen, Nitrate (As N)	4.957	0.20	4	1.126	95.8	80	120				
Nitrogen, Nitrite (As N)	3.923	0.20	4	0	98.1	80	120				
Sulfate	41.46	2.0	20	21.22	101	80	120				

Sample ID: **07080866-03AMSD**	SampType: **MSD**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90496**
Client ID: **RE105-87'**	Batch ID: **R90496**	TestNo: **E300**		Analysis Date: **8/23/2007**	SeqNo: **1071688**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrate (As N)	7.821	0.20	4	4.177	91.1	80	120	7.880	0.752	20	
Nitrogen, Nitrite (As N)	4.260	0.20	4	0	106	80	120	4.351	2.11	20	

Sample ID: **07081070-01AMSD**	SampType: **MSD**	TestCode: **300_W**	Units: **mg/L**	Prep Date:	RunNo: **90672**
Client ID:	Batch ID: **R90672**	TestNo: **E300**		Analysis Date: **8/29/2007**	SeqNo: **1073741**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	35.60	2.0	20	15.37	101	80	120	35.70	0.300	20	
Nitrogen, Nitrate (As N)	4.918	0.20	4	1.126	94.8	80	120	4.957	0.790	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **07081070-01AMSD** SampType: **MSD** TestCode: **300_W** Units: **mg/L** Prep Date: RunNo: **90672**
Client ID: Batch ID: **R90672** TestNo: **E300** Analysis Date: **8/29/2007** SeqNo: **1073741**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen, Nitrite (As N)	3.998	0.20	4	0	100	80	120	3.923	1.89	20	
Sulfate	41.27	2.0	20	21.22	100	80	120	41.46	0.459	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **MB-30356**	SampType: **MBLK**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID:	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071531**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	<0.050	0.050									

Sample ID: **LCS-30356**	SampType: **LCS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID:	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071533**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5190	0.10	0.5	0	104	85	115				

Sample ID: **LCSD-30356**	SampType: **LCSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID:	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071532**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5160	0.10	0.5	0	103	85	115	0.5160	0	20	

Sample ID: **07080866-01B MS**	SampType: **MS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID: **RE105-77'**	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071517**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5080	0.10	0.5	0	102	70	130				

Sample ID: **07080911-01B MS**	SampType: **MS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID:	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071526**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6010B_W

Sample ID: **07080911-01B MS**	SampType: **MS**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID:	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071526**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5160	0.10	0.5	0	103	70	130				

Sample ID: **07080866-01B MSD**	SampType: **MSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID: **RE105-77'**	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071518**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5090	0.10	0.5	0	102	70	130	0.5080	0.197	20	

Sample ID: **07080911-01B MSD**	SampType: **MSD**	TestCode: **6010B_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90491**
Client ID:	Batch ID: **30356**	TestNo: **SW6010B**		Analysis Date: **8/27/2007**	SeqNo: **1071527**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Selenium	0.5170	0.10	0.5	0	103	70	130	0.5160	0.194	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_W

Sample ID: **MB-30342**	SampType: **MBLK**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073589**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	<0.0010	0.0010									
Barium	<0.0010	0.0010									
Cadmium	<0.0010	0.0010									
Chromium	<0.0010	0.0010									
Lead	<0.0010	0.0010									
Silver	<0.0010	0.0010									

Sample ID: **LCS-30342**	SampType: **LCS**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073590**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1003	0.0010	0.1	0	100	80	120				
Barium	0.1018	0.0010	0.1	0	102	80	120				
Cadmium	0.1030	0.0010	0.1	0	103	80	120				
Chromium	0.1054	0.0010	0.1	0	105	80	120				
Lead	0.1021	0.0010	0.1	0	102	80	120				
Silver	0.1058	0.0010	0.1	0	106	80	120				

Sample ID: **LCSD-30342**	SampType: **LCSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073591**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1001	0.0010	0.1	0	100	80	120	0.1003	0.167	20	
Barium	0.1021	0.0010	0.1	0	102	80	120	0.1018	0.279	20	
Cadmium	0.1033	0.0010	0.1	0	103	80	120	0.1030	0.319	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_W

Sample ID: **LCSD-30342**	SampType: **LCSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073591**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	0.1056	0.0010	0.1	0	106	80	120	0.1054	0.164	20	
Lead	0.1019	0.0010	0.1	0	102	80	120	0.1021	0.187	20	
Silver	0.1059	0.0010	0.1	0	106	80	120	0.1058	0.0784	20	

Sample ID: **07080877-05B MS**	SampType: **MS**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073593**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1295	0.0010	0.1	0.02876	101	70	130				
Barium	0.1547	0.0010	0.1	0.05336	101	70	130				
Cadmium	0.09510	0.0010	0.1	0	95.1	70	130				
Chromium	0.1082	0.0010	0.1	0.003590	105	70	130				
Lead	0.09348	0.0010	0.1	0	93.5	70	130				
Silver	0.04640	0.0010	0.1	0	46.4	70	130				M7

Sample ID: **07080878-05B MS**	SampType: **MS**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073601**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1238	0.0010	0.1	0.02183	102	70	130				
Barium	0.1571	0.0010	0.1	0.05829	98.8	70	130				
Cadmium	0.09454	0.0010	0.1	0	94.5	70	130				
Chromium	0.1051	0.0010	0.1	0.001460	104	70	130				
Lead	0.09618	0.0010	0.1	0.001376	94.8	70	130				
Silver	0.05083	0.0010	0.1	0	50.8	70	130				M7

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_W

Sample ID: **07080877-05B MSD**	SampType: **MSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073594**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1317	0.0010	0.1	0.02876	103	70	130	0.1295	1.66	20	
Barium	0.1540	0.0010	0.1	0.05336	101	70	130	0.1547	0.449	20	
Cadmium	0.09519	0.0010	0.1	0	95.2	70	130	0.09510	0.0925	20	
Chromium	0.1090	0.0010	0.1	0.003590	105	70	130	0.1082	0.707	20	
Lead	0.09479	0.0010	0.1	0	94.8	70	130	0.09348	1.40	20	
Silver	0.06275	0.0010	0.1	0	62.7	70	130	0.04640	30.0	20	M7,R9

Sample ID: **07080878-05B MSD**	SampType: **MSD**	TestCode: **6020_W**	Units: **mg/L**	Prep Date: **8/23/2007**	RunNo: **90662**
Client ID:	Batch ID: **30342**	TestNo: **SW6020**		Analysis Date: **8/28/2007**	SeqNo: **1073602**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.1214	0.0010	0.1	0.02183	99.5	70	130	0.1238	1.96	20	
Barium	0.1578	0.0010	0.1	0.05829	99.5	70	130	0.1571	0.409	20	
Cadmium	0.09234	0.0010	0.1	0	92.3	70	130	0.09454	2.35	20	
Chromium	0.1040	0.0010	0.1	0.001460	102	70	130	0.1051	1.11	20	
Lead	0.09535	0.0010	0.1	0.001376	94.0	70	130	0.09618	0.869	20	
Silver	0.06237	0.0010	0.1	0	62.4	70	130	0.05083	20.4	20	M7,R9

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7470A_W

Sample ID: **MB-30351**	SampType: **MBLK**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071407**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	<0.00050	0.00050									

Sample ID: **LCS-30351**	SampType: **LCS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071408**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01010	0.00050	0.01	0	101	85	115				

Sample ID: **LCSD-30351**	SampType: **LCSD**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071409**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01030	0.00050	0.01	0	103	85	115	0.01010	1.96	20	

Sample ID: **07080694-01BMS**	SampType: **MS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID:	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071411**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01040	0.00050	0.01	0	104	85	115				

Sample ID: **07080866-03BMS**	SampType: **MS**	TestCode: **7470A_W**	Units: **mg/L**	Prep Date: **8/24/2007**	RunNo: **90485**
Client ID: **RE105-87'**	Batch ID: **30351**	TestNo: **SW7470A**		Analysis Date: **8/24/2007**	SeqNo: **1071423**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 7470A_W

Sample ID: 07080866-03BMS	SampType: MS	TestCode: 7470A_W	Units: mg/L	Prep Date: 8/24/2007	RunNo: 90485
Client ID: RE105-87'	Batch ID: 30351	TestNo: SW7470A		Analysis Date: 8/24/2007	SeqNo: 1071423

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01000	0.00050	0.01	0	100	85	115				

Sample ID: 07080694-01BMSD	SampType: MSD	TestCode: 7470A_W	Units: mg/L	Prep Date: 8/24/2007	RunNo: 90485
Client ID:	Batch ID: 30351	TestNo: SW7470A		Analysis Date: 8/24/2007	SeqNo: 1071412

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01030	0.00050	0.01	0	103	85	115	0.01040	0.966	20	

Sample ID: 07080866-03BMSD	SampType: MSD	TestCode: 7470A_W	Units: mg/L	Prep Date: 8/24/2007	RunNo: 90485
Client ID: RE105-87'	Batch ID: 30351	TestNo: SW7470A		Analysis Date: 8/24/2007	SeqNo: 1071424

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.01020	0.00050	0.01	0	102	85	115	0.01000	1.98	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R90473** SampType: **MBLK** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071281**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	<1.0	1.0									
1,1,2,2-Tetrachloroethane	<1.0	1.0									
1,1,2-Trichloroethane	<1.0	1.0									
1,1-Dichloroethane	<1.0	1.0									
1,1-Dichloroethene	<1.0	1.0									
1,1-Dichloropropene	<1.0	1.0									
1,2,3-Trichlorobenzene	<2.0	2.0									
1,2,3-Trichloropropane	<2.0	2.0									
1,2,4-Trichlorobenzene	<2.0	2.0									
1,2,4-Trimethylbenzene	<1.0	1.0									
1,2-Dibromoethane	<1.0	1.0									
1,2-Dichlorobenzene	<1.0	1.0									
1,2-Dichloroethane	<1.0	1.0									
1,2-Dichloropropane	<1.0	1.0									
1,3,5-Trimethylbenzene	<1.0	1.0									
1,3-Dichlorobenzene	<1.0	1.0									
1,3-Dichloropropane	<1.0	1.0									
1,4-Dichlorobenzene	<1.0	1.0									
2,2-Dichloropropane	<2.0	2.0									
2-Butanone (MEK)	<5.0	5.0									
2-Chlorotoluene	<1.0	1.0									
2-Hexanone	<5.0	5.0									
4-Chlorotoluene	<1.0	1.0									
4-Isopropyltoluene	<1.0	1.0									
4-Methyl-2-pentanone	<5.0	5.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R90473** SampType: **MBLK** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071281**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	<20	20									
Benzene	<1.0	1.0									
Bromobenzene	<1.0	1.0									
Bromochloromethane	<1.0	1.0									
Bromodichloromethane	<1.0	1.0									
Bromoform	<1.0	1.0									
Bromomethane	<2.0	2.0									
Carbon tetrachloride	<1.0	1.0									
Chlorobenzene	<1.0	1.0									
Chloroethane	<1.0	1.0									
Chloroform	<1.0	1.0									
Chloromethane	<5.0	5.0									
cis-1,2-Dichloroethene	<1.0	1.0									
cis-1,3-Dichloropropene	<1.0	1.0									
Dibromochloromethane	<1.0	1.0									
Dichlorodifluoromethane	<1.0	1.0									
Ethylbenzene	<1.0	1.0									
m,p-Xylene	<2.0	2.0									
Methyl tert-butyl ether	<1.0	1.0									
Methylene chloride	<2.0	2.0									
n-Butylbenzene	<1.0	1.0									
n-Propylbenzene	<1.0	1.0									
o-Xylene	<1.0	1.0									
sec-Butylbenzene	<1.0	1.0									
Styrene	<1.0	1.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **MB-R90473** SampType: **MBLK** TestCode: **8260_W** Units: µg/L Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071281**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	<1.0	1.0									
Tetrachloroethene	<1.0	1.0									
Toluene	<1.0	1.0									
trans-1,2-Dichloroethene	<1.0	1.0									
trans-1,3-Dichloropropene	<1.0	1.0									
Trichloroethene	<1.0	1.0									
Trichlorofluoromethane	<1.0	1.0									
Vinyl acetate	<1.0	1.0									
Vinyl chloride	<1.0	1.0									
Surr: 4-Bromofluorobenzene	24.28	0	25	0	97.1	86.5	114				
Surr: Dibromofluoromethane	30.84	0	25	0	123	80.3	130				
Surr: Toluene-d8	24.95	0	25	0	99.8	88.4	111				

Sample ID: **LCS-R90473** SampType: **LCS** TestCode: **8260_W** Units: µg/L Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071291**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	26.80	1.0	25	0	107	72.5	131				
1,1,2,2-Tetrachloroethane	22.47	1.0	25	0	89.9	78.5	117				
1,1,2-Trichloroethane	24.80	1.0	25	0	99.2	78.2	120				
1,1-Dichloroethane	25.30	1.0	25	0	101	75.7	123				
1,1-Dichloroethene	24.43	1.0	25	0	97.7	76.1	127				
1,1-Dichloropropene	24.68	1.0	25	0	98.7	76.5	126				
1,2,3-Trichlorobenzene	23.37	2.0	25	0	93.5	67.7	131				
1,2,3-Trichloropropane	24.25	2.0	25	0	97.0	75.4	123				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R90473**	SampType: **LCS**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071291**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	23.31	2.0	25	0	93.2	69.8	126				
1,2,4-Trimethylbenzene	24.50	1.0	25	0	98.0	71.8	122				
1,2-Dibromoethane	24.14	1.0	25	0	96.6	78.9	124				
1,2-Dichlorobenzene	23.28	1.0	25	0	93.1	78	115				
1,2-Dichloroethane	27.82	1.0	25	0	111	64	137				
1,2-Dichloropropane	23.76	1.0	25	0	95.0	82.2	115				
1,3,5-Trimethylbenzene	24.95	1.0	25	0	99.8	74.5	121				
1,3-Dichlorobenzene	23.30	1.0	25	0	93.2	76.4	114				
1,3-Dichloropropane	24.90	1.0	25	0	99.6	78.4	119				
1,4-Dichlorobenzene	23.43	1.0	25	0	93.7	77.4	113				
2,2-Dichloropropane	26.40	2.0	25	0	106	69.6	128				
2-Butanone (MEK)	28.07	5.0	25	0	112	44.9	136				
2-Chlorotoluene	24.41	1.0	25	0	97.6	75	115				
2-Hexanone	26.86	5.0	25	0	107	51.7	133				
4-Chlorotoluene	24.88	1.0	25	0	99.5	75	117				
4-Isopropyltoluene	24.12	1.0	25	0	96.5	76	118				
4-Methyl-2-pentanone	25.26	5.0	25	0	101	74.9	124				
Acetone	28.43	20	25	0	114	27.5	150				
Benzene	24.11	1.0	25	0	96.4	75.9	124				
Bromobenzene	23.74	1.0	25	0	95.0	79.3	115				
Bromochloromethane	24.39	1.0	25	0	97.6	81.2	120				
Bromodichloromethane	25.86	1.0	25	0	103	75.8	123				
Bromoform	23.19	1.0	25	0	92.8	76.2	128				
Bromomethane	24.11	2.0	25	0	96.4	62.6	147				
Carbon tetrachloride	26.90	1.0	25	0	108	72	134				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R90473** SampType: **LCS** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071291**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	24.25	1.0	25	0	97.0	82.5	110				
Chloroethane	23.52	1.0	25	0	94.1	72.3	124				
Chloroform	26.55	1.0	25	0	106	74.6	122				
Chloromethane	24.06	5.0	25	0	96.2	63.8	125				
cis-1,2-Dichloroethene	23.83	1.0	25	0	95.3	78.9	119				
cis-1,3-Dichloropropene	24.60	1.0	25	0	98.4	81.3	120				
Dibromochloromethane	24.92	1.0	25	0	99.7	78	126				
Dichlorodifluoromethane	25.07	1.0	25	0	100	54.2	142				
Ethylbenzene	25.23	1.0	25	0	101	81.4	115				
m,p-Xylene	49.55	2.0	50	0	99.1	81.6	115				
Methyl tert-butyl ether	25.60	1.0	25	0	102	76.4	128				
Methylene chloride	23.07	2.0	25	0	92.3	73.3	118				
n-Butylbenzene	24.55	1.0	25	0	98.2	74.5	120				
n-Propylbenzene	24.58	1.0	25	0	98.3	76.9	117				
o-Xylene	24.81	1.0	25	0	99.2	79.3	119				
sec-Butylbenzene	24.79	1.0	25	0	99.2	77	120				
Styrene	25.16	1.0	25	0	101	80.8	119				
tert-Butylbenzene	23.75	1.0	25	0	95.0	75.6	120				
Tetrachloroethene	23.53	1.0	25	0	94.1	76.6	123				
Toluene	22.87	1.0	25	0	91.5	80.8	116				
trans-1,2-Dichloroethene	23.36	1.0	25	0	93.4	77.7	122				
trans-1,3-Dichloropropene	25.68	1.0	25	0	103	71.3	128				
Trichloroethene	24.08	1.0	25	0	96.3	80.7	115				
Trichlorofluoromethane	28.39	1.0	25	0	114	73.9	131				
Vinyl acetate	24.06	1.0	25	0	96.2	72.5	130				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCS-R90473**	SampType: **LCS**	TestCode: **8260_W**	Units: µg/L	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071291**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	23.06	1.0	25	0	92.2	74.4	126				
Surr: 4-Bromofluorobenzene	25.46	0	25	0	102	86.5	114				
Surr: Dibromofluoromethane	27.10	0	25	0	108	80.3	130				
Surr: Toluene-d8	25.19	0	25	0	101	88.4	111				

Sample ID: **LCSD-R90473**	SampType: **LCSD**	TestCode: **8260_W**	Units: µg/L	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071292**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	28.99	1.0	25	0	116	72.5	131	26.80	7.85	25	
1,1,2,2-Tetrachloroethane	24.92	1.0	25	0	99.7	78.5	117	22.47	10.3	25	
1,1,2-Trichloroethane	25.97	1.0	25	0	104	78.2	120	24.80	4.61	25	
1,1-Dichloroethane	27.16	1.0	25	0	109	75.7	123	25.30	7.09	25	
1,1-Dichloroethene	26.78	1.0	25	0	107	76.1	127	24.43	9.18	25	
1,1-Dichloropropene	25.85	1.0	25	0	103	76.5	126	24.68	4.63	25	
1,2,3-Trichlorobenzene	26.25	2.0	25	0	105	67.7	131	23.37	11.6	25	
1,2,3-Trichloropropane	26.81	2.0	25	0	107	75.4	123	24.25	10.0	25	
1,2,4-Trichlorobenzene	25.22	2.0	25	0	101	69.8	126	23.31	7.87	25	
1,2,4-Trimethylbenzene	25.67	1.0	25	0	103	71.8	122	24.50	4.66	25	
1,2-Dibromoethane	26.07	1.0	25	0	104	78.9	124	24.14	7.69	25	
1,2-Dichlorobenzene	24.34	1.0	25	0	97.4	78	115	23.28	4.45	25	
1,2-Dichloroethane	30.57	1.0	25	0	122	64	137	27.82	9.42	25	
1,2-Dichloropropane	24.63	1.0	25	0	98.5	82.2	115	23.76	3.60	25	
1,3,5-Trimethylbenzene	26.10	1.0	25	0	104	74.5	121	24.95	4.51	25	
1,3-Dichlorobenzene	24.96	1.0	25	0	99.8	76.4	114	23.30	6.88	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCSD-R90473**	SampType: **LCSD**	TestCode: **8260_W**	Units: µg/L	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071292**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichloropropane	26.34	1.0	25	0	105	78.4	119	24.90	5.62	25	
1,4-Dichlorobenzene	24.94	1.0	25	0	99.8	77.4	113	23.43	6.24	25	
2,2-Dichloropropane	27.20	2.0	25	0	109	69.6	128	26.40	2.99	25	
2-Butanone (MEK)	26.27	5.0	25	0	105	44.9	136	28.07	6.62	25	
2-Chlorotoluene	25.84	1.0	25	0	103	75	115	24.41	5.69	25	
2-Hexanone	24.47	5.0	25	0	97.9	51.7	133	26.86	9.31	25	
4-Chlorotoluene	26.29	1.0	25	0	105	75	117	24.88	5.51	25	
4-Isopropyltoluene	26.00	1.0	25	0	104	76	118	24.12	7.50	25	
4-Methyl-2-pentanone	26.24	5.0	25	0	105	74.9	124	25.26	3.81	25	
Acetone	22.48	20	25	0	89.9	27.5	150	28.43	23.4	25	
Benzene	25.62	1.0	25	0	102	75.9	124	24.11	6.07	25	
Bromobenzene	25.21	1.0	25	0	101	79.3	115	23.74	6.01	25	
Bromochloromethane	26.70	1.0	25	0	107	81.2	120	24.39	9.04	25	
Bromodichloromethane	27.22	1.0	25	0	109	75.8	123	25.86	5.12	25	
Bromoform	24.04	1.0	25	0	96.2	76.2	128	23.19	3.60	25	
Bromomethane	28.79	2.0	25	0	115	62.6	147	24.11	17.7	25	
Carbon tetrachloride	29.16	1.0	25	0	117	72	134	26.90	8.06	25	
Chlorobenzene	24.62	1.0	25	0	98.5	82.5	110	24.25	1.51	25	
Chloroethane	23.75	1.0	25	0	95.0	72.3	124	23.52	0.973	25	
Chloroform	28.26	1.0	25	0	113	74.6	122	26.55	6.24	25	
Chloromethane	27.07	5.0	25	0	108	63.8	125	24.06	11.8	25	
cis-1,2-Dichloroethene	25.31	1.0	25	0	101	78.9	119	23.83	6.02	25	
cis-1,3-Dichloropropene	25.49	1.0	25	0	102	81.3	120	24.60	3.55	25	
Dibromochloromethane	26.54	1.0	25	0	106	78	126	24.92	6.30	25	
Dichlorodifluoromethane	25.72	1.0	25	0	103	54.2	142	25.07	2.56	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **LCSD-R90473**	SampType: **LCSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071292**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethylbenzene	25.63	1.0	25	0	103	81.4	115	25.23	1.57	25	
m,p-Xylene	50.60	2.0	50	0	101	81.6	115	49.55	2.10	25	
Methyl tert-butyl ether	28.55	1.0	25	0	114	76.4	128	25.60	10.9	25	
Methylene chloride	23.96	2.0	25	0	95.8	73.3	118	23.07	3.78	25	
n-Butylbenzene	25.74	1.0	25	0	103	74.5	120	24.55	4.73	25	
n-Propylbenzene	25.68	1.0	25	0	103	76.9	117	24.58	4.38	25	
o-Xylene	25.30	1.0	25	0	101	79.3	119	24.81	1.96	25	
sec-Butylbenzene	26.08	1.0	25	0	104	77	120	24.79	5.07	25	
Styrene	25.31	1.0	25	0	101	80.8	119	25.16	0.594	25	
tert-Butylbenzene	25.56	1.0	25	0	102	75.6	120	23.75	7.34	25	
Tetrachloroethene	24.13	1.0	25	0	96.5	76.6	123	23.53	2.52	25	
Toluene	22.65	1.0	25	0	90.6	80.8	116	22.87	0.967	25	
trans-1,2-Dichloroethene	25.29	1.0	25	0	101	77.7	122	23.36	7.93	25	
trans-1,3-Dichloropropene	27.24	1.0	25	0	109	71.3	128	25.68	5.90	25	
Trichloroethene	24.98	1.0	25	0	99.9	80.7	115	24.08	3.67	25	
Trichlorofluoromethane	30.59	1.0	25	0	122	73.9	131	28.39	7.46	25	
Vinyl acetate	26.33	1.0	25	0	105	72.5	130	24.06	9.01	25	
Vinyl chloride	23.65	1.0	25	0	94.6	74.4	126	23.06	2.53	25	
Surr: 4-Bromofluorobenzene	25.29	0	25	0	101	86.5	114	25.46	0	0	
Surr: Dibromofluoromethane	28.35	0	25	0	113	80.3	130	27.10	0	0	
Surr: Toluene-d8	24.89	0	25	0	99.6	88.4	111	25.19	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080823-01D MS** SampType: **MS** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071293**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	28.30	1.0	25	0	113	73.1	130				
1,1,2,2-Tetrachloroethane	23.42	1.0	25	0	93.7	74.8	112				
1,1,2-Trichloroethane	24.28	1.0	25	0	97.1	73.9	115				
1,1-Dichloroethane	26.17	1.0	25	0	105	74.8	121				
1,1-Dichloroethene	26.97	1.0	25	0	108	73.3	134				
1,1-Dichloropropene	26.18	1.0	25	0	105	71.7	131				
1,2,3-Trichlorobenzene	24.45	2.0	25	0	97.8	64.7	129				
1,2,3-Trichloropropane	24.66	2.0	25	0	98.6	71.5	117				
1,2,4-Trichlorobenzene	24.07	2.0	25	0	96.3	66.2	125				
1,2,4-Trimethylbenzene	24.56	1.0	25	0	98.2	67.1	122				
1,2-Dibromoethane	24.46	1.0	25	0	97.8	75.4	118				
1,2-Dichlorobenzene	23.26	1.0	25	0	93.0	73.8	113				
1,2-Dichloroethane	28.07	1.0	25	0	112	60.7	132				
1,2-Dichloropropane	23.14	1.0	25	0	92.6	78.4	113				
1,3,5-Trimethylbenzene	25.37	1.0	25	0	101	70.5	121				
1,3-Dichlorobenzene	23.35	1.0	25	0	93.4	72.4	113				
1,3-Dichloropropane	24.61	1.0	25	0	98.4	74.6	114				
1,4-Dichlorobenzene	23.78	1.0	25	0	95.1	72.7	112				
2,2-Dichloropropane	25.34	2.0	25	0	101	57.2	141				
2-Butanone (MEK)	22.05	5.0	25	0	88.2	39	131				
2-Chlorotoluene	24.63	1.0	25	0	98.5	70.4	116				
2-Hexanone	22.57	5.0	25	0	90.3	50.1	119				
4-Chlorotoluene	25.18	1.0	25	0	101	70.6	116				
4-Isopropyltoluene	24.82	1.0	25	0	99.3	61.8	130				
4-Methyl-2-pentanone	24.19	5.0	25	0	96.8	71.2	118				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080823-01D MS** SampType: **MS** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071293**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	<20	20	25	0	61.4	26.4	126				E4
Benzene	24.64	1.0	25	0	98.6	69.3	128				
Bromobenzene	23.87	1.0	25	0	95.5	75.2	113				
Bromochloromethane	25.20	1.0	25	0	101	77.3	117				
Bromodichloromethane	25.69	1.0	25	0	103	73.6	118				
Bromoform	19.46	1.0	25	0	77.8	72.9	119				
Bromomethane	27.30	2.0	25	0	109	61.8	146				
Carbon tetrachloride	28.52	1.0	25	0	114	73.5	134				
Chlorobenzene	24.20	1.0	25	0	96.8	78.4	109				
Chloroethane	24.03	1.0	25	0	96.1	71.8	126				
Chloroform	28.88	1.0	25	0	116	72.9	120				
Chloromethane	26.55	5.0	25	0	106	62.7	127				
cis-1,2-Dichloroethene	24.66	1.0	25	0	98.6	57.8	138				
cis-1,3-Dichloropropene	24.01	1.0	25	0	96.0	76.9	116				
Dibromochloromethane	24.87	1.0	25	0	99.5	74.1	121				
Dichlorodifluoromethane	27.09	1.0	25	0	108	52.9	148				
Ethylbenzene	25.49	1.0	25	0	102	77.2	116				
m,p-Xylene	50.23	2.0	50	0	100	77.8	115				
Methyl tert-butyl ether	26.36	1.0	25	0	105	69.1	128				
Methylene chloride	23.27	2.0	25	0	93.1	71.5	114				
n-Butylbenzene	24.93	1.0	25	0	99.7	68.3	126				
n-Propylbenzene	25.22	1.0	25	0	101	71.6	121				
o-Xylene	25.09	1.0	25	0	100	65.1	126				
sec-Butylbenzene	25.25	1.0	25	0	101	73.1	124				
Styrene	24.59	1.0	25	0	98.4	50.2	132				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080823-01D MS**	SampType: **MS**	TestCode: **8260_W**	Units: µg/L	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071293**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	25.13	1.0	25	0	101	72.8	121				
Tetrachloroethene	28.10	1.0	25	5.160	91.8	73.8	126				
Toluene	22.82	1.0	25	0	91.3	75.6	119				
trans-1,2-Dichloroethene	24.18	1.0	25	0	96.7	76.8	123				
trans-1,3-Dichloropropene	24.74	1.0	25	0	99.0	67.8	121				
Trichloroethene	27.75	1.0	25	2.990	99.0	65.2	130				
Trichlorofluoromethane	30.57	1.0	25	0	122	75.2	136				
Vinyl acetate	23.10	1.0	25	0	92.4	52.9	134				
Vinyl chloride	24.49	1.0	25	0	98.0	64.6	140				
Surr: 4-Bromofluorobenzene	25.67	0	25	0	103	86.5	114				
Surr: Dibromofluoromethane	27.81	0	25	0	111	80.3	130				
Surr: Toluene-d8	25.01	0	25	0	100	88.4	111				

Sample ID: **07080823-01D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: µg/L	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071294**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	27.82	1.0	25	0	111	73.1	130	28.30	1.71	25	
1,1,2,2-Tetrachloroethane	21.58	1.0	25	0	86.3	74.8	112	23.42	8.18	25	
1,1,2-Trichloroethane	23.58	1.0	25	0	94.3	73.9	115	24.28	2.93	25	
1,1-Dichloroethane	25.83	1.0	25	0	103	74.8	121	26.17	1.31	25	
1,1-Dichloroethene	26.63	1.0	25	0	107	73.3	134	26.97	1.27	25	
1,1-Dichloropropene	25.18	1.0	25	0	101	71.7	131	26.18	3.89	25	
1,2,3-Trichlorobenzene	22.29	2.0	25	0	89.2	64.7	129	24.45	9.24	25	
1,2,3-Trichloropropane	22.44	2.0	25	0	89.8	71.5	117	24.66	9.43	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080823-01D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: µg/L	Prep Date:	RunNo: **90473**
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**	SeqNo: **1071294**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	21.47	2.0	25	0	85.9	66.2	125	24.07	11.4	25	
1,2,4-Trimethylbenzene	22.52	1.0	25	0	90.1	67.1	122	24.56	8.67	25	
1,2-Dibromoethane	23.08	1.0	25	0	92.3	75.4	118	24.46	5.81	25	
1,2-Dichlorobenzene	20.97	1.0	25	0	83.9	73.8	113	23.26	10.4	25	
1,2-Dichloroethane	28.22	1.0	25	0	113	60.7	132	28.07	0.533	25	
1,2-Dichloropropane	23.44	1.0	25	0	93.8	78.4	113	23.14	1.29	25	
1,3,5-Trimethylbenzene	23.22	1.0	25	0	92.9	70.5	121	25.37	8.85	25	
1,3-Dichlorobenzene	21.43	1.0	25	0	85.7	72.4	113	23.35	8.58	25	
1,3-Dichloropropane	24.07	1.0	25	0	96.3	74.6	114	24.61	2.22	25	
1,4-Dichlorobenzene	21.67	1.0	25	0	86.7	72.7	112	23.78	9.28	25	
2,2-Dichloropropane	24.49	2.0	25	0	98.0	57.2	141	25.34	3.41	25	
2-Butanone (MEK)	20.48	5.0	25	0	81.9	39	131	22.05	7.38	25	
2-Chlorotoluene	22.47	1.0	25	0	89.9	70.4	116	24.63	9.17	25	
2-Hexanone	21.65	5.0	25	0	86.6	50.1	119	22.57	4.16	25	
4-Chlorotoluene	23.17	1.0	25	0	92.7	70.6	116	25.18	8.31	25	
4-Isopropyltoluene	21.27	1.0	25	0	85.1	61.8	130	24.82	15.4	25	
4-Methyl-2-pentanone	23.50	5.0	25	0	94.0	71.2	118	24.19	2.89	25	
Acetone	<20	20	25	0	60.6	26.4	126	15.35	1.25	25	E4
Benzene	24.16	1.0	25	0	96.6	69.3	128	24.64	1.97	25	
Bromobenzene	22.30	1.0	25	0	89.2	75.2	113	23.87	6.80	25	
Bromochloromethane	24.68	1.0	25	0	98.7	77.3	117	25.20	2.08	25	
Bromodichloromethane	25.15	1.0	25	0	101	73.6	118	25.69	2.12	25	
Bromoform	23.15	1.0	25	0	92.6	72.9	119	19.46	17.3	25	
Bromomethane	27.17	2.0	25	0	109	61.8	146	27.30	0.477	25	
Carbon tetrachloride	28.58	1.0	25	0	114	73.5	134	28.52	0.210	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080823-01D MSD** SampType: **MSD** TestCode: **8260_W** Units: **µg/L** Prep Date: RunNo: **90473**
Client ID: Batch ID: **R90473** TestNo: **SW8260B** Analysis Date: **8/24/2007** SeqNo: **1071294**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	23.55	1.0	25	0	94.2	78.4	109	24.20	2.72	25	
Chloroethane	23.28	1.0	25	0	93.1	71.8	126	24.03	3.17	25	
Chloroform	28.36	1.0	25	0	113	72.9	120	28.88	1.82	25	
Chloromethane	24.26	5.0	25	0	97.0	62.7	127	26.55	9.01	25	
cis-1,2-Dichloroethene	24.53	1.0	25	0	98.1	57.8	138	24.66	0.529	25	
cis-1,3-Dichloropropene	23.44	1.0	25	0	93.8	76.9	116	24.01	2.40	25	
Dibromochloromethane	24.39	1.0	25	0	97.6	74.1	121	24.87	1.95	25	
Dichlorodifluoromethane	25.45	1.0	25	0	102	52.9	148	27.09	6.24	25	
Ethylbenzene	24.78	1.0	25	0	99.1	77.2	116	25.49	2.82	25	
m,p-Xylene	49.20	2.0	50	0	98.4	77.8	115	50.23	2.07	25	
Methyl tert-butyl ether	25.61	1.0	25	0	102	69.1	128	26.36	2.89	25	
Methylene chloride	21.98	2.0	25	0	87.9	71.5	114	23.27	5.70	25	
n-Butylbenzene	22.77	1.0	25	0	91.1	68.3	126	24.93	9.06	25	
n-Propylbenzene	22.89	1.0	25	0	91.6	71.6	121	25.22	9.69	25	
o-Xylene	24.45	1.0	25	0	97.8	65.1	126	25.09	2.58	25	
sec-Butylbenzene	22.99	1.0	25	0	92.0	73.1	124	25.25	9.37	25	
Styrene	23.60	1.0	25	0	94.4	50.2	132	24.59	4.11	25	
tert-Butylbenzene	22.80	1.0	25	0	91.2	72.8	121	25.13	9.72	25	
Tetrachloroethene	27.28	1.0	25	5.160	88.5	73.8	126	28.10	2.96	25	
Toluene	21.88	1.0	25	0	87.5	75.6	119	22.82	4.21	25	
trans-1,2-Dichloroethene	24.07	1.0	25	0	96.3	76.8	123	24.18	0.456	25	
trans-1,3-Dichloropropene	24.42	1.0	25	0	97.7	67.8	121	24.74	1.30	25	
Trichloroethene	26.54	1.0	25	2.990	94.2	65.2	130	27.75	4.46	25	
Trichlorofluoromethane	30.22	1.0	25	0	121	75.2	136	30.57	1.15	25	
Vinyl acetate	22.37	1.0	25	0	89.5	52.9	134	23.10	3.21	25	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID: **07080823-01D MSD**	SampType: **MSD**	TestCode: **8260_W**	Units: **µg/L**	Prep Date:			RunNo: **90473**			
Client ID:	Batch ID: **R90473**	TestNo: **SW8260B**		Analysis Date: **8/24/2007**			SeqNo: **1071294**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	23.05	1.0	25	0	92.2	64.6	140	24.49	6.06	25	
Surr: 4-Bromofluorobenzene	25.47	0	25	0	102	86.5	114	25.67	0	0	
Surr: Dibromofluoromethane	28.20	0	25	0	113	80.3	130	27.81	0	0	
Surr: Toluene-d8	24.74	0	25	0	99.0	88.4	111	25.01	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30371**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071983**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	<10	10									
1,2-Dichlorobenzene	<10	10									
1,2-Diphenylhydrazine (As Azobenzene)	<10	10									
1,3-Dichlorobenzene	<10	10									
1,4-Dichlorobenzene	<10	10									
2,4,5-Trichlorophenol	<20	20									
2,4,6-Trichlorophenol	<20	20									
2,4-Dichlorophenol	<10	10									
2,4-Dimethylphenol	<10	10									
2,4-Dinitrophenol	<50	50									
2,4-Dinitrotoluene	<10	10									
2,6-Dinitrotoluene	<10	10									
2-Chloronaphthalene	<10	10									
2-Chlorophenol	<10	10									
2-Methylnaphthalene	<10	10									
2-Methylphenol	<10	10									
2-Nitroaniline	<10	10									
2-Nitrophenol	<15	15									
3 & 4-Methylphenol	<10	10									
3,3'-Dichlorobenzidine	<10	10									
3-Nitroaniline	<10	10									
4,6-Dinitro-2-methylphenol	<50	50									
4-Bromophenyl phenyl ether	<10	10									
4-Chloro-3-methylphenol	<10	10									
4-Chloroaniline	<10	10									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30371**	SampType: **MBLK**	TestCode: **8270_w**	Units: µg/L	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071983**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	<10	10									
4-Nitroaniline	<10	10									
4-Nitrophenol	<25	25									
Acenaphthene	<10	10									
Acenaphthylene	<10	10									
Anthracene	<10	10									
Benz(a)anthracene	<10	10									
Benzo(a)pyrene	<10	10									
Benzo(b)fluoranthene	<10	10									
Benzo(g,h,i)perylene	<10	10									
Benzo(k)fluoranthene	<10	10									
Benzoic acid	<25	25									
Benzyl alcohol	<10	10									
Bis(2-chloroethoxy)methane	<10	10									
Bis(2-chloroethyl)ether	<10	10									
Bis(2-chloroisopropyl)ether	<10	10									
Bis(2-ethylhexyl)phthalate	<5.0	5.0									
Butyl benzyl phthalate	<10	10									
Chrysene	<10	10									
Dibenz(a,h)anthracene	<10	10									
Dibenzofuran	<10	10									
Diethyl phthalate	<10	10									
Dimethyl phthalate	<20	20									
Di-n-butyl phthalate	<10	10									
Di-n-octyl phthalate	<10	10									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **MB-30371**	SampType: **MBLK**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071983**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	<10	10									
Fluorene	<10	10									
Hexachlorobenzene	<10	10									
Hexachlorobutadiene	<10	10									
Hexachlorocyclopentadiene	<10	10									
Hexachloroethane	<10	10									
Indeno(1,2,3-cd)pyrene	<10	10									
Isophorone	<10	10									
Naphthalene	<10	10									
Nitrobenzene	<10	10									
N-Nitrosodi-n-propylamine	<10	10									
N-Nitrosodiphenylamine	<10	10									
Pentachlorophenol	<50	50									
Phenanthrene	<10	10									
Phenol	<10	10									
Pyrene	<10	10									
Surr: 2,4,6-Tribromophenol	48.24	0	100	0	48.2	41.8	98.4				
Surr: 2-Fluorobiphenyl	58.32	0	100	0	58.3	29.9	104				
Surr: 2-Fluorophenol	25.68	0	100	0	25.7	20.3	63.7				
Surr: 4-Terphenyl-d14	23.94	0	100	0	23.9	17.7	60.2				
Surr: Nitrobenzene-d5	68.96	0	100	0	69.0	33.5	109				
Surr: Phenol-d6	18.16	0	100	0	18.2	13.4	46.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30371**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071984**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	65.18	10	120	0	54.3	22.6	91.1				
1,2-Dichlorobenzene	41.64	10	80	0	52.0	17.2	85.6				
1,2-Diphenylhydrazine (As Azobenzene)	53.52	10	80	0	66.9	36.1	114				
1,3-Dichlorobenzene	38.52	10	80	0	48.2	13.9	78.8				
1,4-Dichlorobenzene	39.78	10	80	0	49.7	15.6	80.8				
2,4,5-Trichlorophenol	43.00	20	80	0	53.8	46.2	94.1				
2,4,6-Trichlorophenol	43.30	20	80	0	54.1	45	98				
2,4-Dichlorophenol	44.98	10	80	0	56.2	43.1	93				
2,4-Dimethylphenol	44.24	10	80	0	55.3	41.6	89.3				
2,4-Dinitrophenol	<50	50	120	0	38.8	41.7	105				N1
2,4-Dinitrotoluene	58.06	10	80	0	72.6	36.4	122				
2,6-Dinitrotoluene	53.28	10	80	0	66.6	34.6	118				
2-Chloronaphthalene	74.06	10	120	0	61.7	32.2	105				
2-Chlorophenol	42.66	10	80	0	53.3	39.5	86.6				
2-Methylnaphthalene	51.70	10	80	0	64.6	29.1	100				
2-Methylphenol	38.78	10	80	0	48.5	34.2	84.2				
2-Nitroaniline	54.26	10	80	0	67.8	31	130				
2-Nitrophenol	41.60	15	80	0	52.0	40.8	99.1				
3 & 4-Methylphenol	34.50	10	80	0	43.1	18.5	96.8				
3,3'-Dichlorobenzidine	54.16	10	80	0	67.7	36.1	111				
3-Nitroaniline	55.06	10	80	0	68.8	30.8	117				
4,6-Dinitro-2-methylphenol	60.50	50	120	0	50.4	42.5	105				
4-Bromophenyl phenyl ether	49.00	10	80	0	61.2	33.2	104				
4-Chloro-3-methylphenol	47.48	10	80	0	59.4	42.2	96.5				
4-Chloroaniline	56.12	10	80	0	70.2	24.1	124				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30371**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071984**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	50.66	10	80	0	63.3	32.9	103				
4-Nitroaniline	56.82	10	80	0	71.0	33.8	119				
4-Nitrophenol	<25	25	120	0	20.6	20.8	56.9				N1
Acenaphthene	53.94	10	80	0	67.4	34.7	114				
Acenaphthylene	52.72	10	80	0	65.9	35.7	111				
Anthracene	56.60	10	80	0	70.8	37.1	116				
Benz(a)anthracene	55.96	10	80	0	70.0	39.7	115				
Benzo(a)pyrene	54.56	10	80	0	68.2	38.6	113				
Benzo(b)fluoranthene	51.60	10	80	0	64.5	35.6	107				
Benzo(g,h,i)perylene	59.08	10	80	0	73.8	34.4	128				
Benzo(k)fluoranthene	56.32	10	80	0	70.4	39.9	115				
Benzoic acid	<25	25	200	0	3.16	15.6	46.2				L2
Benzyl alcohol	48.42	10	80	0	60.5	29.8	98.2				
Bis(2-chloroethoxy)methane	52.70	10	80	0	65.9	31.8	102				
Bis(2-chloroethyl)ether	44.52	10	80	0	55.6	30.2	102				
Bis(2-chloroisopropyl)ether	47.64	10	80	0	59.6	29.2	97.2				
Bis(2-ethylhexyl)phthalate	52.66	5.0	80	0	65.8	35	104				
Butyl benzyl phthalate	41.24	10	80	0	51.6	31.3	99.3				
Chrysene	57.54	10	80	0	71.9	39.9	117				
Dibenz(a,h)anthracene	57.72	10	80	0	72.2	33.4	124				
Dibenzofuran	55.96	10	80	0	70.0	35.5	114				
Diethyl phthalate	26.94	10	80	0	33.7	19.9	85.7				
Dimethyl phthalate	<20	20	120	0	6.45	16.7	65.2				L2
Di-n-butyl phthalate	48.04	10	80	0	60.0	33.4	105				
Di-n-octyl phthalate	49.74	10	80	0	62.2	33.2	102				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCS-30371**	SampType: **LCS**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071984**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	59.86	10	80	0	74.8	39.5	119				
Fluorene	56.26	10	80	0	70.3	36.3	117				
Hexachlorobenzene	54.68	10	80	0	68.4	37	114				
Hexachlorobutadiene	35.76	10	80	0	44.7	12.5	73				
Hexachlorocyclopentadiene	27.56	10	80	0	34.5	12.5	73.1				
Hexachloroethane	50.60	10	120	0	42.2	13.5	71.3				
Indeno(1,2,3-cd)pyrene	59.04	10	80	0	73.8	35.2	129				
Isophorone	50.72	10	80	0	63.4	35.7	111				
Naphthalene	52.60	10	80	0	65.8	28.2	107				
Nitrobenzene	54.08	10	80	0	67.6	33.6	111				
N-Nitrosodi-n-propylamine	51.28	10	80	0	64.1	30.3	102				
N-Nitrosodiphenylamine	45.44	10	80	0	56.8	31.9	96.4				
Pentachlorophenol	67.98	50	120	0	56.6	41.7	110				
Phenanthrene	57.14	10	80	0	71.4	38.2	117				
Phenol	18.14	10	80	0	22.7	13.6	55.4				
Pyrene	56.78	10	80	0	71.0	39	116				
Surr: 2,4,6-Tribromophenol	55.92	0	100	0	55.9	41.8	98.4				
Surr: 2-Fluorobiphenyl	60.06	0	100	0	60.1	29.9	104				
Surr: 2-Fluorophenol	29.82	0	100	0	29.8	20.3	63.7				
Surr: 4-Terphenyl-d14	23.64	0	100	0	23.6	17.7	60.2				
Surr: Nitrobenzene-d5	67.30	0	100	0	67.3	33.5	109				
Surr: Phenol-d6	21.14	0	100	0	21.1	13.4	46.5				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30371**	SampType: **LCSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071985**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	59.48	10	120	0	49.6	22.6	91.1	65.18	9.14	35	
1,2-Dichlorobenzene	38.44	10	80	0	48.0	17.2	85.6	41.64	7.99	35	
1,2-Diphenylhydrazine (As Azobenzene)	55.88	10	80	0	69.8	36.1	114	53.52	4.31	35	
1,3-Dichlorobenzene	35.14	10	80	0	43.9	13.9	78.8	38.52	9.18	35	
1,4-Dichlorobenzene	36.24	10	80	0	45.3	15.6	80.8	39.78	9.31	35	
2,4,5-Trichlorophenol	48.06	20	80	0	60.1	46.2	94.1	43.00	11.1	35	
2,4,6-Trichlorophenol	51.10	20	80	0	63.9	45	98	43.30	16.5	35	
2,4-Dichlorophenol	49.28	10	80	0	61.6	43.1	93	44.98	9.12	35	
2,4-Dimethylphenol	44.74	10	80	0	55.9	41.6	89.3	44.24	1.12	35	
2,4-Dinitrophenol	66.12	50	120	0	55.1	41.7	105	46.52	34.8	35	
2,4-Dinitrotoluene	54.38	10	80	0	68.0	36.4	122	58.06	6.55	35	
2,6-Dinitrotoluene	53.00	10	80	0	66.2	34.6	118	53.28	0.527	35	
2-Chloronaphthalene	74.22	10	120	0	61.8	32.2	105	74.06	0.216	35	
2-Chlorophenol	45.02	10	80	0	56.3	39.5	86.6	42.66	5.38	35	
2-Methylnaphthalene	47.98	10	80	0	60.0	29.1	100	51.70	7.46	35	
2-Methylphenol	40.42	10	80	0	50.5	34.2	84.2	38.78	4.14	35	
2-Nitroaniline	54.44	10	80	0	68.0	31	130	54.26	0.331	35	
2-Nitrophenol	48.12	15	80	0	60.2	40.8	99.1	41.60	14.5	35	
3 & 4-Methylphenol	37.50	10	80	0	46.9	18.5	96.8	34.50	8.33	35	
3,3'-Dichlorobenzidine	57.32	10	80	0	71.6	36.1	111	54.16	5.67	35	
3-Nitroaniline	53.14	10	80	0	66.4	30.8	117	55.06	3.55	35	
4,6-Dinitro-2-methylphenol	77.28	50	120	0	64.4	42.5	105	60.50	24.4	35	
4-Bromophenyl phenyl ether	50.70	10	80	0	63.4	33.2	104	49.00	3.41	35	
4-Chloro-3-methylphenol	48.98	10	80	0	61.2	42.2	96.5	47.48	3.11	35	
4-Chloroaniline	54.00	10	80	0	67.5	24.1	124	56.12	3.85	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30371**	SampType: **LCSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071985**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	48.96	10	80	0	61.2	32.9	103	50.66	3.41	35	
4-Nitroaniline	53.58	10	80	0	67.0	33.8	119	56.82	5.87	35	
4-Nitrophenol	30.76	25	120	0	25.6	20.8	56.9	24.66	22.0	35	
Acenaphthene	53.60	10	80	0	67.0	34.7	114	53.94	0.632	35	
Acenaphthylene	52.10	10	80	0	65.1	35.7	111	52.72	1.18	35	
Anthracene	55.84	10	80	0	69.8	37.1	116	56.60	1.35	35	
Benz(a)anthracene	56.50	10	80	0	70.6	39.7	115	55.96	0.960	35	
Benzo(a)pyrene	53.94	10	80	0	67.4	38.6	113	54.56	1.14	35	
Benzo(b)fluoranthene	50.66	10	80	0	63.3	35.6	107	51.60	1.84	35	
Benzo(g,h,i)perylene	55.70	10	80	0	69.6	34.4	128	59.08	5.89	35	
Benzo(k)fluoranthene	54.52	10	80	0	68.2	39.9	115	56.32	3.25	35	
Benzoic acid	27.96	25	200	0	14.0	15.6	46.2	6.320	126	35	L2R9
Benzyl alcohol	49.14	10	80	0	61.4	29.8	98.2	48.42	1.48	35	
Bis(2-chloroethoxy)methane	49.66	10	80	0	62.1	31.8	102	52.70	5.94	35	
Bis(2-chloroethyl)ether	43.54	10	80	0	54.4	30.2	102	44.52	2.23	35	
Bis(2-chloroisopropyl)ether	45.80	10	80	0	57.2	29.2	97.2	47.64	3.94	35	
Bis(2-ethylhexyl)phthalate	50.04	5.0	80	0	62.6	35	104	52.66	5.10	35	
Butyl benzyl phthalate	39.68	10	80	0	49.6	31.3	99.3	41.24	3.86	35	
Chrysene	58.68	10	80	0	73.4	39.9	117	57.54	1.96	35	
Dibenz(a,h)anthracene	56.12	10	80	0	70.2	33.4	124	57.72	2.81	35	
Dibenzofuran	54.46	10	80	0	68.1	35.5	114	55.96	2.72	35	
Diethyl phthalate	25.72	10	80	0	32.2	19.9	85.7	26.94	4.63	35	
Dimethyl phthalate	<20	20	120	0	0	16.7	65.2	7.740	0	35	L2
Di-n-butyl phthalate	46.34	10	80	0	57.9	33.4	105	48.04	3.60	35	
Di-n-octyl phthalate	45.10	10	80	0	56.4	33.2	102	49.74	9.78	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **LCSD-30371**	SampType: **LCSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID:	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071985**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	57.40	10	80	0	71.8	39.5	119	59.86	4.20	35	
Fluorene	54.28	10	80	0	67.8	36.3	117	56.26	3.58	35	
Hexachlorobenzene	55.02	10	80	0	68.8	37	114	54.68	0.620	35	
Hexachlorobutadiene	32.62	10	80	0	40.8	12.5	73	35.76	9.18	35	
Hexachlorocyclopentadiene	29.62	10	80	0	37.0	12.5	73.1	27.56	7.21	35	
Hexachloroethane	48.14	10	120	0	40.1	13.5	71.3	50.60	4.98	35	
Indeno(1,2,3-cd)pyrene	55.94	10	80	0	69.9	35.2	129	59.04	5.39	35	
Isophorone	47.94	10	80	0	59.9	35.7	111	50.72	5.64	35	
Naphthalene	49.54	10	80	0	61.9	28.2	107	52.60	5.99	35	
Nitrobenzene	52.04	10	80	0	65.0	33.6	111	54.08	3.84	35	
N-Nitrosodi-n-propylamine	48.26	10	80	0	60.3	30.3	102	51.28	6.07	35	
N-Nitrosodiphenylamine	46.80	10	80	0	58.5	31.9	96.4	45.44	2.95	35	
Pentachlorophenol	82.94	50	120	0	69.1	41.7	110	67.98	19.8	35	
Phenanthrene	58.34	10	80	0	72.9	38.2	117	57.14	2.08	35	
Phenol	19.98	10	80	0	25.0	13.6	55.4	18.14	9.65	35	
Pyrene	57.60	10	80	0	72.0	39	116	56.78	1.43	35	
Surr: 2,4,6-Tribromophenol	65.06	0	100	0	65.1	41.8	98.4	55.92	0	0	
Surr: 2-Fluorobiphenyl	61.30	0	100	0	61.3	29.9	104	60.06	0	0	
Surr: 2-Fluorophenol	33.90	0	100	0	33.9	20.3	63.7	29.82	0	0	
Surr: 4-Terphenyl-d14	22.52	0	100	0	22.5	17.7	60.2	23.64	0	0	
Surr: Nitrobenzene-d5	63.50	0	100	0	63.5	33.5	109	67.30	0	0	
Surr: Phenol-d6	23.52	0	100	0	23.5	13.4	46.5	21.14	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MS** SampType: **MS** TestCode: **8270_w** Units: µg/L Prep Date: **8/27/2007** RunNo: **90532**
Client ID: **RE105-92'** Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071987**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	74.93	11	136.4	0	55.0	41.3	86.6				
1,2-Dichlorobenzene	47.25	11	90.91	0	52.0	36.2	82.5				
1,2-Diphenylhydrazine (As Azobenzene)	63.70	11	90.91	0	70.1	56.5	98.6				
1,3-Dichlorobenzene	44.77	11	90.91	0	49.3	32.3	77.5				
1,4-Dichlorobenzene	46.23	11	90.91	0	50.9	33.2	80.9				
2,4,5-Trichlorophenol	61.98	23	90.91	0	68.2	50	92.8				
2,4,6-Trichlorophenol	63.75	23	90.91	0	70.1	54.7	89.6				
2,4-Dichlorophenol	64.20	11	90.91	0	70.6	44.6	92.1				
2,4-Dimethylphenol	57.89	11	90.91	0	63.7	12.5	96.6				
2,4-Dinitrophenol	71.64	57	136.4	0	52.5	41.7	124				
2,4-Dinitrotoluene	66.77	11	90.91	0	73.5	58.2	107				
2,6-Dinitrotoluene	63.82	11	90.91	0	70.2	58.7	97.3				
2-Chloronaphthalene	88.11	11	136.4	0	64.6	54.1	88.6				
2-Chlorophenol	59.57	11	90.91	0	65.5	40.6	86.4				
2-Methylnaphthalene	60.32	11	90.91	0	66.4	38.9	103				
2-Methylphenol	53.41	11	90.91	0	58.8	30.9	85.3				
2-Nitroaniline	64.07	11	90.91	0	70.5	54.5	109				
2-Nitrophenol	59.34	17	90.91	0	65.3	37.7	114				
3 & 4-Methylphenol	49.34	11	90.91	0	54.3	26.2	86.5				
3,3'-Dichlorobenzidine	62.61	11	90.91	0	68.9	49.5	91.3				
3-Nitroaniline	65.18	11	90.91	0	71.7	47.2	96.3				
4,6-Dinitro-2-methylphenol	89.89	57	136.4	0	65.9	44.5	119				
4-Bromophenyl phenyl ether	56.57	11	90.91	0	62.2	57.3	81				
4-Chloro-3-methylphenol	65.61	11	90.91	0	72.2	33	114				
4-Chloroaniline	62.80	11	90.91	0	69.1	20.4	121				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MS** SampType: **MS** TestCode: **8270_w** Units: **µg/L** Prep Date: **8/27/2007** RunNo: **90532**
Client ID: **RE105-92'** Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071987**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	58.25	11	90.91	0	64.1	56.2	81.2				
4-Nitroaniline	62.55	11	90.91	0	68.8	51.2	99.2				
4-Nitrophenol	37.20	28	136.4	0	27.3	20.8	60.1				
Acenaphthene	63.82	11	90.91	0	70.2	59.9	93.8				
Acenaphthylene	62.43	11	90.91	0	68.7	59.6	90.5				
Anthracene	63.80	11	90.91	0	70.2	63.3	93.9				
Benz(a)anthracene	65.39	11	90.91	0	71.9	63.3	92.5				
Benzo(a)pyrene	63.59	11	90.91	0	70.0	61.7	92.6				
Benzo(b)fluoranthene	59.61	11	90.91	0	65.6	55.2	87.4				
Benzo(g,h,i)perylene	65.43	11	90.91	0	72.0	59.3	105				
Benzo(k)fluoranthene	66.09	11	90.91	0	72.7	61.1	99				
Benzoic acid	<28	28	227.3	0	9.02	15.6	58.1				N1
Benzyl alcohol	56.02	11	90.91	0	61.6	37.7	87				
Bis(2-chloroethoxy)methane	59.23	11	90.91	0	65.2	39.9	102				
Bis(2-chloroethyl)ether	51.30	11	90.91	0	56.4	45	90.3				
Bis(2-chloroisopropyl)ether	53.00	11	90.91	0	58.3	44.7	86.4				
Bis(2-ethylhexyl)phthalate	60.34	5.7	90.91	0	66.4	58	84.4				
Butyl benzyl phthalate	52.91	11	90.91	0	58.2	53.3	82.6				
Chrysene	66.59	11	90.91	0	73.2	64.9	93.4				
Dibenz(a,h)anthracene	64.93	11	90.91	0	71.4	53.6	108				
Dibenzofuran	64.64	11	90.91	0	71.1	59.7	94.3				
Diethyl phthalate	42.82	11	90.91	0	47.1	46.3	79.8				
Dimethyl phthalate	25.66	23	136.4	0	18.8	16.7	82.3				
Di-n-butyl phthalate	57.34	11	90.91	0	63.1	12.5	125				
Di-n-octyl phthalate	58.45	11	90.91	0	64.3	49.3	87.6				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MS** SampType: **MS** TestCode: **8270_w** Units: **µg/L** Prep Date: **8/27/2007** RunNo: **90532**
Client ID: **RE105-92'** Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071987**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	65.27	11	90.91	0	71.8	63.6	97				
Fluorene	65.43	11	90.91	0	72.0	63.7	92.5				
Hexachlorobenzene	62.14	11	90.91	0	68.4	60	92.6				
Hexachlorobutadiene	44.16	11	90.91	0	48.6	18.4	84.8				
Hexachlorocyclopentadiene	37.55	11	90.91	0	41.3	18.5	75.4				
Hexachloroethane	62.66	11	136.4	0	46.0	28.1	72.4				
Indeno(1,2,3-cd)pyrene	65.66	11	90.91	0	72.2	57.4	108				
Isophorone	57.05	11	90.91	0	62.8	47.1	108				
Naphthalene	58.89	11	90.91	0	64.8	51.3	91.7				
Nitrobenzene	62.05	11	90.91	0	68.3	47.2	107				
N-Nitrosodi-n-propylamine	57.89	11	90.91	0	63.7	47.3	89.9				
N-Nitrosodiphenylamine	53.68	11	90.91	0	59.0	54	77.6				
Pentachlorophenol	101.1	57	136.4	0	74.2	57.2	93.8				
Phenanthrene	67.09	11	90.91	0	73.8	65	94.4				
Phenol	28.18	11	90.91	0	31.0	14.3	53.1				
Pyrene	66.43	11	90.91	0	73.1	58.9	98.8				
Surr: 2,4,6-Tribromophenol	80.05	0	113.6	0	70.4	41.6	98.2				
Surr: 2-Fluorobiphenyl	72.59	0	113.6	0	63.9	36.2	93.9				
Surr: 2-Fluorophenol	46.43	0	113.6	0	40.9	15.3	64.2				
Surr: 4-Terphenyl-d14	25.95	0	113.6	0	22.8	8.57	55.3				
Surr: Nitrobenzene-d5	75.50	0	113.6	0	66.4	31.8	110				
Surr: Phenol-d6	31.93	0	113.6	0	28.1	11	46.8				

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MSD**	SampType: **MSD**	TestCode: **8270_w**	Units: **µg/L**	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID: **RE105-92'**	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071988**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	69.43	11	127.7	0	54.4	41.3	86.6	74.93	7.63	35	
1,2-Dichlorobenzene	46.23	11	85.11	0	54.3	36.2	82.5	47.25	2.17	35	
1,2-Diphenylhydrazine (As Azobenzene)	58.91	11	85.11	0	69.2	56.5	98.6	63.70	7.81	35	
1,3-Dichlorobenzene	42.21	11	85.11	0	49.6	32.3	77.5	44.77	5.89	35	
1,4-Dichlorobenzene	44.68	11	85.11	0	52.5	33.2	80.9	46.23	3.40	35	
2,4,5-Trichlorophenol	51.70	21	85.11	0	60.8	50	92.8	61.98	18.1	35	
2,4,6-Trichlorophenol	55.83	21	85.11	0	65.6	54.7	89.6	63.75	13.2	35	
2,4-Dichlorophenol	53.55	11	85.11	0	62.9	44.6	92.1	64.20	18.1	35	
2,4-Dimethylphenol	48.38	11	85.11	0	56.9	12.5	96.6	57.89	17.9	35	
2,4-Dinitrophenol	65.26	53	127.7	0	51.1	41.7	124	71.64	9.32	35	
2,4-Dinitrotoluene	60.09	11	85.11	0	70.6	58.2	107	66.77	10.5	35	
2,6-Dinitrotoluene	59.51	11	85.11	0	69.9	58.7	97.3	63.82	6.99	35	
2-Chloronaphthalene	81.94	11	127.7	0	64.2	54.1	88.6	88.11	7.27	35	
2-Chlorophenol	49.81	11	85.11	0	58.5	40.6	86.4	59.57	17.8	35	
2-Methylnaphthalene	55.70	11	85.11	0	65.4	38.9	103	60.32	7.96	35	
2-Methylphenol	46.26	11	85.11	0	54.4	30.9	85.3	53.41	14.4	35	
2-Nitroaniline	58.34	11	85.11	0	68.6	54.5	109	64.07	9.36	35	
2-Nitrophenol	50.74	16	85.11	0	59.6	37.7	114	59.34	15.6	35	
3 & 4-Methylphenol	41.00	11	85.11	0	48.2	26.2	86.5	49.34	18.5	35	
3,3'-Dichlorobenzidine	56.43	11	85.11	0	66.3	49.5	91.3	62.61	10.4	35	
3-Nitroaniline	56.96	11	85.11	0	66.9	47.2	96.3	65.18	13.5	35	
4,6-Dinitro-2-methylphenol	78.26	53	127.7	0	61.3	44.5	119	89.89	13.8	35	
4-Bromophenyl phenyl ether	53.62	11	85.11	0	63.0	57.3	81	56.57	5.36	35	
4-Chloro-3-methylphenol	54.28	11	85.11	0	63.8	33	114	65.61	18.9	35	
4-Chloroaniline	57.53	11	85.11	0	67.6	20.4	121	62.80	8.75	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MSD**	SampType: **MSD**	TestCode: **8270_w**	Units: µg/L	Prep Date: **8/27/2007**	RunNo: **90532**
Client ID: **RE105-92'**	Batch ID: **30371**	TestNo: **SW8270C**		Analysis Date: **8/27/2007**	SeqNo: **1071988**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chlorophenyl phenyl ether	54.21	11	85.11	0	63.7	56.2	81.2	58.25	7.18	35	
4-Nitroaniline	57.47	11	85.11	0	67.5	51.2	99.2	62.55	8.46	35	
4-Nitrophenol	31.38	27	127.7	0	24.6	20.8	60.1	37.20	17.0	35	
Acenaphthene	59.32	11	85.11	0	69.7	59.9	93.8	63.82	7.31	35	
Acenaphthylene	58.00	11	85.11	0	68.2	59.6	90.5	62.43	7.36	35	
Anthracene	59.66	11	85.11	0	70.1	63.3	93.9	63.80	6.70	35	
Benz(a)anthracene	59.98	11	85.11	0	70.5	63.3	92.5	65.39	8.63	35	
Benzo(a)pyrene	56.83	11	85.11	0	66.8	61.7	92.6	63.59	11.2	35	
Benzo(b)fluoranthene	54.89	11	85.11	0	64.5	55.2	87.4	59.61	8.24	35	
Benzo(g,h,i)perylene	60.34	11	85.11	0	70.9	59.3	105	65.43	8.10	35	
Benzo(k)fluoranthene	59.04	11	85.11	0	69.4	61.1	99	66.09	11.3	35	
Benzoic acid	<27	27	212.8	0	9.91	15.6	58.1	20.50	2.81	35	N1
Benzyl alcohol	50.15	11	85.11	0	58.9	37.7	87	56.02	11.1	35	
Bis(2-chloroethoxy)methane	53.89	11	85.11	0	63.3	39.9	102	59.23	9.43	35	
Bis(2-chloroethyl)ether	47.32	11	85.11	0	55.6	45	90.3	51.30	8.06	35	
Bis(2-chloroisopropyl)ether	51.04	11	85.11	0	60.0	44.7	86.4	53.00	3.76	35	
Bis(2-ethylhexyl)phthalate	57.15	5.3	85.11	0	67.2	58	84.4	60.34	5.43	35	
Butyl benzyl phthalate	50.17	11	85.11	0	59.0	53.3	82.6	52.91	5.31	35	
Chrysene	62.34	11	85.11	0	73.2	64.9	93.4	66.59	6.59	35	
Dibenz(a,h)anthracene	60.30	11	85.11	0	70.8	53.6	108	64.93	7.40	35	
Dibenzofuran	61.06	11	85.11	0	71.8	59.7	94.3	64.64	5.68	35	
Diethyl phthalate	40.00	11	85.11	0	47.0	46.3	79.8	42.82	6.81	35	
Dimethyl phthalate	25.62	21	127.7	0	20.1	16.7	82.3	25.66	0.164	35	
Di-n-butyl phthalate	53.23	11	85.11	0	62.6	12.5	125	57.34	7.43	35	
Di-n-octyl phthalate	55.66	11	85.11	0	65.4	49.3	87.6	58.45	4.90	35	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **07080866-04A MSD** SampType: **MSD** TestCode: **8270_w** Units: **µg/L** Prep Date: **8/27/2007** RunNo: **90532**
Client ID: **RE105-92'** Batch ID: **30371** TestNo: **SW8270C** Analysis Date: **8/27/2007** SeqNo: **1071988**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Fluoranthene	59.89	11	85.11	0	70.4	63.6	97	65.27	8.60	35	
Fluorene	61.02	11	85.11	0	71.7	63.7	92.5	65.43	6.98	35	
Hexachlorobenzene	57.94	11	85.11	0	68.1	60	92.6	62.14	7.00	35	
Hexachlorobutadiene	43.17	11	85.11	0	50.7	18.4	84.8	44.16	2.26	35	
Hexachlorocyclopentadiene	35.85	11	85.11	0	42.1	18.5	75.4	37.55	4.62	35	
Hexachloroethane	59.79	11	127.7	0	46.8	28.1	72.4	62.66	4.69	35	
Indeno(1,2,3-cd)pyrene	61.64	11	85.11	0	72.4	57.4	108	65.66	6.32	35	
Isophorone	53.09	11	85.11	0	62.4	47.1	108	57.05	7.19	35	
Naphthalene	55.72	11	85.11	0	65.5	51.3	91.7	58.89	5.52	35	
Nitrobenzene	56.02	11	85.11	0	65.8	47.2	107	62.05	10.2	35	
N-Nitrosodi-n-propylamine	54.00	11	85.11	0	63.4	47.3	89.9	57.89	6.95	35	
N-Nitrosodiphenylamine	50.11	11	85.11	0	58.9	54	77.6	53.68	6.89	35	
Pentachlorophenol	84.89	53	127.7	0	66.5	57.2	93.8	101.1	17.5	35	
Phenanthrene	60.70	11	85.11	0	71.3	65	94.4	67.09	10.0	35	
Phenol	22.13	11	85.11	0	26.0	14.3	53.1	28.18	24.1	35	
Pyrene	62.87	11	85.11	0	73.9	58.9	98.8	66.43	5.51	35	
Surr: 2,4,6-Tribromophenol	65.55	0	106.4	0	61.6	41.6	98.2	80.05	0	0	
Surr: 2-Fluorobiphenyl	67.64	0	106.4	0	63.6	36.2	93.9	72.59	0	0	
Surr: 2-Fluorophenol	35.38	0	106.4	0	33.3	15.3	64.2	46.43	0	0	
Surr: 4-Terphenyl-d14	24.30	0	106.4	0	22.8	8.57	55.3	25.95	0	0	
Surr: Nitrobenzene-d5	68.17	0	106.4	0	64.1	31.8	110	75.50	0	0	
Surr: Phenol-d6	24.94	0	106.4	0	23.4	11	46.8	31.93	0	0	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: ALKALINITY

Sample ID: **MB-R90457**	SampType: **MBLK**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90457**		
Client ID:	Batch ID: **R90457**	TestNo: **M2320 B**		Analysis Date: **8/24/2007**				SeqNo: **1071068**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	<6.0	6.0									

Sample ID: **LCS-R90457**	SampType: **LCS**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90457**		
Client ID:	Batch ID: **R90457**	TestNo: **M2320 B**		Analysis Date: **8/24/2007**				SeqNo: **1071085**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	231.8	6.0	250	0	92.7	90	110				

Sample ID: **LCSD-R90457**	SampType: **LCSD**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90457**		
Client ID:	Batch ID: **R90457**	TestNo: **M2320 B**		Analysis Date: **8/24/2007**				SeqNo: **1071086**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	235.2	6.0	250	0	94.1	90	110	231.8	1.48	20	

Sample ID: **07080867-01ADUP**	SampType: **DUP**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90457**		
Client ID:	Batch ID: **R90457**	TestNo: **M2320 B**		Analysis Date: **8/24/2007**				SeqNo: **1071074**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	153.3	6.0						153.8	0.371	20	

Sample ID: **07080900-01ADUP**	SampType: **DUP**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:				RunNo: **90457**		
Client ID:	Batch ID: **R90457**	TestNo: **M2320 B**		Analysis Date: **8/24/2007**				SeqNo: **1071081**		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: ALKALINITY

Sample ID: **07080900-01ADUP**	SampType: **DUP**	TestCode: **ALKALINITY**	Units: **mg/L CaCO3**	Prep Date:	RunNo: **90457**
Client ID:	Batch ID: **R90457**	TestNo: **M2320 B**		Analysis Date: **8/24/2007**	SeqNo: **1071081**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	101.5	6.0						102.2	0.776	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: Cr6_W

Sample ID: **MB-R90402**	SampType: **MBLK**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:	RunNo: **90402**
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**	SeqNo: **1070548**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	<0.010	0.010									

Sample ID: **LCS-R90402**	SampType: **LCS**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:	RunNo: **90402**
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**	SeqNo: **1070553**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.09900	0.010	0.1	0	99.0	90	110				

Sample ID: **LCSD-R90402**	SampType: **LCSD**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:	RunNo: **90402**
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**	SeqNo: **1070554**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.1020	0.010	0.1	0	102	90	110	0.09900	2.99	20	

Sample ID: **07080817-03AMS**	SampType: **MS**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:	RunNo: **90402**
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**	SeqNo: **1070550**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.1060	0.010	0.1	0	106	85	115				

Sample ID: **07080817-03AMSD**	SampType: **MSD**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:	RunNo: **90402**
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**	SeqNo: **1070551**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: Cr6_W

Sample ID: **07080817-03AMSD**	SampType: **MSD**	TestCode: **Cr6_W**	Units: **mg/L**	Prep Date:	RunNo: **90402**
Client ID:	Batch ID: **R90402**	TestNo: **M3500-Cr D**		Analysis Date: **8/22/2007**	SeqNo: **1070551**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium VI	0.1030	0.010	0.1	0	103	85	115	0.1060	2.87	20	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *16-Oct-07*

CLIENT: Clear Creek Associates
Work Order: 07080866
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: S_TDS

Sample ID: **MB-R90435**	SampType: **MBLK**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070864**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	<10	10									

Sample ID: **LCS-R90435**	SampType: **LCS**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070873**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	980.0	10	1000	0	98.0	90	110				

Sample ID: **LCSD-R90435**	SampType: **LCSD**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070874**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	976.0	10	1000	0	97.6	90	110	980.0	0.409	10	

Sample ID: **07080817-03ADUP**	SampType: **DUP**	TestCode: **S_TDS**	Units: **mg/L**	Prep Date:			RunNo: **90435**			
Client ID:	Batch ID: **R90435**	TestNo: **M2540 C**		Analysis Date: **8/23/2007**			SeqNo: **1070866**			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	1184	10						1182	0.169	10	

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit

Aerotech Environmental Laboratories Sample Receipt Checklist — Project Checked By: _____

Laboratory Number: 07-08 – 0866	Completed By/On: _____
Client Name: Clearcreek Assoc	Date/Time Rec'd: 8/22/07 1455 By: AG
Matrix: Air Soil Aqueous Oil Sludge Solid WW DW (GW)	Carrier Name: Client

Temperature	Cooler #1 4.2 °C	Cooler #2 °C	Cooler #3 °C	Cooler #4 °C
Temp. Read With	Thermometer (IR)	Thermometer IR	Thermometer IR	Thermometer IR

Client or PM made aware of temp. out of range? Yes No Circle one: Blue Ice (Wet Ice) Not Present

	Yes	No	Not Present
Shipping container/cooler in good condition?	X		
Custody seals intact on shipping container/cooler?			X
Custody seals intact on sample containers?			X
Chain of Custody present and relinquished/received properly?	X		
Chain of Custody agrees with sample labels?	X		
Samples in proper containers/bottles?	X		
Sample containers intact?	X		
All samples received within holding time?	X		**See Comments about Chlorine and pH
Is there sufficient sample volume to perform the tests?	X		
40mL vials for volatiles & SGCs received with zero headspace?	X		

Soil Containers: Brass Sleeve____ Glass Jar____ Methanol____ Plastic Bag____ Encore Samplers____ Sterile Plastic____

Total number of bottles received: 47 — IH sample media: _____

If applicable, how many sample bottles were shipped from AEL-Tucson? — N/A X

Number of containers received by preservative and by sample number: (If more than 10 samples are rec'd, please continue on separate sheet(s)).

Preservative	Simple***	1	2	3	4	5	6	7	8	9	10
A-General		2	2	3	4	2	2	2			
B-HNO3		1	1	1	1	1	1	1			
C-H2SO4											
D-HCl		3	3	3	3	3	3	3	1	1	
E-Na2S2O3											
F-NaOH											
G-Sulfide											
H-Na Sulfite											
I-MCAA											
J-Methanol											
K-HAA											
L-Other											

* Any No response must be detailed in the comments section. Contact the PM immediately to determine how to proceed. Refer to SOP 11-001 and continue on back if additional space is needed.

** The holding time for pH and Total Residual Chlorine analysis is immediate. For the most accurate results, the pH and Total Residual Chlorine should be taken in the field within 15 minutes of sampling.

*** The Simple box is only to be used when there is one bottle per preservative in equal sample sets.

Water-pH acceptable upon receipt? Yes X No N/A

Preservative & pH		pH of samples upon receipt	If pH requires adjustment, list sample number and reagent I.D. number.
Metals	<2	<2	
H_2SO_4	<2		
1664	<2		
Cyanide	>12		
Sulfide	>9		

Comments: corrected Chain due to no H_2SO_4 Bottle received

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

[X] Main Lab - 4645 E. Cotton Center Blvd., Building 3, Suite 189, Phoenix, AZ 85040 602.437.3340 FAX 623.445.6192

[ ] North Phoenix - 1501 W. Knudsen, Phoenix, AZ 85027 623.780.4800 FAX 623.445.6216

[ ] Tucson - 4455 S. Park Ave., Suite 110, Tucson, AZ 85714 520.807.3801 FAX 520.807.3803

www.aerotechlabs.com or call toll-free 866.772.5227

Lab Number: 08-03-086

Customer Number: N/A	Page 1 of 1
Customer: Creek Access	Sampler: Greg Mamin
Address: 855 E. Indian School Rd #200	Project Name: Ramp C
City, State, Zip: Scottsdale AZ 85251	Project Number: 26021
Contact: Tom Sweeney	P.O. Number: N/A
Phone: 480-559-3121 Fax: 480-559-7143	Fax Results: Y (N)
E-Mail Address: tsweeney@clearcreekassoc.com	E-Mail Results: (Y) N

Sample Type Codes: DW - Drinking Water; A - Air; WW - Waste Water; S - Soil; HW - Hazardous Waste; Other: AC

Sample Receipt

Temperature: 4.2 °C

Custody Seals: Yes ___ No X

Custody Seals Intact: Yes ___ No ___

Total # of Containers: 49

Turnaround Request

___ 24 Hours

___ 48 Hours

___ 72 Hours

___ 5 Working Days

X Standard 10 Working Days

Subject to scheduling availability (surcharges apply)

Analyses Requested

VOCs 8260B; VOCs 8260B Low Level; VOCs 8260B Oxygenates; Acetone 8260B; MEK 8260B; MIBK 8260B; Styrene 8260B; Xylenes 8260B; TPH GRO 8015M; TPH DRO 8015M; TPH ORO 8015M; BTEX 8021B; MTBE 8021B; Naphthalene 8021B; 1,2-DCA 8021B; EDB 8011; Ethanol 8015M; Methanol 8015M; Isopropanol 8015M; TBA 8015M; Total # of Containers

Sample Information

Lab #	Sample Identification	Date	Time	Type																		Total # of Containers
1	RE105-77'	8/22	0758	GW	X	X	X															6
2	RE105-82'	8/22	0838	GW	X	X	X															6
3	RE105-87'	8/22	0917	GW	X	X	X	X	X	X	X	X	X	X	X	X	X					17
4	RE105-92'	8/22	1011	GW	X	X	X															6
5	RE105-97'	8/22	1054	GW	X	X	X															6
6	RE104-77'	8/22	1400	GW	X	X	X															6
7	Field Dup	8/22	—	GW	X	X	X															6
8	TB Blank	—	—	GW	X																	1
9	Field Blank	8/22	1047	GW	X																	1

Instructions / Special Requirements: Detection limit of 0.05 ppb for benzene, EDB, 1,2-DCA, and MTBE. Confirm RE105-92' for MEK.

Date:	Time:	Samples Relinquished By:	Received By:
8/22/03	1935		

Analysis performed is subject to the Terms & Conditions available at www.aerotechlabs.com or call 866.772.5227 to request a copy.

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Tuesday, September 11, 2007

Tom Suriano
Clear Creek Associates
6155 East Indian School Rd., Suite 200
Scottsdale, AZ 85251

TEL: (480) 659-7131
FAX (480) 659-7143

RE: Romic/212001

Order No.: 07080911

Dear Tom Suriano:

Aerotech Environmental Laboratories received 9 sample(s) on 8/23/2007 for the analyses presented in the following report.

This report includes the following information:
- Case Narrative.
- Analytical Report: includes test results, report limit (Limit), any applicable data qualifier (Qual), units, dilution factor (DF), and date analyzed.
- QC Summary Report.

This communication is intended only for the individual or entity to whom it is directed. It may contain information that is privileged, confidential, or otherwise exempt from disclosure under applicable law. Dissemination, distribution, or copying of this communication by anyone other than the intended recipient, or a duly designated employee or agent of such recipient, is prohibited. If you have received this communication in error, please notify us immediately and destroy this message and all attachments thereto. If you have any questions regarding these test results, please do not hesitate to call.

Sincerely,

Matt Hill

Project Manager

Aerotech Environmental Laboratories

Date: *12-Sep-07*

CLIENT: Clear Creek Associates
Project: Romic/212001
Lab Order: 07080911

CASE NARRATIVE

Analyses included in this report were performed by Aerotech Environmental Laboratories (AEL), 4645 E. Cotton Center Boulevard, Building 3, Suite 189, Phoenix, AZ.

AEL is licensed through the State of Arizona (License No. AZ0610), and holds NELAC accreditation (OR100001) through the State of Oregon for the analytical techniques noted on the scope of accreditation.

AEL is also accredited by the American Industrial Hygiene Association (AIHA) in the industrial hygiene program for the analytical techniques noted on the scope of accreditation.

Samples were analyzed using methods outlined in references such as:
-Standard Methods for the Examination of Water and Wastewater, 20th Edition, 1998.
-40 CFR, Part 136, July 2006. Appendix A to Part 136 - Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater.
-Methods for the Chemical Analysis of Water and Wastes, EPA/600/4-79-020, Revised March 1983.
-Methods for the Determination of Organic Compounds in Drinking Water: Supplement III, August 1995, EPA/600/R-95/131.
-Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, EPA, 3rd Edition 1986, and Updates.
-Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, EPA, Second Edition, 1999.
-NIOSH Manual of Analytical Methods, Fourth Edition, 1994. NIOSH Method 7300 analyses are performed using a modified digestion procedure to eliminate the use of perchloric acid.

Analytical Comments:
All method blanks and laboratory control spikes met method and/or laboratory quality control objectives for the analyses included in this report.

Data Qualifiers:
Listed below are the data qualifiers used in your analytical report to explain any analytical or quality control issues. You will find them noted in your report under the column header "QUAL". Any quality control deficiencies that cannot be adequately described by these qualifiers will be addressed in the analytical comments section of this case narrative.

- D2 Sample required dilution due to high concentration of target analyte.
- L2 The associated blank spike recovery was below laboratory acceptance limits.
- M6 Matrix spike recovery was high. Data reported per ADEQ policy 0154.00.
- N1 See case narrative.
- V1 CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.

CLIENT:	Clear Creek Associates
Project:	Romic/212001
Lab Order:	07080911

CASE NARRATIVE

L2 & N1 - Method 8270
Benzoic acid was lower than AEL historical limits in the LCS, LCSD, MS and MSD. No analytes were detected in the associated samples. The LCS, LCSD, and associated samples were flagged with the L2 data qualifier, and the MS and MSD were flagged with the N1 data qualifier.

N1 - Method 300
The sample selected as the duplicate and matrix spike contained high concentrations of chloride and/or sulfate. The analyte concentration in the sample is disproportionate to the spike level and it was not practical to analyze the sample at a dilution, as the spike would be diluted out. The LCS/LCSD were recovered acceptably demonstrating that the analytical process was in control.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 7:45:00 AM
Lab ID:	07080911-01A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
1,2-Diphenylhydrazine (As Azobenzi	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 12:32:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 12:32:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2,4-Dinitrophenol	< 56	56		µg/L	1	8/30/2007 12:32:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
2-Nitrophenol	< 17	17		µg/L	1	8/30/2007 12:32:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
4,6-Dinitro-2-methylphenol	< 56	56		µg/L	1	8/30/2007 12:32:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
4-Nitrophenol	< 28	28		µg/L	1	8/30/2007 12:32:00 PM
Acenaphthene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Anthracene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Benzoic acid	< 28	28	L2	µg/L	1	8/30/2007 12:32:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 7:45:00 AM
Lab ID:	07080911-01A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Bis(2-ethylhexyl)phthalate	< 5.6	5.6		µg/L	1	8/30/2007 12:32:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Chrysene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Dimethyl phthalate	< 22	22		µg/L	1	8/30/2007 12:32:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Fluoranthene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Fluorene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Isophorone	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Naphthalene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Pentachlorophenol	< 56	56		µg/L	1	8/30/2007 12:32:00 PM
Phenanthrene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Phenol	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Pyrene	< 11	11		µg/L	1	8/30/2007 12:32:00 PM
Surr: 2,4,6-Tribromophenol	62.6	41.6-98.2		%REC	1	8/30/2007 12:32:00 PM
Surr: 2-Fluorobiphenyl	57.0	36.2-93.9		%REC	1	8/30/2007 12:32:00 PM
Surr: 2-Fluorophenol	38.6	15.3-64.2		%REC	1	8/30/2007 12:32:00 PM
Surr: 4-Terphenyl-d14	18.2	8.57-55.3		%REC	1	8/30/2007 12:32:00 PM
Surr: Nitrobenzene-d5	65.5	31.8-110		%REC	1	8/30/2007 12:32:00 PM
Surr: Phenol-d6	27.4	11-46.8		%REC	1	8/30/2007 12:32:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 7:45:00 AM
Lab ID:	07080911-01B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.049	0.0010		mg/L	1	8/28/2007 8:14:22 PM
Barium	0.027	0.0010		mg/L	1	8/28/2007 8:14:22 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:14:22 PM
Chromium	0.0017	0.0010		mg/L	1	8/28/2007 8:14:22 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:14:22 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:14:22 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 7:45:00 AM
Lab ID:	07080911-01D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 7:45:00 AM
Lab ID:	07080911-01D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	2.4	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	99.6	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	103	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 8:28:00 AM
Lab ID:	07080911-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/29/2007 6:14:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/29/2007 6:14:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/29/2007 6:14:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/29/2007 6:14:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/29/2007 6:14:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/29/2007 6:14:00 PM
Acenaphthene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Anthracene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/29/2007 6:14:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 8:28:00 AM
Lab ID:	07080911-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/29/2007 6:14:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Chrysene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Dimethyl phthalate	< 20	20		µg/L	1	8/29/2007 6:14:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Fluoranthene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Fluorene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Isophorone	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Naphthalene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/29/2007 6:14:00 PM
Phenanthrene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Phenol	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Pyrene	< 10	10		µg/L	1	8/29/2007 6:14:00 PM
Surr: 2,4,6-Tribromophenol	56.6	41.6-98.2		%REC	1	8/29/2007 6:14:00 PM
Surr: 2-Fluorobiphenyl	54.7	36.2-93.9		%REC	1	8/29/2007 6:14:00 PM
Surr: 2-Fluorophenol	32.8	15.3-64.2		%REC	1	8/29/2007 6:14:00 PM
Surr: 4-Terphenyl-d14	17.5	8.57-55.3		%REC	1	8/29/2007 6:14:00 PM
Surr: Nitrobenzene-d5	63.5	31.8-110		%REC	1	8/29/2007 6:14:00 PM
Surr: Phenol-d6	23.6	11-46.8		%REC	1	8/29/2007 6:14:00 PM
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Chloride	330	10	D2	mg/L	5	9/5/2007 3:07:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 8:28:00 AM
Lab ID:	07080911-02A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Nitrogen, Nitrate (As N)	3.8	0.20		mg/L	1	8/23/2007 4:26:00 PM
Nitrogen, Nitrite (As N)	< 0.20	0.20		mg/L	1	8/23/2007 4:26:00 PM
Sulfate	180	4.0	D2	mg/L	2	8/30/2007 9:16:00 PM
ALKALINITY		**M2320 B**				Analyst: **AC**
Alkalinity, Bicarbonate (As CaCO3)	260	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Carbonate (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Hydroxide (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Total (As CaCO3)	260	6.0		mg/L CaCO3	1	8/24/2007
HEXAVALENT CHROMIUM		**M3500-CR D**				Analyst: **PJS**
Chromium VI	< 0.010	0.010		mg/L	1	8/23/2007 8:55:00 PM
RESIDUE, FILTERABLE		**M2540 C**				Analyst: **S.W**
Total Dissolved Solids	1100	10		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 8:28:00 AM
Lab ID:	07080911-02B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Calcium	13	2.0		mg/L	1	8/27/2007
Magnesium	6.3	2.0		mg/L	1	8/27/2007
Potassium	3.8	2.0		mg/L	1	8/27/2007
Selenium	< 0.10	0.10		mg/L	1	8/27/2007
Sodium	560	2.0		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.048	0.0010		mg/L	1	8/28/2007 8:26:27 PM
Barium	0.028	0.0010		mg/L	1	8/28/2007 8:26:27 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:26:27 PM
Chromium	0.0017	0.0010		mg/L	1	8/28/2007 8:26:27 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:26:27 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:26:27 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 8:28:00 AM
Lab ID:	07080911-02D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 8:28:00 AM
Lab ID:	07080911-02D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	2.6	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	101	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	104	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-92'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 9:20:00 AM
Lab ID:	07080911-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/30/2007 1:13:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/30/2007 1:13:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/30/2007 1:13:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/30/2007 1:13:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/30/2007 1:13:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/30/2007 1:13:00 PM
Acenaphthene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Anthracene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/30/2007 1:13:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-92'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 9:20:00 AM
Lab ID:	07080911-03A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/30/2007 1:13:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Chrysene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Dimethyl phthalate	< 20	20		µg/L	1	8/30/2007 1:13:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Fluoranthene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Fluorene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Isophorone	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Naphthalene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/30/2007 1:13:00 PM
Phenanthrene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Phenol	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Pyrene	< 10	10		µg/L	1	8/30/2007 1:13:00 PM
Surr: 2,4,6-Tribromophenol	67.6	41.6-98.2		%REC	1	8/30/2007 1:13:00 PM
Surr: 2-Fluorobiphenyl	55.7	36.2-93.9		%REC	1	8/30/2007 1:13:00 PM
Surr: 2-Fluorophenol	42.7	15.3-64.2		%REC	1	8/30/2007 1:13:00 PM
Surr: 4-Terphenyl-d14	17.6	8.57-55.3		%REC	1	8/30/2007 1:13:00 PM
Surr: Nitrobenzene-d5	68.0	31.8-110		%REC	1	8/30/2007 1:13:00 PM
Surr: Phenol-d6	28.3	11-46.8		%REC	1	8/30/2007 1:13:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-92'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 9:20:00 AM
Lab ID:	07080911-03B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.047	0.0010		mg/L	1	8/28/2007 8:30:29 PM
Barium	0.027	0.0010		mg/L	1	8/28/2007 8:30:29 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:30:29 PM
Chromium	0.0017	0.0010		mg/L	1	8/28/2007 8:30:29 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:30:29 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:30:29 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-92'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 9:20:00 AM
Lab ID:	07080911-03D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-92'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 9:20:00 AM
Lab ID:	07080911-03D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	2.4	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	102	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	102	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-97'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 10:04:00 AM
Lab ID:	07080911-04A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 1:34:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 1:34:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2,4-Dinitrophenol	< 54	54		µg/L	1	8/30/2007 1:34:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/30/2007 1:34:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
4,6-Dinitro-2-methylphenol	< 54	54		µg/L	1	8/30/2007 1:34:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/30/2007 1:34:00 PM
Acenaphthene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Anthracene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/30/2007 1:34:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-97'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 10:04:00 AM
Lab ID:	07080911-04A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Bis(2-ethylhexyl)phthalate	< 5.4	5.4		µg/L	1	8/30/2007 1:34:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Chrysene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Dimethyl phthalate	< 22	22		µg/L	1	8/30/2007 1:34:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Fluoranthene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Fluorene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Isophorone	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Naphthalene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Pentachlorophenol	< 54	54		µg/L	1	8/30/2007 1:34:00 PM
Phenanthrene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Phenol	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Pyrene	< 11	11		µg/L	1	8/30/2007 1:34:00 PM
Surr: 2,4,6-Tribromophenol	60.6	41.6-98.2		%REC	1	8/30/2007 1:34:00 PM
Surr: 2-Fluorobiphenyl	55.8	36.2-93.9		%REC	1	8/30/2007 1:34:00 PM
Surr: 2-Fluorophenol	32.5	15.3-64.2		%REC	1	8/30/2007 1:34:00 PM
Surr: 4-Terphenyl-d14	18.3	8.57-55.3		%REC	1	8/30/2007 1:34:00 PM
Surr: Nitrobenzene-d5	65.9	31.8-110		%REC	1	8/30/2007 1:34:00 PM
Surr: Phenol-d6	25.8	11-46.8		%REC	1	8/30/2007 1:34:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-97'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 10:04:00 AM
Lab ID:	07080911-04B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/27/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.047	0.0010		mg/L	1	8/28/2007 8:34:30 PM
Barium	0.027	0.0010		mg/L	1	8/28/2007 8:34:30 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:34:30 PM
Chromium	0.0016	0.0010		mg/L	1	8/28/2007 8:34:30 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:34:30 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:34:30 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-97'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 10:04:00 AM
Lab ID:	07080911-04D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE104-97'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 10:04:00 AM
Lab ID:	07080911-04D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	2.6	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	99.6	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	104	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-77'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 12:33:00 PM
Lab ID:	07080911-05A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2,4,5-Trichlorophenol	< 20	20		µg/L	1	8/30/2007 1:55:00 PM
2,4,6-Trichlorophenol	< 20	20		µg/L	1	8/30/2007 1:55:00 PM
2,4-Dichlorophenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2,4-Dimethylphenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2,4-Dinitrophenol	< 50	50		µg/L	1	8/30/2007 1:55:00 PM
2,4-Dinitrotoluene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2,6-Dinitrotoluene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2-Chloronaphthalene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2-Chlorophenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2-Methylnaphthalene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2-Methylphenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2-Nitroaniline	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
2-Nitrophenol	< 15	15		µg/L	1	8/30/2007 1:55:00 PM
3 & 4-Methylphenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
3-Nitroaniline	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
4,6-Dinitro-2-methylphenol	< 50	50		µg/L	1	8/30/2007 1:55:00 PM
4-Bromophenyl phenyl ether	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
4-Chloro-3-methylphenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
4-Chloroaniline	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
4-Chlorophenyl phenyl ether	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
4-Nitroaniline	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/30/2007 1:55:00 PM
Acenaphthene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Acenaphthylene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Anthracene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Benz(a)anthracene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Benzo(a)pyrene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Benzo(b)fluoranthene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Benzo(g,h,i)perylene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Benzo(k)fluoranthene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Benzoic acid	< 25	25	L2	µg/L	1	8/30/2007 1:55:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-77'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 12:33:00 PM
Lab ID:	07080911-05A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Bis(2-chloroethoxy)methane	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Bis(2-chloroethyl)ether	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Bis(2-chloroisopropyl)ether	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Bis(2-ethylhexyl)phthalate	< 5.0	5.0		µg/L	1	8/30/2007 1:55:00 PM
Butyl benzyl phthalate	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Chrysene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Dibenz(a,h)anthracene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Dibenzofuran	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Diethyl phthalate	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Dimethyl phthalate	< 20	20		µg/L	1	8/30/2007 1:55:00 PM
Di-n-butyl phthalate	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Di-n-octyl phthalate	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Fluoranthene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Fluorene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Hexachlorobenzene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Hexachlorobutadiene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Hexachlorocyclopentadiene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Hexachloroethane	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Indeno(1,2,3-cd)pyrene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Isophorone	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Naphthalene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Nitrobenzene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
N-Nitrosodi-n-propylamine	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
N-Nitrosodiphenylamine	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Pentachlorophenol	< 50	50		µg/L	1	8/30/2007 1:55:00 PM
Phenanthrene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Phenol	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Pyrene	< 10	10		µg/L	1	8/30/2007 1:55:00 PM
Surr: 2,4,6-Tribromophenol	63.6	41.6-98.2		%REC	1	8/30/2007 1:55:00 PM
Surr: 2-Fluorobiphenyl	62.2	36.2-93.9		%REC	1	8/30/2007 1:55:00 PM
Surr: 2-Fluorophenol	36.2	15.3-64.2		%REC	1	8/30/2007 1:55:00 PM
Surr: 4-Terphenyl-d14	19.3	8.57-55.3		%REC	1	8/30/2007 1:55:00 PM
Surr: Nitrobenzene-d5	72.4	31.8-110		%REC	1	8/30/2007 1:55:00 PM
Surr: Phenol-d6	27.1	11-46.8		%REC	1	8/30/2007 1:55:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-77'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 12:33:00 PM
Lab ID:	07080911-05B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/28/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.14	0.0010		mg/L	1	8/28/2007 8:38:32 PM
Barium	0.021	0.0010		mg/L	1	8/28/2007 8:38:32 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:38:32 PM
Chromium	0.0014	0.0010		mg/L	1	8/28/2007 8:38:32 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:38:32 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:38:32 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-77'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 12:33:00 PM
Lab ID:	07080911-05D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	5.9	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	4.1	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	2.6	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-77'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 12:33:00 PM
Lab ID:	07080911-05D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
cis-1,2-Dichloroethene	1.1	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	58	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	28	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	100	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	104	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 1:24:00 PM
Lab ID:	07080911-06A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
1,2-Diphenylhydrazine (As Azobenzı	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 2:16:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 2:16:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2,4-Dinitrophenol	< 56	56		µg/L	1	8/30/2007 2:16:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2-Methy naphthalene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2-Methy phenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
2-Nitrophenol	< 17	17		µg/L	1	8/30/2007 2:16:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
4,6-Dinitro-2-methylphenol	< 56	56		µg/L	1	8/30/2007 2:16:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
4-Nitrophenol	< 28	28		µg/L	1	8/30/2007 2:16:00 PM
Acenaphthene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Anthracene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Benzoic acid	< 28	28	L2	µg/L	1	8/30/2007 2:16:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 1:24:00 PM
Lab ID:	07080911-06A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Bis(2-ethylhexyl)phthalate	< 5.6	5.6		µg/L	1	8/30/2007 2:16:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Chrysene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Dimethyl phthalate	< 22	22		µg/L	1	8/30/2007 2:16:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Fluoranthene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Fluorene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Isophorone	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Naphthalene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Pentachlorophenol	< 56	56		µg/L	1	8/30/2007 2:16:00 PM
Phenanthrene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Phenol	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Pyrene	< 11	11		µg/L	1	8/30/2007 2:16:00 PM
Surr: 2,4,6-Tribromophenol	65.1	41.6-98.2		%REC	1	8/30/2007 2:16:00 PM
Surr: 2-Fluorobiphenyl	49.9	36.2-93.9		%REC	1	8/30/2007 2:16:00 PM
Surr: 2-Fluorophenol	40.9	15.3-64.2		%REC	1	8/30/2007 2:16:00 PM
Surr: 4-Terphenyl-d14	19.0	8.57-55.3		%REC	1	8/30/2007 2:16:00 PM
Surr: Nitrobenzene-d5	60.3	31.8-110		%REC	1	8/30/2007 2:16:00 PM
Surr: Phenol-d6	27.5	11-46.8		%REC	1	8/30/2007 2:16:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 1:24:00 PM
Lab ID:	07080911-06B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/28/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.11	0.0010		mg/L	1	8/28/2007 8:42:33 PM
Barium	0.024	0.0010		mg/L	1	8/28/2007 8:42:33 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:42:33 PM
Chromium	0.0015	0.0010		mg/L	1	8/28/2007 8:42:33 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:42:33 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:42:33 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 1:24:00 PM
Lab ID:	07080911-06D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1-Dichloroethane	1.7	1.0		µg/L	1	8/28/2007
1,1-Dichloroethene	12	1.0		µg/L	1	8/28/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/28/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/28/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/28/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichloroethane	3.9	1.0		µg/L	1	8/28/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/28/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/28/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/28/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/28/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/28/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/28/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/28/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/28/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/28/2007
Acetone	< 20	20		µg/L	1	8/28/2007
Benzene	< 1.0	1.0		µg/L	1	8/28/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/28/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Bromoform	< 1.0	1.0		µg/L	1	8/28/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/28/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/28/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/28/2007
Chloroform	6.6	1.0		µg/L	1	8/28/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/28/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-82'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 1:24:00 PM
Lab ID:	07080911-06D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/28/2007
cis-1,3-Dichloropropene	2.8	1.0		µg/L	1	8/28/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/28/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/28/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/28/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/28/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/28/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
Styrene	< 1.0	1.0		µg/L	1	8/28/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
Tetrachloroethene	93	1.0		µg/L	1	8/28/2007
Toluene	< 1.0	1.0		µg/L	1	8/28/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/28/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
Trichloroethene	56	1.0		µg/L	1	8/28/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/28/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/28/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/28/2007
Surr: 4-Bromofluorobenzene	99.6	86.5-114		%REC	1	8/28/2007
Surr: Dibromofluoromethane	106	80.3-130		%REC	1	8/28/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/28/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 2:08:00 PM
Lab ID:	07080911-07A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 2:37:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 2:37:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2,4-Dinitrophenol	< 54	54		µg/L	1	8/30/2007 2:37:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/30/2007 2:37:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
4,6-Dinitro-2-methylphenol	< 54	54		µg/L	1	8/30/2007 2:37:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/30/2007 2:37:00 PM
Acenaphthene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Anthracene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/30/2007 2:37:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 2:08:00 PM
Lab ID:	07080911-07A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Bis(2-ethylhexyl)phthalate	< 5.4	5.4		µg/L	1	8/30/2007 2:37:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Chrysene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Dimethyl phthalate	< 22	22		µg/L	1	8/30/2007 2:37:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Fluoranthene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Fluorene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Isophorone	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Naphthalene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Pentachlorophenol	< 54	54		µg/L	1	8/30/2007 2:37:00 PM
Phenanthrene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Phenol	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Pyrene	< 11	11		µg/L	1	8/30/2007 2:37:00 PM
Surr: 2,4,6-Tribromophenol	61.5	41.6-98.2		%REC	1	8/30/2007 2:37:00 PM
Surr: 2-Fluorobiphenyl	53.6	36.2-93.9		%REC	1	8/30/2007 2:37:00 PM
Surr: 2-Fluorophenol	35.6	15.3-64.2		%REC	1	8/30/2007 2:37:00 PM
Surr: 4-Terphenyl-d14	19.4	8.57-55.3		%REC	1	8/30/2007 2:37:00 PM
Surr: Nitrobenzene-d5	62.8	31.8-110		%REC	1	8/30/2007 2:37:00 PM
Surr: Phenol-d6	27.7	11-46.8		%REC	1	8/30/2007 2:37:00 PM
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Chloride	330	10	D2	mg/L	5	9/5/2007 11:45:00 AM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 2:08:00 PM
Lab ID:	07080911-07A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY		**E300**				Analyst: **AT**
Nitrogen, Nitrate (As N)	2.6	0.20		mg/L	1	8/23/2007 4:44:00 PM
Nitrogen, Nitrite (As N)	< 0.20	0.20		mg/L	1	8/23/2007 4:44:00 PM
Sulfate	170	4.0	D2	mg/L	2	8/30/2007 9:34:00 PM
ALKALINITY		**M2320 B**				Analyst: **AC**
Alkalinity, Bicarbonate (As CaCO3)	300	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Carbonate (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Hydroxide (As CaCO3)	< 2.0	2.0		mg/L CaCO3	1	8/24/2007
Alkalinity, Total (As CaCO3)	300	6.0		mg/L CaCO3	1	8/24/2007
HEXAVALENT CHROMIUM		**M3500-CR D**				Analyst: **PJS**
Chromium VI	< 0.010	0.010		mg/L	1	8/23/2007 8:55:00 PM
RESIDUE, FILTERABLE		**M2540 C**				Analyst: **S.W**
Total Dissolved Solids	1100	10		mg/L	1	8/24/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 2:08:00 PM
Lab ID:	07080911-07B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Calcium	9.7	2.0		mg/L	1	8/28/2007
Magnesium	6.0	2.0		mg/L	1	8/28/2007
Potassium	3.5	2.0		mg/L	1	8/28/2007
Selenium	< 0.10	0.10		mg/L	1	8/28/2007
Sodium	560	2.0		mg/L	1	8/28/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.096	0.0010		mg/L	1	8/28/2007 8:46:35 PM
Barium	0.027	0.0010		mg/L	1	8/28/2007 8:46:35 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:46:35 PM
Chromium	0.0016	0.0010		mg/L	1	8/28/2007 8:46:35 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:46:35 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:46:35 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 2:08:00 PM
Lab ID:	07080911-07D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1-Dichloroethane	2.0	1.0		µg/L	1	8/28/2007
1,1-Dichloroethene	13	1.0		µg/L	1	8/28/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/28/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/28/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/28/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichloroethane	3.0	1.0		µg/L	1	8/28/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/28/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/28/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/28/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/28/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/28/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/28/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/28/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/28/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/28/2007
Acetone	< 20	20		µg/L	1	8/28/2007
Benzene	< 1.0	1.0		µg/L	1	8/28/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/28/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Bromoform	< 1.0	1.0		µg/L	1	8/28/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/28/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/28/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/28/2007
Chloroform	7.8	1.0		µg/L	1	8/28/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/28/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	RE103-87'
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007 2:08:00 PM
Lab ID:	07080911-07D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	3.2	1.0		µg/L	1	8/28/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/28/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/28/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/28/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/28/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/28/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
Styrene	< 1.0	1.0		µg/L	1	8/28/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
Tetrachloroethene	96	1.0		µg/L	1	8/28/2007
Toluene	< 1.0	1.0		µg/L	1	8/28/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/28/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
Trichloroethene	62	1.0		µg/L	1	8/28/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/28/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/28/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/28/2007
Surr: 4-Bromofluorobenzene	102	86.5-114		%REC	1	8/28/2007
Surr: Dibromofluoromethane	105	80.3-130		%REC	1	8/28/2007
Surr: Toluene-d8	103	88.4-111		%REC	1	8/28/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	FIELD DUP 2
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-08A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
1,2,4-Trichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
1,2-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
1,2-Diphenylhydrazine (As Azobenz	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
1,3-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
1,4-Dichlorobenzene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2,4,5-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 2:57:00 PM
2,4,6-Trichlorophenol	< 22	22		µg/L	1	8/30/2007 2:57:00 PM
2,4-Dichlorophenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2,4-Dimethylphenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2,4-Dinitrophenol	< 54	54		µg/L	1	8/30/2007 2:57:00 PM
2,4-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2,6-Dinitrotoluene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2-Chloronaphthalene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2-Chlorophenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2-Methylnaphthalene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2-Methylphenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
2-Nitrophenol	< 16	16		µg/L	1	8/30/2007 2:57:00 PM
3 & 4-Methylphenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
3,3'-Dichlorobenzidine	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
3-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
4,6-Dinitro-2-methylphenol	< 54	54		µg/L	1	8/30/2007 2:57:00 PM
4-Bromophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
4-Chloro-3-methylphenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
4-Chloroaniline	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
4-Chlorophenyl phenyl ether	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
4-Nitroaniline	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
4-Nitrophenol	< 27	27		µg/L	1	8/30/2007 2:57:00 PM
Acenaphthene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Acenaphthylene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Anthracene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Benz(a)anthracene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Benzo(a)pyrene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Benzo(b)fluoranthene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Benzo(g,h,i)perylene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Benzo(k)fluoranthene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Benzoic acid	< 27	27	L2	µg/L	1	8/30/2007 2:57:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	FIELD DUP 2
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-08A	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANICS		**SW8270C**				Analyst: **CL**
Benzyl alcohol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Bis(2-chloroethoxy)methane	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Bis(2-chloroethyl)ether	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Bis(2-chloroisopropyl)ether	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Bis(2-ethylhexyl)phthalate	< 5.4	5.4		µg/L	1	8/30/2007 2:57:00 PM
Butyl benzyl phthalate	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Chrysene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Dibenz(a,h)anthracene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Dibenzofuran	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Diethyl phthalate	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Dimethyl phthalate	< 22	22		µg/L	1	8/30/2007 2:57:00 PM
Di-n-butyl phthalate	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Di-n-octyl phthalate	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Fluoranthene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Fluorene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Hexachlorobenzene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Hexachlorobutadiene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Hexachlorocyclopentadiene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Hexachloroethane	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Indeno(1,2,3-cd)pyrene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Isophorone	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Naphthalene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Nitrobenzene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
N-Nitrosodi-n-propylamine	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
N-Nitrosodiphenylamine	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Pentachlorophenol	< 54	54		µg/L	1	8/30/2007 2:57:00 PM
Phenanthrene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Phenol	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Pyrene	< 11	11		µg/L	1	8/30/2007 2:57:00 PM
Surr: 2,4,6-Tribromophenol	66.5	41.6-98.2		%REC	1	8/30/2007 2:57:00 PM
Surr: 2-Fluorobiphenyl	54.9	36.2-93.9		%REC	1	8/30/2007 2:57:00 PM
Surr: 2-Fluorophenol	44.1	15.3-64.2		%REC	1	8/30/2007 2:57:00 PM
Surr: 4-Terphenyl-d14	19.4	8.57-55.3		%REC	1	8/30/2007 2:57:00 PM
Surr: Nitrobenzene-d5	65.5	31.8-110		%REC	1	8/30/2007 2:57:00 PM
Surr: Phenol-d6	30.2	11-46.8		%REC	1	8/30/2007 2:57:00 PM

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	FIELD DUP 2
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-08B	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS		**SW6010B**				Analyst: **HK**
Selenium	< 0.050	0.050		mg/L	1	8/28/2007
ICP/MS METALS, TOTAL RECOVERABLE		**SW6020**				Analyst: **PC**
Arsenic	0.047	0.0010		mg/L	1	8/28/2007 8:50:36 PM
Barium	0.027	0.0010		mg/L	1	8/28/2007 8:50:36 PM
Cadmium	< 0.0010	0.0010		mg/L	1	8/28/2007 8:50:36 PM
Chromium	0.0017	0.0010		mg/L	1	8/28/2007 8:50:36 PM
Lead	< 0.0010	0.0010		mg/L	1	8/28/2007 8:50:36 PM
Silver	< 0.0010	0.0010		mg/L	1	8/28/2007 8:50:36 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **PC**
Mercury	< 0.00050	0.00050		mg/L	1	8/29/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	FIELD DUP 2
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-08D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/28/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/28/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/28/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/28/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/28/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/28/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/28/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/28/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/28/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/28/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/28/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/28/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/28/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/28/2007
Acetone	< 20	20		µg/L	1	8/28/2007
Benzene	< 1.0	1.0		µg/L	1	8/28/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/28/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Bromoform	< 1.0	1.0		µg/L	1	8/28/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/28/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/28/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/28/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/28/2007
Chloroform	< 1.0	1.0		µg/L	1	8/28/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/28/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	FIELD DUP 2
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-08D	**Matrix:**	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/28/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/28/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/28/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/28/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/28/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/28/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/28/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
Styrene	< 1.0	1.0		µg/L	1	8/28/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/28/2007
Tetrachloroethene	3.0	1.0		µg/L	1	8/28/2007
Toluene	< 1.0	1.0		µg/L	1	8/28/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/28/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/28/2007
Trichloroethene	1.1	1.0		µg/L	1	8/28/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/28/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/28/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/28/2007
Surr: 4-Bromofluorobenzene	100	86.5-114		%REC	1	8/28/2007
Surr: Dibromofluoromethane	106	80.3-130		%REC	1	8/28/2007
Surr: Toluene-d8	102	88.4-111		%REC	1	8/28/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Trip Blank
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-09D	**Matrix:**	TRIP BLANK

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: **k m**
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
1,2,3-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,3-Trichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trichlorobenzene	< 2.0	2.0		µg/L	1	8/27/2007
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	8/27/2007
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
1,3-Dichloropropane	< 1.0	1.0		µg/L	1	8/27/2007
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
2,2-Dichloropropane	< 2.0	2.0		µg/L	1	8/27/2007
2-Butanone (MEK)	< 5.0	5.0		µg/L	1	8/27/2007
2-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
2-Hexanone	< 5.0	5.0		µg/L	1	8/27/2007
4-Chlorotoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	8/27/2007
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	8/27/2007
Acetone	< 20	20	V1	µg/L	1	8/27/2007
Benzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Bromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromodichloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Bromoform	< 1.0	1.0		µg/L	1	8/27/2007
Bromomethane	< 2.0	2.0		µg/L	1	8/27/2007
Carbon tetrachloride	< 1.0	1.0		µg/L	1	8/27/2007
Chlorobenzene	< 1.0	1.0		µg/L	1	8/27/2007
Chloroethane	< 1.0	1.0		µg/L	1	8/27/2007
Chloroform	< 1.0	1.0		µg/L	1	8/27/2007
Chloromethane	< 5.0	5.0		µg/L	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

Analytical Report

Date: *11-Sep-07*

CLIENT:	Clear Creek Associates	**Client Sample ID:**	Trip Blank
Lab Order:	07080911	**Tag Number:**	
Project:	Romic/212001	**Collection Date:**	8/23/2007
Lab ID:	07080911-09D	**Matrix:**	TRIP BLANK

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES BY GC/MS		**SW8260B**				Analyst: k m
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Dibromochloromethane	< 1.0	1.0		µg/L	1	8/27/2007
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Ethylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
m,p-Xylene	< 2.0	2.0		µg/L	1	8/27/2007
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	8/27/2007
Methylene chloride	< 2.0	2.0		µg/L	1	8/27/2007
n-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
n-Propylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
o-Xylene	< 1.0	1.0		µg/L	1	8/27/2007
sec-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Styrene	< 1.0	1.0		µg/L	1	8/27/2007
tert-Butylbenzene	< 1.0	1.0		µg/L	1	8/27/2007
Tetrachloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Toluene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	8/27/2007
Trichloroethene	< 1.0	1.0		µg/L	1	8/27/2007
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl acetate	< 1.0	1.0		µg/L	1	8/27/2007
Vinyl chloride	< 1.0	1.0		µg/L	1	8/27/2007
Surr: 4-Bromofluorobenzene	102	86.5-114		%REC	1	8/27/2007
Surr: Dibromofluoromethane	102	80.3-130		%REC	1	8/27/2007
Surr: Toluene-d8	100	88.4-111		%REC	1	8/27/2007

Footnotes: All analysis performed at AEL Phoenix laboratory unless indicated by footnotes.

(1) The holding time for pH analysis is immediate. For the most accurate result, the pH should be taken in the field within 15 minutes of sampling.

Aerotech Environmental Laboratories

11-Sep-07

Lab Order: 07080911
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080911-01A	RE104-82'	8/23/2007 7:45:00 AM	Groundwater	SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 12:32:00 PM
07080911-01B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:14:22 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-01D				VOLATILES by GC/MS			8/27/2007
07080911-02A	RE104-87'	8/23/2007 8:28:00 AM		ALKALINITY			8/24/2007
				ANIONS by ION CHROMATOGRAPHY			8/23/2007 4:26:00 PM
				ANIONS by ION CHROMATOGRAPHY			8/30/2007 9:16:00 PM
				ANIONS by ION CHROMATOGRAPHY			9/5/2007 3:07:00 PM
				HEXAVALENT CHROMIUM			8/23/2007 8:55:00 PM
				SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/29/2007 6:14:00 PM
				TOTAL DISSOLVED SOLIDS			8/24/2007
07080911-02B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:26:27 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-02D				VOLATILES by GC/MS			8/27/2007
07080911-03A	RE104-92'	8/23/2007 9:20:00 AM		SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 1:13:00 PM
07080911-03B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:30:29 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-03D				VOLATILES by GC/MS			8/27/2007
07080911-04A	RE104-97'	8/23/2007 10:04:00 AM		SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 1:34:00 PM
07080911-04B				ICP METALS		8/24/2007 3:08:22 PM	8/27/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:34:30 PM

Lab Order: 07080911
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080911-04B	RE104-97'	8/23/2007 10:04:00 AM	Groundwater	MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-04D				VOLATILES by GC/MS			8/27/2007
07080911-05A	RE103-77'	8/23/2007 12:33:00 PM		SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 1:55:00 PM
07080911-05B				ICP METALS		8/27/2007 2:54:41 PM	8/28/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:38:32 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-05D				VOLATILES by GC/MS			8/27/2007
07080911-06A	RE103-82'	8/23/2007 1:24:00 PM		SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 2:16:00 PM
07080911-06B				ICP METALS		8/27/2007 2:54:41 PM	8/28/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:42:33 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-06D				VOLATILES by GC/MS			8/28/2007
07080911-07A	RE103-87'	8/23/2007 2:08:00 PM		ALKALINITY			8/24/2007
				ANIONS by ION CHROMATOGRAPHY			8/30/2007 9:34:00 PM
				ANIONS by ION CHROMATOGRAPHY			9/5/2007 11:45:00 AM
				ANIONS by ION CHROMATOGRAPHY			8/23/2007 4:44:00 PM
				HEXAVALENT CHROMIUM			8/23/2007 8:55:00 PM
				SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 2:37:00 PM
				TOTAL DISSOLVED SOLIDS			8/24/2007
07080911-07B				ICP METALS		8/27/2007 2:54:41 PM	8/28/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:46:35 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-07D				VOLATILES by GC/MS			8/28/2007
07080911-08A	FIELD DUP 2	8/23/2007		SEMIVOLATILE ORGANICS		8/29/2007 9:15:00 AM	8/30/2007 2:57:00 PM

Lab Order: 07080911
Client: Clear Creek Associates
Project: Romic/212001

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
07080911-08B	FIELD DUP 2	8/23/2007	Groundwater	ICP METALS		8/27/2007 2:54:41 PM	8/28/2007
				ICP/MS METALS, TOTAL RECOVERABLE		8/27/2007 3:43:35 PM	8/28/2007 8:50:36 PM
				MERCURY, Total		8/29/2007 12:00:00 PM	8/29/2007
07080911-08D				VOLATILES by GC/MS			8/28/2007
07080911-09D	Trip Blank		Trip Blank	VOLATILES by GC/MS			8/27/2007

Aerotech Environmental Laboratories

a division of Aerotech Laboratories, Inc.

Date: *11-Sep-07*

CLIENT: Clear Creek Associates
Work Order: 07080911
Project: Romic/212001

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_W

Sample ID: **MB-R90509** SampType: **MBLK** TestCode: **300_W** Units: **mg/L** Prep Date: RunNo: **90509**
Client ID: Batch ID: **R90509** TestNo: **E300** Analysis Date: **8/23/2007** SeqNo: **1071746**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	<2.0	2.0									
Nitrogen, Nitrate (As N)	<0.20	0.20									
Nitrogen, Nitrite (As N)	<0.20	0.20									
Sulfate	<2.0	2.0									

Sample ID: **MB-R90685** SampType: **MBLK** TestCode: **300_W** Units: **mg/L** Prep Date: RunNo: **90685**
Client ID: Batch ID: **R90685** TestNo: **E300** Analysis Date: **8/30/2007** SeqNo: **1073890**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	<2.0	2.0									
Sulfate	<2.0	2.0									

Sample ID: **MB-R90807** SampType: **MBLK** TestCode: **300_W** Units: **mg/L** Prep Date: RunNo: **90807**
Client ID: Batch ID: **R90807** TestNo: **E300** Analysis Date: **9/5/2007** SeqNo: **1075285**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	<2.0	2.0									
Nitrogen, Nitrate (As N)	<0.20	0.20									
Nitrogen, Nitrite (As N)	<0.20	0.20									

Sample ID: **MB-R90862** SampType: **MBLK** TestCode: **300_W** Units: **mg/L** Prep Date: RunNo: **90862**
Client ID: Batch ID: **R90862** TestNo: **E300** Analysis Date: **9/5/2007** SeqNo: **1075903**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	<2.0	2.0									

Qualifiers: * Value exceeds Maximum Contaminant Level ND Not Detected at the Reporting Limit