MIL0001310

INDUSTRIAL WASTEWATER PRETREATMENT MONITORING REPORT (IWPMR)

Permittee: Milbank Manufacturing Company, Incorporated

Discharge Period (Month): May

Discharge Point: 2

Regulated Parameter:		pH	As	Cd	Cr	Cu	Pb	Hg	Ni	Se	Ag	Zn	Mo	TTO	Phenol	Cn	O&G	TPH	PO_4	CBOD	COD	TSS	NH_3-N
Sample Type:		Grab	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Grab	Grab	Grab	Grab	Grab	Comp	Comp	Comp	Comp	Comp
Local Discharge Limit:		6 — 10	0.03	0.02	2.0	0.6	0.1	0.003	0.8	0.10	0.24	1.25	M & R	2.13	0.5	0.5	100	M & R	M & R	M & R	M & R	M & R	M & R
Analytical Method ID:																							
Method Detection Limit (LLOD):																							
Date	Flow (GPD)	s.u.'s	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
1																							
2																							
3	1290	9.18																					
4	3000	9.21																					
5	2780	9.33		<.002	<.010	0.099	0.009		0.045		<.001	0.320	0.020			<.005	<5.	<5.	0.148	<5.	71.4	30	0.798
6																							
7																							
8																							
9																							
10																							
11	2520	9.57																					
12	2820	9.59																					
13																							
14																							
15																							
16																							
17																							
18	530	9.32																					
19	2840	9.60																					
20																							
21																							
22																							
23																							
24	2350	9.38																					
25	330	9.49																					
26																							
27																							
28																							
29																							
30																							
31	2790	9.15																					
Mo. Average:	2125			<.002	<.010	0.099	0.009		0.045		<.001	0.320	0.020			<.005	<5.	<5.	0.148	<5.	71.4	30	0.798
High Value:	3000	9.60		<.002	<.010	0.099	0.009		0.045		<.001	0.320	0.020			<.005	<5.	<5.	0.148	<5.	71.4	30	0.798
Low Value:	330	9.15		<.002	<.010	0.099	0.009		0.045		<.001	0.320	0.020			<.005	<5.	<5.	0.148	<5.	71.4	30	0.798
Total Flow:	21250																						

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personell properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware there are significant penalities for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Larry E. Sterling
Signature of Responsible Party

Technical Service Manager
Title/Position

6/20/05
Date

MIL0001311

INDUSTRIAL WASTEWATER PRETREATMENT MONITORING REPORT (IWPMR)

Permittee: Milbank Manufacturing Company, Incorporated **Discharge Period (Month): May** Discharge Point: 1

Regulated Parameter:		pH	As	Cd	Cr	Cu	Pb	Hg	Ni	Se	Ag	Zn	Mo	TTO	Phenol	Cn	O&G	TPH	PO_4	CBOD	COD	TSS	NH_3-N
Sample Type:		Grab	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Comp	Grab	Grab	Grab	Grab	Grab	Comp	Comp	Comp	Comp	Comp
Local Discharge Limit:		6 — 10	0.03	0.02	2.0	0.6	0.1	0.003	0.8	0.10	0.24	1.25	M & R	2.13	0.5	0.5	100	M & R	M & R	M & R	M & R	M & R	M & R
Analytical Method ID:																							
Method Detection Limit (LLOD):																							
Date	Flow (GPD)	s.u.'s	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
1																							
2	8534	7.76																					
3	4300	7.80																					
4	3820	8.22																					
5	3374	7.99																					
6	4178	7.89																					
7																							
8																							
9	6054	7.64																					
10	3944	8.00																					
11	2998	7.89																					
12	5069	7.15																					
13	4688	7.55																					
14																							
15																							
16	6155	7.54																					
17	4122	7.80																					
18	4614	8.10																					
19	4913	7.80																					
20	3594	7.96																					
21																							
22																							
23	4735	7.84																					
24	3951	7.94																					
25	3957	7.96																					
26	3868	7.83																					
27	3637	7.95																					
28																							
29																							
30																							
31	21577	7.30																					
Mo. Average:	5337 238095																						
High Value:	21577	8.22																					
Low Value:	2998	7.15																					
Total Flow:	112082	Water Bill Statement (84750gal.)																					

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personell properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware there are significant penalities for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Larry E. Sterling
Signature of Responsible Party

Technical Service Manager
Title/Position

6/20/05
Date

TestAmerica
ANALYTICAL TESTING CORPORATION
6964 Hillsdale Court • Indianapolis, IN 46250 • 317-842-4261 • Fax: 317-842-4286

Mr. David Krantz
MILBANK MANUFACTURING INC
1400 E. Havens St.
Kokomo, IN 46901-3188

Job Number: 05.08473
Report Date: 05/16/2005

Enclosed is the Analytical Report for the following samples submitted to TestAmerica for analysis:

Project: MONTHLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
116642	MONTHLY COMP	05/06/2005	05/06/2005
116643	MONTHLY GRAB	05/06/2005	05/06/2005

TestAmerica certifies that the analytical results contained herein apply only to the specific samples analyzed. Reproduction of this report is permitted only in its entirety.

Enclosure

Project Management Approval

Dayton - 3601 South Dixie Drive, Dayton, OH 45439 937-294-6856/FAX:937-294-7816
Dundee (Chicago) - 1090 Rock Road Lane, Unit 11, Dundee, IL 60118 847-783-4960/FAX:847-783-4969
Indianapolis - 6964 Hillsdale Court, Indianapolis, IN 46250 317-842-4261/FAX:317-842-4286
Pontiac - 341 W. Walton Blvd, Pontiac, MI 48340 248-332-1940/FAX:248-332-5450
www.testamericainc.com
TestAmerica Analytical Testing Corporation | TestAmerica Drilling Corporation | TestAmerica Air Emission Corporation

TestAmerica
ANALYTICAL TESTING CORPORATION
6964 Hillsdale Court • Indianapolis, IN 46250 • 317 842 4261 • Fax: 317 842 4286

Analytical Report

Mr. David Krantz
MILBANK MANUFACTURING INC
1400 E. Havens St.
Kokomo, IN 46901-3188

Job Number: 05.08473
Report Date: 05/16/2005

SAMPLE NO. 116642 **SAMPLE DESCRIPTION** MONTHLY COMP **DATE/TIME TAKEN** 05/06/2005 13:40

	Result	Units	Reporting Limit	Flag	Run Date	Run Time	Prep Batch	Run Batch	Anal. Init.	Lab ID	Method Reference
CBOD - Five Day	<4	mg/L	<4		05/11/2005	16:20	2086	2486	amv	IN	SM18 5210B
CBOD - Five Day (PREP)	Complete		Complete		05/06/2005	16:15	2086		amv	IN	SM18 5210B
COD	71.4	mg/L	<50.		05/11/2005	12:00		1366	mhl	IN	HACH 8000
Nitrogen, Ammonia Dist.	0.798	mg/L	<0.50		05/12/2005	11:03	357	1472	amv	IN	EPA 350.1
Phosphorus, Total	0.135	mg/L	<0.05		05/09/2005	16:30	532	1140	amv	IN	EPA 365.2
Phosphorus, Total - Prep	Complete		Complete		05/09/2005	14:30	532		amv	IN	EPA 365.2
Solids, Suspended	30	mg/L	<5.		05/10/2005	11:30		2348	mhl	IN	EPA 160.2
Distillation, Ammonia	Complete		Complete		05/11/2005	14:00	357		mhl	IN	EPA 350.1
ICPMS TOTAL METALS	Complete		Complete		05/14/2005	16:06		5241	ekh	DT	EPA 200.8
Cadmium, ICPMS	<0.0020	mg/L	<0.0020	O	05/14/2005	16:06	3445	6881	ekh	DT	EPA 200.8
Chromium, ICPMS	<0.010	mg/L	<0.010	O	05/14/2005	16:06	3445	7695	ekh	DT	EPA 200.8
Copper, ICPMS	0.0986	mg/L	<0.0050		05/14/2005	16:06	3445	7023	ekh	DT	EPA 200.8
Lead, ICPMS	0.0088	mg/L	<0.0010		05/14/2005	16:06	3445	6952	ekh	DT	EPA 200.8
Molybdenum, ICPMS	0.020	mg/L	<0.0010		05/14/2005	16:06	3445	7249	ekh	DT	EPA 200.8
Nickel, ICPMS	0.0448	mg/L	<0.0050		05/14/2005	16:06	3445	6989	ekh	DT	EPA 200.8
Silver, ICPMS	<0.001	mg/L	<0.001	O	05/14/2005	16:06	3445	7247	ekh	DT	EPA 200.8
Zinc, ICPMS	0.320	mg/L	<0.050		05/14/2005	16:06	3445	6823	ekh	DT	EPA 200.8
Digestion, ICPMS	Complete		Complete		05/12/2005		3445		mja	DT	EPA 200.2

SAMPLE NO. 116643 **SAMPLE DESCRIPTION** MONTHLY GRAB **DATE/TIME TAKEN** 05/06/2005 13:40

	Result	Units	Reporting Limit	Flag	Run Date	Run Time	Prep Batch	Run Batch	Anal. Init.	Lab ID	Method Reference
Cyanide - Prep	Complete		Complete		05/10/2005	12:30	1031		amv	IN	EPA 335.2 MOD
Cyanide, Total	<0.005	mg/L	<0.005		05/11/2005	13:35	1031	1296	amv	IN	EPA 335.2 MOD
Oil & Grease (HEM)	<5.	mg/L	<5.		05/09/2005	10:00		2007	mhl	IN	EPA 1664A
Non-Polar Material (SGT-HEM)	<5.	mg/L	<5.		05/09/2005	10:00		747	mhl	IN	EPA 1664A

O - Elevated result due to sample matrix.

Lab ID: CH = Chicago (Dundee), DT = Dayton, IN = Indianapolis, PT = Pontiac, SUB = Subcontracted, CLT = Client Data

TestAmerica INCORPORATED

Indianapolis Division
6964 Hillsdale Court
Indianapolis, IN 46250

Phone: 317-842-4261
Fax: 317-842-4286

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?
Compliance Monitoring _____

Client Name: Milbank Client #: 64972
Address: 1400 E. Havens St.
City/State/Zip Code: Kokomo, IN 46901-3188
Project Manager: David Krantz
Telephone Number: 765-452-5694 Fax: 765-452-8361
Sampler Name: (Print Name) Jon Pressler
Sampler Signature: Jon Pressler

Project Name: Monthly wastewater
Project #:
Site/Location ID: State: IN
Report To: David Krantz
Invoice To:
Quote # PO#

TAT
___ Standard
___ Rush (surcharges may apply)
Date Needed: _____
Fax Results: Y N

QC Deliverables
___ None
___ Level 2 (Batch QC)
___ Level 3
___ Level 4
Other: _____

SAMPLE ID	Date Sampled	Time Sampled	G=Grab, C=Composite	Field Filtered	Matrix (SL-Sludge DW-Drinking Water GW-Groundwater S-Soil/Solid WW-Wastewater Specify Other)	Preservation & # of Containers: HNO_3	HCl	NaOH	H_2SO_4	Methanol	None	Other (Specify)	Analyze For: Cd, Cr, Cu, Pb, Ni, As, Zn, Mo	T. Phosphorus, Ammonia, COD	CBOD, TSS	Cyanide	O+G, O+G Hydrocarbon						REMARKS
Composite	5/6/05	1340									17		X	X	X								
Grab	5/6/05	1340						1	1							X	X						

Special Instructions:

LABORATORY COMMENTS:
Init Lab Temp:
Rec Lab Temp: 2.2
Custody Seals: Y N N/A
Bottles Supplied by Test America: Y N
Method of Shipment: TA

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Jon Pressler	5/6/05	1515	[illegible]	5/6/05	1515

MIL0001314

0001000000297000000000034953019

Indiana
American Water
PO BOX 578
ALTON, IL 62002-0578

For Service To: 1005 RANK PKY

000006682 01 AT 0.292

MILBANK MFG CO INC
PO Box 754
Kokomo IN 46903-0754

ACCOUNT NUMBER	10-0000029-7
AMOUNT DUE	$349.53
DUE DATE	Jun 27, 2005

Please return this portion with check
Payable to the address below

Indiana American Water
PO Box 5127
Carol Stream, IL 60197-5127

Customer Account Information

For Service To: MILBANK MFG CO INC
1005 RANK PKY
Account Number: 10-0000029-7
Premise Number: 10-0000018

Billing Period & Meter Information

Billing Date: Jun 09, 2005
Billing Period: May 05 to Jun 06 (32 days)
Next reading on/about: Jul 07, 2005
Rate Type: Industrial

Meter readings in current billing period:
Meter Number 031697349A is a 2-inch meter.
Present-actual 7561
Last-actual 7448
Meter Number 037146496A is a 5/8-inch meter.
Present-actual 0
Last-actual 0
100 Cubic Feet used 113
1 cu. ft. equals 7.50 gallons
Gallons used 84750

Billing Summary

---------Prior Balance----------		
Balance from last bill		$345.77
Payments as of Jun 09, 2005. Thanks!		-345.77
Total prior balance, Jun 09, 2005		.00
---------Current Water Charges---------		
Customer Service Charge		92.01
Water Charge	*($2.451100 x 20.00)*	49.02
	($1.775800 x 93.00)	165.15
Total Use Billed	*113.00*	306.18
---------Other Current Charges---------		
Pub F/S Surchg Mtr Kokomo		23.57
Total other charges, Jun 09, 2005		23.57
---------Taxes----------		
Indiana Gross Retail Tax		19.78
Total taxes, Jun 09, 2005		19.78
---------Total Current Charges---------		$349.53
---------TOTAL AMOUNT DUE----------		$349.53

FAXED
JUN 1 [illegible]
MILBANK MFG. CO.

Chemical Specialties

Marcus Bryant
913-661-0767

First Stage

Date	Initial	Concentration	Pressure	Temperature	pH	Replacements of drums	Clean Screens	Clean Nozzles	Comments
Ranges		1.60 –2.00	15 – 25	115°–130°	9.5 – 11.0	Cleaner 419-C	Daily	Weekly	
5-2	DK	2.00	15	129	10.51				
5-3	DK	2.00	15	129	10.47				
5-4	DK	2.00	15	130	10.45				
5-5	DK	2.00	15	129	10.18				
5-6	DK	2.00	15	127	10.27				
5-9	DK	2.00	15	129	10.29				
5-10	DK	2.00	15	129	10.31				
5-11	DK	2.00	15	130	10.25				
5-12	DK	2.00	15	130	10.24				
5-16	DK	2.40	15	126	10.33				
5-17	DK	2.40	15	127	10.36				
5-18	DK	2.40	15	129	10.39				
5-19	DK	2.40	15	130	10.35				
5-23	DK	2.40	15	129	10.38				
5-24	DK	2.40	15	130	10.34				
5-25	DK	2.40	15	128	10.30				
5-26	DK	2.40	15	130	10.33				
5-31	DK	2.40	15	128	10.27				

MIL0001316

Chemical Specialties

Marcus Bryant
913-661-0767

Third Stage

Date	Initial	Concentration	Pressure	Temperature	pH	Replacements of drums	Clean Screens	Clean Nozzles	Comments
Ranges		1.65 – 2.31	15 – 25	110°–130°	4.0 – 5.5	Paint Lok 595	Daily	Weekly	
5-2	DK	2.64	15	115	5.66				
5-3	DK	2.64	15	117	5.63				
5-4	DK	2.64	15	117	5.61				
5-5	DK	2.64	15	116	5.39				
5-6	DK	2.64	15	115	5.42				
5-9	DK	2.64	15	117	5.44				
5-10	DK	2.64	15	115	5.49				
5-11	DK	2.64	15	115	5.51				
5-12	DK	2.64	15	117	5.47				
5-16	DK	2.31	15	115	5.60				
5-17	DK	2.31	15	117	5.62				
5-18	DK	2.31	15	116	5.66				
5-19	DK	2.31	15	115	5.69				
5-23	DK	2.31	15	117	5.71				
5-24	DK	2.31	15	117	5.75				
5-25	DK	2.31	15	116	5.82				
5-26	DK	2.31	15	115	5.80				
5-31	DK	2.31	15	116	5.77				

MIL0001317

Fifth Stage

Chemical Specialties

Marcus Bryant
913-661-0767

Date	Initial	Pressure	PH Stage 5	Addition of Rinse 50 1 pint/4 hours of run time		Conductivity of Stage 5		Conductivity of Stage 2		Conductivity of Stage 4		Clean Screens	Clean Nozzles	Comments
Ranges		15 - 25	4.0 – 5.5	AM	PM	< 2000uS		< 1500uS		< 1500uS		Daily	Weekly	
						AM	PM	AM	PM	AM	PM			
5-2	DK	10	5.1	7:45	1230	1752	1756	1412	1501	913	1067			
5-3	DK	10	5.1	7:30	12:45	1752	1759	1831	2012	1109	1267			
5-4	DK	10	5.1	745	1230	1757	1763	640	977	532	589			
5-5	DK	10	5.1	8:00	1:30	1791	1814	629	788	632	677			
5-6	DK	10	5.1	7:30	12:40	1819	1836	921	1092	734	811			
5-9	DK	10	5.1	7:45	12:30	1831	1832	1202	1433	831	872			
5-10	DK	10	5.1	7:30	1:00	1821	1822	1522	1641	901	913			
5-11	DK	10	5.1	8:00	12:30	1829	1833	657	829	574	632			
5-12	DK	10	5.1	7:45	1:00	1826	1830	592	1012	543	629			
5-16	DK	10	5.1	7:35	1:30	1739	1749	1293	1502	692	771			
5-17	DK	10	5.1	7:45	12:30	1741	1755	1641	1933	849	929			
5-18	DK	10	5.1	8:00	1:00	1731	1762	2031	2660	1092	1181			
5-19	DK	10	5.1	7:45	12:45	1730	1741	2201	2307	1302	1532			
5-23	DK	10	5.1	7:30	12:30	1736	1750	2462	2592	1681	1745			
5-24	DK	10	5.1	7:45	12:30	1729	1733	574	932	589	672			
5-25	DK	10	5.1	8:00	2:30	1728	1735	605	883	559	633			
5-26	DK	10	5.1	7:45	1:30	1744	1751	1091	1222	889	921			
5-31	DK	10	5.1	7:50	12:30	1749	1754	1523	1218	1089	1231			

MIL0001318

MILBANK MANUFACTURING
WASTEWATER TREATMENT PLANT
CHEMICAL LOG

[illegible]	FERRIC CHLORIDE (4400)		CALCIUM CHLORIDE FLAKES (77%)		CAUSTIC SODA (50%)		SULFURIC ACID (66%)		[illegible]		COMMENTS
	GALS USED	GALS REC.	GALS USED	GALS REC.	GALS USED	GALS REC.	GALS USED	GALS REC.	GALS USED	GALS REC.	
5-2							46AL				Filled At 10:25
5-4									46AL		Filled At 10:40
5-5	46AL		150#								Filled At 1:20
5-10					206AL				[illegible]		Filled At 1:00
5-11									46AL		Filled At 11:00
5-11	46AL		150#								Filled At 1:50
5-18	46AL		150#								Filled At 2:00
5-19									46AL		Filled at 12:45
5-23	46AL		150#								Filled At 1:30
5-24					206AL						Filled At 8:50
5-24							46AL				Filled At 10:40

MILBANK MFG. WASTEWATER TREATMENT PLANT

PH CALIBRATION/READING LOG SHEET

TIME	DATE	BUFFER CHANGED? PH 4.00	BUFFER CHANGED? PH 10.00	PROBE LOCATION	PROBE CLEANED	PH READING	PH CALIBRATION
7:30	5-3	Y	Y	NEUT 1	Y	4 + 10	402 10.01
7:30	5-3	Y	Y	NEUT 2	Y	4 + 10	401 10.01
1:30	5-3	Y	Y	FINAL	Y	9.18	4.00 +10.00
7:10	5-4	Y	Y	NEUT 1	Y	4 + 10	400 10.02
7:10	5-4	Y	Y	NEUT 2	Y	4 + 10	400 10.01
3:35	5-4	Y	Y	FINAL	Y	9.21	4.00 10.00
7:15	5-5	Y	Y	NEUT 1	Y	4 + 10	3.97-9.99
7:15	5-5	Y	Y	NEUT 2	Y	4 + 10	400 9.98
1:20	5-5	Y	Y	FINAL	Y	9.33	4.00+10.00
7:00	5-11	Y	Y	NEUT 1	Y	4 + 10	400 9.99
7:00	5-11	Y	Y	NEUT 2	Y	4 + 10	401 10.02
1:30	5-11	Y	Y	FINAL	Y	9.57	400 +10.00
7:00	5-12	Y	Y	NEUT 1	Y	4 + 10	401 10.00
7:00	5-12	Y	Y	NEUT 2	Y	4 + 10	400 10.00
1:50	5-12	Y	Y	FINAL	Y	9.59	400 +10.00
7:50	5-18	Y	Y	NEUT 1	Y	4 + 10	402 10.00
7:50	5-18	Y	Y	NEUT 2	Y	4 + 10	400 10.02
12:45	5-18	Y	Y	FINAL	Y	9.32	4.00 +10.00
7:30	5-19	Y	Y	NEUT 1	Y	4 + 10	402-10.01
7:30	5-19	Y	Y	NEUT 2	Y	4 + 10	400-997
12:45	5-19	Y	Y	FINAL	Y	9.60	400 +10.00
7:00	5-24	Y	Y	NEUT 1	Y	4 + 10	400 10.01
7:00	5-24	Y	Y	NEUT 2	Y	4 + 10	401 10.00
3:30	5-24	Y	Y	FINAL	Y	9.38	4.00 +10.00
7:00	5-25	Y	Y	NEUT 1	Y	4 + 10	398 997
7:00	5-25	Y	Y	NEUT 2	Y	4 + 10	4.00 10.02
3:00	5-25	Y	Y	FINAL	Y	9.49	4.00 10.00
7:45	5-31	Y	Y	NEUT 1	Y	4 + 10	403 - 9.99
7:45	5-31	Y	Y	NEUT 2	Y	4 + 10	400 - 998
3:15	5-31	Y	Y	FINAL	Y	9.15	4.00+10.00
		Y	Y	NEUT 1	Y	4 + 10	
		Y	Y	NEUT 2	Y	4 + 10	
		Y	Y	FINAL	Y		
		Y	Y	NEUT 1	Y	4 + 10	
		Y	Y	NEUT 2	Y	4 + 10	
		Y	Y	FINAL	Y		
		Y	Y	NEUT 1	Y	4 + 10	
		Y	Y	NEUT 2	Y	4 + 10	
		Y	Y	FINAL	Y		

Number 1 Station Flow meter and PH reading

Month

May-05

	Previous Meter Reading	Current Meter Reading	Gallons Per Day	PH Reading
1			0	
2	603883	612417	8534	7.76
3	612417	616717	4300	7.80
4	616717	620537	3820	8.22
5	620537	623911	3374	7.99
6	623911	628089	4178	7.89
7			0	
8			0	
9	628089	634143	6054	7.64
10	634143	638087	3944	8.00
11	638087	641085	2998	7.89
12	641085	646154	5069	7.15
13	646154	650842	4688	7.55
14			0	
15			0	
16	650842	656997	6155	7.54
17	656997	661119	4122	7.80
18	661119	665733	4614	8.10
19	665733	670646	4913	7.80
20	670646	674240	3594	7.96
21			0	
22			0	
23	674240	678975	4735	7.84
24	678975	682926	3951	7.94
25	682926	686883	3957	7.96
26	686883	690751	3868	7.83
27	690751	694388	3637	7.95
28			0	
29			0	
30			0	
31	694388	715965	21577	7.30

112082 Total Gallons

MILBANK MFG. DISCHARGE LOG
SAMPLE POINT # 2

DATE	START TIME	METER READING	STOP TIME	METER READING	COMMENTS/ MAINTENANCE
5-3	11:30	1113340	4:00	1114630	System
5-4	7:15	1114630	4:00	1117630	System
5-5	7:30	1117630	3:30	1120410	System (Testing)
5-6	7:30	1120410	1:00	1120410	Filter Press
5-9	7:45	1120410	12:30	1120410	Filter Press
5-10	7:30	1120410	11:00	1120410	Filter Press
5-11	7:20	1120410	2:00	1122930	System
5-12	7:20	1122930	2:00	1125750	System
5-16	7:30	1125750	1:00	1125750	Filter Press
5-17	7:15	1125750	11:30	1125750	Filter Press
~~5-18~~	~~8:00~~	~~1125750~~	~~12:30~~	~~1126280~~	~~System~~
5-18	10:30	1125750	12:30	1126280	System
5-19	7:50	1126280	3:15	1129120	System
5-24	7:15	1129120	4:00	1131470	System
5-25	7:10	1131470	3:15	1130800	System
5-26	7:00	1130800	1:30	1130800	Filter Press
5-27	7:30	1130800	11:15	1130800	Filter Press
5-31	11:15	1130800	3:30	1134590	System
		~~1134590~~			~~System~~