TestAmerica
INCORPORATED

OCT - 5 1999

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

09/30/1999

Job Number: 99.05506

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
248710	OUTFALL 001 COMP	09/23/1999	09/24/1999
248711	OUTFALL 001 GRAB	09/23/1999	09/24/1999

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

TestAmerica
INCORPORATED

OCT - 5 1999

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

09/30/1999

Job No.: 99.05506

Date Received: 09/24/1999
Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D. Parameters	Result	Flag	Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
248710 OUTFALL 001 COMP			09/23/1999			
Zinc, ICP	0.040		mg/L	psc / 09/28/1999	EPA 200.7	<0.020
248711 OUTFALL 001 GRAB			09/23/1999			
Oil & Grease	16		mg/L	ceg / 09/29/1999	EPA 1664	<5.

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

TestAmerica
INCORPORATED

OCT 5 1999

FIELD REPORT

JOB #: 99.05506
CLIENT: MILBANK MFG.
PROJECT: WEEKLY WASTEWATER SAMPLING
DATE: 9/23/99
SAMPLER(S): MTM

An ISCO model 6700 auto sampler was used in the sequential mode of operation. The sampler was equipped with plastic containers, tygon suction line, power pack, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 8 hours.

Monitoring start 7:30 on 9/23/99
Monitoring end 15:30 on 9/23/99

The samples were then composited based on flow weight, and preserved in the appropriate containers.

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

OCT - 5 1999

TestAmerica
INCORPORATED

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
f	Indicates the sample concentration was quantitated using a fuel oil standard.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. All other Quality Control Indicators were in control.
r	Indicates the sample was received past recommended holding time.
s	Indicates the sample concentration was quantitated using a stoddard solvent standard.
u	Indicates the sample was received improperly preserved and/or imporperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

Chain of C[illegible]ly Record

TESTAMERICA INC.

OCT - 5 1999

___ of ___

❒ Asheville, NC (A) (828) 254-5169	❒ Bartlett, IL (C) (630) 289-3100	❒ Cedar Falls, IA (E) (319) 277-2401	❒ Charlotte, NC (G) (704) 392-1164	❒ Dayton, OH (I) (937) 294-6856	❒ Lumberton, NC (K) (910) 738-6190	❒ Nashville, TN (M) (615) 726-0177	❒ Pontiac, MI (O) (248) 332-1940	❒ Rockford. Il (Q) (815) 874-2171
❒ Atlanta, GA (B) (770) 368-0636	❒ Brighton, CO (D) (303) 659-0497	❒ Charleston, SC (F) (843) 849-6550	❒ Columbia, SC (H) (803) 796-8989	❒ Davenport. IA (J) (319) 323-7944	❒ Indianapolis, IN (L) (317) 842-4261	❒ Macon, GA (N) (912) 757-0811	❒ Orlando, FL (P) (407) 851-2560	❒ Watertown, WI (R) (920) 261-1660

Client: MILBANK MFG.
Report Address: 1400 E. HAVENS ST.
KOKOMO, IN 46901
Attn: RICHARD TYLER
Phone No.: (765) 452-5694
Fax No.:

Project No.: 2x MONTHLY SAMPLING
Invoice Address:
Attn:
Sampled By: Michael Meyer
P.O. No:
Quote No.
State Samples Collected

TURNAROUND TIME
❒ Standard
❒ Rush (surcharges may apply)
Date Needed:

REQUESTED PARAMETERS

Is this work being conducted for regulatory compliance monitoring? Yes___ No___

Is this work being conducted for regulatory enforcement action? Yes___ No___

Which regulations apply:
RCRA___ NPDESWastewater___
UST___ Drinking Water___
Other___ None___

Sample ID	Date	Time	Comp (C) Grab (G)	Matrix	Lab Use	CBOD, COD, TSS	METALS: Zn	OIL + GREASE	FIELD REPORT						# and type of containers: HCl	NaOH	HNO_3	H_2SO_4	Other	None	REMARKS
OUTFALL 001 - COMP	9/23	—	C	WW		X	X		X											~~X~~	7 - SAMPLES TO BE
																					FLOW PROPORTIONED
OUTFALL 001 - GRAB	9/23		G	WW				X										1			

QC Deliverables: ❒ None ❒ Level 2 - Batch QC ❒ Level 3 ❒ Level 4 ❒ Other

1.4°C Init Lab Temp | 1.4°C Rec Lab Temp

COMMENTS:

Relinquished By: Michael Meyer	Date 9/24 14:35 Time	Received By: Andrea Oldham	Date 9/24 1435 Time	LAB USE ONLY:
Relinquished By:	Date Time	Received By:	Date Time	
Relinquished By:	Date Time	Received By:	Date Time	Custody Seal: ❒Yes ❒No ❒N/A
Relinquished By:	Date Time	Received By:	Date Time	Bottles Supplied by TA: ❒Yes ❒No

MIL0002307

9-23-99

MILBANK
MANUFACTURING CO.

Corporate Office:
P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

TIME	METER READING
7:30	183610
8:00	183840
8:30	184080
9:00	184320
9:30	184560
10:00	184800
10:30	185040
11:00	
11:30	
12:00	
12:30	
1:00	
1:30	NO TESTING.
2:00	CLARIFIER TANK FULL
2:30	
3:00	
3:30	