NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: CLEAR SPRINGS FOODS, INC.
ADDRESS: P.O. BOX 712
BUHL, ID 83316

IDG132002
PERMIT NUMBER

SUM-A
DISCHARGE NUMBER

RECEIVED
AUG 17 2012
U.S. EPA REGION 10
OFFICE OF COMPLIANCE AND ENFORCEMENT

DMR MAILING ZIP CODE: 83316
MINOR
(SUBR 05)
FACILITY TOTAL

Sum

FACILITY: CLEAR SPRINGS FOODS, INC. - PROCESSING
LOCATION: 1579-A CLEAR LAKE ROAD
Buhl, ID 83316

ATTN: JOHN R. MACMILLAN, VP

MONITORING PERIOD			
	MM / DD / YYYY		MM / DD / YYYY
From	07 / 01 / 2012	To	07 / 30 / 2012

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Temperature,water deg. C	SAMPLE MEASUREMENT	****	****	****	****	14.8	****	°C	0	Monthly	Grab
00010 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	Reg. Mon. MO AVG	****			Monthly	GRAB
BOD, 5-Day, 20 Deg. C	SAMPLE MEASUREMENT	18.6	18.6	lb/d	****	16.0	16.0	mg/L	0	Monthly	Compos
00310 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	180.5 MO AVG	361.0 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
pH	SAMPLE MEASUREMENT	****	****	****	7.1	****	7.4	SU	0	Monthly	Grab
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		6.5 minimum	****	9.0 maximum			Monthly	GRAB
Solids, Total Suspended	SAMPLE MEASUREMENT	81.5	81.5	lb/d	****	3.1	3.1	mg/L	0	Monthly	Compos
00530 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	150.0 MO AVG	301.5 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
Nitrogen, ammonia total(as N)	SAMPLE MEASUREMENT	****	****	****	****	****	0.22	mg/L	0	Monthly	Compos
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	****	Reg. Mon. DAILY MX			Monthly	COMP24
Phosphorus, total (as P) Effluent - WQBEL	SAMPLE MEASUREMENT	8.9	8.9	lb/d	****	0.343	0.343	mg/L	0	Monthly	Compos
00665 T 0 *TRADE IN PLACE*	PERMIT REQUIREMENT	20.2 MO AVG	39.8 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
Oil and Grease	SAMPLE MEASUREMENT	2.9	2.9	lb/d	****	<5.0	<5.0	mg/L	0	Monthly	Grab
03582 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	96.0 MO AVG	192.0 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	GRAB

Name/Title Principle Executive Officer			Telephone		Date
John R. MacMillan, Vice President	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	John R. MacMillan	208	543-3456	08/15/2012
TYPED OR PRINTED		Signature of Principal Executive Officer or Authorized Agent	Area Code	Number	MM / DD / YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachements here)

ICIS 8/21/12

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: CLEAR SPRINGS FOODS, INC.
ADDRESS: P.O. BOX 712
BUHL, ID 83316

IDG132002
PERMIT NUMBER

SUM-A
DISCHARGE NUMBER

RECEIVED
AUG 17 2012
U.S. EPA REGION 10

DMR MAILING ZIP CODE: 83316
MINOR
(SUBR 05)
FACILITY TOTAL
Sum

FACILITY: CLEAR SPRINGS FOODS, INC. - PROCESSING
LOCATION: 1579-A CLEAR LAKE ROAD
Buhl, ID 83316

ATTN: JOHN R. MACMILLAN, VP

MONITORING PERIOD			
	MM / DD / YYYY		MM / DD / YYYY
From	07 / 01 / 2012	To	07 / 30 / 2012

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	****	4.79	cfs	****	****	****	****	0	Monthly	Measrd
50050 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	****	Reg. Mon. DAILY MX		****	****	****			Monthly	MEASRD
Chlorine, total residual	SAMPLE MEASUREMENT	****	****	****	****	<0.1 mg/l	<0.1 mg/l	µg/L	0	Monthly	Grab
50060 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	11 MO AVG	19 DAILY MX			Monthly	GRAB
Phosphorus, total (as P)	SAMPLE MEASUREMENT	****	****	****	****	****	2.054	mg/L		Monthly	Compos
00665 1 0 Effluent - TBEL	PERMIT REQUIREMENT	****	****		****	***	17.4 DAILY MX			Monthly	COMP24

Name/Title Principle Executive Officer			Telephone		Date
John R. MacMillan, Vice President	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	John R. MacMillan	(208)	543-3456	08/15/2012
TYPED OR PRINTED		Signature of Principal Executive Officer or Authorized Agent	Area Code	Number	MM / DD / YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachements here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

JUL 2 0 2012

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: CLEAR SPRINGS FOODS, INC.
ADDRESS: P.O. BOX 712
BUHL, ID 83316

IDG132002
PERMIT NUMBER

SUM-A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 83316
MINOR
(SUBR 05)
FACILITY TOTAL

FACILITY: CLEAR SPRINGS FOODS, INC. - PROCESSING
LOCATION: 1579-A CLEAR LAKE ROAD
Buhl, ID 83316

Sum

MONITORING PERIOD			
	MM / DD / YYYY		MM / DD / YYYY
From	06 / 01 / 2012	To	06 / 30 / 2012

ATTN: JOHN R. MACMILLAN, VP

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Temperature,water deg. C	SAMPLE MEASUREMENT	****	****	****	****	14.9	****	°C	0	Monthly	Grab
00010 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	Reg. Mon. MO AVG	****			Monthly	GRAB
BOD, 5-Day, 20 Deg. C	SAMPLE MEASUREMENT	7.0	7.0	lb/d	****	7.0	7.0	mg/L	0	Monthly	Compos
00310 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	180.5 MO AVG	361.0 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
pH	SAMPLE MEASUREMENT	****	****	****	7.3	****	7.6	SU	0	Monthly	Grab
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		6.5 minimum	****	9.0 maximum			Monthly	GRAB
Solids, Total Suspended	SAMPLE MEASUREMENT	60.6	60.6	lb/d	****	2.3	2.3	mg/L	0	Monthly	Compos
00530 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	150.0 MO AVG	301.5 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
Nitrogen, ammonia total(as N)	SAMPLE MEASUREMENT	****	****	****	****	****	0.27	mg/L	0	Monthly	Compos
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	****	Reg. Mon. DAILY MX			Monthly	COMP24
Phosphorus, total (as P) Effluent - WQBEL	SAMPLE MEASUREMENT	4.4	4.4	lb/d	****	0.165	0.165	mg/L	0	Monthly	Compos
00665 T 0 *TRADE IN PLACE*	PERMIT REQUIREMENT	20.2 MO AVG	39.8 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
Oil and Grease	SAMPLE MEASUREMENT	2.5	2.5	lb/d	****	<5.0	<5.0	mg/L	0	Monthly	Grab
03582 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	96.0 MO AVG	192.0 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	GRAB

Name/Title Principle Executive Officer			Telephone		Date
John R. MacMillan, Vice President	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	John R. MacMillan	208	543-3456	07/17/2012
TYPED OR PRINTED		Signature of Principal Executive Officer or Authorized Agent	Area Code	Number	MM / DD / YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachements here)

ICIS 7/23/12 R

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

JUL 2 0 2012

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: CLEAR SPRINGS FOODS, INC.
ADDRESS: P.O. BOX 712
BUHL, ID 83316

IDG132002
PERMIT NUMBER

SUM-A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 83316
MINOR
(SUBR 05)
FACILITY TOTAL

FACILITY: CLEAR SPRINGS FOODS, INC. - PROCESSING
LOCATION: 1579-A CLEAR LAKE ROAD
Buhl, ID 83316

Sum

ATTN: JOHN R. MACMILLAN, VP

MONITORING PERIOD			
	MM / DD / YYYY		MM / DD / YYYY
From	06 / 01 / 2012	To	06 / 30 / 2012

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	****	4.97	cfs	****	****	****	****	0	Monthly	Measrd
50050 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	****	Reg. Mon. DAILY MX		****	****	****			Monthly	MEASRD
Chlorine, total residual	SAMPLE MEASUREMENT	****	****	****	****	<0.1 mg/l	<0.1 mg/l	µg/L	0	Monthly	Grab
50060 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	11 MO AVG	19 DAILY MX			Monthly	GRAB
Phosphorus, total (as P)	SAMPLE MEASUREMENT	****	****	****	****	****	1.093	mg/L		Monthly	Compos
00665 1 0 Effluent - TBEL	PERMIT REQUIREMENT	****	****		****	***	17.4 DAILY MX			Monthly	COMP24

Name/Title Principle Executive Officer			Telephone		Date
John R. MacMillan, Vice President	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	John R. MacMillan	(208)	543-3456	07/17/2012
TYPED OR PRINTED		Signature of Principal Executive Officer or Authorized Agent	Area Code	Number	MM / DD / YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachements here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: CLEAR SPRINGS FOODS, INC.
ADDRESS: P.O. BOX 712
BUHL, ID 83316

IDG132002
PERMIT NUMBER

SUM-A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 83316
MINOR
(SUBR 05)
FACILITY TOTAL

FACILITY: CLEAR SPRINGS FOODS, INC. - PROCESSING
LOCATION: 1579-A CLEAR LAKE ROAD
Buhl, ID 83316

Sum

ATTN: JOHN R. MACMILLAN, VP

MONITORING PERIOD			
	MM / DD / YYYY		MM / DD / YYYY
From	05 / 01/ 2012	To	05 / 31 / 2012

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Temperature,water deg. C	SAMPLE MEASUREMENT	****	****	****	****	15.5	****	°C	0	Monthly	Grab
00010 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	Reg. Mon. MO AVG	****			Monthly	GRAB
BOD, 5-Day, 20 Deg. C	SAMPLE MEASUREMENT	26.5	26.5	lb/d	****	27.0	27.0	mg/L	0	Monthly	Compos
00310 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	180.5 MO AVG	361.0 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
pH	SAMPLE MEASUREMENT	****	****	****	6.8	****	7.4	SU	0	Monthly	Grab
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		6.5 minimum	****	9.0 maximum			Monthly	GRAB
Solids, Total Suspended	SAMPLE MEASUREMENT	147.5	147.5	lb/d	****	5.7	5.7	mg/L	0	Monthly	Compos
00530 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	150.0 MO AVG	301.5 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
Nitrogen, ammonia total(as N)	SAMPLE MEASUREMENT	****	****	****	****	****	0.38	mg/L	0	Monthly	Compos
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	****	Reg. Mon. DAILY MX			Monthly	COMP24
Phosphorus, total (as P) Effluent - WQBEL	SAMPLE MEASUREMENT	9.1	9.1	lb/d	****	0.356	0.356	mg/L	0	Monthly	Compos
00665 T 0 *TRADE IN PLACE*	PERMIT REQUIREMENT	20.2 MO AVG	39.8 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	COMP24
Oil and Grease	SAMPLE MEASUREMENT	2.5	2.5	lb/d	****	<5.0	<5.0	mg/L	0	Monthly	Grab
03582 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	96.0 MO AVG	192.0 DAILY MX		****	Reg. Mon. MO AVG	Reg. Mon. DAILY MX			Monthly	GRAB

Name/Title Principle Executive Officer			Telephone		Date
John R. MacMillan, Vice President	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	John R. MacMillan	208	543-3456	06/14/2012
TYPED OR PRINTED		Signature of Principal Executive Officer or Authorized Agent	Area Code	Number	MM / DD / YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachements here)

RECEIVED
JUN 22 2012
U.S. EPA REGION 10

ICIS 6/27

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: CLEAR SPRINGS FOODS, INC.
ADDRESS: P.O. BOX 712
BUHL, ID 83316

IDG132002
PERMIT NUMBER

SUM-A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 83316
MINOR
(SUBR 05)
FACILITY TOTAL

FACILITY: CLEAR SPRINGS FOODS, INC. - PROCESSING
LOCATION: 1579-A CLEAR LAKE ROAD
Buhl, ID 83316

Sum

ATTN: JOHN R. MACMILLAN, VP

MONITORING PERIOD			
	MM / DD / YYYY		MM / DD / YYYY
From	05 / 01/ 2012	To	05 / 31 / 2012

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	****	4.75	cfs	****	****	****	****	0	Monthly	Measrd
50050 1 0 Effluent - WQBEL	PERMIT REQUIREMENT	****	Reg. Mon. DAILY MX		****	****	****			Monthly	MEASRD
Chlorine, total residual	SAMPLE MEASUREMENT	****	****	****	****	<0.1 mg/l	<0.1 mg/l	µg/L	0	Monthly	Grab
50060 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****		****	11 MO AVG	19 DAILY MX			Monthly	GRAB
Phosphorus, total (as P)	SAMPLE MEASUREMENT	****	****	****	****	****	2.438	mg/L		Monthly	Compos
00665 1 0 Effluent - TBEL	PERMIT REQUIREMENT	****	****		****	***	17.4 DAILY MX			Monthly	COMP24

RECEIVED
JUN 2 2 2012
U.S. EPA REGION 10
OFFICE OF COMPLIANCE & ENFORCEMENT

Name/Title Principle Executive Officer			Telephone		Date
John R. MacMillan, Vice President	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	John R. MacMillan	(208)	543-3456	06/14/2012
TYPED OR PRINTED		Signature of Principal Executive Officer or Authorized Agent	Area Code	Number	MM / DD / YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachements here)