June 4, 2021

Ms. Erin Brittian
West Virginia Department of Environmental Protection
2031 Pleasant Valley Road
Fairmont, West Virginia 26554

Dear Erin:

Subject: Human Health and Ecological Risk Assessment Report
Mingo Junction Steel Works – Corrective Action Areas VIM and VIIM
Weirton, Hancock County, West Virginia
VRP Site Number 20015
CEC Project 174-529.2H2Z

Civil & Environmental Consultants, Inc. (CEC) is submitting one copy of the Human Health and Ecological Risk Assessment Report for the Mingo Junction Steel Works – Corrective Action Areas VIM and VIIM for your review. If you have any questions or require additional information, please call us at (724) 327-5200.

Very truly yours,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

Elizabeth A. Stas, L.R.S. #296
Project Manager

David N. Olson, L.R.S. #49
Principal

EAS:DNO/jg
Enclosure

cc: WVDEP OER File – depoerfilecopy@wv.gov
Kenan Cetin – WVDEP
Yogesh Patel – WVDEP
John Hopkins – USEPA
Joe Nowak – USEPA
Marvin Six – BDC
Craig Slater – MJSW
Public Repository – Office of Business Development of the Northern Panhandle L-174529.2H2Z.Jun4/P

HUMAN HEALTH AND ECOLOGICAL RISK ASSESSMENT REPORT

MINGO JUNCTION STEEL WORKS –
CORRECTIVE ACTION AREAS VIM AND VIIM
WEIRTON, HANCOCK COUNTY, WEST VIRGINIA
VRP PROJECT #20015

Prepared For:

BUSINESS DEVELOPMENT CORPORATION
OF THE NORTHERN PANHANDLE
AND
MINGO JUNCTION STEEL WORKS, LLC

Prepared By:

LICENSED REMEDIATION SPECIALIST:
DAVID N. OLSON (LRS NO. 49)
Civil & Environmental Consultants, Inc.
4350 Northern Pike, Suite 141
Monroeville, Pennsylvania 15146
Phone: (724) 327-5200
Fax: (724) 327-5280
Email: dolson@cecinc.com

CEC Project 174-529.2H2Z

June 2021

TABLE OF CONTENTS

Page

1.0 Introduction 1
1.1 Site Location 2
1.2 Site History and Operational 3
1.3 Current and Future Land Use 4
1.3.1 Weirton Area Reuse Plan 4

2.0 Data Evaluation and Identification of COCs 6
2.1 Soil Direct Contact 6
2.2 Groundwater Direct Contact 7
2.3 Vapor Intrusion 8
2.4 Groundwater Migration to Surface Water 9
2.5 De Minimis Ecological Screening 10

3.0 Exposure Assessment 11
3.1 Characterization of the Exposure Setting 11
3.2 Potential Transport Mechanisms 13
3.3 Identification of Potential Receptors and Exposure Pathways 14
3.4 Quantification of Exposure 17
3.4.1 Intake Equations and Receptor Specific Intake Assumptions 17
3.4.2 Receptor-Specific Intake Assumptions 20
3.4.3 Exposure Point Concentrations 21

4.0 Toxicity Assessment 25
4.1 Potential Carcinogenic Toxicity Values 26
4.1.1 Assessing the Mutagenic Mode of Action for Potential Carcinogens 28
4.2 Noncarcinogenic Toxicity Values 29

5.0 Risk Characterization 31
5.1 Risk Estimation Methods 31
5.1.1 Cancer Risk Estimation Methods 31
5.1.2 Noncarcinogenic Risk Estimation Methods 32
5.2 Risk Assessment Results 33

6.0 Uncertainties 35

7.0 Summary and Conclusions 37

8.0 References 39

TABLES

Table 1 – Identification of Contaminants of Concern in Surface Soil – Developed Areas
Table 2 – Identification of Contaminants of Concern in Surface Soil – Wooded Hillside
Table 3 – Identification of Contaminants of Concern in Subsurface Soil
Table 4 – Identification of Contaminants of Concern in Groundwater
Table 5 – Identification of Contaminants of Concern in Groundwater –Vapor Intrusion
Table 6 – Summary of Contaminants of Concern

Table 7 – Dermal Absorption Factors for Contaminants of Concern in Soil
Table 8 – Intake Equations and Exposure Factors – Future Outdoor Worker
Table 9 – Intake Equations and Exposure Factors – Future Construction Worker
Table 10 – Intake Equations and Exposure Factors – Current/Future Youth Trespasser
Table 11 – Exposure Point Concentrations for Surface Soil (Developed Areas)
Table 12 – Exposure Point Concentrations for Surface Soil (Wooded Hillside)
Table 13 – Exposure Point Concentrations for Shallow Soil (0 to 10 feet bgs)
Table 14 – Exposure Point Concentrations for Shallow Perched Groundwater
Table 15 – Calculation of Chronic Soil Volatilization Factors for Ambient (Outdoor) Air
Table 16 – Calculation of Subchronic Soil Volatilization Factors for Ambient (Outdoor) Air - Construction Worker
Table 17 – Calculation of a Particulate Emission Factor – Emissions from Unpaved Road Construction Traffic
Table 18 – Cancer Toxicity Values
Table 19 – Noncancer Toxicity Values – Chronic
Table 20 – Noncancer Toxicity Values – Subchronic
Table 21 – Summary of Risk Characterization

FIGURES

Figure 1 – CAAs VIM and VIIM Site Location Map
Figure 2 – CAA VIM Site Layout
Figure 3 – CAA VIIM Site Layout
Figure 4 – CAA VIM Sample Locations
Figure 5 – CAA VIIM Sample Locations
Figure 6 – CAA VIIM Sample Locations – Former 400,000-Gallon Fuel Oil Tank
Figure 7 – CAA VIIM Sample Locations - Former BOP Baghouse and Caster Sed. Basins
Figure 8 – CAA VIIM Sample Locations - Former BOP Scrubber WWTP
Figure 9 – CAA VIIM Sample Locations – Former Detinning Plant
Figure 10 – CAA VIIM Sample Locations – Former Hot Mill WWTP
Figure 11 – CAA VIIM Sample Locations – Former PORI and HARP Plants
Figure 12 – CAA VIIM Sample Locations – Wooded Hillside
Figure 13 – Conceptual Site Model

APPENDICES

Appendix A – Data Summary Tables
Appendix B – Approved De Minimis Ecological Screening Checklist
Appendix C – ProUCL Statistical Output
Appendix D – Volatilization Factors for a Trench Scenario
Appendix E – Risk Spreadsheets

1.0 INTRODUCTION

Civil & Environmental Consultants, Inc. (CEC) prepared this Human Health and Ecological Risk Assessment Report (RAR) for Corrective Action Areas (CAAs) VIM and VIIM of the Mingo Junction Steel Works site (Site) located along Main Street in the City of Weirton, Hancock County, West Virginia. This RAR was prepared on behalf of the Mingo Junction Steel Works, LLC (MJSW), who owns 272.7 acres of the 282-acre Site and the Business Development Corporation of the Northern Panhandle (BDC), who owns 9.3-acre portion of the Site. The BDC and its coalition partner, the Brooke-Hancock Regional Planning & Development Council have been awarded several United States Environmental Protection Agency (USEPA) Brownfields Assessment Grants that will be used to finance the assessment and remedial planning of the Site along with other properties in Brooke and Hancock counties.

The Site and surrounding property is subject to a Resource Conservation and Recovery Act (RCRA) Corrective Action Administrative Order issued to the Weirton Steel Corporation (former property owner) by the USEPA in September 1996 to perform investigation and remediation activities at WSC's steel manufacturing facility. WSC filed for Chapter 11 bankruptcy in 2004. Over the subsequent years the facility ownership changed several times, culminating with ArcelorMittal Weirton LLC (ArcelorMittal) taking ownership in December 2012. MJSW purchased approximately 1,300 acres of the former steel manufacturing facility from ArcelorMittal in January 2017 and the 1996 Administrative Order applicable to those areas was subsequently reassigned to MJSW in September 2018. MJSW initiated discussions with the West Virginia Department of Environmental Protection (WVDEP) and USEPA regarding entering the Site into the West Virginia Voluntary Remediation Program (VRP) in October 2019 and executed a Voluntary Remediation Agreement (VRA) with WVDEP on May 1, 2020. The Site has been assigned VRP Project #20015.

A Site Assessment Report (SAR) was submitted for the Site on June 30, 2020. The WVDEP provided comments based on their review of the SAR in a letter dated July 27, 2020. Representatives from the WVDEP, BDC, MJSW and CEC met at the Site on October 6, 2020 to discuss and agree on an approach to resolving several of the comments raised in the July 27th letter.

CEC submitted a letter to WVDEP dated November 10, 2020 with responses to the comments provided in the July 27th letter, which included a plan for collecting four additional soil samples. A revised SAR incorporating those sampling results and other information/revisions requested in the July 27th letter was submitted on January 28, 2021. WVDEP provided additional comments on the revised SAR via letter dated March 4, 2021. A revised report responding to these additional comments was submitted on March 17, 2021. WVDEP approved the March 17, 2021 revised SAR via letter dated April 16, 2021. Sections 1.1 and 1.2 of the approved SAR provide a detailed history of the RCRA Corrective Action Program activities conducted at the site, a detailed history of the activities conducted within CAAs VI and VII, and the process that was followed to enter the Site into the VRP. As recommended in the approved SAR, the purpose of this RAR is to evaluate potential human health risks associated with Contaminants of Concern (COCs) identified in site soils and groundwater under current and future land use scenarios.

This RAR was prepared in accordance with the procedures described in the WVDEP Voluntary Remediation and Redevelopment Act (VRRA) Guidance Manual (WVDEP, 2020), applicable federal guidance, such as the USEPA Risk Assessment Guidance for Superfund (RAGS) Part A (USEPA, 1989), Part E (USEPA, 2004), and Part F (USEPA, 2009), and other resources as referenced throughout this report.

1.1 SITE LOCATION

The 1,300-acre property owned by MJSW, which includes the Site, is located in the City of Weirton, Hancock County, West Virginia predominantly within a relatively flat, wide valley bottom that was a former channel of the Ohio River. CAAs VIM and VIIM occupy approximately 282 acres within the central portion of the overall property. The land surface across CAAs VIM and VIIM is relatively flat-lying with land surface elevations ranging from approximately 740 to 760 feet above mean sea level (famsl). The land surface rises to approximately 780 to 800 famsl along the eastern boundary towards Weir Avenue in CAA VIIM and Main Street in CAA VIM. Surface drainage is captured in a series of drop inlets and conveyed via underground sewers to the A-Outfall or B-Outfall wastewater treatment facilities (that are owned and operated by ArcelorMittal) where it is discharged to the Ohio River under WVDEP National Pollutant

Discharge Elimination System (NPDES) Permit # WV0003336. The site location is shown on the United States Geological Survey (USGS) topographic map attached as Figure 1. The detailed topography and layout of CAAs VIM and VIIM are shown on Figures 2 and 3, respectively.

1.2 SITE HISTORY AND OPERATION

Steel processing operations began by previous owners in 1909 and the steel-making facility continuously expanded after that time. CAA VIM was the Former Iron-Making Area. The primary activities in CAA VIM have included iron-making and related support operations, power and steam generation, the central facility machine shop, and trucking (fueling and maintenance) operations. Figure 2 presents the CAA VIM site layout, including existing, inactive, and demolished structures. Specific features that were located within CAA VIM included:

- Four blast furnaces that were used to produce molten iron for steelmaking. All four have been permanently shut down, and they are currently being demolished by MJSW in preparation for Site redevelopment;
- A Sinter Plant that was used to agglomerate iron ore fines and steel mill iron oxide byproducts into a suitable raw material for the production of iron in a blast furnace. The Sinter Plant was demolished in 2006 and 2007;
- A large steam and power generation complex that included five boilers fueled with natural gas. This plant has been shut down and is not scheduled to be restarted;
- A machine shop that was used to manufacture components used in the steel-making process at the Facility. This area and the adjacent trucking department was sold by MJSW to the BDC. The former Machine Shop has subsequently been occupied by Bidell Gas Compression, a manufacturer of equipment for the natural gas industry; and
- A Trucking Department Maintenance Building that was used to fuel and maintenance Facility trucks. This area was also sold to the BDC and the building has been demolished.

CAA VIIM was the Former Steel-Making Area. The primary activities in CAA VIIM included steel making and related support operations. Each of these is discussed in more detail below.

Figure 3 presents the CAA VIIM site layout, including existing, inactive, and demolished structures. Specific features that were located within CAA VIIM included:

- Two Basic Oxygen Furnaces (BOF) that were used to produce molten steel from molten iron, scrap metal, and other additives [also referred to as the Basic Oxygen Process (BOP), as shown on Figure 3]. The BOP building has been demolished;
- A Continuous Caster which received molten steel and produced a continuous steel slab which was then cut to the desired length. The Continuous Caster has been demolished;
- A Detinning Plant, which was shut down in 1996, that reclaimed tin from tin-bearing sludges generated at the Tin Mill;
- A Hot Strip Mill Wastewater Treatment Plant which was permanently shut down in 2007;
- The Veolia (formerly P.O.R.I.) Chemical Treatment and Oil Treatment Plants which were both permanently shut down in December 2011; and
- The HCL Plant which was permanently shut down in August 2009.

1.3 CURRENT AND FUTURE LAND USE

The land that comprises CAAs VIM and VIIM has been used for industrial purposes for nearly 100 years and will likely be used for industrial/commercial purposes in the future. CAA VIM is zoned as "Planned Development District" (commercial/industrial and restricted residential use) by the City of Weirton. The central portion of CAA VIIM is zoned "Heavy Industrial" while the eastern (along Weir Avenue) and western (wooded hillside) portions are zoned "Residential".

Activities performed in CAAs VIM and VIIM by MJSW since taking ownership in 2017 have primarily included dismantling existing buildings/structures in preparation for Site redevelopment.

1.3.1 Weirton Area Reuse Plan

In December 2017, the BDC, in partnership with the City of Weirton, was awarded a $400,000 grant from the United States Economic Development Agency (USEDA) to develop a "Weirton Area Reuse Plan" (WARP). The focus of the WARP is to upgrade infrastructure and repurpose

the 1,300-acre MJSW property (aka "Frontier Crossings") and integrate the development into the overall City of Weirton master plan. To accomplish this goal, the BDC teamed with MJSW and the City, and retained Thrasher Engineering (Thrasher) to develop the WARP.

In October 2018, the BDC hosted the Regional Economic Development Summit in the City of Weirton, which assembled local/state/federal government officials, developers and investors, and other stakeholders to share ideas about completing and implementing the WARP. A number of project initiatives have been kicked off since this summit. The City and County have initiated steps to create a Tax Incremental Financing Area to assist in funding area infrastructure improvements and will seek West Virginia Department of Transportation (WVDOT) road access, State and USEDA funds to construct a "signature" Frontier Crossings entry, a roundabout, and an arterial road into the industrial park. The City has also initiated the grant process with USEDA to fund and upgrade its public wastewater treatment works. A Work Force Training Center has been purchased by the BDC with expansion of the MJSW site envisioned. Finally, the City, BDC, and MJSW are working towards funding to improve the bridges to/from Browns Island to allow for travel from West Virginia to Ohio through the MJSW site.

The WARP master plan was completed in July 2019 and includes 337 acres of redevelopment for industrial, manufacturing, and commercial uses, with up to 10 new industrial buildings and 25 new commercial/retail buildings that could form a new regional hub for the emerging shale-manufacturing sector. The plan also includes a $42 million, 40-megawatt solar photovoltaic facility. The building construction and industrial equipment investment in this initial phase of the project is expected to reach $350 million, and as many as 1,137 direct jobs will be created.

2.0 DATA EVALUATION AND IDENTIFICATION OF COCS

The investigation of the Site included sampling and analysis of surface soil, subsurface soil, and groundwater to evaluate the potential for releases of hazardous constituents to the environment. A complete discussion of the previous site investigation and cleanup activities was presented in Section 2.3 of the approved SAR (CEC, 2021). The validity and usability of the data were determined during the data validation process, which was described in Section 6.4 of the approved SAR (CEC, 2021). In general, the overall quality of data generated during the Site characterization was acceptable for its intended purpose.

The primary objective of the data evaluation process is to develop a media-specific list of COCs that will be retained for further evaluation in the quantitative risk evaluation.

2.1 SOIL DIRECT CONTACT

A total of 83 surface soil samples (including six duplicate samples) were collected across the developed areas of the Site during the implementation of the CAAs VI and VII Work Plan from October through December 2013 and supplemental investigation from November 2017 to October 2018. It should be noted that sample VI-SS-09(0-0.3) was excavated during the former Fuel Oil/Tar Pumping Station excavation and has accordingly been excluded from the screening analysis presented in this section. In addition, five surface soil samples were collected from the wooded hillside comprising the western portion of CAA VIIM (refer to Figure 12) in December 2020 in response to WVDEP comments. Finally, a total of 91 subsurface soil samples (including four duplicate samples) were collected across the developed area of the Site during the following events:

- 2007 Interim Measure – Yard Office Interim Measure (SWMU W-700);
- October through December 2013 – Implementation of CAAs VI and VII RFI Work Plan; and
- November through December 2017 – Implementation of the subsurface soil sampling portion of the supplemental investigation.

The locations of the surface and subsurface soil samples are presented on Figures 4 through 12.

As presented in the approved SAR (CEC, 2021), the screening process used to identify soil COCs for the risk assessment consisted of comparing detected constituent concentrations to the lower of the USEPA Regional Screening Levels (RSLs), most recently updated in May 2021, or the WVDEP soil De Minimis values, most recently updated in June 2020 (WVDEP, 2020b). A comparison to both the residential and industrial screening values was conducted. The results of the initial direct contact screening for inorganic constituents were then compared to the default background values presented in Section 3.8.2 of the VRRA Guidance Manual. Constituents that were not detected, and constituents that were detected at concentrations below the De Minimis or background values, were not retained as COCs. The results of the direct contact screening evaluation for surface soil across the developed areas of the Site are presented in Table 1, for surface soil across the wooded hillside are presented in Table 2, and for subsurface soil are presented in Table 3. These tables present the number of samples analyzed for each constituent, the number of detections for each constituent, the range of detection limits, the range of detected concentrations, the sample with the maximum detection, and the soil De Minimis or background values, as appropriate.

A sample-by-sample summary of the analytical results is provided in Appendix A, Table A-1 for surface soil (developed areas), Table A-2 for surface soil (wooded hillside), and Table A-4 for subsurface soil. A summary of the identified COCs is provided on Table 6.

2.2 GROUNDWATER DIRECT CONTACT

The groundwater screening evaluation included a total of 49 groundwater samples (including four duplicate samples). Specifically, groundwater samples were collected from each of the 15 groundwater monitoring wells installed as part of the CAA VIM and VIIM RFI and two existing monitoring wells. The locations of the groundwater monitoring wells are shown on Figures 2 and 3 for CAA VIM and VIIM, respectively.

For groundwater, the screening process used to identify COCs consisted of comparing detected constituent concentrations to the lower of the USEPA Tapwater RSLs or WVDEP Groundwater De Minimis values. Additionally, the USEPA Federal MCLs were included in the screening evaluation. Constituents that were not detected, and constituents that were detected at concentrations below the De Minimis values, were not retained as COCs. The results of the direct contact screening evaluation for groundwater are presented in Table 4. This table presents the number of samples analyzed for each constituent, the number of detections for each constituent, the range of detection limits, the range of detected concentrations, the sample with the maximum detection, and the groundwater De Minimis values. A sample-by-sample comparison of the groundwater analytical results to the De Minimis values is provided in Appendix A, Table A-5. A summary of the identified COCs is provided on Table 6.

2.3 VAPOR INTRUSION

WVDEP does not provide De Minimis values for vapor intrusion from soil or groundwater. Therefore, to identify COCs for the vapor intrusion pathway, groundwater concentrations were compared to the USEPA Vapor Intrusion Screening Levels (VISL) for residential and commercial scenarios. The VISLs were obtained from the USEPA on-line VISL calculator (USEPA, 2021a) and are based on a 1E-06 risk level for a residential scenario, a 1E-05 risk level for a commercial scenario, and a default West Virginia groundwater temperature of 13 °C.

Table 5 provides a summary of the constituents that were detected in one or more of the groundwater samples and a comparison of these detected concentrations to the USEPA residential and commercial VISLs. As shown in Table 5, while chloroform, ethylbenzene, naphthalene, trichloroethene, vinyl chloride, and cyanide exceed a the USEPA residential VISLs, none of these constituents are detected at concentrations that exceed the USEPA commercial VISLs. A summary of the identified COCs is provided on Table 6.

2.4 GROUNDWATER MIGRATION TO SURFACE WATER

The nearest surface water bodies to the Site include the Ohio River, which is located between 600 and 5,000 feet to the west of the Site (depending on which CAA you are in) and Harmon Creek, which is located approximately 800 feet to the south of the southern limits of CAA VIIM (see Figure 1 which shows the location of these surface water features). A quantitative evaluation of the potential for Site-related constituents to migrate to the surface water of Harmon Creek was conducted as part of the De Miminis Ecological Screening presented in Section 3.2.8.2 of the approved SAR (CEC, 2021). Specifically, the concentrations detected in downgradient groundwater monitoring well VII-MW-03A were compared to the West Virginia's surface water quality standards (WQS) provided in Appendix E, Table 1 of WVDEP Title 47: Requirements Governing Water Quality Standard (WVDEP, 2016). For potential human receptors, WQS are provided for Category C (protection of human health from toxic effects through fish consumption) and Category A (protection of human health from toxic and/or organoleptic effects through drinking water and fish consumption). For potential ecological receptors, acute and chronic aquatic life WQS are provided for Category B1 and B4 (warm waters). The comparison is provided in Table A-7 in Appendix A. As shown on Table A-7, cadmium and iron were detected in the downgradient well VII-MW-03A at concentrations that exceed the ecological WQS and iron and manganese were detected at concentrations that exceed the human health WQS. Harmon Creek is not located immediately downgradient of the Site. Property owned by Cleveland-Cliffs, Inc. (formerly ArcelorMittal) is located downgradient of the Site, with Harmon Creek beyond. There are two groundwater monitoring wells located on Cleveland Cliffs property, adjacent to Harmon Creek. These wells include CA-MW-04AR and CA-MW-02A, which are wells that are monitored on an annual basis as part of the facility's RCRA Environmental Indicators monitoring program. Analytical results for CA-MW-04AR and CA-MW-02A for 2018, 2019, and 2020 are provided on Table A-7 in Appendix A. The locations of these wells are shown on Figure 5. As shown on Table A-7, cadmium, iron, and manganese were either non-detect, or detected below WQS in these downgradient wells during all three monitoring events. Therefore, it can be concluded that site COC in groundwater are not migrating to the surface water of Harmon Creek at concentrations that would result in a WQS exceedance.

2.5 DE MINIMIS ECOLOGICAL SCREENING

A De Minimis ecological screening evaluation was presented in Section 3.2.8.2 of the approved SAR (CEC, 2021). Specifically, WVDEP provides a "Checklist to Determine Applicable Remediation Standards, Part 1: Ecological Standards" to aid in completion of the ecological screening. The completed checklist previously presented in the approved SAR (CEC, 2021) is included as Appendix B of this report. Based on the responses in the completed checklist, Site constituents do not pose a significant ecological risk and no further ecological evaluation was warranted. Therefore, no further evaluation of ecological receptors is presented in this report.

3.0 EXPOSURE ASSESSMENT

Potential exposure to chemicals in environmental media depends on a number of factors related to the physical characteristics of a facility and its surroundings, including its location, surrounding land use, surface topography, drainage patterns, hydrogeology, geology, meteorology, and vegetation. Other factors include the current and possible future uses of the property, which determine the types of activities that might occur at the facility, the degree to which the facility is accessible to the general public, the amount and types of soil cover, and the mechanisms that might result in migration of chemicals to onsite populations.

This section summarizes various aspects of the exposure assessment for the Site, including the exposure setting (Section 3.1), potential transport mechanisms (Section 3.2), identification of potential receptors and exposure pathways (Section 3.3), and intake estimation methods and determination of Exposure Point Concentrations (EPCs; Section 3.4).

3.1 CHARACTERIZATION OF THE EXPOSURE SETTING

The Site is located in the City of Weirton, Hancock County, West Virginia predominantly within a relatively flat, wide valley bottom that was a former channel of the Ohio River. The Site was used for steel processing operations since 1909. CAA VIM was the Former Iron- Making Area while CAA VIIM was the Former Steel-Making Area. CAAs VIM and VIIM occupy approximately 282 acres within the central portion of the overall property. The land surface across CAAs VIM and VIIM is relatively flat-lying with land surface elevations ranging from approximately 740 to 760 famsl. The land surface rises to approximately 780 to 800 famsl along the eastern boundary towards Weir Avenue in CAA VIIM and Main Street in CAA VIM. Surface drainage is captured in a series of drop inlets and conveyed via underground sewers to the A-Outfall or B-Outfall wastewater treatment facilities (that are owned and operated by ArcelorMittal) where it is discharged to the Ohio River under WVDEP NPDES Permit # WV0003336.

In localized areas, discontinuous groundwater exists at the base of the fill materials perched on top of the original ground surface (fine-grained alluvial deposits). In general, however, the groundwater table lies deeper within the alluvial deposits. Groundwater at CAAs VIM and VIIM is not currently a potable water supply and is unlikely to be used for such purposes in the future given that these areas are connected to the City of Weirton public water supply system. Further, the City of Weirton recently enacted an ordinance that restricts the use of groundwater on the MJSW property and surrounding properties where groundwater could potentially be impacted by the Site. Therefore, groundwater is not considered to be a potential potable water source.

The nearest surface water bodies to the Site include the Ohio River, which is located between 600 and 5,000 feet to the west of the Site (depending on which CAA you are in) and Harmon Creek, which is located approximately 800 feet to the south of the southern limits of CAA VIIM (see Figure 1 which shows the location of these surface water features).

The majority of CAA VIM and VIIM consist of developed areas that were related to the production, processing, and storage of materials previously used in the iron and steel-making process, paved or gravel access roads, and railroad tracks. Mature forest areas occupy 77 acres in the western portion of CAA VIIM. This area is not associated with former industrial operations and consists of a steeply sloping hillside with heavy vegetation. Given the steep topography of this wooded hillside, redevelopment or construction in this area is not considered likely.

Iron and steel-making operations ceased at the Facility in the early 2000s. Currently, the Site is not used. Activities performed in CAAs VIM and VIIM by MJSW since taking ownership in 2017 have primarily included dismantling existing buildings/structures in preparation for site redevelopment. With the exception of the 77 acres of forest area of CAA VIIM (which has not been developed), the land that comprises CAAs VIM and VIIM has been used for industrial purposes for nearly 100 years and will likely be used for industrial/commercial purposes in the future. CAA VIM is zoned as "Planned Development District" (commercial/industrial and restricted residential use) by the City of Weirton. The central portion of CAA VIIM is zoned "Heavy Industrial" while the eastern (along Weir Avenue) and western (wooded hillside) portions are zoned "Residential". As described in Section 1.3.1, planning for the redevelopment of the

1,300-acre MJSW property is being conducted under a USEDA grant funded WARP. The focus of the WARP is to upgrade infrastructure and repurpose the property for industrial or commercial use. Accordingly, the expected future land use is industrial or commercial. MJSW will formally restrict future residential use of the property. Additionally, as described in Section 2.5, no complete pathways were identified for ecological receptors based on the results of the De Minims Ecological Screening Evaluation; therefore, no further evaluation of ecological receptors is warranted for this report.

3.2 POTENTIAL TRANSPORT MECHANISMS

Once media of interest and COCs have been identified, it is important to evaluate the environmental fate and potential transport of the COCs from the contaminant source to the receiving media. Physical and chemical properties of COCs along with environmental fate parameters were reviewed to perform the transport evaluation. In addition to physical and chemical properties, the topography of the site, local climate, characteristics of native soil and fill material, and potential subsurface conduits (e.g., preferential pathways for COCs transport) were also considered.

Based on this analysis, the potential transport mechanisms that are complete for the Site include:

- Direct releases to the ground surface and subsequent migration to subsurface soil based on the COCs identified in soil as described in Section 2.1;
- Emission of constituents in the form of volatile emissions and fugitive dust (wind erosion, vehicle traffic, or excavation) based on the COCs identified in soil as described in Section 2.1;
- Leaching of constituents from soil to groundwater based on the COCs identified in groundwater as described in Section 2.2; and
- Volatilization from groundwater into a subsurface construction trench based on the volatile COCs identified in groundwater as described in Section 2.2.

The following potential transport mechanisms were determined to be incomplete or *de minimis*:

- Volatilization from soil and groundwater and subsequent vapor intrusion to indoor air under a commercial scenario is considered an incomplete transport mechanism based on the screening presented in Section 2.3 which did not identify COCs for vapor intrusion in groundwater or soil for a commercial scenario; and
- Downgradient migration of groundwater to the surface water of Harmon Creek is considered an incomplete pathway based on an evaluation of groundwater monitoring wells located along Harmon Creek, as described in Section 2.4.

3.3 IDENTIFICATION OF POTENTIAL RECEPTORS AND EXPOSURE PATHWAYS

An exposure pathway is the mechanism by which an individual may come into contact with chemicals in environmental media. In accordance with USEPA (1989), an exposure pathway consists of the following four elements:

- A source and mechanism of chemical release to the environment;
- An environmental receiving or transport medium (e.g., air, soil) for the released chemical;
- A point of potential contact with the environmental medium of concern; and
- An exposure route (e.g., ingestion) at the receptor contact point.

For a pathway to be considered "complete," all four elements must be present. If any one of these elements does not exist, the exposure pathway is considered incomplete and further evaluation of the health risks associated with the incomplete pathway is not required.

This section identifies potential receptors and their associated exposure pathways. Potential receptors were selected to represent individuals who are most likely to come into contact with COCs during current and future land use at the Site. As described previously, the expected future land use is industrial/commercial. Accordingly, the following potential receptors were considered:

- Future Outdoor Worker;
- Future Indoor Worker;
- Future Construction Worker;
- Current/Future Adult Trespasser.

An outdoor worker is assumed to be a full-time employee who would be present at the Site daily during a typical, five-day workweek. This receptor is assumed to spend the majority of the workday outdoors, and intrusive activities, if any, conducted by this receptor are not expected to occur below 2 feet. Based on these activities, the outdoor worker was evaluated for direct contact exposure to surface soil (i.e., soil from the ground surface to 2 feet bgs) via the following pathways: incidental ingestion, dermal contact, and inhalation of volatile and particulate emissions in ambient air. Although potable use of groundwater is also a potential exposure pathway for an outdoor worker, as described above, the City of Weirton recently enacted an ordinance that restricts the use of groundwater on the MJSW property and surrounding properties where groundwater could potentially be impacted by the Site. A future outdoor worker was evaluated for the developed areas of the Site. A future outdoor worker on the wooded hillside is not considered a likely future receptor given the steep topography and location of the hillside which would make redevelopment difficult and unlikely.

An indoor worker is assumed to be an individual who would be a full-time employee, present at the Site daily during a typical five-day work week. This receptor is expected to spend the entire work day indoors. However, as described in Section 2.3, no COCs were identified for the vapor intrusion pathway under a commercial scenario making this pathway incomplete for the Site. Accordingly, no quantitative evaluation of an indoor worker was conducted.

A construction worker is assumed to be an employee or subcontractor who would be involved in a year-long (i.e., 250-day) construction or excavation project at the Site. This includes underground utility or equipment repair, installation of building footers and foundations, grading, and general construction on the Site. This receptor could potentially be directly exposed to constituents in surface and subsurface soil up to depths of 10 feet bgs. Therefore, the construction worker was evaluated for direct contact exposure to surface and shallow subsurface soil (i.e., soil

from the ground surface to 10 feet bgs) via the following pathways: incidental ingestion, dermal contact, and inhalation of volatile and particulate emissions in ambient air. A construction worker also has the potential to contact shallow groundwater during subsurface activities. Shallow perched groundwater was encountered during the investigation, particularly in the vicinity of the former HCL plant where six perched groundwater monitoring wells were installed (i.e., VII-MW-01P and VII-MW-03P through VII-MW-07P). Therefore, the construction worker was evaluated for direct contact exposure to shallow perched groundwater via the following pathways: incidental ingestion, dermal contact, and inhalation of volatile constituents in a trench during construction. A future construction worker was evaluated for the developed areas of the Site. A future construction worker on the wooded hillside is not considered a likely future receptor given the steep topography and location of the hillside which would make redevelopment difficult and unlikely.

Visitors to the Site are potential receptors that could be exposed to constituents via the same exposure routes as the outdoor worker. However, the magnitude of exposure of visitors would be significantly less than an outdoor worker. Therefore, risk characterization and subsequent mitigation (if warranted) measures for the outdoor workers would be protective of visitors. Accordingly, the outdoor worker receptors will be retained for the quantitative evaluation as a surrogate for current/future site visitors.

A youth trespasser is an individual who trespasses on the Site without permission (unauthorized access) under the current or a future land use scenario. The youth trespasser is assumed to be a resident of the area, age 11 to <16 years, who trespasses on the Site one day/week during the warmest months of the year (April through October). Intrusive activities, if any, conducted by this receptor are not expected to occur below 12 inches. Additionally, this receptor is expected to remain entirely outdoors. Based on these activities, the youth trespasser was evaluated for direct contact exposure to surface soil (i.e., incidental ingestion, dermal contact, and inhalation of volatile and particulate emissions in ambient air). Two separate youth trespasser scenarios were evaluated, including one scenario where trespassing occurs on the developed portions of the Site and a separate scenario where trespassing occurs on the undeveloped wooded hillside.

The CSM is depicted graphically on Figure 13.

3.4 QUANTIFICATION OF EXPOSURE

This section addresses the two primary aspects of exposure estimation: 1) constituent intakes; and 2) EPCs. Section 3.4.1 presents the equations used to calculate intake, or dose, and Section 3.4.2 presents the receptor specific intake assumptions used in these equations. Derivation of EPCs is discussed in Section 3.4.3.

3.4.1 Intake Equations and Receptor Specific Intake Assumptions

Equations used to calculate intake (or dose) are discussed in this section for incidental ingestion of soil, dermal contact with soil, and inhalation of volatiles or particulates. Standard USEPA equations were used to estimate intakes via these exposure routes.

Incidental Ingestion of Soil or Groundwater

Exposure to soil can result in a minor amount of incidental ingestion after hand to mouth contact. Similarly, incidental ingestion of groundwater can occur through splashing or hand-to-mouth contact during construction activities which expose groundwater. The estimated intake (or dose) through this exposure route is calculated as follows, in accordance with USEPA (1989):

$$\text{Ingestion Intake}\,(\text{mg/kg - day}) = \frac{C_S \times IR \times CF \times F_i \times EF \times ED}{BW \times AT}$$

Where:

C_S	=	constituent concentration in soil (mg/kg) or water (mg/L)
IR	=	ingestion rate of soil (mg/day) or water (L/day)
CF	=	conversion factor for soil exposure only (10^{-6} kg/mg)
F_i	=	fraction ingested from contaminated source (dimensionless)
EF	=	exposure frequency (days/year)
ED	=	exposure duration (years)

BW = body weight (kg)

AT = averaging time (period over which exposure is averaged in days)

Direct Dermal Contact with Soil

Direct physical contact with soil can result in the dermal absorption of constituents through the skin. The estimated intake (or absorbed dose) through this exposure route is calculated as follows, in accordance with USEPA (2004):

$$\text{Dermally Absorbed Dose (mg/kg - day)} = \frac{C_s \times CF \times AF \times ABS \times EF \times ED \times SA}{BW \times AT}$$

Where:

C_S = constituent concentration in soil (mg/kg)

CF = conversion factor (10^{-6} kg/mg)

AF = soil to skin adherence factor (mg/cm^2-event)

ABS = dermal absorption fraction (dimensionless)

EF = exposure frequency (days/year)

ED = exposure duration (years)

SA = skin surface area available for contact (cm^2)

EV = event frequency (events/day)

BW = body weight (kg)

AT = averaging time (period over which exposure is averaged in days)

Values for ABS are constituent-specific and were obtained from the Exhibit 3-4 of USEPA (2004). The soil ABS values used in this risk assessment are presented in Table 7.

Direct Dermal Contact with Groundwater

Direct physical contact with groundwater can result in the dermal absorption of constituents in groundwater through the skin. The estimated intake (or absorbed dose) through this exposure route is calculated as follows, in accordance with USEPA (2004):

$$\text{Dermally Absorbed Dose (mg/kg - day)} = \frac{DA_{event} \times EV \times ED \times EF \times SA}{BW \times AT}$$

Where DA_{event} is calculated for organic constituents as follows:

If $t_{event} \leq t^*$, then:

$$DA_{event}\ (mg/cm^2\text{ - event}) = 2FA \times K_p \times C_W \times \sqrt{\frac{6 \times \tau \times t_{event}}{\Pi}}$$

If $t_{event} > t^*$, then:

$$DA_{event}(mg/cm^2 - \text{event}) = FA \times K_p \times C_W \times \left[\frac{t_{event}}{1+B} + 2 \times \tau \times \left(\frac{1+3B+3B^2}{(1+B)^2}\right)\right]$$

And DA_{event} event is calculated for inorganics constituents as follows:

$$DA_{event}\ (mg/cm^2\text{ - event}) = K_p \times C_W \times t_{event}$$

Where:

EV	=	event frequency (events/day)
ED	=	exposure duration (years)
EF	=	exposure frequency (days/year)
SA	=	skin surface area available for contact (cm^2)
BW	=	body weight (kg)
AT	=	averaging time (period over which exposure is averaged in days)
FA	=	fraction adsorbed water (unitless)
Kp	=	constituent-specific dermal permeability coefficient (cm/hr)
Cw	=	constituent concentration in water (mg/cm^3)
τ	=	lag time per event (hours/event)
t_{event}	=	event duration (hours/event)
t*	=	Time to reach steady-state (hr) $= 2.4 \times \tau$
π	=	3.14159265

B = dimensionless ratio of the permeability coefficient of a compound through the stratum corneum relative to its permeability coefficient across the viable epidermis (ve; dimensionless)

Inhalation of Volatiles and Particulates

In accordance with the USEPA (2009) Supplemental Guidance for Inhalation Risk Assessment, calculating an intake (or dose) is not recommended for evaluating exposure via the inhalation pathway. Instead, USEPA recommends when estimating risk via inhalation, risk assessors should use the concentration of the constituent in air as the exposure metric [e.g., milligrams per cubic meter ($mg/m^{3)}$)], rather than inhalation intake of a contaminant in air based on inhalation rates and body weight (e.g., mg/kg-day). Thus, instead of an intake calculation, an exposure concentration (EC) is calculated as follows:

$$EC\,(mg/m^3) = \frac{Ca \times ET \times EF \times ED}{AT}$$

Where:

Ca = constituent concentration in air (mg/m^3)

ET = exposure time (hours/day)

EF = exposure frequency (days/year)

ED = exposure duration (years)

AT = averaging time (period over which exposure is averaged in hours)

3.4.2 Receptor-Specific Intake Assumptions

Receptor specific intake assumptions quantify activity patterns and body characteristics for each of the receptors, such as the amount of time a receptor may spend at a site, the frequency the receptor visits the site, body weight of the receptor, and soil ingestion rates. The receptor specific intake assumptions presented in WVDEP (2020) and USEPA (2002, 2009, and 2011) along with values developed using professional judgement were used. These intake assumptions are provided

on Table 8 for a future outdoor worker, Table 9 for a future construction worker, and Table 10 for a current/future youth trespasser.

3.4.3 Exposure Point Concentrations

Potential exposure to constituents in the environment is directly proportional to the concentrations of constituents in environmental media and characteristics of exposure (e.g., frequency and duration). The concentrations at exposure points generally are referred to as EPCs. The analytical results for samples from a given medium were combined to derive a single EPC for each constituent that conservatively represents the level of that constituent to which potential receptors may be exposed. EPCs generally are estimated using measured concentrations in environmental media or estimated based on fate and transport models.

Depending on the distribution of the data, the proportion of the samples reported as nondetect, and the total number of samples, there are several statistical parameters that may be used to estimate EPCs. USEPA supplemental risk assessment guidance (USEPA, 1992) stipulates that EPC estimates should be based on the 95% upper confidence limit (95% UCL) of the arithmetic mean to estimate a reasonable maximum exposure (RME) scenario. RME conditions are defined by USEPA as the "highest exposure that is reasonably expected to occur at the site." The 95% UCL is used to evaluate all COCs except for lead. Additional discussion of EPCs is provided below.

EPCs for Soil Direct Contact

For constituents in surface and subsurface soil, EPCs were statistically calculated from sampling data. Sampling at the Site was biased toward potential source characterization. Accordingly, the data are expected to be representative of the maximum concentrations that could be encountered in any one portion of the Site and statistical analysis of the data are expected to yield reasonable upper confidence limits on mean concentrations across larger areas. The USEPA (2016) software package, ProUCL Version 5.1.00, was used to calculate 95% UCLs. Specifically, the following scenarios were evaluated:

- Data from the 83 surface soil samples (0 to 2 feet bgs) collected across the developed portions of the Site were combined to calculate EPCs for the future outdoor worker and current/future youth trespasser on the developed portion of the Site. The final EPC was selected as the lower of the 95% UCL or the maximum detected concentration (see Table 11). The calculated 95% UCL for arsenic in surface soil is 4.72 mg/Kg which is below the below WV background value of 13.1 mg/Kg. Therefore, arsenic was eliminated as a COC for surface soil. Similarly, the 95% UCL concentration for lead in surface soil is 156 mg/kg, which is below the residential De Minimis value of 400 mg/Kg. Therefore, lead was also eliminated as a COC for surface soil. It is noted that due to the numerous COCs that exceeded the residential De Minimis values in surface soil, and the potential that they may collectively contribute to unacceptable cumulative risks, EPCs were calculated for all COCs that exceeded the residential De Minimis value in surface soil and used to evaluate the nonresidential outdoor worker receptor;
- Data from the five surface soil samples (0 to 2 feet bgs) collected from the wooded hillside were combined to calculate EPCs for the current/future youth trespasser on the undeveloped wooded hillside. The final EPC was selected as the lower of the 95% UCL or the maximum detected concentration (see Table 12);
- Data from the 174 shallow subsurface soil samples (0 to 10 feet bgs) collected across the developed portions of the Site were combined to calculate EPCs for the future construction worker. The final EPC was selected as the lower of the 95% UCL or the maximum detected concentration (see Table 13). The calculated 95% UCL for arsenic in shallow subsurface soil is 5.02 mg/Kg which is below the below WV background value of 13.1 mg/Kg. The maximum arsenic concentration in subsurface soil is 13 mg/Kg, which is also below the WV background value of 13.1 mg/Kg. Therefore, arsenic was eliminated as a COC for shallow subsurface soil. Similarly, the 95% UCL concentration for lead in shallow subsurface soil is 160 mg/kg, which is below the residential De Minimis value of 400 mg/Kg. Therefore, lead was also eliminated as a COC for shallow subsurface soil. It is noted that due to the numerous COCs that exceeded the residential De Minimis values in shallow subsurface soil, and the potential that they may collectively contribute to unacceptable cumulative risks, EPCs were calculated for all COCs that exceeded the

residential De Minimis value in shallow soil and used to evaluate the nonresidential construction worker receptor; and

- Data from the six shallow perched groundwater monitoring wells located near the HCL Plant (i.e., VII-MW-01P and VII-MW-03P through VII-MW-07P) were combined to calculate EPCs for the future construction worker. The final EPCs were selected as the lower of the 95% UCL or the maximum detected concentration (see Table 14). The maximum lead concentration for lead in groundwater is 1 ug/L and the 95% UCL concentration for lead in groundwater is 0.94 ug/L, both of which are below the groundwater De Minimis value of 15 ug/L. Therefore, lead was eliminated as a COC for groundwater.

Where field duplicate samples were collected, the analytical results for the parent and duplicate sample were maintained as two distinct samples to calculate EPCs. The ProUCL statistical output is provided in Appendix C.

EPCs for Volatiles in Ambient Air

Air concentrations for constituents resulting from volatile emissions were estimated using a volatilization factor (VF). The VF relates the concentration of a constituent in soil to the estimated concentration in ambient air. For this assessment, site-specific VFs were calculated using Equations 4-8 of USEPA (2002) for an outdoor worker and trespasser and Equation 5-14 of USEPA (2002) for a construction worker. The VF calculations and site-specific inputs are provided in Table 15 for and outdoor worker and trespassers and Table 16 for a construction worker. Soil EPCs are converted to air concentrations by dividing the EPC by the VF to obtain an air concentration in units of mg/m^3.

EPCs for Particulates in Ambient Air

For receptors not involved in intrusive subsurface soil activities at the Site, ambient air concentrations of constituents resulting from fugitive dust emissions were calculated using USEPA's default particulate emission factor (PEF) of 1.316×10^9 m^3/kg (USEPA, 2021a). The PEF relates the concentration of a constituent in soil to the estimated concentration in respirable

airborne particulates. Specifically, soil EPCs are converted to a respirable airborne particulate concentration by dividing the EPC by the default PEF.

For the construction worker, who would be involved in intrusive subsurface soil activities at the Site, a PEF was calculated using Equation 5-5 of USEPA (2002), which calculates emissions from unpaved road construction traffic. This calculation and the resulting construction worker PEF of 6.9E+06 m^3/kg are presented in Table 17.

4.0 TOXICITY ASSESSMENT

The objective of this section is to identify the potential health hazards associated with exposure to each COC and to identify appropriate "dose-response" parameters (or toxicity values) to be used to quantify such health hazards. A dose-response relationship correlates the magnitude of the intake of a chemical (the amount that is absorbed by, or administered to, a receptor) with the increased likelihood or severity of adverse effects resulting from that intake.

Contaminant dose-response relationships have been investigated by means of epidemiological and clinical studies. Data from human and animal studies are weighed in an effort to derive toxicity values which are quantitative estimates of the incidence of adverse effects. The toxicity values used to evaluate carcinogenic effects include Cancer Slope Factors (CSFs) for the oral and dermal pathways and Inhalation Unit Risks (IURs) for the inhalation pathway. Toxicity values used to evaluate non-carcinogenic health effects include Reference Doses (RfD) for the oral and dermal pathways, and inhalation Reference Concentrations (RfCs) for the inhalation pathway.

Toxicity values found in literature are most often expressed as administered doses; therefore, these values are considered to be inappropriate for estimating the risks associated with dermal routes of exposure (expressed as an absorbed dose). Oral toxicity values based on administered doses must be adjusted to absorbed doses to accommodate dermal risk assessment. The adjustment to an absorbed dose is made using chemical-specific absorption efficiencies available in USEPA (2004).

Toxicity values used in the risk assessment were obtained from USEPA's Integrated Risk Information System (IRIS; USEPA, 2021c) where available. In the absence of a value from IRIS, the toxicity values presented in the USEPA (2021a) RSL tables were used, since the USEPA's hierarchy of toxicity values is consistent with the hierarchy specified by the WVDEP VRP, with the exception of vanadium and mercury. In accordance with WVDEP policy, toxicity values for vanadium pentoxide have been used as proxy values for vanadium. Additionally, in accordance with WVDEP policy, the California EPA RfD for mercury was used.

Toxicity values and the source of the values used in this assessment are summarized in Tables 18 (cancer values), 19 (chronic noncancer values), and 20 (subchronic noncancer values). The remainder of this section discusses the various dose-response parameters used for the purposes of this assessment. Cancer toxicity values are discussed further in Section 4.1 and noncancer toxicity values are discussed further in Section 4.2.

4.1 POTENTIAL CARCINOGENIC TOXICITY VALUES

Oral CSFs are used to evaluate potential carcinogenic risks from exposure via the ingestion pathway. CSFs are plausible upper-bound estimates of the probability of a human receptor developing cancer over their lifetime (assuming a 70-year lifetime) as a result of exposure to a known or potential carcinogen. A CSF is usually accompanied by a provisional weight-of-evidence classification, which indicates the strength of the evidence that the agent is a human carcinogen. Based on data collected from animal and human studies, USEPA (1986) developed the following weight-of-evidence classifications:

- Group A constituents (known human carcinogens) are agents for which there is sufficient evidence to support a causal association between exposure to the agents in humans and cancer;
- Group B1 constituents (probable human carcinogens) are agents for which there is limited evidence of carcinogenicity in humans;
- Group B2 constituents (probable human carcinogens) are agents for which there is sufficient evidence of carcinogenicity in animals but inadequate or no evidence in humans;
- Group C constituents (possible human carcinogens) are agents for which there is limited evidence of carcinogenicity in animals and inadequate or no human data;
- Group D constituents (not classifiable as to human carcinogenicity) are agents with inadequate human and animal evidence of carcinogenicity or for which no data are available; and
- Group E constituents (evidence of noncarcinogenicity in humans) are agents for which there is no evidence of carcinogenicity from human or animal studies, or both.

CSFs are expressed in units of $(mg/kg/day)^{-1}$ and are derived through an assumed low dosage linear relationship and an extrapolation from high to low dose responses determined from animal studies. In general, the value used in reporting the CSF is the upper 95% confidence limit of the slope of the dose-response curve. The estimation of CSFs is usually performed for Class A, B1, and B2 carcinogens. A Class C carcinogen may or may not have a published CSF.

In March 2005, USEPA published the Final Guidelines for Carcinogen Risk Assessment (USEPA, 2005a). Under these guidelines, the "Groups A, B1…" will no longer be recognized. Instead, new descriptors have been developed and will be assigned by the agency. These descriptors include:

Carcinogenic to Humans: This descriptor is appropriate when there is convincing epidemiologic evidence demonstrating causality between human exposure and cancer, or exceptionally when there is strong epidemiological evidence, extensive animal evidence, knowledge of the mode of action and information that the mode of action is anticipated to occur in humans and progress to tumors.

Likely to be Carcinogenic to Humans: This descriptor is appropriate when the available tumor effects and other key data are adequate to demonstrate carcinogenic potential to humans, but does not reach the weight-of-evidence for the descriptor "carcinogenic to humans".

Suggestive Evidence of Carcinogenic Potential: This descriptor is appropriate when the evidence from human or animal data is suggestive of carcinogenicity, which raises a concern for carcinogenic effects but is judged not sufficient for a stronger conclusion.

Inadequate Information to Assess Carcinogenic Potential: This descriptor is used when available data are judged inadequate to perform an assessment.

Not Likely to be Carcinogenic to Humans: This descriptor is used when the available data are considered robust for deciding that there is no basis for human hazard concern.

This human health risk assessment (HHRA) recognizes the re-classification of carcinogens; however, USEPA has only reviewed and updated a very limited number of constituents under these

updated guidelines. Therefore, both the USEPA (1986) and (2005a) approaches for classification of carcinogens are recognized in this HHRA.

IURs are used to evaluate potential carcinogenic risks from exposure via the inhalation pathway. The IUR is defined as the upper-bound excess lifetime cancer risk estimated to result from continuous exposure to an agent at a concentration of 1 $\mu g/m^3$ in air. Inhalation unit risk toxicity values are expressed in units of $(\mu g/m^3)^{-1}$.

Finally, oral toxicity values based on administered doses must be adjusted to absorbed doses to evaluate the dermal exposure pathway. Therefore, dermal CSFs are derived from the oral CSFs using gastrointestinal absorption efficiencies. Specifically, an oral CSF is converted to a dermal CSF using the following equation from USEPA (2004):

$$CSF_{dermal} = \frac{CSF_{oral}}{GIABS}$$

Where:

CSF_{dermal}	=	Dermal CSF $(mg/kg/day)^{-1}$
CSF_{oral}	=	Oral CSF $(mg/kg/day)^{-1}$
GIABS	=	Gastrointestinal absorption efficiency (dimensionless)

Constituent-specific GIABS are provided in Exhibit 4-1 of USEPA (2004). Cancer Slope Factors, weight-of-evidence classifications, IURs, and constituent-specific GIABS values are provided in Table 18.

4.1.1 Assessing the Mutagenic Mode of Action for Potential Carcinogens

The Guidelines for Carcinogen Risk Assessment (USEPA, 2005a) and Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens (USEPA, 2005b) address a number of issues pertaining to cancer risks associated with early-life exposures. Specifically, USEPA (2005b) provides guidance on potency adjustment for carcinogens acting through a mutagenic mode of action. For such substances, this guidance recommends a default approach

using estimates from chronic studies with appropriate modifications to address the potential for differential risk of early-life stage exposure. Default adjustment factors are recommended for use in the absence of constituent-specific data to assess cancer susceptibility from early-life exposure to a carcinogen acting through a mutagenic mode of action.

Accordingly, the CSFs and IURs for benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, chrysene, dibenz(a,h)anthracene, and indeno[1,2,3-cd]pyrene were increased by a factor of 3 to account for mutagenic modes of action for the youth trespasser age 11 to <16.

4.2 NONCARCINOGENIC TOXICITY VALUES

Noncarcinogenic RfDs and RfCs are an estimate (with uncertainty spanning perhaps an order of magnitude) of a daily exposure to the human population (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious effects during a lifetime. Noncarcinogenic toxicity values are usually derived from a Point-of-Departure (POD) and/or Benchmark Dose (BMD) value determination between the no observed adverse effect level (NOAEL) and the lowest observed adverse effect level (LOAEL), as determined from laboratory animal studies or human data. The NOAEL is the highest dose at which no adverse effects occur, while the LOAEL is the lowest dose at which adverse effects are discernable. USEPA has developed both chronic (long-term) and subchronic (short-term) noncancer toxicity values. For the purposes of this risk assessment, chronic values were used to estimate potential risk to identified receptors, except for the construction worker. Due to the subchronic exposure duration for the construction worker, subchronic noncancer toxicity values were used, when available, for this receptor. In the absence of a subchronic value, the chronic value was used.

RfDs (used to evaluate the oral exposure route) are expressed in units of dose (mg/kg-day), while RfCs (used to evaluate the inhalation exposure route) are expressed as concentrations (mg/m^3). Both types of toxicity values incorporate uncertainty factors to account for limitations in the quality or quantity of available data. Specifically, an uncertainty factor of 10 is used to account for variations in the general population (to protect sensitive sub-populations), when extrapolating

test results from animals to human (to account for interspecies variability), when a NOAEL derived from a subchronic study (instead of a chronic study) is used to develop the RfD, and when a LOAEL is used instead of a NOAEL. In addition, the USEPA reserves the use of a modifying factor of up to 10 based on professional judgment regarding data uncertainties not already considered.

The RfD incorporates the surety of the evidence for chronic human health effects. Even if applicable human data exist, the RfD (as diminished by the uncertainty factor) still maintains a margin of safety so that chronic human health effects are not underestimated. Thus, the RfD is an acceptable guideline for evaluation of non-carcinogenic risk, although the associated uncertainties preclude its use for precise risk quantitation.

Finally, oral toxicity values based on administered doses must be adjusted to absorbed doses to evaluate the dermal exposure pathway. Therefore, dermal RfDs are derived from the oral RfDs using gastrointestinal absorption efficiencies. Specifically, an oral RfD is converted to a dermal RfD using the following equation from USEPA (2004):

$$RfD_{dermal} = RfD_{oral} \times GIABS$$

Where:

RfD_{dermal}	=	Dermal Reference Dose (mg/kg/day)
RfD_{oral}	=	Oral Reference Dose (mg/kg/day)
GIABS	=	Gastrointestinal absorption efficiency (dimensionless)

Constituent-specific GIABS are provided in Exhibit 4-1 of USEPA (2004). RfDs, RfCs, and GIABS are provided in Tables 19 (chronic) and 20 (subchronic).

5.0 RISK CHARACTERIZATION

"Risk characterization" is the description of the nature and magnitude of potential human health risk, including uncertainty. Risk characterization integrates the results of the Exposure Assessment and Toxicity Assessment to estimate theoretical excess lifetime cancer risks (ELCRs) and noncarcinogenic health effects associated with exposure to chemicals. This integration provides quantitative estimates of either cancer risk or noncancer hazard indices (HIs), which are compared to standards of acceptable risk.

For every complete exposure pathway identified in the Exposure Assessment, the noncarcinogenic HI and the theoretical ELCRs were estimated according to a reasonable maximum exposure (RME) scenario. Risk quantification methods are discussed for carcinogenic and noncarcinogenic effects in this section.

5.1 RISK ESTIMATION METHODS

Quantitative estimates of risk are calculated according to risk assessment methods outlined in current guidance (USEPA, 1989, 2002, 2004, and 2009). ELCR are expressed in the form of dimensionless probabilities based on CSFs and IURs and carcinogenic intake estimates. Non-carcinogenic risk estimates are presented in the form of Hazard Quotients (or HIs) that are determined through a comparison of intakes with published (or derived) RfDs and RfCs.

5.1.1 Cancer Risk Estimation Methods

Carcinogenic risk is a dimensionless expression of an individual's increased likelihood of developing cancer over a lifetime due to exposure to Site-associated constituents. For the oral and dermal exposure pathways, the ELCR for each COC is calculated by multiplying the estimated intake by the CSF as follows:

$$\text{Intake} \times \text{CSF} = \text{ELCR}$$

For the inhalation exposure pathway, the ELCR for each COC is calculated by multiplying the EC by the IUR as follows:

$$EC \times IUR = ELCR$$

The equations for calculating intake for the oral and dermal pathways and for calculating the EC for the inhalation pathway were presented in Section 3.4.1.

The ELCRs for each COC associated with a given exposure pathway are summed to calculate a total ELCR for the pathway. Additionally, if a receptor is subject to exposure through more than one pathway, the ELCR for all pathways are summed to generate the overall ELCR for a given receptor. This approach assumes that the critical effect is the same for all of the carcinogenic COCs (i.e., cancer).

Calculated cancer risks should be recognized as an upper-limit estimate of potential risk. CSFs are the upper 95% confidence limit of a dose-response curve, which is generally derived from animal studies. Actual human risk, while not identifiable, is not expected to exceed the upper limit based on the CSFs and, in fact, may be lower. WVDEP (2020) has identified 1 $x10^{-5}$ as the acceptable risk benchmark for nonresidential scenarios and 1 x 10^{-6} as the acceptable risk benchmark for trespasser scenarios.

5.1.2 Noncarcinogenic Risk Estimation Methods

Noncarcinogenic responses are evaluated numerically using parameters known as the hazard quotient (HQ) and hazard index (HI). For oral and dermal exposure pathways, the HQ is calculated by dividing the estimated intake by the RfD as follows:

$$Intake \div RfD = HQ$$

For the inhalation exposure pathway, the HQ is calculated by dividing the EC by the RfC as follows:

$$EC \div RfC = HQ$$

The equations for calculating intake for the oral and dermal pathways and for calculating the EC for the inhalation pathway were presented in Section 3.4.1.

HQs for each COC associated with a given exposure pathway are summed to yield the HI. Additionally, if a receptor is subject to exposure through more than one pathway, the HIs for all pathways are summed to generate the total HI for a given receptor. If the value of the HI exceeds unity (1), there is a potential for noncarcinogenic health risk associated with the estimated exposure. However, HIs are most appropriately derived for constituents that act on the same target organ or have similar critical effect. Therefore, if the total HI across all COCs and all pathways exceeds 1, it is appropriate to segregate the COCs by the potential toxic endpoints and/or target organs and derive separate HIs for each group having similar effects (i.e., not all non-carcinogenic health effects are additive).

The HI is not a mathematical prediction of the severity of toxic effects and, therefore, is not a true "risk"; it is simply a numerical indicator of the possibility of the occurrence of non-carcinogenic (threshold) effects.

5.2 RISK ASSESSMENT RESULTS

The complete risk calculations, which combine the exposure assessment (Section 3.0), toxicity assessment (Section 4.0), and risk characterization (Section 5.0), are presented in the risk calculation spreadsheets included in Appendix E. Table 21 presents a summary of the risk assessment results, including the potential ELCRs and noncancer HIs for the complete exposure pathways and receptors identified for the Site. The potential cancer risks were compared to the WVDEP benchmark of 1×10^{-5} for nonresidential scenarios and the WVDEP benchmark of

1 x 10^{-6} for the trespasser scenarios. Noncancer HIs were compared to the USEPA benchmark of 1.0. As shown in Table 21, results of this comparison indicate the following:

- For a future outdoor worker potentially exposed to surface soil across the developed areas of the Site, the noncancer HI is $8x10^{1}$, which is below the WVDEP benchmark of 1 and the potential ELCR is $4x10^{-6}$, which is below the WVDEP benchmark of $1x10^{-5}$;
- For a current/future youth trespasser (age 11 up to 16 years) on the developed areas of the Site potentially exposed to surface soil, the noncancer HI is $1x10^{-1}$, which is below the WVDEP benchmark of 1 and the potential ELCR is $3x10^{-7}$, which is below the WVDEP benchmark of $1x10^{-6}$;
- For a future construction worker potentially exposed to shallow soil from 0 to 10 feet bgs across the developed portions of the Site, the noncancer HI is $1x10^{1}$, which exceeds the WVDEP benchmark of 1 and the potential ELCR is $3x10^{-6}$, which is below the WVDEP benchmark of $1x10^{-5}$. The noncancer HI is driven by inhalation of manganese particulates in ambient air during construction and inhalation of naphthalene volatiles (in the former HCL Plant area) from groundwater while working in a trench; and
- For a current/future youth trespasser (age 11 up to 16 years) on the undeveloped wooded hillside potentially exposed to surface soil, the noncancer HI is $3x10^{-2}$, which is below the WVDEP benchmark of 1 and the potential ELCR is $4x10^{-7}$, which is below the WVDEP benchmark of $1x10^{-6}$.

Based on the results presented above, further evaluation is warranted for a future construction worker potentially exposed via inhalation of manganese particulates in ambient air during construction and inhalation of naphthalene volatiles from groundwater while working in a trench.

6.0 UNCERTAINTIES

Uncertainties are inherent in every quantitative risk assessment. USEPA (1989) guidance stresses the importance of providing a complete analysis of uncertainties so that risk management decisions take these uncertainties into account when evaluating risk assessment conclusions. The uncertainty analysis provides a context for better understanding the assessment conclusions by identifying the uncertainties that have most significantly affected the assessment results. Therefore, sources of uncertainty in the hazard identification, exposure assessment, and toxicity assessment were identified and qualitatively evaluated. In summary, multiple sources of uncertainty exist with respect to the HHRA such that the assessment is likely to be overly conservative. The following provides a discussion of these uncertainties.

Analytical Data and EPCs: Sampling and analysis conducted at the Site was focused on potential source areas. In some cases, the resulting dataset was insufficient to calculate 95% UCLs, resulting in EPCs based on maximum detected concentrations. Actual exposures are more likely to occur at lower concentrations since the exposure areas are likely to be much larger than the individual sources considered. The use of maximum observed concentrations most likely results in overestimates of human health risks.

Toxicity Values: Toxicity information is seldom based on actual human data. Extrapolation of animal data to humans and the extrapolation of effects observed at high doses to low doses results in substantial uncertainty. Uncertainties in toxicity information are routinely addressed by the USEPA via the use of 95th percentile estimates for cancer slope factors and through the use of uncertainty factors and modifying factors for References Doses. USEPA toxicity values are designed to err on the conservative side. Hence, carcinogenic and noncarcinogenic risks are likely overestimated based on the toxicity information alone.

Chemical Interactions: The interactions between chemicals may change the dose-response relationships observed for chemicals tested in isolation, leading to adverse effects at lower than expected doses or additional toxic effects that would not be predicted based on the toxicity of individual components. These potential synergistic or antagonistic interactions among COCs are

unknown and have not been quantified in this risk assessment. Therefore, the calculated risks may be over or under estimated.

Exposure Factors: Uncertainty exists with respect to the selection of receptor characteristics (e.g., body weight) and exposure input parameters (ingestion rates, exposed skin surface area, etc.). Such input parameters are generally based on population data that encompasses a broad range of values. Input parameters used for the exposure assessment are typically at least the 50th percentile and are more routinely the 90th percentile or greater. These exposure factors may result in an overestimation or an underestimation of actual risks.

7.0 SUMMARY AND CONCLUSIONS

This human health and ecological risk assessment has been prepared for CAA VIM and VIIM of the MJSW Site located along Main Street in the City of Weirton, Hancock County, West Virginia. The Site was used for steel processing operations since 1909. CAA VIM was the Former Iron--Making Area while CAA VIIM was the Former Steel-Making Area. CAAs VIM and VIIM occupy approximately 282 acres within the central portion of the overall property. The Site and surrounding property is subject to a Resource Conservation and Recovery Act (RCRA) Corrective Action Administrative Order issued to the Weirton Steel Corporation (former property owner) by the USEPA in September 1996 to perform investigation and remediation activities at WSC's steel manufacturing facility. CAAs VIM and VIIM were entered into the VRP in May 2020.

Iron and steel-making operations ceased at the Facility in the early 2000s. Currently, the Site is not used. Activities performed in CAAs VIM and VIIM by MJSW since taking ownership in 2017 have primarily included dismantling existing buildings/structures in preparation for site redevelopment. The expected future land use is industrial or commercial. Future residential use of the Site will be prohibited for the Site via a land use covenant.

The VRP assessment of the Site included sampling and analysis of surface soil, subsurface soil, and groundwater to evaluate the potential for releases of hazardous constituents to the environment. COCs identified for soil generally included several PAHs, PCB-1254, PCB-1260, and several inorganics and for groundwater included VOCs, PAHs, and several inorganics. No COCs were identified for an industrial/commercial vapor intrusion to indoor air pathway or the downgradient groundwater migration to surface water pathway. The ecological screening evaluation consisted of an assessment of the physical and ecological characteristics of the Site and the nature and extent of contamination to determine if there are complete exposure pathways to ecological receptors of concern. The screening evaluation indicated that there are no potentially complete exposure pathways for ecological receptors to contact impacted media at the Site. Additionally, future residential use of the Site will be prohibited for the Site via a land use covenant and future potable use of groundwater is prohibited via a city ordinance making these potential exposure pathways incomplete.

Based on the COCs and the complete exposure pathways identified, a quantitative risk assessment was conducted for future outdoor workers, current/future trespassers, and future construction workers potentially exposed to soil and groundwater. Calculated ELCRs and noncancer HIs were acceptable for all receptors evaluated except for the future construction worker. Unacceptable risks were identified for a future construction worker potentially exposed via inhalation of manganese particulates in ambient air during construction and inhalation of naphthalene volatiles from groundwater while working in a trench.

Based on the results of the risk assessment, further evaluation is warranted for a future construction worker to reduce or eliminate potential unacceptable exposure. Accordingly, a Remedial Action Work Plan (RAWP) will be prepared for the Site.

8.0 REFERENCES

Voluntary Remediation Program Application submitted by the Business Development Corporation of the Northern Panhandle to the West Virginia Department of Environmental Protection (WVDEP) on February 18, 2020, revised and resubmitted on April 10, 2020.

Voluntary Remediation Agreement, VRP Site Number 20015, executed between the Business Development Corporation of the Northern Panhandle, Mingo Junction Steel Works, LLC, and the WVDEP on May 1, 2020.

Civil & Environmental Consultants, Inc. (CEC, 2021). Site Assessment Report. Mingo Junction Steel Works – Corrective Action Areas VIM and VIIM, Weirton, Hancock County, West Virginia, VRP Project # 20015. June 29, 2020, Revised January 28, 2021, Revised March 17, 2021.

United States Environmental Protection Agency (USEPA; 1986) Guidelines for Carcinogen Risk Assessment. Federal Register 16 51(185):33992-34003.

United States Environmental Protection Agency (USEPA, 1989) Risk Assessment Guidance for Superfund. Volume I, Part A. Human Health Evaluation Manual. EPA/540/1-89/002.

United States Environmental Protection Agency (USEPA, 1991) Human Health Evaluation Manual, Supplemental Guidance: "Standard default exposure factors (PDF)". OSWER Directive 9285.6-03.

United States Environmental Protection Agency (USEPA, 1992) Supplemental Guidance to RAGS: Calculating the Concentration Term (Office of Solid Waste and Emergency Response, USEPA, Washington, DC).

United States Environmental Protection Agency (USEPA, 2002) Supplemental Guidance for Calculating Soil Screening Levels for Superfund Sites. Office of Solid Waste and Emergency Response. December.

United States Environmental Protection Agency (USEPA, 2004) Risk Assessment Guidance for Superfund. Volume I - Human Health Evaluation Manual, Part E (Supplemental Guidance for Dermal Risk Assessment). Office of Superfund Remediation and Technology Innovation. EPA/540/R/99/005. July 2004.

United States Environmental Protection Agency (USEPA; 2005a) Guidelines for Carcinogen Risk Assessment. EPA/630/P-03/--1F. March 2005.

United States Environmental Protection Agency (USEPA, 2005b) Supplemental Guidance for Assessing Cancer Susceptibility from Early-life Exposure to Carcinogens. Risk Assessment Forum, Washington, DC.

United States Environmental Protection Agency (USEPA, 2009) Risk Assessment Guidance for Superfund. Volume I, Part F. Supplemental Guidance for Inhalation Risk Assessment. EPA/540/R-070/002. January 2009.

United States Environmental Protection Agency (USEPA, 2011) Exposure Factors Handbook: 2011 Edition. EPA/600/R-090/052F. September 2011.

United States Environmental Protection Agency (USEPA, 2016) ProUCL Version 5.1.00 Software Package and Guidance Manual developed by Lockheed Martin Environmental Services, and distributed by USEPA, Office of Research and Development.

United States Environmental Protection Agency (USEPA, 2021a) Regional Screening Levels Calculator for Chemical Contaminants at Superfund Sites. https://www.epa.gov/risk/regional-screening-levels-rsls-generic-tables. May 2021.

United States Environmental Protection Agency (USEPA, 2021b) Vapor Intrusion Screening Level (VISL) Calculator. https://www.epa.gov/vaporintrusion/vapor-intrusion-screening-level-calculator. May 2021.

United States Environmental Protection Agency (USEPA, 2021c) Integrated Risk Information System (IRIS). www.epa.gov/iris. June 2021.

West Virginia Department of Environmental Protection (WVDEP, 2016). Title 47, Series 2: Requirements Governing Water Quality Standards. Effective July 8, 2016.

West Virginia Department of Environmental Protection (WVDEP, 2020a). West Virginia Voluntary Remediation and Redevelopment Act Guidance Manual. June 2020.

West Virginia Department of Environmental Protection (WVDEP, 2020b). Table 60-3B De Minimis Table (http://www.dep.wv.gov/dlr/oer/voluntarymain/Pages/default.aspx). Effective June 1, 2020.

West Virginia Department of Environmental Protection (WVDEP, 2020c). Letter from Ms. Erin Brittain, CHMM, WVDEP Project Manager to Mr. Marvin Six, Business Development Corporation of the Northern Panhandle and Mr. Craig Slater, Mingo Junction Steel Works, LLC, Site Assessment Report Comments, VRP Project #20015. July 27, 2020.

West Virginia Department of Environmental Protection (WVDEP, 2021a). Letter from Ms. Erin Brittain, CHMM, WVDEP Project Manager to Mr. Marvin Six, Business Development Corporation of the Northern Panhandle and Mr. Craig Slater, Mingo Junction Steel Works, LLC, Revised Site Assessment Report Comments, VRP Project #20015. March 4, 2021.

West Virginia Department of Environmental Protection (WVDEP, 2021b). Letter from Ms. Erin Brittain, CHMM, WVDEP Project Manager to Mr. Marvin Six, Business Development Corporation of the Northern Panhandle and Mr. Craig Slater, Mingo Junction Steel Works, LLC, Revised Site Assessment Report Approval, VRP Project #20015. April 16, 2021.

TABLES

TABLE 1
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - DEVELOPED AREAS[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Volatile Organic Compounds												
Benzene	mg/kg	70	0	0.0007	0.057	ND	ND	NA	1.2	NO	5.1	NO
Toluene	mg/kg	70	16	0.00076	0.048	0.00084	0.65	VI-SS-07(0-0.5)	490	NO	820	NO
Ethylbenzene	mg/kg	70	4	0.00067	0.035	0.0035	1.4	VI-SS-07(0-0.5)	5.8	NO	25	NO
Xylenes, Total	mg/kg	70	5	0.0023	0.11	0.0038	6.9	VI-SS-07(0-0.5)	58	NO	250	NO
1,1,1-Trichloroethane	mg/kg	66	0	0.0005	0.059	ND	ND	NA	640	NO	640	NO
1,1,2,2-Tetrachloroethane	mg/kg	66	0	0.00074	0.054	ND	ND	NA	0.6	NO	2.7	NO
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	66	0	0.0011	0.019	ND	ND	NA	670	NO	910	NO
1,1,2-Trichloroethane	mg/kg	66	0	0.00086	0.067	ND	ND	NA	0.15	NO	0.63	NO
1,1-Dichloroethane	mg/kg	66	0	0.0006	0.058	ND	ND	NA	3.6	NO	16	NO
1,1-Dichloroethene	mg/kg	66	0	0.00088	0.061	ND	ND	NA	23	NO	100	NO
1,2,4-Trichlorobenzene	mg/kg	66	2	0.00091	0.022	0.47	1.9	VII-SS-49(0-0.6)	5.8	NO	26	NO
1,2-Dibromo-3-Chloropropane	mg/kg	66	0	0.00078	***0.02***	ND	ND	NA	0.0053	NO	0.064	NO
1,2-Dibromoethane (EDB)	mg/kg	66	0	0.00089	0.035	ND	ND	NA	0.036	NO	0.16	NO
1,2-Dichlorobenzene	mg/kg	66	1	0.00083	0.039	0.0013	0.0013	VII-SS-28(0-2)	180	NO	380	NO
1,2-Dichloroethane	mg/kg	66	0	0.00064	0.055	ND	ND	NA	0.46	NO	2	NO
1,2-Dichloroethene, Total	mg/kg	65	16	0.0013	0.055	0.0014	0.0049	VII-SS-40(0-0.5)	- -		- -	
cis-1,2-Dichloroethene	mg/kg	66	0	0.00073	0.038	ND	ND	NA	16	NO	81	NO
trans-1,2-Dichloroethene	mg/kg	66	24	0.00062	0.043	0.00075	0.0049	VII-SS-40(0-0.5)	7	NO	30	NO
1,2-Dichloropropane	mg/kg	66	0	0.00056	0.073	ND	ND	NA	1.1	NO	6.6	NO
cis-1,3-Dichloropropene [4]	mg/kg	66	0	0.0007	0.042	ND	ND	NA	1.8	NO	8.2	NO
trans-1,3-Dichloropropene [4]	mg/kg	66	0	0.00062	0.034	ND	ND	NA	1.8	NO	8.2	NO
1,3-Dichlorobenzene [4]	mg/kg	66	0	0.00068	0.029	ND	ND	NA	2.6	NO	11	NO
1,4-Dichlorobenzene	mg/kg	66	0	0.00066	0.03	ND	ND	NA	2.6	NO	11	NO
2-Butanone (MEK)	mg/kg	66	1	0.00091	0.062	0.01	0.01	VII-SS-30(0-0.5)	2700	NO	19000	NO
2-Hexanone	mg/kg	66	0	0.00072	0.033	ND	ND	NA	20	NO	130	NO
4-Methyl-2-pentanone (MIBK)	mg/kg	66	0	0.00068	0.034	ND	ND	NA	3300	NO	3400	NO
Acetone	mg/kg	65	17	0.0052	0.29	0.006	0.062	VII-SS-30(0-0.5)	6100	NO	67000	NO
Bromoform	mg/kg	66	0	0.00046	0.061	ND	ND	NA	19	NO	86	NO
Bromomethane	mg/kg	20	0	0.00077	0.09	ND	ND	NA	0.68	NO	3	NO
Carbon disulfide	mg/kg	66	6	0.00053	0.062	0.00068	0.016	VII-SS-30(0-0.5)	77	NO	350	NO
Carbon tetrachloride	mg/kg	66	0	0.00046	0.062	ND	ND	NA	0.65	NO	2.9	NO
Chlorobenzene	mg/kg	66	1	0.00078	0.03	0.033	0.033	VI-SS-07(0-0.5)	28	NO	130	NO
Chlorodibromomethane	mg/kg	66	0	0.00074	0.037	ND	ND	NA	8.3	NO	39	NO
Chloroethane	mg/kg	59	0	0.0016	0.043	ND	ND	NA	1400	NO	2100	NO
Chloroform	mg/kg	66	30	0.00061	0.058	0.00067	0.00098	VII-SS-28(0-2)	0.32	NO	1.4	NO
Chloromethane	mg/kg	66	0	0.00088	0.08	ND	ND	NA	11	NO	46	NO
Cyclohexane	mg/kg	66	0	0.00038	0.034	ND	ND	NA	120	NO	120	NO
Dichlorobromomethane	mg/kg	66	0	0.00058	0.054	ND	ND	NA	0.29	NO	1.3	NO

TABLE 1
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - DEVELOPED AREAS[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Dichlorodifluoromethane	mg/kg	66	0	0.00069	0.037	ND	ND	NA	8.7	NO	37	NO
Isopropylbenzene	mg/kg	66	2	0.0007	0.031	0.0018	0.33	VI-SS-07(0-0.5)	190	NO	270	NO
Methyl acetate	mg/kg	66	0	0.00093	0.071	ND	ND	NA	7800	NO	29000	NO
Methyl tert-butyl ether	mg/kg	66	0	0.00077	0.059	ND	ND	NA	47	NO	210	NO
Methylcyclohexane [4]	mg/kg	66	2	0.00075	0.032	0.06	0.12	VI-SS-07(0-0.5)	120	NO	120	NO
Methylene Chloride	mg/kg	66	54	0.00077	0.063	0.00079	0.0054	VII-SS-31(0-0.6)	35	NO	320	NO
Styrene	mg/kg	66	0	0.00073	0.037	ND	ND	NA	600	NO	870	NO
Tetrachloroethene	mg/kg	66	0	0.0007	0.047	ND	ND	NA	8.1	NO	39	NO
Trichloroethene	mg/kg	66	0	0.00068	0.046	ND	ND	NA	0.41	NO	1.9	NO
Trichlorofluoromethane	mg/kg	66	0	0.00095	0.064	ND	ND	NA	790	NO	1200	NO
Vinyl chloride	mg/kg	66	0	0.00049	***0.074***	ND	ND	NA	0.057	NO	1.7	NO
Semi-Volatile Organic Compounds												
Acenaphthene	mg/kg	78	25	0.0053	0.73	0.0079	20	VI-SS-07(0-0.5)	360	NO	4500	NO
Acenaphthylene [4]	mg/kg	78	27	0.0054	0.87	0.0095	5.8	VII-SS-41(0-1)	360	NO	4500	NO
Anthracene	mg/kg	78	49	0.0058	0.74	0.0087	16	VI-SS-07(0-0.5)	1800	NO	23000	NO
Benzo[a]anthracene	mg/kg	78	66	0.0088	***0.95***	0.009	48	VI-SS-07(0-0.5)	0.21	**YES**	21	**YES**
Benzo[a]pyrene	mg/kg	78	55	0.0071	***0.76***	0.01	28	VI-SS-07(0-0.5)	0.016	**YES**	2.1	**YES**
Benzo[b]fluoranthene	mg/kg	78	58	0.011	***1.2***	0.021	31	VII-SS-41(0-1)	0.16	**YES**	21	**YES**
Benzo[g,h,i]perylene [4]	mg/kg	78	56	0.0069	0.75	0.022	20	VII-SS-41(0-1)	180	NO	2300	NO
Benzo[k]fluoranthene	mg/kg	78	45	0.014	1.5	0.0061	14	VII-SS-41(0-1)	1.6	**YES**	210	NO
Chrysene	mg/kg	78	66	0.0084	0.9	0.019	87	VI-SS-07(0-0.5)	16	**YES**	2100	NO
Dibenz(a,h)anthracene	mg/kg	78	40	0.0066	***0.84***	0.0099	5.9	VI-SS-07(0-0.5)	0.016	**YES**	2.1	**YES**
Fluoranthene	mg/kg	78	69	0.0075	0.81	0.015	59	VI-SS-07(0-0.5)	240	NO	3000	NO
Fluorene	mg/kg	78	24	0.0056	1	0.0079	22	VI-SS-07(0-0.5)	240	NO	3000	NO
Indeno[1,2,3-cd]pyrene	mg/kg	78	55	0.0072	***0.78***	0.014	18	VII-SS-41(0-1)	0.16	**YES**	21	NO
Naphthalene	mg/kg	78	28	0.0057	0.65	0.0076	32	VI-SS-07(0-0.5)	2	**YES**	8.6	**YES**
Phenanthrene [4]	mg/kg	78	64	0.011	1.2	0.011	90	VI-SS-07(0-0.5)	1800	NO	23000	NO
Pyrene	mg/kg	78	69	0.0071	0.77	0.012	100	VI-SS-07(0-0.5)	180	NO	2300	NO
1,1'-Biphenyl	mg/kg	71	9	0.03	3.4	0.013	6.3	VI-SS-07(0-0.5)	4.7	**YES**	20	NO
2,4,5-Trichlorophenol	mg/kg	71	0	0.013	4	ND	ND	NA	630	NO	8200	NO
2,4,6-Trichlorophenol	mg/kg	71	0	0.01	5.7	ND	ND	NA	6.3	NO	82	NO
2,4-Dichlorophenol	mg/kg	71	0	0.0068	0.76	ND	ND	NA	19	NO	250	NO
2,4-Dimethylphenol	mg/kg	71	0	0.012	5.9	ND	ND	NA	130	NO	1600	NO
2,4-Dinitrophenol	mg/kg	71	0	0.41	***45***	ND	ND	NA	13	NO	160	NO
2,4-Dinitrotoluene	mg/kg	71	0	0.0092	***3.1***	ND	ND	NA	1.7	NO	7.4	NO
2,6-Dinitrotoluene	mg/kg	71	0	0.011	***3.9***	ND	ND	NA	0.36	NO	1.5	NO
2-Chloronaphthalene	mg/kg	71	0	0.0071	0.79	ND	ND	NA	480	NO	6000	NO
2-Chlorophenol	mg/kg	71	0	0.0086	3.1	ND	ND	NA	39	NO	580	NO
2-Methylnaphthalene	mg/kg	71	47	0.0061	0.68	0.0081	76	VI-SS-07(0-0.5)	24	**YES**	300	NO

TABLE 1
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - DEVELOPED AREAS[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
2-Methylphenol	mg/kg	71	0	0.024	2.6	ND	ND	NA	320	NO	4100	NO
2-Nitroaniline	mg/kg	71	0	0.084	17	ND	ND	NA	63	NO	800	NO
2-Nitrophenol	mg/kg	71	0	0.011	4.2	ND	ND	NA	- -		- -	
3,3'-Dichlorobenzidine	mg/kg	71	0	0.036	***4***	ND	ND	NA	1.2	NO	5.1	NO
Methylphenol, 3 & 4 [4]	mg/kg	71	2	0.033	3.7	0.037	0.11	VII-SS-28(0-2)	320	NO	4100	NO
3-Nitroaniline	mg/kg	71	0	0.047	16	ND	ND	NA	- -		- -	
4,6-Dinitro-2-methylphenol	mg/kg	70	0	0.14	***15***	ND	ND	NA	0.51	NO	6.6	NO
4-Bromophenyl phenyl ether	mg/kg	71	0	0.013	3.3	ND	ND	NA	- -		- -	
4-Chloro-3-methylphenol	mg/kg	71	0	0.0087	3.5	ND	ND	NA	630	NO	8200	NO
4-Chloroaniline	mg/kg	71	0	0.0062	***3***	ND	ND	NA	2.7	NO	11	NO
4-Chlorophenyl phenyl ether	mg/kg	71	0	0.011	4.2	ND	ND	NA	- -		- -	
4-Nitroaniline	mg/kg	71	0	0.009	15	ND	ND	NA	25	NO	110	NO
4-Nitrophenol	mg/kg	71	0	0.12	14	ND	ND	NA	- -		- -	
Acetophenone	mg/kg	71	7	0.01	3.1	0.038	0.17	VII-SS-41(0-1)	780	NO	2500	NO
Atrazine	mg/kg	71	0	0.033	***3.7***	ND	ND	NA	2.4	NO	10	NO
Benzaldehyde	mg/kg	71	3	0.023	5.7	0.26	0.43	VII-SS-37(0-1)	170	NO	820	NO
Bis(2-chloroisopropyl)ether	mg/kg	71	0	0.0074	0.82	ND	ND	NA	5.1	NO	310	NO
Bis(2-chloroethoxy)methane	mg/kg	71	0	0.0088	2.5	ND	ND	NA	19	NO	250	NO
Bis(2-chloroethyl)ether	mg/kg	71	0	0.0067	***1***	ND	ND	NA	0.23	NO	1	NO
Bis(2-ethylhexyl) phthalate	mg/kg	71	16	0.056	6.1	0.062	4.6	VII-SS-05(0-0.3)	39	NO	160	NO
Butyl benzyl phthalate	mg/kg	71	2	0.047	5.2	0.23	3.2	VII-SS-49(0-0.6)	290	NO	1200	NO
Caprolactam	mg/kg	71	0	0.12	29	ND	ND	NA	3100	NO	40000	NO
Carbazole [4]	mg/kg	71	26	0.0063	0.7	0.0072	7.1	VI-SS-07(0-0.5)	1800	NO	23000	NO
Dibenzofuran	mg/kg	71	11	0.034	3.7	0.055	13	VI-SS-07(0-0.5)	7.8	**YES**	120	NO
Diethyl phthalate	mg/kg	71	40	0.037	0.45	0.043	14	VII-SS-06(0-0.4)	5100	NO	66000	NO
Dimethyl phthalate	mg/kg	71	4	0.0067	4.1	0.076	0.83	VII-SS-37(0-1)	- -		- -	
Di-n-butyl phthalate	mg/kg	71	0	0.043	4.8	ND	ND	NA	630	NO	8200	NO
Di-n-octyl phthalate	mg/kg	71	0	0.036	4	ND	ND	NA	63	NO	820	NO
Hexachlorobenzene	mg/kg	71	0	0.0073	***0.81***	ND	ND	NA	0.21	NO	0.96	NO
Hexachlorobutadiene	mg/kg	71	0	0.0076	0.85	ND	ND	NA	1.2	NO	5.3	NO
Hexachlorocyclopentadiene	mg/kg	71	0	0.0094	***4.1***	ND	ND	NA	0.18	NO	0.75	NO
Hexachloroethane	mg/kg	71	0	0.0096	***2.7***	ND	ND	NA	1.8	NO	8	NO
Isophorone	mg/kg	71	0	0.0094	2.9	ND	ND	NA	570	NO	2400	NO
Nitrobenzene	mg/kg	71	0	0.028	3.2	ND	ND	NA	5.1	NO	22	NO
N-Nitrosodi-n-propylamine	mg/kg	71	0	0.008	***0.89***	ND	ND	NA	0.078	NO	0.33	NO
N-Nitrosodiphenylamine	mg/kg	71	0	0.032	3.5	ND	ND	NA	110	NO	470	NO
Pentachlorophenol	mg/kg	71	0	0.031	***3.4***	ND	ND	NA	1	NO	4	NO
Phenol	mg/kg	71	3	0.0081	0.9	0.13	0.25	VII-SS-28(0-2)	1900	NO	25000	NO

TABLE 1
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - DEVELOPED AREAS[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Polychlorinated Biphenyls												
PCB-1016	mg/kg	69	0	0.00031	0.031	ND	ND	NA	0.41	NO	5.1	NO
PCB-1221	mg/kg	69	0	0.00062	0.061	ND	ND	NA	0.2	NO	0.83	NO
PCB-1232	mg/kg	69	0	0.00056	0.056	ND	ND	NA	0.17	NO	0.72	NO
PCB-1242	mg/kg	69	0	0.00057	0.056	ND	ND	NA	0.23	NO	0.95	NO
PCB-1248	mg/kg	69	0	0.00075	0.074	ND	ND	NA	0.23	NO	0.94	NO
PCB-1254	mg/kg	69	11	0.00065	0.064	0.011	0.58	VII-SS-07(0-0.7)	0.12	**YES**	0.97	NO
PCB-1260	mg/kg	69	33	0.0024	0.0035	0.0031	4.3	DUP-1-11-30-17	0.24	**YES**	0.99	**YES**
Inorganics												
Aluminum [4]	mg/kg	65	65	NA	NA	3100	72000	VII-SS-05(0-0.3)	77,120	NO	110000	NO
Antimony	mg/kg	65	62	0.027	0.028	0.055	6.9	VII-SS-24(0-1)	3.1	**YES**	47	NO
Arsenic	mg/kg	65	62	0.2	0.22	0.35	17	VI-SS-06(0-0.5)	0.43	**YES**	3	**YES**
Barium	mg/kg	65	65	NA	NA	29	420	VII-SS-23(0-2)	1500	NO	22000	NO
Beryllium	mg/kg	65	65	NA	NA	0.23	5.9	VII-SS-33(0-0.4)	16	NO	230	NO
Cadmium	mg/kg	65	65	NA	NA	0.13	8	VI-SS-06(0-0.5)DUP	7.1	**YES**	98	NO
Calcium	mg/kg	65	65	NA	NA	3500	270000	VII-SS-35(1-2)	- -		- -	
Chromium [4]	mg/kg	65	65	NA	NA	11	7300	VII-SS-30(0-0.5)	12000	NO	180000	NO
Cobalt	mg/kg	65	65	NA	NA	0.53	100	VII-SS-27(1.5-2)	2.3	**YES**	35	**YES**
Copper	mg/kg	65	65	NA	NA	6.1	490	VII-SS-30(0-0.5)	310	**YES**	4700	NO
Iron	mg/kg	65	65	NA	NA	8200	430000	VII-SS-22(0-2)	5500	**YES**	82000	**YES**
Lead	mg/kg	65	65	NA	NA	2.8	830	VI-SS-06(0-0.5)	400	**YES**	800	**YES**
Magnesium	mg/kg	65	65	NA	NA	1800	57000	VII-SS-13(0-0.7)	- -		- -	
Manganese [4]	mg/kg	65	65	NA	NA	520	36000	VII-SS-35(1-2)	180	**YES**	2600	**YES**
Mercury	mg/kg	65	53	0.011	0.013	0.011	2.8	VII-SS-09(0-0.5)	1.1	**YES**	3.1	NO
Nickel	mg/kg	65	65	NA	NA	2.9	4600	VII-SS-30(0-0.5)	150	**YES**	2200	**YES**
Potassium	mg/kg	65	65	NA	NA	28	2000	VI-SS-01(0-1)	- -		- -	
Selenium	mg/kg	65	46	0.047	0.75	0.064	3	VII-SS-41(0-1)	39	NO	580	NO
Silver	mg/kg	65	60	0.041	0.047	0.0095	2	VII-SS-17(0-2)	39	NO	580	NO
Sodium	mg/kg	65	65	NA	NA	53	14000	VII-SS-24(0-1)	- -		- -	
Thallium	mg/kg	65	56	0.021	0.025	0.0064	0.81	VII-SS-50(0-2)	0.078	**YES**	1.2	NO
Vanadium	mg/kg	65	65	NA	NA	1.3	620	VII-SS-49(0-0.6)	5.5	**YES**	160	**YES**
Zinc	mg/kg	65	65	NA	NA	15	5100	VII-SS-17(0-2)	2300	**YES**	35000	NO
Other Parameters												
Cyanide, Total	mg/kg	65	53	0.095	0.12	0.11	26	VI-SS-01(0-1)	2.3	**YES**	15	**YES**

TABLE 1
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - DEVELOPED AREAS[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Complete analytical results (detections and detection limits) for each sample and constituent are provided in Appendix A, Table A-1.

2 - Number of samples is the total number of valid discrete samples obtained, including duplicate samples (i.e., a duplicate sample is counted as a discrete sample).
This excludes sample location VI-SS-09(0-0.3), which was excavated as part of the former Tar Pumping Station excavation.

3 - The range of detected concentrations is presented. ND indicates that the constituent was not detected in any of the samples analyzed.

4 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Direct contact screening criteria are the lower of the USEPA Regional Screening Levels (RSLs) or the WVDEP De Minimis values. RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

RSLs for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the RSLs for total 1,3-dichloropropene.
RSLs for 1,3-dichlorobenzene are based on the RSLs for 1,4-dichlorobenzene.
RSLs for methylcyclohexane are based on the RSLs for cyclohexane.
RSLs for acenaphthylene are based on the RSLs for acenaphthene.
RSLs for benzo(g,h,i)perylene are based on the RSLs for pyrene.
RSLs for phenanthrene and carbazole are based on the RSLs for anthracene.
RSLs for 3&4-methylphenol are conservatively based on the RSLs for 3-methylphenol.
The residential direct contact screening value for aluminum is based on the 90th percentile background concentrations in West Virginia soils published by USGS (2013).
Direct contact RSL for chromium is for the trivalent valence state; protection of groundwater RSL is based on total chromium.
RSLs for manganese are based on the non-diet values.

NA Constituent detected in every sample; detection limit not presented.

Bold italic values indicate that a detection limit exceeds a screening criterion.

TABLE 2
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - WOODED HILLSIDE[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Inorganics												
Aluminum [4]	mg/kg	5	5	NA	NA	8300	12000	VII-SS-57 (0-1)	77,120	NO	110000	NO
Antimony	mg/kg	5	5	NA	NA	0.28	0.67	VII-SS-57 (0-1)	3.1	NO	47	NO
Arsenic	mg/kg	5	5	NA	NA	9.5	32	VII-SS-57 (0-1)	0.43	**YES**	3	**YES**
Barium	mg/kg	5	5	NA	NA	62	130	VII-SS-55 (0-1)	1500	NO	22000	NO
Beryllium	mg/kg	5	5	NA	NA	0.44	1.3	VII-SS-57 (0-1)	16	NO	230	NO
Cadmium	mg/kg	5	5	NA	NA	0.44	1.4	VII-SS-55 (0-1)	7.1	NO	98	NO
Calcium	mg/kg	5	5	NA	NA	470	2200	VII-SS-55 (0-1)	- -		- -	
Chromium [4]	mg/kg	5	5	NA	NA	17	44	VII-SS-57 (0-1)	12000	NO	180000	NO
Cobalt [4]	mg/kg	5	5	NA	NA	7.5	15	VII-SS-57 (0-1)	23.8	NO	35	NO
Copper	mg/kg	5	5	NA	NA	12	35	VII-SS-57 (0-1)	310	NO	4700	NO
Iron	mg/kg	5	5	NA	NA	19000	64000	VII-SS-57 (0-1)	5500	**YES**	82000	NO
Lead	mg/kg	5	5	NA	NA	48	130	VII-SS-57 (0-1)	400	NO	800	NO
Magnesium	mg/kg	5	5	NA	NA	1000	2300	VII-SS-55 (0-1)	- -		- -	
Manganese [4]	mg/kg	5	5	NA	NA	590	2100	DEP01 (VIISS56) (3)	180	**YES**	2600	NO
Mercury	mg/kg	5	5	NA	NA	0.061	0.22	VII-SS-57 (0-1)	1.1	NO	3.1	NO
Nickel	mg/kg	5	5	NA	NA	11	23	VII-SS-57 (0-1)	150	NO	2200	NO
Potassium	mg/kg	5	5	NA	NA	500	1300	VII-SS-57 (0-1)	- -		- -	
Selenium	mg/kg	5	5	NA	NA	0.56	3.1	DEP01 (VIISS56) (3)	39	NO	580	NO
Silver	mg/kg	5	4	0.22	0.22	0.085	0.22	VII-SS-57 (0-1)	39	NO	580	NO
Sodium	mg/kg	5	1	53	62	19	19	DEP01 (VIISS56) (3)	- -		- -	
Thallium [4]	mg/kg	5	4	0.28	0.28	0.23	0.51	VII-SS-57 (0-1)	0.8	NO	1.2	NO
Vanadium [4]	mg/kg	5	5	NA	NA	19	47	VII-SS-57 (0-1)	98.8	NO	160	NO
Zinc	mg/kg	5	5	NA	NA	100	280	VII-SS-55 (0-1)	2300	NO	35000	NO

TABLE 2
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SURFACE SOIL - WOODED HILLSIDE[1)]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Complete analytical results (detections and detection limits) for each sample and constituent are provided in Appendix A, Table A-2.

2 - Number of samples is the total number of valid discrete samples obtained, including duplicate samples (i.e., a duplicate sample is counted as a discrete sample).

3 - The range of detected concentrations is presented. ND indicates that the constituent was not detected in any of the samples analyzed.

4 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Direct contact screening criteria are the lower of the USEPA Regional Screening Levels (RSLs) or the WVDEP De Minimis values. RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

The residential direct contact screening values for aluminum, cobalt, thallium, and vanadium are based on the 90th percentile background concentrations in West Virginia soils published by USG

Direct contact RSL for chromium is for the trivalent valence state.

RSLs for manganese are based on the non-diet values.

NA Constituent detected in every sample; detection limit not presented.

Bold italic values indicate that a detection limit exceeds a screening criterion.

TABLE 3
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SUBSURFACE SOIL[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Volatile Organic Compounds												
Benzene	mg/kg	89	3	0.00074	0.061	0.00095	0.0033	VII-SB-110(6-8)	1.2	NO	5.1	NO
Toluene	mg/kg	89	6	0.00079	0.052	0.0011	0.034	VII-SB-110(6-8)	490	NO	820	NO
Ethylbenzene	mg/kg	89	8	0.0007	0.038	0.0013	0.037	VII-SB-110(6-8)	5.8	NO	25	NO
Xylenes, Total	mg/kg	89	7	0.0024	0.12	0.0058	0.22	VII-SB-110(6-8)	58	NO	250	NO
1,1,1-Trichloroethane	mg/kg	27	1	0.00053	0.063	0.00095	0.00095	VII-MW-02A(40-42)	640	NO	640	NO
1,1,2,2-Tetrachloroethane	mg/kg	27	0	0.00078	0.057	ND	ND	NA	0.6	NO	2.7	NO
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	27	0	0.0012	0.02	ND	ND	NA	670	NO	910	NO
1,1,2-Trichloroethane	mg/kg	27	0	0.00091	0.071	ND	ND	NA	0.15	NO	0.63	NO
1,1-Dichloroethane	mg/kg	27	0	0.00063	0.062	ND	ND	NA	3.6	NO	16	NO
1,1-Dichloroethene	mg/kg	27	0	0.00092	0.065	ND	ND	NA	23	NO	100	NO
1,2,4-Trichlorobenzene	mg/kg	27	0	0.00096	0.023	ND	ND	NA	5.8	NO	26	NO
1,2-Dibromo-3-Chloropropane	mg/kg	27	0	0.00082	***0.022***	ND	ND	NA	0.0053	NO	0.064	NO
1,2-Dibromoethane (EDB)	mg/kg	27	0	0.00094	***0.038***	ND	ND	NA	0.036	NO	0.16	NO
1,2-Dichlorobenzene	mg/kg	27	1	0.00087	0.042	0.097	0.097	VII-MW-03P(10-12)	180	NO	380	NO
1,2-Dichloroethane	mg/kg	27	0	0.00067	0.059	ND	ND	NA	0.46	NO	2	NO
1,2-Dichloroethene, Total	mg/kg	26	0	0.0014	0.058	ND	ND	NA	- -		- -	
cis-1,2-Dichloroethene	mg/kg	27	0	0.00077	0.041	ND	ND	NA	16	NO	81	NO
trans-1,2-Dichloroethene	mg/kg	27	0	0.00065	0.046	ND	ND	NA	7	NO	30	NO
1,2-Dichloropropane	mg/kg	27	0	0.00059	0.078	ND	ND	NA	1.1	NO	6.6	NO
cis-1,3-Dichloropropene [4]	mg/kg	27	0	0.00074	0.045	ND	ND	NA	1.8	NO	8.2	NO
trans-1,3-Dichloropropene [4]	mg/kg	27	0	0.00065	0.036	ND	ND	NA	1.8	NO	8.2	NO
1,3-Dichlorobenzene [4]	mg/kg	27	0	0.00071	0.031	ND	ND	NA	2.6	NO	11	NO
1,4-Dichlorobenzene	mg/kg	27	0	0.00069	0.032	ND	ND	NA	2.6	NO	11	NO
2-Butanone (MEK)	mg/kg	27	0	0.00096	0.067	ND	ND	NA	2700	NO	19000	NO
2-Hexanone	mg/kg	27	0	0.00075	0.035	ND	ND	NA	20	NO	130	NO
4-Methyl-2-pentanone (MIBK)	mg/kg	27	0	0.00071	0.036	ND	ND	NA	3300	NO	3400	NO
Acetone	mg/kg	26	0	0.0054	0.31	ND	ND	NA	6100	NO	67000	NO
Bromoform	mg/kg	27	0	0.00048	0.066	ND	ND	NA	19	NO	86	NO
Bromomethane	mg/kg	27	0	0.0008	0.097	ND	ND	NA	0.68	NO	3	NO
Carbon disulfide	mg/kg	27	2	0.00056	0.066	0.0011	0.0019	VII-MW-03P(10-12)	77	NO	350	NO
Carbon tetrachloride	mg/kg	27	0	0.00049	0.066	ND	ND	NA	0.65	NO	2.9	NO
Chlorobenzene	mg/kg	27	0	0.00082	0.032	ND	ND	NA	28	NO	130	NO
Chlorodibromomethane	mg/kg	27	0	0.00077	0.04	ND	ND	NA	8.3	NO	39	NO
Chloroethane	mg/kg	27	0	0.0017	0.046	ND	ND	NA	1400	NO	2100	NO
Chloroform	mg/kg	27	4	0.00064	0.062	0.00079	0.00088	VII-MW-02P(12-14)	0.32	NO	1.4	NO
Chloromethane	mg/kg	27	0	0.00093	0.085	ND	ND	NA	11	NO	46	NO
Cyclohexane	mg/kg	27	0	0.0004	0.037	ND	ND	NA	120	NO	120	NO
Dichlorobromomethane	mg/kg	27	0	0.00061	0.057	ND	ND	NA	0.29	NO	1.3	NO

TABLE 3
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SUBSURFACE SOIL[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Dichlorodifluoromethane	mg/kg	27	0	0.00073	0.039	ND	ND	NA	8.7	NO	37	NO
Isopropylbenzene	mg/kg	27	2	0.00074	0.033	0.0017	0.012	VII-MW-03P(10-12)	190	NO	270	NO
Methyl acetate	mg/kg	27	0	0.00098	0.075	ND	ND	NA	7800	NO	29000	NO
Methyl tert-butyl ether	mg/kg	27	0	0.00081	0.063	ND	ND	NA	47	NO	210	NO
Methylcyclohexane [4]	mg/kg	27	2	0.00079	0.034	0.0014	0.0046	VII-MW-03P(10-12)	120	NO	120	NO
Methylene Chloride	mg/kg	27	22	0.014	0.067	0.0014	0.089	VII-SB-104(38-40)	35	NO	320	NO
Naphthalene	mg/kg	1	0	0.019	0.019	ND	ND	NA	2	NO	8.6	NO
Styrene	mg/kg	27	0	0.00077	0.039	ND	ND	NA	600	NO	870	NO
Tetrachloroethene	mg/kg	27	4	0.00074	0.051	0.0011	0.051	VII-MW-03P(8-10)	8.1	NO	39	NO
Trichloroethene	mg/kg	27	2	0.00072	0.049	0.0011	0.0012	VII-MW-02A(40-42)	0.41	NO	1.9	NO
Trichlorofluoromethane	mg/kg	27	0	0.001	0.069	ND	ND	NA	790	NO	1200	NO
Vinyl chloride	mg/kg	27	0	0.00051	***0.079***	ND	ND	NA	0.057	NO	1.7	NO
Semi-Volatile Organic Compounds												
Acenaphthene	mg/kg	89	25	0.00077	0.78	0.0089	5.4	VII-SB-112(2-4)	360	NO	4500	NO
Acenaphthylene [4]	mg/kg	89	53	0.00092	0.6	0.012	35	IM-W700-S-20	360	NO	4500	NO
Anthracene	mg/kg	89	64	0.00079	0.0089	0.0012	4.3	IM-W700-S-39D	1800	NO	23000	NO
Benzo[a]anthracene	mg/kg	89	65	0.001	0.011	0.0012	8.7	IM-W700-S-41	0.21	**YES**	21	NO
Benzo[a]pyrene	mg/kg	89	64	0.00081	0.0091	0.0017	4.6	IM-W700-S-41	0.016	**YES**	2.1	**YES**
Benzo[b]fluoranthene	mg/kg	89	65	0.0013	0.014	0.0044	8.7	IM-W700-S-41	0.16	**YES**	21	NO
Benzo[g,h,i]perylene [4]	mg/kg	89	61	0.0008	0.034	0.0015	2.4	IM-W700-S-41	180	NO	2300	NO
Benzo[k]fluoranthene	mg/kg	89	41	0.00098	0.089	0.0015	3.7	IM-W700-S-41	1.6	**YES**	210	NO
Chrysene	mg/kg	89	61	0.00096	0.035	0.0018	7.2	IM-W700-S-41	16	NO	2100	NO
Dibenz(a,h)anthracene	mg/kg	89	9	0.0009	***0.14***	0.0094	0.26	VII-SB-101(18-20)	0.016	**YES**	2.1	NO
Fluoranthene	mg/kg	89	43	0.00086	0.095	0.0014	21	IM-W700-S-39D	240	NO	3000	NO
Fluorene	mg/kg	89	65	0.0011	0.012	0.0027	8.8	VII-SB-112(2-4)	240	NO	3000	NO
Indeno[1,2,3-cd]pyrene	mg/kg	89	61	0.00083	0.022	0.0021	4.6	IM-W700-S-41	0.16	**YES**	21	NO
Naphthalene	mg/kg	89	63	0.00069	0.36	0.0072	11	IM-W700-S-20	2	**YES**	8.6	**YES**
Phenanthrene [4]	mg/kg	89	69	0.0013	0.013	0.0048	18	IM-W700-S-20	1800	NO	23000	NO
Pyrene	mg/kg	89	64	0.00081	0.038	0.0018	15	IM-W700-S-39D	180	NO	2300	NO
1,1'-Biphenyl	mg/kg	26	1	0.033	0.18	0.065	0.065	VII-MW-01P(11-12)	4.7	NO	20	NO
2,4,5-Trichlorophenol	mg/kg	26	0	0.039	0.21	ND	ND	NA	630	NO	8200	NO
2,4,6-Trichlorophenol	mg/kg	26	0	0.055	0.3	ND	ND	NA	6.3	NO	82	NO
2,4-Dichlorophenol	mg/kg	26	0	0.0073	0.04	ND	ND	NA	19	NO	250	NO
2,4-Dimethylphenol	mg/kg	26	0	0.057	0.31	ND	ND	NA	130	NO	1600	NO
2,4-Dinitrophenol	mg/kg	26	0	0.44	2.4	ND	ND	NA	13	NO	160	NO
2,4-Dinitrotoluene	mg/kg	26	0	0.03	0.16	ND	ND	NA	1.7	NO	7.4	NO
2,6-Dinitrotoluene	mg/kg	26	0	0.038	0.2	ND	ND	NA	0.36	NO	1.5	NO
2-Chloronaphthalene	mg/kg	26	0	0.0076	0.041	ND	ND	NA	480	NO	6000	NO
2-Chlorophenol	mg/kg	26	0	0.03	0.16	ND	ND	NA	39	NO	580	NO
2-Methylnaphthalene	mg/kg	26	9	0.0066	0.0075	0.0089	11	VII-MW-03P(10-12)	24	NO	300	NO

TABLE 3
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SUBSURFACE SOIL[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
2-Methylphenol	mg/kg	26	0	0.026	0.14	ND	ND	NA	320	NO	4100	NO
2-Nitroaniline	mg/kg	26	0	0.16	0.88	ND	ND	NA	63	NO	800	NO
2-Nitrophenol	mg/kg	26	0	0.04	0.22	ND	ND	NA	- -		- -	
3,3'-Dichlorobenzidine	mg/kg	26	0	0.039	0.21	ND	ND	NA	1.2	NO	5.1	NO
Methylphenol, 3 & 4 [4]	mg/kg	26	0	0.036	0.19	ND	ND	NA	320	NO	4100	NO
3-Nitroaniline	mg/kg	26	0	0.15	0.81	ND	ND	NA	- -		- -	
4,6-Dinitro-2-methylphenol	mg/kg	26	0	0.15	***0.79***	ND	ND	NA	0.51	NO	6.6	NO
4-Bromophenyl phenyl ether	mg/kg	26	0	0.032	0.17	ND	ND	NA	- -		- -	
4-Chloro-3-methylphenol	mg/kg	26	0	0.034	0.18	ND	ND	NA	630	NO	8200	NO
4-Chloroaniline	mg/kg	26	0	0.029	0.16	ND	ND	NA	2.7	NO	11	NO
4-Chlorophenyl phenyl ether	mg/kg	26	0	0.041	0.22	ND	ND	NA	- -		- -	
4-Nitroaniline	mg/kg	26	0	0.15	0.8	ND	ND	NA	25	NO	110	NO
4-Nitrophenol	mg/kg	26	0	0.13	0.72	ND	ND	NA	- -		- -	
Acetophenone	mg/kg	26	0	0.03	0.16	ND	ND	NA	780	NO	2500	NO
Atrazine	mg/kg	26	0	0.036	0.19	ND	ND	NA	2.4	NO	10	NO
Benzaldehyde	mg/kg	26	0	0.055	0.3	ND	ND	NA	170	NO	820	NO
Bis(2-chloroisopropyl)ether	mg/kg	26	0	0.0079	0.043	ND	ND	NA	5.1	NO	310	NO
Bis(2-chloroethoxy)methane	mg/kg	26	0	0.024	0.13	ND	ND	NA	19	NO	250	NO
Bis(2-chloroethyl)ether	mg/kg	26	0	0.0098	0.053	ND	ND	NA	0.23	NO	1	NO
Bis(2-ethylhexyl) phthalate	mg/kg	26	3	0.059	0.32	0.1	0.26	VII-MW-01A(6-8)	39	NO	160	NO
Butyl benzyl phthalate	mg/kg	26	0	0.05	0.27	ND	ND	NA	290	NO	1200	NO
Caprolactam	mg/kg	26	0	0.06	1.5	ND	ND	NA	3100	NO	40000	NO
Carbazole [4]	mg/kg	26	1	0.0067	0.06	0.054	0.054	VII-SB-107(4-6)	1800	NO	23000	NO
Dibenzofuran	mg/kg	26	2	0.036	0.19	0.054	0.06	VII-SB-107(4-6)	7.8	NO	120	NO
Diethyl phthalate	mg/kg	26	1	0.04	0.22	0.058	0.058	VII-SB-105(36-38)	5100	NO	66000	NO
Dimethyl phthalate	mg/kg	26	0	0.04	0.22	ND	ND	NA	- -		- -	
Di-n-butyl phthalate	mg/kg	26	0	0.046	0.25	ND	ND	NA	630	NO	8200	NO
Di-n-octyl phthalate	mg/kg	26	0	0.039	0.21	ND	ND	NA	63	NO	820	NO
Hexachlorobenzene	mg/kg	26	0	0.0078	0.06	ND	ND	NA	0.21	NO	0.96	NO
Hexachlorobutadiene	mg/kg	26	0	0.0082	0.06	ND	ND	NA	1.2	NO	5.3	NO
Hexachlorocyclopentadiene	mg/kg	26	0	0.039	***0.21***	ND	ND	NA	0.18	NO	0.75	NO
Hexachloroethane	mg/kg	25	0	0.026	0.14	ND	ND	NA	1.8	NO	8	NO
Isophorone	mg/kg	26	0	0.028	0.15	ND	ND	NA	570	NO	2400	NO
Nitrobenzene	mg/kg	25	0	0.03	0.16	ND	ND	NA	5.1	NO	22	NO
N-Nitrosodi-n-propylamine	mg/kg	26	0	0.0086	0.06	ND	ND	NA	0.078	NO	0.33	NO
N-Nitrosodiphenylamine	mg/kg	26	0	0.034	0.18	ND	ND	NA	110	NO	470	NO
Pentachlorophenol	mg/kg	26	0	0.033	0.18	ND	ND	NA	1	NO	4	NO
Phenol	mg/kg	26	0	0.0086	0.047	ND	ND	NA	1900	NO	25000	NO

TABLE 3
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SUBSURFACE SOIL[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
				Min	Max	Min	Max		Residential Direct Contact	Does Max Exceed?	Industrial Direct Contact	Does Max Exceed?
Polychlorinated Biphenyls												
PCB-1016	mg/kg	75	0	0.0016	0.0038	ND	ND	NA	0.41	NO	5.1	NO
PCB-1221	mg/kg	75	0	0.0031	0.0049	ND	ND	NA	0.2	NO	0.83	NO
PCB-1232	mg/kg	75	0	0.0028	0.0044	ND	ND	NA	0.17	NO	0.72	NO
PCB-1242	mg/kg	75	0	0.0029	0.0042	ND	ND	NA	0.23	NO	0.95	NO
PCB-1248	mg/kg	75	8	0.0017	0.0038	0.0083	0.039	IM-W700-S-13	0.23	NO	0.94	NO
PCB-1254	mg/kg	75	2	0.0025	0.0037	0.023	0.038	IM-W700-S-03B(3)	0.12	NO	0.97	NO
PCB-1260	mg/kg	75	2	0.0025	0.0036	0.015	0.13	VI-SB-103 (4-5')	0.24	NO	0.99	NO
Inorganics												
Aluminum [4]	mg/kg	26	26	NA	NA	3100	32000	VII-MW-03P(8-10)	77,120	NO	110000	NO
Antimony	mg/kg	26	25	0.0029	0.0029	0.016	0.46	VII-SB-107(4-6)	3.1	NO	47	NO
Arsenic [4]	mg/kg	26	26	NA	NA	0.32	13	VII-SB-105(6-8)	13.1	NO	13.1	NO
Barium	mg/kg	26	26	NA	NA	32	320	VII-MW-03P(8-10)	1500	NO	22000	NO
Beryllium	mg/kg	26	26	NA	NA	0.27	7.5	VII-MW-03P(8-10)	16	NO	230	NO
Cadmium	mg/kg	26	26	NA	NA	0.12	1.3	VII-SB-105(6-8)	7.1	NO	98	NO
Calcium	mg/kg	26	26	NA	NA	590	190000	VII-MW-03P(8-10)	- -		- -	
Chromium [4]	mg/kg	26	26	NA	NA	5.4	450	VII-SB-107(4-6)	12000	NO	180000	NO
Cobalt [4]	mg/kg	26	26	NA	NA	1.1	19	VI-MW-02A(42.1-43	23.8	NO	35	NO
Copper	mg/kg	26	26	NA	NA	2.4	150	VII-SB-105(6-8)	310	NO	4700	NO
Iron	mg/kg	26	26	NA	NA	14000	86000	VII-SB-107(4-6)	5500	**YES**	82000	**YES**
Lead	mg/kg	26	26	NA	NA	0.35	78	VII-SB-102(6-8)	400	NO	800	NO
Magnesium	mg/kg	26	26	NA	NA	740	60000	VII-MW-03P(10-12)	- -		- -	
Manganese [4]	mg/kg	26	26	NA	NA	230	9000	VII-MW-03A(11-12)	180	**YES**	2600	**YES**
Mercury	mg/kg	26	24	0.012	0.012	0.012	0.33	VII-SB-102(6-8)	1.1	NO	3.1	NO
Nickel	mg/kg	26	26	NA	NA	0.87	55	VII-SB-105(6-8)	150	NO	2200	NO
Potassium	mg/kg	26	26	NA	NA	440	1700	VII-MW-03P(8-10)	- -		- -	
Selenium	mg/kg	26	24	0.055	0.058	0.11	2.3	VII-MW-03P(8-10)	39	NO	580	NO
Silver	mg/kg	26	25	0.0047	0.0047	0.0056	0.24	VII-MW-01P(11-12)	39	NO	580	NO
Sodium	mg/kg	26	26	NA	NA	35	1100	VII-MW-03P(8-10)	- -		- -	
Thallium	mg/kg	26	26	NA	NA	0.0023	0.24	VII-SB-105(6-8)	0.078	**YES**	1.2	NO
Vanadium	mg/kg	26	26	NA	NA	3	110	VII-MW-03A(11-12)	5.5	**YES**	160	NO
Zinc	mg/kg	26	26	NA	NA	1.9	260	VII-SB-107(4-6)	2300	NO	35000	NO
Other Parameters												
Cyanide, Total	mg/kg	26	5	0.1	0.13	0.22	3.7	VII-MW-03P(8-10)	2.3	**YES**	15	NO

TABLE 3
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN SUBSURFACE SOIL[(1)]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Complete analytical results (detections and detection limits) for each sample and constituent are provided in Appendix A, Table A-4.

2 - Number of samples is the total number of valid discrete samples obtained, including duplicate samples (i.e., a duplicate sample is counted as a discrete sample).

3 - The range of detected concentrations is presented. ND indicates that the constituent was not detected in any of the samples analyzed.

4 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Direct contact screening criteria are the lower of the USEPA Regional Screening Levels (RSLs) or the WVDEP De Minimis values. RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

RSLs for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the RSLs for total 1,3-dichloropropene.

RSLs for 1,3-dichlorobenzene are based on the RSLs for 1,4-dichlorobenzene.

RSLs for methylcyclohexane are based on the RSLs for cyclohexane.

RSLs for acenaphthylene are based on the RSLs for acenaphthene.

RSLs for benzo(g,h,i)perylene are based on the RSLs for pyrene.

RSLs for phenanthrene and carbazole are based on the RSLs for anthracene.

RSLs for 3&4-methylphenol are conservatively based on the RSLs for 3-methylphenol.

The direct contact screening values for aluminum (residential only), arsenic, and cobalt (residential only) are based on the 90th percentile background concentrations in West Virginia soils publis

Direct contact RSL for chromium is for the trivalent valence state.

RSLs for manganese are based on the non-diet values.

NA Constituent detected in every sample; detection limit not presented.

Bold italic values indicate that a detection limit exceeds a screening criterion.

TABLE 4
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Groundwater	Does Max Exceed?	MCL	Does Max Exceed?
Volatile Organic Compounds											
1,1,1-Trichloroethane	43	0	0.29	0.6	ND	ND	NA	200	NO	200	NO
1,1,2,2-Tetrachloroethane	43	0	***0.2***	***0.6***	ND	ND	NA	0.076	NO	- -	
1,1,2-Trichloro-1,2,2-trifluoroethane	24	0	0.32	0.32	ND	ND	NA	1000	NO	- -	
1,1,2-Trichloroethane	43	0	***0.2***	***0.45***	ND	ND	NA	0.041	NO	5	NO
1,1-Dichloroethane	43	13	0.12	0.63	0.19	7	VII-MW-01A	2.8	**YES**	- -	
1,1-Dichloroethene	43	7	0.3	0.55	0.34	1.2	MA-MW-07D	7	NO	7	NO
1,2,4-Trichlorobenzene	24	0	0.27	0.27	ND	ND	NA	0.4	NO	70	NO
1,2-Dibromo-3-Chloropropane	24	0	***0.14***	***0.14***	ND	ND	NA	0.00033	NO	0.2	NO
1,2-Dibromoethane (EDB)	24	0	***0.18***	***0.18***	ND	ND	NA	0.0075	NO	0.05	NO
1,2-Dichlorobenzene	24	4	0.15	0.15	0.2	37	VII-MW-03P	30	**YES**	600	NO
1,2-Dichloroethane	43	0	***0.21***	***0.57***	ND	ND	NA	0.17	NO	5	NO
1,2-Dichloroethene, Total	43	17	0.51	1.3	0.55	10	VII-MW-01A	- -		- -	
cis-1,2-Dichloroethene	43	20	0.24	0.71	0.54	10	VII-MW-01A	3.6	**YES**	70	NO
trans-1,2-Dichloroethene	43	3	0.17	0.67	0.68	2.2	VII-MW-03P	6.8	NO	100	NO
1,2-Dichloropropane	43	0	0.095	0.66	ND	ND	NA	0.82	NO	5	NO
cis-1,3-Dichloropropene [1]	43	0	0.19	***0.59***	ND	ND	NA	0.47	NO	- -	
trans-1,3-Dichloropropene [1]	43	0	0.15	***0.58***	ND	ND	NA	0.47	NO	- -	
1,3-Dichlorobenzene [1]	24	0	0.11	0.11	ND	ND	NA	0.48	NO	75	NO
1,4-Dichlorobenzene	24	2	0.21	0.21	0.54	0.59	VII-MW-03P	0.48	**YES**	75	NO
2-Butanone (MEK)	43	2	0.55	2.6	3.9	4.7	VII-MW-03P	560	NO	- -	
2-Hexanone	43	1	0.16	3.3	0.66	0.66	VII-MW-03P	3.8	NO	- -	
4-Methyl-2-pentanone (MIBK)	43	1	0.53	3.1	0.53	0.53	VII-MW-03P	630	NO	- -	
Acetone	43	18	2.5	3.4	3.1	8.8	VII-MW-02P	1400	NO	- -	
Benzene	43	4	0.11	***0.6***	0.13	0.54	VII-MW-03P	0.46	**YES**	5	NO
Bromoform	43	0	0.19	0.98	ND	ND	NA	3.3	NO	80	NO
Bromomethane	43	0	0.31	***0.89***	ND	ND	NA	0.75	NO	- -	
Carbon disulfide	43	1	0.21	0.88	0.58	0.58	VII-MW-01P	81	NO	- -	
Carbon tetrachloride	43	0	0.14	***0.88***	ND	ND	NA	0.46	NO	5	NO
Chlorobenzene	43	3	0.14	0.5	0.54	0.96	VII-MW-03P	7.8	NO	100	NO
Chlorodibromomethane	43	1	0.14	0.84	0.19	0.19	VI-MW-01A	0.87	NO	80	NO
Chloroethane	43	0	0.21	0.9	ND	ND	NA	2100	NO	- -	
Chloroform	43	16	0.17	***0.6***	0.19	4.3	VII-MW-02A	0.22	**YES**	80	NO
Chloromethane	43	0	0.28	0.9	ND	ND	NA	19	NO	- -	
Cyclohexane	24	4	0.25	0.25	0.4	1	VII-MW-01P	1300	NO	- -	
Dichlorobromomethane	43	3	0.13	***0.64***	1.1	1.4	VI-MW-01A	0.13	**YES**	80	NO
Dichlorodifluoromethane	24	0	0.19	0.19	ND	ND	NA	20	NO	- -	
Ethylbenzene	43	9	0.23	0.51	0.23	16	VII-MW-03P	1.5	**YES**	700	NO
Isopropylbenzene	24	4	0.16	0.16	1.8	4.8	VII-MW-03P	45	NO	- -	

TABLE 4
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Groundwater	Does Max Exceed?	MCL	Does Max Exceed?
Methyl acetate	24	0	0.14	0.14	ND	ND	NA	2000	NO	- -	
Methyl tert-butyl ether	43	0	0.18	0.59	ND	ND	NA	14	NO	- -	
Methylcyclohexane [1]	24	4	0.26	0.26	1	2.2	VII-MW-01P	1300	NO	- -	
Methylene Chloride	43	0	0.13	0.89	ND	ND	NA	5	NO	5	NO
Naphthalene	19	4	***0.79***	***0.79***	2.4	24	VII-MW-01P	0.12	**YES**	- -	
Styrene	43	1	0.097	0.47	1.1	1.1	VII-MW-03P	100	NO	100	NO
Tetrachloroethene	43	29	0.15	0.47	0.17	10	VII-MW-03P	4.1	**YES**	5	**YES**
Toluene	43	5	0.15	0.46	0.96	5	VII-MW-03P	110	NO	1000	NO
Trichloroethene	43	26	0.14	***0.69***	0.15	1.8	VII-MW-03P	0.28	**YES**	5	NO
Trichlorofluoromethane	24	0	0.2	0.2	ND	ND	NA	520	NO	- -	
Vinyl chloride	43	3	***0.23***	***0.88***	0.24	0.49	VII-MW-03P	0.019	**YES**	2	NO
Xylenes, Total	43	10	0.49	0.89	0.78	61	VII-MW-03P	19	**YES**	10000	NO
Semi-Volatile Organics											
1,1'-Biphenyl	38	5	0.055	***0.28***	0.78	2.6	VII-MW-03P	0.083	**YES**	- -	
2,4,5-Trichlorophenol	38	0	0.056	0.31	ND	ND	NA	120	NO	- -	
2,4,6-Trichlorophenol	38	0	0.063	0.36	ND	ND	NA	1.2	NO	- -	
2,4-Dichlorophenol	38	0	0.047	0.26	ND	ND	NA	4.6	NO	- -	
2,4-Dimethylphenol	38	0	0.038	0.21	ND	ND	NA	36	NO	- -	
2,4-Dinitrophenol	38	0	1.4	***7.7***	ND	ND	NA	3.9	NO	- -	
2,4-Dinitrotoluene	38	0	0.047	***0.26***	ND	ND	NA	0.24	NO	- -	
2,6-Dinitrotoluene	38	0	***0.056***	***0.3***	ND	ND	NA	0.049	NO	- -	
2-Chloronaphthalene	38	0	0.028	0.3	ND	ND	NA	75	NO	- -	
2-Chlorophenol	38	0	0.059	0.32	ND	ND	NA	9.1	NO	- -	
2-Methylnaphthalene	38	8	0.018	0.3	0.024	30	VII-MW-03P	3.6	**YES**	- -	
2-Methylphenol	38	1	0.1	1.5	0.23	0.23	VII-MW-03P	93	NO	- -	
2-Nitroaniline	38	0	0.2	2.7	ND	ND	NA	19	NO	- -	
2-Nitrophenol	38	0	0.056	0.31	ND	ND	NA	- -		- -	
3,3'-Dichlorobenzidine	38	0	***0.14***	***2.9***	ND	ND	NA	0.13	NO	- -	
3-Nitroaniline	38	0	0.062	0.96	ND	ND	NA	- -		- -	
4,6-Dinitro-2-methylphenol	38	0	***1.4***	***7.4***	ND	ND	NA	0.15	NO	- -	
4-Bromophenyl phenyl ether	38	0	0.058	0.32	ND	ND	NA	- -		- -	
4-Chloro-3-methylphenol	38	0	0.056	0.31	ND	ND	NA	140	NO	- -	
4-Chloroaniline	38	1	0.041	0.35	0.31	0.31	VI-MW-01A	0.37	NO	- -	
4-Chlorophenyl phenyl ether	38	0	0.056	0.31	ND	ND	NA	- -		- -	
4-Nitroaniline	38	0	0.054	0.92	ND	ND	NA	3.8	NO	- -	
4-Nitrophenol [1]	38	1	0.13	0.96	0.85	0.85	VII-MW-01A	3.9	NO	- -	
Acenaphthene	41	8	0.027	0.31	0.073	2.1	VII-MW-03P	53	NO	- -	
Acenaphthylene [1]	41	0	0.02	0.33	ND	ND	NA	53	NO	- -	
Acetophenone	38	1	0.057	0.31	0.13	0.13	VII-MW-02P	190	NO	- -	
Anthracene	41	10	0.018	0.25	0.025	0.29	VII-MW-03P	180	NO	- -	

TABLE 4
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Groundwater	Does Max Exceed?	MCL	Does Max Exceed?
Atrazine	38	0	0.18	***3.2***	ND	ND	NA	0.3	NO	3	NO
Benzaldehyde	38	0	0.098	0.56	ND	ND	NA	19	NO	- -	
Benzo[a]anthracene	41	3	***0.034***	***0.38***	0.1	0.24	VII-MW-02A	0.012	**YES**	- -	
Benzo[a]pyrene	41	3	***0.026***	***0.27***	0.07	0.21	VII-MW-02A	0.025	**YES**	0.2	**YES**
Benzo[b]fluoranthene	41	3	***0.045***	***0.49***	0.11	0.34	VII-MW-02A	0.034	**YES**	- -	
Benzo[g,h,i]perylene [1]	41	3	0.027	0.35	0.12	0.37	VII-MW-02A	12	NO	- -	
Benzo[k]fluoranthene	41	3	0.028	***0.44***	0.14	0.36	VII-MW-02A	0.34	**YES**	- -	
Bis(2-chloroisopropyl)ether	38	0	0.022	0.29	ND	ND	NA	0.36	NO	- -	
Bis(2-chloroethoxy)methane	38	0	0.062	0.34	ND	ND	NA	5.9	NO	- -	
Bis(2-chloroethyl)ether	38	0	***0.029***	***0.2***	ND	ND	NA	0.014	NO	- -	
Bis(2-ethylhexyl) phthalate	38	21	0.41	***31***	0.51	13	VII-MW-03A	5.6	**YES**	6	**YES**
Butyl benzyl phthalate	38	25	0.21	2.3	0.21	4.1	VI-MW-01A	16	NO	- -	
Caprolactam	38	7	0.44	2.4	0.46	36	VI-MW-02AR	990	NO	- -	
Carbazole [1]	38	5	0.025	0.25	0.036	2	VII-MW-03P	180	NO	- -	
Chrysene	41	4	0.03	0.41	0.034	0.35	VII-MW-02A	3.4	NO	- -	
Dibenz(a,h)anthracene	41	3	***0.025***	***0.36***	0.12	0.41	VII-MW-02A	0.0034	**YES**	- -	
Dibenzofuran	38	5	0.068	0.35	0.6	1.5	VII-MW-03P	0.79	**YES**	- -	
Diethyl phthalate	38	5	0.27	2.8	0.34	0.75	VII-MW-02P	1500	NO	- -	
Dimethyl phthalate	38	0	0.052	0.28	ND	ND	NA	- -		- -	
Di-n-butyl phthalate	38	2	0.22	3.7	0.23	0.72	MA-MW-07D	90	NO	- -	
Di-n-octyl phthalate	38	2	0.19	3.4	0.23	0.3	VI-MW-01A	20	NO	- -	
Fluoranthene	41	15	0.02	0.3	0.021	0.44	VI-MW-01P	80	NO	- -	
Fluorene	41	9	0.022	0.33	0.04	2.6	VII-MW-01P	29	NO	- -	
Hexachlorobenzene	38	0	***0.052***	***0.28***	ND	ND	NA	0.0098	NO	1	NO
Hexachlorobutadiene	38	0	0.064	***0.35***	ND	ND	NA	0.14	NO	- -	
Hexachlorocyclopentadiene	38	0	***0.13***	***2.5***	ND	ND	NA	0.041	NO	50	NO
Hexachloroethane	38	0	0.057	0.31	ND	ND	NA	0.33	NO	- -	
Indeno[1,2,3-cd]pyrene	41	3	***0.04***	***0.43***	0.11	0.37	VII-MW-02A	0.034	**YES**	- -	
Isophorone	38	0	0.05	0.27	ND	ND	NA	78	NO	- -	
Methylphenol, 3 & 4 [1]	38	1	0.19	1.9	0.35	0.35	VII-MW-03P	93	NO	- -	
Naphthalene	41	10	0.021	***0.28***	0.044	23	VII-MW-03P	0.12	**YES**	- -	
Nitrobenzene	38	0	0.14	***2.5***	ND	ND	NA	0.14	NO	- -	
N-Nitrosodi-n-propylamine	38	0	***0.046***	***0.36***	ND	ND	NA	0.011	NO	- -	
N-Nitrosodiphenylamine	38	0	0.11	0.6	ND	ND	NA	12	NO	- -	
Pentachlorophenol	38	0	***0.23***	***4.2***	ND	ND	NA	0.041	NO	1	NO
Phenanthrene [1]	41	26	0.04	0.26	0.039	3	VII-MW-01P	180	NO	- -	
Phenol	38	3	0.051	2.4	0.2	0.42	VII-MW-03P	580	NO	- -	
Pyrene	41	9	0.021	0.27	0.024	0.28	VI-MW-01P	12	NO	- -	

TABLE 4
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Groundwater	Does Max Exceed?	MCL	Does Max Exceed?
Inorganics [5]											
Aluminum	35	22	2.6	13	3.6	7000	VII-MW-03A	2000	**YES**	*200*	**YES**
Antimony	35	20	0.019	0.38	0.047	0.94	VII-MW-02P	0.78	**YES**	6	NO
Arsenic	35	20	***0.29***	***0.32***	0.34	2.4	VII-MW-02P	0.052	**YES**	10	NO
Barium	35	35	NA	NA	13	110	VII-MW-03A	380	NO	2000	NO
Beryllium	35	8	0.037	0.16	0.048	1.6	VII-MW-03A	2.5	NO	4	NO
Cadmium	35	8	0.11	0.13	0.12	1.4	VII-MW-03A	0.92	**YES**	5	NO
Calcium	35	35	NA	NA	25000	1000000	VII-MW-01P	- -		- -	
Chromium [1]	35	32	1.5	1.5	0.75	14	VII-MW-03A	2200	NO	100	NO
Cobalt	35	34	0.075	0.075	0.077	98	VII-MW-01P	0.6	**YES**	- -	
Copper	35	34	0.63	0.63	0.39	26	VII-MW-03A	80	NO	1300	NO
Iron	35	29	6.1	14	7.4	74000	VII-MW-03A	1400	**YES**	*300*	**YES**
Lead	35	25	0.019	0.13	0.029	31	VII-MW-03A	15	**YES**	15	**YES**
Magnesium	35	34	83	83	690	62000	VI-MW-02AR	- -		- -	
Manganese [1]	35	32	1.4	1.4	0.65	30000	VII-MW-01P	43	**YES**	*50*	**YES**
Mercury	35	4	0.038	***0.1***	0.043	0.067	VI-MW-02AR	0.063	**YES**	2	NO
Nickel	35	32	0.17	1.7	0.21	110	VII-MW-01P	39	**YES**	- -	
Potassium	35	35	NA	NA	1500	49000	VII-MW-01P	- -		- -	
Selenium	35	22	0.42	2.6	0.45	15	VII-MW-01P	10	**YES**	50	NO
Silver	35	2	0.036	0.12	0.092	0.7	VII-MW-03A	9.4	NO	*100*	NO
Sodium	35	35	NA	NA	5600	170000	VI-MW-01A	- -		- -	
Thallium	35	14	0.015	***0.13***	0.017	0.15	VII-MW-03A	0.02	**YES**	2	NO
Vanadium	35	32	0.082	0.082	0.11	10	VII-MW-02P	1.2	**YES**	- -	
Zinc	35	29	3.2	3.2	2.3	160	VII-MW-01P	600	NO	*5000*	NO
Other Parameters											
Cyanide, Total	35	13	***1.5***	***4.4***	1.5	60	MA-MW-07A	0.15	**YES**	200	NO

TABLE 4
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER(1)
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Complete analytical results (detections and detection limits) for each sample and constituent are provided in Appendix A, Table A-5.

2 - Number of samples is the total number of valid discrete samples obtained, including duplicate samples (i.e., a duplicate sample is counted as a discrete sample).

3 - The range of detected concentrations is presented. ND indicates that the constituent was not detected in any of the samples analyzed.

4 - Screening criteria based on the May 2021 USEPA Regional Screening Table, the June 2020 WVDEP De Minimis Table, and federal Maximum Contaminant Levels (MCLs). Secondary MCLs are shown in italics. Groundwater criteria shown are the lower of the USEPA Tapwater Regional Screening Levels (RSLs) or the WVDEP Groundwater De Minimis values. Tapwater RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Only those chemicals for which at least one positive detection was encountered are included in the screening evaluation. Double dashes indicate that an RSL is not available for a given constituent. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

RSLs for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the RSLs for total 1,3-dichloropropene.
RSLs for 1,3-dichlorobenzene are based on the RSLs for 1,4-dichlorobenzene.
RSLs for methylcyclohexane are based on the RSLs for cyclohexane.
RSLs for acenaphthylene are based on the RSLs for acenaphthene.
RSLs for benzo(g,h,i)perylene are based on the RSLs for pyrene.
RSLs for phenanthrene and carbazole are based on the RSLs for anthracene.
RSLs for 3&4-methylphenol are conservatively based on the RSLs for 3-methylphenol.
Direct contact RSL for chromium is for the trivalent valence state; protection of groundwater RSL is based on total chromium.
RSLs for manganese are based on the non-diet values.

5 - Groundwater samples were collected for total inorganic analysis during the November 2013 event and dissolved inorganic analysis during the February 2014 and March/April 2019 events.

NA Constituent detected in every sample; detection limit not presented.

Bold italic values indicate that a detection limit exceeds a screening criterion.

TABLE 5
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER - VAPOR INTRUSION[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Residential	Does Max Exceed?	Commercial	Does Max Exceed?
Volatile Organic Compounds											
1,1,1-Trichloroethane	43	0	0.29	0.6	ND	ND	NA	1240	NO	5210	NO
1,1,2,2-Tetrachloroethane	43	0	0.2	0.6	ND	ND	NA	6.59	NO	288	NO
1,1,2-Trichloro-1,2,2-trifluoroethane	24	0	0.32	0.32	ND	ND	NA	38	NO	160	NO
1,1,2-Trichloroethane	43	0	0.2	0.45	ND	ND	NA	1.17	NO	4.91	NO
1,1-Dichloroethane	43	13	0.12	0.63	0.19	7	VII-MW-01A	12.4	NO	541	NO
1,1-Dichloroethene	43	7	0.3	0.55	0.34	1.2	MA-MW-07D	29.7	NO	125	NO
1,2,4-Trichlorobenzene	24	0	0.27	0.27	ND	ND	NA	8.78	NO	36.9	NO
1,2-Dibromo-3-Chloropropane	24	0	***0.14***	***0.14***	ND	ND	NA	0.0648	NO	7.84	NO
1,2-Dibromoethane (EDB)	24	0	0.18	0.18	ND	ND	NA	0.332	NO	14.5	NO
1,2-Dichlorobenzene	24	4	0.15	0.15	0.2	37	VII-MW-03P	571	NO	2400	NO
1,2-Dichloroethane	43	0	0.21	0.57	ND	ND	NA	3.92	NO	111	NO
1,2-Dichloroethene, Total	43	17	0.51	1.3	0.55	10	VII-MW-01A	- -		- -	
cis-1,2-Dichloroethene	43	20	0.24	0.71	0.54	10	VII-MW-01A	- -		- -	
trans-1,2-Dichloroethene	43	3	0.17	0.67	0.68	2.2	VII-MW-03P	- -		- -	
1,2-Dichloropropane	43	0	0.095	0.66	ND	ND	NA	6.38	NO	26.8	NO
cis-1,3-Dichloropropene [1]	43	0	0.19	0.59	ND	ND	NA	8.93	NO	111	NO
trans-1,3-Dichloropropene [1]	43	0	0.15	0.58	ND	ND	NA	8.93	NO	111	NO
1,3-Dichlorobenzene [1]	24	0	0.11	0.11	ND	ND	NA	5.57	NO	243	NO
1,4-Dichlorobenzene	24	2	0.21	0.21	0.54	0.59	VII-MW-03P	5.57	NO	243	NO
2-Butanone (MEK)	43	2	0.55	2.6	3.9	4.7	VII-MW-03P	389000	NO	1640000	NO
2-Hexanone	43	1	0.16	3.3	0.66	0.66	VII-MW-03P	1650	NO	6950	NO
4-Methyl-2-pentanone (MIBK)	43	1	0.53	3.1	0.53	0.53	VII-MW-03P	106000	NO	447000	NO
Acetone	43	18	2.5	3.4	3.1	8.8	VII-MW-02P	3680000	NO	15500000	NO
Benzene	43	4	0.11	0.6	0.13	0.54	VII-MW-03P	2.7	NO	98.6	NO
Bromoform	43	0	0.19	0.98	ND	ND	NA	243	NO	10600	NO
Bromomethane	43	0	0.31	0.89	ND	ND	NA	2.48	NO	10.4	NO
Carbon disulfide	43	1	0.21	0.88	0.58	0.58	VII-MW-01P	191	NO	801	NO
Carbon tetrachloride	43	0	0.14	***0.88***	ND	ND	NA	0.693	NO	30.3	NO
Chlorobenzene	43	3	0.14	0.5	0.54	0.96	VII-MW-03P	78.6	NO	330	NO
Chlorodibromomethane	43	1	0.14	0.84	0.19	0.19	VI-MW-01A	- -		- -	
Chloroethane	43	0	0.21	0.9	ND	ND	NA	3350	NO	14000	NO
Chloroform	43	16	0.17	0.6	0.19	4.3	VII-MW-02A	1.33	**YES**	58.1	NO
Chloromethane	43	0	0.28	0.9	ND	ND	NA	34.9	NO	146	NO
Cyclohexane	24	4	0.25	0.25	0.4	1	VII-MW-01P	172	NO	722	NO
Dichlorobromomethane	43	3	0.13	0.64	1.1	1.4	VI-MW-01A	1.55	NO	67.6	NO
Dichlorodifluoromethane	24	0	0.19	0.19	ND	ND	NA	0.963	NO	4.05	NO
Ethylbenzene	43	9	0.23	0.51	0.23	16	VII-MW-03P	6.85	**YES**	299	NO
Isopropylbenzene	24	4	0.16	0.16	1.8	4.8	VII-MW-03P	208	NO	873	NO

TABLE 5
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER - VAPOR INTRUSION[1)]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2)]	Number of Detections	Detection Limit Range		Detected Concentration Range[3)]		Sample with Max Detect	Screening Results[4)]			
			Min	Max	Min	Max		Residential	Does Max Exceed?	Commercial	Does Max Exceed?
Methyl acetate	24	0	0.14	0.14	ND	ND	NA	- -		- -	
Methyl tert-butyl ether	43	0	0.18	0.59	ND	ND	NA	722	NO	31500	NO
Methylcyclohexane [1)]	24	4	0.26	0.26	1	2.2	VII-MW-01P	172	NO	722	NO
Methylene Chloride	43	0	0.13	0.89	ND	ND	NA	742	NO	3120	NO
Naphthalene	19	4	0.79	0.79	2.4	24	VII-MW-01P	11	**YES**	174	NO
Styrene	43	1	0.097	0.47	1.1	1.1	VII-MW-03P	1860	NO	7820	NO
Tetrachloroethene	43	29	0.15	0.47	0.17	10	VII-MW-03P	10.9	NO	45.6	NO
Toluene	43	5	0.15	0.46	0.96	5	VII-MW-03P	3520	NO	14800	NO
Trichloroethene	43	26	0.14	0.69	0.15	1.8	VII-MW-03P	0.897	**YES**	3.77	NO
Trichlorofluoromethane	24	0	0.2	0.2	ND	ND	NA	- -		- -	
Vinyl chloride	43	3	***0.23***	***0.88***	0.24	0.49	VII-MW-03P	0.197	**YES**	32.8	NO
Xylenes, Total	43	10	0.49	0.89	0.78	61	VII-MW-03P	75.9	NO	319	NO
Semi-Volatile Organics											
1,1'-Biphenyl	38	5	0.055	0.28	0.78	2.6	VII-MW-03P	8.73	NO	36.7	NO
2,4,5-Trichlorophenol	38	0	0.056	0.31	ND	ND	NA	- -		- -	
2,4,6-Trichlorophenol	38	0	0.063	0.36	ND	ND	NA	- -		- -	
2,4-Dichlorophenol	38	0	0.047	0.26	ND	ND	NA	- -		- -	
2,4-Dimethylphenol	38	0	0.038	0.21	ND	ND	NA	- -		- -	
2,4-Dinitrophenol	38	0	1.4	7.7	ND	ND	NA	- -		- -	
2,4-Dinitrotoluene	38	0	0.047	0.26	ND	ND	NA	- -		- -	
2,6-Dinitrotoluene	38	0	0.056	0.3	ND	ND	NA	- -		- -	
2-Chloronaphthalene	38	0	0.028	0.3	ND	ND	NA	- -		- -	
2-Chlorophenol	38	0	0.059	0.32	ND	ND	NA	- -		- -	
2-Methylnaphthalene	38	8	0.018	0.3	0.024	30	VII-MW-03P	- -		- -	
2-Methylphenol	38	1	0.1	1.5	0.23	0.23	VII-MW-03P	- -		- -	
2-Nitroaniline	38	0	0.2	2.7	ND	ND	NA	- -		- -	
2-Nitrophenol	38	0	0.056	0.31	ND	ND	NA	- -		- -	
3,3'-Dichlorobenzidine	38	0	0.14	2.9	ND	ND	NA	- -		- -	
3-Nitroaniline	38	0	0.062	0.96	ND	ND	NA	- -		- -	
4,6-Dinitro-2-methylphenol	38	0	1.4	7.4	ND	ND	NA	- -		- -	
4-Bromophenyl phenyl ether	38	0	0.058	0.32	ND	ND	NA	- -		- -	
4-Chloro-3-methylphenol	38	0	0.056	0.31	ND	ND	NA	- -		- -	
4-Chloroaniline	38	1	0.041	0.35	0.31	0.31	VI-MW-01A	- -		- -	
4-Chlorophenyl phenyl ether	38	0	0.056	0.31	ND	ND	NA	- -		- -	
4-Nitroaniline	38	0	0.054	0.92	ND	ND	NA	- -		- -	
4-Nitrophenol [1)]	38	1	0.13	0.96	0.85	0.85	VII-MW-01A	- -		- -	
Acenaphthene	41	8	0.027	0.31	0.073	2.1	VII-MW-03P	- -		- -	
Acenaphthylene [1)]	41	0	0.02	0.33	ND	ND	NA	- -		- -	
Acetophenone	38	1	0.057	0.31	0.13	0.13	VII-MW-02P	- -		- -	
Anthracene	41	10	0.018	0.25	0.025	0.29	VII-MW-03P	- -		- -	

TABLE 5
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER - VAPOR INTRUSION[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Residential	Does Max Exceed?	Commercial	Does Max Exceed?
Atrazine	38	0	0.18	3.2	ND	ND	NA	- -		- -	
Benzaldehyde	38	0	0.098	0.56	ND	ND	NA	- -		- -	
Benzo[a]anthracene	41	3	0.034	0.38	0.1	0.24	VII-MW-02A	176	NO	- -	
Benzo[a]pyrene	41	3	0.026	0.27	0.07	0.21	VII-MW-02A	- -		- -	
Benzo[b]fluoranthene	41	3	0.045	0.49	0.11	0.34	VII-MW-02A	- -		- -	
Benzo[g,h,i]perylene [1]	41	3	0.027	0.35	0.12	0.37	VII-MW-02A	- -		- -	
Benzo[k]fluoranthene	41	3	0.028	0.44	0.14	0.36	VII-MW-02A	- -		- -	
Bis(2-chloroisopropyl)ether	38	0	0.022	0.29	ND	ND	NA	- -		- -	
Bis(2-chloroethoxy)methane	38	0	0.062	0.34	ND	ND	NA	- -		- -	
Bis(2-chloroethyl)ether	38	0	0.029	0.2	ND	ND	NA	30.5	NO	1330	NO
Bis(2-ethylhexyl) phthalate	38	21	0.41	31	0.51	13	VII-MW-03A	- -		- -	
Butyl benzyl phthalate	38	25	0.21	2.3	0.21	4.1	VI-MW-01A	- -		- -	
Caprolactam	38	7	0.44	2.4	0.46	36	VI-MW-02AR	- -		- -	
Carbazole [1]	38	5	0.025	0.25	0.036	2	VII-MW-03P	- -		- -	
Chrysene	41	4	0.03	0.41	0.034	0.35	VII-MW-02A	- -		- -	
Dibenz(a,h)anthracene	41	3	0.025	0.36	0.12	0.41	VII-MW-02A	- -		- -	
Dibenzofuran	38	5	0.068	0.35	0.6	1.5	VII-MW-03P	- -		- -	
Diethyl phthalate	38	5	0.27	2.8	0.34	0.75	VII-MW-02P	- -		- -	
Dimethyl phthalate	38	0	0.052	0.28	ND	ND	NA	- -		- -	
Di-n-butyl phthalate	38	2	0.22	3.7	0.23	0.72	MA-MW-07D	- -		- -	
Di-n-octyl phthalate	38	2	0.19	3.4	0.23	0.3	VI-MW-01A	- -		- -	
Fluoranthene	41	15	0.02	0.3	0.021	0.44	VI-MW-01P	- -		- -	
Fluorene	41	9	0.022	0.33	0.04	2.6	VII-MW-01P	- -		- -	
Hexachlorobenzene	38	0	0.052	***0.28***	ND	ND	NA	0.275	NO	12	NO
Hexachlorobutadiene	38	0	0.064	0.35	ND	ND	NA	0.716	NO	31.3	NO
Hexachlorocyclopentadiene	38	0	0.13	***2.5***	ND	ND	NA	0.958	NO	4.02	NO
Hexachloroethane	38	0	0.057	0.31	ND	ND	NA	4.26	NO	186	NO
Indeno[1,2,3-cd]pyrene	41	3	0.04	0.43	0.11	0.37	VII-MW-02A	- -		- -	
Isophorone	38	0	0.05	0.27	ND	ND	NA	- -		- -	
Methylphenol, 3 & 4 [1]	38	1	0.19	1.9	0.35	0.35	VII-MW-03P	- -		- -	
Naphthalene	41	10	0.021	0.28	0.044	23	VII-MW-03P	11	**YES**	174	NO
Nitrobenzene	38	0	0.14	2.5	ND	ND	NA	177	NO	7710	NO
N-Nitrosodi-n-propylamine	38	0	0.046	0.36	ND	ND	NA	- -		- -	
N-Nitrosodiphenylamine	38	0	0.11	0.6	ND	ND	NA	- -		- -	
Pentachlorophenol	38	0	0.23	4.2	ND	ND	NA	- -		- -	
Phenanthrene [1]	41	26	0.04	0.26	0.039	3	VII-MW-01P	- -		- -	
Phenol	38	3	0.051	2.4	0.2	0.42	VII-MW-03P	- -		- -	
Pyrene	41	9	0.021	0.27	0.024	0.28	VI-MW-01P	- -		- -	

TABLE 5
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER - VAPOR INTRUSION[1]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Number of Samples[2]	Number of Detections	Detection Limit Range		Detected Concentration Range[3]		Sample with Max Detect	Screening Results[4]			
			Min	Max	Min	Max		Residential	Does Max Exceed?	Commercial	Does Max Exceed?
Inorganics [5]											
Aluminum	35	22	2.6	13	3.6	7000	VII-MW-03A	- -		- -	
Antimony	35	20	0.019	0.38	0.047	0.94	VII-MW-02P	- -		- -	
Arsenic	35	20	0.29	0.32	0.34	2.4	VII-MW-02P	- -		- -	
Barium	35	35	NA	NA	13	110	VII-MW-03A	- -		- -	
Beryllium	35	8	0.037	0.16	0.048	1.6	VII-MW-03A	- -		- -	
Cadmium	35	8	0.11	0.13	0.12	1.4	VII-MW-03A	- -		- -	
Calcium	35	35	NA	NA	25000	1000000	VII-MW-01P	- -		- -	
Chromium [1]	35	32	1.5	1.5	0.75	14	VII-MW-03A	- -		- -	
Cobalt	35	34	0.075	0.075	0.077	98	VII-MW-01P	- -		- -	
Copper	35	34	0.63	0.63	0.39	26	VII-MW-03A	- -		- -	
Iron	35	29	6.1	14	7.4	74000	VII-MW-03A	- -		- -	
Lead	35	25	0.019	0.13	0.029	31	VII-MW-03A	- -		- -	
Magnesium	35	34	83	83	690	62000	VI-MW-02AR	- -		- -	
Manganese [1]	35	32	1.4	1.4	0.65	30000	VII-MW-01P	- -		- -	
Mercury	35	4	0.038	0.1	0.043	0.067	VI-MW-02AR	0.252	NO	1.06	NO
Nickel	35	32	0.17	1.7	0.21	110	VII-MW-01P	- -		- -	
Potassium	35	35	NA	NA	1500	49000	VII-MW-01P	- -		- -	
Selenium	35	22	0.42	2.6	0.45	15	VII-MW-01P	- -		- -	
Silver	35	2	0.036	0.12	0.092	0.7	VII-MW-03A	- -		- -	
Sodium	35	35	NA	NA	5600	170000	VI-MW-01A	- -		- -	
Thallium	35	14	0.015	0.13	0.017	0.15	VII-MW-03A	- -		- -	
Vanadium	35	32	0.082	0.082	0.11	10	VII-MW-02P	- -		- -	
Zinc	35	29	3.2	3.2	2.3	160	VII-MW-01P	- -		- -	
Other Parameters											
Cyanide, Total	35	13	1.5	4.4	1.5	60	MA-MW-07A	20.1	**YES**	84.4	NO

TABLE 5
IDENTIFICATION OF CONTAMINANTS OF CONCERN IN GROUNDWATER - VAPOR INTRUSION[1)]
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Complete analytical results (detections and detection limits) for each sample and constituent are provided in Appendix A, Table A-6.

2 - Number of samples is the total number of valid discrete samples obtained, including duplicate samples (i.e., a duplicate sample is counted as a discrete sample).

3 - The range of detected concentrations is presented. ND indicates that the constituent was not detected in any of the samples analyzed.

4 - Screening criteria based on the May 2021 USEPA Vapor Intrusion Screening Levels (VISL) for residential and commercial scenarios. The residential scenario is based on a Target Risk Level of 1E-6, a Hazard Quotient of 0.1, and the default West Virginia groundwater temperature of 13°C. The commercial scenario is based on a Target Risk Level of 1E-5, a Hazard Quotient of 0.1, and the default West Virginia groundwater temperature of 13°C. Double dashes indicate that an RSL is not available for a given constituent. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

Criteria for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the criteria for total 1,3-dichloropropene.
Criteria for 1,3-dichlorobenzene is based on the criteria for 1,4-dichlorobenzene.
Criteria for methylcyclohexane is based on the criteria for cyclohexane.

5 - Groundwater samples were collected for total inorganic analysis during the November 2013 event and dissolved inorganic analysis during the February 2014 and March/April 2019 events.

NA Constituent detected in every sample; detection limit not presented.

Bold italic values indicate that a detection limit exceeds a screening criterion.

TABLE 6
SUMMARY OF CONTAMINANTS OF CONCERN
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Medium	Pathway	Contaminants of Concern	
Surface Soil (Developed Areas)	**Direct Contact**	**Residential**	**Industrial**
		Benzo[a]anthracene	Benzo[a]anthracene
		Benzo[a]pyrene	Benzo[a]pyrene
		Benzo[b]fluoranthene	Benzo[b]fluoranthene
		Benzo[k]fluoranthene	Dibenz(a,h)anthracene
		Chrysene	Naphthalene
		Dibenz(a,h)anthracene	PCB-1260
		Indeno[1,2,3-cd]pyrene	Arsenic
		Naphthalene	Cobalt
		1,1'-Biphenyl	Iron
		2-Methylnaphthalene	Lead
		Dibenzofuran	Manganese
		PCB-1254	Nickel
		PCB-1260	Vanadium
		Antimony	Cyanide, Total
		Arsenic	
		Cadmium	
		Cobalt	
		Copper	
		Iron	
		Lead	
		Manganese	
		Mercury	
		Nickel	
		Thallium	
		Vanadium	
		Zinc	
		Cyanide, Total	
Surface Soil (Wooded Hillside)	**Direct Contact**	**Residential**	**Industrial**
		Arsenic	Arsenic
		Iron	
		Manganese	
Subsurface Soil	**Direct Contact**	**Residential**	**Industrial**
		Benzo[a]anthracene	Benzo[a]pyrene
		Benzo[a]pyrene	Naphthalene
		Benzo[b]fluoranthene	Iron
		Benzo[k]fluoranthene	Manganese
		Dibenz(a,h)anthracene	
		Indeno[1,2,3-cd]pyrene	
		Naphthalene	
		Iron	
		Manganese	
		Thallium	
		Vanadium	
		Cyanide, Total	

TABLE 6
SUMMARY OF CONTAMINANTS OF CONCERN
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Medium	Pathway	Contaminants of Concern	
Groundwater	**Direct Contact**	1,1-Dichloroethane	Bis(2-ethylhexyl) phthalate
		1,2-Dichlorobenzene	Dibenz(a,h)anthracene
		cis-1,2-Dichloroethene	Dibenzofuran
		1,4-Dichlorobenzene	Indeno[1,2,3-cd]pyrene
		Benzene	Aluminum
		Chloroform	Antimony
		Dichlorobromomethane	Arsenic
		Ethylbenzene	Cadmium
		Naphthalene	Cobalt
		Tetrachloroethene	Iron
		Trichloroethene	Lead
		Vinyl chloride	Manganese
		Xylenes, Total	Mercury
		1,1'-Biphenyl	Nickel
		2-Methylnaphthalene	Selenium
		Benzo[a]anthracene	Thallium
		Benzo[a]pyrene	Vanadium
		Benzo[b]fluoranthene	Cyanide, Total
		Benzo[k]fluoranthene	
Groundwater	**Vapor Intrusion**	**Residential**	**Commercial**
		Chloroform Ethylbenzene Naphthalene Trichloroethene Vinyl chloride Cyanide	none
Groundwater	**Migration to Surface Water (human and ecological)**	none	

TABLE 7
DERMAL ABSORPTION FACTORS FOR CONTAMINANTS OF CONCERN IN SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminant of Concern	Dermal Absorption Factor (unitless)	Source
Benzo[a]anthracene	0.13	Exhibit 3-4 (USEPA, 2004)
Benzo[a]pyrene	0.13	Exhibit 3-4 (USEPA, 2004)
Benzo[b]fluoranthene	0.13	Exhibit 3-4 (USEPA, 2004)
Benzo[k]fluoranthene	0.13	Exhibit 3-4 (USEPA, 2004)
Chrysene	0.13	Exhibit 3-4 (USEPA, 2004)
Dibenz(a,h)anthracene	0.13	Exhibit 3-4 (USEPA, 2004)
Indeno[1,2,3-cd]pyrene	0.13	Exhibit 3-4 (USEPA, 2004)
Naphthalene	0.13	Exhibit 3-4 (USEPA, 2004)
1,1'-Biphenyl	- -	
2-Methylnaphthalene	0.13	
Dibenzofuran	- -	
PCB-1254	0.14	Exhibit 3-4 (USEPA, 2004)
PCB-1260	0.14	Exhibit 3-4 (USEPA, 2004)
Antimony	- -	
Arsenic	0.03	Exhibit 3-4 (USEPA, 2004)
Cadmium	0.001	Exhibit 3-4 (USEPA, 2004)
Cobalt	- -	
Copper	- -	
Iron	- -	
Lead	- -	
Manganese	- -	
Mercury	- -	
Nickel	- -	
Thallium	- -	
Vanadium	- -	
Zinc	- -	
Cyanide, Total	- -	

TABLE 8
INTAKE EQUATIONS AND EXPOSURE FACTORS - FUTURE OUTDOOR WORKER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Exposure Route	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation
All Pathways						
	EF	Exposure Frequency	250	days/year	USEPA (2002)	
	ED	Exposure Duration	25	years	USEPA (2002)	
	BW	Body Weight	80	kg	USEPA (2011)	
	AT	Averaging Time (noncancer)	9,125	days	ED * 365 days/yr	
		Averaging Time (cancer)	25,550	days	70 yrs * 365 days/yr	
Incidental Ingestion (soil)						Ingestion Intake (mg/kg-day)= $\frac{C_S \times IR \times CF \times Fi \times EF \times ED}{BW \times AT}$
	C_S	Soil EPC	Constituent-Specific	mg/kg	Calculated (see Section 3.4.3)	
	IR	Soil Ingestion Rate	100	mg/day	USEPA (1991)	
	CF	Conversion Factor	1.00E-06	kg/mg	- -	
	Fi	Fraction Soil Ingested at Site	100	%	- -	
Dermal Contact (soil)						Dermally Absorbed Dose (mg/kg-day)= $\frac{C_S \times CF \times AF \times ABS \times EF \times ED \times SA \times EV}{BW \times AT}$
	C_S	Soil EPC	Constituent-Specific	mg/kg	Calculated (see Section 3.4.3)	
	CF	Conversion Factor	1.00E-06	kg/mg	- -	
	AF	Soil to Skin Adherence Factor	0.12	mg/cm^2-event	USEPA (2011). Table 7-20 and Section 7.2.2; arithmetic mean of weighted average of body part- specific (hands, forearms, and face) mean adherence factors for adult commercial/industrial activities	
	ABS	Dermal Absorption Fraction	Constituent-Specific	unitless	Constituent specific - see Table 7	
	EV	Event frequency	1	events/day	- -	
	SA	Skin Surface Area	3,527	cm^2	Considers head, hands, and forearms USEPA (2011)	
Inhalation						Exposure Concentration (mg/m^3)= $\frac{C_a \times ET \times EF \times ED}{AT}$
	Ca	Air EPC	Constituent-Specific	mg/m^3	Calculated (see Section 3.4.3)	
	ET	Exposure Time	8	hours/day	USEPA (2009)	
	AT	Averaging Time (noncancer)	219,000	hours	ED * 365 days/yr * 24 hours/day	
		Averaging Time (cancer)	613,200	hours	70 yrs * 365 days/yr * 24 hours/day	

Notes:
EPC - Exposure Point Concentration

TABLE 9
INTAKE EQUATIONS AND EXPOSURE FACTORS - FUTURE CONSTRUCTION WORKER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Exposure Route	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation
All Pathways	EF_{soil}	Exposure Frequency	250	days/year	The estimated construction duration where shallow soil is exposed is a one year large construction project or several smaller projects conducted in sequence over a year (i.e., 50 weeks at 5 days/week).	
	EF_{water}	Exposure Frequency	30	days/year	Estimated duration for subsurface work in a trench, where groundwater exposure could occur.	
	ED	Exposure Duration	1	years	one-time construction project	
	BW	Body Weight	80	kg	USEPA (2011)	
	AT	Averaging Time (noncancer)	365	days	ED * 365 days/yr	
		Averaging Time (cancer)	25,550	days	70 yrs * 365 days/yr	
Incidental Ingestion (soil)	C_S	Soil EPC	Constituent-Specific	mg/kg	Calculated (see Section 3.4.3)	Ingestion Intake (mg/kg-day)= $\frac{C_S \times IR \times CF \times Fi \times EF \times ED}{BW \times AT}$
	IR	Soil Ingestion Rate	330	mg/day	USEPA (2002)	
	CF	Conversion Factor	1.00E-06	kg/mg	- -	
	Fi	Fraction Soil Ingested at Site	100	%	- -	
Dermal Contact (soil)	C_S	Soil EPC	Constituent-Specific	mg/kg	Calculated (see Section 3.4.3)	Dermally Absorbed Dose (mg/kg-day)= $\frac{C_S \times CF \times AF \times ABS \times EF \times ED \times SA \times EV}{BW \times AT}$
	CF	Conversion Factor	1.00E-06	kg/mg	- -	
	AF	Soil to Skin Adherence Factor	0.3	mg/cm^2-event	USEPA (2002)	
	ABS	Dermal Absorption Fraction	Constituent-Specific	unitless	Constituent specific - see Table 7	
	EV	Event frequency	1	events/day	- -	
	SA	Skin Surface Area	3,527	cm^2	Considers head, hands, and forearms USEPA (2011)	
Incidental Ingestion (water)	C_W	Water EPC	Constituent-Specific	mg/L	Calculated (see Section 3.4.3)	Ingestion Intake (mg/kg-day)= $\frac{C_S \times IR \times EF \times ED}{BW \times AT}$
	IR	Water Ingestion Rate	0.025	L/day	Conservative estimate of incidental ingestion of groundwater during construction.	
Dermal Contact (water)	DA_{event}	Absorbed Dose per Event	Constituent-Specific	mg/cm^2-event	Constituent-specific in accordance with USEPA (2004). Calculation provided in Appendix E.	Dermally Absorbed Dose (mg/kg-day)= $\frac{DA_{event} \times EV \times ED \times EF \times SA}{BW \times AT}$
	EV	Event Frequency	1	event/day	- -	
	EV	Event frequency	1	events/day	- -	
	SA	Skin Surface Area	6,032	cm^2	Considers head, hands, forearms, lower legs, and feet USEPA (2011)	
Inhalation	Ca	Air EPC	Constituent-Specific	mg/m^3	Calculated (see Section 3.4.3)	Exposure Concentration (mg/m^3)= $\frac{C_a \times ET \times EF \times ED}{AT}$
	ET	Exposure Time	8	hours/day	USEPA (2009)	
	AT	Averaging Time (noncancer)	8,760	hours	ED * 365 days/yr * 24 hours/day	
		Averaging Time (cancer)	613,200	hours	70 yrs * 365 days/yr * 24 hours/day	

Notes:
EPC - Exposure Point Concentration

TABLE 10
INTAKE EQUATIONS AND EXPOSURE FACTORS - CURRENT/FUTURE YOUTH TRESPASSER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Exposure Route	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation
All Pathways						
	EF	Exposure Frequency	30	days/year	Assumes exposure 1 day/week during warmest months of the year (April through October). Based on professional judgement.	
	ED	Exposure Duration	5	years	Assumes typical adolescent trespasser, ages 11 to <16. Based on professional judgement.	
	BW	Body Weight	56.8	kg	Table 8-1 of USEPA (2011)	
	AT	Averaging Time (noncancer)	1,825	days	ED * 365 days/yr	
		Averaging Time (cancer)	25,550	days	70 yrs * 365 days/yr	
Incidental Ingestion (soil)	C_S	Soil EPC	Constituent-Specific	mg/kg	Calculated (see Section 3.4.3)	Ingestion Intake (mg/kg-day)= $\frac{C_S \times IR \times CF \times Fi \times EF \times ED}{BW \times AT}$
	IR	Soil Ingestion Rate	100	mg/day	USEPA default value for an outdoor worker, conservatively applied to a trespasser.	
	CF	Conversion Factor	1.00E-06	kg/mg	- -	
	Fi	Fraction Soil Ingested at Site	100	%	- -	
Dermal Contact (soil)	C_S	Soil EPC	Constituent-Specific	mg/kg	Calculated (see Section 3.4.3)	Dermally Absorbed Dose (mg/kg-day)= $\frac{C_S \times CF \times AF \times ABS \times EF \times ED \times SA \times EV}{BW \times AT}$
	CF	Conversion Factor	1.00E-06	kg/mg	- -	
	AF	Soil to Skin Adherence Factor	0.04	mg/cm^2-event	geometric mean for child (age 8 to 12) playing in dry soil; corresponds to face, forearms, hands, lower legs, and feet, Exhibit C-3 of USEPA (2004). Conservatively applied to a trespasser.	
	ABS	Dermal Absorption Fraction	Constituent-Specific	unitless	Constituent specific - see Table 7	
	EV	Event frequency	1	events/day	- -	
	TBS	Total Body Surface Area	20600	cm^2	Recommended 95th percentile value for total body surface area, males and females combined, age 11 to <16 years, Table 7-1 of USEPA (2011).	
	FBE	Fraction of Body Exposed	0.54	unitless	Mean percent of total body surface area corresponding to head, arms, hands, and legs for age range 11 to <16 years, Table 7-2 of USEPA (2011).	
	SA	Skin Surface Area	11,083	cm^2	calculated as TBS * FBE	
Inhalation	Ca	Air EPC	Constituent-Specific	mg/m^3	Calculated (see Section 3.4.3)	Exposure Concentration (mg/m^3)= $\frac{C_a \times ET \times EF \times ED}{AT}$
	ET	Exposure Time	2	hours/day	Average time expected to trespass on site. Based on professional judgement.	
	AT	Averaging Time (noncancer)	43,800	hours	ED * 365 days/yr * 24 hours/day	
		Averaging Time (cancer)	613,200	hours	70 yrs * 365 days/yr * 24 hours/day	

Notes:
EPC - Exposure Point Concentration

TABLE 11
EXPOSURE POINT CONCENTRATIONS FOR SURFACE SOIL (DEVELOPED AREAS)
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Number of Samples [1]	Number of Detected Results	Maximum Detected Concentration (mg/Kg)	Upper Confidence Limit [2] (mg/Kg)	Exposure Point Concentration [3] (mg/Kg)
Benzo[a]anthracene	78	66	48	5.18	5.18
Benzo[a]pyrene	78	55	28	4.01	4.01
Benzo[b]fluoranthene	78	58	31	3.79	3.79
Benzo[k]fluoranthene	78	45	14	1.36	1.36
Chrysene	78	66	87	9.45	9.45
Dibenz(a,h)anthracene	78	40	5.9	0.53	0.53
Indeno[1,2,3-cd]pyrene	78	55	18	1.93	1.93
Naphthalene	78	28	32	2.32	2.32
1,1'-Biphenyl	71	9	6.3	0.036	0.036
2-Methylnaphthalene	71	47	76	6.38	6.38
Dibenzofuran	71	11	13	1.09	1.09
PCB-1254	69	11	0.58	0.011	0.011
PCB-1260	69	33	4.3	0.80	0.80
Antimony	65	62	6.9	1.25	1.25
Arsenic	65	62	17	4.72	Arsenic is eliminated as a COC since the UCL is below WV background value of 13.1 mg/Kg
Cadmium	65	65	8	2.52	2.52
Cobalt	65	65	100	16.6	16.6
Copper	65	65	490	61.2	61.2
Iron	65	65	430000	122924	122924
Lead	65	65	830	156	Lead is eliminated as a COC since the UCL is below the residential De Minimis value of 400 mg/Kg.
Manganese	65	65	36000	12518	12518
Mercury	65	53	2.8	0.32	0.32
Nickel	65	65	4600	399	399
Thallium	65	56	0.81	0.11	0.11
Vanadium	65	65	620.00	217	217
Zinc	65	65	5100.00	950	950
Cyanide, Total	65	53	26.00	2.30	2.30

Notes:

[1] The surface soil dataset includes samples collected from 0 to 2 feet bgs from the developed areas within CAA VIM and VIIM.

Duplicate and parent samples are maintained as two distinct samples.

[2] Upper Confidence Limits (UCLs) were calculated using the USEPA ProUCL software. The ProUCL statistical output is provided in Appendix C.

[3] The Exposure Point Concentration (EPC) is the lower of the maximum detected concentration or the UCL.

TABLE 12
EXPOSURE POINT CONCENTRATIONS FOR SURFACE SOIL (WOODED HILLSIDE)
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Number of Samples [1]	Number of Detected Results	Maximum Detected Concentration (mg/Kg)	Upper Confidence Limit [2] (mg/Kg)	Exposure Point Concentration [3] (mg/Kg)
Arsenic	5	5	32	33.6	32
Iron	5	5	64000	51553	51553
Manganese	5	5	2100	1955	1955

Notes:

[1] The surface soil dataset includes samples collected from 0 to 2 feet bgs from the undeveloped wooded hillside.

Duplicate and parent samples are maintained as two distinct samples.

[2] Upper Confidence Limits (UCLs) were calculated using the USEPA ProUCL software. The ProUCL statistical output is provided in Appendix C.

[3] The Exposure Point Concentration (EPC) is the lower of the maximum detected concentration or the UCL.

TABLE 13
EXPOSURE POINT CONCENTRATIONS FOR SHALLOW SOIL (0 TO 10 FEET BGS)
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Number of Samples [1]	Number of Detected Results	Maximum Detected Concentration (mg/Kg)	Upper Confidence Limit [2] (mg/Kg)	Exposure Point Concentration [3] (mg/Kg)
Benzo[a]anthracene	147	129	48	3.00	3.00
Benzo[a]pyrene	147	117	28	2.32	2.32
Benzo[b]fluoranthene	147	121	31	3.09	3.09
Benzo[k]fluoranthene	147	84	14	1.63	1.63
Chrysene	147	125	87	5.28	5.28
Dibenz(a,h)anthracene	147	48	5.9	0.49	0.49
Indeno[1,2,3-cd]pyrene	147	114	18	1.94	1.94
Naphthalene	147	88	32	5.91	5.91
1,1'-Biphenyl	80	9	6.3	0.033	0.033
2-Methylnaphthalene	80	51	76	5.67	5.67
Dibenzofuran	80	13	13	0.97	0.97
PCB-1254	127	13	0.58	0.043	0.043
PCB-1260	127	35	4.3	0.44	0.44
Antimony	74	71	6.9	1.22	1.22
Arsenic	74	71	17	5.02	Arsenic is eliminated as a COC since the UCL is below WV background value of 13.1 mg/Kg
Cadmium	74	74	8	2.26	2.26
Cobalt	74	74	100	9.47	9.47
Copper	74	74	490	60.7	60.7
Iron	74	74	430000	114702	114702
Lead	74	74	830	160	Lead is eliminated as a COC since the UCL is below the residential De Minimis value of 400 mg/Kg.
Manganese	74	74	36000	11422	11422
Mercury	74	61	2.8	0.29	0.29
Nickel	74	74	4600	353	353
Thallium	74	65	0.81	0.13	0.13
Vanadium	74	74	620.00	195	195
Zinc	74	74	5100.00	852	852
Cyanide, Total	74	74	26.00	2.21	2.21

Notes:

[1] The shallow soil dataset includes samples collected from 0 to 10 feet bgs from the developed areas within CAA VIM and VIIM.

Duplicate and parent samples are maintained as two distinct samples.

[2] Upper Confidence Limits (UCLs) were calculated using the USEPA ProUCL software. The ProUCL statistical output is provided in Appendix C.

[3] The Exposure Point Concentration (EPC) is the lower of the maximum detected concentration or the UCL.

TABLE 14
EXPOSURE POINT CONCENTRATIONS FOR SHALLOW PERCHED GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Number of Samples [1]	Number of Detected Results	Maximum Detected Concentration (ug/L)	Upper Confidence Limit [2] (ug/L)	Exposure Point Concentration [3] (ug/L)
1,1-Dichloroethane	14	2	0.25	too few to detects to calculate	0.25
1,2-Dichlorobenzene	4	2	37	too few to detects to calculate	37
cis-1,2-Dichloroethene	14	6	4.3	1.75	1.75
1,4-Dichlorobenzene	4	2	0.59	too few to detects to calculate	0.59
Benzene	14	4	0.54	0.47	0.47
Chloroform	14	1	3.50	too few to detects to calculate	3.50
Dichlorobromomethane	14	1	1.30	too few to detects to calculate	1.30
Ethylbenzene	14	8	16	5.79	5.79
Tetrachloroethene	14	10	10	4.62	4.62
Trichloroethene	14	5	1.80	0.89	0.89
Vinyl chloride	14	1	0.49	too few to detects to calculate	0.49
Xylenes, Total	14	8	61	23.1	23.1
1,1'-Biphenyl	6	5	2.60	2.13	2.13
2-Methylnaphthalene	6	5	30	28.6	28.6
Benzo[a]anthracene	6	0	ND	ND	ND
Benzo(a)pyrene	6	0	ND	ND	ND
Benzo[b]fluoranthene	6	0	ND	ND	ND
Benzo[k]fluoranthene	6	0	ND	ND	ND
Chrysene	6	0	ND	ND	ND
Dibenz(a,h)anthracene	6	0	ND	ND	ND
Indeno[1,2,3-cd]pyrene	6	0	ND	ND	ND
Naphthalene	6	5	23	17.2	17.2
Bis(2-ethylhexyl) phthalate	6	4	1.60	1.69	1.60
Dibenzofuran	6	5	1.50	1.52	1.50
PCB-1254	NA	NA	NA	NA	NA
PCB-1260	NA	NA	NA	NA	NA
Aluminum	6	4	920	3197	920
Antimony	6	2	0.12	too few to detects to calculate	0.12
Arsenic	6	5	1.90	1.63	1.63
Cadmium	6	1	0.84	too few to detects to calculate	0.84
Cobalt	6	6	98	2656.00	98
Copper	6	6	2.60	1.98	1.98

TABLE 14
EXPOSURE POINT CONCENTRATIONS FOR SHALLOW PERCHED GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Number of Samples [1]	Number of Detected Results	Maximum Detected Concentration (ug/L)	Upper Confidence Limit [2] (ug/L)	Exposure Point Concentration [3] (ug/L)
Iron	6	5	60000	30013	30013
Lead	6	4	1.00	0.94	Lead is eliminated as a COC since the UCL is below the Tapwater RSL and groundwater De Minimis value of 15 ug/L.
Manganese	6	5	30000	15010	15010
Mercury	6	1	0.050	too few to detects to calculate	0.050
Nickel	6	3	110	59.8	59.8
Selenium	6	5	15.0	9.62	9.62
Thallium	6	2	0.11	0.17	0.11
Vanadium	6	5	5.70	3.57	3.57
Zinc	6	4	160	557	160
Cyanide, Total	6	0	ND	ND	ND

Notes:

[1] The shallow groundwater dataset includes samples collected from shallow perched wells located within the HCL Plant Area (i.e., wells VII-MW-01P, 03P, 04P, 05P, 06P, 07P). Duplicate and parent samples are maintained as two distinct samples.

[2] Upper Confidence Limits (UCLs) were calculated using the USEPA ProUCL software. The ProUCL statistical output is provided in Appendix C.

[3] The Exposure Point Concentration (EPC) is the lower of the maximum detected concentration or the UCL.

TABLE 15
CALCULATION OF CHRONIC SOIL VOLATILIZATION FACTORS FOR AMBIENT (OUTDOOR) AIR
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

USEPA (2002) Equation 4-8:

$$VF\ (m^3/kg) = Q/C_{vol} \times \frac{(3.14 \times Da \times T)^{1/2}}{(2 \times Pb \times Da)} \times 10^{-4}\ (m^2/cm^2)$$

where:

$$Da\ (cm^2/s) = \frac{(Ea^{10/3} \times DiH'_{TS} + Ew^{10/3} Dw) / n^2}{Pb\ Kd + Ew + Ea\ H'_{TS}}$$

Parameter	Value	Variable	Units	Source
inverse of the mean concentration at the center of a 0.5-acre-square site	58.17	Q/C_{vol}	$\frac{(g/m^2\text{-}s)}{(kg/m^3)}$	Value for Huntington, WV for a 0.5-acre site (Exhibit D-3; USEPA, 2002)
air-filled soil porosity	0.284	Ea	L_{air}/L_{soil}	USEPA (2021a) On-Line RSL Calculator
total soil porosity	0.434	n	L_{pore}/L_{soil}	USEPA (2021a) On-Line RSL Calculator
water-filled soil porosity	0.150	Ew	L_{water}/L_{soil}	USEPA (2021a) On-Line RSL Calculator
dry soil bulk density	1.5	Pb	g/cm^3	USEPA (2021a) On-Line RSL Calculator
diffusivity in air	--	Di	cm^2/sec	chemical-specific
Henry's Law Constant at system temperature	--	H'_{TS}	unitless	chemical-specific
diffusivity in water	--	Dw	cm^2/sec	chemical-specific
soil-water partition coefficient	--	Kd	cm^3/g	Koc x foc
soil-organic carbon partition coefficient	--	Koc	cm^3/g	chemical-specific
exposure interval	788400000	T	sec	based on an exposure duration of 25 yrs
fraction organic carbon	0.006	foc	g/g	USEPA (2021a) On-Line RSL Calculator

Constituent-Specific Factors

Constituent	H'_{TS} (unitless)	Di (cm^2/sec)	Dw (cm^2/sec)	Koc (cm^3/g)	Da (cm^2/s)	VF (m^3/kg)
Benzo[a]anthracene	4.9E-04	2.6E-02	6.7E-06	1.8E+05	6.8E-10	3.7E+06
Naphthalene	1.8E-02	6.0E-02	8.4E-06	1.5E+03	6.2E-06	3.9E+04
1,1'-Biphenyl	1.3E-02	4.7E-02	7.6E-06	5.1E+03	1.0E-06	9.5E+04
2-Methylnaphthalene	2.1E-02	5.2E-02	7.8E-06	2.5E+03	4.0E-06	4.9E+04
Dibenzofuran	8.7E-03	6.5E-02	7.4E-06	9.2E+03	5.5E-07	1.3E+05
PCB-1254	1.2E-02	2.4E-02	6.1E-06	1.3E+05	1.9E-08	7.1E+05
PCB-1260	1.4E-02	2.2E-02	5.6E-06	3.5E+05	7.7E-09	1.1E+06
Mercury	3.5E-01	3.1E-02	6.3E-06	8.7E+03	1.1E-05	2.9E+04
Cyanide	4.2E-03	2.1E-01	2.5E-05	1.7E+03	4.7E-06	4.5E+04

Constituent specific factors obtained from USEPA On-Line RSL Calculator (USEPA, 2021a).

TABLE 16
CALCULATION OF SUBCHRONIC SOIL VOLATILIZATION FACTORS FOR AMBIENT (OUTDOOR) AIR
CONSTRUCTION WORKER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

USEPA (2002) Equation 5-14:

$$VF_{sc}\ (m^3/kg) = Q/C_{sa} \times \frac{(3.14 \times Da \times T)^{1/2}}{(2 \times Pb \times Da)} \times 10^{-4}\ (m^2/cm^2) \times (1 / F_D)$$

where:

$$Da\ (cm^2/s) = \frac{(Ea^{10/3} \times DiH'_{TS} + Ew^{10/3} Dw) / n^2}{Pb\ Kd + Ew + Ea\ H'_{TS}}$$

Parameter	Value	Variable	Units	Source
inverse of 1-hr average air concentration at the center of a 0.5-acre-square site	14.31	Q/C_{sa}	$\frac{(g/m^2\text{-}s)}{(kg/m^3)}$	Value for a 0.5-acre site calculated using Equation 5-15 from USEPA (2002)
air-filled soil porosity	0.284	Ea	L_{air}/L_{soil}	USEPA (2021a) On-Line RSL Calculator
total soil porosity	0.434	n	L_{pore}/L_{soil}	USEPA (2021a) On-Line RSL Calculator
water-filled soil porosity	0.150	Ew	L_{water}/L_{soil}	USEPA (2021a) On-Line RSL Calculator
dry soil bulk density	1.5	Pb	g/cm^3	USEPA (2021a) On-Line RSL Calculator
diffusivity in air	--	Di	cm^2/sec	chemical-specific
Henry's Law Constant at system temperature	--	H'_{TS}	unitless	chemical-specific
diffusivity in water	--	Dw	cm^2/sec	chemical-specific
soil-water partition coefficient	--	Kd	cm^3/g	Koc x foc
soil-organic carbon partition coefficient	--	Koc	cm^3/g	chemical-specific
exposure interval	3.02E+07	T	sec	Site-specific: 50 weeks, 7 day/week for 24 hour/day
fraction organic carbon	0.006	foc	g/g	USEPA (2021a) On-Line RSL Calculator
dispersion correction factor	0.186	F_D	unitless	calculated assuming a construction duration of 8400 hours (24 hrs/day, 7 days/week for 50 weeks) using Equation E-16 (USEPA, 2002)

Constituent-Specific Factors

Constituent	H'_{TS} (unitless)	Di (cm^2/sec)	Dw (cm^2/sec)	Koc (cm^3/g)	Da (cm^2/s)	VF (m^3/kg)
Benzo[a]anthracene	4.9E-04	2.6E-02	6.7E-06	1.8E+05	6.8E-10	9.6E+05
Naphthalene	1.8E-02	6.0E-02	8.4E-06	1.5E+03	6.2E-06	1.0E+04
1,1'-Biphenyl	1.3E-02	4.7E-02	7.6E-06	5.1E+03	1.0E-06	2.5E+04
2-Methylnaphthalene	2.1E-02	5.2E-02	7.8E-06	2.5E+03	4.0E-06	1.3E+04
Dibenzofuran	8.7E-03	6.5E-02	7.4E-06	9.2E+03	5.5E-07	3.4E+04
PCB-1254	1.2E-02	2.4E-02	6.1E-06	1.3E+05	1.9E-08	1.8E+05
PCB-1260	1.4E-02	2.2E-02	5.6E-06	3.5E+05	7.7E-09	2.9E+05
Mercury	3.5E-01	3.1E-02	6.3E-06	8.7E+03	1.1E-05	7.5E+03
Cyanide	4.2E-03	2.1E-01	2.5E-05	1.7E+03	4.7E-06	1.2E+04

Constituent specific factors obtained from USEPA On-Line RSL Calculator (USEPA, 2021a).

TABLE 17
CALCULATION OF A PARTICULATE EMISSION FACTOR - EMISSIONS FROM UNPAVED ROAD CONSTRUCTION TRAFFIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

USEPA (2002) Equation 5-5:

$$PEF_{sc} = Q/C_{sr} \times \frac{1}{F_D} \times \left[\frac{T \times A_R}{556 \times \left(\frac{W}{3} \right)^{0.4} \times \frac{(365 d/yr - p)}{365 d/yr} \times \sum VKT} \right]$$

Symbol	Factor	Value	Source
PEF_{sc}	Subchronic particulate emission factor (m^3/kg)	6.9E+06	Calculated
Q/C_{sr}	Inverse of 1-hr average air concentration along a straight road segment bisecting a 0.5-acre-square site (g/m^2-s per kg/m^3)	23.0	Value for a 0.5-acre site calculated using Equation 5-6 from USEPA (2002)
F_D	Dispersion correction factor (unitless)	0.186	Calculated assuming a construction duration (i.e., averaging time) of 8,400 hours (50 weeks of construction; 24 hrs/day) using Equation E-16 (USEPA, 2002)
T	Total time over which construction occurs (s)	3.02E+07	Site-specific: 50 weeks, 7 day/week for 24 hour/day
A_R	Surface area of contaminated road segment (m^2)	390	Assumes 210 feet of unpaved roads may be constructed (i.e., assumes disturbance of a one acre source area). A construction road width of 20 feet is assumed.
W	Mean vehicle weight (tons)	8	Assumes traffic consists of twenty 2-ton cars and ten 20-ton trucks
p	Number of days with at least 0.01 inches of precipitation (days/yr)	170	Estimated from Exhibit 5-2 (USEPA, 2002)
ΣVTK	Sum of fleet vehicle kilometers traveled during the exposure duration (km)	480	Assumes each vehicle travels the length of the road once per day for 120 days/yr

TABLE 18
CANCER TOXICITY VALUES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Mutagen	Weight of Evidence Classification	Oral Exposure			Inhalation Exposure			Dermal Exposure	
			Cancer Slope Factor [1] $(mg/kg\text{-}day)^{-1}$		Tumor Sites and Types	Inhalation Unit Risk [1] $(ug/m^3)^{-1}$		Tumor Sites and Types	Gastrointestinal Absorption Efficiency	Cancer Slope Factor [1] $(mg/kg\text{-}day)^{-1}$
VOCs										
1,1-Dichloroethane		C*	5.7E-03	C	Reproductive, Hematologic, Hepatic	1.6E-06	C	Reproductive, Hematologic, Hepatic	1	5.7E-03
1,2-Dichlorobenzene		D	NA		- -	NA		- -	1	NA
cis-1,2-Dichloroethene		- -	NA		- -	NA		- -	1	NA
1,4-Dichlorobenzene		- -	5.4E-03	C	Hepatocellular adenomas or carcinomas	1.1E-05	C	Hepatocellular adenomas or carcinomas	1	5.4E-03
Benzene		Known/likely human carcinogen	5.5E-02	I	Hematologic (Leukemia)	7.8E-06	I	Hematologic (Leukemia)	1	5.5E-02
Chloroform		Not likely to be carcinogenic to humans	3.1E-02	C	renal tumors	2.3E-05	I	Hepatocellular carcinoma	1	3.1E-02
Dichlorobromomethane		B2	6.2E-02	I	Urinary (Kidney)	3.7E-05	C	Kidney	1	6.2E-02
Ethylbenzene		D	1.1E-02	C	renal tumor	2.5E-06	C	renal tumor	1	1.1E-02
Tetrachloroethene		Likely to be carcinogenic to humans	2.1E-03	I	Hepatocellular adenomas or carcinomas	2.6E-07	I	Hepatocellular adenomas or carcinomas	1	2.1E-03
Trichloroethene	M	Carcinogenic to humans	4.6E-02	I	Hematologic, Hepatic, Urinary	4.1E-06	I	Hematologic, Hepatic, Urinary	1	4.6E-02
Vinyl chloride	M	Known/likely human carcinogen	7.2E-01	I	hepatic	4.4E-06	I	hepatic	1	7.2E-01
Xylenes, Total		- -	NA		- -	NA		- -	1	NA

TABLE 18
CANCER TOXICITY VALUES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Mutagen	Weight of Evidence Classification	Oral Exposure			Inhalation Exposure			Dermal Exposure	
			Cancer Slope Factor [1] $(mg/kg\text{-}day)^{-1}$		Tumor Sites and Types	Inhalation Unit Risk [1] $(ug/m^3)^{-1}$		Tumor Sites and Types	Gastrointestinal Absorption Efficiency	Cancer Slope Factor [1] $(mg/kg\text{-}day)^{-1}$
SVOCs										
1,1'-Biphenyl		Suggestive evidence of carcinogenic potential	8.0E-03	I	hepatic	NA		- -	1	8.0E-03
2-Methylnaphthalene		- -	NA		- -	NA		- -	1	NA
Benzo[a]anthracene	M	B2	1.0E-01	E	- -	6.0E-05	E	- -	1	1.0E-01
Benzo(a)pyrene	M	Carcinogenic to humans	1.0E+00	I	Gastrointestinal	6.0E-04	I	Gastrointestinal, respiratory	1	1.0E+00
Benzo[b]fluoranthene	M	B2	1.0E-01	E	- -	6.0E-05	E	- -	1	1.0E-01
Benzo[k]fluoranthene	M	B2	1.0E-02	E	- -	6.0E-06	E	- -	1	1.0E-02
Chrysene	M	B2	1.0E-03	E	- -	6.0E-07	E	- -	1	1.0E-03
Dibenz(a,h)anthracene	M	B2	1.0E+00	E	- -	6.0E-04	E	- -	1	1.0E+00
Indeno[1,2,3-cd]pyrene	M	B2	1.0E-01	E	- -	6.0E-05	E	- -	1	1.0E-01
SVOCs Cont.										
Naphthalene		C*	1.2E-01	C	nasal respiratory epithelial adenoma	3.4E-05	C	nasal respiratory epithelial adenoma	1	1.2E-01
Bis(2-ethylhexyl) phthalate		B2	1.4E-02	I	Hepatocellular adenomas or carcinomas	2.4E-06	C	hepatocellular carcinoma	1	1.4E-02
Dibenzofuran		D	NA		- -	NA		- -	1	NA
PCBs										
PCB-1254		B2	2.0E+00	I	hepatic	5.7E-04	I	hepatic	1	2.0E+00
PCB-1260		B2	2.0E+00	I	hepatic	5.7E-04	I	hepatic	1	2.0E+00

TABLE 18
CANCER TOXICITY VALUES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Mutagen	Weight of Evidence Classification	Oral Exposure		Inhalation Exposure		Dermal Exposure	
			Cancer Slope Factor [1] $(mg/kg\text{-}day)^{-1}$	Tumor Sites and Types	Inhalation Unit Risk [1] $(ug/m^3)^{-1}$	Tumor Sites and Types	Gastrointestinal Absorption Efficiency	Cancer Slope Factor [1] $(mg/kg\text{-}day)^{-1}$
Inorganics								
Aluminum		- -	NA	- -	NA	- -	1	NA
Antimony		- -	NA	- -	NA	- -	0.15	NA
Arsenic		A	1.5E+00 I	Dermal (skin cancer)	4.3E-03 I	Respiratory (lung cancer)	1	1.5E+00
Cadmium		B1	NA	- -	1.8E-03 I	Respiratory	0.025	NA
Cobalt		- -	NA	- -	9.0E-03 P	Respiratory	1	NA
Copper		D	NA	- -	NA	- -	1	NA
Iron		- -	NA	- -	NA	- -	1	NA
Lead		- -	NA	- -	NA	- -	1	NA
Manganese		D	NA	- -	NA	- -	0.04	NA
Mercury		D	NA	- -	NA	- -	1	NA
Nickel		- -	NA	- -	2.6E-04 C	Respiratory (lung cancer)	0.04	NA
Selenium		D	NA	- -	NA	- -	1	NA
Thallium		- -	NA	- -	NA	- -	1	NA
Vanadium*		- -	NA	- -	8.3E-03 P	Respiratory	0.026	NA
Zinc		D	NA	- -	NA	- -	1	NA
Cyanide, Total		D	NA	- -	NA	- -	1	NA

TABLE 18
CANCER TOXICITY VALUES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Mutagen	Weight of Evidence Classification	Oral Exposure		Inhalation Exposure		Dermal Exposure	
			Cancer Slope Factor [(1)] $(mg/kg\text{-}day)^{-1}$	Tumor Sites and Types	Inhalation Unit Risk [(1)] $(ug/m^3)^{-1}$	Tumor Sites and Types	Gastrointestinal Absorption Efficiency	Cancer Slope Factor [(1)] $(mg/kg\text{-}day)^{-1}$

Notes:

1 - Oral and inhalation toxicity values obtained from the sources noted above and defined below. Dermal Cancer Slope Factors (SFd) were calculated using the oral Cancer Slope Factor (SFo) and the Gastrointestinal Absorption Efficiency (GIABS) in accordance with USEPA (2004) using the following equation: SFd = SFo/GIABS.

A - Known human carcinogen

B1 - Probable human carcinogen (based on limited evidence of carcinogenicity in humans)

B2 - Probable human carcinogen

C* - Possible Human Carcinogen

D - Not classifiable as to human carcinogenicity

I - Integrated Risk Information System (IRIS; USEPA, 2021c)

C - California EPA toxicity values Chronic Reference Exposure Levels (RELS) and the Cancer Potency Values, as presented in USEPA (2021a).

E - Values calculated using a Relative Potency Factor (RPF) which is based on the potency of the constituent relative to benzo(a)pyrene, as presented in USEPA (2021a).

P - Provisional Peer Reviewed Toxicity Values (PPRTV) as presented in USEPA (2021a)

* - Based on the values for Vanadium Pentoxide, as presented in USEPA (2021a).

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE 19
NONCANCER TOXICITY VALUES - CHRONIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Contaminants of Concern	Oral Exposure			Inhalation Exposure			Dermal Exposure	
	Chronic Reference Dose [1] (mg/kg-day)		Target Organ or Critical Effect	Chronic Reference Concentration [1] (mg/m^3)		Target Organ or Critical Effect	Gastrointestinal Absorption Efficiency	Chronic Reference Dose [1] (mg/kg-day)
VOCs								
1,1-Dichloroethane	2.0E-01	P	kidney	NA		- -	1	2.0E-01
1,2-Dichlorobenzene	9.0E-02	I	hepatocellular necrosis	2.0E-01	H	hepatic	1	9.0E-02
cis-1,2-Dichloroethene	2.0E-03	I	urinary	NA		- -	1	2.0E-03
1,4-Dichlorobenzene	7.0E-02	A	hepatic	8.0E-01	I	hepatic	1	7.0E-02
Benzene	4.0E-03	I	immune	3.0E-02	I	immune	1	4.0E-03
Chloroform	1.0E-02	I	hepatic	9.8E-02	A	hepatic	1	1.0E-02
Dichlorobromomethane	2.0E-02	I	urinary	NA		- -	1	2.0E-02
Ethylbenzene	1.0E-01	I	hepatic, urinary	1.0E+00	I	developmental	1	1.0E-01
Tetrachloroethene	6.0E-03	I	nervous, ocular	4.0E-02	I	nervous, ocular	1	6.0E-03
Trichloroethene	5.0E-04	I	developmental, immune	2.0E-03	I	developmental, immune	1	5.0E-04
Vinyl chloride	3.0E-03	I	hepatic	1.0E-01	I	hepatic	1	3.0E-03
Xylenes, Total	2.0E-01	I	decreased body weight; increased mortality	1.0E-01	I	nervous	1	2.0E-01
SVOCs								
1,1'-Biphenyl	5.0E-01	I	urinary	4.0E-04	P	developmental	1	5.0E-01
2-Methylnaphthalene	4.0E-03	I	respiratory	NA		- -	1	4.0E-03
Benzo[a]anthracene	NA		- -	NA		- -	1	NA
Benzo(a)pyrene	3.0E-04	I	Developmental, immune, reproductive	2.0E-06	I	Developmental, reproductive	1	3.0E-04
Benzo[b]fluoranthene	NA		- -	NA		- -	1	NA
Benzo[k]fluoranthene	NA		- -	NA		- -	1	NA
Chrysene	NA		- -	NA		- -	1	NA
Dibenz(a,h)anthracene	NA		- -	NA		- -	1	NA
Indeno[1,2,3-cd]pyrene	NA		- -	NA		- -	1	NA

TABLE 19
NONCANCER TOXICITY VALUES - CHRONIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

	Oral Exposure			Inhalation Exposure			Dermal Exposure	
Contaminants of Concern	Chronic Reference Dose [1] (mg/kg-day)		Target Organ or Critical Effect	Chronic Reference Concentration [1] (mg/m^3)		Target Organ or Critical Effect	Gastrointestinal Absorption Efficiency	Chronic Reference Dose [1] (mg/kg-day)
SVOCs Cont.								
Naphthalene	2.0E-02	I	decreased body weight	3.0E-03	I	nervous, respiratory	1	2.0E-02
Bis(2-ethylhexyl) phthalate	2.0E-02	I	hepatic	NA		- -	1	2.0E-02
Dibenzofuran	1.0E-03	P	whole body	NA		- -	1	1.0E-03
PCBs								
PCB-1254	2.0E-05	I	immune, dermal, ocular	NA		- -	1	2.0E-05
PCB-1260	NA		- -	NA		- -	1	NA
Inorganics								
Aluminum	1.0E+00	P	Neurological	5.0E-03	P	Neurological	1	1.0E+00
Antimony	4.0E-04	I	Hematologic	3.0E-04	A	Respiratory	0.15	6.0E-05
Arsenic	3.0E-04	I	Cardiovascular, dermal	1.5E-05	C	Reproductive, cardiovascular, CNS, respiratory, integumentary	1	3.0E-04
Cadmium	1.0E-03	I	Urinary	1.0E-05	A	Respiratory, hepatic, renal, endocrine, gastrointestinal, hematologic, cardiovascular	0.025	2.5E-05
Cobalt	3.0E-04	P	Hematologic, endocrine, reproductive, cardiovascular	6.0E-06	P	Respiratory	1	3.0E-04
Copper	4.0E-02	H	Gastrointestinal	NA		- -	1	4.0E-02
Iron	7.0E-01	P	Hematopoietic, hepatic, gastrointestinal	NA		- -	1	7.0E-01
Lead	NA		- -	NA		- -	1	NA
Manganese	2.4E-02	I	nervous system	5.0E-05	I	nervous system	0.04	9.6E-04
Mercury	1.6E-04	C	Nervous system, development, kidney	3.0E-04	I	nervous system	1	1.6E-04

TABLE 19
NONCANCER TOXICITY VALUES - CHRONIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

	Oral Exposure			Inhalation Exposure			Dermal Exposure	
Contaminants of Concern	Chronic Reference Dose [1] (mg/kg-day)		Target Organ or Critical Effect	Chronic Reference Concentration [1] (mg/m^3)		Target Organ or Critical Effect	Gastrointestinal Absorption Efficiency	Chronic Reference Dose [1] (mg/kg-day)
Nickel	2.0E-02	I	decreased body and organ weight	9.0E-05	A	respiratory	0.04	8.0E-04
Selenium	5.0E-03	I	nervous, hematologic, dermal	2.0E-02	C	liver, cardiovascular system, nervous system	1	5.0E-03
Thallium	1.0E-05	P	Integumentary	NA		- -	1	1.0E-05
Vanadium*	9.0E-03	I	dermal (decreased hair cystine)	7.0E-06	P	Upper and lower respiratory tract	0.026	2.3E-04
Zinc	3.0E-01	I	immune, hematologic	NA		- -	1	3.0E-01
Cyanide, Total	6.0E-04	I	reproductive	8.0E-04	**	endocrine	1	6.0E-04

Notes:

1 - Oral and inhalation toxicity values obtained from the sources noted above and defined below. Dermal Reference Doses (RfDd) were calculated using the oral Reference Dose (RfDo) and the Gastrointestinal Absorption Efficiency (GIABS) in accordance with USEPA (2004) using the following equation: RfDd = GIABS x RfDo.

A - ATSDR Chronic Minimal Risk Levels, as presented in WVDEP (2021a).

C - California EPA toxicity values Chronic Reference Exposure Levels (RELS) and the Cancer Potency Values, as presented in USEPA (2021a)

H - Health Effects Assessment Summary Table.

I - Integrated Risk Information System (IRIS; USEPA, 2021c)

P - Provisional Peer Reviewed Toxicity Values (PPRTV) as presented in USEPA (2021a)

* - Based on the values for Vanadium Pentoxide, as presented in USEPA (2021a).

** The RfC for hydrogen cyanide is used as a surrogate for cyanide.

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE 20
NONCANCER TOXICITY VALUES - SUBCHRONIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

	Oral Exposure			Inhalation Exposure			Dermal Exposure	
Contaminants of Concern	**Subchronic Reference Dose [1] (mg/kg-day)**		**Target Organ or Critical Effect**	**Subchronic Reference Concentration [1] (mg/m^3)**		**Target Organ or Critical Effect**	**Gastrointestinal Absorption Efficiency**	**Subchronic Reference Dose [1] (mg/kg-day)**
VOCs								
1,1-Dichloroethane	2.0E+00	P	kidney	NA		- -	1	2.0E+00
1,2-Dichlorobenzene	6.0E-01	A	hepatocellular necrosis	2.0E+00	H	hepatic	1	6.0E-01
cis-1,2-Dichloroethene	2.0E-02	P	urinary	NA		- -	1	2.0E-02
1,4-Dichlorobenzene	7.0E-02	A	hepatic	1.2E+00	A	hepatic	1	7.0E-02
Benzene	1.0E-02	P	immune	8.0E-02	P	immune	1	1.0E-02
Chloroform	1.0E-01	A	hepatic	2.4E-01	A	hepatic	1	1.0E-01
Dichlorobromomethane	8.0E-03	P	urinary	NA		- -	1	8.0E-03
Ethylbenzene	5.0E-02	P	hepatic, urinary	9.0E+00	P	developmental	1	5.0E-02
Tetrachloroethene	8.0E-03	A	nervous, ocular	4.1E-02	A	nervous, ocular	1	8.0E-03
Trichloroethene	5.0E-04	A	developmental, immune	2.2E-03	A	developmental, immune	1	5.0E-04
Vinyl chloride	3.0E-03	I	hepatic	7.7E-02	A	hepatic	1	3.0E-03
Xylenes, Total	4.0E-01	P	decreased body weight; increased mortality	4.0E-01	P	nervous	1	4.0E-01
SVOCs								
1,1'-Biphenyl	1.0E-01	P	urinary	4.0E-03	P	developmental	1	1.0E-01
2-Methylnaphthalene	4.0E-03	P	respiratory	NA		- -	1	4.0E-03
Benzo[a]anthracene	NA		- -	NA		- -	1	NA
Benzo(a)pyrene	3.0E-04	I	Developmental, immune, reproductive	2.0E-06	I	Developmental, reproductive	1	3.0E-04
Benzo[b]fluoranthene	NA		- -	NA		- -	1	NA
Benzo[k]fluoranthene	NA		- -	NA		- -	1	NA
Chrysene	NA		- -	NA		- -	1	NA
Dibenz(a,h)anthracene	NA		- -	NA		- -	1	NA
Indeno[1,2,3-cd]pyrene	NA		- -	NA		- -	1	NA

TABLE 20
NONCANCER TOXICITY VALUES - SUBCHRONIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

	Oral Exposure			Inhalation Exposure			Dermal Exposure	
Contaminants of Concern	**Subchronic Reference Dose [1] (mg/kg-day)**		**Target Organ or Critical Effect**	**Subchronic Reference Concentration [1] (mg/m^3)**		**Target Organ or Critical Effect**	**Gastrointestinal Absorption Efficiency**	**Subchronic Reference Dose [1] (mg/kg-day)**
SVOCs Cont.								
Naphthalene	6.0E-01	A	decreased body weight	3.0E-03	I	nervous, respiratory	1	6.0E-01
Bis(2-ethylhexyl) phthalate	2.0E-02	I	hepatic	NA		- -	1	2.0E-02
Dibenzofuran	4.0E-03	P	whole body	NA		- -	1	4.0E-03
PCBs								
PCB-1254	3.0E-05	A	immune, dermal, ocular	NA		- -	1	3.0E-05
PCB-1260	NA		- -	NA		- -	1	NA
Inorganics								
Aluminum	1.0E+00	A	Neurological	5.0E-03	P	Neurological	1	1.0E+00
Antimony	4.0E-04	P	Hematologic	1.0E-03	A	Respiratory	0.15	6.0E-05
Arsenic	3.0E-04	I	Cardiovascular, dermal	1.5E-05	C	Reproductive, cardiovascular, CNS, respiratory, integumentary	1	3.0E-04
Cadmium	5.0E-04	A	Urinary	1.0E-05	A	Respiratory, hepatic, renal, endocrine, gastrointestinal, hematologic, cardiovascular	0.025	1.3E-05
Cobalt	3.0E-03	P	Hematologic, endocrine, reproductive, cardiovascular	2.0E-05	P	Respiratory	1	3.0E-03
Copper	1.0E-02	A	Gastrointestinal	NA		- -	1	1.0E-02
Iron	7.0E-01	P	Hematopoietic, hepatic, gastrointestinal	NA		- -	1	7.0E-01
Lead	NA		- -	NA		- -	1	NA
Manganese	2.4E-02	I	nervous system	5.0E-05	I	nervous system	0.04	9.6E-04
Mercury	1.6E-04	C	Nervous system, development, kidney	3.0E-04	H	nervous system	1	1.6E-04

TABLE 20
NONCANCER TOXICITY VALUES - SUBCHRONIC
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

	Oral Exposure			Inhalation Exposure			Dermal Exposure	
Contaminants of Concern	**Subchronic Reference Dose [1] (mg/kg-day)**		**Target Organ or Critical Effect**	**Subchronic Reference Concentration [1] (mg/m^3)**		**Target Organ or Critical Effect**	**Gastrointestinal Absorption Efficiency**	**Subchronic Reference Dose [1] (mg/kg-day)**
Nickel	2.0E-02	H	decreased body and organ weight	2.0E-04	A	respiratory	0.04	8.0E-04
Selenium	5.0E-03	H	nervous, hematologic, dermal	2.0E-02	C	liver, cardiovascular system, nervous system	1	5.0E-03
Thallium	4.0E-05	P	Integumentary	NA		- -	1	4.0E-05
Vanadium*	7.0E-04	P	dermal (decreased hair cystine)	1.0E-04	A	Upper and lower respiratory tract	0.026	1.8E-05
Zinc	3.0E-01	A	immune, hematologic	NA		- -	1	3.0E-01
Cyanide, Total	2.0E-02	H	reproductive	8.0E-04	**	endocrine	1	2.0E-02

Notes:

1 - Oral and inhalation toxicity values obtained from the sources noted above and defined below. Dermal Reference Doses (RfDd) were calculated using the oral Reference Dose (RfDo) and the Gastrointestinal Absorption Efficiency (GIABS) in accordance with USEPA (2004) using the following equation: RfDd = GIABS x RfDo.

A - ATSDR Chronic Minimal Risk Levels, as presented in USEPA (2021a).

C - California EPA toxicity values Chronic Reference Exposure Levels (RELS) and the Cancer Potency Values, as presented in USEPA (2021a).

H - Health Effects Assessment Summary Table.

I - Integrated Risk Information System (IRIS; USEPA, 2021c).

P - Provisional Peer Reviewed Toxicity Values (PPRTV) as presented in USEPA (2021a)

* - Based on the values for Vanadium Pentoxide, as presented in USEPA (2021a).

** The RfC for hydrogen cyanide is used as a surrogate for cyanide.

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE 21
SUMMARY OF RISK CHARACTERIZATION
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY VRP#20015

Receptor	Exposure Pathways	Noncancer Hazard Index	Theoretical Excess Lifetime Cancer Risk	Primary Risk Drivers
Future Outdoor Worker	Incidental Ingestion of Surface Soil			
	Dermal Contact with Surface Soil			
	Inhalation of Volatile and Particulate Emissions from Surface Soil	8E-01	4E-06	- -
Current/Future Adolescent (Age 11 to <16)	Incidental Ingestion of Surface Soil			
Trespasser - Developed Areas	Dermal Contact with Surface Soil			
	Inhalation of Volatile and Particulate Emissions from Surface Soil	1E-01	3E-07	- -
Future Construction Worker	Incidental Ingestion of Shallow Soil			
	Dermal Contact with Shallow Soil			
	Inhalation of Volatile and Particulate Emissions from Shallow Soil			Inhalation of manganese particulates in ambient air
	Incidental Ingestion of Shallow Groundwater			
	Dermal Contact with Shallow Groundwater			Inhalation of naphthalene vapors in a trench
	Inhalation of Volatile Emissions from Groundwater in a Trench	**1E+01**	3E-06	
Current/Future Adolescent (Age 11 to <16)	Incidental Ingestion of Surface Soil			
Trespasser - Wooded Hillside	Dermal Contact with Surface Soil			
	Inhalation of Volatile and Particulate Emissions from Surface Soil	3E-02	4E-07	- -

Notes:

Appendix E presents a detailed breakdown of the risk calculations by pathway and constituent.

Shaded values exceed the WVDEP excess lifetime cancer risk of 1×10^{-5} for nonresidential receptors or 1×10^{-6} for a trespasser.

FIGURES



REFERENCE

1. U.S.G.S. 7.5' TOPOGRAPHIC MAP, WEIRTON QUADRANGLE, WV–PA–OH DATED: 1968, PHOTOREVISED: 1990.

* HAND SIGNATURE ON FILE

SCALE IN FEET

0 2000 4000

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
724-327-5200 · 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

CAAs VIM AND VIIM SITE LOCATION MAP

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO	FIGURE NO.:	1
DATE:	JUNE 18, 2019	DWG SCALE:	1"=2000'	PROJECT NO:	174-529		

P:\2017\174-529\-CADD\Dwg\EN04\174529-EN04-001-Figure 1.dwg[2-1] LS:(6/4/2021 - dmcnally) - LP: 6/4/2021 12:06 PM

\\svr-fs-mvl\Projects\2017\174-529\-CADD\Dwg\EN04\174529-EN04-002-Figure 2.dwg[2] LS:(6/4/2021 - dmcnally) - LP: 6/4/2021 2:05 PM

REVISION RECORD		
NO	DATE	DESCRIPTION
1	08/2013	REVISED TO ADDRESS EPA COMMENTS DATED 08/27/13

SUBMITTAL RECORD		
NO	DATE	DESCRIPTION

NORTH

CAA XIA

CAA XIM

CAA XA

CAA XM

CAA IIA

CAA IIM

CAA IIIA

CAA VIM

CAA VA

CAA VM

CAA XII

CAA VIA

CAA VIIA

FLOW — OHIO RIVER

A-OUTFALL BASIN

IC-MW-08A
BC-MW-01A
BC-MW-06D
BC-MW-06A
BC-MW-02A
IC-MW-07A
IA-MW-04A
BC-MW-07D
BC-MW-07A
BC-MW-03A
BC-MW-04D
BC-MW-04A
BC-MW-05A
IA-MW-03A
IC-MW-06A
IA-MW-01A
IC-MW-05A
IA-MW-02A
MC-MW-47A
MA-MW-09A
MC-MW-48A
MC-MW-49A
MA-MW-08A
MA-MW-09D
MC-MW-43A
MA-MW-06A
MC-MW-44A
MA-MW-06D
MC-MW-51A
MC-MW-50A
MC-MW-52A
MA-MW-07A
MA-MW-07D
MC-MW-53A
MC-MW-53D
MA-MW-05A
MA-MW-05D
MA-MW-04A
MA-MW-04D
MC-MW-61D
MC-MW-59D
MC-MW-61A
MC-MW-59A
MC-MW-58D
MC-MW-58A
MA-MW-03A
MA-MW-03D
MC-MW-60A
MC-MW-60D
MA-MW-10A
MA-MW-10D
MC-MW-45D
MC-MW-46A
MC-MW-45A
MC-MW-46D
MC-MW-02AR
MC-MW-02DR
MC-MW-55D
MC-MW-56D
MC-MW-57A
MA-MW-01A
MC-MW-54A
MC-MW-56A
MC-MW-57D
MA-MW-01D
MC-MW-55A
MC-MW-54D
TC-MW-02A
TC-MW-02D
TC-MW-01D
TC-MW-01A
VI-MW-02AR
VI-MW-02A
VI-MW-01P
VI-MW-01A
VI-MW-03A

TIN MILL

ORE STORAGE YARD

NO. 4 BLAST FURNACE

BLOWER ROOM

HOSPITAL

BLAST FURNACE OIL HOUSE

OXYGEN BUILDING

OFFICE

FOSTER WHEELER STEAM PLANT

IN-GROUND CONCRETE TANK

BIDELL GAS COMPRESSION

LADLE HOUSE

POWER HOUSE

BOILER HOUSE

NOS. 1, 2 & 3 BLAST FURNACES

S-H1 – S-H3
S-H4
S-H5
S-H6
S-H7
S-H8

10,000-GALLON GASOLINE AST & FUELING STATION (REMOVED)

10,000-GALLON DIESEL ASTS & FUELING STATION (DEMOLISHED)

TRUCKING DEPARTMENT MAINTENANCE BUILDING (DEMOLISHED)

FUEL OIL/TAR PITCH TANKS AND PUMPING STATION (SWMU W-601) (DEMOLISHED)

OPEN HEARTH BUILDINGS (DEMOLISHED)

SINTER PLANT (DEMOLISHED)
S-C1
S-C2
S-C3
S-C4
S-C5
S-C6
S-O10

STATE ROUTE 2

ST. JOHNS ROAD

COUNTY ROAD

FOURTH STREET

THIRD STREET

MAIN ST

LEGEND

- 880 — TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- CORRECTIVE ACTION SUB-AREA BOUNDARY
- W-601 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-C1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- BC-MW-01A — PREVIOUSLY INSTALLED GROUNDWATER MONITORING WELL
- VI-MW-01A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIM RFI

GENERAL NOTE

1. INACTIVE FACILITIES/OPERATIONS ARE LABELED IN ITALICS.

REFERENCE

1. TOPOGRAPHIC MAPPING PREPARED BY ADR EASTERN MAPPING DATED APRIL 9, 1990.

SCALE IN FEET
0 200 400

* HAND SIGNATURE ON FILE

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
Ph: 724.327.5200 · 800.899.3610 · Fax: 724.327.5280
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO
DATE:	JUNE 18, 2019	DWG SCALE:	1"=200'	PROJECT NO:	174-529

CAA VIM SITE LAYOUT

FIGURE NO.: **2**

P:\2017\174-529\-CADD\Dwg\EN04\174529-EN04-003-Figure 3.dwg[3] LS:(6/4/2021 - dmcnally) - LP: 6/4/2021 12:20 PM

NORTH

CAA VIIA

CAA VIIM

CAA IV

CAA IA

CAA IM

CAA VIIA

CAA VIIM

S-05
S-021
VI-MW-04A
W-701
400,000-GALLON FUEL OIL TANK (DEMOLISHED)
LIMIT OF INTERIM MEASURE SOIL EXCAVATION
VII-MW-02P
LOCOMOTIVE FUELING STATION-SWMU W-700 (DEMOLISHED)
MILL ADMINISTRATION BUILDING
BUDGET INTERIORS
S-011, S-012
S-B8 - S-B11
S-B12
S-B4 - S-B7
S-B1 - S-B3
W-800
CONTINUOUS CASTER WASTEWATER SEDIMENTATION BASINS
BOP BAGHOUSE DUST SOIL EXCAVATION AREA
10,000-GALLON DIESEL TANK & FUELING STATION
S-014
S-015
BOP BUILDING (DEMOLISHED)
S-A5
S-A4
S-A6
S-A2
S-A1
S-A3
DRUM STORAGE PAD/BUILDING (DEMOLISHED)
BOP SCRUBBER WASTEWATER TREATMENT SYSTEM
S-013
OIL HOUSE
SHEET MILL
DIESEL SHOP
DETINNING PLANT
W-1001
W-1003
W-1007
S-N9
S-N8
S-N7
S-N6
S-N5
S-N4
S-N10
S-N11 - S-N12
S-N3
W-1002
S-N13
S-N2
W-1000
STRIP MILL
S-E29
S-E6
S-E7
S-E22
S-E5
S-E1 - S-E4
S-E33
S-E24
S-E28
S-E32
S-E26, S-E27
S-E30, S-E31
S-23
S-E25
HOT MILL WASTEWATER TREATMENT PLANT
VII-MW-01A
SC-MW-01A
SC-MW-01D
SC-MW-02D
SC-MW-02A
S-F1 TO S-F28 AND S-G1 TO S-G13
W-1008
WASTE OIL COLLECTION SUMP
S-016
W-1009
PORI (AKA VEOLIA) OIL/ACID TREATMENT PLANT
ACID STORAGE TANKS AND LOADING STATION
VII-MW-02A
SC-MW-04A
SC-MW-04D
W-1004
VII-MW-04P
VII-MW-03P
S-K1
S-K2 - S-K5
VII-MW-05P
VII-MW-07P
VII-MW-01P
VII-MW-06P
VII-MW-03A
CA-MW-01A
HYDROCHLORIC ACID REGENERATION PLANT
SC-MW-03A
SC-MW-03D
CC-MW-05AR
CA-MW-04A
CA-MW-03A
CA-MW-02A
COIL STORAGE

REVISION RECORD

NO	DATE	DESCRIPTION
1		
2		
3		
4		
5		

SUBMITTAL RECORD

NO	DATE	DESCRIPTION

LEGEND

- TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- CORRECTIVE ACTION SUB-AREA BOUNDARY
- W-701 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-A1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- SC-MW-01A — PREVIOUSLY INSTALLED GROUNDWATER MONITORING WELL
- VII-MW-01A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM RFI
- SC-MW-04A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM TO MONITOR ARCELORMITTAL PROPERTY

GENERAL NOTE

1. INACTIVE FACILITIES/OPERATIONS ARE LABELED IN ITALICS.

REFERENCE

1. TOPOGRAPHIC MAPPING PREPARED BY ADR EASTERN MAPPING DATED APRIL 9, 1990.

* HAND SIGNATURE ON FILE

SCALE IN FEET
0 200 400

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
Ph: 724.327.5200 · 800.899.3610 · Fax: 724.327.5280
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO
DATE:	JUNE 18, 2019	DWG SCALE:	1"=200'	PROJECT NO:	174-529

CAA VIIM SITE LAYOUT

FIGURE NO.: 3

NORTH

CAA XIA

CAA XA

CAA XIM

CAA XM

CAA IIA

CAA IIM

CAA IIIA

CAA VA

CAA VIM

CAA VIA

CAA VIIM

CAA XII

OHIO RIVER FLOW

A-OUTFALL BASIN

IC-MW-08A
BC-MW-01A
BC-MW-06D
BC-MW-02A
BC-MW-06A
IC-MW-07A
IA-MW-04A
BC-MW-07D
BC-MW-07A
BC-MW-03A
BC-MW-04D
BC-MW-04A
BC-MW-05A
IA-MW-03A
IC-MW-06A
IA-MW-01A
IC-MW-05A
IA-MW-02A
MC-MW-47A
MC-MW-48A
MA-MW-09A
MC-MW-49A
MA-MW-08A
MA-MW-09D
MC-MW-43A
MA-MW-06A
MC-MW-44A
MA-MW-06D
MC-MW-51A
MC-MW-50A
MC-MW-52A
MA-MW-07A
MA-MW-07D
MC-MW-53A
MC-MW-53D
MA-MW-05A
MA-MW-05D
MA-MW-04A
MA-MW-04D
MC-MW-61D
MC-MW-61A
MC-MW-59D
MC-MW-59A
MC-MW-58D
MC-MW-58A
MA-MW-03A
MA-MW-03D
MC-MW-60A
MC-MW-60D
MA-MW-10A
MA-MW-10D
MC-MW-45D
MC-MW-45A
MC-MW-46A
MC-MW-46D
MC-MW-02AR
MC-MW-02DR
MC-MW-54A
MC-MW-54D
MC-MW-55D
MC-MW-55A
MC-MW-56D
MC-MW-56A
MC-MW-57A
MC-MW-57D
MA-MW-01A
MA-MW-01D
TC-MW-02A
TC-MW-02D
TC-MW-01D
TC-MW-01A
TIN MILL
ORE STORAGE YARD
NO. 4 BLAST FURNACE
BLOWER ROOM
HOSPITAL
FOSTER WHEELER STEAM PLANT
OFFICE
OXYGEN BUILDING
BLAST FURNACE OIL HOUSE
SEE INSET 1
LADLE HOUSE
POWER HOUSE
BOILER HOUSE
NOS. 1, 2 & 3 BLAST FURNACES
SEE INSET 2
S-H1 – S-H3
VI-SS-04
VI-SS-05
S-H6
S-H7
S-H8
S-H5
S-H4
VI-MW-02AR
VI-MW-02A
IN-GROUND CONCRETE TANK
BIDELL GAS COMPRESSION
10,000-GALLON GASOLINE AST & FUELING STATION (REMOVED)
10,000-GALLON DIESEL ASTS & FUELING STATION (DEMOLISHED)
VI-SS-11
VI-MW-01P
VI-SS-10
VI-SS-12
VI-SB-102
VI-MW-01A
TRUCKING DEPARTMENT MAINTENANCE BUILDING (DEMOLISHED)
VI-MW-03A
FUEL OIL/TAR PITCH TANKS AND PUMPING STATION (SWMU W-601) (DEMOLISHED)
OPEN HEARTH BUILDINGS (DEMOLISHED)
SINTER PLANT (DEMOLISHED)
S-O10
S-C3
S-C1
S-C6
S-C4
S-C5
S-C2
STATE ROUTE 2
ORE STORAGE YARD
ROAD
STREET
AVENUE
COUNTY
MAIN ST

VI-SS-03-S2
VI-SS-03-S1
VI-SS-01
VI-SS-02
VI-SB-103
VI-SS-03
VI-SS-03-S3
BLAST FURNACE OIL HOUSE

INSET 1
SCALE IN FEET
0 30 60

VI-SS-06
VI-SS-07
VI-MW-03A
VI-SS-08
VI-SS-09-S4
VI-SS-09-S5
VI-SS-09 (EXCAVATED)
VI-SS-09-S1
VI-SS-09-S2
VI-SS-09-S3
LIMITS OF TAR EXCAVATION

INSET 2
SCALE IN FEET
0 30 60

SCALE IN FEET
0 200 400

REVISION RECORD

NO	DATE	DESCRIPTION

SUBMITTAL RECORD

NO	DATE	DESCRIPTION

LEGEND

- 880 — TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- CORRECTIVE ACTION SUB-AREA BOUNDARY
- W-601 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-C1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- BC-MW-01A — PREVIOUSLY INSTALLED GROUNDWATER MONITORING WELL
- VI-SB-102 — SOIL BORING
- VI-SS-01 — SURFACE SOIL SAMPLE
- VI-SS-09-S1 — TAR EXCAVATION CONFIRMATION SAMPLE
- VI-MW-01A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIM RFI
- FORMER TAR PUMPING STATION EXCAVATION LIMITS

GENERAL NOTE

1. INACTIVE FACILITIES/OPERATIONS ARE LABELED IN ITALICS.

REFERENCE

1. TOPOGRAPHIC MAPPING PREPARED BY ADR EASTERN MAPPING DATED APRIL 9, 1990.

* HAND SIGNATURE ON FILE

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
Ph: 724.327.5200 · 800.899.3610 · Fax: 724.327.5280
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO
DATE:	JUNE 18, 2019	DWG SCALE:	1"=200'	PROJECT NO:	174-529

CAA VIM SAMPLE LOCATIONS

FIGURE NO.: 4

NORTH

SEE FIGURE NO. 6 FOR EXPANDED VIEW AND SAMPLE LOCATIONS

CAA VIIA

MILL ADMINISTRATION BUILDING

S-05

S-021

VI-MW-04A

W-701

400,000-GALLON FUEL OIL TANK (DEMOLISHED)

LIMIT OF INTERIM MEASURE SOIL EXCAVATION

VII-SB-112
VII-SB-111
VII-SB-113
VII-SB-110
VII-SB-114
VII-MW-02P
VII-SB-109
VII-SB-115
VII-SB-116
VII-SB-117

LOCOMOTIVE FUELING STATION-SWMU W-700 (DEMOLISHED)

CAA VIIA

CAA VIIM

S-011, S-012

CONTINUOUS CASTER WASTEWATER SEDIMENTATION BASINS

S-B8 - S-B11

W-800

S-B12

S-B4 - S-B7

S-B1 - S-B3

SEE FIGURE NO. 7 FOR EXPANDED VIEW AND SAMPLE LOCATIONS

BOP BAGHOUSE DUST SOIL EXCAVATION AREA

10,000-GALLON DIESEL TANK & FUELING STATION

S-014

VII-SB-101/ VII-SS-18

S-015

SEE FIGURE NO. 8 FOR EXPANDED VIEW AND SAMPLE LOCATIONS

BOP BUILDING (DEMOLISHED)

S-A5
S-A4
S-A6
S-A2
S-A1
S-A3

BOP SCRUBBER WASTEWATER TREATMENT SYSTEM

DRUM STORAGE PAD/BUILDING (DEMOLISHED)

VII-SS-19
VII-SS-20
VII-SS-21

S-013

OIL HOUSE

SHEET MILL

DIESEL SHOP

CAA IV

DETINNING PLANT

W-1001
W-1003
S-N9
S-N10
S-N11 - S-N12
W-1007
S-N8
S-N3
S-N7
S-N6
W-1002
S-N5
S-N4
S-N13
S-N2
W-1000

SEE FIGURE NO. 9 FOR EXPANDED VIEW AND SAMPLE LOCATIONS

SC-MW-01A
SC-MW-01D

1 3-12

SC-MW-02D
SC-MW-02A

STRIP MILL

CAA VIIA

VII-SB-102/ VII-SS-28
S-E29
S-E6
S-E5
S-E7
S-E22
S-E1 - S-E4
S-E33
S-E24
S-E28
S-E32
S-E26, S-E27
S-E30, S-E31
S-23
S-E25

HOT MILL WASTEWATER TREATMENT PLANT

VII-MW-01A

SEE FIGURE NO. 10 FOR EXPANDED VIEW AND SAMPLE LOCATIONS

S-F1 TO S-F28 AND S-G1 TO S-G13

SEE FIGURE NO. 11 FOR EXPANDED VIEW AND SAMPLE LOCATIONS

W-1008

WASTE OIL COLLECTION SUMP

S-016

VII-SB-103/VII-SS-35

VII-SB-118

VII-SB-107

VII-SB-104/VII-SS-36

PORI (AKA VEOLIA) OIL/ACID TREATMENT PLANT

ACID STORAGE TANKS AND LOADING STATION

W-1009

VII-SB-106/VII-SS-46

VII-SB-105

VII-MW-02A

SC-MW-04A
SC-MW-04D

COIL STORAGE

W-1004

VII-MW-04P
VII-MW-03P/ VII-SS-50
VII-MW-05P
S-K1
S-K2 - S-K5
VII-MW-07P
VII-MW-01P
VII-MW-06P
VII-SB-119
VII-MW-03A

SC-MW-03A
SC-MW-03D

CA-MW-01A

HYDROCHLORIC ACID REGENERATION PLANT

CAA VIIM

CAA IM

CC-MW-05AR

CAA IA

CA-MW-04A
CA-MW-03A
CA-MW-02A

REVISION RECORD

NO	DATE	DESCRIPTION

SUBMITTAL RECORD

NO	DATE	DESCRIPTION

LEGEND

- TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- CORRECTIVE ACTION SUB-AREA BOUNDARY
- W-701 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-A1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- SC-MW-01A — PREVIOUSLY INSTALLED GROUNDWATER MONITORING WELL
- VII-SB-101 — SOIL BORING
- VI-SS-19 — SURFACE SOIL SAMPLE
- VII-MW-01A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM RFI
- SC-MW-04A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM RFI TO MONITOR ARCELORMITTAL PROPERTY

GENERAL NOTE

1. INACTIVE FACILITIES/OPERATIONS ARE LABELED IN ITALICS.

REFERENCE

1. TOPOGRAPHIC MAPPING PREPARED BY ADR EASTERN MAPPING DATED APRIL 9, 1990.

* HAND SIGNATURE ON FILE

SCALE IN FEET
0 200 400

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
Ph: 724.327.5200 · 800.899.3610 · Fax: 724.327.5280
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO
DATE:	JUNE 18, 2019	DWG SCALE:	1"=200'	PROJECT NO:	174-529

CAA VIIM SAMPLE LOCATIONS

FIGURE NO.: 5

NORTH

HVC-2023

TOWER

TANK

150

250

MAIN

PARKING ARE

MILL ADMINISTF

PARK

T

730

MAIN STREET

STREET

HEAT EXCHANGER FOR FUEL OIL LINES (LEAKING OIL) (DEMOLISHED)

ELEVATED TAR STORAGE TANK (DEMOLISHED)

VII-SS-05

VII-SS-04

S-021

VII-SS-06

S-05

VII-SS-03

VI-MW-04A

VII-SS-02

VII-SS-01

TANK

HVC-1019

W-701

400,000-GALLON FUEL OIL TANK (DEMOLISHED)

LEGEND

880	TOPOGRAPHIC CONTOUR
W-701	SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
S-021	SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
VI-MW-04A	GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM RFI
VII-SS-01	SURFACE SOIL SAMPLE

* HAND SIGNATURE ON FILE

SCALE IN FEET

0 50 100

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
724-327-5200 · 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

CAA VIIM SAMPLE LOCATIONS
FORMER 400,000-GALLON FUEL OIL TANK

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO	DRAWING NO.:	6
DATE:	JUNE 18, 2019	DWG SCALE:	1"=50'	PROJECT NO:	174-529		

NORTH

LEGEND

- 880 — TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- W-800 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-B1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- VII-SS-07 ▲ — SURFACE SOIL SAMPLE

CONTINUOUS CASTER WASTEWATER SEDIMENTATION BASINS

STEEL BOX IN UNLOADING AREA (DEMOLISHED)

TANKS

VII-SS-07

W-800

VII-SS-10

VII-SS-08

WASTE OIL TANKS (DEMOLISHED)

VII-SS-09

S-B1 - S-B3

TANK

RUINS

TANK

S-B4 - S-B7

VII-SS-11

VII-SS-12

BOP BAGHOUSE DUST SOIL EXCAVATION AREA

VII-SS-13

760 800 810 820 790 780 770

* HAND SIGNATURE ON FILE

SCALE IN FEET

0 50 100

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
724-327-5200 · 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

CAA VIIM SAMPLE LOCATIONS
FORMER BOP BAGHOUSE AND CASTER SED. BASINS

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO	DRAWING NO.:
DATE:	JUNE 18, 2019	DWG SCALE:	1"=50'	PROJECT NO:	174-529	7

NORTH

LEGEND

880 — TOPOGRAPHIC CONTOUR

CORRECTIVE ACTION AREA BOUNDARY

S-A1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT

VII-SS-14 — SURFACE SOIL SAMPLE

STREET

STACK

T

T

S-A5

SLUDGE ACCUMULATION BOX

S-A6

S-A4

VII-SS-14

VII-SS-15

VII-SS-16

TANK
S-A2

TOWER

VII-SS-17

T

S-A3

TANK
S-A1

BOP SCRUBBER WASTEWATER TREATMENT SYSTEM

BOP BUILDING (DEMOLISHED)

750

730

TOWER

* HAND SIGNATURE ON FILE

SCALE IN FEET

0 50 100

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
724-327-5200 · 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

CAA VIIM SAMPLE LOCATIONS
FORMER BOP SCRUBBER WWTP

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO	DRAWING NO.:	8
DATE:	JUNE 18, 2019	DWG SCALE:	1"=50'	PROJECT NO:	174-529		

NORTH

LEGEND

- 880 — TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- CORRECTIVE ACTION SUB-AREA BOUNDARY
- W-1001 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-N2 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- VII-SS-22 — SURFACE SOIL SAMPLE

CAA VIIM

CAA VIIA

DETINNING PLANT

RCRA-1000

W-1001

W-1000

W-1002

W-1003

W-1007

S-N2

S-N3

S-N4

S-N5

S-N6

S-N7

S-N8

S-N9

S-N10

S-N11 - S-N12

S-N13

VII-SS-22

VII-SS-23

VII-SS-24

VII-SS-25

VII-SS-26

VII-SS-27

TOWER

PARKING AREA

780

740

770

730

720

690

* HAND SIGNATURE ON FILE

SCALE IN FEET

0 50 100

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
724-327-5200 · 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

CAA VIIM SAMPLE LOCATIONS
FORMER DETTINING PLANT

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO	DRAWING NO.:	9
DATE:	JUNE 18, 2019	DWG SCALE:	1"=50'	PROJECT NO:	174-529		

NORTH

CAA VIIA

CAA VIIM

HOT MILL WASTEWATER TREATMENT PLANT

LEGEND

- 880 — TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- CORRECTIVE ACTION SUB-AREA BOUNDARY
- S-E1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- VII-MW-01A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM RFI
- VII-SB-102 — SOIL BORING
- VII-SS-29 — SURFACE SOIL SAMPLE

S-E29
S-E6
VII-SB-102/VII-SS-28
VII-SS-29
VII-SS-30
S-E5
S-E7 - S-E22
S-E1 - S-E4
S-E33
S-E26, S-E27
S-E30, S-E31
S-E28
S-E32
S-E24
VII-MW-01A
VII-SS-31
S-23
S-E25

* HAND SIGNATURE ON FILE

SCALE IN FEET

0 50 100

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
724-327-5200 · 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

CAA VIIM SAMPLE LOCATIONS
FORMER HOT MILL WWTP

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO	DRAWING NO.:
DATE:	JUNE 18, 2019	DWG SCALE:	1"=50'	PROJECT NO:	174-529	10

P:\2017\174-529\-CADD\Dwg\EN04\174529-EN04-006-Figure 6 to 11.dwg[11] LS:(6/4/2021 - dmcnally) - LP: 6/4/2021 1:03 PM

NORTH

S-016

CONCRETE CONTAINMENT WALL

CONCRETE SECONDARY CONTAINMENT FOR OUTDOOR TANKS (SHADED AREA)

S-F22

FORMER WASTE OIL DRUM STORAGE AREA (W-1008)

LIMIT OF RELEASE FROM SECONDARY CONTAINMENT AREA

PAVED UNLOADING AREA

VII-SS-37
VII-SS-38
VII-SS-39
VII-SS-41-S3
VII-SS-41
VII-SS-40
VII-SB-118
VII-SS-41-S2
VII-SS-41-S1
VII-SB-107
VII-SS-32
VII-SS-33
VII-SS-34
VII-SB-103/VII-SS-35
VII-SS-42
VII-SS-45
VII-SS-44
VII-SS-43
VII-SB-104/VII-SS-36

FLOTATION SKIMMERS

(SWMUS S-G5 AND S-G6)

W-1009

WASTE OIL COLLECTION SUMP

LIMIT OF PREVIOUS RELEASE FROM FLOTATION SKIMMERS

SWMUS S-F1 TO S-F28 AND S-G1 TO S-G13

ACID STORAGE TANKS AND LOADING STATION

PORI (AKA VEOLIA) OIL/ACID TREATMENT PLANT

VII-SB-106/VII-SS-46

VII-SB-105

S-F27
WOOD-LINED SUMP

PARKING AREA

VII-MW-02A

730

FORMER HARP PICKLE LIQUOR TANKS (SWMU W-1004)

VII-SS-47

W-1004

VII-SS-48

VII-SS-49

FORMER 5,000 GALLON DIESEL AST AND FUELING STATION

IN-GROUND SUMPS (SWMU S-K1) FORMERLY OVERLAIN BY DRUM STORAGE RACKS

VII-MW-05P
VII-MW-04P
VII-MW-03P/VII-SS-50

FORMER HARP REACTORS (SWMU S-K2 - S-K5)

HVC-1011

WEIR AVE.

VII-SS-51

IRON STAINED SOIL AREA

HYDROCHLORIC ACID REGENERATION PLANT

FORMER 2,000 GALLON DIESEL AST AND FUELING AREA

FORMER MECHANICAL MAINTENANCE BUILDING

VII-SS-52
VII-SS-54
VII-SS-53
VII-MW-07P

IRON STAINED SOIL AREA

FORMER KEROSENE DRUM STORAGE AREA

MAN DOOR

VII-SB-119

VII-MW-01P
VII-MW-06P
VII-MW-03A

720
710
700

REVISION RECORD

NO	DATE	DESCRIPTION
1		
2		
3		
4		
5		

SUBMITTAL RECORD

NO	DATE	DESCRIPTION

LEGEND

- 880 — TOPOGRAPHIC CONTOUR
- CORRECTIVE ACTION AREA BOUNDARY
- W-1008 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED BY WSC
- S-F1 — SOLID WASTE MANAGEMENT UNITS IDENTIFIED IN 1988 RFA REPORT
- VII-MW-02A — GROUNDWATER MONITORING WELL INSTALLED DURING CAA VIIM RFI
- VII-SB-107 — SOIL BORING
- VII-SS-32 — SURFACE SOIL SAMPLE

* HAND SIGNATURE ON FILE

REFERENCE

1. TOPOGRAPHIC MAPPING PREPARED BY ADR EASTERN MAPPING DATED APRIL 9, 1990.

SCALE IN FEET
0 20 40

Civil & Environmental Consultants, Inc.
4350 Northern Pike · Suite 141 · Monroeville, PA 15146
Ph: 724.327.5200 · 800.899.3610 · Fax: 724.327.5280
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

DRAWN BY:	ZLD	CHECKED BY:	TEA	APPROVED BY:	*DNO
DATE:	JUNE 18, 2019	DWG SCALE:	1"=20'	PROJECT NO:	174-529

CAA VIIM SAMPLE LOCATIONS
FORMER PORI AND HARP PLANTS

FIGURE NO.: **11**

NORTH

Area IIA

Area IIM

Area IIA

Area XII

Area VIM

Area VIA

Area VIIA

Area VA

Area VIIA

Area VIIM

VII-SS-55(0-1)

Area IV

Area VM

Hancock County

Brooke County

VII-SS-56(0-1)

Area VIIA

VII-SS-57(0-1)

VII-SS-58(0-1)

Area VIIM

Area IA

Area IM

SCALE IN FEET

0 300 600 900 1,200

LEGEND

- SOIL SAMPLE LOCATION
- RCRA CORRECTIVE ACTION AREA (CAA) BOUNDARY
- CAA SUBDIVISION BOUNDARY*
- RFI AND CMS COMPLETED
- RFI COMPLETED AND NO CMS REQUIRED
- PROPERTY SOLD IN 2004/2005
- PROPERY OWNED BY ARCELORMITTAL
- PROPERTY OWNED BY MINGO JUNCTION STEEL WORKS, LLC (MJSW)
- PROPERTY OWNED BY BUSINESS DEVELOPMENT CORPORATION OF THE NORTHERN PANHANDLE
- COUNTY/STATE BOUNDARY

NOTE*

BECAUSE THE BOUNDARIES OF THE PROPERTIES ACQUIRED BY MJSW DID NOT ALIGN WITH THE CORRECTIVE ACTION AREA (CAA) BOUNDARIES, SEVERAL OF THE CAAS ARE NOW PARTIALLY OWNED BY ARCELORMITTAL AND PARTIALLY OWNED BY MJSW. FOR THOSE AREAS, AN “A” SUFFIX HAS BEEN ADDED TO THE CAA DESIGNATIONS FOR PROPERTY OWNED BY ARCELORMITTAL AND A “M” SUFFIX HAS BEEN ADDED TO THE CAA DESIGNATIONS FOR PROPERTY OWNED BY MJSW. ALL CAAS OWNED ENTIRELY BY ONE ENTITY RETAIN THEIR PRIOR CAA DESIGNATION.

REFERENCE

ESRI WORLD IMAGERY / ARCGIS MAP SERVICE: HTTP://GOTO.ARCGISONLINE.COM/MAPS/WORLD_IMAGERY, ACCESSED 6/4/2021, IMAGERY DATE: 2016.

Civil & Environmental Consultants, Inc.
4000 Triangle Lane, Suite 200 - Export, PA 15632
Ph: 724-327-5200 - 800-899-3610
www.cecinc.com

MJSW - WEIRTON FACILITY
RCRA CORRECTIVE ACTION - CAAs VIM AND VIIM
WEIRTON, WEST VIRGINIA

DRAWN BY:	JDM	CHECKED BY:	TAW	APPROVED BY: * Hand signature on file	DNO*
DATE:	JANUARY 8, 2021	SCALE:	1 " = 300 '	PROJECT NO:	174-529

SAMPLE LOCATIONS – WOODED HILLSIDE

FIGURE NO.: **12**

P:\2017\174-529\-GIS\Maps\EN20_Task_2H2Z\174529_2H2Z_FIG_12_SAMPLE_LOCATIONS_WOODED_HILLSIDE.mxd 1/11/2021 12:28 PM (jmendicino)

FIGURE 13
CONCEPTUAL SITE EXPOSURE MODEL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

SOURCE	TRANSPORT MECHANISM	EXPOSURE MEDIUM	POTENTIAL EXPOSURE ROUTES	POTENTIAL RECEPTORS						
				Future Outdoor Worker (Commercial or Industrial) Developed Areas	Future Indoor Worker Developed Areas	Future Construction Worker Developed Areas	Future Residents	Future Site Visitor Developed Areas	Current/Future Youth Trespasser Developed Areas and Wooded Hillside	Current/Future Terrestrial and Aquatic Ecological Receptors
HISTORICAL OPERATIONS	SPILLS/RELEASES TO GROUND SURFACE	SURFACE SOIL	INCIDENTAL INGESTION	X		X	IP	X	X	
			DERMAL CONTACT	X		X	IP	X	X	
			INHALATION OF VOLATILES AND PARTICULATES (I.E., DUST)	X		X	IP	X	X	
	MIGRATION TO SUBSURFACE SOIL	SUBSURFACE SOIL	INCIDENTAL INGESTION			X				
			DERMAL CONTACT			X				
			INHALATION OF VOLATILES AND PARTICULATES (I.E., DUST)			X				
	LEACHING FROM SOIL TO GROUNDWATER	ONSITE GROUNDWATER	POTABLE USE	IP			IP	IP		
			INCIDENTAL INGESTION			X				
			DERMAL CONTACT			X				
			INHALATION OF VOLATILE EMISSIONS (AMBIENT AIR IN A TRENCH)			X				
	VOLATILIZATION FROM GROUNDWATER AND SUBSEQUENT VAPOR INTRUSION	INDOOR AIR	INHALATION OF VOLATILE EMISSIONS (INDOOR AIR)		0		IP			
	DOWNGRADIENT MIGRATION OF GROUNDWATER	SURFACE WATER OF THE OHIO RIVER AND HARMON CREEK	INCIDENTAL INGESTION							
			DERMAL CONTACT							

Notes:

X - Indicates pathway is complete and was evaluated in the risk assessment.

0 - Indicates an incomplete pathway based on the data evaluation in which no COC were identified.

Blanks indicate exposure pathway/media are not relevant for a given receptor.

IP (Incomplete Pathway) - Indicates an potentially complete exposure pathway that has been eliminated through engineered and/or institutional controls.

APPENDIX A

DATA SUMMARY TABLES

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-01(0-1) 12/2/2013	VI-SS-02(0-0.5) 12/2/2013	VI-SS-03(0-1) 12/2/2013	VI-SS-03(0-1)DUP 12/2/2013 Duplicate	VI-SS-03-S1 11/30/2017	VI-SS-03-S2 11/30/2017	VI-SS-03-S3 11/30/2017
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.00077	< 0.00077	< 0.00075	< 0.00075	NA	NA	NA
Toluene	mg/kg	8260	490	820	13.8	< 0.00084	< 0.00083	< 0.00081	< 0.00081	NA	NA	NA
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.00074	< 0.00073	< 0.00071	< 0.00072	NA	NA	NA
Xylenes, Total	mg/kg	8260	58	260	198	< 0.0026	< 0.0025	< 0.0025	< 0.0025	NA	NA	NA
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.00056	< 0.00055	< 0.00054	< 0.00054	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.00082	< 0.00082	< 0.0008	< 0.0008	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.0012	< 0.0012	< 0.0012	< 0.0012	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.00095	< 0.00095	< 0.00092	< 0.00093	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.00066	< 0.00065	< 0.00064	< 0.00064	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.00097	< 0.00096	< 0.00094	< 0.00095	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	< 0.001	< 0.001	< 0.00098	< 0.00098	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.00086	< 0.00085	< 0.00083	< 0.00083	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.00099	< 0.00098	< 0.00096	< 0.00096	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.00092	< 0.00091	< 0.00088	< 0.00089	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.0007	< 0.0007	< 0.00068	< 0.00068	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0015	< 0.0015	< 0.0014	< 0.0014	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.00081	< 0.0008	< 0.00078	< 0.00078	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.00068	< 0.00068	< 0.00066	< 0.00066	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.00062	< 0.00062	< 0.0006	< 0.00061	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00078	< 0.00077	< 0.00075	< 0.00076	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00069	< 0.00068	< 0.00066	< 0.00067	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.00075	< 0.00075	< 0.00073	< 0.00073	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.00073	< 0.00072	< 0.00071	< 0.00071	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.001	< 0.001	< 0.00098	< 0.00098	NA	NA	NA
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.00079	< 0.00079	< 0.00077	< 0.00077	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.00075	< 0.00074	< 0.00072	< 0.00073	NA	NA	NA
Acetone	mg/kg	8260	6100	61000	5.8	< 0.0057	< 0.0057	< 0.0055	< 0.0056	NA	NA	NA
Bromoform	mg/kg	8260	19	20	0.42	< 0.00051	< 0.0005	< 0.00049	< 0.00049	NA	NA	NA
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.00085 R	< 0.00084	< 0.00082 R	< 0.00082 R	NA	NA	NA
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.00059	< 0.00058	< 0.00057	< 0.00057	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.00051	< 0.00051	< 0.0005	< 0.0005	NA	NA	NA
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.00087	< 0.00086	< 0.00084	< 0.00084	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.00081	< 0.00081	< 0.00079	< 0.00079	NA	NA	NA
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.0018	< 0.0018	< 0.0017	< 0.0017	NA	NA	NA
Chloroform	mg/kg	8260	0.32	0.34	0.44	0.00076 B	0.0007 B	0.00068 B	0.00073 B	NA	NA	NA
Chloromethane	mg/kg	8260	11	120	0.098	< 0.00098	< 0.00097	< 0.00095	< 0.00095	NA	NA	NA
Cyclohexane	mg/kg	8260	650	120	26	< 0.00043	< 0.00042	< 0.00041	< 0.00041	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.00064	< 0.00064	< 0.00062	< 0.00063	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.00076	< 0.00076	< 0.00074	< 0.00074	NA	NA	NA
Isopropylbenzene	mg/kg	8260	190	270	1.48	< 0.00078	< 0.00077	< 0.00075	< 0.00076	NA	NA	NA
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.001	< 0.001	< 0.001	< 0.001	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.00086	< 0.00085	< 0.00083	< 0.00083	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	650	120	26	< 0.00083	< 0.00082	< 0.0008	< 0.00081	NA	NA	NA
Methylene Chloride	mg/kg	8260	35	58	0.054	0.003 B	0.003 B	0.0031 B	0.0032 B	NA	NA	NA
Styrene	mg/kg	8260	600	870	2.6	< 0.00081	< 0.0008	< 0.00078	< 0.00079	NA	NA	NA
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.00078	< 0.00077	< 0.00076	< 0.00076	NA	NA	NA
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.00075	< 0.00075	< 0.00073	< 0.00073	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.0011	< 0.001	< 0.001	< 0.001	NA	NA	NA
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.00054	< 0.00053	< 0.00052	< 0.00052	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]														
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-01(0-1) 12/2/2013		VI-SS-02(0-0.5) 12/2/2013		VI-SS-03(0-1) 12/2/2013		VI-SS-03(0-1)DUP 12/2/2013 Duplicate		VI-SS-03-S1 11/30/2017	VI-SS-03-S2 11/30/2017	VI-SS-03-S3 11/30/2017
Semi-Volatile Organic Compounds																				
Acenaphthene	mg/kg	8270	360	4100	11	< 0.037		< 0.0073		0.022	J	0.043	J	NA	NA	NA				
Acenaphthylene [1]	mg/kg	8270	360	4200	11	< 0.044		< 0.0087		0.027	J	0.051	J	NA	NA	NA				
Anthracene	mg/kg	8270	1800	23000	116	0.048	J	0.0087	J	0.027	J	0.047	J	NA	NA	NA				
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	< 0.048		0.029	J	0.067	J	0.099		NA	NA	NA				
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	< 0.038		0.024	J	0.052	J	0.095		NA	NA	NA				
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	< 0.06		0.049	J	0.069	J	0.13		NA	NA	NA				
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	< 0.038		0.046	J	0.065	J	0.084		NA	NA	NA				
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	< 0.077		0.021	J	0.031	J	0.049	J	NA	NA	NA				
Chrysene	mg/kg	8270	110	16	180	< 0.045		0.039	J	0.069	J	0.12		NA	NA	NA				
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	< 0.042		0.0099	J	0.016	J	0.027	J	NA	NA	NA				
Fluoranthene	mg/kg	8270	240	2400	178	0.15	J	0.037	J	0.15		0.29		NA	NA	NA				
Fluorene	mg/kg	8270	240	2900	10.8	< 0.05		< 0.01		0.032	J	0.067	J	NA	NA	NA				
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	< 0.039		0.031	J	0.044	J	0.081		NA	NA	NA				
Naphthalene	mg/kg	8270	2	4.1	0.0076	< 0.033		***0.02***	J	***0.013***	J	< 0.0064		NA	NA	NA				
Phenanthrene [1]	mg/kg	8270	1800	23000	116	0.13	J	0.032	J	0.13		0.24		NA	NA	NA				
Pyrene	mg/kg	8270	180	2300	26	0.13	J	0.034	J	0.1		0.18		NA	NA	NA				
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	< 0.17		< 0.034		< 0.033		< 0.033		NA	NA	NA				
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 0.2		< 0.041	UL	< 0.039		< 0.039		NA	NA	NA				
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 0.28		< 0.057	UL	< 0.055		< 0.055		NA	NA	NA				
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.038		< 0.0076	UL	< 0.0074		< 0.0074		NA	NA	NA				
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	< 0.3		< 0.059	UL	< 0.058		< 0.058		NA	NA	NA				
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 2.3		< 0.45	UL	< 0.44		< 0.44		NA	NA	NA				
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 0.15		< 0.031		< 0.03		< 0.03		NA	NA	NA				
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 0.2		< 0.039		< 0.038		< 0.038		NA	NA	NA				
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.04		< 0.0079		< 0.0077		< 0.0077		NA	NA	NA				
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 0.16		< 0.031	UL	< 0.03		< 0.03		NA	NA	NA				
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	0.042	J	0.034	J	0.019	J	0.022	J	NA	NA	NA				
2-Methylphenol	mg/kg	8270	320	3200	1.5	< 0.13		< 0.027	UL	< 0.026		< 0.026		NA	NA	NA				
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 0.85		< 0.17		< 0.16		< 0.17		NA	NA	NA				
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.21		< 0.042	UL	< 0.041		< 0.041		NA	NA	NA				
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 0.2		< 0.04		< 0.039		< 0.039		NA	NA	NA				
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	< 0.19		0.037	L	< 0.036		< 0.036		NA	NA	NA				
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.78		< 0.16		< 0.15		< 0.15		NA	NA	NA				
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 0.76	R	< 0.15	UL	< 0.15		< 0.15		NA	NA	NA				
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.17		< 0.033		< 0.032		< 0.032		NA	NA	NA				
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 0.18		< 0.035	UL	< 0.034		< 0.034		NA	NA	NA				
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 0.15		< 0.03		< 0.029		< 0.03		NA	NA	NA				
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.21		< 0.042		< 0.041		< 0.041		NA	NA	NA				
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 0.77		< 0.15		< 0.15		< 0.15		NA	NA	NA				
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.69		< 0.14	UL	< 0.13		< 0.13		NA	NA	NA				
Acetophenone	mg/kg	8270	780	2500	1.16	< 0.16		< 0.031		< 0.03		< 0.03		NA	NA	NA				
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 0.19		< 0.037		< 0.036		< 0.036		NA	NA	NA				
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 0.29		< 0.057		< 0.055		< 0.055		NA	NA	NA				
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.041		< 0.0082		< 0.0079		< 0.008		NA	NA	NA				
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 0.13		< 0.025		< 0.024		< 0.024		NA	NA	NA				
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 0.051		< 0.01		< 0.0099		< 0.0099		NA	NA	NA				
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	< 0.31		< 0.061		< 0.059		< 0.06		NA	NA	NA				
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	< 0.26		< 0.052		< 0.05		< 0.05		NA	NA	NA				
Caprolactam	mg/kg	8270	3100	31000	5	< 1.4		< 0.29		< 0.28		< 0.28		NA	NA	NA				
Carbazole [1]	mg/kg	8270	1800	23000	116	< 0.035		< 0.007		0.014	J	0.018	J	NA	NA	NA				

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-01(0-1) 12/2/2013	VI-SS-02(0-0.5) 12/2/2013	VI-SS-03(0-1) 12/2/2013	VI-SS-03(0-1)DUP 12/2/2013 Duplicate	VI-SS-03-S1 11/30/2017	VI-SS-03-S2 11/30/2017	VI-SS-03-S3 11/30/2017
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.19	< 0.037	< 0.036	< 0.036	NA	NA	NA
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	0.47 B	0.054 B	0.13 B	0.067 B	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.21	< 0.041	< 0.04	< 0.04	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.24	< 0.048	< 0.046	< 0.046	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.2	< 0.04	< 0.039	< 0.039	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.041	< 0.0081	< 0.0078	< 0.0079	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.043	< 0.0085	< 0.0082	< 0.0083	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.21	< 0.041	< 0.04	< 0.04	NA	NA	NA
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.14	< 0.027	< 0.026	< 0.027	NA	NA	NA
Isophorone	mg/kg	8270	570	570	0.52	< 0.14	< 0.029	< 0.028	< 0.028	NA	NA	NA
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.16	< 0.032	< 0.031	< 0.031	NA	NA	NA
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.045	< 0.0089	< 0.0086	< 0.0087	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.18	< 0.035	< 0.034	< 0.034	NA	NA	NA
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.17	< 0.034 UL	< 0.033	< 0.033	NA	NA	NA
Phenol	mg/kg	8270	1900	19000	6.6	< 0.045	< 0.009 UL	< 0.0087	0.13	NA	NA	NA
Polychlorinated Biphenyls												
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0028	< 0.0028	< 0.0028	< 0.0028	< 0.031	< 0.00031	< 0.0061
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0036	< 0.0036	< 0.0035	< 0.0035	< 0.061	< 0.00062	< 0.012
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.0033	< 0.0032	< 0.0032	< 0.0032	< 0.056	< 0.00056	< 0.011
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.0031	< 0.0031	< 0.003	< 0.003	< 0.056	< 0.00057	< 0.011
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0018	< 0.0018	< 0.0018	< 0.0018	< 0.074	< 0.00075	< 0.015
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0027	< 0.0027	< 0.0026	< 0.0026	< 0.064	< 0.00065	< 0.013
PCB-1260	mg/kg	8082	0.24	0.33	0.11	***2.2***	***1.3***	***2.6***	***3.4***	***3***	***0.2***	***3.3***
Inorganics												
Aluminum	mg/kg	6020	7700	77000	60000	30000 K	20000 K	14000 K	8100 K	NA	NA	NA
Antimony	mg/kg	6020	3.1	31	5.4	0.45 L	0.36 L	0.55 J	0.91 J	NA	NA	NA
Arsenic	mg/kg	6020	0.68	0.43	5.8	2.8 L	3 L	1.6 L	1.8 L	NA	NA	NA
Barium	mg/kg	6020	1500	15000	1640	340 L	160	140	100	NA	NA	NA
Beryllium	mg/kg	6020	16	160	64	5.7 L	3.8	1.9	1.3	NA	NA	NA
Cadmium	mg/kg	6020	7.1	37	7.6	1.6	0.85 J	0.99 J	0.67 J	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	140000	120000	120000	65000	NA	NA	NA
Chromium [1]	mg/kg	6020	12000	120000	3600000	140	280	470	310	NA	NA	NA
Cobalt	mg/kg	6020	2.3	23	0.54	***3.5***	***2.2***	***2.9***	***12***	NA	NA	NA
Copper	mg/kg	6020	310	3100	920	28	39	32	56	NA	NA	NA
Iron	mg/kg	6020	5500	55000	700	***51000***	***64000***	***110000***	***300000***	NA	NA	NA
Lead	mg/kg	6020	400	400	280	46	72	47	30	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	40000	31000	27000	15000	NA	NA	NA
Manganese [1]	mg/kg	6020	180	3500	56	***6000***	***7300***	***13000***	***7500***	NA	NA	NA
Mercury	mg/kg	7471	1.1	3.1	2	0.032	0.055 L	0.036 L	0.048 L	NA	NA	NA
Nickel	mg/kg	6020	150	1500	52	10 K	12 K	14 K	37 K	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	2000	790	610	370	NA	NA	NA
Selenium	mg/kg	6020	39	390	5.2	< 0.55	< 0.54 UL	< 0.54	< 0.54	NA	NA	NA
Silver	mg/kg	6020	39	390	1.6	0.19 J	< 0.042	0.068 J	0.059 J	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	850 J	460 L	390	230	NA	NA	NA
Thallium	mg/kg	6020	0.078	0.78	2.8	0.064 J	0.04 L	0.05 J	0.031 J	NA	NA	NA
Vanadium	mg/kg	6020	39	5.5	172	52 L	160 L	***260*** L	***200*** L	NA	NA	NA
Zinc	mg/kg	6020	2300	23000	740	110 J	110 L	91	57	NA	NA	NA
Other Parameters												
Cyanide, Total	mg/kg	9012	2.3	23	40	26	1.8	10	5.2	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	13	12	10	10	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	DUP-1-11-30-17 11/30/2017 Duplicate	VI-SS-04(1-2) 12/9/2013	VI-SS-05(1-2) 12/9/2013	VI-SS-06(0-0.5) 12/2/2013	VI-SS-06(0-0.5)DUP 12/2/2013 Duplicate	VI-SS-07(0-0.5) 12/2/2013	VI-SS-08(0-1) 12/2/2013
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	NA	< 0.0008	< 0.00071	< 0.00099	< 0.001	< 0.055	< 0.00078
Toluene	mg/kg	8260	490	820	13.8	NA	< 0.00087	< 0.00077	< 0.0011	< 0.0011	0.65	< 0.00084
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	NA	< 0.00076	< 0.00068	< 0.00095	< 0.00096	1.4	< 0.00074
Xylenes, Total	mg/kg	8260	58	260	198	NA	< 0.0027	< 0.0024	< 0.0033	< 0.0033	6.9	< 0.0026
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	NA	< 0.00058	< 0.00051	< 0.00072	< 0.00073	< 0.057	< 0.00056
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	NA	< 0.00085	< 0.00076	< 0.0011	< 0.0011	< 0.052	< 0.00083
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	NA	< 0.0013	< 0.0011	< 0.0016	< 0.0016	< 0.018	< 0.0012
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	NA	< 0.00099	< 0.00088	< 0.0012	< 0.0012	< 0.064	< 0.00096
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	NA	< 0.00068	< 0.00061	< 0.00085	< 0.00086	< 0.056	< 0.00066
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	NA	< 0.001	< 0.00089	< 0.0012	< 0.0013	< 0.059	< 0.00098
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	NA	< 0.001	< 0.00093	< 0.0013	< 0.0013	< 0.021	< 0.001
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	NA	< 0.00089	< 0.00079	< 0.0011	< 0.0011	< 0.02	< 0.00086
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	NA	< 0.001	< 0.00091	< 0.0013	< 0.0013	< 0.034	< 0.00099
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	NA	< 0.00095	< 0.00084	< 0.0012	< 0.0012	< 0.038	< 0.00092
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	NA	< 0.00073	< 0.00065	< 0.0009	< 0.00091	< 0.053	< 0.00071
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	< 0.0015	< 0.0014	< 0.0019	< 0.0019	< 0.053	< 0.0015
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	NA	< 0.00084	< 0.00074	< 0.001	< 0.001	< 0.037	< 0.00081
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	NA	< 0.00071	< 0.00063	< 0.00088	< 0.00089	< 0.042	< 0.00069
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	NA	< 0.00065	< 0.00057	< 0.0008	< 0.00081	< 0.071	< 0.00063
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	NA	< 0.00081	< 0.00072	< 0.001	< 0.001	< 0.04	< 0.00078
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	NA	< 0.00071	< 0.00063	< 0.00088	< 0.00089	< 0.032	< 0.00069
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	NA	< 0.00078	< 0.00069	< 0.00097	< 0.00098	< 0.028	< 0.00076
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	NA	< 0.00076	< 0.00067	< 0.00094	< 0.00095	< 0.029	< 0.00073
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	NA	< 0.001	< 0.00093	< 0.0013	< 0.0013	< 0.06	< 0.001
2-Hexanone	mg/kg	8260	20	- -	0.0176	NA	< 0.00082	< 0.00073	< 0.001	< 0.001	< 0.032	< 0.00079
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	NA	< 0.00078	< 0.00069	< 0.00096	< 0.00097	< 0.033	< 0.00075
Acetone	mg/kg	8260	6100	61000	5.8	NA	< 0.0059	< 0.0053	< 0.0074	< 0.0075	< 0.28	< 0.0058
Bromoform	mg/kg	8260	19	20	0.42	NA	< 0.00053	< 0.00047	< 0.00065	< 0.00066	< 0.059	< 0.00051
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	NA	< 0.00088 R	< 0.00078 R	< 0.0011 R	< 0.0011 R	< 0.087	< 0.00085 R
Carbon disulfide	mg/kg	8260	77	740	0.48	NA	0.0019 J	< 0.00054	< 0.00075	< 0.00076	< 0.059	< 0.00059
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	NA	< 0.00053	< 0.00047	< 0.00066	< 0.00067	< 0.06	< 0.00051
Chlorobenzene	mg/kg	8260	28	290	1.36	NA	< 0.0009	< 0.0008	< 0.0011	< 0.0011	0.033 J	< 0.00087
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	NA	< 0.00084	< 0.00075	< 0.001	< 0.0011	< 0.036	< 0.00082
Chloroethane	mg/kg	8260	1400	2100	11.8	NA	< 0.0018 R	< 0.0016	< 0.0023	< 0.0023	< 0.041	< 0.0018
Chloroform	mg/kg	8260	0.32	0.34	0.44	NA	0.00075 B	0.0007 B	0.00091 B	0.00089 B	< 0.056	0.0007 B
Chloromethane	mg/kg	8260	11	120	0.098	NA	< 0.001	< 0.0009	< 0.0013	< 0.0013	< 0.077	< 0.00098
Cyclohexane	mg/kg	8260	650	120	26	NA	< 0.00044	< 0.00039	< 0.00055	< 0.00055	< 0.033	< 0.00043
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	NA	< 0.00067	< 0.00059	< 0.00083	< 0.00084	< 0.052	< 0.00065
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	NA	< 0.00079	< 0.0007	< 0.00098	< 0.00099	< 0.035	< 0.00077
Isopropylbenzene	mg/kg	8260	190	270	1.48	NA	< 0.00081	< 0.00072	< 0.001	< 0.001	0.33	< 0.00078
Methyl acetate	mg/kg	8260	7800	23000	8.2	NA	< 0.0011	< 0.00095	< 0.0013	< 0.0013	< 0.068	< 0.001
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	NA	< 0.00089	< 0.00079	< 0.0011	< 0.0011	< 0.057	< 0.00086
Methylcyclohexane [1]	mg/kg	8260	650	120	26	NA	< 0.00086	< 0.00076	< 0.0011	< 0.0011	0.12 J	< 0.00084
Methylene Chloride	mg/kg	8260	35	58	0.054	NA	0.0025 B	0.00084 B	0.0039 B	0.0043 B	< 0.06	0.0039 B
Styrene	mg/kg	8260	600	870	2.6	NA	< 0.00084	< 0.00074	< 0.001	< 0.0011	< 0.035	< 0.00081
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	NA	< 0.00081	< 0.00072	< 0.001	< 0.001	< 0.046	< 0.00078
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	NA	< 0.00078	< 0.00069	< 0.00097	< 0.00098	< 0.044	< 0.00076
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	NA	< 0.0011	< 0.00097	< 0.0014	< 0.0014	< 0.062	< 0.0011
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	NA	< 0.00056	< 0.0005	< 0.00069	< 0.0007	< 0.071	< 0.00054

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

| Constituent | Units | Analytical Method | Screening Criteria [1] | | | Sample Information [2] | | |

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	DUP-1-11-30-17 11/30/2017 Duplicate			VI-SS-04(1-2) 12/9/2013			VI-SS-05(1-2) 12/9/2013			VI-SS-06(0-0.5) 12/2/2013			VI-SS-06(0-0.5)DUP 12/2/2013 Duplicate			VI-SS-07(0-0.5) 12/2/2013			VI-SS-08(0-1) 12/2/2013		
Dibenzofuran	mg/kg	8270	7.8	78	0.3	NA			< 0.039	UJ		0.055	J	<	0.48		<	0.49			***13***	J	<	0.038	
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	NA			0.048	J		0.049	J		1	B		3.6	B		1.9	B		0.3	B
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA			< 0.043	UJ	<	0.038	UJ	<	0.53		<	0.54		<	1.6		<	0.042	
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	NA			< 0.05	UJ	<	0.044	UJ	<	0.61		<	0.62		<	1.9		<	0.048	
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	NA			< 0.042	UJ	<	0.037	UJ	<	0.51		<	0.52		<	1.6		<	0.04	
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	NA			< 0.0085	UJ	<	0.0074	UJ	<	0.1		<	0.11		<	0.32		<	0.0081	
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	NA			< 0.0089	UJ	<	0.0078	UJ	<	0.11		<	0.11		<	0.33		<	0.0085	
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	NA			< 0.043	UJ	<	0.037	UJ	<	0.53		<	0.54		<	1.6		<	0.041	
Hexachloroethane	mg/kg	8270	1.8	2	0.004	NA			< 0.029	UJ	<	0.025	UJ	<	0.35		<	0.36		<	1.1		<	0.027	
Isophorone	mg/kg	8270	570	570	0.52	NA			< 0.03	UJ	<	0.026	UJ	<	0.37		<	0.38		<	1.1		<	0.029	
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	NA			< 0.033	UJ	<	0.029	UJ	<	0.41		<	0.41		<	1.2		<	0.032	
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	NA			< 0.0093	UJ	<	0.0081	UJ	<	0.11		<	0.12		<	0.35		<	0.009	
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	NA			< 0.037	UJ	<	0.032	UJ	<	0.45		<	0.46		<	1.4		<	0.035	
Pentachlorophenol	mg/kg	8270	1	1	0.028	NA			< 0.036	UJ	<	0.031	UJ	<	0.44		<	0.44		<	1.3		<	0.034	
Phenol	mg/kg	8270	1900	19000	6.6	NA			< 0.0094	UJ	<	0.0082	UJ	<	0.12		<	0.12		<	0.35		<	0.009	
Polychlorinated Biphenyls																									
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0061			< 0.003		<	0.0026		<	0.0036		<	0.0037		<	0.0028		<	0.0029	
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.012			< 0.0038		<	0.0033		<	0.0047		<	0.0047		<	0.0035		<	0.0037	
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.011			< 0.0034		<	0.003		<	0.0042		<	0.0042		<	0.0032		<	0.0033	
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.011			< 0.0032		<	0.0028		<	0.004		<	0.004		<	0.003		<	0.0031	
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.015			< 0.0019		<	0.0017		<	0.0023		<	0.0023		<	0.0017		<	0.0018	
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.013			< 0.0028		<	0.0025		<	0.0035		<	0.0035		<	0.0026		<	0.0027	
PCB-1260	mg/kg	8082	0.24	0.33	0.11	***4.3***	J+	<	0.0028			0.0033	J	<	0.0035			***0.63***		<	0.0026			0.027	
Inorganics																									
Aluminum	mg/kg	6020	7700	77000	60000	NA			6400	J		5000	J		9300	K		13000	K		27000	K		11000	K
Antimony	mg/kg	6020	3.1	31	5.4	NA			0.17	J	<	0.027	UJ		3.5			3.4			0.13	J		0.28	J
Arsenic	mg/kg	6020	0.68	0.43	5.8	NA			2.1	K		1	K		***17***	L		***15***	L		1.6	L		2.6	L
Barium	mg/kg	6020	1500	15000	1640	NA			74	J		47	J		120			130			240			68	
Beryllium	mg/kg	6020	16	160	64	NA			0.61	J		0.4	J		1.2	J		2.1			5.4			0.87	J
Cadmium	mg/kg	6020	7.1	37	7.6	NA			0.13	J		0.6	J		7.4			***8***			0.98	J		2.1	
Calcium	mg/kg	6020	- -	- -	- -	NA			3500	J		190000	J		48000			63000			160000			160000	
Chromium [1]	mg/kg	6020	12000	120000	3600000	NA			11	J		480	J		240			210			36			760	
Cobalt	mg/kg	6020	2.3	23	0.54	NA			***55***	J		***50***	J		***8.7***			***11***			***1.2***			***2.2***	
Copper	mg/kg	6020	310	3100	920	NA			16	J		16	J		160			180			13			20	
Iron	mg/kg	6020	5500	55000	700	NA			***24000***	J		***170000***	J		***180000***			***230000***			***22000***			***160000***	
Lead	mg/kg	6020	400	400	280	NA			12	J		7	J		***830***			***680***			64			17	
Magnesium	mg/kg	6020	- -	- -	- -	NA			1800	J		22000	J		9600			14000			46000			41000	
Manganese [1]	mg/kg	6020	180	3500	56	NA			***520***	J		***28000***	J		***5200***			***5000***			***2200***			***21000***	
Mercury	mg/kg	7471	1.1	3.1	2	NA			0.07	J		0.029	B		0.58	L		0.81	L		0.023	L		0.03	L
Nickel	mg/kg	6020	150	1500	52	NA			14	K		3.4	K		***59***	K		***64***	K		6	K		11	K
Potassium	mg/kg	6020	- -	- -	- -	NA			710	J		120	J		580			660			1100			260	
Selenium	mg/kg	6020	39	390	5.2	NA			0.36	J	<	0.53	UJ	<	0.74		<	0.75		<	0.54		<	0.58	
Silver	mg/kg	6020	39	390	1.6	NA			0.0095	B	<	0.041	UJ		0.85	J		0.94	J		0.09	J		0.3	J
Sodium	mg/kg	6020	- -	- -	- -	NA			53	J		150	J		240			270			740			210	
Thallium	mg/kg	6020	0.078	0.78	2.8	NA			0.1	B		0.088	B		0.55	J		0.73	J		0.045	J		0.025	J
Vanadium	mg/kg	6020	39	5.5	172	NA			6.6	J		***300***	J		71	L		92	L		11	L		***390***	L
Zinc	mg/kg	6020	2300	23000	740	NA			44	L		62	L		***1600***			***1800***			97			89	
Other Parameters																									
Cyanide, Total	mg/kg	9012	2.3	23	40	NA			< 0.11			0.51	J		2.4			2.4			0.89			5.6	
Percent Moisture	%	- -	- -	- -	- -	NA			16			5.2			32			33			9.9			13	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-09(0-0.3) 12/2/2013 Excavated [3]	VI-SS-09-S1 10/15/2018	VI-SS-09-S2 10/15/2018	VI-SS-09-S3 10/15/2018	VI-SS-09-S4 10/15/2018	VI-SS-09-S4 DUP 10/15/2018 Duplicate	VI-SS-09-S5 10/15/2018
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.055	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	8260	490	820	13.8	0.34	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	0.54	NA	NA	NA	NA	NA	NA
Xylenes, Total	mg/kg	8260	58	260	198	2.6	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.057	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.052	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.018	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.064	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.056	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.059	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	< 0.021	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.02	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.034	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.038	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.053	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.053	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.037	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.042	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.071	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.04	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.032	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.028	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.029	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.06	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.032	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.033	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	6100	61000	5.8	< 0.28	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	19	20	0.42	< 0.059	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.087	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.06	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.06	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.029	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.036	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.041	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	0.32	0.34	0.44	< 0.056	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	11	120	0.098	< 0.077	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	650	120	26	< 0.033	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.052	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.035	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	190	270	1.48	0.18 J	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.068	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.057	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	650	120	26	0.046 J	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	35	58	0.054	< 0.06	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	600	870	2.6	< 0.035	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.046	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.044	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.062	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.072	NA	NA	NA	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-09(0-0.3) 12/2/2013 Excavated [3]	VI-SS-09-S1 10/15/2018	VI-SS-09-S2 10/15/2018	VI-SS-09-S3 10/15/2018	VI-SS-09-S4 10/15/2018	VI-SS-09-S4 DUP 10/15/2018 Duplicate	VI-SS-09-S5 10/15/2018
Semi-Volatile Organic Compounds												
Acenaphthene	mg/kg	8270	360	4100	11	***3300***	0.18	0.18	0.074	0.17	0.46	0.24
Acenaphthylene [1]	mg/kg	8270	360	4200	11	***150***	0.35	0.11	0.2	0.21	0.13	0.89
Anthracene	mg/kg	8270	1800	23000	116	***7100***	0.87	0.41	0.48	1.3	0.66	1.3
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	***1300***	***2.4***	***0.82***	***0.89***	***1.5***	***0.97***	***5.2***
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	***730***	2.8	0.73	0.99	1.5	0.75	***6.4***
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	***880***	3.7	1.1	1.3	2	0.87	***7.5***
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	***420***	3	0.88	1.2	1.5	0.75	5.6
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	***370***	1.3	0.51	0.64	0.55	0.47	3
Chrysene	mg/kg	8270	110	16	180	***1300***	2.9	0.86	1.1	1.6	0.96	5.5
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	***110***	0.7	0.19	0.24	0.3	0.14	1.1 J
Fluoranthene	mg/kg	8270	240	2400	178	***5400***	4.9	2	1.9	4	3.9	13
Fluorene	mg/kg	8270	240	2900	10.8	***4500***	0.21	0.13	0.073	0.21	0.47	0.19
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	***380***	2.3	0.69	0.88	1.1	0.57	4.3
Naphthalene	mg/kg	8270	2	4.1	0.0076	***1100***	***0.11*** J	***0.029*** J	***0.057***	***0.069*** J	***0.032*** J	***0.077***
Phenanthrene [1]	mg/kg	8270	1800	23000	116	***12000***	1.9	1.1	0.82	2.5	3.8	2.7 J
Pyrene	mg/kg	8270	180	2300	26	***3200***	4.2	1.4	1.4	3	2.5	10
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	***610***	< 0.032	0.013 J	0.014 J	< 0.032	***0.018*** J	***0.02*** J
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 4	< 0.054	< 0.013	< 0.014	< 0.055	< 0.027	< 0.027
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 5.5	< 0.041	< 0.01	< 0.01	< 0.042	< 0.021	< 0.021
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.74	< 0.058	< 0.014	< 0.015	< 0.059	< 0.029	< 0.029
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	***22*** J	< 0.047	< 0.012	< 0.012	< 0.048	< 0.023	< 0.023
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 44	< 2	< 0.5	< 0.51	< 2.1	< 1	< 1 UR
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 3	< 0.038	< 0.0092	< 0.0095	< 0.038	< 0.019	< 0.019
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 3.8	< 0.047	< 0.011	< 0.012	< 0.047	< 0.023	< 0.023
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.77	< 0.035	< 0.0085	< 0.0087	< 0.035	< 0.017	< 0.017
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 3	< 0.035	< 0.0086	< 0.0088	< 0.036	< 0.018	< 0.017
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	***1600***	0.13 J	0.036 J	0.065	0.098 J	0.06 J	0.096
2-Methylphenol	mg/kg	8270	320	3200	1.5	***17*** J	< 0.22	< 0.053	< 0.055	< 0.22	< 0.11	< 0.11
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 17	< 0.34	< 0.084	< 0.087	< 0.35	< 0.17	< 0.17
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 4.1	< 0.043	< 0.011	< 0.011	< 0.044	< 0.022	< 0.021
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 3.9	< 0.7	< 0.17	< 0.18	< 0.71	< 0.35	< 0.35 UR
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	***29*** J	< 0.22	< 0.054	< 0.056	< 0.22	< 0.11	< 0.11
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 15	< 0.19	< 0.047	< 0.048	< 0.19	< 0.096	< 0.095
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 15	< 1.3	< 0.32	< 0.33	< 1.3	< 0.65	< 0.65
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 3.2	< 0.053	< 0.013	< 0.013	< 0.053	< 0.026	< 0.026
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 3.4	< 0.036	< 0.0087	< 0.009	< 0.036	< 0.018	< 0.018
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 3	< 0.025	< 0.0062	< 0.0063	< 0.025	< 0.013	< 0.012 UJ
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 4.1	< 0.046	< 0.011	< 0.012	< 0.046	< 0.023	< 0.023
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 15	< 0.037	< 0.009	< 0.0092	< 0.037	< 0.018	< 0.018
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 13	< 0.53	< 0.13	< 0.13	< 0.54	< 0.26	< 0.26
Acetophenone	mg/kg	8270	780	2500	1.16	< 3	< 0.041	< 0.01	< 0.01	< 0.042	< 0.02	< 0.02
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 3.6	< 0.33 UJ	< 0.081 UJ	< 0.083 UJ	< 0.34 UJ	< 0.17 UJ	< 0.16 UJ
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 5.5	< 0.094 UR	< 0.023 UR	< 0.024 UR	< 0.095 UR	< 0.047 UR	< 0.047 UR
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.8	< 0.056 UJ	< 0.014 UJ	< 0.014 UJ	< 0.057 UJ	< 0.028 UJ	< 0.028
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 2.4	< 0.036	< 0.0088	< 0.0091	< 0.037	< 0.018	< 0.018
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 0.99	< 0.027	< 0.0067	< 0.0069	< 0.028	< 0.014	< 0.014
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	< 6	2.1 J	< 0.2	< 0.2	< 0.82	< 0.4	< 0.4
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	< 5.1	< 0.52	< 0.13	< 0.13	< 0.53	< 0.26	< 0.26
Caprolactam	mg/kg	8270	3100	31000	5	< 28	< 0.49	< 0.12	< 0.12	< 0.5	< 0.25	< 0.24 UR
Carbazole [1]	mg/kg	8270	1800	23000	116	***2800***	0.31	0.14	0.15	0.21	0.12	0.47 J

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-09(0-0.3) 12/2/2013 Excavated [3]	VI-SS-09-S1 10/15/2018	VI-SS-09-S2 10/15/2018	VI-SS-09-S3 10/15/2018	VI-SS-09-S4 10/15/2018	VI-SS-09-S4 DUP 10/15/2018 Duplicate	VI-SS-09-S5 10/15/2018
Dibenzofuran	mg/kg	8270	7.8	78	0.3	***2900***	0.13 J	0.12 J	0.07 J	0.11 J	0.29 J	0.12 J
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	***16*** B	< 0.23	< 0.056	< 0.057	< 0.23	< 0.11	< 0.11
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 4	< 0.027	< 0.0067	< 0.0069	< 0.028	< 0.014	< 0.014
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 4.6	< 0.33	< 0.081	< 0.083	< 0.34	< 0.17	< 0.16
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 3.9	< 0.44	< 0.11	< 0.11	< 0.45	< 0.22	< 0.22
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.79	< 0.054	< 0.013	< 0.014	< 0.055	< 0.027	< 0.027
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.83	< 0.044	< 0.011	< 0.011	< 0.045	< 0.022	< 0.022
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 4	< 0.039	< 0.0094	< 0.0097	< 0.039	< 0.019	< 0.019
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 2.7	< 0.039	< 0.0096	< 0.0098	< 0.039	< 0.019	< 0.019
Isophorone	mg/kg	8270	570	570	0.52	< 2.8	< 0.039	< 0.0094	< 0.0097	< 0.039	< 0.019	< 0.019
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 3.1	< 0.28	< 0.068	< 0.07	< 0.28	< 0.14	< 0.14
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.87	< 0.051	< 0.013	< 0.013	< 0.052	< 0.026	< 0.025
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 3.4	< 0.25	< 0.062	< 0.063	< 0.25	< 0.13	< 0.12
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 3.3	< 1.2	< 0.3	< 0.31	< 1.2	< 0.61	< 0.6
Phenol	mg/kg	8270	1900	19000	6.6	***15***	< 0.23	< 0.056	< 0.058	< 0.23	< 0.11	< 0.11
Polychlorinated Biphenyls												
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0027	NA	NA	NA	NA	NA	NA
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0035	NA	NA	NA	NA	NA	NA
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.0031	NA	NA	NA	NA	NA	NA
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.003	NA	NA	NA	NA	NA	NA
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0017	NA	NA	NA	NA	NA	NA
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0026	NA	NA	NA	NA	NA	NA
PCB-1260	mg/kg	8082	0.24	0.33	0.11	< 0.0026	NA	NA	NA	NA	NA	NA
Inorganics												
Aluminum	mg/kg	6020	7700	77000	60000	1200 K	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	3.1	31	5.4	0.76 J	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	0.68	0.43	5.8	***6.9*** L	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	1500	15000	1640	19	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	16	160	64	0.15 J	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	7.1	37	7.6	1.4	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	15000	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	12000	120000	3600000	44	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	2.3	23	0.54	***4.5***	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	310	3100	920	40	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	5500	55000	700	***49000***	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	400	400	280	72	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	1900	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	180	3500	56	***710***	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	1.1	3.1	2	***2.8*** L	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	150	1500	52	22 K	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	220	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	39	390	5.2	< 0.54	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	39	390	1.6	< 0.042	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	200	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	0.078	0.78	2.8	0.76 J	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	39	5.5	172	7.4 L	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	2300	23000	740	180	NA	NA	NA	NA	NA	NA
Other Parameters												
Cyanide, Total	mg/kg	9012	2.3	23	40	2	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	9.9	NA	NA	NA	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]											
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-10 10/07/2013		VI-SS-11 10/07/2013		VI-SS-12 10/07/2013		VII-SB-119 (1-2') 12/08/2017		VII-SS-01(0-0.6) 12/2/2013		VII-SS-02(0-0.5) 12/2/2013		VII-SS-03(0-0.5) 12/2/2013	
Volatile Organic Compounds																			
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.00078		< 0.00077		< 0.00077		< 0.012		< 0.00078		< 0.057		< 0.00076	
Toluene	mg/kg	8260	490	820	13.8	< 0.00085		0.0033	J	< 0.00084		< 0.01		< 0.00084		0.2	J	< 0.00082	
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.00075		0.0035	J	< 0.00074		< 0.013		< 0.00074		0.23	J	< 0.00072	
Xylenes, Total	mg/kg	8260	58	260	198	< 0.0026		0.034		< 0.0026		< 0.026		< 0.0026		1.7		0.0038	J
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	NA		NA		NA		< 0.015		< 0.00056		< 0.059		< 0.00055	
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	NA		NA		NA		< 0.018		< 0.00083		< 0.054		< 0.00081	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	NA		NA		NA		< 0.012		< 0.0012		< 0.019		< 0.0012	
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	NA		NA		NA		< 0.015		< 0.00096		< 0.067		< 0.00094	
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	NA		NA		NA		< 0.011		< 0.00066		< 0.058		< 0.00065	
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	NA		NA		NA		< 0.017		< 0.00098		< 0.061		< 0.00096	
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	NA		NA		NA		< 0.0097		< 0.001		< 0.022		< 0.00099	
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	NA		NA		NA		< 0.019		< 0.00086		< 0.02		< 0.00084	
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	NA		NA		NA		< 0.016		< 0.001		< 0.035		< 0.00097	
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	NA		NA		NA		< 0.024		< 0.00092		< 0.039		< 0.0009	
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	NA		NA		NA		< 0.0088		< 0.00071		< 0.055		< 0.00069	
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA		NA		NA		NA		< 0.0015		< 0.055		< 0.0014	
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	NA		NA		NA		< 0.0095		< 0.00081		< 0.038		< 0.00079	
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	NA		NA		NA		< 0.015		< 0.00069		< 0.043		< 0.00067	
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	NA		NA		NA		< 0.015		< 0.00063		< 0.073		< 0.00061	
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	NA		NA		NA		< 0.0096		< 0.00078		< 0.042		< 0.00076	
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	NA		NA		NA		< 0.01		< 0.00069		< 0.034		< 0.00067	
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	NA		NA		NA		< 0.0096		< 0.00076		< 0.029		< 0.00074	
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	NA		NA		NA		< 0.0062		< 0.00073		< 0.03		< 0.00072	
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	NA		NA		NA		< 0.017		< 0.001		< 0.062		< 0.00099	
2-Hexanone	mg/kg	8260	20	- -	0.0176	NA		NA		NA		< 0.025		< 0.0008		< 0.033		< 0.00078	
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	NA		NA		NA		< 0.011		< 0.00075		< 0.034		< 0.00074	
Acetone	mg/kg	8260	6100	61000	5.8	NA		NA		NA		< 0.019		< 0.0058		< 0.29		< 0.0056	
Bromoform	mg/kg	8260	19	20	0.42	NA		NA		NA		< 0.016		< 0.00051		< 0.061		< 0.0005	
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	NA		NA		NA		< 0.027		< 0.00085	R	< 0.091	R	< 0.00083	R
Carbon disulfide	mg/kg	8260	77	740	0.48	NA		NA		NA		< 0.018		< 0.00059		< 0.062		< 0.00058	
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	NA		NA		NA		< 0.02		< 0.00052		< 0.062		< 0.0005	
Chlorobenzene	mg/kg	8260	28	290	1.36	NA		NA		NA		< 0.0095		< 0.00087		< 0.03		< 0.00085	
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	NA		NA		NA		< 0.015		< 0.00082		< 0.037		< 0.0008	
Chloroethane	mg/kg	8260	1400	2100	11.8	NA		NA		NA		< 0.016		< 0.0018		< 0.043		< 0.0017	
Chloroform	mg/kg	8260	0.32	0.34	0.44	NA		NA		NA		< 0.013		0.00091	B	< 0.058		< 0.00066	
Chloromethane	mg/kg	8260	11	120	0.098	NA		NA		NA		< 0.023		< 0.00098		< 0.08		< 0.00096	
Cyclohexane	mg/kg	8260	650	120	26	NA		NA		NA		< 0.0074		< 0.00043		< 0.034		< 0.00042	
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	NA		NA		NA		< 0.014		< 0.00065		< 0.054		< 0.00063	
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	NA		NA		NA		< 0.018		< 0.00077		< 0.037		< 0.00075	
Isopropylbenzene	mg/kg	8260	190	270	1.48	NA		NA		NA		< 0.014		< 0.00078		< 0.031		< 0.00077	
Methyl acetate	mg/kg	8260	7800	23000	8.2	NA		NA		NA		< 0.036		< 0.001		< 0.071		< 0.001	
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	NA		NA		NA		< 0.022		< 0.00086		< 0.059		< 0.00084	
Methylcyclohexane [1]	mg/kg	8260	650	120	26	NA		NA		NA		< 0.013		< 0.00084		0.06	J	< 0.00082	
Methylene Chloride	mg/kg	8260	35	58	0.054	NA		NA		NA		< 0.014		0.0043	B	< 0.063		0.0033	B
Styrene	mg/kg	8260	600	870	2.6	NA		NA		NA		< 0.008		< 0.00081		< 0.037		< 0.0008	
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	NA		NA		NA		< 0.012		< 0.00079		< 0.047		< 0.00077	
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	NA		NA		NA		< 0.0091		< 0.00076		< 0.046		< 0.00074	
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	NA		NA		NA		< 0.0088		< 0.0011		< 0.064		< 0.001	
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	NA		NA		NA		< 0.022		< 0.00054		< 0.074		< 0.00053	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-10 10/07/2013	VI-SS-11 10/07/2013	VI-SS-12 10/07/2013	VII-SB-119 (1-2') 12/08/2017	VII-SS-01(0-0.6) 12/2/2013	VII-SS-02(0-0.5) 12/2/2013	VII-SS-03(0-0.5) 12/2/2013
Semi-Volatile Organic Compounds												
Acenaphthene	mg/kg	8270	360	4100	11	0.0083 J	< 0.015 UJ	< 0.018 UJ	NA	< 0.073	2.6	< 0.29
Acenaphthylene [1]	mg/kg	8270	360	4200	11	0.021 J	< 0.017 UJ	< 0.022 UJ	NA	0.27 J	< 0.22	< 0.34
Anthracene	mg/kg	8270	1800	23000	116	0.033 J	0.2 J	0.2 J	NA	< 0.075	2.4	< 0.29
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	0.099 J	***0.47*** J	***0.58*** J	NA	***2.3***	***19***	***16***
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	0.13 J	0.59 J	0.62 J	NA	3.5	***14***	***15***
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	0.16 J	1.1 J	0.78 J	NA	1.7	***8.1***	***8.1***
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	0.24 J	0.64 J	0.65 J	NA	2	6.5	7.5
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	0.12 J	0.26 J	0.31 J	NA	< 0.15	< 0.39	1 J
Chrysene	mg/kg	8270	110	16	180	0.13 J	0.92 J	0.85 J	NA	5.7	37	38
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	0.036 J	0.13 J	0.16 J	NA	0.73 J	***3.1***	***3.6***
Fluoranthene	mg/kg	8270	240	2400	178	0.17 J	1.4 J	1.6 J	NA	0.46 J	4.8	2 J
Fluorene	mg/kg	8270	240	2900	10.8	0.0079 J	0.7 J	0.39 J	NA	0.24 J	3	< 0.39
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	0.15 J	0.54 J	0.54 J	NA	0.55 J	2.1	2.9 J
Naphthalene	mg/kg	8270	2	4.1	0.0076	***0.031*** J	< 0.013 UJ	< 0.016 UJ	NA	< 0.066	***3.2***	< 0.26
Phenanthrene [1]	mg/kg	8270	1800	23000	116	0.073 J	1 J	1.2 J	NA	0.29 J	19	1.9 J
Pyrene	mg/kg	8270	180	2300	26	0.14 J	1.4 J	1.4 J	NA	5.7	***33***	26
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	NA	NA	NA	NA	< 0.34	< 0.86	< 1.3
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	NA	NA	NA	NA	< 0.41	< 1	< 1.6
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	NA	NA	NA	NA	< 0.57	< 1.4	< 2.2
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	NA	NA	NA	NA	< 0.077	< 0.19	< 0.3
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	NA	NA	NA	NA	< 0.6	< 1.5	< 2.3
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	NA	NA	NA	NA	< 4.6	< 11	< 18
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	NA	NA	NA	NA	< 0.31	< 0.78	< 1.2
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	NA	NA	NA	NA	< 0.39	< 0.99	< 1.5
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	NA	NA	NA	NA	< 0.08	< 0.2	< 0.31
2-Chlorophenol	mg/kg	8270	39	340	0.178	NA	NA	NA	NA	< 0.31	< 0.79	< 1.2
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	NA	NA	NA	NA	< 0.069	***21***	0.3 J
2-Methylphenol	mg/kg	8270	320	3200	1.5	NA	NA	NA	NA	< 0.27	< 0.67	< 1
2-Nitroaniline	mg/kg	8270	63	630	0.16	NA	NA	NA	NA	< 1.7	< 4.3	< 6.7
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	< 0.42	< 1.1	< 1.6
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	NA	NA	NA	NA	< 0.4	< 1	< 1.6
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	NA	NA	NA	NA	< 0.37	< 0.94	< 1.5
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	< 1.6	< 4	< 6.2
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	NA	NA	NA	NA	< 1.5	< 3.9	< 6
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	< 0.33	< 0.84	< 1.3
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	NA	NA	NA	NA	< 0.35	< 0.88	< 1.4
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	NA	NA	NA	NA	< 0.31	< 0.77	< 1.2
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	< 0.43	< 1.1	< 1.7
4-Nitroaniline	mg/kg	8270	25	- -	0.032	NA	NA	NA	NA	< 1.5	< 3.9	< 6.1
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	< 1.4	< 3.5	< 5.5
Acetophenone	mg/kg	8270	780	2500	1.16	NA	NA	NA	NA	< 0.31	< 0.79	< 1.2
Atrazine	mg/kg	8270	2.4	2.4	0.038	NA	NA	NA	NA	< 0.37	< 0.93	< 1.5
Benzaldehyde	mg/kg	8270	170	1200	0.082	NA	NA	NA	NA	< 0.57	< 1.4	< 2.2
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	NA	NA	NA	NA	< 0.083	< 0.21	< 0.32
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	NA	NA	NA	NA	< 0.25	< 0.63	< 0.98
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	NA	NA	NA	NA	< 0.1	< 0.26	< 0.4
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	NA	NA	NA	NA	< 0.62	< 1.6	< 2.4
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	NA	NA	NA	NA	< 0.52	< 1.3	< 2
Caprolactam	mg/kg	8270	3100	31000	5	NA	NA	NA	NA	< 2.9	< 7.2	< 11
Carbazole [1]	mg/kg	8270	1800	23000	116	NA	NA	NA	NA	< 0.07	< 0.18	< 0.28

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VI-SS-10 10/07/2013	VI-SS-11 10/07/2013	VI-SS-12 10/07/2013	VII-SB-119 (1-2') 12/08/2017	VII-SS-01(0-0.6) 12/2/2013	VII-SS-02(0-0.5) 12/2/2013	VII-SS-03(0-0.5) 12/2/2013
Dibenzofuran	mg/kg	8270	7.8	78	0.3	NA	NA	NA	NA	< 0.38	< 0.94	< 1.5
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	NA	NA	NA	NA	0.78 B	1.2 B	1.8 B
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	< 0.42	< 1	< 1.6
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	NA	NA	NA	NA	< 0.48	< 1.2	< 1.9
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	NA	NA	NA	NA	< 0.4	< 1	< 1.6
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	NA	NA	NA	NA	< 0.081	< 0.2	< 0.32
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	NA	NA	NA	NA	< 0.086	< 0.21	< 0.33
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	NA	NA	NA	NA	< 0.41	< 1	< 1.6
Hexachloroethane	mg/kg	8270	1.8	2	0.004	NA	NA	NA	NA	< 0.27	< 0.69	< 1.1
Isophorone	mg/kg	8270	570	570	0.52	NA	NA	NA	NA	< 0.29	< 0.72	< 1.1
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	NA	NA	NA	NA	< 0.32	< 0.8	< 1.2
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	NA	NA	NA	NA	< 0.09	< 0.23	< 0.35
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	NA	NA	NA	NA	< 0.35	< 0.89	< 1.4
Pentachlorophenol	mg/kg	8270	1	1	0.028	NA	NA	NA	NA	< 0.34	< 0.86	< 1.3
Phenol	mg/kg	8270	1900	19000	6.6	NA	NA	NA	NA	< 0.09	< 0.23	< 0.35
Polychlorinated Biphenyls												
PCB-1016	mg/kg	8082	0.41	5.5	0.26	NA	NA	NA	NA	< 0.0029	< 0.0029	< 0.0028
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	NA	NA	NA	NA	< 0.0037	< 0.0037	< 0.0036
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	NA	NA	NA	NA	< 0.0033	< 0.0033	< 0.0032
PCB-1242	mg/kg	8082	0.23	0.31	0.024	NA	NA	NA	NA	< 0.0031	< 0.0031	< 0.0031
PCB-1248	mg/kg	8082	0.23	0.31	0.024	NA	NA	NA	NA	< 0.0018	< 0.0018	< 0.0018
PCB-1254	mg/kg	8082	0.12	0.32	0.04	NA	NA	NA	NA	< 0.0027	< 0.0027	< 0.0027
PCB-1260	mg/kg	8082	0.24	0.33	0.11	NA	NA	NA	NA	0.0083 J	< 0.0027	< 0.0027
Inorganics												
Aluminum	mg/kg	6020	7700	77000	60000	NA	NA	NA	NA	19000 K	11000 K	13000 K
Antimony	mg/kg	6020	3.1	31	5.4	NA	NA	NA	NA	0.53 J	0.087 J	0.36 J
Arsenic	mg/kg	6020	0.68	0.43	5.8	NA	NA	NA	NA	1.1 L	1.1 L	1.3 L
Barium	mg/kg	6020	1500	15000	1640	NA	NA	NA	NA	100	65	60
Beryllium	mg/kg	6020	16	160	64	NA	NA	NA	NA	1.2	0.72 J	0.56 J
Cadmium	mg/kg	6020	7.1	37	7.6	NA	NA	NA	NA	0.47 J	1.1	0.71 J
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	170000	180000	150000
Chromium [1]	mg/kg	6020	12000	120000	3600000	NA	NA	NA	NA	1000	1200	1100
Cobalt	mg/kg	6020	2.3	23	0.54	NA	NA	NA	NA	***3.3***	***1.1***	***2.6***
Copper	mg/kg	6020	310	3100	920	NA	NA	NA	NA	40	16	21 B
Iron	mg/kg	6020	5500	55000	700	NA	NA	NA	NA	***180000***	***150000***	***180000***
Lead	mg/kg	6020	400	400	280	NA	NA	NA	NA	56	32	130
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	47000	47000	43000
Manganese [1]	mg/kg	6020	180	3500	56	NA	NA	NA	NA	***22000***	***27000***	***22000***
Mercury	mg/kg	7471	1.1	3.1	2	NA	NA	NA	NA	< 0.011 UL	< 0.013 UL	0.019 L
Nickel	mg/kg	6020	150	1500	52	NA	NA	NA	NA	15 K	4.5 K	7.8 K
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	350	160	150
Selenium	mg/kg	6020	39	390	5.2	NA	NA	NA	NA	< 0.58	< 0.56	< 0.56
Silver	mg/kg	6020	39	390	1.6	NA	NA	NA	NA	0.19 J	0.14 J	0.073 J
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	310	190	180
Thallium	mg/kg	6020	0.078	0.78	2.8	NA	NA	NA	NA	< 0.023	< 0.022	< 0.022
Vanadium	mg/kg	6020	39	5.5	172	NA	NA	NA	NA	***570*** L	***560*** L	***390*** L
Zinc	mg/kg	6020	2300	23000	740	NA	NA	NA	NA	70	37	99
Other Parameters												
Cyanide, Total	mg/kg	9012	2.3	23	40	NA	NA	NA	NA	2.5	1.5	1.7
Percent Moisture	%	- -	- -	- -	- -	14	12	13	NA	13	13	11

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-04(0-0.4) 12/2/2013	VII-SS-05(0-0.3) 12/2/2013	VII-SS-06(0-0.4) 12/2/2013	VII-SS-07(0-0.7) 11/25/2013	VII-SS-08(0-0.5) 11/26/2013	VII-SS-09(0-0.5) 11/26/2013	VII-SS-10(0-0.5) 11/26/2013
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.00077	< 0.00083	< 0.00077	< 0.00076	< 0.00076	< 0.00077	< 0.00079
Toluene	mg/kg	8260	490	820	13.8	< 0.00083	0.0015 J	< 0.00083	< 0.00082	0.00088 J	0.0011 J	< 0.00086
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.00074	< 0.00079	< 0.00073	< 0.00072	< 0.00072	< 0.00074	< 0.00075
Xylenes, Total	mg/kg	8260	58	260	198	< 0.0026	< 0.0028	< 0.0025	< 0.0025	< 0.0025	< 0.0026	< 0.0026
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.00056	< 0.0006	< 0.00055	< 0.00055	< 0.00054	< 0.00056	< 0.00057
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.00082	< 0.00088	< 0.00082	< 0.00081	< 0.0008	< 0.00082	< 0.00084
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.0012	< 0.0013	< 0.0012	< 0.0012	< 0.0012	< 0.0012	< 0.0013
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.00095	< 0.001	< 0.00094	< 0.00093	< 0.00093	< 0.00095	< 0.00097
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.00066	< 0.00071	< 0.00065	< 0.00065	< 0.00064	< 0.00066	< 0.00067
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.00097	< 0.001	< 0.00096	< 0.00095	< 0.00095	< 0.00097	< 0.00099
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	< 0.001	< 0.0011	< 0.001	< 0.00099	< 0.00099	< 0.001	< 0.001
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.00086	< 0.00092	< 0.00085	< 0.00084	< 0.00084	< 0.00086	< 0.00088
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.00099	< 0.0011	< 0.00098	< 0.00097	< 0.00097	< 0.00099	< 0.001
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.00091	< 0.00098	< 0.0009	< 0.0009	< 0.00089	< 0.00091	< 0.00093
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.0007	< 0.00075	< 0.0007	< 0.00069	< 0.00069	< 0.0007	< 0.00072
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0015	< 0.0016	< 0.0015	0.0017 J	0.0022 J	0.0044 J	< 0.0015
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.0008	< 0.00087	< 0.0008	< 0.00079	< 0.00079	< 0.00081	< 0.00082
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.00068	< 0.00073	< 0.00068	0.0017 J	0.0022 J	0.0044 J	0.0014 J
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.00062	< 0.00067	< 0.00062	< 0.00061	< 0.00061	< 0.00062	< 0.00064
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00078	< 0.00083	< 0.00077	< 0.00076	< 0.00076	< 0.00078	< 0.00079
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00068	< 0.00074	< 0.00068	< 0.00067	< 0.00067	< 0.00068	< 0.0007
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.00075	< 0.00081	< 0.00074	< 0.00074	< 0.00073	< 0.00075	< 0.00077
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.00073	< 0.00078	< 0.00072	< 0.00072	< 0.00071	< 0.00073	< 0.00075
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.001	< 0.0011	< 0.001	< 0.00099	< 0.00099	< 0.001	< 0.001
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.00079	< 0.00085	< 0.00078	< 0.00078	< 0.00077	< 0.00079	< 0.00081
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.00075	< 0.0008	< 0.00074	< 0.00073	< 0.00073	< 0.00075	< 0.00076
Acetone	mg/kg	8260	6100	61000	5.8	< 0.0057	< 0.0062	< 0.0057	0.0078 J	0.006 J	0.0095 J	< 0.0059
Bromoform	mg/kg	8260	19	20	0.42	< 0.00051	< 0.00054	< 0.0005	< 0.0005	< 0.00049	< 0.00051	< 0.00052
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.00085 R	< 0.00091 R	< 0.00084 R	< 0.00083 R	< 0.00083 R	< 0.00085 R	< 0.00087 R
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.00059	< 0.00063	< 0.00058	< 0.00058	< 0.00057	< 0.00059	< 0.0006
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.00051	< 0.00055	< 0.00051	< 0.0005	< 0.0005	< 0.00051	< 0.00052
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.00087	< 0.00093	< 0.00086	< 0.00085	< 0.00085	< 0.00087	< 0.00089
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.00081	< 0.00087	< 0.00081	< 0.0008	< 0.00079	< 0.00081	< 0.00083
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.0018	< 0.0019	< 0.0018	< 0.0017	< 0.0017	< 0.0018	< 0.0018
Chloroform	mg/kg	8260	0.32	0.34	0.44	0.00086 B	< 0.00072	0.00074 B	< 0.00066	< 0.00065	0.00071 B	< 0.00069
Chloromethane	mg/kg	8260	11	120	0.098	< 0.00097	< 0.001	< 0.00097	< 0.00096	< 0.00095	< 0.00098	< 0.001
Cyclohexane	mg/kg	8260	650	120	26	< 0.00042	< 0.00046	< 0.00042	< 0.00042	< 0.00042	< 0.00043	< 0.00044
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.00064	< 0.00069	< 0.00064	< 0.00063	< 0.00063	< 0.00064	< 0.00066
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.00076	< 0.00082	< 0.00076	< 0.00075	< 0.00074	< 0.00076	< 0.00078
Isopropylbenzene	mg/kg	8260	190	270	1.48	< 0.00078	< 0.00084	< 0.00077	< 0.00076	< 0.00076	< 0.00078	< 0.0008
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.001	< 0.0011	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0011
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.00086	< 0.00092	< 0.00085	< 0.00084	< 0.00084	< 0.00086	< 0.00088
Methylcyclohexane [1]	mg/kg	8260	650	120	26	< 0.00083	< 0.00089	< 0.00082	< 0.00081	< 0.00081	< 0.00083	< 0.00085
Methylene Chloride	mg/kg	8260	35	58	0.054	0.0053 B	0.0048 B	0.0034 B	0.0031 B	0.0034 B	0.0053 B	0.0036 B
Styrene	mg/kg	8260	600	870	2.6	< 0.00081	< 0.00087	< 0.0008	< 0.00079	< 0.00079	< 0.00081	< 0.00083
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.00078	< 0.00084	< 0.00077	< 0.00076	< 0.00076	< 0.00078	< 0.0008
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.00075	< 0.00081	< 0.00075	< 0.00074	< 0.00074	< 0.00075	< 0.00077
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.0011	< 0.0011	< 0.001	< 0.001	< 0.001	< 0.0011	< 0.0011
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.00054	< 0.00058	< 0.00053	< 0.00053	< 0.00053	< 0.00054	< 0.00055

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-04(0-0.4) 12/2/2013		VII-SS-05(0-0.3) 12/2/2013		VII-SS-06(0-0.4) 12/2/2013		VII-SS-07(0-0.7) 11/25/2013		VII-SS-08(0-0.5) 11/26/2013		VII-SS-09(0-0.5) 11/26/2013		VII-SS-10(0-0.5) 11/26/2013	
Semi-Volatile Organic Compounds																							
Acenaphthene	mg/kg	8270	360	4100	11	< 0.73		1.7	J	< 0.73		< 0.0072	UJ	< 0.036	UJ	< 0.22	UJ	< 0.037	UJ				
Acenaphthylene [1]	mg/kg	8270	360	4200	11	< 0.87		< 0.47		< 0.87		< 0.0086	UJ	< 0.043	UJ	< 0.26	UJ	< 0.045	UJ				
Anthracene	mg/kg	8270	1800	23000	116	0.87	J	1.1	J	< 0.74		0.015	J	< 0.037	UJ	< 0.22	UJ	< 0.038	UJ				
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	***6.1***	J	***8.9***		< 0.95		0.052	J	0.12	J	***0.51***	J	0.13	J				
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	4.8	J	***5.8***		< 0.76		0.076	J	< 0.037	UJ	< 0.23	UJ	0.1	J				
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	4.3	J	3.5	J	< 1.2		0.1	J	< 0.059	UJ	< 0.36	UJ	0.12	J				
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	4.6	J	3.3	J	< 0.75		0.089	J	< 0.037	UJ	< 0.23	UJ	< 0.039	UJ				
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	< 1.5		< 0.83		< 1.5		0.051	J	< 0.075	UJ	< 0.46	UJ	< 0.079	UJ				
Chrysene	mg/kg	8270	110	16	180	22		23		< 0.9		0.091	J	0.17	J	0.42	J	0.1	J				
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	***2.5***	J	1.6	J	< 0.84		0.02	J	< 0.042	UJ	< 0.25	UJ	< 0.043	UJ				
Fluoranthene	mg/kg	8270	240	2400	178	4.7	J	2.6	J	< 0.81		0.084	J	0.16	J	< 0.25	UJ	0.15	J				
Fluorene	mg/kg	8270	240	2900	10.8	1.1	J	2	J	< 1		< 0.0099	UJ	< 0.049	UJ	< 0.3	UJ	< 0.051	UJ				
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	1.7	J	1.5	J	< 0.78		0.07	J	< 0.038	UJ	< 0.24	UJ	0.08	J				
Naphthalene	mg/kg	8270	2	4.1	0.0076	< 0.65		< 0.35		< 0.65		< 0.0065	UJ	< 0.032	UJ	< 0.2	UJ	< 0.034	UJ				
Phenanthrene [1]	mg/kg	8270	1800	23000	116	3.3	J	12		< 1.2		0.048	J	< 0.059	UJ	< 0.36	UJ	< 0.062	UJ				
Pyrene	mg/kg	8270	180	2300	26	26		18		< 0.77		0.077	J	0.21	J	< 0.23	UJ	0.12	J				
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	< 3.4		< 1.8		< 3.4		< 0.033	UJ	< 0.17	UJ	< 1	UJ	< 0.17	UJ				
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 4		< 2.2		< 4		< 0.04	UJ	< 0.2	UJ	< 1.2	UJ	< 0.21	UJ				
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 5.7		< 3.1		< 5.7		< 0.056	UJ	< 0.28	UJ	< 1.7	UJ	< 0.29	UJ				
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.76		< 0.41		< 0.76		< 0.0075	UJ	< 0.037	UJ	< 0.23	UJ	< 0.039	UJ				
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	< 5.9		< 3.2		< 5.9		< 0.059	UJ	< 0.29	UJ	< 1.8	UJ	< 0.3	UJ				
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 45		< 24		< 45		< 0.45	UJ	< 2.2	UJ	< 14	UJ	< 2.3	UJ				
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 3.1		< 1.7		< 3.1		< 0.03	UJ	< 0.15	UJ	< 0.93	UJ	< 0.16	UJ				
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 3.9		< 2.1		< 3.9		< 0.039	UJ	< 0.19	UJ	< 1.2	UJ	< 0.2	UJ				
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.79		< 0.43		< 0.79		< 0.0078	UJ	< 0.039	UJ	< 0.24	UJ	< 0.041	UJ				
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 3.1		< 1.7		< 3.1		< 0.031	UJ	< 0.15	UJ	< 0.94	UJ	< 0.16	UJ				
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	< 0.68		***6.2***		< 0.68		0.014	J	< 0.034	UJ	< 0.21	UJ	< 0.035	UJ				
2-Methylphenol	mg/kg	8270	320	3200	1.5	< 2.6		< 1.4		< 2.6		< 0.026	UJ	< 0.13	UJ	< 0.8	UJ	< 0.14	UJ				
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 17		< 9.2		< 17		< 0.17	UJ	< 0.84	UJ	< 5.1	UJ	< 0.87	UJ				
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 4.2		< 2.3		< 4.2		< 0.041	UJ	< 0.21	UJ	< 1.3	UJ	< 0.21	UJ				
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 4		< 2.2		< 4		< 0.04	UJ	< 0.2	UJ	< 1.2	UJ	< 0.21	UJ				
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	< 3.7		< 2		< 3.7		< 0.037	UJ	< 0.18	UJ	< 1.1	UJ	< 0.19	UJ				
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 16		< 8.5		< 16		< 0.15	UJ	< 0.77	UJ	< 4.7	UJ	< 0.8	UJ				
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 15		< 8.3		< 15		< 0.15	UJ	< 0.75	UJ	< 4.6	UJ	< 0.78	UJ				
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 3.3		< 1.8		< 3.3		< 0.033	UJ	< 0.16	UJ	< 1	UJ	< 0.17	UJ				
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 3.5		< 1.9		< 3.5		< 0.035	UJ	< 0.17	UJ	< 1.1	UJ	< 0.18	UJ				
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 3		< 1.6		< 3		< 0.03	UJ	< 0.15	UJ	< 0.92	UJ	< 0.16	UJ				
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 4.2		< 2.3		< 4.2		< 0.042	UJ	< 0.21	UJ	< 1.3	UJ	< 0.22	UJ				
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 15		< 8.3		< 15		< 0.15	UJ	< 0.76	UJ	< 4.6	UJ	< 0.79	UJ				
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 14		< 7.5		< 14		< 0.14	UJ	< 0.68	UJ	< 4.2	UJ	< 0.71	UJ				
Acetophenone	mg/kg	8270	780	2500	1.16	< 3.1		< 1.7		< 3.1		< 0.031	UJ	< 0.15	UJ	< 0.94	UJ	< 0.16	UJ				
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 3.7		< 2		< 3.7		< 0.037	UJ	< 0.18	UJ	< 1.1	UJ	< 0.19	UJ				
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 5.7		< 3.1		< 5.7		< 0.056	UJ	< 0.28	UJ	< 1.7	UJ	< 0.29	UJ				
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.82		< 0.44		< 0.82		< 0.0081	UJ	< 0.04	UJ	< 0.25	UJ	< 0.042	UJ				
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 2.5		< 1.4		< 2.5		< 0.025	UJ	< 0.12	UJ	< 0.75	UJ	< 0.13	UJ				
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 1		< 0.55		< 1		< 0.01	UJ	< 0.05	UJ	< 0.31	UJ	< 0.052	UJ				
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	< 6.1		4.6	J	< 6.1		< 0.061	UJ	< 0.3	UJ	< 1.9	UJ	< 0.31	UJ				
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	< 5.2		< 2.8		< 5.2		< 0.051	UJ	< 0.26	UJ	< 1.6	UJ	< 0.27	UJ				
Caprolactam	mg/kg	8270	3100	31000	5	< 29		< 15		< 29		< 0.28	UJ	< 1.4	UJ	< 8.7	UJ	< 1.5	UJ				
Carbazole [1]	mg/kg	8270	1800	23000	116	< 0.7		< 0.38		< 0.7		< 0.0069	UJ	< 0.034	UJ	< 0.21	UJ	< 0.036	UJ				

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-04(0-0.4) 12/2/2013			VII-SS-05(0-0.3) 12/2/2013			VII-SS-06(0-0.4) 12/2/2013			VII-SS-07(0-0.7) 11/25/2013			VII-SS-08(0-0.5) 11/26/2013			VII-SS-09(0-0.5) 11/26/2013			VII-SS-10(0-0.5) 11/26/2013		
Dibenzofuran	mg/kg	8270	7.8	78	0.3	<	3.7		<	2		<	3.7		<	0.037	UJ	<	0.18	UJ	<	1.1	UJ	<	0.19	UJ
Diethyl phthalate	mg/kg	8270	5100	51000	12.2		11	B		9.6	B		***14***	B		0.048	B	<	0.2	UJ		1.3	B		0.3	B
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	<	4.1		<	2.2		<	4.1		<	0.041	UJ	<	0.2	UJ	<	1.2	UJ	<	0.21	UJ
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	<	4.8		<	2.6		<	4.7		<	0.047	UJ	<	0.23	UJ	<	1.4	UJ	<	0.24	UJ
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	<	4		<	2.2		<	4		<	0.04	UJ	<	0.2	UJ	<	1.2	UJ	<	0.2	UJ
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	<	0.81		<	0.44		<	0.81		<	0.008	UJ	<	0.04	UJ	<	0.24	UJ	<	0.041	UJ
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	<	0.85		<	0.46		<	0.85		<	0.0084	UJ	<	0.042	UJ	<	0.26	UJ	<	0.044	UJ
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	<	4.1		<	2.2		<	4.1		<	0.04	UJ	<	0.2	UJ	<	1.2	UJ	<	0.21	UJ
Hexachloroethane	mg/kg	8270	1.8	2	0.004	<	2.7		<	1.5		<	2.7		<	0.027	UJ	<	0.13	UJ	<	0.82	UJ	<	0.14	UJ
Isophorone	mg/kg	8270	570	570	0.52	<	2.9		<	1.5		<	2.9		<	0.028	UJ	<	0.14	UJ	<	0.86	UJ	<	0.15	UJ
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	<	3.2		<	1.7		<	3.2		<	0.031	UJ	<	0.16	UJ	<	0.95	UJ	<	0.16	UJ
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	<	0.89		<	0.48		<	0.89		<	0.0088	UJ	<	0.044	UJ	<	0.27	UJ	<	0.046	UJ
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	<	3.5		<	1.9		<	3.5		<	0.035	UJ	<	0.17	UJ	<	1.1	UJ	<	0.18	UJ
Pentachlorophenol	mg/kg	8270	1	1	0.028	<	3.4		<	1.8		<	3.4		<	0.034	UJ	<	0.17	UJ	<	1	UJ	<	0.17	UJ
Phenol	mg/kg	8270	1900	19000	6.6	<	0.9		<	0.49		<	0.89		<	0.0089	UJ	<	0.044	UJ	<	0.27	UJ	<	0.046	UJ
Polychlorinated Biphenyls																									
PCB-1016	mg/kg	8082	0.41	5.5	0.26	<	0.0028	UL	<	0.003	UL	<	0.0028	UL	<	0.0028	UJ	<	0.0028	UJ	<	0.0028	UJ	<	0.0029	UJ
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	<	0.0036	UL	<	0.0039	UL	<	0.0036	UL	<	0.0036	UJ	<	0.0035	UJ	<	0.0036	UJ	<	0.0037	UJ
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	<	0.0032	UL	<	0.0035	UL	<	0.0032	UL	<	0.0032	UJ	<	0.0032	UJ	<	0.0033	UJ	<	0.0033	UJ
PCB-1242	mg/kg	8082	0.23	0.31	0.024	<	0.0031	UL	<	0.0033	UL	<	0.0031	UL	<	0.0031	UJ	<	0.003	UJ	<	0.0031	UJ	<	0.0032	UJ
PCB-1248	mg/kg	8082	0.23	0.31	0.024	<	0.0018	UL	<	0.0019	UL	<	0.0018	UL	<	0.0018	UJ	<	0.0018	UJ	<	0.0018	UJ	<	0.0018	UJ
PCB-1254	mg/kg	8082	0.12	0.32	0.04	<	0.0027	UL	<	0.0029	UL	<	0.0027	UL		***0.58***	J		0.033	J	<	0.0027	UJ	<	0.0028	UJ
PCB-1260	mg/kg	8082	0.24	0.33	0.11	<	0.0027	UL	<	0.0029	UL	<	0.0027	UL	<	0.0027	UJ	<	0.0026	UJ		0.015	J	<	0.0028	UJ
Inorganics																									
Aluminum	mg/kg	6020	7700	77000	60000		17000	K		***72000***	K		33000	K		10000	K		10000	K		9900	K		13000	K
Antimony	mg/kg	6020	3.1	31	5.4		0.78	J		0.13	J		0.076	J		0.78	L		0.61	J		1.2	J		1.4	J
Arsenic	mg/kg	6020	0.68	0.43	5.8		4.8	L		2.4	L		1	L	<	0.2	UJ		3	K		3.7	K		4.7	K
Barium	mg/kg	6020	1500	15000	1640		130			38			310			160			100	J		110			100	
Beryllium	mg/kg	6020	16	160	64		1.4			0.25	J		4.9			1.5			0.86	J		2			1.6	
Cadmium	mg/kg	6020	7.1	37	7.6		3			5.1			0.85	J		1.5	J		2.3	J		***7.8***			1.7	
Calcium	mg/kg	6020	- -	- -	- -		120000			180000			150000			130000	J		110000	J		64000			97000	
Chromium [1]	mg/kg	6020	12000	120000	3600000		610			860			58			690	J		290	J		79			400	
Cobalt	mg/kg	6020	2.3	23	0.54		***3.4***			***1.8***			***1.5***			***3.1***			***2.8***	J		***8***			***7.4***	
Copper	mg/kg	6020	310	3100	920		43			19	B		10	B		40	K		36	K		66	K		34	K
Iron	mg/kg	6020	5500	55000	700		***120000***			***130000***			***25000***			***110000***	L		***110000***	L		***71000***	L		***69000***	L
Lead	mg/kg	6020	400	400	280		210			9.8			63			39			12	J		***290***			22	
Magnesium	mg/kg	6020	- -	- -	- -		27000			30000			32000			27000			18000	J		19000			22000	
Manganese [1]	mg/kg	6020	180	3500	56		***11000***			***30000***			***3600***			***16000***			***13000***	J		***1800***			***8400***	
Mercury	mg/kg	7471	1.1	3.1	2		0.092	L	<	0.012	UL		0.016	L		0.028	J		0.029	J		***2.8***	K		0.024	J
Nickel	mg/kg	6020	150	1500	52		16	K		7.6	K		4.3	K		15			13	J		29			26	
Potassium	mg/kg	6020	- -	- -	- -		530			100	J		1700			380	L		300	L		590	L		610	L
Selenium	mg/kg	6020	39	390	5.2	<	0.55		<	0.62			2.9	J		1	B		0.88	B		1.6	B		1.5	B
Silver	mg/kg	6020	39	390	1.6		0.27	J		0.75	J	<	0.043			0.22	J		0.36	J		0.069	J		0.29	J
Sodium	mg/kg	6020	- -	- -	- -		710			370			530			1300	J		3400	J		320			360	
Thallium	mg/kg	6020	0.078	0.78	2.8		0.032	J	<	0.025		<	0.022			0.029	J		0.029	J		0.12	J		0.077	J
Vanadium	mg/kg	6020	39	5.5	172		***300***	L		***320***	L		41	L		20	L		110	L		17	L		150	L
Zinc	mg/kg	6020	2300	23000	740		510			41			56			150	K		55	K		560	K		180	K
Other Parameters																									
Cyanide, Total	mg/kg	9012	2.3	23	40		1			0.81			3.3			0.64			0.69			0.47	J		0.57	J
Percent Moisture	%	- -	- -	- -	- -		13			19			12			11			11			13			15	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-11(0-0.5) 12/2/2013	VII-SS-12(0-0.5) 11/25/2013	VII-SS-13(0-0.7) 12/2/2013	VII-SS-14(0-0.5) 11/25/2013	VII-SS-15(0-1) 12/9/2013	VII-SS-16(0-1) 11/25/2013	VII-SS-17(0-2) 11/25/2013
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.00095	< 0.00079	< 0.00083	< 0.00072	< 0.00075	< 0.00073	< 0.00077
Toluene	mg/kg	8260	490	820	13.8	< 0.001	< 0.00085	< 0.0009	< 0.00078	< 0.00081	< 0.00079	0.0011 J
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.00091	< 0.00075	< 0.00079	< 0.00069	< 0.00072	< 0.00069	< 0.00074
Xylenes, Total	mg/kg	8260	58	260	198	< 0.0032	< 0.0026	< 0.0028	< 0.0024	< 0.0025	< 0.0024	< 0.0026
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.00069	< 0.00057	< 0.0006	< 0.00052	< 0.00054	< 0.00053	< 0.00056
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.001	< 0.00084	< 0.00088	< 0.00077	< 0.0008	< 0.00078	< 0.00082
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.0015	< 0.0013	< 0.0013	< 0.0011	< 0.0012	< 0.0012	< 0.0012
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.0012	< 0.00097	< 0.001	< 0.00089	< 0.00093	< 0.0009	< 0.00095
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.00081	< 0.00067	< 0.00071	< 0.00062	< 0.00064	< 0.00062	< 0.00066
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.0012	< 0.00099	< 0.001	< 0.00091	< 0.00094	< 0.00092	< 0.00097
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	< 0.0012	< 0.001	< 0.0011	< 0.00094	< 0.00098	< 0.00095	< 0.001
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.0011	< 0.00088	< 0.00092	< 0.0008	< 0.00083	< 0.00081	< 0.00086
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.0012	< 0.001	< 0.0011	< 0.00092	< 0.00096	< 0.00093	< 0.00099
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.0011	< 0.00093	< 0.00098	< 0.00085	< 0.00089	< 0.00086	< 0.00091
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.00086	< 0.00072	< 0.00075	< 0.00066	< 0.00068	< 0.00066	< 0.0007
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0018	< 0.0015	< 0.0016	< 0.0014	< 0.0014	0.0014 J	0.0037 J
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.00099	< 0.00082	< 0.00086	< 0.00075	< 0.00078	< 0.00076	< 0.00081
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.00084	0.00084 J	< 0.00073	0.0008 J	< 0.00066	0.0014 J	0.0037 J
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.00077	< 0.00064	< 0.00067	< 0.00058	< 0.0006	< 0.00059	< 0.00062
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00096	< 0.00079	< 0.00083	< 0.00073	< 0.00075	< 0.00073	< 0.00078
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00084	< 0.0007	< 0.00074	< 0.00064	< 0.00067	< 0.00065	< 0.00069
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.00092	< 0.00077	< 0.00081	< 0.0007	< 0.00073	< 0.00071	< 0.00075
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.0009	< 0.00075	< 0.00078	< 0.00068	< 0.00071	< 0.00069	< 0.00073
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.0012	< 0.001	< 0.0011	< 0.00094	< 0.00098	< 0.00095	< 0.001
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.00097	< 0.00081	< 0.00085	< 0.00074	< 0.00077	< 0.00075	< 0.00079
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.00092	< 0.00076	< 0.0008	< 0.0007	< 0.00073	< 0.0007	< 0.00075
Acetone	mg/kg	8260	6100	61000	5.8	< 0.007	< 0.0059	< 0.0061	< 0.0054	< 0.0056	0.0062 J	0.037
Bromoform	mg/kg	8260	19	20	0.42	< 0.00062	< 0.00052	< 0.00054	< 0.00047	< 0.00049	< 0.00048	< 0.00051
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.001 R	< 0.00087 R	< 0.00091 R	< 0.00079 R	< 0.00082 R	< 0.0008 R	< 0.00085 R
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.00072	< 0.0006	< 0.00063	< 0.00055	< 0.00057	< 0.00055	< 0.00059
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.00063	< 0.00052	< 0.00055	< 0.00048	< 0.0005	< 0.00048	< 0.00051
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.0011	< 0.00089	< 0.00093	< 0.00081	< 0.00084	< 0.00082	< 0.00087
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.001	< 0.00083	< 0.00087	< 0.00076	< 0.00079	< 0.00077	< 0.00081
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.0022	< 0.0018	< 0.0019	< 0.0017	< 0.0017 R	< 0.0017	< 0.0018
Chloroform	mg/kg	8260	0.32	0.34	0.44	0.00086 B	< 0.00069	0.00072 B	< 0.00063	< 0.00065	< 0.00063	< 0.00067
Chloromethane	mg/kg	8260	11	120	0.098	< 0.0012	< 0.001	< 0.001	< 0.00091	< 0.00095	< 0.00092	< 0.00098
Cyclohexane	mg/kg	8260	650	120	26	< 0.00052	< 0.00043	< 0.00046	< 0.0004	< 0.00041	< 0.0004	< 0.00043
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.00079	< 0.00066	< 0.00069	< 0.0006	< 0.00062	< 0.00061	< 0.00064
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.00094	< 0.00078	< 0.00082	< 0.00071	< 0.00074	< 0.00072	< 0.00076
Isopropylbenzene	mg/kg	8260	190	270	1.48	< 0.00096	< 0.0008	< 0.00083	< 0.00073	< 0.00076	< 0.00073	< 0.00078
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.0013	< 0.0011	< 0.0011	< 0.00097	< 0.001	< 0.00097	< 0.001
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.0011	< 0.00088	< 0.00092	< 0.0008	< 0.00083	< 0.00081	< 0.00086
Methylcyclohexane [1]	mg/kg	8260	650	120	26	< 0.001	< 0.00085	< 0.00089	< 0.00078	< 0.00081	< 0.00078	< 0.00083
Methylene Chloride	mg/kg	8260	35	58	0.054	0.0042 B	0.003 B	0.0033 B	0.0026 B	0.0029 B	0.0032 B	0.0042 B
Styrene	mg/kg	8260	600	870	2.6	< 0.00099	< 0.00083	< 0.00087	< 0.00076	< 0.00079	< 0.00076	< 0.00081
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.00096	< 0.0008	< 0.00084	< 0.00073	< 0.00076	< 0.00073	< 0.00078
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.00093	< 0.00077	< 0.00081	< 0.0007	< 0.00073	< 0.00071	< 0.00075
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.0013	< 0.0011	< 0.0011	< 0.00098	< 0.001	< 0.00099	< 0.0011
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.00066	< 0.00055	< 0.00058	< 0.0005	< 0.00052	< 0.00051	< 0.00054

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-11(0-0.5) 12/2/2013			VII-SS-12(0-0.5) 11/25/2013			VII-SS-13(0-0.7) 12/2/2013			VII-SS-14(0-0.5) 11/25/2013			VII-SS-15(0-1) 12/9/2013			VII-SS-16(0-1) 11/25/2013			VII-SS-17(0-2) 11/25/2013		
Semi-Volatile Organic Compounds																										
Acenaphthene	mg/kg	8270	360	4100	11		0.028	J	<	0.0075	UJ	<	0.0079		<	0.034	UJ	<	0.0071	UJ	<	0.0069	UJ	<	0.037	UJ
Acenaphthylene [1]	mg/kg	8270	360	4200	11	<	0.011		<	0.009	UJ	<	0.0094		<	0.041	UJ	<	0.0085	UJ	<	0.0083	UJ	<	0.044	UJ
Anthracene	mg/kg	8270	1800	23000	116		0.054	J		0.011	J	<	0.008		<	0.035	UJ	<	0.0072	UJ	<	0.0071	UJ	<	0.037	UJ
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22		0.057	J		0.048	J		0.013	J	<	0.045	UJ		0.028	J	<	0.009	UJ	<	0.048	UJ
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8		0.043	J		0.042	J	<	0.0082		<	0.036	UJ		0.019	J	<	0.0072	UJ	<	0.038	UJ
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6		0.086	J		0.09	J	<	0.013		<	0.056	UJ		0.033	J	<	0.011	UJ	<	0.06	UJ
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26		0.062	J		0.067	J	<	0.0082		<	0.036	UJ		0.041	J	<	0.0072	UJ	<	0.038	UJ
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58		0.023	J		0.035	J	<	0.017		<	0.072	UJ	<	0.015	UJ	<	0.015	UJ	<	0.077	UJ
Chrysene	mg/kg	8270	110	16	180		0.079	J		0.086	J		0.019	J	<	0.043	UJ		0.054	J	<	0.0086	UJ	<	0.045	UJ
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	<	0.01		<	0.0087	UJ	<	0.0091		<	0.04	UJ		0.014	J	<	0.008	UJ	<	0.042	UJ
Fluoranthene	mg/kg	8270	240	2400	178		0.14			0.1	J		0.017	J	<	0.038	UJ		0.044	J	<	0.0077	UJ	<	0.041	UJ
Fluorene	mg/kg	8270	240	2900	10.8		0.038	J	<	0.01	UJ	<	0.011		<	0.047	UJ	<	0.0097	UJ	<	0.0095	UJ	<	0.05	UJ
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6		0.049	J		0.056	J	<	0.0085		<	0.037	UJ		0.024	J	<	0.0074	UJ	<	0.039	UJ
Naphthalene	mg/kg	8270	2	4.1	0.0076		***0.032***	J	<	0.0067	UJ	<	0.0071		<	0.031	UJ	<	0.0064	UJ	<	0.0062	UJ	<	0.033	UJ
Phenanthrene [1]	mg/kg	8270	1800	23000	116		0.17			0.043	J	<	0.013		<	0.057	UJ		0.017	J	<	0.011	UJ	<	0.06	UJ
Pyrene	mg/kg	8270	180	2300	26		0.099			0.09	J		0.015	J	<	0.036	UJ		0.067	J	<	0.0073	UJ	<	0.038	UJ
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	<	0.042		<	0.035	UJ	<	0.037		<	0.16	UJ	<	0.033	UJ	<	0.032	UJ	<	0.17	UJ
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	<	0.05		<	0.042	UJ	<	0.044		<	0.19	UJ	<	0.039	UJ	<	0.038	UJ	<	0.2	UJ
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	<	0.07		<	0.059	UJ	<	0.061		<	0.27	UJ	<	0.055	UJ	<	0.054	UJ	<	0.28	UJ
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	<	0.0094		<	0.0078	UJ	<	0.0082		<	0.036	UJ	<	0.0074	UJ	<	0.0072	UJ	<	0.038	UJ
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	<	0.073		<	0.061	UJ	<	0.064		<	0.28	UJ	<	0.058	UJ	<	0.056	UJ	<	0.3	UJ
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	<	0.56		<	0.47	UJ	<	0.49		<	2.1	UJ	<	0.44	UJ	<	0.43	UJ	<	2.3	UJ
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	<	0.038		<	0.032	UJ	<	0.033		<	0.14	UJ	<	0.03	UJ	<	0.029	UJ	<	0.15	UJ
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	<	0.048		<	0.04	UJ	<	0.042		<	0.18	UJ	<	0.038	UJ	<	0.037	UJ	<	0.2	UJ
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	<	0.0097		<	0.0082	UJ	<	0.0086		<	0.037	UJ	<	0.0077	UJ	<	0.0075	UJ	<	0.04	UJ
2-Chlorophenol	mg/kg	8270	39	340	0.178	<	0.038		<	0.032	UJ	<	0.034		<	0.15	UJ	<	0.03	UJ	<	0.029	UJ	<	0.16	UJ
2-Methylnaphthalene	mg/kg	8270	24	310	0.38		0.025	J	<	0.007	UJ	<	0.0074		<	0.032	UJ	<	0.0066	UJ	<	0.0065	UJ	<	0.034	UJ
2-Methylphenol	mg/kg	8270	320	3200	1.5	<	0.033		<	0.027	UJ	<	0.029		<	0.12	UJ	<	0.026	UJ	<	0.025	UJ	<	0.13	UJ
2-Nitroaniline	mg/kg	8270	63	630	0.16	<	0.21		<	0.18	UJ	<	0.18		<	0.8	UJ	<	0.17	UJ	<	0.16	UJ	<	0.85	UJ
2-Nitrophenol	mg/kg	8270	- -	- -	- -	<	0.051		<	0.043	UJ	<	0.045		<	0.2	UJ	<	0.041	UJ	<	0.04	UJ	<	0.21	UJ
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	<	0.049		<	0.041	UJ	<	0.043		<	0.19	UJ	<	0.039	UJ	<	0.038	UJ	<	0.2	UJ
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	<	0.046		<	0.038	UJ	<	0.04		<	0.17	UJ	<	0.036	UJ	<	0.035	UJ	<	0.19	UJ
3-Nitroaniline	mg/kg	8270	- -	- -	- -	<	0.19		<	0.16	UJ	<	0.17		<	0.74	UJ	<	0.15	UJ	<	0.15	UJ	<	0.78	UJ
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	<	0.19		<	0.16	UJ	<	0.16		<	0.72	UJ	<	0.15	UJ	<	0.14	UJ	<	0.76	UJ
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	<	0.041		<	0.034	UJ	<	0.036		<	0.16	UJ	<	0.032	UJ	<	0.031	UJ	<	0.17	UJ
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	<	0.043		<	0.036	UJ	<	0.038		<	0.16	UJ	<	0.034	UJ	<	0.033	UJ	<	0.17	UJ
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	<	0.037		<	0.031	UJ	<	0.033		<	0.14	UJ	<	0.03	UJ	<	0.029	UJ	<	0.15	UJ
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	<	0.052		<	0.043	UJ	<	0.046		<	0.2	UJ	<	0.041	UJ	<	0.04	UJ	<	0.21	UJ
4-Nitroaniline	mg/kg	8270	25	- -	0.032	<	0.19		<	0.16	UJ	<	0.17		<	0.72	UJ	<	0.15	UJ	<	0.15	UJ	<	0.77	UJ
4-Nitrophenol	mg/kg	8270	- -	- -	- -	<	0.17		<	0.14	UJ	<	0.15		<	0.65	UJ	<	0.13	UJ	<	0.13	UJ	<	0.69	UJ
Acetophenone	mg/kg	8270	780	2500	1.16	<	0.038		<	0.032	UJ	<	0.034		<	0.15	UJ	<	0.03	UJ	<	0.03	UJ	<	0.16	UJ
Atrazine	mg/kg	8270	2.4	2.4	0.038	<	0.045		<	0.038	UJ	<	0.04		<	0.17	UJ	<	0.036	UJ	<	0.035	UJ	<	0.19	UJ
Benzaldehyde	mg/kg	8270	170	1200	0.082	<	0.07		<	0.059	UJ	<	0.061		<	0.27	UJ	<	0.055	UJ	<	0.054	UJ	<	0.28	UJ
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	<	0.01		<	0.0084	UJ	<	0.0089		<	0.039	UJ	<	0.008	UJ	<	0.0078	UJ	<	0.041	UJ
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	<	0.031		<	0.026	UJ	<	0.027		<	0.12	UJ	<	0.024	UJ	<	0.024	UJ	<	0.13	UJ
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	<	0.013		<	0.01	UJ	<	0.011		<	0.048	UJ	<	0.0099	UJ	<	0.0097	UJ	<	0.051	UJ
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	<	0.075		<	0.063	UJ	<	0.066		<	0.29	UJ		0.2	J	<	0.058	UJ	<	0.31	UJ
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	<	0.064		<	0.053	UJ	<	0.056		<	0.24	UJ	<	0.05	UJ	<	0.049	UJ	<	0.26	UJ
Caprolactam	mg/kg	8270	3100	31000	5	<	0.35		<	0.3	UJ	<	0.31		<	1.3	UJ	<	0.28	UJ	<	0.27	UJ	<	1.4	UJ
Carbazole [1]	mg/kg	8270	1800	23000	116		0.02	J	<	0.0072	UJ	<	0.0076		<	0.033	UJ	<	0.0068	UJ	<	0.0066	UJ	<	0.035	UJ

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-11(0-0.5) 12/2/2013	VII-SS-12(0-0.5) 11/25/2013	VII-SS-13(0-0.7) 12/2/2013	VII-SS-14(0-0.5) 11/25/2013	VII-SS-15(0-1) 12/9/2013	VII-SS-16(0-1) 11/25/2013	VII-SS-17(0-2) 11/25/2013
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.046	< 0.038 UJ	< 0.04	< 0.18 UJ	< 0.036 UJ	< 0.035 UJ	< 0.19 UJ
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	0.18 B	0.057 B	0.13 B	< 0.2 UJ	0.068 J	0.046 B	< 0.21 UJ
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.051	< 0.043 UJ	< 0.045	< 0.19 UJ	< 0.04 UJ	< 0.039 UJ	< 0.21 UJ
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.059	< 0.049 UJ	< 0.051	< 0.22 UJ	< 0.046 UJ	< 0.045 UJ	< 0.24 UJ
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.049	< 0.041 UJ	< 0.043	< 0.19 UJ	< 0.039 UJ	< 0.038 UJ	< 0.2 UJ
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.0099	< 0.0083 UJ	< 0.0087	< 0.038 UJ	< 0.0079 UJ	< 0.0077 UJ	< 0.041 UJ
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.01	< 0.0087 UJ	< 0.0092	< 0.04 UJ	< 0.0083 UJ	< 0.0081 UJ	< 0.043 UJ
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.05	< 0.042 UJ	< 0.044	< 0.19 UJ	< 0.04 UJ	< 0.039 UJ	< 0.21 UJ
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.034	< 0.028 UJ	< 0.029	< 0.13 UJ	< 0.027 UJ	< 0.026 UJ	< 0.14 UJ
Isophorone	mg/kg	8270	570	570	0.52	< 0.035	< 0.029 UJ	< 0.031	< 0.13 UJ	< 0.028 UJ	< 0.027 UJ	< 0.14 UJ
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.039	< 0.033 UJ	< 0.034	< 0.15 UJ	< 0.031 UJ	< 0.03 UJ	< 0.16 UJ
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.011	< 0.0092 UJ	< 0.0096	< 0.042 UJ	< 0.0087 UJ	< 0.0085 UJ	< 0.045 UJ
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.043	< 0.036 UJ	< 0.038	< 0.17 UJ	< 0.034 UJ	< 0.033 UJ	< 0.18 UJ
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.042	< 0.035 UJ	< 0.037	< 0.16 UJ	< 0.033 UJ	< 0.032 UJ	< 0.17 UJ
Phenol	mg/kg	8270	1900	19000	6.6	< 0.011	< 0.0092 UJ	< 0.0097	< 0.042 UJ	< 0.0087 UJ	< 0.0085 UJ	< 0.045 UJ
Polychlorinated Biphenyls												
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0035	< 0.0029 UJ	< 0.003	< 0.0026 UJ	< 0.0028	< 0.0027 UJ	< 0.0028 UJ
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0045	< 0.0037 UJ	< 0.0039	< 0.0034 UJ	< 0.0035	< 0.0034 UJ	< 0.0036 UJ
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.004	< 0.0033 UJ	< 0.0035	< 0.003 UJ	< 0.0032	< 0.0031 UJ	< 0.0033 UJ
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.0038	< 0.0032 UJ	< 0.0033	< 0.0029 UJ	< 0.003	< 0.0029 UJ	< 0.0031 UJ
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0022	< 0.0018 UJ	< 0.0019	< 0.0017 UJ	< 0.0018	< 0.0017 UJ	< 0.0018 UJ
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0033	0.011 J	< 0.0029	< 0.0025 UJ	< 0.0026	< 0.0026 UJ	< 0.0027 UJ
PCB-1260	mg/kg	8082	0.24	0.33	0.11	0.011 J	0.018 J	0.0082 J	0.0074 J	0.0036 J	0.0035 J	0.019 J
Inorganics												
Aluminum	mg/kg	6020	7700	77000	60000	5500 K	9300 K	26000 K	17000 K	16000 J	13000 K	21000 K
Antimony	mg/kg	6020	3.1	31	5.4	2.4 J	0.48 J	0.24 J	0.53 J	0.34 J	0.38 J	0.87 J
Arsenic	mg/kg	6020	0.68	0.43	5.8	5.1 L	3.3 K	1.8 L	4 K	1.7 K	2.8 K	***6.6*** K
Barium	mg/kg	6020	1500	15000	1640	110	150	160	260	220 J	190	160
Beryllium	mg/kg	6020	16	160	64	0.69 J	1.6	5.7	3.9	4 J	3.2	2.2
Cadmium	mg/kg	6020	7.1	37	7.6	5.1	2.1	1.3	6.6	4.5 J	5.7	6.8
Calcium	mg/kg	6020	- -	- -	- -	87000	120000	180000	110000	110000 J	110000	120000
Chromium [1]	mg/kg	6020	12000	120000	3600000	120	550	76	160	120 J	97	530
Cobalt	mg/kg	6020	2.3	23	0.54	***5.9***	***3.9***	***7.3***	***2.8***	***2.1*** J	***2.8***	***3.9***
Copper	mg/kg	6020	310	3100	920	58	58 K	18 B	41 K	30 J	43 K	56 K
Iron	mg/kg	6020	5500	55000	700	***140000***	***89000*** L	***31000***	***100000*** L	***92000*** J	***95000*** L	***160000*** L
Lead	mg/kg	6020	400	400	280	140	84	63	***440***	150 J	190	***500***
Magnesium	mg/kg	6020	- -	- -	- -	17000	31000	57000	27000	30000 J	27000	26000
Manganese [1]	mg/kg	6020	180	3500	56	***5800***	***11000***	***6600***	***6200***	***5000*** J	***3800***	***8900***
Mercury	mg/kg	7471	1.1	3.1	2	0.067 L	0.034 J	0.028 L	0.059	0.021 B	0.017 J	0.075
Nickel	mg/kg	6020	150	1500	52	23 K	14	8 K	16	15 K	14	19
Potassium	mg/kg	6020	- -	- -	- -	190	380 L	720	1500 L	1200 J	910 L	740 L
Selenium	mg/kg	6020	39	390	5.2	< 0.67	1.9 B	2.4 J	2.2 B	1.6 J	2.4 B	2.4 B
Silver	mg/kg	6020	39	390	1.6	0.41 J	0.23 J	< 0.047	***1.9***	0.89 J	1 J	***2***
Sodium	mg/kg	6020	- -	- -	- -	220	290	570	1200	1100 J	1100	860
Thallium	mg/kg	6020	0.078	0.78	2.8	0.071 J	0.045 J	< 0.024	0.066 J	0.034 B	0.027 J	0.058 J
Vanadium	mg/kg	6020	39	5.5	172	***180*** L	***230*** L	37 L	91 L	61 J	80 L	75 L
Zinc	mg/kg	6020	2300	23000	740	***890***	450 K	360 B	***2300*** K	***1200*** L	***1400*** K	***5100*** K
Other Parameters												
Cyanide, Total	mg/kg	9012	2.3	23	40	0.75	0.63	1.3	1.4	0.46 J	0.18 J	1.1
Percent Moisture	%	- -	- -	- -	- -	29	15	19	6.6	10	7.5	13

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-18(0-2) 10/22/2013		VII-SS-19(0-1) 11/25/2013		VII-SS-20(0-1) 11/25/2013		VII-SS-21(0-0.5) 11/25/2013		VII-SS-22(0-2) 11/25/2013		VII-SS-23(0-2) 11/25/2013		VII-SS-24(0-1) 11/25/2013					
Volatile Organic Compounds																							
Benzene	mg/kg	8260	1.2	1.2	0.052	<	0.00074	UJ	<	0.00073		<	0.00071		<	0.00074		<	0.00078		<	0.00083		<	0.00081	
Toluene	mg/kg	8260	490	820	13.8	<	0.0008	UJ	<	0.00079		<	0.00076		<	0.0008		<	0.00084		<	0.0009		<	0.00088	
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	<	0.00071	UJ	<	0.0007		<	0.00067		<	0.0007		<	0.00074		<	0.00079		<	0.00077	
Xylenes, Total	mg/kg	8260	58	260	198	<	0.0025	UJ	<	0.0024		<	0.0023		<	0.0025		<	0.0026		<	0.0028		<	0.0027	
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6		NA		<	0.00053		<	0.00051		<	0.00053		<	0.00056		<	0.0006		<	0.00059	
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006		NA		<	0.00078		<	0.00075		<	0.00079		<	0.00083		<	0.00089		<	0.00086	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52		NA		<	0.0012		<	0.0011		<	0.0012		<	0.0012		<	0.0013		<	0.0013	
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032		NA		<	0.0009		<	0.00087		<	0.00091		<	0.00096		<	0.001		<	0.001	
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156		NA		<	0.00062		<	0.0006		<	0.00063		<	0.00066		<	0.00071		<	0.00069	
1,1-Dichloroethene	mg/kg	8260	23	240	0.2		NA		<	0.00092		<	0.00089		<	0.00093		<	0.00098		<	0.001		<	0.001	
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4		NA		<	0.00096		<	0.00092		<	0.00097		<	0.001		<	0.0011		<	0.0011	
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172		NA		<	0.00081		<	0.00078		<	0.00082		<	0.00086		<	0.00093		<	0.0009	
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028		NA		<	0.00093		<	0.0009		<	0.00095		<	0.00099		<	0.0011		<	0.001	
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6		NA		<	0.00086		<	0.00083		<	0.00087		<	0.00092		<	0.00099		<	0.00096	
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028		NA		<	0.00066		<	0.00064		<	0.00067		<	0.00071		<	0.00076		<	0.00074	
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -		NA		<	0.0014			0.0018	J	<	0.0014		<	0.0015			0.0017	J	<	0.0015	
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42		NA		<	0.00076		<	0.00074		<	0.00077		<	0.00081		<	0.00087		<	0.00085	
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62		NA			0.0009	J		0.0018	J	<	0.00065			0.00076	J		0.0017	J		0.0014	J
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034		NA		<	0.00059		<	0.00057		<	0.0006		<	0.00062		<	0.00067		<	0.00065	
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034		NA		<	0.00073		<	0.00071		<	0.00074		<	0.00078		<	0.00084		<	0.00082	
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034		NA		<	0.00065		<	0.00063		<	0.00066		<	0.00069		<	0.00074		<	0.00072	
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44		NA		<	0.00071		<	0.00069		<	0.00072		<	0.00075		<	0.00081		<	0.00079	
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44		NA		<	0.00069		<	0.00067		<	0.0007		<	0.00073		<	0.00079		<	0.00077	
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4		NA		<	0.00096		<	0.00092		<	0.00097		<	0.001		<	0.0011		<	0.0011	
2-Hexanone	mg/kg	8260	20	- -	0.0176		NA		<	0.00075		<	0.00072		<	0.00076		<	0.00079		<	0.00085		<	0.00083	
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8		NA		<	0.00071		<	0.00068		<	0.00072		<	0.00075		<	0.00081		<	0.00078	
Acetone	mg/kg	8260	6100	61000	5.8		NA		<	0.0054			0.0075	J	<	0.0055			0.01	J	<	0.0062		<	0.006	
Bromoform	mg/kg	8260	19	20	0.42		NA		<	0.00048		<	0.00046		<	0.00048		<	0.00051		<	0.00055		<	0.00053	
Bromomethane	mg/kg	8260	0.68	7.3	0.0038		NA		<	0.0008	R	<	0.00077	R	<	0.00081		<	0.00085	R	<	0.00091	R	<	0.00089	R
Carbon disulfide	mg/kg	8260	77	740	0.48		NA		<	0.00055		<	0.00054		<	0.00056		<	0.00059		<	0.00063		<	0.00062	
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038		NA		<	0.00048		<	0.00047		<	0.00049		<	0.00051		<	0.00055		<	0.00054	
Chlorobenzene	mg/kg	8260	28	290	1.36		NA		<	0.00082		<	0.00079		<	0.00083		<	0.00087		<	0.00094		<	0.00091	
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42		NA		<	0.00077		<	0.00074		<	0.00078		<	0.00082		<	0.00088		<	0.00085	
Chloroethane	mg/kg	8260	1400	2100	11.8		NA		<	0.0017		<	0.0016		<	0.0017		<	0.0018		<	0.0019		<	0.0019	
Chloroform	mg/kg	8260	0.32	0.34	0.44		NA		<	0.00063			0.00074	B		0.0007	B		0.00067	B		0.00074	B	<	0.0007	
Chloromethane	mg/kg	8260	11	120	0.098		NA		<	0.00092		<	0.00089		<	0.00093		<	0.00098		<	0.0011		<	0.001	
Cyclohexane	mg/kg	8260	650	120	26		NA		<	0.0004		<	0.00039		<	0.00041		<	0.00043		<	0.00046		<	0.00045	
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44		NA		<	0.00061		<	0.00059		<	0.00062		<	0.00065		<	0.00069		<	0.00068	
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6		NA		<	0.00072		<	0.0007		<	0.00073		<	0.00077		<	0.00082		<	0.0008	
Isopropylbenzene	mg/kg	8260	190	270	1.48		NA		<	0.00074		<	0.00071		<	0.00074		<	0.00078		<	0.00084		<	0.00082	
Methyl acetate	mg/kg	8260	7800	23000	8.2		NA		<	0.00098		<	0.00094		<	0.00099		<	0.001		<	0.0011		<	0.0011	
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064		NA		<	0.00081		<	0.00078		<	0.00082		<	0.00086		<	0.00092		<	0.0009	
Methylcyclohexane [1]	mg/kg	8260	650	120	26		NA		<	0.00079		<	0.00076		<	0.00079		<	0.00083		<	0.0009		<	0.00087	
Methylene Chloride	mg/kg	8260	35	58	0.054		NA			0.0039	B		0.0034	B		0.0023	B		0.0039	B		0.0036	B		0.0035	B
Styrene	mg/kg	8260	600	870	2.6		NA		<	0.00076		<	0.00074		<	0.00077		<	0.00081		<	0.00087		<	0.00085	
Tetrachloroethene	mg/kg	8260	8.1	25	0.046		NA		<	0.00074		<	0.00071		<	0.00075		<	0.00078		<	0.00084		<	0.00082	
Trichloroethene	mg/kg	8260	0.41	0.5	0.036		NA		<	0.00071		<	0.00069		<	0.00072		<	0.00076		<	0.00081		<	0.00079	
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6		NA		<	0.001		<	0.00096		<	0.001		<	0.0011		<	0.0011		<	0.0011	
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138		NA		<	0.00051		<	0.00049		<	0.00051		<	0.00054		<	0.00058		<	0.00056	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-18(0-2) 10/22/2013		VII-SS-19(0-1) 11/25/2013		VII-SS-20(0-1) 11/25/2013		VII-SS-21(0-0.5) 11/25/2013		VII-SS-22(0-2) 11/25/2013		VII-SS-23(0-2) 11/25/2013		VII-SS-24(0-1) 11/25/2013					
Semi-Volatile Organic Compounds																							
Acenaphthene	mg/kg	8270	360	4100	11	< 0.007		< 0.035	UJ	0.0095	J	< 0.007	UJ	0.016	J	0.035	J	0.22	J				
Acenaphthylene [1]	mg/kg	8270	360	4200	11	0.0095	J	< 0.041	UJ	< 0.008	UJ	< 0.0084	UJ	0.062	J	0.19	J	0.18	J				
Anthracene	mg/kg	8270	1800	23000	116	0.011	J	< 0.035	UJ	0.043	J	0.028	J	0.12	J	0.22	J	0.43	J				
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	0.084		< 0.045	UJ	0.17	J	0.15	J	***0.69***	J	***0.36***	J	***1.2***	J				
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	0.1		< 0.036	UJ	0.18	J	0.15	J	0.31	J	0.41	J	0.6	J				
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	0.13		< 0.057	UJ	0.19	J	0.2	J	0.87	J	0.69	J	1.4	J				
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	0.093		< 0.036	UJ	0.18	J	0.2	J	0.24	J	0.53	J	0.69	J				
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	0.048	J	< 0.073	UJ	0.074	J	0.075	J	0.45	J	0.31	J	0.42	J				
Chrysene	mg/kg	8270	110	16	180	0.083		< 0.043	UJ	0.25	J	0.2	J	1.1	J	0.54	J	1.4	J				
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	< 0.0081		< 0.04	UJ	0.046	J	0.052	J	0.059	J	0.12	J	0.15	J				
Fluoranthene	mg/kg	8270	240	2400	178	0.076		< 0.039	UJ	0.28	J	0.18	J	0.69	J	0.74	J	3.5	J				
Fluorene	mg/kg	8270	240	2900	10.8	< 0.0097		< 0.048	UJ	< 0.0092	UJ	< 0.0096	UJ	< 0.01	UJ	0.016	J	0.093	J				
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	0.071	J	< 0.037	UJ	0.12	J	0.12	J	0.25	J	0.45	J	0.58	J				
Naphthalene	mg/kg	8270	2	4.1	0.0076	0.0076	J	< 0.031	UJ	< 0.006	UJ	< 0.0063	UJ	< 0.0066	UJ	< 0.0071	UJ	***0.51***	J				
Phenanthrene [1]	mg/kg	8270	1800	23000	116	0.041	J	< 0.058	UJ	0.14	J	0.077	J	0.092	J	0.05	J	1.6	J				
Pyrene	mg/kg	8270	180	2300	26	0.11	J	< 0.037	UJ	0.27	J	0.17	J	3.1	J	1.1	J	3.3	J				
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	NA		< 0.16	UJ	< 0.031	UJ	< 0.033	UJ	< 0.034	UJ	< 0.037	UJ	***0.087***	J				
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	NA		< 0.19	UJ	< 0.037	UJ	< 0.039	UJ	< 0.041	UJ	< 0.044	UJ	< 0.043	UJ				
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	NA		< 0.27	UJ	< 0.052	UJ	< 0.055	UJ	< 0.057	UJ	< 0.061	UJ	< 0.06	UJ				
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	NA		< 0.036	UJ	< 0.007	UJ	< 0.0073	UJ	< 0.0077	UJ	< 0.0082	UJ	< 0.0081	UJ				
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	NA		< 0.28	UJ	< 0.055	UJ	< 0.057	UJ	< 0.06	UJ	< 0.064	UJ	< 0.063	UJ				
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	NA		< 2.2	UJ	< 0.42	UJ	< 0.44	UJ	< 0.45	UJ	< 0.49	UJ	< 0.48	UJ				
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	NA		< 0.15	UJ	< 0.028	UJ	< 0.03	UJ	< 0.031	UJ	< 0.033	UJ	< 0.032	UJ				
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	NA		< 0.19	UJ	< 0.036	UJ	< 0.038	UJ	< 0.039	UJ	< 0.042	UJ	< 0.041	UJ				
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	NA		< 0.038	UJ	< 0.0073	UJ	< 0.0076	UJ	< 0.008	UJ	< 0.0086	UJ	< 0.0084	UJ				
2-Chlorophenol	mg/kg	8270	39	340	0.178	NA		< 0.15	UJ	< 0.029	UJ	< 0.03	UJ	< 0.031	UJ	< 0.034	UJ	< 0.033	UJ				
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	NA		< 0.033	UJ	0.049	J	0.026	J	< 0.0069	UJ	< 0.0074	UJ	0.21	J				
2-Methylphenol	mg/kg	8270	320	3200	1.5	NA		< 0.13	UJ	< 0.024	UJ	< 0.026	UJ	< 0.027	UJ	< 0.029	UJ	< 0.028	UJ				
2-Nitroaniline	mg/kg	8270	63	630	0.16	NA		< 0.81	UJ	< 0.16	UJ	< 0.16	UJ	< 0.17	UJ	< 0.18	UJ	< 0.18	UJ				
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA		< 0.2	UJ	< 0.039	UJ	< 0.04	UJ	< 0.042	UJ	< 0.045	UJ	< 0.044	UJ				
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	NA		< 0.19	UJ	< 0.037	UJ	< 0.039	UJ	< 0.04	UJ	< 0.043	UJ	< 0.042	UJ				
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	NA		< 0.18	UJ	< 0.034	UJ	< 0.036	UJ	< 0.037	UJ	< 0.04	UJ	< 0.039	UJ				
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA		< 0.74	UJ	< 0.14	UJ	< 0.15	UJ	< 0.16	UJ	< 0.17	UJ	< 0.17	UJ				
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	NA		< 0.73	UJ	< 0.14	UJ	< 0.15	UJ	< 0.15	UJ	< 0.16	UJ	< 0.16	UJ				
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA		< 0.16	UJ	< 0.03	UJ	< 0.032	UJ	< 0.033	UJ	< 0.036	UJ	< 0.035	UJ				
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	NA		< 0.17	UJ	< 0.032	UJ	< 0.034	UJ	< 0.035	UJ	< 0.038	UJ	< 0.037	UJ				
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	NA		< 0.14	UJ	< 0.028	UJ	< 0.029	UJ	< 0.031	UJ	< 0.033	UJ	< 0.032	UJ				
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA		< 0.2	UJ	< 0.039	UJ	< 0.041	UJ	< 0.042	UJ	< 0.046	UJ	< 0.045	UJ				
4-Nitroaniline	mg/kg	8270	25	- -	0.032	NA		< 0.73	UJ	< 0.14	UJ	< 0.15	UJ	< 0.15	UJ	< 0.17	UJ	< 0.16	UJ				
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA		< 0.66	UJ	< 0.13	UJ	< 0.13	UJ	< 0.14	UJ	< 0.15	UJ	< 0.15	UJ				
Acetophenone	mg/kg	8270	780	2500	1.16	NA		< 0.15	UJ	< 0.029	UJ	< 0.03	UJ	< 0.031	UJ	< 0.034	UJ	< 0.033	UJ				
Atrazine	mg/kg	8270	2.4	2.4	0.038	NA		< 0.18	UJ	< 0.034	UJ	< 0.036	UJ	< 0.037	UJ	< 0.04	UJ	< 0.039	UJ				
Benzaldehyde	mg/kg	8270	170	1200	0.082	NA		< 0.27	UJ	< 0.052	UJ	< 0.055	UJ	< 0.057	UJ	< 0.061	UJ	< 0.06	UJ				
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	NA		< 0.039	UJ	< 0.0076	UJ	< 0.0079	UJ	< 0.0082	UJ	< 0.0088	UJ	< 0.0087	UJ				
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	NA		< 0.12	UJ	< 0.023	UJ	< 0.024	UJ	< 0.025	UJ	< 0.027	UJ	< 0.026	UJ				
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	NA		< 0.049	UJ	< 0.0094	UJ	< 0.0098	UJ	< 0.01	UJ	< 0.011	UJ	< 0.011	UJ				
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	NA		< 0.29	UJ	< 0.057	UJ	< 0.059	UJ	< 0.062	UJ	< 0.066	UJ	< 0.065	UJ				
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	NA		< 0.25	UJ	< 0.048	UJ	< 0.05	UJ	< 0.052	UJ	< 0.056	UJ	< 0.055	UJ				
Caprolactam	mg/kg	8270	3100	31000	5	NA		< 1.4	UJ	< 0.26	UJ	< 0.28	UJ	< 0.29	UJ	< 0.31	UJ	< 0.3	UJ				
Carbazole [1]	mg/kg	8270	1800	23000	116	NA		< 0.033	UJ	< 0.0065	UJ	< 0.0067	UJ	0.03	J	0.034	J	0.098	J				

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-18(0-2) 10/22/2013		VII-SS-19(0-1) 11/25/2013		VII-SS-20(0-1) 11/25/2013		VII-SS-21(0-0.5) 11/25/2013		VII-SS-22(0-2) 11/25/2013		VII-SS-23(0-2) 11/25/2013		VII-SS-24(0-1) 11/25/2013	
Dibenzofuran	mg/kg	8270	7.8	78	0.3	NA	<	0.18 UJ	<	0.034 UJ	<	0.036 UJ	<	0.038 UJ	<	0.04 UJ		0.29 J
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	NA	<	0.2 UJ	<	0.038 UJ		0.11 B		0.043 B	<	0.045 UJ	<	0.044 UJ
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	<	0.2 UJ	<	0.038 UJ	<	0.04 UJ	<	0.042 UJ	<	0.045 UJ	<	0.044 UJ
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	NA	<	0.23 UJ	<	0.044 UJ	<	0.046 UJ	<	0.048 UJ	<	0.051 UJ	<	0.05 UJ
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	NA	<	0.19 UJ	<	0.037 UJ	<	0.039 UJ	<	0.04 UJ	<	0.043 UJ	<	0.042 UJ
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	NA	<	0.039 UJ	<	0.0075 UJ	<	0.0078 UJ	<	0.0081 UJ	<	0.0087 UJ	<	0.0086 UJ
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	NA	<	0.04 UJ	<	0.0078 UJ	<	0.0082 UJ	<	0.0085 UJ	<	0.0092 UJ	<	0.009 UJ
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	NA	<	0.2 UJ	<	0.038 UJ	<	0.039 UJ	<	0.041 UJ	<	0.044 UJ	<	0.043 UJ
Hexachloroethane	mg/kg	8270	1.8	2	0.004	NA	<	0.13 UJ	<	0.025 UJ	<	0.026 UJ	<	0.027 UJ	<	0.029 UJ	<	0.029 UJ
Isophorone	mg/kg	8270	570	570	0.52	NA	<	0.14 UJ	<	0.026 UJ	<	0.028 UJ	<	0.029 UJ	<	0.031 UJ	<	0.03 UJ
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	NA	<	0.15 UJ	<	0.029 UJ	<	0.03 UJ	<	0.032 UJ	<	0.034 UJ	<	0.033 UJ
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	NA	<	0.042 UJ	<	0.0082 UJ	<	0.0086 UJ	<	0.009 UJ	<	0.0096 UJ	<	0.0094 UJ
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	NA	<	0.17 UJ	<	0.032 UJ	<	0.034 UJ	<	0.035 UJ	<	0.038 UJ	<	0.037 UJ
Pentachlorophenol	mg/kg	8270	1	1	0.028	NA	<	0.16 UJ	<	0.031 UJ	<	0.033 UJ	<	0.034 UJ	<	0.037 UJ	<	0.036 UJ
Phenol	mg/kg	8270	1900	19000	6.6	NA	<	0.043 UJ	<	0.0083 UJ	<	0.0086 UJ	<	0.009 UJ	<	0.0097 UJ	<	0.0095 UJ
Polychlorinated Biphenyls																		
PCB-1016	mg/kg	8082	0.41	5.5	0.26	NA	<	0.0027 UJ	<	0.0026 UJ	<	0.0027 UJ	<	0.0029 UJ	<	0.003 UJ	<	0.003 UJ
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	NA	<	0.0034 UJ	<	0.0033 UJ	<	0.0035 UJ	<	0.0037 UJ	<	0.0039 UJ	<	0.0038 UJ
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	NA	<	0.0031 UJ	<	0.003 UJ	<	0.0031 UJ	<	0.0033 UJ	<	0.0035 UJ	<	0.0034 UJ
PCB-1242	mg/kg	8082	0.23	0.31	0.024	NA	<	0.0029 UJ	<	0.0028 UJ	<	0.003 UJ	<	0.0031 UJ	<	0.0033 UJ	<	0.0033 UJ
PCB-1248	mg/kg	8082	0.23	0.31	0.024	NA	<	0.0017 UJ	<	0.0017 UJ	<	0.0017 UJ	<	0.0018 UJ	<	0.0019 UJ	<	0.0019 UJ
PCB-1254	mg/kg	8082	0.12	0.32	0.04	NA	<	0.0026 UJ		***0.29*** J		***0.21*** J		0.016 J		***0.041*** J		***0.45*** J
PCB-1260	mg/kg	8082	0.24	0.33	0.11	NA	<	0.0026 UJ	<	0.0025 UJ		***0.12*** J	<	0.0027 UJ		0.076 J		***0.29*** J
Inorganics																		
Aluminum	mg/kg	6020	7700	77000	60000	NA		27000 K		12000 K		18000 K		4400 K		28000 K		25000 K
Antimony	mg/kg	6020	3.1	31	5.4	NA	<	0.028		0.14 J		0.23 J		0.85 J		1.6 J		***6.9***
Arsenic	mg/kg	6020	0.68	0.43	5.8	NA		0.75 K		5.6 K		2.2 K		1.9 K	<	0.22	<	0.22
Barium	mg/kg	6020	1500	15000	1640	NA		280		64		150		30		420		240
Beryllium	mg/kg	6020	16	160	64	NA		5.7		1		2.7		0.42 J		5.2		4.2
Cadmium	mg/kg	6020	7.1	37	7.6	NA		0.88 J		1.3		1.6		0.71 J		2.7		4.3
Calcium	mg/kg	6020	- -	- -	- -	NA		160000		110000		140000		67000		140000		92000
Chromium [1]	mg/kg	6020	12000	120000	3600000	NA		36		400		420		390		29		150
Cobalt	mg/kg	6020	2.3	23	0.54	NA		0.53 J		***5.4***		***4.9***		***9.1***		***2.2***		***4.1***
Copper	mg/kg	6020	310	3100	920	NA		66		22 K		33 K		110 K		37 K		110 K
Iron	mg/kg	6020	5500	55000	700	NA		***8200*** L		***64000*** L		***78000*** L		***430000*** L		***18000*** L		***38000*** L
Lead	mg/kg	6020	400	400	280	NA		7.7		23		27		9.5		190		***610***
Magnesium	mg/kg	6020	- -	- -	- -	NA		39000		34000		37000		18000		19000		18000
Manganese [1]	mg/kg	6020	180	3500	56	NA		***2900***		***11000***		***10000***		***8900***		***2400***		***1400***
Mercury	mg/kg	7471	1.1	3.1	2	NA	<	0.011		0.023 J		0.033	<	0.013		0.12		0.35
Nickel	mg/kg	6020	150	1500	52	NA		2.9		***88***		***63***		***60***		8.6		25
Potassium	mg/kg	6020	- -	- -	- -	NA		1100 L		250 L		460 L		100 L		1400 L		460 L
Selenium	mg/kg	6020	39	390	5.2	NA		1.4 B		1.3 B		1.5 B		1.4 B		0.81 B		0.98 B
Silver	mg/kg	6020	39	390	1.6	NA		0.079 J		0.57 J		0.68 J		0.065 J		0.14 J		0.53 J
Sodium	mg/kg	6020	- -	- -	- -	NA		830		230		320		130		2000		14000
Thallium	mg/kg	6020	0.078	0.78	2.8	NA	<	0.021		0.028 J		0.024 J	<	0.022		0.03 J		0.072 J
Vanadium	mg/kg	6020	39	5.5	172	NA		37 L		***230*** L		170 L		***400*** L		7.2 L		1.3 L
Zinc	mg/kg	6020	2300	23000	740	NA		320 K		130 K		150 K		110 K		***2000*** K		***2800*** K
Other Parameters																		
Cyanide, Total	mg/kg	9012	2.3	23	40	NA		0.4 J		0.37 J		0.95		0.67		0.91		1.9
Percent Moisture	%	- -	- -	- -	- -	8.9		7.8		4.7		8.8		13		19		17

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-25(0.5-2) 12/9/2013	VII-SS-26(1.5-2) 12/9/2013	VII-SS-27(1.5-2) 12/9/2013	VII-SS-28(0-2) 10/28/2013	VII-SS-29(0-2) 11/25/2013	VII-SS-30(0-0.5) 11/25/2013	VII-SS-31(0-0.6) 11/25/2013
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.00071	< 0.00079	< 0.00085	< 0.00078 UJ	< 0.00075	< 0.00075	< 0.00078
Toluene	mg/kg	8260	490	820	13.8	< 0.00077	< 0.00085	< 0.00092	0.0011 J	< 0.00081	0.0011 J	< 0.00084
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.00068	< 0.00075	< 0.00081	< 0.00074 UJ	< 0.00071	< 0.00072	< 0.00074
Xylenes, Total	mg/kg	8260	58	260	198	< 0.0024	< 0.0026	< 0.0028	< 0.0026 UJ	< 0.0025	< 0.0025	< 0.0026
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.00051	< 0.00057	< 0.00062	< 0.00056 UJ	< 0.00054	< 0.00054	< 0.00056
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.00076	< 0.00084	< 0.00091	< 0.00083 UJ	< 0.0008	< 0.0008	< 0.00082
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.0011	< 0.0012	< 0.0014	< 0.0012 UJ	< 0.0012	< 0.0012	< 0.0012
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.00088	< 0.00097	< 0.0011	< 0.00096 UJ	< 0.00092	< 0.00093	< 0.00095
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.00061	< 0.00067	< 0.00073	< 0.00066 UJ	< 0.00064	< 0.00064	< 0.00066
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.00089	< 0.00099	< 0.0011	< 0.00098 UJ	< 0.00094	< 0.00095	< 0.00097
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	< 0.00093	< 0.001	< 0.0011	< 0.001 UJ	< 0.00098	< 0.00098	< 0.001
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.00079	< 0.00087	< 0.00095	< 0.00087 UJ	< 0.00083	< 0.00084	< 0.00086
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.00091	< 0.001	< 0.0011	< 0.001 UJ	< 0.00096	< 0.00096	< 0.00099
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.00084	< 0.00093	< 0.001	0.0013 J	< 0.00088	< 0.00089	< 0.00092
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.00065	< 0.00072	< 0.00078	< 0.00071 UJ	< 0.00068	< 0.00068	< 0.0007
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0013	< 0.0015	< 0.0016	< 0.0015 UJ	< 0.0014	0.0016 J	< 0.0015
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.00074	< 0.00082	< 0.00089	< 0.00081 UJ	< 0.00078	< 0.00079	< 0.00081
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.00063	< 0.0007	< 0.00075	< 0.00069 UJ	< 0.00066	0.0016 J	0.0012 J
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.00057	< 0.00063	< 0.00069	< 0.00063 UJ	< 0.0006	< 0.00061	< 0.00062
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00071	< 0.00079	< 0.00086	< 0.00078 UJ	< 0.00075	< 0.00076	< 0.00078
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.00063	< 0.0007	< 0.00076	< 0.00069 UJ	< 0.00066	< 0.00067	< 0.00069
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.00069	< 0.00077	< 0.00083	< 0.00076 UJ	< 0.00073	< 0.00073	< 0.00075
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.00067	< 0.00074	< 0.00081	< 0.00074 UJ	< 0.0007	< 0.00071	< 0.00073
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.00093	< 0.001	< 0.0011	< 0.001 UJ	< 0.00098	0.01	< 0.001
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.00073	< 0.00081	< 0.00087	< 0.0008 UJ	< 0.00076	< 0.00077	< 0.00079
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.00069	< 0.00076	< 0.00083	< 0.00075 UJ	< 0.00072	< 0.00073	< 0.00075
Acetone	mg/kg	8260	6100	61000	5.8	< 0.0053	< 0.0058	< 0.0063	0.015 J	< 0.0055	0.062	< 0.0057
Bromoform	mg/kg	8260	19	20	0.42	< 0.00047	< 0.00052	< 0.00056	< 0.00051 UJ	< 0.00049	< 0.00049	< 0.00051
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.00078 R	< 0.00086 R	< 0.00094 R	< 0.00085 UJ	< 0.00082 R	< 0.00083 R	< 0.00085 R
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.00054	< 0.0006	0.0013 J	< 0.00059 UJ	< 0.00057	0.016	< 0.00059
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.00047	< 0.00052	< 0.00057	< 0.00052 UJ	< 0.00049	< 0.0005	< 0.00051
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.0008	< 0.00088	< 0.00096	< 0.00088 UJ	< 0.00084	< 0.00085	< 0.00087
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.00075	< 0.00083	< 0.0009	< 0.00082 UJ	< 0.00079	< 0.00079	< 0.00081
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.0016	< 0.0018	< 0.002 R	< 0.0018 UJ	< 0.0017	< 0.0017	< 0.0018
Chloroform	mg/kg	8260	0.32	0.34	0.44	0.00086 B	0.00073 B	< 0.00074	0.00098 J	0.00082 B	0.00082 B	< 0.00067
Chloromethane	mg/kg	8260	11	120	0.098	< 0.0009	< 0.001	< 0.0011	< 0.00098 UJ	< 0.00094	< 0.00095	< 0.00098
Cyclohexane	mg/kg	8260	650	120	26	< 0.00039	< 0.00043	< 0.00047	< 0.00043 UJ	< 0.00041	< 0.00041	< 0.00043
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.00059	< 0.00066	< 0.00071	< 0.00065 UJ	< 0.00062	< 0.00063	< 0.00064
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.0007	< 0.00078	< 0.00084	< 0.00077 UJ	< 0.00074	< 0.00074	< 0.00076
Isopropylbenzene	mg/kg	8260	190	270	1.48	< 0.00071	< 0.00079	< 0.00086	< 0.00078 UJ	< 0.00075	< 0.00076	< 0.00078
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.00095	< 0.0011	< 0.0011	< 0.001 UJ	< 0.001	< 0.001	< 0.001
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.00079	< 0.00087	< 0.00095	< 0.00086 UJ	< 0.00083	< 0.00084	< 0.00086
Methylcyclohexane [1]	mg/kg	8260	650	120	26	< 0.00076	< 0.00085	< 0.00092	< 0.00084 UJ	< 0.0008	< 0.00081	< 0.00083
Methylene Chloride	mg/kg	8260	35	58	0.054	0.00097 B	0.00087 B	0.0033 B	0.0053 B	0.0012 B	0.0046 B	0.0054 B
Styrene	mg/kg	8260	600	870	2.6	< 0.00074	< 0.00082	< 0.00089	< 0.00082 UJ	< 0.00078	< 0.00079	< 0.00081
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.00072	< 0.0008	< 0.00086	< 0.00079 UJ	< 0.00075	< 0.00076	< 0.00078
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.00069	< 0.00077	< 0.00083	< 0.00076 UJ	< 0.00073	< 0.00073	< 0.00076
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.00097	< 0.0011	< 0.0012	< 0.0011 UJ	< 0.001	< 0.001	< 0.0011
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.00049	< 0.00055	< 0.00059	< 0.00054 UJ	< 0.00052	< 0.00052	< 0.00054

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-25(0.5-2) 12/9/2013		VII-SS-26(1.5-2) 12/9/2013		VII-SS-27(1.5-2) 12/9/2013		VII-SS-28(0-2) 10/28/2013		VII-SS-29(0-2) 11/25/2013		VII-SS-30(0-0.5) 11/25/2013		VII-SS-31(0-0.6) 11/25/2013	
Semi-Volatile Organic Compounds																							
Acenaphthene	mg/kg	8270	360	4100	11	< 0.0068	UJ	< 0.0075	UJ	< 0.0081	UJ	0.036	J	< 0.0071	UJ	< 0.0071	UJ	< 0.0074	UJ				
Acenaphthylene [1]	mg/kg	8270	360	4200	11	< 0.0081	UJ	0.023	J	< 0.0096	UJ	0.017	J	< 0.0085	UJ	< 0.0085	UJ	0.028	J				
Anthracene	mg/kg	8270	1800	23000	116	< 0.0069	UJ	< 0.0076	UJ	0.015	J	0.029	J	0.0091	J	< 0.0073	UJ	0.051	J				
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	< 0.0088	UJ	0.068	J	< 0.011	UJ	0.074	J	0.04	J	0.025	J	0.043	J				
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	< 0.0071	UJ	0.071	J	< 0.0084	UJ	0.094	J	< 0.0074	UJ	< 0.0074	UJ	< 0.0077	UJ				
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	< 0.011	UJ	0.11	J	0.022	J	0.073	J	< 0.012	UJ	< 0.012	UJ	< 0.012	UJ				
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	< 0.007	UJ	0.086	J	< 0.0084	UJ	0.08	J	< 0.0074	UJ	< 0.0074	UJ	0.052	J				
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	< 0.014	UJ	0.06	J	< 0.017	UJ	0.11	J	< 0.015	UJ	< 0.015	UJ	< 0.015	UJ				
Chrysene	mg/kg	8270	110	16	180	< 0.0084	UJ	0.077	J	< 0.01	UJ	0.14	J	0.027	J	0.043	J	0.052	J				
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	< 0.0078	UJ	< 0.0087	UJ	< 0.0094	UJ	0.037	J	< 0.0082	UJ	< 0.0082	UJ	< 0.0085	UJ				
Fluoranthene	mg/kg	8270	240	2400	178	< 0.0075	UJ	0.088	J	0.056	J	0.13	J	0.046	J	0.072	J	0.053	J				
Fluorene	mg/kg	8270	240	2900	10.8	< 0.0093	UJ	< 0.01	UJ	< 0.011	UJ	0.044	J	< 0.0098	UJ	< 0.0098	UJ	< 0.01	UJ				
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	< 0.0073	UJ	0.072	J	< 0.0087	UJ	0.068	J	< 0.0076	UJ	< 0.0076	UJ	< 0.0079	UJ				
Naphthalene	mg/kg	8270	2	4.1	0.0076	< 0.0061	UJ	***0.11***	J	< 0.0073	UJ	***0.46***	J	***0.049***	J	< 0.0064	UJ	***0.043***	J				
Phenanthrene [1]	mg/kg	8270	1800	23000	116	< 0.011	UJ	0.044	J	0.063	J	0.45	J	0.05	J	0.039	J	0.05	J				
Pyrene	mg/kg	8270	180	2300	26	< 0.0071	UJ	0.089	J	0.048	J	0.14	J	0.037	J	0.078	J	0.036	J				
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	< 0.031	UJ	< 0.035	UJ	< 0.038	UJ	***0.066***	J	< 0.033	UJ	< 0.033	UJ	< 0.034	UJ				
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 0.038	UJ	< 0.042	UJ	< 0.045	UJ	< 0.041	UJ	< 0.039	UJ	< 0.04	UJ	< 0.041	UJ				
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 0.053	UJ	< 0.058	UJ	< 0.063	UJ	< 0.058	UJ	< 0.055	UJ	< 0.055	UJ	< 0.057	UJ				
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.0071	UJ	< 0.0078	UJ	< 0.0084	UJ	< 0.0078	UJ	< 0.0074	UJ	< 0.0074	UJ	< 0.0077	UJ				
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	< 0.055	UJ	< 0.061	UJ	< 0.066	UJ	< 0.061	UJ	< 0.058	UJ	< 0.058	UJ	< 0.06	UJ				
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 0.42	UJ	< 0.46	UJ	< 0.5	UJ	< 0.46	UJ	< 0.44	UJ	< 0.44	UJ	< 0.46	UJ				
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 0.028	UJ	< 0.031	UJ	< 0.034	UJ	< 0.031	UJ	< 0.03	UJ	< 0.03	UJ	< 0.031	UJ				
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 0.036	UJ	< 0.04	UJ	< 0.043	UJ	< 0.04	UJ	< 0.038	UJ	< 0.038	UJ	< 0.04	UJ				
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.0074	UJ	< 0.0081	UJ	< 0.0088	UJ	< 0.0081	UJ	< 0.0077	UJ	< 0.0077	UJ	< 0.008	UJ				
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 0.029	UJ	< 0.032	UJ	< 0.034	UJ	< 0.032	UJ	< 0.03	UJ	< 0.03	UJ	< 0.031	UJ				
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	< 0.0063	UJ	0.11	J	0.016	J	***0.69***	J	0.064	J	0.0081	J	0.053	J				
2-Methylphenol	mg/kg	8270	320	3200	1.5	< 0.025	UJ	< 0.027	UJ	< 0.029	UJ	< 0.027	UJ	< 0.026	UJ	< 0.026	UJ	< 0.027	UJ				
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 0.16	UJ	< 0.17	UJ	< 0.19	UJ	< 0.17	UJ	< 0.17	UJ	< 0.17	UJ	< 0.17	UJ				
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.039	UJ	< 0.043	UJ	< 0.046	UJ	< 0.043	UJ	< 0.041	UJ	< 0.041	UJ	< 0.042	UJ				
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 0.037	UJ	< 0.041	UJ	< 0.044	UJ	< 0.041	UJ	< 0.039	UJ	< 0.039	UJ	< 0.041	UJ				
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	< 0.035	UJ	< 0.038	UJ	< 0.041	UJ	0.11	J	< 0.036	UJ	< 0.036	UJ	< 0.038	UJ				
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.15	UJ	< 0.16	UJ	< 0.17	UJ	< 0.16	UJ	< 0.15	UJ	< 0.15	UJ	< 0.16	UJ				
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 0.14	UJ	< 0.16	UJ	< 0.17	UJ	< 0.16	UJ	< 0.15	UJ	< 0.15	UJ	< 0.15	UJ				
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.031	UJ	< 0.034	UJ	< 0.037	UJ	< 0.034	UJ	< 0.032	UJ	< 0.032	UJ	< 0.033	UJ				
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 0.032	UJ	< 0.036	UJ	< 0.039	UJ	< 0.036	UJ	< 0.034	UJ	< 0.034	UJ	< 0.035	UJ				
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 0.028	UJ	< 0.031	UJ	< 0.034	UJ	< 0.031	UJ	< 0.03	UJ	< 0.03	UJ	< 0.031	UJ				
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.039	UJ	< 0.043	UJ	< 0.047	UJ	< 0.043	UJ	< 0.041	UJ	< 0.041	UJ	< 0.043	UJ				
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 0.14	UJ	< 0.16	UJ	< 0.17	UJ	< 0.16	UJ	< 0.15	UJ	< 0.15	UJ	< 0.16	UJ				
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.13	UJ	< 0.14	UJ	< 0.15	UJ	< 0.14	UJ	< 0.13	UJ	< 0.14	UJ	< 0.14	UJ				
Acetophenone	mg/kg	8270	780	2500	1.16	< 0.029	UJ	0.11	J	< 0.035	UJ	0.11	J	< 0.03	UJ	< 0.03	UJ	< 0.032	UJ				
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 0.034	UJ	< 0.038	UJ	< 0.041	UJ	< 0.038	UJ	< 0.036	UJ	< 0.036	UJ	< 0.037	UJ				
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 0.053	UJ	< 0.058	UJ	< 0.063	UJ	< 0.058	UJ	< 0.055	UJ	< 0.056	UJ	< 0.057	UJ				
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.0076	UJ	< 0.0084	UJ	< 0.0091	UJ	< 0.0084	UJ	< 0.008	UJ	< 0.008	UJ	< 0.0083	UJ				
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 0.023	UJ	< 0.026	UJ	< 0.028	UJ	< 0.026	UJ	< 0.024	UJ	< 0.024	UJ	< 0.025	UJ				
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 0.0095	UJ	< 0.01	UJ	< 0.011	UJ	< 0.01	UJ	< 0.0099	UJ	< 0.0099	UJ	< 0.01	UJ				
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	< 0.057	UJ	0.23	J	< 0.068	UJ	< 0.063	UJ	< 0.06	UJ	0.063	J	0.065	J				
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	< 0.048	UJ	< 0.053	UJ	< 0.058	UJ	< 0.053	UJ	< 0.051	UJ	< 0.051	UJ	< 0.052	UJ				
Caprolactam	mg/kg	8270	3100	31000	5	< 0.27	UJ	< 0.29	UJ	< 0.32	UJ	< 0.29	UJ	< 0.28	UJ	< 0.28	UJ	< 0.29	UJ				
Carbazole [1]	mg/kg	8270	1800	23000	116	< 0.0065	UJ	< 0.0072	UJ	< 0.0078	UJ	0.041	J	0.011	J	< 0.0068	UJ	0.01	J				

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-25(0.5-2) 12/9/2013		VII-SS-26(1.5-2) 12/9/2013		VII-SS-27(1.5-2) 12/9/2013		VII-SS-28(0-2) 10/28/2013		VII-SS-29(0-2) 11/25/2013		VII-SS-30(0-0.5) 11/25/2013		VII-SS-31(0-0.6) 11/25/2013	
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.035	UJ	< 0.038	UJ	< 0.041	UJ	0.22	J	< 0.036	UJ	< 0.036	UJ	< 0.038	UJ
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	0.067	J	0.053	J	0.14	J	< 0.042	UJ	0.048	B	0.076	B	0.048	B
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.038	UJ	< 0.043	UJ	< 0.046	UJ	< 0.042	UJ	< 0.04	UJ	< 0.04	UJ	< 0.042	UJ
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.044	UJ	< 0.049	UJ	< 0.053	UJ	< 0.049	UJ	< 0.046	UJ	< 0.046	UJ	< 0.048	UJ
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.037	UJ	< 0.041	UJ	< 0.044	UJ	< 0.041	UJ	< 0.039	UJ	< 0.039	UJ	< 0.04	UJ
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.0075	UJ	< 0.0083	UJ	< 0.009	UJ	< 0.0083	UJ	< 0.0079	UJ	< 0.0079	UJ	< 0.0082	UJ
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.0079	UJ	< 0.0087	UJ	< 0.0094	UJ	< 0.0087	UJ	< 0.0083	UJ	< 0.0083	UJ	< 0.0086	UJ
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.038	UJ	< 0.042	UJ	< 0.045	UJ	< 0.042	UJ	< 0.04	UJ	< 0.04	UJ	< 0.041	UJ
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.025	UJ	< 0.028	UJ	< 0.03	UJ	< 0.028	UJ	< 0.027	UJ	< 0.027	UJ	< 0.028	UJ
Isophorone	mg/kg	8270	570	570	0.52	< 0.027	UJ	< 0.029	UJ	< 0.032	UJ	< 0.029	UJ	< 0.028	UJ	< 0.028	UJ	< 0.029	UJ
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.029	UJ	< 0.032	UJ	< 0.035	UJ	< 0.032	UJ	< 0.031	UJ	< 0.031	UJ	< 0.032	UJ
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.0083	UJ	< 0.0091	UJ	< 0.0099	UJ	< 0.0091	UJ	< 0.0087	UJ	< 0.0087	UJ	< 0.009	UJ
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.033	UJ	< 0.036	UJ	< 0.039	UJ	< 0.036	UJ	< 0.034	UJ	< 0.034	UJ	< 0.035	UJ
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.032	UJ	< 0.035	UJ	< 0.038	UJ	< 0.035	UJ	< 0.033	UJ	< 0.033	UJ	< 0.034	UJ
Phenol	mg/kg	8270	1900	19000	6.6	< 0.0083	UJ	< 0.0092	UJ	< 0.0099	UJ	0.25	J	< 0.0087	UJ	0.13	J	< 0.0091	UJ
Polychlorinated Biphenyls																			
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0026		< 0.0029		< 0.0031		< 0.0029	UJ	< 0.0027	UJ	< 0.0028	UJ	< 0.0028	UJ
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0034		< 0.0037		< 0.004		< 0.0037	UJ	< 0.0035	UJ	< 0.0035	UJ	< 0.0037	UJ
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.003		< 0.0033		< 0.0036		< 0.0033	UJ	< 0.0032	UJ	< 0.0032	UJ	< 0.0033	UJ
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.0029		< 0.0032		< 0.0034		< 0.0032	UJ	< 0.003	UJ	< 0.003	UJ	< 0.0031	UJ
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0017		< 0.0018		< 0.002		< 0.0018	UJ	< 0.0017	UJ	< 0.0018	UJ	< 0.0018	UJ
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0025		< 0.0028		0.015	J	< 0.0028	UJ	< 0.0026	UJ	0.019	J	< 0.0027	UJ
PCB-1260	mg/kg	8082	0.24	0.33	0.11	< 0.0025		< 0.0028		< 0.003		< 0.0028	UJ	< 0.0026	UJ	0.035	J	< 0.0027	UJ
Inorganics																			
Aluminum	mg/kg	6020	7700	77000	60000	7400	J	27000	J	12000	J	16000	K	8900	K	11000	K	22000	K
Antimony	mg/kg	6020	3.1	31	5.4	< 0.027	UJ	0.31	J	0.17	J	0.44	J	1.3	J	1.2	J	0.31	J
Arsenic	mg/kg	6020	0.68	0.43	5.8	0.6	K	2.8	K	5.4	K	***13***	K	***14***	K	***7.3***	K	2.9	K
Barium	mg/kg	6020	1500	15000	1640	30	J	300	J	110	J	180	J	110		180		310	
Beryllium	mg/kg	6020	16	160	64	0.35	J	5.2	J	1.9	J	2.7	J	2.3		2.4		4.7	
Cadmium	mg/kg	6020	7.1	37	7.6	0.44	J	2	J	0.72	J	0.95	J	0.49	J	0.68	J	1.1	
Calcium	mg/kg	6020	- -	- -	- -	180000	J	110000	J	34000	J	130000	J	59000		69000		140000	
Chromium [1]	mg/kg	6020	12000	120000	3600000	1100	J	68	J	14	J	350	J	110		7300		260	
Cobalt	mg/kg	6020	2.3	23	0.54	***29***	J	***12***	J	***100***	J	***3.3***	J	***8.5***		***30***		***3.5***	
Copper	mg/kg	6020	310	3100	920	14	J	23	J	13	J	63	K	100	K	490	K	36	K
Iron	mg/kg	6020	5500	55000	700	***170000***	J	***19000***	J	***21000***	J	***57000***	K	***180000***	L	***170000***	L	***52000***	L
Lead	mg/kg	6020	400	400	280	2.8	J	59	J	20	J	28	J	18		9.8		74	
Magnesium	mg/kg	6020	- -	- -	- -	40000	J	19000	J	5400	J	34000	J	14000		17000		29000	
Manganese [1]	mg/kg	6020	180	3500	56	***28000***	J	***3300***	J	***1000***	J	***7800***		***2200***		***4000***		***6700***	
Mercury	mg/kg	7471	1.1	3.1	2	< 0.011	UL	0.03	B	0.023	B	0.2		0.017	J	< 0.011		0.021	
Nickel	mg/kg	6020	150	1500	52	3.2	K	5.1	K	9.9	K	17	J	***66***		***4600***		***74***	
Potassium	mg/kg	6020	- -	- -	- -	28	B	1700	J	920	J	1100	L	440	L	630	L	1900	L
Selenium	mg/kg	6020	39	390	5.2	< 0.53	UJ	2.4	J	1	J	1.5	K	1.9	B	2.2	B	1.5	B
Silver	mg/kg	6020	39	390	1.6	< 0.041	UJ	0.16	J	0.061	B	0.1	K	0.13	J	0.21	J	0.15	J
Sodium	mg/kg	6020	- -	- -	- -	61	B	570	J	220	J	1800	L	310		430		940	
Thallium	mg/kg	6020	0.078	0.78	2.8	< 0.021	UJ	0.04	B	0.093	B	0.036	J	0.04	J	0.043	J	0.037	J
Vanadium	mg/kg	6020	39	5.5	172	***450***	J	16	J	20	J	23	J	32	L	39	L	110	L
Zinc	mg/kg	6020	2300	23000	740	15	L	***2100***	L	***930***	L	120	K	51	K	50	K	110	K
Other Parameters																			
Cyanide, Total	mg/kg	9012	2.3	23	40	< 0.095		0.97		< 0.12		< 0.11		< 0.1		9.9		5.4	
Percent Moisture	%	- -	- -	- -	- -	5.4		14		21		14		9.8		11		13	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-32(0-0.6) 11/19/2013		VII-SS-33(0-0.4) 11/19/2013		VII-SS-34(0-0.5) 11/19/2013		VII-SS-35(1-2) 10/29/2013		VII-SS-36(0-2) 10/24/2013		VII-SS-37(0-1) 11/06/2013		VII-SS-38(0-1) 11/06/2013					
Volatile Organic Compounds																							
Benzene	mg/kg	8260	1.2	1.2	0.052	<	0.00073	UJ	<	0.00073		<	0.00076		<	0.00078	UJ	<	0.054	<	0.00077	<	0.00082	
Toluene	mg/kg	8260	490	820	13.8		0.001	J		0.0016	J		0.00084	J	<	0.00084	UJ	<	0.046	<	0.00083	<	0.00089	
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	<	0.0007	UJ	<	0.0007		<	0.00072			0.0035	J	<	0.034	<	0.00074	<	0.00078	
Xylenes, Total	mg/kg	8260	58	260	198	<	0.0024	UJ	<	0.0024		<	0.0025			0.012	J	<	0.11	<	0.0026	<	0.0027	
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	<	0.00053	UJ	<	0.00053		<	0.00055		<	0.00056	UJ	<	0.056	<	0.00056	<	0.00059	
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	<	0.00078	UJ	<	0.00078		<	0.00081		<	0.00083	UJ	<	0.051	<	0.00082	<	0.00087	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	<	0.0012	UJ	<	0.0012		<	0.0012		<	0.0012	UJ	<	0.018	<	0.0012	<	0.0013	
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	<	0.0009	UJ	<	0.0009		<	0.00094		<	0.00096	UJ	<	0.064	<	0.00095	<	0.001	
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	<	0.00063	UJ	<	0.00062		<	0.00065		<	0.00067	UJ	<	0.056	<	0.00066	<	0.0007	
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	<	0.00092	UJ	<	0.00092		<	0.00096		<	0.00098	UJ	<	0.058	<	0.00097	<	0.001	
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	<	0.00096	UJ	<	0.00096		<	0.00099		<	0.001	UJ	<	0.021	<	0.001	<	0.0011	
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	<	0.00081	UJ	<	0.00081		<	0.00084		<	0.00087	UJ	<	0.019	<	0.00086	<	0.00091	
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	<	0.00094	UJ	<	0.00094		<	0.00097		<	0.001	UJ	<	0.034	<	0.00099	<	0.001	
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	<	0.00087	UJ	<	0.00087		<	0.0009		<	0.00092	UJ	<	0.037	<	0.00091	<	0.00097	
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	<	0.00067	UJ	<	0.00067		<	0.00069		<	0.00071	UJ	<	0.053	<	0.0007	<	0.00074	
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -		0.0016	J		0.004	J		0.0021	J	<	0.0015	UJ	<	0.052	<	0.0015	<	0.0016	
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	<	0.00076	UJ	<	0.00076		<	0.00079		<	0.00081	UJ	<	0.036	<	0.0008	<	0.00085	
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62		0.0016	J		0.004	J		0.0021	J	<	0.00069	UJ	<	0.041	<	0.00068	<	0.00072	
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	<	0.00059	UJ	<	0.00059		<	0.00061		<	0.00063	UJ	<	0.07	<	0.00062	<	0.00066	
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	<	0.00074	UJ	<	0.00074		<	0.00076		<	0.00078	UJ	<	0.04	<	0.00078	<	0.00082	
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	<	0.00065	UJ	<	0.00065		<	0.00067		<	0.00069	UJ	<	0.032	<	0.00068	<	0.00073	
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	<	0.00071	UJ	<	0.00071		<	0.00074		<	0.00076	UJ	<	0.028	<	0.00075	<	0.0008	
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	<	0.00069	UJ	<	0.00069		<	0.00072		<	0.00074	UJ	<	0.029	<	0.00073	<	0.00077	
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	<	0.00096	UJ	<	0.00096		<	0.00099		<	0.001	UJ	<	0.059	<	0.001	<	0.0011	
2-Hexanone	mg/kg	8260	20	- -	0.0176	<	0.00075	UJ	<	0.00075		<	0.00078		<	0.0008	UJ	<	0.031	<	0.00079	<	0.00084	
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	<	0.00071	UJ	<	0.00071		<	0.00073		<	0.00076	UJ	<	0.032	<	0.00075	<	0.00079	
Acetone	mg/kg	8260	6100	61000	5.8		0.0099	J		0.01	J	<	0.0056		<	0.0058	UJ	<	0.27	<	0.0057	<	0.0061	
Bromoform	mg/kg	8260	19	20	0.42	<	0.00048	UJ	<	0.00048		<	0.0005		<	0.00051	UJ	<	0.059	<	0.00051	<	0.00054	
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	<	0.0008	R	<	0.0008	R	<	0.00083	R	<	0.00086	UJ	<	0.086	<	0.00084	<	0.0009	
Carbon disulfide	mg/kg	8260	77	740	0.48	<	0.00056	UJ	<	0.00056		<	0.00058			0.002	J	<	0.059	<	0.00059	<	0.00062	
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	<	0.00049	UJ	<	0.00048		<	0.0005		<	0.00052	UJ	<	0.059	<	0.00051	<	0.00054	
Chlorobenzene	mg/kg	8260	28	290	1.36	<	0.00082	UJ	<	0.00082		<	0.00085		<	0.00088	UJ	<	0.029	<	0.00087	<	0.00092	
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	<	0.00077	UJ	<	0.00077		<	0.0008		<	0.00082	UJ	<	0.036	<	0.00081	<	0.00086	
Chloroethane	mg/kg	8260	1400	2100	11.8	<	0.0017	UJ	<	0.0017	UJ	<	0.0017	UJ	<	0.0018	UJ	<	0.041	<	0.0018	R	<	0.0019	R
Chloroform	mg/kg	8260	0.32	0.34	0.44	<	0.00064	UJ	<	0.00063		<	0.00066		<	0.00068	UJ	<	0.055		0.00078	B		0.00084	B
Chloromethane	mg/kg	8260	11	120	0.098	<	0.00093	UJ	<	0.00092		<	0.00096		<	0.00099	UJ	<	0.076	<	0.00097	<	0.001	
Cyclohexane	mg/kg	8260	650	120	26	<	0.0004	UJ	<	0.0004		<	0.00042		<	0.00043	UJ	<	0.033	<	0.00042	<	0.00045	
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	<	0.00061	UJ	<	0.00061		<	0.00063		<	0.00065	UJ	<	0.051	<	0.00064	<	0.00068	
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	<	0.00072	UJ	<	0.00072		<	0.00075		<	0.00077	UJ	<	0.035	<	0.00076	<	0.00081	
Isopropylbenzene	mg/kg	8260	190	270	1.48	<	0.00074	UJ	<	0.00074		<	0.00076			0.0018	J	<	0.029	<	0.00078	<	0.00082	
Methyl acetate	mg/kg	8260	7800	23000	8.2	<	0.00098	UJ	<	0.00098		<	0.001		<	0.001	UJ	<	0.067	<	0.001	<	0.0011	
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	<	0.00081	UJ	<	0.00081		<	0.00084		<	0.00087	UJ	<	0.056	<	0.00086	<	0.00091	
Methylcyclohexane [1]	mg/kg	8260	650	120	26	<	0.00079	UJ	<	0.00079		<	0.00082		<	0.00084	UJ	<	0.031	<	0.00083	<	0.00088	
Methylene Chloride	mg/kg	8260	35	58	0.054		0.0036	B		0.0043	B		0.0037	B		0.0043	B	<	0.06	<	0.00077	<	0.00082	
Styrene	mg/kg	8260	600	870	2.6	<	0.00077	UJ	<	0.00077		<	0.00079		<	0.00082	UJ	<	0.035	<	0.00081	<	0.00086	
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	<	0.00074	UJ	<	0.00074		<	0.00077		<	0.00079	UJ	<	0.045	<	0.00078	<	0.00083	
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	<	0.00072	UJ	<	0.00071		<	0.00074		<	0.00076	UJ	<	0.044	<	0.00075	<	0.0008	
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	<	0.001	UJ	<	0.001		<	0.001		<	0.0011	UJ	<	0.061	<	0.0011	<	0.0011	
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	<	0.00051	UJ	<	0.00051		<	0.00053		<	0.00054	UJ	<	0.071	<	0.00054	<	0.00057	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-32(0-0.6) 11/19/2013		VII-SS-33(0-0.4) 11/19/2013		VII-SS-34(0-0.5) 11/19/2013		VII-SS-35(1-2) 10/29/2013		VII-SS-36(0-2) 10/24/2013		VII-SS-37(0-1) 11/06/2013		VII-SS-38(0-1) 11/06/2013	
Semi-Volatile Organic Compounds																			
Acenaphthene	mg/kg	8270	360	4100	11	< 0.035	UJ	< 0.014	UJ	< 0.0072	UJ	0.056	J	< 0.007	UJ	< 0.0073		< 0.0077	
Acenaphthylene [1]	mg/kg	8270	360	4200	11	< 0.042	UJ	< 0.017	UJ	0.02	J	< 0.0089	UJ	< 0.0083	UJ	0.022	J	< 0.0092	
Anthracene	mg/kg	8270	1800	23000	116	< 0.035	UJ	0.023	J	0.026	J	0.028	J	< 0.0071	UJ	0.03	J	0.015	J
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	***0.45***	J	0.022	J	0.053	J	0.053	J	< 0.0091	UJ	0.12		0.049	J
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	0.28	J	< 0.014	UJ	0.048	J	< 0.0077	UJ	< 0.0073	UJ	0.12		0.055	J
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	0.47	J	< 0.023	UJ	0.11	J	< 0.012	UJ	< 0.011	UJ	0.17		0.067	J
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	0.44	J	< 0.014	UJ	0.09	J	< 0.0077	UJ	< 0.0072	UJ	0.11		0.066	J
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	< 0.073	UJ	< 0.029	UJ	0.026	J	< 0.016	UJ	< 0.015	UJ	0.081		0.027	J
Chrysene	mg/kg	8270	110	16	180	1.4	J	0.048	J	0.09	J	0.096	J	< 0.0087	UJ	0.13		0.055	J
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	0.11	J	< 0.016	UJ	0.018	J	< 0.0086	UJ	< 0.0081	UJ	0.031	J	< 0.009	
Fluoranthene	mg/kg	8270	240	2400	178	0.43	J	0.04	J	0.085	J	0.076	J	< 0.0078	UJ	0.19		0.075	J
Fluorene	mg/kg	8270	240	2900	10.8	< 0.048	UJ	< 0.019	UJ	< 0.0099	UJ	0.057	J	< 0.0096	UJ	< 0.01		< 0.011	
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	0.16	J	< 0.015	UJ	0.055	J	< 0.008	UJ	< 0.0075	UJ	0.09		0.038	J
Naphthalene	mg/kg	8270	2	4.1	0.0076	< 0.031	UJ	***0.046***	J	***0.033***	J	***0.37***	J	< 0.0063	UJ	***0.033***	J	***0.026***	J
Phenanthrene [1]	mg/kg	8270	1800	23000	116	0.39	J	0.063	J	0.074	J	0.19	J	< 0.012	UJ	0.081		0.039	J
Pyrene	mg/kg	8270	180	2300	26	1.2	J	0.044	J	0.074	J	0.15	J	< 0.0073	UJ	0.19		0.081	
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	< 0.16	UJ	< 0.065	UJ	< 0.034	UJ	***0.094***	J	< 0.032	UJ	< 0.034		< 0.036	
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 0.19	UJ	< 0.077	UJ	< 0.04	UJ	< 0.041	UJ	< 0.039	UJ	< 0.041		< 0.043	
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 0.27	UJ	< 0.11	UJ	< 0.056	UJ	< 0.058	UJ	< 0.054	UJ	< 0.057		< 0.06	
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.036	UJ	< 0.015	UJ	< 0.0075	UJ	< 0.0078	UJ	< 0.0073	UJ	< 0.0077		< 0.0081	
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	< 0.28	UJ	< 0.11	UJ	< 0.059	UJ	< 0.061	UJ	< 0.057	UJ	< 0.06		< 0.063	
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 2.2	UJ	< 0.86	UJ	< 0.45	UJ	< 0.46	UJ	< 0.43	UJ	< 0.45		< 0.48	
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 0.15	UJ	< 0.058	UJ	< 0.03	UJ	< 0.031	UJ	< 0.029	UJ	< 0.031		< 0.032	
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 0.19	UJ	< 0.075	UJ	< 0.039	UJ	< 0.04	UJ	< 0.037	UJ	< 0.039		< 0.042	
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.038	UJ	< 0.015	UJ	< 0.0078	UJ	< 0.0081	UJ	< 0.0076	UJ	< 0.008		< 0.0084	
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 0.15	UJ	< 0.059	UJ	< 0.031	UJ	< 0.032	UJ	< 0.03	UJ	< 0.031		< 0.033	
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	0.083	J	0.074	J	0.042	J	***0.87***	J	< 0.0065	UJ	0.037	J	0.022	J
2-Methylphenol	mg/kg	8270	320	3200	1.5	< 0.13	UJ	< 0.051	UJ	< 0.026	UJ	< 0.027	UJ	< 0.025	UJ	< 0.027		< 0.028	
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 0.81	UJ	< 0.32	UJ	< 0.17	UJ	< 0.17	UJ	< 0.16	UJ	< 0.17		< 0.18	
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.2	UJ	< 0.08	UJ	< 0.041	UJ	< 0.043	UJ	< 0.04	UJ	< 0.042		< 0.044	
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 0.19	UJ	< 0.077	UJ	< 0.04	UJ	< 0.041	UJ	< 0.038	UJ	< 0.04		< 0.043	
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	< 0.18	UJ	< 0.071	UJ	< 0.037	UJ	< 0.038	UJ	< 0.036	UJ	< 0.037		< 0.039	
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.75	UJ	< 0.3	UJ	< 0.15	UJ	< 0.16	UJ	< 0.15	UJ	< 0.16		< 0.17	
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 0.73	UJ	< 0.29	UJ	< 0.15	UJ	< 0.16	UJ	< 0.15	UJ	< 0.15		< 0.16	
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.16	UJ	< 0.063	UJ	< 0.033	UJ	< 0.034	UJ	< 0.032	UJ	< 0.033		< 0.035	
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 0.17	UJ	< 0.067	UJ	< 0.035	UJ	< 0.036	UJ	< 0.033	UJ	< 0.035		< 0.037	
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 0.15	UJ	< 0.058	UJ	< 0.03	UJ	< 0.031	UJ	< 0.029	UJ	< 0.031		< 0.032	
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.2	UJ	< 0.081	UJ	< 0.042	UJ	< 0.043	UJ	< 0.04	UJ	< 0.042		< 0.045	
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 0.73	UJ	< 0.29	UJ	< 0.15	UJ	< 0.16	UJ	< 0.15	UJ	< 0.15		< 0.16	
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.66	UJ	< 0.26	UJ	< 0.14	UJ	< 0.14	UJ	< 0.13	UJ	< 0.14		< 0.15	
Acetophenone	mg/kg	8270	780	2500	1.16	< 0.15	UJ	< 0.06	UJ	0.038	J	< 0.032	UJ	< 0.03	UJ	0.1	J	< 0.033	
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 0.18	UJ	< 0.071	UJ	< 0.037	UJ	< 0.038	UJ	< 0.035	UJ	< 0.037		< 0.039	
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 0.27	UJ	< 0.11	UJ	< 0.056	UJ	< 0.058	UJ	< 0.054	UJ	***0.43***	J	< 0.06	
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.039	UJ	< 0.016	UJ	< 0.0081	UJ	< 0.0084	UJ	< 0.0078	UJ	< 0.0082		< 0.0087	
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 0.12	UJ	< 0.048	UJ	< 0.025	UJ	< 0.025	UJ	< 0.024	UJ	< 0.025		< 0.026	
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 0.049	UJ	< 0.019	UJ	< 0.01	UJ	< 0.01	UJ	< 0.0098	UJ	< 0.01		< 0.011	
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	< 0.29	UJ	< 0.12	UJ	0.068	J	0.074	J	< 0.059	UJ	< 0.062		< 0.065	
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	< 0.25	UJ	< 0.099	UJ	< 0.051	UJ	< 0.053	UJ	< 0.05	UJ	< 0.052		< 0.055	
Caprolactam	mg/kg	8270	3100	31000	5	< 1.4	UJ	< 0.55	UJ	< 0.28	UJ	< 0.29	UJ	< 0.27	UJ	< 0.29		< 0.3	
Carbazole [1]	mg/kg	8270	1800	23000	116	< 0.033	UJ	< 0.013	UJ	0.0097	J	< 0.0071	UJ	< 0.0067	UJ	0.011	J	< 0.0074	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-32(0-0.6) 11/19/2013			VII-SS-33(0-0.4) 11/19/2013			VII-SS-34(0-0.5) 11/19/2013			VII-SS-35(1-2) 10/29/2013			VII-SS-36(0-2) 10/24/2013			VII-SS-37(0-1) 11/06/2013			VII-SS-38(0-1) 11/06/2013		
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.18	UJ		< 0.071	UJ		< 0.037	UJ		< 0.038	UJ		< 0.036	UJ		< 0.038			< 0.04		
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	0.62	B		0.32	B		0.05	B		< 0.042	UJ		< 0.04	UJ		0.09	B		< 0.044		
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.2	UJ		< 0.079	UJ		< 0.041	UJ		< 0.042	UJ		< 0.04	UJ		0.83			< 0.044		
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.23	UJ		< 0.091	UJ		< 0.047	UJ		< 0.049	UJ		< 0.046	UJ		< 0.048			< 0.05		
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.19	UJ		< 0.076	UJ		< 0.04	UJ		< 0.041	UJ		< 0.038	UJ		< 0.04			< 0.042		
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.039	UJ		< 0.015	UJ		< 0.008	UJ		< 0.0083	UJ		< 0.0077	UJ		< 0.0081			< 0.0086		
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.041	UJ		< 0.016	UJ		< 0.0084	UJ		< 0.0087	UJ		< 0.0081	UJ		< 0.0085			< 0.009		
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.2	UJ		< 0.078	UJ		< 0.041	UJ		< 0.042	UJ		< 0.039	UJ		< 0.041			< 0.043		
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.13	UJ		< 0.052	UJ		< 0.027	UJ		< 0.028	UJ		< 0.026	UJ		< 0.027			< 0.029		
Isophorone	mg/kg	8270	570	570	0.52	< 0.14	UJ		< 0.055	UJ		< 0.028	UJ		< 0.029	UJ		< 0.027	UJ		< 0.029			< 0.03		
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.15	UJ		< 0.06	UJ		< 0.031	UJ		< 0.032	UJ		< 0.03	UJ		< 0.032			< 0.034		
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.043	UJ		< 0.017	UJ		< 0.0088	UJ		< 0.0091	UJ		< 0.0085	UJ		< 0.0089			< 0.0094		
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.17	UJ		< 0.067	UJ		< 0.035	UJ		< 0.036	UJ		< 0.034	UJ		< 0.035			< 0.037		
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.16	UJ		< 0.065	UJ		< 0.034	UJ		< 0.035	UJ		< 0.032	UJ		< 0.034			< 0.036		
Phenol	mg/kg	8270	1900	19000	6.6	< 0.043	UJ		< 0.017	UJ		< 0.0089	UJ		< 0.0092	UJ		< 0.0086	UJ		< 0.009			< 0.0095		
Polychlorinated Biphenyls																										
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0027	UJ		< 0.0027	UJ		< 0.0028	UJ		< 0.0029	UJ		< 0.0027	UJ		< 0.0028	UJ		< 0.003	UJ	
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0035	UJ		< 0.0035	UJ		< 0.0036	UJ		< 0.0037	UJ		< 0.0035	UJ		< 0.0036	UJ		< 0.0039	UJ	
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.0031	UJ		< 0.0031	UJ		< 0.0032	UJ		< 0.0033	UJ		< 0.0031	UJ		< 0.0032	UJ		< 0.0035	UJ	
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.003	UJ		< 0.0029	UJ		< 0.003	UJ		< 0.0031	UJ		< 0.003	UJ		< 0.0031	UJ		< 0.0033	UJ	
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0017	UJ		< 0.0017	UJ		< 0.0018	UJ		< 0.0018	UJ		< 0.0017	UJ		< 0.0018	UJ		< 0.0019	UJ	
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0026	UJ		< 0.0026	UJ		< 0.0027	UJ		< 0.0027	UJ		< 0.0026	UJ		< 0.0027	UJ		< 0.0029	UJ	
PCB-1260	mg/kg	8082	0.24	0.33	0.11	0.012	J		< 0.0026	UJ		< 0.0027	UJ		< 0.0027	UJ		0.0084	J		0.011	J		< 0.0029	UJ	
Inorganics																										
Aluminum	mg/kg	6020	7700	77000	60000	17000	K		27000	K		25000	K		8000	K		10000	K		8900	K		12000	K	
Antimony	mg/kg	6020	3.1	31	5.4	0.72	L		0.23			0.89			0.43	J		0.26			3.2	L		0.32	J	
Arsenic	mg/kg	6020	0.68	0.43	5.8	1.5	J		3	J		***5.9***	J		4.4	K		***7.3***			***6***	K		***7.3***	K	
Barium	mg/kg	6020	1500	15000	1640	150			320			380			130	J		81			100	J		150	J	
Beryllium	mg/kg	6020	16	160	64	1.9	J		5.9			5.2			0.4	J		0.65	L		0.8	K		1.4	K	
Cadmium	mg/kg	6020	7.1	37	7.6	1			0.85			1.4			0.41	J		0.57			0.79	J		0.68	J	
Calcium	mg/kg	6020	- -	- -	- -	170000	L		160000	L		150000			270000			16000			64000	J		90000	J	
Chromium [1]	mg/kg	6020	12000	120000	3600000	790			120			81			1400	J		140			360	J		380	J	
Cobalt	mg/kg	6020	2.3	23	0.54	***2.5***			***2***			***2.6***			***3.9***	J		***12***			***11***	J		***6.9***	J	
Copper	mg/kg	6020	310	3100	920	24	K		24	K		37	K		69	K		61	K		58	J		25	J	
Iron	mg/kg	6020	5500	55000	700	***120000***	L		***33000***			***33000***			***220000***	K		***54000***	J		***69000***			***66000***		
Lead	mg/kg	6020	400	400	280	15			19			100			12	J		35			270	J		65	J	
Magnesium	mg/kg	6020	- -	- -	- -	46000			44000			32000			27000	J		7400			16000	J		21000	K	
Manganese [1]	mg/kg	6020	180	3500	56	***22000***	L		***4800***	L		***4300***	L		***36000***			***3600***	J		***8300***			***9100***		
Mercury	mg/kg	7471	1.1	3.1	2	0.011	J		0.016	J		0.22			0.071			0.042			0.087	L		0.044	L	
Nickel	mg/kg	6020	150	1500	52	27	J		16			9.9			21	J		27	K		24	J		16	J	
Potassium	mg/kg	6020	- -	- -	- -	750			1900			1500			180	L		1400	K		790	J		940	J	
Selenium	mg/kg	6020	39	390	5.2	1.4			2.8			2.6			0.65	K		0.69			0.78	L		1.1	K	
Silver	mg/kg	6020	39	390	1.6	0.28	K		0.14	K		0.32	K		0.08	K		0.069	K		0.26	J		0.13	J	
Sodium	mg/kg	6020	- -	- -	- -	1900			1300			980			300	L		180			250	K		620	K	
Thallium	mg/kg	6020	0.078	0.78	2.8	0.034	J		0.065	J		0.3			0.0069	J		0.12			0.25	J		0.17	J	
Vanadium	mg/kg	6020	39	5.5	172	***400***	L		33	L		54	L		120	J		34			110	J		***230***	J	
Zinc	mg/kg	6020	2300	23000	740	59	K		67	K		390	K		61	K		160	K		200	J		120	J	
Other Parameters																										
Cyanide, Total	mg/kg	9012	2.3	23	40	1.1			1.3			0.43	J		0.46	J		< 0.11			0.11	J		0.12	J	
Percent Moisture	%	- -	- -	- -	- -	8			7.9			11			14			8.8			13			18		

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-38(0-1)DUP 11/06/2013 Duplicate	VII-SS-39(0-0.5) 11/06/2013	VII-SS-40(0-0.5) 11/19/2013	VII-SS-41(0-1) 11/19/2013	VII-SS-41-S1 11/30/2017	VII-SS-41-S2 11/30/2017	VII-SS-41-S3 11/30/2017
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.00079	< 0.00084	< 0.00075	< 0.00079	NA	NA	NA
Toluene	mg/kg	8260	490	820	13.8	< 0.00086	< 0.00091	0.0018 J	0.0013 J	NA	NA	NA
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.00076	< 0.0008	< 0.00071	< 0.00075	NA	NA	NA
Xylenes, Total	mg/kg	8260	58	260	198	< 0.0026	< 0.0028	< 0.0025	< 0.0026	NA	NA	NA
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.00057	< 0.0006	< 0.00054	< 0.00057	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.00085	< 0.00089	< 0.0008	< 0.00084	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.0013	< 0.0013	< 0.0012	< 0.0012	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.00098	< 0.001	< 0.00092	< 0.00097	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.00068	< 0.00071	< 0.00064	< 0.00067	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.001	< 0.0011	< 0.00094	< 0.00099	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	< 0.001	< 0.0011	< 0.00098	< 0.001	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.00088	< 0.00093	< 0.00083	< 0.00087	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.001	< 0.0011	< 0.00096	< 0.001	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.00094	< 0.00099	< 0.00089	< 0.00093	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.00072	< 0.00076	< 0.00068	< 0.00072	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0015	< 0.0016	0.0049 J	0.0027 J	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.00083	< 0.00087	< 0.00078	< 0.00082	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.0007	< 0.00074	0.0049 J	0.0027 J	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.00064	< 0.00067	< 0.0006	< 0.00063	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.0008	< 0.00084	< 0.00075	< 0.00079	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.0007	< 0.00074	< 0.00066	< 0.0007	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.00077	< 0.00081	< 0.00073	< 0.00077	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.00075	< 0.00079	< 0.00071	< 0.00074	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.001	< 0.0011	< 0.00098	< 0.001	NA	NA	NA
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.00081	< 0.00086	< 0.00077	< 0.00081	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.00077	< 0.00081	< 0.00072	< 0.00076	NA	NA	NA
Acetone	mg/kg	8260	6100	61000	5.8	< 0.0059	< 0.0062	0.018 J	0.0096 J	NA	NA	NA
Bromoform	mg/kg	8260	19	20	0.42	< 0.00052	< 0.00055	< 0.00049	< 0.00052	NA	NA	NA
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.00087	< 0.00092	< 0.00082 R	< 0.00086 R	NA	NA	NA
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.0006	< 0.00064	< 0.00057	< 0.0006	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.00053	< 0.00055	< 0.0005	< 0.00052	NA	NA	NA
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.00089	< 0.00094	< 0.00084	< 0.00088	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.00084	< 0.00088	< 0.00079	< 0.00083	NA	NA	NA
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.0018 R	< 0.0019 R	< 0.0017 UJ	< 0.0018	NA	NA	NA
Chloroform	mg/kg	8260	0.32	0.34	0.44	0.00079 B	0.0008 B	< 0.00065	< 0.00068	NA	NA	NA
Chloromethane	mg/kg	8260	11	120	0.098	< 0.001	< 0.0011	< 0.00095	< 0.001	NA	NA	NA
Cyclohexane	mg/kg	8260	650	120	26	< 0.00044	< 0.00046	< 0.00041	< 0.00043	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.00066	< 0.0007	< 0.00062	< 0.00066	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.00078	< 0.00083	< 0.00074	< 0.00078	NA	NA	NA
Isopropylbenzene	mg/kg	8260	190	270	1.48	< 0.0008	< 0.00084	< 0.00075	< 0.00079	NA	NA	NA
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.0011	< 0.0011	< 0.001	< 0.0011	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.00088	< 0.00093	< 0.00083	< 0.00087	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	650	120	26	< 0.00085	< 0.0009	< 0.00081	< 0.00085	NA	NA	NA
Methylene Chloride	mg/kg	8260	35	58	0.054	< 0.00079	< 0.00083	0.005 B	0.0037 B	NA	NA	NA
Styrene	mg/kg	8260	600	870	2.6	< 0.00083	< 0.00088	< 0.00078	< 0.00082	NA	NA	NA
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.0008	< 0.00084	< 0.00076	< 0.00079	NA	NA	NA
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.00077	< 0.00082	< 0.00073	< 0.00077	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.0011	< 0.0011	< 0.001	< 0.0011	NA	NA	NA
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.00055	< 0.00058	< 0.00052	< 0.00055	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-38(0-1)DUP 11/06/2013 Duplicate	VII-SS-39(0-0.5) 11/06/2013	VII-SS-40(0-0.5) 11/19/2013	VII-SS-41(0-1) 11/19/2013	VII-SS-41-S1 11/30/2017	VII-SS-41-S2 11/30/2017	VII-SS-41-S3 11/30/2017
Semi-Volatile Organic Compounds												
Acenaphthene	mg/kg	8270	360	4100	11	< 0.0075	< 0.08	0.0079 J	2.5 J	< 0.0053	< 0.054	< 0.037
Acenaphthylene [1]	mg/kg	8270	360	4200	11	< 0.0089	< 0.095	0.016 J	5.8 J	< 0.0054	< 0.055	< 0.038
Anthracene	mg/kg	8270	1800	23000	116	0.022 J	0.12 J	0.021 J	10 J	< 0.0058	< 0.06	< 0.041
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	0.061 J	< 0.1	0.055 J	***22*** J	0.009 J	0.16	0.08 J
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	0.062 J	< 0.083	0.064 J	***24*** J	0.01 J	0.17	0.12
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	0.078	< 0.13	0.09 J	***31*** J	0.022	0.24	0.17
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	0.097	< 0.083	0.094 J	20 J	0.027	0.28	0.21
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	0.042 J	< 0.17	0.027 J	14 J	0.0061 J	0.1 J	0.063 J
Chrysene	mg/kg	8270	110	16	180	0.074 J	< 0.099	0.076 J	24 J	0.021	0.2	0.1 J
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	0.021 J	< 0.092	0.015 J	***5.3*** J	< 0.0066	< 0.067	< 0.046
Fluoranthene	mg/kg	8270	240	2400	178	0.092	0.12 J	0.087 J	49 J	0.015 J	0.32	0.1 J
Fluorene	mg/kg	8270	240	2900	10.8	< 0.01	< 0.11	< 0.0097 UJ	2.7 J	< 0.0056	< 0.058	< 0.04
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	0.057 J	< 0.086	0.051 J	18 J	0.014 J	0.14 J	0.12
Naphthalene	mg/kg	8270	2	4.1	0.0076	***0.03*** J	< 0.072	***0.093*** J	***1.2*** J	< 0.0057	< 0.058	< 0.04
Phenanthrene [1]	mg/kg	8270	1800	23000	116	0.049 J	0.14 J	0.087 J	30 J	0.011 J	0.13 J	< 0.047
Pyrene	mg/kg	8270	180	2300	26	0.09	0.19 J	0.075 J	***35*** J	0.012 J	0.24	0.097 J
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	< 0.035	< 0.37	< 0.033 UJ	***0.17*** J	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 0.042	< 0.44	< 0.039 UJ	< 0.21 UJ	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 0.058	< 0.62	< 0.055 UJ	< 0.29 UJ	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.0078	< 0.083	< 0.0074 UJ	< 0.039 UJ	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	< 0.061	< 0.65	< 0.058 UJ	< 0.3 UJ	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 0.46	< 4.9	< 0.44 UJ	< 2.3 UJ	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 0.031	< 0.34	< 0.03 UJ	< 0.16 UJ	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 0.04	< 0.43	< 0.038 UJ	< 0.2 UJ	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.0081	< 0.087	< 0.0077 UJ	< 0.041 UJ	NA	NA	NA
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 0.032	< 0.34	< 0.03 UJ	< 0.16 UJ	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	0.03 J	< 0.075	0.12 J	***1*** J	NA	NA	NA
2-Methylphenol	mg/kg	8270	320	3200	1.5	< 0.027	< 0.29	< 0.026 UJ	< 0.14 UJ	NA	NA	NA
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 0.17	< 1.9	< 0.16 UJ	< 0.87 UJ	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.043	< 0.46	< 0.041 UJ	< 0.21 UJ	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 0.041	< 0.44	< 0.039 UJ	< 0.21 UJ	NA	NA	NA
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	< 0.038	< 0.41	< 0.036 UJ	< 0.19 UJ	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.16	< 1.7	< 0.15 UJ	< 0.8 UJ	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 0.16	< 1.7	< 0.15 UJ	< 0.78 UJ	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.034	< 0.36	< 0.032 UJ	< 0.17 UJ	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 0.036	< 0.38	< 0.034 UJ	< 0.18 UJ	NA	NA	NA
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 0.031	< 0.33	< 0.029 UJ	< 0.16 UJ	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.043	< 0.46	< 0.041 UJ	< 0.22 UJ	NA	NA	NA
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 0.16	< 1.7	< 0.15 UJ	< 0.79 UJ	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.14	< 1.5	< 0.13 UJ	< 0.71 UJ	NA	NA	NA
Acetophenone	mg/kg	8270	780	2500	1.16	< 0.032	< 0.34	0.044 J	0.17 J	NA	NA	NA
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 0.038	< 0.4	< 0.036 UJ	< 0.19 UJ	NA	NA	NA
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 0.058	< 0.62	***0.33*** J	< 0.29 UJ	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.0084	< 0.09	< 0.0079 UJ	< 0.042 UJ	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 0.026	< 0.27	< 0.024 UJ	< 0.13 UJ	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 0.01	< 0.11	< 0.0099 UJ	< 0.052 UJ	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	< 0.063	< 0.67	< 0.059 UJ	< 0.31 UJ	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	< 0.053	< 0.57	< 0.05 UJ	< 0.27 UJ	NA	NA	NA
Caprolactam	mg/kg	8270	3100	31000	5	< 0.29	< 3.1	< 0.28 UJ	< 1.5 UJ	NA	NA	NA
Carbazole [1]	mg/kg	8270	1800	23000	116	< 0.0072	< 0.077	0.018 J	5.1 J	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-38(0-1)DUP 11/06/2013 Duplicate	VII-SS-39(0-0.5) 11/06/2013	VII-SS-40(0-0.5) 11/19/2013	VII-SS-41(0-1) 11/19/2013	VII-SS-41-S1 11/30/2017	VII-SS-41-S2 11/30/2017	VII-SS-41-S3 11/30/2017
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.038	< 0.41	< 0.036 UJ	***1.6*** J	NA	NA	NA
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	< 0.043	< 0.45	0.082 B	0.45 B	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.043	< 0.45	< 0.04 UJ	< 0.21 UJ	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.049	< 0.52	< 0.046 UJ	< 0.24 UJ	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.041	< 0.44	< 0.039 UJ	< 0.21 UJ	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.0083	< 0.088	< 0.0078 UJ	< 0.042 UJ	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.0087	< 0.093	< 0.0082 UJ	< 0.044 UJ	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.042	< 0.45	< 0.04 UJ	< 0.21 UJ	NA	NA	NA
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.028	< 0.3	< 0.026 UJ	< 0.14 UJ	NA	NA	NA
Isophorone	mg/kg	8270	570	570	0.52	< 0.029	< 0.31	< 0.028 UJ	< 0.15 UJ	NA	NA	NA
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.032	< 0.35	< 0.031 UJ	< 0.16 UJ	NA	NA	NA
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.0092	< 0.097	< 0.0086 UJ	< 0.046 UJ	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.036	< 0.38	< 0.034 UJ	< 0.18 UJ	NA	NA	NA
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.035	< 0.37	< 0.033 UJ	< 0.17 UJ	NA	NA	NA
Phenol	mg/kg	8270	1900	19000	6.6	< 0.0092	< 0.098	< 0.0087 UJ	< 0.046 UJ	NA	NA	NA
Polychlorinated Biphenyls												
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0029 UJ	< 0.0031 UJ	< 0.0028 UJ	< 0.0029 UJ	NA	NA	NA
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0037 UJ	< 0.0039 UJ	< 0.0035 UJ	< 0.0037 UJ	NA	NA	NA
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.0034 UJ	< 0.0035 UJ	< 0.0032 UJ	< 0.0033 UJ	NA	NA	NA
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.0032 UJ	< 0.0034 UJ	< 0.003 UJ	< 0.0032 UJ	NA	NA	NA
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0019 UJ	< 0.0019 UJ	< 0.0018 UJ	< 0.0018 UJ	NA	NA	NA
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0028 UJ	< 0.0029 UJ	< 0.0026 UJ	< 0.0028 UJ	NA	NA	NA
PCB-1260	mg/kg	8082	0.24	0.33	0.11	< 0.0028 UJ	0.026 J	< 0.0026 UJ	***0.12*** J	NA	NA	NA
Inorganics												
Aluminum	mg/kg	6020	7700	77000	60000	12000 K	25000 K	25000 K	24000 K	NA	NA	NA
Antimony	mg/kg	6020	3.1	31	5.4	0.34 J	0.57 J	0.42	2.3	NA	NA	NA
Arsenic	mg/kg	6020	0.68	0.43	5.8	***7.1*** K	5 K	2.5 J	***14*** J	NA	NA	NA
Barium	mg/kg	6020	1500	15000	1640	130 J	290 J	230	270	NA	NA	NA
Beryllium	mg/kg	6020	16	160	64	0.9 K	4.5 K	4.9	5.9	NA	NA	NA
Cadmium	mg/kg	6020	7.1	37	7.6	0.64 J	1.1 J	0.88	3.9	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	120000 J	180000 J	170000 L	120000	NA	NA	NA
Chromium [1]	mg/kg	6020	12000	120000	3600000	1100 J	68 J	390	93	NA	NA	NA
Cobalt	mg/kg	6020	2.3	23	0.54	***5.7*** J	***3.4*** J	***1.9***	***10***	NA	NA	NA
Copper	mg/kg	6020	310	3100	920	30 J	28 J	20 K	120 K	NA	NA	NA
Iron	mg/kg	6020	5500	55000	700	***110000***	***30000*** J	***69000*** L	***88000*** L	NA	NA	NA
Lead	mg/kg	6020	400	400	280	47 J	41 J	25	***440***	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	24000 K	41000 K	43000	29000	NA	NA	NA
Manganese [1]	mg/kg	6020	180	3500	56	***16000***	***2800*** J	***7200*** L	***2400***	NA	NA	NA
Mercury	mg/kg	7471	1.1	3.1	2	0.042 L	0.1 L	0.034 J	0.22	NA	NA	NA
Nickel	mg/kg	6020	150	1500	52	15 J	14 J	9.1	***59***	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	850 J	1400 J	1300	1100	NA	NA	NA
Selenium	mg/kg	6020	39	390	5.2	0.96 K	2.3 K	2.2	3	NA	NA	NA
Silver	mg/kg	6020	39	390	1.6	0.12 J	0.14 J	0.16 K	0.26 K	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	470 K	1000 K	1200	760	NA	NA	NA
Thallium	mg/kg	6020	0.078	0.78	2.8	0.14 J	0.072 J	0.044 J	0.22	NA	NA	NA
Vanadium	mg/kg	6020	39	5.5	172	150 J	34 J	170 L	14 L	NA	NA	NA
Zinc	mg/kg	6020	2300	23000	740	94 J	44 J	53 K	640 K	NA	NA	NA
Other Parameters												
Cyanide, Total	mg/kg	9012	2.3	23	40	< 0.12	1.3	0.8	1.5	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	15	20	10	14	NA	NA	NA

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

| Constituent | Units | Analytical Method | Screening Criteria [1] | | | Sample Information [2] | | |

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-42(0-0.6) 11/19/2013		VII-SS-43(0-0.5) 11/19/2013		VII-SS-44(0-0.6) 11/19/2013		VII-SS-45(0-0.6) 11/19/2013		VII-SS-46(1-2) 12/9/2013		VII-SS-47(0-2) 10/24/2013		VII-SS-48(0-1) 10/24/2013					
Semi-Volatile Organic Compounds																							
Acenaphthene	mg/kg	8270	360	4100	11	<	0.035	UJ	<	0.0069	UJ	<	0.069	UJ	<	0.068	UJ	<	0.0075	UJ	<	0.0072	UJ		0.012	J
Acenaphthylene [1]	mg/kg	8270	360	4200	11		0.081	J	<	0.0082	UJ	<	0.083	UJ	<	0.081	UJ	<	0.009	UJ	<	0.0086	UJ		0.022	J
Anthracene	mg/kg	8270	1800	23000	116		0.038	J	<	0.007	UJ	<	0.07	UJ	<	0.069	UJ	<	0.0077	UJ		0.024	J		0.031	J
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22		***0.33***	J		0.043	J		***0.29***	J		***0.26***	J		0.036	J		0.095	J		0.12	J
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8		0.23	J		0.023	J		0.15	J	<	0.071	UJ		0.029	J		0.099	J		0.12	J
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6		0.28	J		0.049	J		0.28	J		0.2	J		0.044	J		0.14	J		0.21	J
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26		0.31	J		0.048	J		0.32	J		0.36	J		0.022	J		0.098	J		0.16	J
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	<	0.073	UJ		0.02	J	<	0.15	UJ		0.19	J	<	0.016	UJ		0.065	J		0.06	J
Chrysene	mg/kg	8270	110	16	180		0.96	J		0.13	J		0.74	J		0.76	J		0.042	J		0.12	J		0.15	J
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92		0.094	J	<	0.008	UJ	<	0.08	UJ	<	0.079	UJ	<	0.0087	UJ	<	0.0084	UJ		0.04	J
Fluoranthene	mg/kg	8270	240	2400	178		0.36	J		0.082	J		0.46	J		0.28	J		0.049	J		0.18	J		0.2	J
Fluorene	mg/kg	8270	240	2900	10.8	<	0.048	UJ	<	0.0095	UJ	<	0.095	UJ	<	0.093	UJ	<	0.01	UJ	<	0.0099	UJ	<	0.01	UJ
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6		0.12	J		0.017	J		0.16	J		0.15	J		0.021	J		0.077	J		0.13	J
Naphthalene	mg/kg	8270	2	4.1	0.0076	<	0.031	UJ	<	0.0062	UJ	<	0.062	UJ	<	0.061	UJ	<	0.0068	UJ		***0.02***	J	<	0.0066	UJ
Phenanthrene [1]	mg/kg	8270	1800	23000	116		0.37	J		0.16	J		0.22	J		0.2	J		0.032	J		0.094	J		0.095	J
Pyrene	mg/kg	8270	180	2300	26		0.86	J		0.11	J		0.77	J		0.69	J		0.043	J		0.16	J		0.22	J
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	<	0.16	UJ	<	0.032	UJ	<	0.32	UJ	<	0.32	UJ	<	0.035	UJ	<	0.034	UJ	<	0.034	UJ
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	<	0.19	UJ	<	0.038	UJ	<	0.38	UJ	<	0.38	UJ	<	0.042	UJ	<	0.04	UJ	<	0.041	UJ
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	<	0.27	UJ	<	0.054	UJ	<	0.54	UJ	<	0.53	UJ	<	0.059	UJ	<	0.056	UJ	<	0.057	UJ
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	<	0.036	UJ	<	0.0072	UJ	<	0.072	UJ	<	0.071	UJ	<	0.0079	UJ	<	0.0075	UJ	<	0.0076	UJ
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	<	0.28	UJ	<	0.056	UJ	<	0.56	UJ	<	0.55	UJ	<	0.061	UJ	<	0.059	UJ	<	0.06	UJ
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	<	2.2	UJ	<	0.43	UJ	<	4.3	UJ	<	4.2	UJ	<	0.47	UJ	<	0.45	UJ	<	0.45	UJ
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	<	0.15	UJ	<	0.029	UJ	<	0.29	UJ	<	0.29	UJ	<	0.032	UJ	<	0.03	UJ	<	0.031	UJ
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	<	0.19	UJ	<	0.037	UJ	<	0.37	UJ	<	0.37	UJ	<	0.041	UJ	<	0.039	UJ	<	0.039	UJ
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	<	0.038	UJ	<	0.0075	UJ	<	0.075	UJ	<	0.074	UJ	<	0.0082	UJ	<	0.0079	UJ	<	0.008	UJ
2-Chlorophenol	mg/kg	8270	39	340	0.178	<	0.15	UJ	<	0.029	UJ	<	0.29	UJ	<	0.29	UJ	<	0.032	UJ	<	0.031	UJ	<	0.031	UJ
2-Methylnaphthalene	mg/kg	8270	24	310	0.38		0.042	J		0.036	J	<	0.065	UJ	<	0.064	UJ		0.02	J		0.017	J		0.021	J
2-Methylphenol	mg/kg	8270	320	3200	1.5	<	0.13	UJ	<	0.025	UJ	<	0.25	UJ	<	0.25	UJ	<	0.027	UJ	<	0.026	UJ	<	0.027	UJ
2-Nitroaniline	mg/kg	8270	63	630	0.16	<	0.81	UJ	<	0.16	UJ	<	1.6	UJ	<	1.6	UJ	<	0.18	UJ	<	0.17	UJ	<	0.17	UJ
2-Nitrophenol	mg/kg	8270	- -	- -	- -	<	0.2	UJ	<	0.04	UJ	<	0.4	UJ	<	0.39	UJ	<	0.043	UJ	<	0.041	UJ	<	0.042	UJ
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	<	0.19	UJ	<	0.038	UJ	<	0.38	UJ	<	0.37	UJ	<	0.042	UJ	<	0.04	UJ	<	0.04	UJ
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	<	0.18	UJ	<	0.035	UJ	<	0.35	UJ	<	0.35	UJ	<	0.038	UJ	<	0.037	UJ	<	0.037	UJ
3-Nitroaniline	mg/kg	8270	- -	- -	- -	<	0.75	UJ	<	0.15	UJ	<	1.5	UJ	<	1.5	UJ	<	0.16	UJ	<	0.15	UJ	<	0.16	UJ
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	<	0.73	UJ	<	0.14	UJ	<	1.4	UJ	<	1.4	UJ	<	0.16	UJ	<	0.15	UJ	<	0.15	UJ
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	<	0.16	UJ	<	0.031	UJ	<	0.31	UJ	<	0.31	UJ	<	0.034	UJ	<	0.033	UJ	<	0.033	UJ
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	<	0.17	UJ	<	0.033	UJ	<	0.33	UJ	<	0.33	UJ	<	0.036	UJ	<	0.035	UJ	<	0.035	UJ
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	<	0.15	UJ	<	0.029	UJ	<	0.29	UJ	<	0.28	UJ	<	0.031	UJ	<	0.03	UJ	<	0.03	UJ
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	<	0.2	UJ	<	0.04	UJ	<	0.4	UJ	<	0.39	UJ	<	0.044	UJ	<	0.042	UJ	<	0.042	UJ
4-Nitroaniline	mg/kg	8270	25	- -	0.032	<	0.74	UJ	<	0.15	UJ	<	1.5	UJ	<	1.4	UJ	<	0.16	UJ	<	0.15	UJ	<	0.15	UJ
4-Nitrophenol	mg/kg	8270	- -	- -	- -	<	0.66	UJ	<	0.13	UJ	<	1.3	UJ	<	1.3	UJ	<	0.14	UJ	<	0.14	UJ	<	0.14	UJ
Acetophenone	mg/kg	8270	780	2500	1.16	<	0.15	UJ	<	0.03	UJ	<	0.3	UJ	<	0.29	UJ	<	0.032	UJ	<	0.031	UJ	<	0.031	UJ
Atrazine	mg/kg	8270	2.4	2.4	0.038	<	0.18	UJ	<	0.035	UJ	<	0.35	UJ	<	0.34	UJ	<	0.038	UJ	<	0.037	UJ	<	0.037	UJ
Benzaldehyde	mg/kg	8270	170	1200	0.082	<	0.27	UJ	<	0.054	UJ	<	0.54	UJ	<	0.53	UJ	<	0.059	UJ	<	0.056	UJ	<	0.057	UJ
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	<	0.039	UJ	<	0.0077	UJ	<	0.078	UJ	<	0.076	UJ	<	0.0085	UJ	<	0.0081	UJ	<	0.0082	UJ
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	<	0.12	UJ	<	0.024	UJ	<	0.24	UJ	<	0.23	UJ	<	0.026	UJ	<	0.025	UJ	<	0.025	UJ
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	<	0.049	UJ	<	0.0096	UJ	<	0.097	UJ	<	0.095	UJ	<	0.011	UJ	<	0.01	UJ	<	0.01	UJ
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	<	0.29	UJ	<	0.058	UJ	<	0.58	UJ	<	0.57	UJ	<	0.064	UJ		0.091	J		0.16	J
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	<	0.25	UJ	<	0.049	UJ	<	0.49	UJ	<	0.48	UJ		0.23	J	<	0.051	UJ	<	0.052	UJ
Caprolactam	mg/kg	8270	3100	31000	5	<	1.4	UJ	<	0.27	UJ	<	2.7	UJ	<	2.7	UJ	<	0.3	UJ	<	0.28	UJ	<	0.29	UJ
Carbazole [1]	mg/kg	8270	1800	23000	116	<	0.033	UJ		0.0078	J	<	0.066	UJ	<	0.065	UJ	<	0.0072	UJ	<	0.0069	UJ		0.011	J

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-42(0-0.6) 11/19/2013		VII-SS-43(0-0.5) 11/19/2013		VII-SS-44(0-0.6) 11/19/2013		VII-SS-45(0-0.6) 11/19/2013		VII-SS-46(1-2) 12/9/2013		VII-SS-47(0-2) 10/24/2013		VII-SS-48(0-1) 10/24/2013	
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.18	UJ	< 0.035	UJ	< 0.35	UJ	< 0.35	UJ	< 0.039	UJ	< 0.037	UJ	< 0.037	UJ
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	0.22	B	< 0.039	UJ	< 0.39	UJ	0.6	B	< 0.043	UJ	< 0.041	UJ	< 0.042	UJ
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.2	UJ	< 0.039	UJ	< 0.39	UJ	< 0.39	UJ	< 0.043	UJ	< 0.041	UJ	0.076	J
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.23	UJ	< 0.045	UJ	< 0.45	UJ	< 0.44	UJ	< 0.049	UJ	< 0.047	UJ	< 0.048	UJ
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.19	UJ	< 0.038	UJ	< 0.38	UJ	< 0.37	UJ	< 0.041	UJ	< 0.04	UJ	< 0.04	UJ
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.039	UJ	< 0.0076	UJ	< 0.077	UJ	< 0.075	UJ	< 0.0084	UJ	< 0.008	UJ	< 0.0081	UJ
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.041	UJ	< 0.008	UJ	< 0.081	UJ	< 0.079	UJ	< 0.0088	UJ	< 0.0084	UJ	< 0.0085	UJ
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.2	UJ	< 0.039	UJ	< 0.39	UJ	< 0.38	UJ	< 0.042	UJ	< 0.041	UJ	< 0.041	UJ
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.13	UJ	< 0.026	UJ	< 0.26	UJ	< 0.25	UJ	< 0.028	UJ	< 0.027	UJ	< 0.027	UJ
Isophorone	mg/kg	8270	570	570	0.52	< 0.14	UJ	< 0.027	UJ	< 0.27	UJ	< 0.27	UJ	< 0.03	UJ	< 0.028	UJ	< 0.029	UJ
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.15	UJ	< 0.03	UJ	< 0.3	UJ	< 0.29	UJ	< 0.033	UJ	< 0.031	UJ	< 0.032	UJ
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.043	UJ	< 0.0084	UJ	< 0.084	UJ	< 0.083	UJ	< 0.0092	UJ	< 0.0088	UJ	< 0.0089	UJ
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.17	UJ	< 0.033	UJ	< 0.33	UJ	< 0.33	UJ	< 0.036	UJ	< 0.035	UJ	< 0.035	UJ
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.16	UJ	< 0.032	UJ	< 0.32	UJ	< 0.32	UJ	< 0.035	UJ	< 0.034	UJ	< 0.034	UJ
Phenol	mg/kg	8270	1900	19000	6.6	< 0.043	UJ	< 0.0085	UJ	< 0.085	UJ	< 0.084	UJ	< 0.0093	UJ	< 0.0089	UJ	< 0.009	UJ
Polychlorinated Biphenyls																			
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0027	UJ	< 0.0027	UJ	< 0.0027	UJ	< 0.0026	UJ	< 0.0029		< 0.0028	UJ	< 0.0028	UJ
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0035	UJ	< 0.0034	UJ	< 0.0034	UJ	< 0.0034	UJ	< 0.0037		< 0.0036	UJ	< 0.0036	UJ
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.0031	UJ	< 0.0031	UJ	< 0.0031	UJ	< 0.003	UJ	< 0.0034		< 0.0032	UJ	< 0.0032	UJ
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.003	UJ	< 0.0029	UJ	< 0.0029	UJ	< 0.0029	UJ	< 0.0032		< 0.0031	UJ	< 0.0031	UJ
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0017	UJ	< 0.0017	UJ	< 0.0017	UJ	< 0.0017	UJ	< 0.0019		< 0.0018	UJ	< 0.0018	UJ
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0026	UJ	< 0.0026	UJ	< 0.0026	UJ	< 0.0025	UJ	< 0.0028		< 0.0027	UJ	0.035	J
PCB-1260	mg/kg	8082	0.24	0.33	0.11	< 0.0026	UJ	< 0.0025	UJ	0.01	J	< 0.0025	UJ	0.0031	J	0.015	J	< 0.0027	UJ
Inorganics																			
Aluminum	mg/kg	6020	7700	77000	60000	16000	K	13000	K	15000	K	16000	K	10000	J	13000	K	10000	K
Antimony	mg/kg	6020	3.1	31	5.4	0.19	J	0.23	J	0.18	J	0.15	J	0.22	J	0.99	J	3	J
Arsenic	mg/kg	6020	0.68	0.43	5.8	1.4	J	1	J	1.9	J	1.4	J	3.6	K	3.6	J	5	J
Barium	mg/kg	6020	1500	15000	1640	110		64	J	110		140		100	J	150	J	120	J
Beryllium	mg/kg	6020	16	160	64	1		0.43	J	1.2		1.8		0.86	J	1.5	L	1.1	L
Cadmium	mg/kg	6020	7.1	37	7.6	1		1.1	J	0.77		0.93		0.4	J	2.3	J	3.2	J
Calcium	mg/kg	6020	- -	- -	- -	160000	L	190000	L	160000	L	170000	L	32000	J	110000	J	100000	J
Chromium [1]	mg/kg	6020	12000	120000	3600000	960		940	J	1000		970		96	J	470	J	540	J
Cobalt	mg/kg	6020	2.3	23	0.54	***2.3***		***2.3***	J	***3.3***		***2.2***		***14***	J	***6.4***	J	***8.7***	J
Copper	mg/kg	6020	310	3100	920	21	K	22	K	19	K	19	K	24	J	55	K	160	K
Iron	mg/kg	6020	5500	55000	700	***150000***	L	***160000***	L	***160000***	L	***130000***	L	***52000***	J	***130000***	J	***220000***	J
Lead	mg/kg	6020	400	400	280	16		5.1	J	12		14		27	J	130	J	130	J
Magnesium	mg/kg	6020	- -	- -	- -	49000		44000	J	43000		49000		7400	J	32000	J	33000	J
Manganese [1]	mg/kg	6020	180	3500	56	***23000***	L	***6400***	J	***18000***	L	***21000***	L	***3600***	J	***14000***	J	***16000***	J
Mercury	mg/kg	7471	1.1	3.1	2	< 0.012		< 0.011		< 0.011		< 0.012		0.047	L	0.058		0.64	
Nickel	mg/kg	6020	150	1500	52	16		9.6	J	15		14		16	K	24	K	45	K
Potassium	mg/kg	6020	- -	- -	- -	460		190	J	520		670		980	J	580	K	360	K
Selenium	mg/kg	6020	39	390	5.2	1.1		0.75	J	1.1		1.4		0.58	J	1.5	J	1	J
Silver	mg/kg	6020	39	390	1.6	0.23	K	0.33	K	0.26	K	0.19	K	0.057	B	0.15	K	0.27	K
Sodium	mg/kg	6020	- -	- -	- -	820		820	J	1600		1700		150	J	300	J	300	J
Thallium	mg/kg	6020	0.078	0.78	2.8	0.019	J	0.0091	J	0.026	J	0.028	J	0.16	J	0.038	J	0.068	J
Vanadium	mg/kg	6020	39	5.5	172	***370***	L	***510***	L	***350***	L	***390***	L	30	J	78	J	***300***	J
Zinc	mg/kg	6020	2300	23000	740	49	K	23	K	51	K	56	K	64	L	210	K	***910***	K
Other Parameters																			
Cyanide, Total	mg/kg	9012	2.3	23	40	1.2		0.59		0.59		1.1		< 0.11		0.43	J	0.67	
Percent Moisture	%	- -	- -	- -	- -	8.2		7.1		8		6.4		15		11		12	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]						
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-49(0-0.6) 10/24/2013	VII-SS-50(0-2) 10/30/2013	VII-SS-51(0-1) 10/24/2013	VII-SS-52(0-1) 10/17/2013	VII-SS-53(0-0.5) 10/17/2013	VII-SS-54(0-0.7) 10/17/2013	VII-SS-54(0-0.7)DUP 10/17/2013 Duplicate
Volatile Organic Compounds												
Benzene	mg/kg	8260	1.2	1.2	0.052	< 0.054	< 0.00072 UJ	< 0.052	< 0.00073	< 0.0007	< 0.00083	< 0.00072
Toluene	mg/kg	8260	490	820	13.8	< 0.046	< 0.00077 UJ	< 0.045	< 0.00079	< 0.00076	< 0.0009	< 0.00078
Ethylbenzene	mg/kg	8260	5.8	6.2	15.6	< 0.034	< 0.00068 UJ	< 0.033	< 0.0007	< 0.00067	< 0.00079	< 0.00069
Xylenes, Total	mg/kg	8260	58	260	198	< 0.11	< 0.0024 UJ	< 0.1	< 0.0024	< 0.0023	< 0.0028	< 0.0024
1,1,1-Trichloroethane	mg/kg	8260	810	640	5.6	< 0.056	< 0.00052 UJ	< 0.054	< 0.00053	< 0.0005	< 0.0006	< 0.00052
1,1,2,2-Tetrachloroethane	mg/kg	8260	0.6	0.64	0.0006	< 0.051	< 0.00076 UJ	< 0.049	< 0.00078	< 0.00074	< 0.00089	< 0.00077
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	670	910	52	< 0.018	< 0.0011 UJ	< 0.017	< 0.0012	< 0.0011	< 0.0013	< 0.0011
1,1,2-Trichloroethane	mg/kg	8260	0.15	1.2	0.032	< 0.063	< 0.00088 UJ	< 0.061	< 0.0009	< 0.00086	< 0.001	< 0.00089
1,1-Dichloroethane	mg/kg	8260	3.6	3.8	0.0156	< 0.055	< 0.00061 UJ	< 0.053	< 0.00062	< 0.0006	< 0.00071	< 0.00061
1,1-Dichloroethene	mg/kg	8260	23	240	0.2	< 0.058	< 0.0009	< 0.056 UJ	< 0.00092	< 0.00088	< 0.001	< 0.00091
1,2,4-Trichlorobenzene	mg/kg	8260	5.8	24	4	1.9	< 0.00094 UJ	0.47	< 0.00096	< 0.00091	< 0.0011	< 0.00094
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.0053	0.0057	0.00172	< 0.019	< 0.00079 UJ	< 0.019	< 0.00081	< 0.00078	< 0.00093	< 0.0008
1,2-Dibromoethane (EDB)	mg/kg	8260	0.036	0.039	0.00028	< 0.033	< 0.00092 UJ	< 0.032	< 0.00094	< 0.00089	< 0.0011	< 0.00092
1,2-Dichlorobenzene	mg/kg	8260	180	380	11.6	< 0.037	< 0.00085 UJ	< 0.036	< 0.00086	< 0.00083	< 0.00099	< 0.00085
1,2-Dichloroethane	mg/kg	8260	0.46	0.5	0.028	< 0.052	< 0.00065 UJ	< 0.051	< 0.00066	< 0.00064	< 0.00076	< 0.00065
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.052	< 0.0014 UJ	< 0.05	< 0.0014	< 0.0013	< 0.0016	< 0.0014
cis-1,2-Dichloroethene	mg/kg	8260	16	17	0.42	< 0.036	< 0.00075 UJ	< 0.035	< 0.00076	< 0.00073	< 0.00087	< 0.00075
trans-1,2-Dichloroethene	mg/kg	8260	7	130	0.62	< 0.041	< 0.00063 UJ	< 0.04	< 0.00065	< 0.00062	< 0.00074	< 0.00064
1,2-Dichloropropane	mg/kg	8260	1.6	1.1	0.034	< 0.069	< 0.00058 UJ	< 0.067	< 0.00059	< 0.00056	< 0.00067	< 0.00058
cis-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.039	< 0.00072 UJ	< 0.038	< 0.00073	< 0.0007	< 0.00084	< 0.00072
trans-1,3-Dichloropropene [1]	mg/kg	8260	1.8	1.9	0.0034	< 0.032	< 0.00063 UJ	< 0.031	< 0.00065	< 0.00062	< 0.00074	< 0.00064
1,3-Dichlorobenzene [1]	mg/kg	8260	2.6	2.8	1.44	< 0.027	< 0.0007 UJ	< 0.027	< 0.00071	< 0.00068	< 0.00081	< 0.0007
1,4-Dichlorobenzene	mg/kg	8260	2.6	2.8	1.44	< 0.029	< 0.00068 UJ	< 0.028	< 0.00069	< 0.00066	< 0.00079	< 0.00068
2-Butanone (MEK)	mg/kg	8260	2700	28000	2.4	< 0.059	< 0.00094 UJ	< 0.057	< 0.00096	< 0.00091	< 0.0011	< 0.00094
2-Hexanone	mg/kg	8260	20	- -	0.0176	< 0.031	< 0.00073 UJ	< 0.03	< 0.00075	< 0.00072	< 0.00085	< 0.00074
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	3300	3400	2.8	< 0.032	< 0.00069 UJ	< 0.031	< 0.00071	< 0.00068	< 0.00081	< 0.0007
Acetone	mg/kg	8260	6100	61000	5.8	< 0.27	< 0.0053 R	< 0.26	< 0.0054	< 0.0052	< 0.0062	< 0.0053
Bromoform	mg/kg	8260	19	20	0.42	< 0.058	< 0.00047 UJ	< 0.056	< 0.00048	< 0.00046	< 0.00055	< 0.00047
Bromomethane	mg/kg	8260	0.68	7.3	0.0038	< 0.086	< 0.00078 UJ	< 0.083	< 0.0008	< 0.00077	< 0.00091	< 0.00079
Carbon disulfide	mg/kg	8260	77	740	0.48	< 0.058	< 0.00054 UJ	< 0.057	< 0.00055	< 0.00053	< 0.00063	< 0.00055
Carbon tetrachloride	mg/kg	8260	0.65	0.7	0.038	< 0.059	< 0.00047 UJ	< 0.057	< 0.00048	< 0.00046	< 0.00055	< 0.00048
Chlorobenzene	mg/kg	8260	28	290	1.36	< 0.029	< 0.0008 UJ	< 0.028	< 0.00082	< 0.00078	< 0.00094	< 0.00081
Chlorodibromomethane	mg/kg	8260	8.3	8.3	0.42	< 0.035	< 0.00075 UJ	< 0.034	< 0.00077	< 0.00074	< 0.00088	< 0.00076
Chloroethane	mg/kg	8260	1400	2100	11.8	< 0.041	< 0.0016 UJ	< 0.039	< 0.0017	< 0.0016	< 0.0019	< 0.0017
Chloroform	mg/kg	8260	0.32	0.34	0.44	< 0.055	0.00069 J	< 0.053	< 0.00063	< 0.00061	< 0.00072	< 0.00062
Chloromethane	mg/kg	8260	11	120	0.098	< 0.076	< 0.0009 UJ	< 0.073	< 0.00092	< 0.00088	< 0.0011	< 0.00091
Cyclohexane	mg/kg	8260	650	120	26	< 0.032	< 0.00039 UJ	< 0.031	< 0.0004	< 0.00038	< 0.00046	< 0.0004
Dichlorobromomethane	mg/kg	8260	0.29	0.31	0.44	< 0.051	< 0.0006 UJ	< 0.049	< 0.00061	< 0.00058	< 0.00069	< 0.0006
Dichlorodifluoromethane	mg/kg	8260	8.7	94	0.6	< 0.034	< 0.00071 UJ	< 0.034	< 0.00072	< 0.00069	< 0.00082	< 0.00071
Isopropylbenzene	mg/kg	8260	190	270	1.48	< 0.029	< 0.00072 UJ	< 0.028	< 0.00074	< 0.0007	< 0.00084	< 0.00072
Methyl acetate	mg/kg	8260	7800	23000	8.2	< 0.067	< 0.00096 UJ	< 0.065	< 0.00098	< 0.00093	< 0.0011	< 0.00096
Methyl tert-butyl ether	mg/kg	8260	47	50	0.064	< 0.056	< 0.00079 UJ	< 0.054	< 0.00081	< 0.00077	< 0.00092	< 0.0008
Methylcyclohexane [1]	mg/kg	8260	650	120	26	< 0.03	< 0.00077 UJ	< 0.029	< 0.00079	< 0.00075	< 0.0009	< 0.00077
Methylene Chloride	mg/kg	8260	35	58	0.054	< 0.059	0.001 J	< 0.057	0.0028 B	0.0016 B	0.0028 B	0.002 B
Styrene	mg/kg	8260	600	870	2.6	< 0.035	< 0.00075 UJ	< 0.034	< 0.00076	< 0.00073	< 0.00087	< 0.00075
Tetrachloroethene	mg/kg	8260	8.1	25	0.046	< 0.045	< 0.00072 UJ	< 0.044	< 0.00074	< 0.0007	< 0.00084	< 0.00073
Trichloroethene	mg/kg	8260	0.41	0.5	0.036	< 0.044	< 0.0007 UJ	< 0.042	< 0.00071	< 0.00068	< 0.00081	< 0.0007
Trichlorofluoromethane	mg/kg	8260	2300	790	6.6	< 0.061	< 0.00097 UJ	< 0.059	< 0.001	< 0.00095	< 0.0011	< 0.00098
Vinyl chloride	mg/kg	8260	0.059	0.057	0.0138	< 0.07	< 0.0005 UJ	< 0.068	< 0.00051	< 0.00049	< 0.00058	< 0.0005

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-49(0-0.6) 10/24/2013		VII-SS-50(0-2) 10/30/2013		VII-SS-51(0-1) 10/24/2013		VII-SS-52(0-1) 10/17/2013		VII-SS-53(0-0.5) 10/17/2013		VII-SS-54(0-0.7) 10/17/2013		VII-SS-54(0-0.7)DUP 10/17/2013 Duplicate	
Semi-Volatile Organic Compounds																			
Acenaphthene	mg/kg	8270	360	4100	11	< 0.0069	UJ	< 0.0068	UJ	< 0.0067	UJ	< 0.0069		< 0.0066		< 0.024		< 0.034	
Acenaphthylene [1]	mg/kg	8270	360	4200	11	< 0.0083	UJ	< 0.0081	UJ	< 0.008	UJ	< 0.0082		< 0.0078		< 0.028		< 0.041	
Anthracene	mg/kg	8270	1800	23000	116	< 0.0071	UJ	< 0.0069	UJ	0.022	J	< 0.007		< 0.0067		0.047	J	0.071	J
Benzo[a]anthracene	mg/kg	8270	1.1	0.21	0.22	0.018	J	< 0.0088	UJ	0.098	J	0.013	J	0.033	J	0.11	J	***0.28***	J
Benzo[a]pyrene	mg/kg	8270	0.11	0.016	4.8	< 0.0072	UJ	< 0.0071	UJ	0.1	J	< 0.0072		0.036	J	0.2	J	0.37	
Benzo[b]fluoranthene	mg/kg	8270	1.1	0.16	6	0.021	J	< 0.011	UJ	0.12	J	< 0.011		0.04	J	0.2	J	0.45	
Benzo[g,h,i]perylene [1]	mg/kg	8270	180	1800	26	0.028	J	< 0.007	UJ	0.11	J	< 0.0071		0.046	J	0.48		0.68	
Benzo[k]fluoranthene	mg/kg	8270	11	1.6	58	< 0.015	UJ	< 0.014	UJ	0.069	J	< 0.015		0.028	J	0.08	J	0.16	J
Chrysene	mg/kg	8270	110	16	180	0.021	J	< 0.0084	UJ	0.14	J	0.036	J	0.035	J	0.15	J	0.28	J
Dibenz(a,h)anthracene	mg/kg	8270	0.11	0.016	1.92	< 0.008	UJ	< 0.0078	UJ	0.031	J	< 0.008		< 0.0076		0.097	J	0.12	J
Fluoranthene	mg/kg	8270	240	2400	178	0.027	J	0.023	J	0.17	J	0.02	J	0.04	J	0.24	J	0.53	
Fluorene	mg/kg	8270	240	2900	10.8	< 0.0095	UJ	< 0.0093	UJ	< 0.0092	UJ	< 0.0095		< 0.009		< 0.033		< 0.047	
Indeno[1,2,3-cd]pyrene	mg/kg	8270	1.1	0.16	19.6	< 0.0074	UJ	< 0.0073	UJ	0.079	J	< 0.0074		0.031	J	0.18	J	0.34	J
Naphthalene	mg/kg	8270	2	4.1	0.0076	< 0.0062	UJ	< 0.0061	UJ	< 0.006	UJ	< 0.0062		< 0.0059		< 0.021		< 0.031	
Phenanthrene [1]	mg/kg	8270	1800	23000	116	0.022	J	0.058	J	0.1	J	< 0.011		0.024	J	0.13	J	0.21	J
Pyrene	mg/kg	8270	180	2300	26	0.029	J	0.03	J	0.16	J	0.03	J	0.033	J	0.22	J	0.49	
1,1'-Biphenyl	mg/kg	8270	4.7	51	0.0174	< 0.032	UJ	< 0.031	UJ	< 0.031	UJ	< 0.032		< 0.03		< 0.11		< 0.16	
2,4,5-Trichlorophenol	mg/kg	8270	630	6300	8	< 0.038	UJ	< 0.038	UJ	< 0.037	UJ	< 0.038		< 0.036		< 0.13		< 0.19	
2,4,6-Trichlorophenol	mg/kg	8270	6.3	49	0.024	< 0.054	UJ	< 0.053	UJ	< 0.052	UJ	< 0.054		< 0.051		< 0.19		< 0.27	
2,4-Dichlorophenol	mg/kg	8270	19	190	0.046	< 0.0072	UJ	< 0.0071	UJ	< 0.007	UJ	< 0.0072		< 0.0068		< 0.025		< 0.036	
2,4-Dimethylphenol	mg/kg	8270	130	1300	0.84	< 0.056	UJ	< 0.055	UJ	< 0.055	UJ	< 0.056		< 0.053		< 0.19		< 0.28	
2,4-Dinitrophenol	mg/kg	8270	13	130	0.088	< 0.43	UJ	< 0.42	UJ	< 0.42	UJ	< 0.43		< 0.41		< 1.5		< 2.1	
2,4-Dinitrotoluene	mg/kg	8270	1.7	1.7	0.0064	< 0.029	UJ	< 0.028	UJ	< 0.028	UJ	< 0.029		< 0.028		< 0.1		< 0.14	
2,6-Dinitrotoluene	mg/kg	8270	0.36	0.36	0.00134	< 0.037	UJ	< 0.036	UJ	< 0.036	UJ	< 0.037		< 0.035		< 0.13		< 0.18	
2-Chloronaphthalene	mg/kg	8270	480	5000	7.8	< 0.0075	UJ	< 0.0074	UJ	< 0.0073	UJ	< 0.0075		< 0.0071		< 0.026		< 0.037	
2-Chlorophenol	mg/kg	8270	39	340	0.178	< 0.029	UJ	< 0.029	UJ	< 0.029	UJ	< 0.029		< 0.028		< 0.1		< 0.15	
2-Methylnaphthalene	mg/kg	8270	24	310	0.38	< 0.0065	UJ	0.022	J	0.018	J	< 0.0065		< 0.0061		0.053	J	0.13	J
2-Methylphenol	mg/kg	8270	320	3200	1.5	< 0.025	UJ	< 0.025	UJ	< 0.024	UJ	< 0.025		< 0.024		< 0.086		< 0.12	
2-Nitroaniline	mg/kg	8270	63	630	0.16	< 0.16	UJ	< 0.16	UJ	< 0.16	UJ	< 0.16		< 0.15		< 0.55		< 0.8	
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.04	UJ	< 0.039	UJ	< 0.039	UJ	< 0.04		< 0.038		< 0.14		< 0.2	
3,3'-Dichlorobenzidine	mg/kg	8270	1.2	1.2	0.0164	< 0.038	UJ	< 0.037	UJ	< 0.037	UJ	< 0.038		< 0.036		< 0.13		< 0.19	
Methylphenol, 3 & 4 [1]	mg/kg	8270	320	3200	1.48	< 0.035	UJ	< 0.034	UJ	< 0.034	UJ	< 0.035		< 0.033		< 0.12		< 0.17	
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.15	UJ	< 0.15	UJ	< 0.14	UJ	< 0.15		< 0.14		< 0.51		< 0.73	
4,6-Dinitro-2-methylphenol	mg/kg	8270	0.51	- -	0.0052	< 0.14	UJ	< 0.14	UJ	< 0.14	UJ	< 0.14		< 0.14		< 0.5		< 0.72	
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.031	UJ	< 0.031	UJ	< 0.03	UJ	< 0.031		< 0.03		< 0.11		< 0.16	
4-Chloro-3-methylphenol	mg/kg	8270	630	- -	3.4	< 0.033	UJ	< 0.032	UJ	< 0.032	UJ	< 0.033		< 0.031		< 0.11		< 0.16	
4-Chloroaniline	mg/kg	8270	2.7	2.7	0.0032	< 0.029	UJ	< 0.028	UJ	< 0.028	UJ	< 0.029		< 0.027		< 0.099		< 0.14	
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.04	UJ	< 0.039	UJ	< 0.039	UJ	< 0.04		< 0.038		< 0.14		< 0.2	
4-Nitroaniline	mg/kg	8270	25	- -	0.032	< 0.15	UJ	< 0.14	UJ	< 0.14	UJ	< 0.15		< 0.14		< 0.5		< 0.72	
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.13	UJ	< 0.13	UJ	< 0.13	UJ	< 0.13		< 0.12		< 0.45		< 0.65	
Acetophenone	mg/kg	8270	780	2500	1.16	0.043	J	< 0.029	UJ	< 0.029	UJ	< 0.03		< 0.028		< 0.1		< 0.15	
Atrazine	mg/kg	8270	2.4	2.4	0.038	< 0.035	UJ	< 0.034	UJ	< 0.034	UJ	< 0.035		< 0.033		< 0.12		< 0.17	
Benzaldehyde	mg/kg	8270	170	1200	0.082	< 0.054	UJ	< 0.053	UJ	< 0.052	UJ	< 0.054	UL	***0.26***	L	< 0.19	UL	< 0.27	UL
Bis(2-chloroisopropyl)ether	mg/kg	8270	310	5.1	0.52	< 0.0078	UJ	< 0.0076	UJ	< 0.0075	UJ	< 0.0078		< 0.0074		< 0.027		< 0.038	
Bis(2-chloroethoxy)methane	mg/kg	8270	19	- -	0.026	< 0.024	UJ	< 0.023	UJ	< 0.023	UJ	< 0.024		< 0.022		< 0.081		< 0.12	
Bis(2-chloroethyl)ether	mg/kg	8270	0.23	0.24	0.000072	< 0.0097	UJ	< 0.0095	UJ	< 0.0094	UJ	< 0.0096		< 0.0092		< 0.033		< 0.048	
Bis(2-ethylhexyl) phthalate	mg/kg	8270	39	39	28	1.4	J	< 0.057	UJ	0.11	J	0.062	J	0.076	J	0.24	J	0.37	J
Butyl benzyl phthalate	mg/kg	8270	290	290	4.8	3.2	J	< 0.048	UJ	< 0.048	UJ	< 0.049		< 0.047		< 0.17		< 0.24	
Caprolactam	mg/kg	8270	3100	31000	5	< 0.27	UJ	< 0.27	UJ	< 0.26	UJ	< 0.27		< 0.26		< 0.93		< 1.3	
Carbazole [1]	mg/kg	8270	1800	23000	116	< 0.0066	UJ	< 0.0065	UJ	< 0.0064	UJ	< 0.0066		< 0.0063		< 0.023		< 0.033	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-49(0-0.6) 10/24/2013		VII-SS-50(0-2) 10/30/2013		VII-SS-51(0-1) 10/24/2013		VII-SS-52(0-1) 10/17/2013		VII-SS-53(0-0.5) 10/17/2013		VII-SS-54(0-0.7) 10/17/2013		VII-SS-54(0-0.7)DUP 10/17/2013 Duplicate	
Dibenzofuran	mg/kg	8270	7.8	78	0.3	< 0.035	UJ	< 0.035	UJ	< 0.034	UJ	< 0.035		< 0.034		< 0.12		< 0.18	
Diethyl phthalate	mg/kg	8270	5100	51000	12.2	< 0.039	UJ	< 0.038	UJ	< 0.038	UJ	< 0.039		< 0.037		< 0.14		< 0.19	
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	0.13	J	< 0.038	UJ	< 0.038	UJ	< 0.039		< 0.037		0.49	J	< 0.19	
Di-n-butyl phthalate	mg/kg	8270	630	6300	4.6	< 0.045	UJ	< 0.044	UJ	< 0.044	UJ	< 0.045		< 0.043		< 0.15		< 0.22	
Di-n-octyl phthalate	mg/kg	8270	63	- -	114	< 0.038	UJ	< 0.037	UJ	< 0.037	UJ	< 0.038		< 0.036		< 0.13		< 0.19	
Hexachlorobenzene	mg/kg	8270	0.21	0.22	0.26	< 0.0077	UJ	< 0.0075	UJ	< 0.0075	UJ	< 0.0077		< 0.0073		< 0.026		< 0.038	
Hexachlorobutadiene	mg/kg	8270	1.2	1.3	0.0054	< 0.0081	UJ	< 0.0079	UJ	< 0.0078	UJ	< 0.008		< 0.0076		< 0.028		< 0.04	
Hexachlorocyclopentadiene	mg/kg	8270	0.18	1.9	3.2	< 0.039	UJ	< 0.038	UJ	< 0.038	UJ	< 0.039		< 0.037		< 0.13		< 0.19	
Hexachloroethane	mg/kg	8270	1.8	2	0.004	< 0.026	UJ	< 0.025	UJ	< 0.025	UJ	< 0.026		< 0.025		< 0.089		< 0.13	
Isophorone	mg/kg	8270	570	570	0.52	< 0.027	UJ	< 0.027	UJ	< 0.026	UJ	< 0.027		< 0.026		< 0.093		< 0.13	
Nitrobenzene	mg/kg	8270	5.1	5.5	0.00184	< 0.03	UJ	< 0.029	UJ	< 0.029	UJ	< 0.03		< 0.028		< 0.1		< 0.15	
N-Nitrosodi-n-propylamine	mg/kg	8270	0.078	0.078	0.000162	< 0.0085	UJ	< 0.0083	UJ	< 0.0082	UJ	< 0.0084		< 0.008		< 0.029		< 0.042	
N-Nitrosodiphenylamine	mg/kg	8270	110	110	1.34	< 0.033	UJ	< 0.033	UJ	< 0.032	UJ	< 0.033		< 0.032		< 0.11		< 0.16	
Pentachlorophenol	mg/kg	8270	1	1	0.028	< 0.032	UJ	< 0.032	UJ	< 0.031	UJ	< 0.032		< 0.031		< 0.11		< 0.16	
Phenol	mg/kg	8270	1900	19000	6.6	< 0.0085	UJ	< 0.0083	UJ	< 0.0083	UJ	< 0.0085		< 0.0081		< 0.029		< 0.042	
Polychlorinated Biphenyls																			
PCB-1016	mg/kg	8082	0.41	5.5	0.26	< 0.0027	UJ	< 0.0026	UJ	< 0.0026	UJ	< 0.0027		< 0.0026		< 0.003		< 0.0026	
PCB-1221	mg/kg	8082	0.2	0.26	0.0016	< 0.0034	UJ	< 0.0034	UJ	< 0.0034	UJ	< 0.0034		< 0.0033		< 0.0039		< 0.0034	
PCB-1232	mg/kg	8082	0.17	0.22	0.0016	< 0.0031	UJ	< 0.003	UJ	< 0.003	UJ	< 0.0031		< 0.0029		< 0.0035		< 0.003	
PCB-1242	mg/kg	8082	0.23	0.31	0.024	< 0.0029	UJ	< 0.0029	UJ	< 0.0029	UJ	< 0.0029		< 0.0028		< 0.0033		< 0.0029	
PCB-1248	mg/kg	8082	0.23	0.31	0.024	< 0.0017	UJ	< 0.0017	UJ	< 0.0017	UJ	< 0.0017		< 0.0016		< 0.0019		< 0.0017	
PCB-1254	mg/kg	8082	0.12	0.32	0.04	< 0.0026	UJ	< 0.0025	UJ	< 0.0025	UJ	< 0.0026		< 0.0024		< 0.0029		< 0.0025	
PCB-1260	mg/kg	8082	0.24	0.33	0.11	< 0.0026	UJ	< 0.0025	UJ	0.011	J	< 0.0026		< 0.0024		< 0.0029		< 0.0025	
Inorganics																			
Aluminum	mg/kg	6020	7700	77000	60000	21000	K	11000	K	20000	K	3100		5800		9800		8200	
Antimony	mg/kg	6020	3.1	31	5.4	1.3	J	0.55	J	0.055	J	0.18	J	1.9	L	0.66		1.4	
Arsenic	mg/kg	6020	0.68	0.43	5.8	1.1	J	1.1	K	0.43	J	0.35	J	1.5		2.4		5	
Barium	mg/kg	6020	1500	15000	1640	150	J	97	J	250	J	29	L	44	L	110	L	93	L
Beryllium	mg/kg	6020	16	160	64	1.9	L	1.3	J	3	L	0.32		0.23		1.3		1	
Cadmium	mg/kg	6020	7.1	37	7.6	0.64	J	0.48	J	0.66	J	0.18		1.9	L	2.3		2.5	
Calcium	mg/kg	6020	- -	- -	- -	200000	J	31000	J	97000	J	45000	K	81000	K	120000	K	52000	K
Chromium [1]	mg/kg	6020	12000	120000	3600000	1200	J	88	J	62	J	440		430		790		270	
Cobalt	mg/kg	6020	2.3	23	0.54	***1.8***	J	***7.7***	J	***0.85***	J	***1.4***		***1.7***		***2.7***		***4.8***	
Copper	mg/kg	6020	310	3100	920	21	K	28	K	6.1	K	17		81	L	50		110	
Iron	mg/kg	6020	5500	55000	700	***160000***	J	***54000***		***20000***	K	***66000***	K	***92000***	K	***130000***	K	***100000***	K
Lead	mg/kg	6020	400	400	280	9.7	J	160	J	4.9	J	6.3	L	13		22		28	
Magnesium	mg/kg	6020	- -	- -	- -	53000	J	8600	J	28000	J	13000	L	15000	J	23000		11000	
Manganese [1]	mg/kg	6020	180	3500	56	***23000***	J	***2000***	J	***4100***	J	***7600***	K	***16000***	K	***17000***	K	***7600***	K
Mercury	mg/kg	7471	1.1	3.1	2	0.012	J	0.011	J	0.014	J	< 0.012		0.061		0.034	J	0.049	
Nickel	mg/kg	6020	150	1500	52	8.3	K	21	J	6.5	K	14		11	J	19		38	
Potassium	mg/kg	6020	- -	- -	- -	680	K	1100	L	1200	K	64		110		1000		460	
Selenium	mg/kg	6020	39	390	5.2	1.5	J	1.2	K	1.9	J	< 0.047	UL	< 0.049	UL	< 0.056	UL	0.064	L
Silver	mg/kg	6020	39	390	1.6	0.15	K	0.083	K	0.31	K	0.085	J	0.32		0.11		0.19	
Sodium	mg/kg	6020	- -	- -	- -	520	J	300	L	760	J	80		130		750		330	
Thallium	mg/kg	6020	0.078	0.78	2.8	0.0078	J	0.81	J	0.012	J	0.0064	J	0.018	J	0.033	J	0.061	J
Vanadium	mg/kg	6020	39	5.5	172	***620***	J	***390***	J	39	J	160	L	***180***	K	94		84	
Zinc	mg/kg	6020	2300	23000	740	49	K	470	K	49	K	150		140	L	430		***780***	
Other Parameters																			
Cyanide, Total	mg/kg	9012	2.3	23	40	0.63		0.11	J	0.91		< 0.11		< 0.098		< 0.12		< 0.1	
Percent Moisture	%	- -	- -	- -	- -	8.1		6		5.2		7.8		3.5		19		6.4	

TABLE A-1
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Direct contact USEPA regional screening levels (RSLs) and WVDEP De Minimis values are based on residential land use. RSLs for the protection of groundwater are based on a dilution attenuation factor (DAF) of 20. For chemicals with both risk-based and MCL-based protection of groundwater RSLs, the higher of the two values was used. RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

RSLs for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the RSLs for total 1,3-dichloropropene.
RSLs for 1,3-dichlorobenzene are based on the RSLs for 1,4-dichlorobenzene.
RSLs for methylcyclohexane are based on the RSLs for cyclohexane.
RSLs for acenaphthylene are based on the RSLs for acenaphthene.
RSLs for benzo(g,h,i)perylene are based on the RSLs for pyrene.
RSLs for phenanthrene and carbazole are based on the RSLs for anthracene.
RSLs for 3&4-methylphenol are conservatively based on the RSLs for 3-methylphenol.
Direct contact RSL for chromium is for the trivalent valence state; protection of groundwater RSL is based on total chromium.
RSLs for manganese are based on the non-diet values.

Shading indicates an exceedance of the lower of the residential soil RSL or De Minimis value.
Bold italics numbers indicate exceedance of the RSL for Protection of Groundwater

2 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region 3 data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers
- - - Screening Criterion not available for this chemical constituent.
NA - Not Analyzed
* - LCS or LCSD exceeds the control limits.
4 - MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B - Compound was found in the blank and sample.
F1 - MS and/or MSD Recovery is outside acceptance limits.
F2 - MS/MSD RPD exceeds control limits.
J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.
J+ - The percent recovery was greater than the lab high control limit. Results are estimated biased high.
K - Analyte present. Reported value may be biased high. Actual value is expected to be lower.
L - Analyte present. Reported value may be biased low. Actual value is expected to be higher.
N - Consider Present. Tentative identification. Special methods may be needed to confirm its presence or absence in future sampling efforts.
R - Unusable result. Analyte may or may not be present in the sample.
UJ - Not Detected. Quantitation limit may be inaccurate or imprecise.

3 - Sample location VI-SS-09(0-0.3) was excavated as part of the former Tar Pumping Station excavation.

TABLE A-2
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL - WOODED HILLSIDE
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method [3]	Screening Criteria [1]			Sample Information [2]				
			Residential Soil RSL	Residential Soil De Minimis	*Protection of Groundwater RSL*	VII-SS-55 (0-1) 12/15/2020	VII-SS-56 (0-1) 12/15/2020	DEP01 (VIISS56) [3] 12/15/2020 WVDEP Split Sample	VII-SS-57 (0-1) 12/15/2020	VII-SS-58 (0-1) 12/15/2020
Inorganics										
Aluminum	mg/kg	6020	7700	77000	60000	10000	11000	8800	12000	8300
Antimony	mg/kg	6020	3.1	31	5.4	0.33 J	0.35 J	0.38 J	0.67	0.28 J
Arsenic	mg/kg	6020	0.68	0.43	5.8	***9.5***	***12***	***11***	***32***	***10***
Barium	mg/kg	6020	1500	15000	1640	130	130	130	130	62
Beryllium	mg/kg	6020	16	160	64	0.94	0.92	0.78	1.3	0.44
Cadmium	mg/kg	6020	7.1	37	7.6	1.4	0.64	0.49 J	0.74	0.44
Calcium	mg/kg	6020	- -	- -	- -	2200	1100	1100	1000	470
Chromium [1]	mg/kg	6020	12000	120000	3600000	27 ^1+	26 ^1+	22	44 ^1+	17 ^1+
Cobalt	mg/kg	6020	2.3	23	0.54	***7.5***	***12***	***9.9***	***15***	***9.2***
Copper	mg/kg	6020	310	3100	920	18	22	21	35	12
Iron	mg/kg	6020	5500	55000	700	***35000***	***31000***	***27000***	***64000***	***19000***
Lead	mg/kg	6020	400	400	280	80	93	88	130	48
Magnesium	mg/kg	6020	- -	- -	- -	2300	1800	1400	2000	1000
Manganese [1]	mg/kg	6020	180	3500	56	***1100***	***1900***	***2100***	***1100***	***590***
Mercury	mg/kg	7471	1.1	3.1	2	0.061 J	0.085 J	0.094	0.22	0.11 J
Nickel	mg/kg	6020	150	1500	52	19	21	11	23	12
Potassium	mg/kg	6020	- -	- -	- -	710	1000	680	1300	500
Selenium	mg/kg	6020	39	390	5.2	0.56 J	0.73 J	3.1 J	1.5	0.72 J
Silver	mg/kg	6020	39	390	1.6	0.15 J	0.13 J	< 0.22	0.22 J	0.085 J
Sodium	mg/kg	6020	- -	- -	- -	< 55	< 62	19	< 62	< 53
Thallium	mg/kg	6020	0.078	0.78	2.8	0.23	0.27	< 0.28	0.51	0.27
Vanadium	mg/kg	6020	39	5.5	172	22	24	22	47	19
Zinc	mg/kg	6020	2300	23000	740	280	200	150	250	100
Other Parameters										
Percent Moisture	%	- -	- -	- -	- -	20	20.5	21	28.6	22.5

TABLE A-2
ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL - WOODED HILLSIDE
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Direct contact USEPA regional screening levels (RSLs) and WVDEP De Minimis values are based on residential land use. RSLs for the protection of groundwater are based on a dilution attenuation factor (DAF) of 20. For chemicals with both risk-based and MCL-based protection of groundwater RSLs, the higher of the two values was used. RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

Direct contact RSL for chromium is for the trivalent valence state; protection of groundwater RSL is based on total chromium.

RSLs for manganese are based on the non-diet values.

Shading indicates an exceedance of the lower of the residential soil RSL or De Minimis value.
Bold italics numbers indicate exceedance of the RSL for Protection of Groundwater

2 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region 3 data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers

- - - Screening Criterion not available for this chemical constituent.
- ^1+ - Initial Calibration Verification (ICV) is outside acceptance limits, high biased.
- J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

2 - Total metals (excluding mercury) were analyzed via Method 6010 for sample DEP01(VIISS56).

TABLE A-3
SPLP ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL - WOODED HILLSIDE
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1] Groundwater De Minimis	Sample Information [2] VII-SS-55 (0-1) 12/15/2020		VII-SS-56 (0-1) 12/15/2020		VII-SS-57 (0-1) 12/15/2020		VII-SS-58 (0-1) 12/15/2020	
Inorganics											
Aluminum	ug/L	6020	20000	4600	F1	11000		3700		9200	
Antimony	ug/L	6020	7.8	< 0.57		< 0.57		< 0.57		< 0.57	
Arsenic	ug/L	6020	10	5.6		7.2		7.5		6.7	
Barium	ug/L	6020	2000	33		66		26		34	
Beryllium	ug/L	6020	4	0.85	J	0.51	J	< 0.31		0.31	J
Cadmium	ug/L	6020	5	0.25	J	< 0.2		< 0.2		< 0.2	
Calcium	ug/L	6020	- -	1100		1600		1900		1600	
Chromium	ug/L	6020	22000	11	B	19	B	14	B	16	B
Cobalt	ug/L	6020	6	1.8		3.5		2.6		2.6	
Copper	ug/L	6020	800	3.7		9.8		11		7.1	
Iron	ug/L	6020	14000	5200		9100		5200		8300	
Lead	ug/L	6020	15	13		27		22		12	
Magnesium	ug/L	6020	- -	510	J	1000		500	J	730	J
Manganese	ug/L	6020	850	240		600		210		130	
Mercury	ug/L	7470	2	< 0.13	F1	0.14	J B	0.21	J B	0.2	J B
Nickel	ug/L	6020	390	4.5		10		4.3		7.6	
Potassium	ug/L	6020	- -	770	J B	1700	B	1000	B	980	J B
Selenium	ug/L	6020	50	0.89	J	< 0.89		0.99	J	< 0.89	
Silver	ug/L	6020	94	0.11	J	0.09	J	0.098	J	0.065	J
Sodium	ug/L	6020	- -	NA		NA		NA		NA	
Thallium	ug/L	6020	2	0.61	J	0.21	J	< 0.2		< 0.2	
Vanadium	ug/L	6020	1.2	9.2	J	18	J	8.8	J	16	J
Zinc	ug/L	6020	6000	36		47		< 15		27	

TABLE A-3
SPLP ANALYTICAL AND SCREENING RESULTS
SURFACE SOIL - WOODED HILLSIDE
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Screening criteria include the June 2020 WVDEP groundwater De Minimis values. Only those chemicals for which at least one positive detection was encountered are included in the screening evaluation.

Shading indicates an exceedance of the Groundwater De Minimis value.

2 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region 3 data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers

NA - Not Analyzed
- - - Screening Criterion not available for this chemical constituent.
B - Compound was found in the blank and sample.
F1 - MS and/or MSD Recovery is outside acceptance limits.
J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-01 7/12/2007 Sidewall	IM-W700-S-02 7/12/2007 Sidewall	IM-W700-S-03A[3] 7/12/2007 Sidewall	IM-W700-S-03B[3] 7/12/2007 Sidewall	IM-W700-S-04 7/12/2007 Sidewall	IM-W700-S-05 7/12/2007 Sidewall	IM-W700-S-06 7/12/2007 Sidewall	IM-W700-S-07 7/12/2007 Sidewall
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.0012	< 0.0012	< 0.0012	< 0.0012	< 0.0012	< 0.0012	< 0.0014	< 0.0013
Toluene	mg/kg	8260	4700	820	13.8	< 0.00093	< 0.00095	< 0.00088	< 0.00088	< 0.00091	< 0.00094	< 0.0011	< 0.00096
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0014	< 0.0014	< 0.0013	< 0.0013	< 0.0014	< 0.0014	< 0.0016	< 0.0014
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0041	< 0.0042	< 0.0039	< 0.0039	< 0.0041	< 0.0042	< 0.0047	< 0.0043
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	30	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8310	4500	70000	11	< 0.14	< 0.029	< 0.054	< 0.027	< 0.056	< 0.029	< 0.032	< 0.047
Acenaphthylene [1]	mg/kg	8310	4500	80000	11	2.4	1.5	6	0.95	3.8	3.2	0.17 J	0.35
Anthracene	mg/kg	8310	23000	700000	116	0.67	0.25	0.26	0.12	0.42	0.13	0.055 PG	0.14 PG
Benzo[a]anthracene	mg/kg	8310	21	88	0.22	***0.31*** PG	***0.29*** PG	***0.28*** PG	***0.3***	***0.65***	0.096 PG	0.13	0.15
Benzo[a]pyrene	mg/kg	8310	2.1	4.3	4.8	0.45 PG	0.43	0.52	0.5	0.66	0.19	0.12	0.17

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-01 7/12/2007 Sidewall	IM-W700-S-02 7/12/2007 Sidewall	IM-W700-S-03A[3] 7/12/2007 Sidewall	IM-W700-S-03B[3] 7/12/2007 Sidewall	IM-W700-S-04 7/12/2007 Sidewall	IM-W700-S-05 7/12/2007 Sidewall	IM-W700-S-06 7/12/2007 Sidewall	IM-W700-S-07 7/12/2007 Sidewall
Benzo[b]fluoranthene	mg/kg	8310	21	43	6	1.5	0.8	1.3	0.73	1.4	0.68	0.23	0.35
Benzo[g,h,i]perylene[1]	mg/kg	8310	2300	33000	26	0.072 J, PG	0.24	0.33	0.48	0.34	0.12	0.064	0.083
Benzo[k]fluoranthene	mg/kg	8310	210	430	58	0.3	0.2 PG	0.28 PG	0.22 PG	0.37 PG	< 0.0051	0.096	0.088 PG
Chrysene	mg/kg	8310	2100	4300	180	0.73	0.42	0.52	0.25	0.91	0.17 PG	0.19	0.21
Dibenz(a,h)anthracene	mg/kg	8310	2.1	4.3	1.92	< 0.025	< 0.0051	< 0.0095	< 0.0047	< 0.0098	< 0.005	< 0.0057	< 0.0082
Fluoranthene	mg/kg	8310	3000	44000	178	< 0.027	0.84	< 0.01	0.51 PG	2.3	< 0.0054	< 0.0061	0.64
Fluorene	mg/kg	8310	3000	62000	10.8	0.62	0.22	0.22	0.049	0.3	0.16 PG	0.063	0.3
Indeno[1,2,3-cd]pyrene	mg/kg	8310	21	43	19.6	0.21 PG	0.38	0.64	0.74	0.63	0.16	0.063 PG	0.084 PG
Naphthalene	mg/kg	8310	8.6	180	0.0076	***0.72*** J, PG	***0.37***	***0.41*** PG	***0.19***	***0.56***	***0.54***	***0.035*** J, PG	***0.46***
Phenanthrene[1]	mg/kg	8310	23000	700000	116	2.1	0.67	0.71	0.29	1	0.6	0.22	0.89
Pyrene	mg/kg	8310	2300	66000	26	1.9 PG	0.9 PG	1.1 PG	0.47 PG	2.4 PG	< 0.0056	0.43 PG	0.62 PG
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA	NA	NA	NA	NA	NA
Methylphenol, 3 & 4[1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA	NA	NA	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA	NA	NA	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA	NA	NA	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA	NA	NA	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA	NA	NA	NA	NA	NA
Carbazole[1]	mg/kg	8270	23000	700000	116	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA	NA	NA	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA	NA	NA	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

			Screening Criteria[1]			Sample Information [2]							
Constituent	Units	Analytical Method	Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-01 7/12/2007 Sidewall	IM-W700-S-02 7/12/2007 Sidewall	IM-W700-S-03A[3] 7/12/2007 Sidewall	IM-W700-S-03B[3] 7/12/2007 Sidewall	IM-W700-S-04 7/12/2007 Sidewall	IM-W700-S-05 7/12/2007 Sidewall	IM-W700-S-06 7/12/2007 Sidewall	IM-W700-S-07 7/12/2007 Sidewall
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.0029	< 0.003	< 0.0028	< 0.0028	< 0.0028	< 0.0029	< 0.0033	< 0.003
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0037	< 0.0038	< 0.0035	< 0.0035	< 0.0036	< 0.0038	< 0.0042	< 0.0038
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0033	< 0.0034	< 0.0032	< 0.0032	< 0.0033	< 0.0034	< 0.0038	< 0.0034
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.0032	< 0.0032	< 0.003	< 0.003	< 0.0031	< 0.0032	< 0.0036	< 0.0033
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.0018	< 0.0019	< 0.0018	< 0.0017	< 0.0018	0.02	< 0.0021	< 0.0019
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.0028	< 0.0028	< 0.0026	0.038	< 0.0027	< 0.0028	< 0.0032	< 0.0029
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.0028	< 0.0028	< 0.0026	< 0.0026	< 0.0027	< 0.0028	< 0.0032	< 0.0029
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	84.9	83.6	89.9	90.1	86.9	84.6	75	82.8

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-08 7/12/2007 Sidewall	IM-W700-S-09A[3] 7/12/2007 Sidewall	IM-W700-S-09B[3] 7/12/2007 Sidewall	IM-W700-S-10 7/12/2007 Sidewall	IM-W700-S-11 7/12/2007 Sidewall	IM-W700-S-12 7/12/2007 Sidewall	IM-W700-S-13 7/12/2007 Sidewall	IM-W700-S-14 7/12/2007 Sidewall
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.0013	< 0.0014	< 0.0011	< 0.0014	< 0.0013	< 0.0014	< 0.0015	< 0.0014
Toluene	mg/kg	8260	4700	820	13.8	< 0.001	< 0.0011	< 0.00087	< 0.0011	< 0.00099	< 0.0011	< 0.0011	< 0.001
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0015	< 0.0016	< 0.0013	< 0.0016	< 0.0015	< 0.0016	< 0.0017	< 0.0015
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0045	< 0.0048	< 0.0039	< 0.0047	< 0.0044	< 0.0048	< 0.0051	< 0.0046
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	30	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8310	4500	70000	11	< 0.031	0.42 J, PG	< 0.027	< 0.032	< 0.03	0.33 J, PG	2	0.52 J, PG
Acenaphthylene [1]	mg/kg	8310	4500	80000	11	1.6	0.37 J	0.74	1.6	1.2	0.13 J	5.8	0.19 J
Anthracene	mg/kg	8310	23000	700000	116	0.27	0.34 PG	0.073	0.24 PG	0.12 PG	0.16 PG	0.65 PG	0.39 PG
Benzo[a]anthracene	mg/kg	8310	21	88	0.22	0.2	0.17 J, PG	0.22	0.15 PG	0.05 PG	0.042 J, PG	***0.32*** PG	0.11 J, PG
Benzo[a]pyrene	mg/kg	8310	2.1	4.3	4.8	0.18	0.22 J	0.24	0.24	0.08	0.036 J, PG	0.2 PG	0.06 J, PG

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-08 7/12/2007 Sidewall	IM-W700-S-09A[3] 7/12/2007 Sidewall	IM-W700-S-09B[3] 7/12/2007 Sidewall	IM-W700-S-10 7/12/2007 Sidewall	IM-W700-S-11 7/12/2007 Sidewall	IM-W700-S-12 7/12/2007 Sidewall	IM-W700-S-13 7/12/2007 Sidewall	IM-W700-S-14 7/12/2007 Sidewall
Benzo[b]fluoranthene	mg/kg	8310	21	43	6	0.44	0.55	0.44	0.58	0.22	0.24	2.5	0.67 PG
Benzo[g,h,i]perylene[1]	mg/kg	8310	2300	33000	26	0.1	0.14 J	0.21	0.11	0.046	0.05 J	0.089 J, PG	< 0.034
Benzo[k]fluoranthene	mg/kg	8310	210	430	58	0.099 PG	0.13 J, PG	0.16 PG	< 0.0057	< 0.0054	< 0.012	< 0.025	< 0.034
Chrysene	mg/kg	8310	2100	4300	180	0.3	0.29	0.23	0.26	0.081	0.084 J	< 0.026	< 0.035
Dibenz(a,h)anthracene	mg/kg	8310	2.1	4.3	1.92	< 0.0054	< 0.035	< 0.0047	< 0.0056	< 0.0053	< 0.012	< 0.024	< 0.033
Fluoranthene	mg/kg	8310	3000	44000	178	0.95	< 0.038	0.4 PG	< 0.0061	< 0.0058	< 0.013	< 0.026	< 0.036
Fluorene	mg/kg	8310	3000	62000	10.8	0.37	1.8	0.035 J	0.66	0.72	1.1 PG	4.1	2.5 PG
Indeno[1,2,3-cd]pyrene	mg/kg	8310	21	43	19.6	0.11 PG	0.14 J, PG	0.28	0.21	0.091	0.075 J	0.1 J, PG	0.048 J, PG
Naphthalene	mg/kg	8310	8.6	180	0.0076	***0.45***	***0.8*** J	***0.087*** J	***0.63***	***0.7***	***0.63***	***0.21*** J	***1.3***
Phenanthrene[1]	mg/kg	8310	23000	700000	116	0.63	2.2	0.29	0.75	0.26 PG	1.1	6.1	4.5
Pyrene	mg/kg	8310	2300	66000	26	0.85 PG	< 0.038	0.36 PG	< 0.0062	< 0.0059	< 0.013	< 0.027	1.6 PG
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA	NA	NA	NA	NA	NA
Methylphenol, 3 & 4[1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA	NA	NA	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA	NA	NA	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA	NA	NA	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA	NA	NA	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA	NA	NA	NA	NA	NA
Carbazole[1]	mg/kg	8270	23000	700000	116	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA	NA	NA	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA	NA	NA	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-08 7/12/2007 Sidewall	IM-W700-S-09A[3] 7/12/2007 Sidewall	IM-W700-S-09B[3] 7/12/2007 Sidewall	IM-W700-S-10 7/12/2007 Sidewall	IM-W700-S-11 7/12/2007 Sidewall	IM-W700-S-12 7/12/2007 Sidewall	IM-W700-S-13 7/12/2007 Sidewall	IM-W700-S-14 7/12/2007 Sidewall
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.0032	< 0.0034	< 0.0027	< 0.0033	< 0.0031	< 0.0034	< 0.0036	< 0.0032
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0041	< 0.0043	< 0.0034	< 0.0042	< 0.004	< 0.0043	< 0.0046	< 0.0041
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0036	< 0.0039	< 0.0031	< 0.0038	< 0.0036	< 0.0039	< 0.0041	< 0.0037
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.0035	< 0.0037	< 0.0029	< 0.0036	< 0.0034	< 0.0037	< 0.0039	< 0.0035
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.002	< 0.0021	< 0.0017	0.02 J	< 0.002	< 0.0021	***0.039***	***0.031***
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.003	< 0.0032	< 0.0026	< 0.0032	< 0.003	< 0.0032	< 0.0034	< 0.0031
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.003	< 0.0032	< 0.0026	< 0.0031	< 0.003	< 0.0032	< 0.0034	< 0.0031
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	78.4	73.5	91.3	75.3	79.7	73.6	69.5	76.7

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-15A[3] 7/12/2007 Sidewall	IM-W700-S-15B[3] 7/12/2007 Sidewall	IM-W700-S-16 7/12/2007 Sidewall	IM-W700-S-17 7/12/2007 Sidewall	IM-W700-S-18 7/12/2007 Sidewall	IM-W700-S-19 7/12/2007 Sidewall	IM-W700-S-19D[3] 7/12/2007 Sidewall	IM-W700-S-20 7/12/2007 Sidewall
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.0015	< 0.0011	< 0.0016	< 0.0014	< 0.0065	< 0.0013	< 0.0013	< 0.0014
Toluene	mg/kg	8260	4700	820	13.8	< 0.0012	< 0.00088	< 0.0012	< 0.0011	< 0.005	< 0.001	< 0.00097	< 0.0011
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0017	< 0.0013	< 0.0018	< 0.0016	< 0.0075	< 0.0015	< 0.0015	< 0.0016
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0052	< 0.0039	< 0.0054	< 0.0047	< 0.022	< 0.0045	< 0.0043	< 0.0048
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	30	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8310	4500	70000	11	< 0.18	< 0.027	0.52 PG	0.14 J, PG	< 0.037	< 0.12	< 0.13	< 0.5
Acenaphthylene [1]	mg/kg	8310	4500	80000	11	4.3	< 0.005	5.1	4.5	2.4	***13***	11	***35***
Anthracene	mg/kg	8310	23000	700000	116	0.16 J, PG	0.097	0.32 PG	0.28 PG	0.22 PG	0.36 PG	0.29 PG	1.5 PG
Benzo[a]anthracene	mg/kg	8310	21	88	0.22	0.093 J, PG	***0.31***	0.12 PG	0.14 PG	0.11 PG	0.19 PG	0.15 J, PG	***0.56*** J, PG
Benzo[a]pyrene	mg/kg	8310	2.1	4.3	4.8	0.11 J	0.22	0.17	0.15	0.17	0.12 J, PG	0.17	0.53 J

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-15A[3] 7/12/2007 Sidewall	IM-W700-S-15B[3] 7/12/2007 Sidewall	IM-W700-S-16 7/12/2007 Sidewall	IM-W700-S-17 7/12/2007 Sidewall	IM-W700-S-18 7/12/2007 Sidewall	IM-W700-S-19 7/12/2007 Sidewall	IM-W700-S-19D[3] 7/12/2007 Sidewall	IM-W700-S-20 7/12/2007 Sidewall
Benzo[b]fluoranthene	mg/kg	8310	21	43	6	0.43 PG	0.41	0.62	0.66	0.55	0.98	0.54 PG	2.1 PG
Benzo[g,h,i]perylene[1]	mg/kg	8310	2300	33000	26	< 0.032	0.19	0.081	0.025 J, PG	0.044 J PG	0.078 J	0.074 J	0.29 J
Benzo[k]fluoranthene	mg/kg	8310	210	430	58	< 0.032	0.2	< 0.0066	< 0.0057	< 0.0065	< 0.022	< 0.022	< 0.089
Chrysene	mg/kg	8310	2100	4300	180	< 0.033	0.29	0.28	< 0.0059	0.23	0.33	0.31	0.92 PG
Dibenz(a,h)anthracene	mg/kg	8310	2.1	4.3	1.92	< 0.031	< 0.0047	< 0.0065	< 0.0057	< 0.0064	< 0.022	< 0.022	< 0.088
Fluoranthene	mg/kg	8310	3000	44000	178	< 0.034	0.53 PG	< 0.0071	< 0.0061	< 0.007	< 0.024	< 0.024	< 0.095
Fluorene	mg/kg	8310	3000	62000	10.8	0.86 PG	0.037	1.8	1.5	0.86	0.82 PG	0.75 PG	5.1 PG
Indeno[1,2,3-cd]pyrene	mg/kg	8310	21	43	19.6	0.086 J	0.29	0.16	0.059 PG	0.07 PG	< 0.022	0.086 J, PG	0.15 J, PG
Naphthalene	mg/kg	8310	8.6	180	0.0076	***0.59*** J	***0.11*** J	***0.45***	***0.95***	***1.1***	***2.4***	***2***	***11***
Phenanthrene[1]	mg/kg	8310	23000	700000	116	2.5	0.18 PG	1.6	1.5	0.67	2.6	2.2	18
Pyrene	mg/kg	8310	2300	66000	26	1.4 PG	0.51 PG	0.94 PG	0.72 PG	0.73 PG	1.5 PG	1.4 PG	6.7 PG
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA	NA	NA	NA	NA	NA
Methylphenol, 3 & 4[1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA	NA	NA	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA	NA	NA	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA	NA	NA	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA	NA	NA	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA	NA	NA	NA	NA	NA
Carbazole[1]	mg/kg	8270	23000	700000	116	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA	NA	NA	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA	NA	NA	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

			Screening Criteria[1]			Sample Information [2]							
Constituent	Units	Analytical Method	Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-15A[3] 7/12/2007 Sidewall	IM-W700-S-15B[3] 7/12/2007 Sidewall	IM-W700-S-16 7/12/2007 Sidewall	IM-W700-S-17 7/12/2007 Sidewall	IM-W700-S-18 7/12/2007 Sidewall	IM-W700-S-19 7/12/2007 Sidewall	IM-W700-S-19D[3] 7/12/2007 Sidewall	IM-W700-S-20 7/12/2007 Sidewall
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.0037	< 0.0027	< 0.0038	< 0.0033	< 0.0031	< 0.0032	< 0.003	< 0.0034
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0047	< 0.0035	< 0.0049	< 0.0042	< 0.004	< 0.0041	< 0.0039	< 0.0044
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0042	< 0.0031	< 0.0044	< 0.0038	< 0.0036	< 0.0037	< 0.0035	< 0.0039
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.004	< 0.003	< 0.0042	< 0.0036	< 0.0034	< 0.0035	< 0.0033	< 0.0037
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.0023	< 0.0017	***0.036***	< 0.0021	< 0.002	< 0.002	***0.027***	< 0.0022
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.0035	< 0.0026	< 0.0037	< 0.0032	< 0.003	< 0.003	< 0.0029	< 0.0033
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.0035	< 0.0026	< 0.0036	< 0.0032	< 0.003	< 0.003	< 0.0029	< 0.0033
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	67.6	90.4	64.9	75.1	79.1	77.9	81.3	72.7

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-21A[3] 7/12/2007 Sidewall	IM-W700-S-21B[3] 7/12/2007 Sidewall	IM-W700-S-22 7/13/2007 Sidewall	IM-W700-S-23 7/13/2007 Sidewall	IM-W700-S-24 7/13/2007 Sidewall	IM-W700-S-25 7/13/2007 Sidewall	IM-W700-S-26 7/13/2007 Sidewall	IM-W700-S-27 7/12/2007 Floor
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.0013	< 0.0011	< 0.0011	< 0.0012	< 0.0012	< 0.0013	< 0.0012	< 0.0013
Toluene	mg/kg	8260	4700	820	13.8	< 0.00098	< 0.00085	< 0.00087	< 0.00088	< 0.00093	< 0.00099	< 0.00092	< 0.001
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0015	< 0.0013	< 0.0013	< 0.0013	< 0.0014	< 0.0015	< 0.0014	< 0.0015
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0044	< 0.0038	< 0.0039	< 0.0039	< 0.0041	< 0.0044	< 0.0041	< 0.0046
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	30	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8310	4500	70000	11	< 0.03	< 0.036	< 0.016	< 0.053	< 0.045	< 0.03	< 0.084	< 0.0062
Acenaphthylene [1]	mg/kg	8310	4500	80000	11	2.4	3.2	0.57	2.5	0.88	2.1	1.1	< 0.0058
Anthracene	mg/kg	8310	23000	700000	116	0.064 PG	0.24	0.023 PG	0.14 PG	0.21	0.071 PG	0.2	0.0012 J, PG
Benzo[a]anthracene	mg/kg	8310	21	88	0.22	0.042 PG	0.17 PG	0.08 PG	***0.3*** PG	***0.37***	0.049 PG	***0.31***	< 0.0011
Benzo[a]pyrene	mg/kg	8310	2.1	4.3	4.8	0.037 J, PG	0.24	0.11	0.4	0.7	0.077	0.37	0.0017 J

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-21A[3] 7/12/2007 Sidewall	IM-W700-S-21B[3] 7/12/2007 Sidewall	IM-W700-S-22 7/13/2007 Sidewall	IM-W700-S-23 7/13/2007 Sidewall	IM-W700-S-24 7/13/2007 Sidewall	IM-W700-S-25 7/13/2007 Sidewall	IM-W700-S-26 7/13/2007 Sidewall	IM-W700-S-27 7/12/2007 Floor
Benzo[b]fluoranthene	mg/kg	8310	21	43	6	0.32	0.4 PG	0.21 PG	0.62	1.1	0.23 PG	0.75	0.0044 J, PG
Benzo[g,h,i]perylene[1]	mg/kg	8310	2300	33000	26	0.035 J, PG	0.099 PG	0.082	0.22 PG	0.31 PG	0.033 J, PG	0.27	< 0.0011
Benzo[k]fluoranthene	mg/kg	8310	210	430	58	< 0.0053	0.14 PG	0.067 PG	0.29	0.41	< 0.0054	0.23 PG	< 0.0011
Chrysene	mg/kg	8310	2100	4300	180	0.12	0.26	0.15	0.41	0.43	0.14	0.4	0.0018 J, PG
Dibenz(a,h)anthracene	mg/kg	8310	2.1	4.3	1.92	< 0.0053	< 0.0063	< 0.0028	< 0.0094	< 0.008	< 0.0053	< 0.015	< 0.0011
Fluoranthene	mg/kg	8310	3000	44000	178	< 0.0057	0.95 PG	0.46	0.74 PG	0.76 PG	< 0.0058	0.71 PG	< 0.0012
Fluorene	mg/kg	8310	3000	62000	10.8	0.25 PG	0.14 PG	0.026	0.093 PG	0.13	0.41	0.075 J, PG	0.0027 J
Indeno[1,2,3-cd]pyrene	mg/kg	8310	21	43	19.6	0.13	0.22	0.11	0.45	0.72	0.044 PG	0.41	< 0.0011
Naphthalene	mg/kg	8310	8.6	180	0.0076	***1.1***	***0.56***	***0.033*** J, PG	***0.4*** PG	***0.52***	***0.87***	***0.22*** J	***0.0078*** J
Phenanthrene[1]	mg/kg	8310	23000	700000	116	0.62	0.67	0.15	0.53	0.62	1	0.49	0.0082 J, PG
Pyrene	mg/kg	8310	2300	66000	26	< 0.0058	1 PG	0.57 PG	0.82 PG	0.94 PG	0.41 PG	0.77 PG	< 0.0012
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA	NA	NA	NA	NA	NA
Methylphenol, 3 & 4[1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA	NA	NA	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA	NA	NA	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA	NA	NA	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA	NA	NA	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA	NA	NA	NA	NA	NA
Carbazole[1]	mg/kg	8270	23000	700000	116	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA	NA	NA	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA	NA	NA	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

			Screening Criteria[1]			Sample Information [2]							
Constituent	Units	Analytical Method	Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-21A[3] 7/12/2007 Sidewall	IM-W700-S-21B[3] 7/12/2007 Sidewall	IM-W700-S-22 7/13/2007 Sidewall	IM-W700-S-23 7/13/2007 Sidewall	IM-W700-S-24 7/13/2007 Sidewall	IM-W700-S-25 7/13/2007 Sidewall	IM-W700-S-26 7/13/2007 Sidewall	IM-W700-S-27 7/12/2007 Floor
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.003	< 0.0026	< 0.0027	< 0.0028	< 0.0029	< 0.0031	< 0.0028	< 0.0032
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0039	< 0.0034	< 0.0035	< 0.0035	< 0.0037	< 0.004	< 0.0037	< 0.0041
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0035	< 0.003	< 0.0031	< 0.0032	< 0.0033	< 0.0036	< 0.0033	< 0.0037
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.0033	< 0.0029	< 0.003	< 0.003	< 0.0032	< 0.0034	< 0.0031	< 0.0035
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.0019	0.0083 J	< 0.0017	< 0.0018	< 0.0018	< 0.002	< 0.0018	< 0.002
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.0029	< 0.0025	< 0.0026	< 0.0026	< 0.0028	< 0.003	< 0.0027	< 0.0031
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.0029	< 0.0025	< 0.0026	< 0.0026	< 0.0028	< 0.003	< 0.0027	< 0.0031
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	80.8	93.2	90.8	89.7	85.4	80	86.2	77

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-28 7/12/2007 Floor	IM-W700-S-29 7/12/2007 Floor	IM-W700-S-30 7/12/2007 Floor	IM-W700-S-31 7/12/2007 Floor	IM-W700-S-32 7/12/2007 Floor	IM-W700-S-33 7/12/2007 Floor	IM-W700-S-34 7/12/2007 Floor	IM-W700-S-35 7/12/2007 Floor
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.0012	< 0.0012	< 0.0013	< 0.0012	< 0.0012	< 0.0012	< 0.0012	< 0.0012
Toluene	mg/kg	8260	4700	820	13.8	< 0.00095	< 0.00091	< 0.00096	< 0.00094	< 0.00092	< 0.00093	< 0.00091	< 0.00091
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0014	< 0.0014	< 0.0014	< 0.0014	< 0.0014	< 0.0014	< 0.0014	< 0.0014
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0042	< 0.004	< 0.0043	< 0.0042	< 0.0041	< 0.0041	< 0.0041	< 0.0041
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	30	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8310	4500	70000	11	< 0.029	< 0.0055	< 0.018	< 0.0057	< 0.0056	0.011 J, PG	< 0.017	< 0.0055
Acenaphthylene [1]	mg/kg	8310	4500	80000	11	0.29	0.45	1.1	< 0.0053	0.62	0.018 J	0.66	0.063
Anthracene	mg/kg	8310	23000	700000	116	0.035 J	0.04	0.028 PG	0.0026 J	0.023 PG	0.002 J, PG	0.024 PG	0.0025 J
Benzo[a]anthracene	mg/kg	8310	21	88	0.22	0.21	0.033 PG	0.027 PG	0.0062 J	0.033 PG	0.0012 J, PG	0.042 PG	0.0017 J, PG
Benzo[a]pyrene	mg/kg	8310	2.1	4.3	4.8	0.44	0.029 PG	0.034	0.012	0.038 PG	0.0026 J	0.072	0.0028 J

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]																			
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-28 7/12/2007 Floor		IM-W700-S-29 7/12/2007 Floor		IM-W700-S-30 7/12/2007 Floor		IM-W700-S-31 7/12/2007 Floor		IM-W700-S-32 7/12/2007 Floor		IM-W700-S-33 7/12/2007 Floor		IM-W700-S-34 7/12/2007 Floor		IM-W700-S-35 7/12/2007 Floor	
Benzo[b]fluoranthene	mg/kg	8310	21	43	6	0.65		0.086	PG	0.11	PG	0.015		0.26		0.032	PG	0.21		0.0064	J, PG
Benzo[g,h,i]perylene[1]	mg/kg	8310	2300	33000	26	0.4		0.018	PG	0.011	J, PG	0.0068	J	0.04		0.0046	J	0.026	PG	0.0015	J, PG
Benzo[k]fluoranthene	mg/kg	8310	210	430	58	0.3		< 0.00099		< 0.0031		0.0048	J, PG	< 0.00099		0.0015	J	< 0.003		< 0.00098	
Chrysene	mg/kg	8310	2100	4300	180	0.22		0.07		0.068		0.0067	J	0.024	PG	0.0024	J	0.078		< 0.001	
Dibenz(a,h)anthracene	mg/kg	8310	2.1	4.3	1.92	< 0.0051		< 0.00097		< 0.0031		< 0.001		< 0.00098		< 0.00099		< 0.0029		< 0.00097	
Fluoranthene	mg/kg	8310	3000	44000	178	0.21		0.16		< 0.0033		0.011		< 0.0011		< 0.0011		< 0.0032		< 0.0011	
Fluorene	mg/kg	8310	3000	62000	10.8	0.024	J, PG	0.034		0.044	PG	0.0036	J, PG	0.067		0.0076	J, PG	0.043	PG	0.0036	J
Indeno[1,2,3-cd]pyrene	mg/kg	8310	21	43	19.6	0.56		< 0.00097		0.023	J, PG	0.01		0.063		0.0021	J, PG	0.066		0.0028	J, PG
Naphthalene	mg/kg	8310	8.6	180	0.0076	***0.079***	J	***0.092***		***0.23***		***0.0081***	J	***0.17***	PG	0.0075	J, PG	***0.082***	J	0.0072	J
Phenanthrene[1]	mg/kg	8310	23000	700000	116	0.078	PG	0.099	PG	0.29		0.011	PG	0.19		0.012	PG	0.18		0.014	
Pyrene	mg/kg	8310	2300	66000	26	0.26	PG	0.23	PG	0.21	PG	0.011	PG	0.13	PG	0.007	J, PG	0.27	PG	0.011	PG
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA		NA		NA		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA		NA		NA		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA		NA		NA		NA		NA		NA		NA		NA	
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA		NA		NA		NA		NA		NA		NA		NA	
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA		NA		NA		NA		NA		NA		NA		NA	
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA		NA		NA		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA		NA		NA		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA		NA		NA		NA		NA		NA		NA		NA	
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA		NA		NA		NA		NA		NA		NA		NA	
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA		NA		NA		NA		NA		NA		NA		NA	
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA		NA		NA		NA		NA		NA		NA		NA	
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA		NA		NA		NA		NA		NA		NA		NA	
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA		NA		NA		NA		NA		NA		NA		NA	
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA		NA		NA		NA		NA		NA		NA		NA	
Methylphenol, 3 & 4[1]	mg/kg	8270	4100	63000	1.48	NA		NA		NA		NA		NA		NA		NA		NA	
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA		NA		NA		NA		NA		NA		NA		NA	
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA		NA		NA		NA		NA		NA		NA		NA	
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA		NA		NA		NA		NA		NA		NA		NA	
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA	
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA		NA		NA		NA		NA		NA		NA		NA	
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA	
Acetophenone	mg/kg	8270	12000	2500	1.16	NA		NA		NA		NA		NA		NA		NA		NA	
Atrazine	mg/kg	8270	10	150	0.038	NA		NA		NA		NA		NA		NA		NA		NA	
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA		NA		NA		NA		NA		NA		NA		NA	
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA		NA		NA		NA		NA		NA		NA		NA	
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA		NA		NA		NA		NA		NA		NA		NA	
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA		NA		NA		NA		NA		NA		NA		NA	
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA		NA		NA		NA		NA		NA		NA		NA	
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA		NA		NA		NA		NA		NA		NA		NA	
Caprolactam	mg/kg	8270	40000	600000	5	NA		NA		NA		NA		NA		NA		NA		NA	
Carbazole[1]	mg/kg	8270	23000	700000	116	NA		NA		NA		NA		NA		NA		NA		NA	
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA		NA		NA		NA		NA		NA		NA		NA	
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA		NA		NA		NA		NA		NA		NA		NA	
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA	
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA		NA		NA		NA		NA		NA		NA		NA	
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA		NA		NA		NA		NA		NA		NA		NA	
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA		NA		NA		NA		NA		NA		NA		NA	
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA		NA		NA		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA		NA		NA		NA		NA		NA		NA		NA	
Hexachloroethane	mg/kg	8270	8	91	0.004	NA		NA		NA		NA		NA		NA		NA		NA	
Isophorone	mg/kg	8270	2400	37000	0.52	NA		NA		NA		NA		NA		NA		NA		NA	
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA		NA		NA		NA		NA		NA		NA		NA	

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

			Screening Criteria[1]			Sample Information [2]							
						IM-W700-S-28 7/12/2007 Floor	IM-W700-S-29 7/12/2007 Floor	IM-W700-S-30 7/12/2007 Floor	IM-W700-S-31 7/12/2007 Floor	IM-W700-S-32 7/12/2007 Floor	IM-W700-S-33 7/12/2007 Floor	IM-W700-S-34 7/12/2007 Floor	IM-W700-S-35 7/12/2007 Floor
Constituent	**Units**	**Analytical Method**	**Industrial Soil RSL**	**Industrial Soil De Minimis**	***Protection of Groundwater RSL***								
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.003	< 0.0028	< 0.003	< 0.0029	< 0.0029	< 0.0029	< 0.0029	< 0.0029
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0038	< 0.0036	< 0.0038	< 0.0038	< 0.0037	< 0.0037	< 0.0037	< 0.0037
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0034	< 0.0033	< 0.0034	< 0.0034	< 0.0033	< 0.0034	< 0.0033	< 0.0033
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.0032	< 0.0031	< 0.0032	< 0.0032	< 0.0031	< 0.0032	< 0.0031	< 0.0031
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.0019	< 0.0018	< 0.0019	< 0.0019	< 0.0018	< 0.0019	< 0.0018	< 0.0018
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.0028	< 0.0027	< 0.0028	< 0.0028	< 0.0027	< 0.0028	< 0.0027	< 0.0027
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.0028	< 0.0027	< 0.0028	< 0.0028	< 0.0027	< 0.0028	< 0.0027	< 0.0027
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	83.6	87.3	82.8	84.4	86.5	84.9	86.7	86.7

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-36 7/13/2007 Floor	IM-W700-S-37 7/13/2007 Floor	IM-W700-S-38 7/13/2007 Sidewall	IM-W700-S-39 7/13/2007 Sidewall	IM-W700-S-39D 7/13/2007 Duplicate	IM-W700-S-40 7/13/2007 Sidewall	IM-W700-S-41 7/13/2007 Sidewall	IM-W700-S-42 7/13/2007 Floor
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.0013	< 0.0013	< 0.0024	< 0.0013	< 0.0012	< 0.0013	< 0.0013	< 0.0013
Toluene	mg/kg	8260	4700	820	13.8	< 0.00097	< 0.00099	< 0.0018	< 0.00096	< 0.00094	< 0.001	< 0.001	< 0.00096
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0014	< 0.0015	< 0.0027	< 0.0014	< 0.0014	< 0.0015	< 0.0015	< 0.0014
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0043	< 0.0044	< 0.008	< 0.0043	< 0.0042	< 0.0045	< 0.0045	< 0.0043
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	30	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8310	4500	70000	11	0.055 J, PG	< 0.0061	0.72 J, PG	< 0.12	< 0.78	< 0.019	< 0.64	< 0.0059
Acenaphthylene [1]	mg/kg	8310	4500	80000	11	0.13 J	0.081	< 0.38	1.5	2.2 J	0.62	< 0.6	0.016 J
Anthracene	mg/kg	8310	23000	700000	116	0.024 J, PG	0.0088	1.3 PG	0.37 PG	4.3	0.058	2.8	0.0087
Benzo[a]anthracene	mg/kg	8310	21	88	0.22	< 0.0086	0.011	***2.2***	***0.74***	***4.5***	0.08 PG	***8.7***	0.012 PG
Benzo[a]pyrene	mg/kg	8310	2.1	4.3	4.8	< 0.0082	0.011	1.2	0.9	4.1	0.21	4.6	0.014

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria[1]			Sample Information[2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-36 7/13/2007 Floor	IM-W700-S-37 7/13/2007 Floor	IM-W700-S-38 7/13/2007 Sidewall	IM-W700-S-39 7/13/2007 Sidewall	IM-W700-S-39D 7/13/2007 Duplicate	IM-W700-S-40 7/13/2007 Sidewall	IM-W700-S-41 7/13/2007 Sidewall	IM-W700-S-42 7/13/2007 Floor
Benzo[b]fluoranthene	mg/kg	8310	21	43	6	0.032 J, PG	0.024 PG	2.3	1.5	***6.9***	0.44	***8.7***	0.026 PG
Benzo[g,h,i]perylene[1]	mg/kg	8310	2300	33000	26	< 0.0084	0.0083 J	0.65	0.43	1.7	0.16	2.4	0.012
Benzo[k]fluoranthene	mg/kg	8310	210	430	58	< 0.0084	< 0.0011	1	0.55	2.6	< 0.0033	3.7	0.008 J, PG
Chrysene	mg/kg	8310	2100	4300	180	< 0.0087	0.0089 PG	2	0.78	4	0.16	7.2	0.016
Dibenz(a,h)anthracene	mg/kg	8310	2.1	4.3	1.92	< 0.0083	< 0.0011	< 0.073	< 0.022	< 0.14	< 0.0033	< 0.11	< 0.001
Fluoranthene	mg/kg	8310	3000	44000	178	< 0.009	< 0.0012	8	3	21	0.21	14 PG	0.06
Fluorene	mg/kg	8310	3000	62000	10.8	0.23	0.012	1.7	0.59	3.1	0.036	1.9	0.0059 J
Indeno[1,2,3-cd]pyrene	mg/kg	8310	21	43	19.6	< 0.0083	0.0079 J, PG	1	0.57 PG	3.1	0.31	4.6	0.016 PG
Naphthalene	mg/kg	8310	8.6	180	0.0076	< 0.042	***0.012*** J, PG	< 0.36	***1.8***	***7.5***	***0.21***	***3.9*** J	***0.02*** J
Phenanthrene[1]	mg/kg	8310	23000	700000	116	0.72	0.037	6	1.6	12	0.27	8.8	0.023
Pyrene	mg/kg	8310	2300	66000	26	0.09 PG	0.037 PG	6.4 PG	2.8 PG	15 PG	0.46 PG	12 PG	0.045 PG
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA	NA	NA	NA	NA	NA
Methylphenol, 3 & 4[1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA	NA	NA	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA	NA	NA	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA	NA	NA	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA	NA	NA	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA	NA	NA	NA	NA	NA
Carbazole[1]	mg/kg	8270	23000	700000	116	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA	NA	NA	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA	NA	NA	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

			Screening Criteria[1]			Sample Information [2]							
Constituent	Units	Analytical Method	Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	IM-W700-S-36 7/13/2007 Floor	IM-W700-S-37 7/13/2007 Floor	IM-W700-S-38 7/13/2007 Sidewall	IM-W700-S-39 7/13/2007 Sidewall	IM-W700-S-39D 7/13/2007 Duplicate	IM-W700-S-40 7/13/2007 Sidewall	IM-W700-S-41 7/13/2007 Sidewall	IM-W700-S-42 7/13/2007 Floor
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.003	< 0.0031	< 0.0028	< 0.003	< 0.0029	< 0.0032	< 0.0031	< 0.003
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0039	< 0.004	< 0.0036	< 0.0039	< 0.0038	< 0.0041	< 0.004	< 0.0039
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0035	< 0.0036	< 0.0032	< 0.0035	< 0.0034	< 0.0037	< 0.0036	< 0.0035
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.0033	< 0.0034	< 0.0031	< 0.0033	< 0.0032	< 0.0035	< 0.0034	< 0.0033
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.0019	< 0.002	< 0.0018	< 0.0019	***0.027***	< 0.002	< 0.002	< 0.0019
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.0029	< 0.003	0.023	< 0.0029	< 0.0028	< 0.0031	< 0.003	< 0.0029
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.0029	< 0.003	< 0.0027	< 0.0029	< 0.0028	< 0.0031	< 0.003	< 0.0029
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	81.5	79.7	87.9	82.2	84	77.7	78.9	82.4

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VI-MW-01A(14-16) 10/04/2013		VI-MW-01A(68-69) 10/08/2013		VI-MW-02A(9.7-10) 10/01/2013		VI-MW-02A(42.1-43) 10/02/2013		VI-MW-02AR(62-64) 10/31/2013		VI-MW-01P(9-10) 10/03/2013		VI-SB-102(6-8) 10/09/2013		VI-SB-102(68-70) 10/10/2013	
Volatile Organic Compounds																							
Benzene	mg/kg	8260	5.1	57	0.052	< 0.00083		< 0.00082		< 0.00084		< 0.00076		< 0.00076		< 0.00084		< 0.00091		< 0.0008	
Toluene	mg/kg	8260	4700	820	13.8	< 0.00089		< 0.00089		< 0.0009		< 0.00082		< 0.00082		< 0.0009		< 0.00098		< 0.00086	
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.00079		< 0.00078		< 0.0008		< 0.00072		< 0.00072		< 0.0008		< 0.00087		< 0.00076	
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0027		< 0.0027		< 0.0028		< 0.0025		< 0.0025		< 0.0028		< 0.003		< 0.0026	
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA		NA		< 0.0006		< 0.00055		< 0.00055		NA		< 0.00066		< 0.00057	
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA		NA		< 0.00089		< 0.00081		< 0.00081		NA		< 0.00097		< 0.00085	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA		NA		< 0.0013		< 0.0012		< 0.0012		NA		< 0.0014		< 0.0013	
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA		NA		< 0.001		< 0.00093		< 0.00093		NA		< 0.0011		< 0.00098	
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA		NA		< 0.00071		< 0.00065		< 0.00065		NA		< 0.00078		< 0.00068	
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA		NA		< 0.0011		< 0.00095		< 0.00095		NA		< 0.0011		< 0.001	
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA		NA		< 0.0011		< 0.00099		< 0.00099		NA		< 0.0012		< 0.001	
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA		NA		< 0.00093		< 0.00084		< 0.00084		NA		< 0.001		< 0.00088	
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA		NA		< 0.0011		< 0.00097		< 0.00097		NA		< 0.0012		< 0.001	
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA		NA		< 0.00099		< 0.0009		< 0.00089		NA		< 0.0011		< 0.00094	
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA		NA		< 0.00076		< 0.00069		< 0.00069		NA		< 0.00083		< 0.00072	
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA		NA		< 0.0016		< 0.0014		< 0.0014		NA		< 0.0017		< 0.0015	
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA		NA		< 0.00087		< 0.00079		< 0.00079		NA		< 0.00095		< 0.00083	
trans-1,2-Dichloroethene	mg/kg	8260	2300	570	0.62	NA		NA		< 0.00074		< 0.00067		< 0.00067		NA		< 0.0008		< 0.0007	
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA		NA		< 0.00067		< 0.00061		< 0.00061		NA		< 0.00073		< 0.00064	
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA		NA		< 0.00084		< 0.00076		< 0.00076		NA		< 0.00091		< 0.0008	
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA		NA		< 0.00074		< 0.00067		< 0.00067		NA		< 0.00081		< 0.0007	
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA		NA		< 0.00081		< 0.00074		< 0.00074		NA		< 0.00088		< 0.00077	
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA		NA		< 0.00079		< 0.00072		< 0.00071		NA		< 0.00086		< 0.00075	
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA		NA		< 0.0011		< 0.00099		< 0.00099		NA		< 0.0012		< 0.001	
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA		NA		< 0.00085		< 0.00078		< 0.00077		NA		< 0.00093		< 0.00081	
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA		NA		< 0.00081		< 0.00073		< 0.00073		NA		< 0.00088		< 0.00077	
Acetone	mg/kg	8260	67000	110000	5.8	NA		NA		< 0.0062		< 0.0056		< 0.0056	R	NA		< 0.0067		< 0.0059	
Bromoform	mg/kg	8260	86	910	0.42	NA		NA		< 0.00055		< 0.0005		< 0.0005		NA		< 0.0006		< 0.00052	
Bromomethane	mg/kg	8260	3	33	0.0038	NA		NA		< 0.00091		< 0.00083		< 0.00083		NA		< 0.001		< 0.00087	
Carbon disulfide	mg/kg	8260	350	740	0.48	NA		NA		< 0.00063		< 0.00058		< 0.00057		NA		< 0.00069		< 0.0006	
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA		NA		< 0.00055		< 0.0005		< 0.0005		NA		< 0.0006		< 0.00053	
Chlorobenzene	mg/kg	8260	130	760	1.36	NA		NA		< 0.00094		< 0.00085		< 0.00085		NA		< 0.001		< 0.00089	
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA		NA		< 0.00088		< 0.0008		< 0.0008		NA		< 0.00096		< 0.00084	
Chloroethane	mg/kg	8260	5700	2100	11.8	NA		NA		< 0.0019		< 0.0017		< 0.0017		NA		< 0.0021		< 0.0018	
Chloroform	mg/kg	8260	1.4	15	0.44	NA		NA		< 0.00072		< 0.00066		< 0.00066		NA		< 0.00079		< 0.00069	
Chloromethane	mg/kg	8260	46	500	0.098	NA		NA		< 0.0011		< 0.00096		< 0.00096		NA		< 0.0011		< 0.001	
Cyclohexane	mg/kg	8260	2700	120	26	NA		NA		< 0.00046		< 0.00042		< 0.00042		NA		< 0.0005		< 0.00044	
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA		NA		< 0.00069		< 0.00063		< 0.00063		NA		< 0.00076		< 0.00066	
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA		NA		< 0.00082		< 0.00075		< 0.00075		NA		< 0.0009		< 0.00078	
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA		NA		< 0.00084		< 0.00076		< 0.00076		NA		< 0.00092		< 0.0008	
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA		NA		< 0.0011		< 0.001		< 0.001		NA		< 0.0012		< 0.0011	
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA		NA		< 0.00093		< 0.00084		< 0.00084		NA		< 0.001		< 0.00088	
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA		NA		< 0.0009		< 0.00082		< 0.00081		NA		< 0.00098		< 0.00085	
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA		NA		0.0027	B	0.0021	B	0.0029	J	NA		0.0028	B	0.0026	B
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA		NA		NA		NA		NA		NA		NA		NA	
Styrene	mg/kg	8260	3500	870	2.6	NA		NA		< 0.00087		< 0.00079		< 0.00079		NA		< 0.00095		< 0.00083	
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA		NA		< 0.00084		< 0.00076		< 0.00076		NA		< 0.00092		< 0.0008	
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA		NA		< 0.00081		< 0.00074		< 0.00074		NA		< 0.00089		< 0.00078	
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA		NA		< 0.0011		< 0.001		< 0.001		NA		< 0.0012		< 0.0011	
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA		NA		< 0.00058		< 0.00053		< 0.00053		NA		< 0.00063		< 0.00055	
Semi-Volatile Organic Compounds																							
Acenaphthene	mg/kg	8270	4500	70000	11	< 0.00078	UJ	< 0.00077		< 0.0079	UJ	< 0.0072	UJ	< 0.0072	UJ	< 0.0008	UJ	< 0.0086		< 0.0076	
Acenaphthylene [1]	mg/kg	8270	4500	80000	11	< 0.00093	UJ	< 0.00092		< 0.0095	UJ	< 0.0086	UJ	< 0.0086	UJ	< 0.00095	UJ	< 0.01		< 0.009	
Anthracene	mg/kg	8270	23000	700000	116	< 0.0008	UJ	< 0.00079		< 0.0081	UJ	< 0.0074	UJ	< 0.0073	UJ	< 0.00081	UJ	0.015	J	< 0.0077	
Benzo[a]anthracene	mg/kg	8270	21	88	0.22	< 0.001	UJ	< 0.001		0.039	J	< 0.0094	UJ	< 0.0094	UJ	0.11	J	0.023	J	< 0.0099	
Benzo[a]pyrene	mg/kg	8270	2.1	4.3	4.8	< 0.00082	UJ	< 0.00081		< 0.0083	UJ	< 0.0075	UJ	< 0.0075	UJ	0.069	J	< 0.009		< 0.0079	

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VI-MW-01A(14-16) 10/04/2013		VI-MW-01A(68-69) 10/08/2013		VI-MW-02A(9.7-10) 10/01/2013		VI-MW-02A(42.1-43) 10/02/2013		VI-MW-02AR(62-64) 10/31/2013		VI-MW-01P(9-10) 10/03/2013		VI-SB-102(6-8) 10/09/2013		VI-SB-102(68-70) 10/10/2013	
Benzo[b]fluoranthene	mg/kg	8270	21	43	6	< 0.0013	UJ	< 0.0013		< 0.013	UJ	< 0.012	UJ	< 0.012	UJ	0.09	J	< 0.014		< 0.012	
Benzo[g,h,i]perylene [1]	mg/kg	8270	2300	33000	26	< 0.00081	UJ	< 0.0008		< 0.0082	UJ	< 0.0075	UJ	< 0.0074	UJ	0.046	J	< 0.0089		< 0.0078	
Benzo[k]fluoranthene	mg/kg	8270	210	430	58	< 0.0016	UJ	< 0.0016		< 0.017	UJ	< 0.015	UJ	< 0.015	UJ	0.034	J	< 0.018		< 0.016	
Chrysene	mg/kg	8270	2100	4300	180	< 0.00097	UJ	< 0.00096		0.032	J	< 0.009	UJ	< 0.0089	UJ	0.11	J	0.019	J	< 0.0094	
Dibenz(a,h)anthracene	mg/kg	8270	2.1	4.3	1.92	< 0.00091	UJ	< 0.0009		< 0.0092	UJ	< 0.0084	UJ	< 0.0083	UJ	0.0094	J	< 0.01		< 0.0088	
Fluoranthene	mg/kg	8270	3000	44000	178	0.0014	J	< 0.00086		0.046	J	< 0.0081	UJ	< 0.008	UJ	0.42	J	0.038	J	< 0.0084	
Fluorene	mg/kg	8270	3000	62000	10.8	< 0.0011	UJ	< 0.0011		< 0.011	UJ	< 0.0099	UJ	< 0.0099	UJ	< 0.0011	UJ	< 0.012		< 0.01	
Indeno[1,2,3-cd]pyrene	mg/kg	8270	21	43	19.6	< 0.00084	UJ	< 0.00083		< 0.0085	UJ	< 0.0078	UJ	< 0.0077	UJ	0.038	J	< 0.0092		< 0.0081	
Naphthalene	mg/kg	8270	8.6	180	0.0076	< 0.0007	UJ	< 0.00069		< 0.0071	UJ	< 0.0065	UJ	< 0.0064	UJ	< 0.00071	UJ	***0.031***	J	< 0.0068	
Phenanthrene [1]	mg/kg	8270	23000	700000	116	0.0048	J	< 0.0013		0.018	J	< 0.012	UJ	< 0.012	UJ	< 0.0013	UJ	0.054	J	< 0.013	
Pyrene	mg/kg	8270	2300	66000	26	0.0018	J	< 0.00081		0.047	J	< 0.0076	UJ	< 0.0076	UJ	0.38	J	0.033	J	< 0.008	
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA		NA		< 0.037	UJ	< 0.034	UJ	< 0.033	UJ	NA		< 0.04		< 0.035	
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA		NA		< 0.044	UJ	< 0.04	UJ	< 0.04	UJ	NA		< 0.048		< 0.042	
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA		NA		< 0.062	UJ	< 0.056	UJ	< 0.056	UJ	NA		< 0.067		< 0.059	
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA		NA		< 0.0083	UJ	< 0.0076	UJ	< 0.0075	UJ	NA		< 0.009		< 0.0079	
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA		NA		< 0.065	UJ	< 0.059	UJ	< 0.059	UJ	NA		< 0.07		< 0.062	
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA		NA		< 0.49	UJ	< 0.45	UJ	< 0.45	UJ	NA		< 0.53		< 0.47	
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA		NA		< 0.033	UJ	< 0.03	UJ	< 0.03	UJ	NA		< 0.036		< 0.032	
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA		NA		< 0.043	UJ	< 0.039	UJ	< 0.039	UJ	NA		< 0.046		< 0.041	
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA		NA		< 0.0086	UJ	< 0.0079	UJ	< 0.0078	UJ	NA		< 0.0094		< 0.0082	
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA		NA		< 0.034	UJ	< 0.031	UJ	< 0.031	UJ	NA		< 0.037		< 0.032	
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA		NA		< 0.0074	UJ	< 0.0068	UJ	< 0.0067	UJ	NA		0.035	J	< 0.0071	
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA		NA		< 0.029	UJ	< 0.026	UJ	< 0.026	UJ	NA		< 0.031		< 0.027	
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA		NA		< 0.19	UJ	< 0.17	UJ	< 0.17	UJ	NA		< 0.2		< 0.18	
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA		NA		< 0.046	UJ	< 0.042	UJ	< 0.041	UJ	NA		< 0.049		< 0.043	
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA		NA		< 0.044	UJ	< 0.04	UJ	< 0.04	UJ	NA		< 0.047		< 0.042	
Methylphenol, 3 & 4 [1]	mg/kg	8270	4100	63000	1.48	NA		NA		< 0.04	UJ	< 0.037	UJ	< 0.037	UJ	NA		< 0.044		< 0.039	
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA		NA		< 0.17	UJ	< 0.16	UJ	< 0.15	UJ	NA		< 0.18		< 0.16	
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA		NA		< 0.17	UJ	< 0.15	UJ	< 0.15	UJ	NA		< 0.18		< 0.16	
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA		NA		< 0.036	UJ	< 0.033	UJ	< 0.033	UJ	NA		< 0.039		< 0.034	
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA		NA		< 0.038	UJ	< 0.035	UJ	< 0.034	UJ	NA		< 0.041		< 0.036	
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA		NA		< 0.033	UJ	< 0.03	UJ	< 0.03	UJ	NA		< 0.036		< 0.031	
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA		NA		< 0.046	UJ	< 0.042	UJ	< 0.042	UJ	NA		< 0.05		< 0.044	
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA		NA		< 0.17	UJ	< 0.15	UJ	< 0.15	UJ	NA		< 0.18		< 0.16	
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA		NA		< 0.15	UJ	< 0.14	UJ	< 0.14	UJ	NA		< 0.16		< 0.14	
Acetophenone	mg/kg	8270	12000	2500	1.16	NA		NA		< 0.034	UJ	< 0.031	UJ	< 0.031	UJ	NA		< 0.037		< 0.032	
Atrazine	mg/kg	8270	10	150	0.038	NA		NA		< 0.04	UJ	< 0.037	UJ	< 0.036	UJ	NA		< 0.044		< 0.038	
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA		NA		< 0.062	UJ	< 0.056	UJ	< 0.056	UJ	NA		< 0.067		< 0.059	
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA		NA		< 0.0089	UJ	< 0.0081	UJ	< 0.0081	UJ	NA		< 0.0097		< 0.0085	
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA		NA		< 0.027	UJ	< 0.025	UJ	< 0.025	UJ	NA		< 0.029		< 0.026	
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA		NA		< 0.011	UJ	< 0.01	UJ	< 0.01	UJ	NA		< 0.012		< 0.011	
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA		NA		< 0.067	UJ	< 0.061	UJ	< 0.06	UJ	NA		< 0.072		< 0.064	
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA		NA		< 0.056	UJ	< 0.051	UJ	< 0.051	UJ	NA		< 0.061		< 0.054	
Caprolactam	mg/kg	8270	40000	600000	5	NA		NA		< 0.31	UJ	< 0.28	UJ	< 0.28	UJ	NA		< 0.34		< 0.3	
Carbazole [1]	mg/kg	8270	23000	700000	116	NA		NA		< 0.0076	UJ	< 0.0069	UJ	< 0.0069	UJ	NA		< 0.0083		< 0.0072	
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA		NA		< 0.041	UJ	< 0.037	UJ	< 0.037	UJ	NA		< 0.044		< 0.039	
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA		NA		< 0.045	UJ	< 0.041	UJ	< 0.041	UJ	NA		< 0.049		< 0.043	
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA		NA		< 0.045	UJ	< 0.041	UJ	< 0.041	UJ	NA		< 0.049		< 0.043	
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA		NA		< 0.052	UJ	< 0.047	UJ	< 0.047	UJ	NA		< 0.056		< 0.049	
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA		NA		< 0.044	UJ	< 0.04	UJ	< 0.039	UJ	NA		< 0.047		< 0.041	
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA		NA		< 0.0088	UJ	< 0.008	UJ	< 0.008	UJ	NA		< 0.0095		< 0.0084	
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA		NA		< 0.0092	UJ	< 0.0084	UJ	< 0.0084	UJ	NA		< 0.01		< 0.0088	
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA		NA		< 0.045	UJ	< 0.041	UJ	< 0.04	UJ	NA		< 0.048		< 0.042	
Hexachloroethane	mg/kg	8270	8	91	0.004	NA		NA		< 0.03	UJ	< 0.027	UJ	< 0.027	UJ	NA		< 0.032		< 0.028	
Isophorone	mg/kg	8270	2400	37000	0.52	NA		NA		< 0.031	UJ	< 0.028	UJ	< 0.028	UJ	NA		< 0.034		< 0.03	
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA		NA		< 0.034	UJ	< 0.031	UJ	< 0.031	UJ	NA		< 0.037		< 0.033	

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]													
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VI-MW-01A(14-16) 10/04/2013	VI-MW-01A(68-69) 10/08/2013	VI-MW-02A(9.7-10) 10/01/2013		VI-MW-02A(42.1-43) 10/02/2013		VI-MW-02AR(62-64) 10/31/2013		VI-MW-01P(9-10) 10/03/2013	VI-SB-102(6-8) 10/09/2013		VI-SB-102(68-70) 10/10/2013	
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	< 0.0097	UJ	< 0.0088	UJ	< 0.0088	UJ	NA	< 0.011		< 0.0092	
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	< 0.038	UJ	< 0.035	UJ	< 0.035	UJ	NA	< 0.041		< 0.036	
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	< 0.037	UJ	< 0.034	UJ	< 0.033	UJ	NA	< 0.04		< 0.035	
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	< 0.0098	UJ	< 0.0089	UJ	< 0.0088	UJ	NA	< 0.011		< 0.0093	
Polychlorinated Biphenyls																			
PCB-1016	mg/kg	8082	5.1	160	0.26	NA	NA	< 0.0031	UJ	< 0.0028	UJ	< 0.0028	UJ	NA	< 0.0033		< 0.0029	
PCB-1221	mg/kg	8082	0.83	19	0.0016	NA	NA	< 0.0039	UJ	< 0.0036	UJ	< 0.0036	UJ	NA	< 0.0043		< 0.0038	
PCB-1232	mg/kg	8082	0.72	14	0.0016	NA	NA	< 0.0035	UJ	< 0.0032	UJ	< 0.0032	UJ	NA	< 0.0038		< 0.0034	
PCB-1242	mg/kg	8082	0.95	26	0.024	NA	NA	< 0.0034	UJ	< 0.0031	UJ	< 0.003	UJ	NA	< 0.0036		< 0.0032	
PCB-1248	mg/kg	8082	0.94	27	0.024	NA	NA	< 0.002	UJ	< 0.0018	UJ	< 0.0018	UJ	NA	< 0.0021		< 0.0019	
PCB-1254	mg/kg	8082	0.97	28	0.04	NA	NA	< 0.0029	UJ	< 0.0027	UJ	< 0.0027	UJ	NA	< 0.0032		< 0.0028	
PCB-1260	mg/kg	8082	0.99	30	0.11	NA	NA	< 0.0029	UJ	< 0.0027	UJ	< 0.0027	UJ	NA	< 0.0032		< 0.0028	
Inorganics																			
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	9500		7400		9700	K	NA	10000		8900		
Antimony	mg/kg	6020	47	930	5.4	NA	NA	0.18	L	0.21	L	0.2	J	NA	0.2	L	0.14	L	
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	***7***		***5.9***		***6.4***	K	NA	***7.4***		4.3		
Barium	mg/kg	6020	22000	400000	1640	NA	NA	99		73		100		NA	90		80		
Beryllium	mg/kg	6020	230	4500	64	NA	NA	0.76		0.78		0.73	K	NA	0.73		0.74		
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	0.25		0.17		0.25		NA	0.33		0.2		
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	21000	B	810		1600		NA	7300		1300		
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	270	B	17		19		NA	43		16		
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	***6.9***		***19***		***13***	K	NA	***9.7***		***13***		
Copper	mg/kg	6020	4700	93000	920	NA	NA	21		14		19	K	NA	18		13		
Iron	mg/kg	6020	82000	1000000	700	NA	NA	***37000***	B	***33000***		***38000***	K	NA	***30000***		***30000***		
Lead	mg/kg	6020	800	1000	280	NA	NA	15	K	19	K	16		NA	25	K	14	K	
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	8800	K	1500	K	2700		NA	3000	K	2300	K	
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	***2700***		***1400***		***940***		NA	***1700***		***760***		
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	0.022	J	0.023	J	0.012	J	NA	0.03		0.018	J	
Nickel	mg/kg	6020	2200	43000	52	NA	NA	16	K	17	K	25	K	NA	18	K	20	K	
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	1100		670		970		NA	1100		930		
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	0.43	J	0.21	J	0.5	K	NA	0.44	J	0.23	J	
Silver	mg/kg	6020	580	12000	1.6	NA	NA	0.042	B	0.013	B	0.0064	J	NA	0.064	B	0.017	B	
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	180		72		100		NA	470		80		
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	0.15		0.097	J	0.11		NA	0.17		0.083	J	
Vanadium	mg/kg	6020	580	160	172	NA	NA	24		17		17		NA	22		16		
Zinc	mg/kg	6020	35000	700000	740	NA	NA	62	L	38	L	64	K	NA	77	L	48	L	
Other Parameters																			
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	< 0.12		< 0.11		< 0.11		NA	< 0.13		< 0.11		
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	990		< 76		< 75		NA	5000		< 79		
Percent Moisture	%	- -	- -	- -	- -	18	18	19		11		11		20	26		15		
Percent Solids	%	MCAWW 16	- -	- -	- -	NA	NA	NA		NA		NA		NA	NA		NA		

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VI-SB-102(68-70)DUP 10/10/2013 Duplicate	VI-SB-103 (4-5') 11/30/2017	VII-MW-01A(6-8) 10/17/2013	VII-MW-01A(34-36) 10/18/2013	VII-MW-02A(4-6) 10/16/2013	VII-MW-02A(40-42) 10/16/2013	VII-MW-02A(40-42)DUP 10/16/2013 Duplicate	VII-MW-03A(11-12) 10/11/2013
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.00076	NA	< 0.00082	< 0.00082	< 0.00084	< 0.00084	< 0.00082	< 0.00076 UJ
Toluene	mg/kg	8260	4700	820	13.8	< 0.00082	NA	< 0.00089	< 0.00089	< 0.0009	< 0.00091	< 0.00088	< 0.00082 UJ
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.00072	NA	< 0.00078	< 0.00078	< 0.0008	< 0.0008	< 0.00078	< 0.00072 UJ
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0025	NA	< 0.0027	< 0.0027	< 0.0028	< 0.0028	< 0.0027	< 0.0025 UJ
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	< 0.00055	NA	< 0.00059	< 0.00059	< 0.0006	0.00095 J	< 0.00059	< 0.00055 UJ
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	< 0.00081	NA	< 0.00087	< 0.00087	< 0.00089	< 0.0009	< 0.00087	< 0.00081 UJ
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	< 0.0012	NA	< 0.0013	< 0.0013	< 0.0013	< 0.0013	< 0.0013	< 0.0012 UJ
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	< 0.00094	NA	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.00094 UJ
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	< 0.00065	NA	< 0.0007	< 0.0007	< 0.00071	< 0.00072	< 0.0007	< 0.00065 UJ
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	< 0.00096	NA	< 0.001	< 0.001	< 0.0011	< 0.0011	< 0.001	< 0.00096 UJ
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	< 0.00099	NA	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.00099 UJ
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	< 0.00084	NA	< 0.00091	< 0.00091	< 0.00093	< 0.00094	< 0.00091	< 0.00084 UJ
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	< 0.00097	NA	< 0.001	< 0.001	< 0.0011	< 0.0011	< 0.001	< 0.00097 UJ
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	< 0.0009	NA	< 0.00097	< 0.00097	< 0.00099	< 0.001	< 0.00097	< 0.0009 UJ
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	< 0.00069	NA	< 0.00074	< 0.00075	< 0.00076	< 0.00077	< 0.00074	< 0.00069 UJ
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0014	NA	< 0.0016	< 0.0016	< 0.0016	< 0.0016	< 0.0015	< 0.0014 UJ
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	< 0.00079	NA	< 0.00085	< 0.00085	< 0.00087	< 0.00088	< 0.00085	< 0.00079 UJ
trans-1,2-Dichloroethene	mg/kg	8260	2300	570	0.62	< 0.00067	NA	< 0.00072	< 0.00072	< 0.00074	< 0.00075	< 0.00072	< 0.00067 UJ
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	< 0.00061	NA	< 0.00066	< 0.00066	< 0.00067	< 0.00068	< 0.00066	< 0.00061 UJ
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	< 0.00076	NA	< 0.00082	< 0.00082	< 0.00084	< 0.00085	< 0.00082	< 0.00076 UJ
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	< 0.00067	NA	< 0.00073	< 0.00073	< 0.00074	< 0.00075	< 0.00072	< 0.00067 UJ
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	< 0.00074	NA	< 0.0008	< 0.0008	< 0.00081	< 0.00082	< 0.00079	< 0.00074 UJ
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	< 0.00072	NA	< 0.00077	< 0.00077	< 0.00079	< 0.0008	< 0.00077	< 0.00072 UJ
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	< 0.00099	NA	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.00099 UJ
2-Hexanone	mg/kg	8260	130	- -	0.0176	< 0.00078	NA	< 0.00084	< 0.00084	< 0.00085	< 0.00086	< 0.00084	< 0.00078 UJ
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	< 0.00073	NA	< 0.00079	< 0.00079	< 0.00081	< 0.00082	< 0.00079	< 0.00073 UJ
Acetone	mg/kg	8260	67000	110000	5.8	< 0.0056	NA	< 0.0061	< 0.0061	< 0.0062	< 0.0063	< 0.0061	< 0.0056 UJ
Bromoform	mg/kg	8260	86	910	0.42	< 0.0005	NA	< 0.00054	< 0.00054	< 0.00055	< 0.00055	< 0.00054	< 0.0005 UJ
Bromomethane	mg/kg	8260	3	33	0.0038	< 0.00083	NA	< 0.0009	< 0.0009	< 0.00091	< 0.00092	< 0.00089	< 0.00083 UJ
Carbon disulfide	mg/kg	8260	350	740	0.48	< 0.00058	NA	< 0.00062	< 0.00062	< 0.00063	< 0.00064	< 0.00062	< 0.00058 UJ
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	< 0.0005	NA	< 0.00054	< 0.00054	< 0.00055	< 0.00056	< 0.00054	< 0.0005 UJ
Chlorobenzene	mg/kg	8260	130	760	1.36	< 0.00085	NA	< 0.00092	< 0.00092	< 0.00094	< 0.00095	< 0.00092	< 0.00085 UJ
Chlorodibromomethane	mg/kg	8260	39	780	0.42	< 0.0008	NA	< 0.00086	< 0.00086	< 0.00088	< 0.00089	< 0.00086	< 0.0008 UJ
Chloroethane	mg/kg	8260	5700	2100	11.8	< 0.0017	NA	< 0.0019	< 0.0019	< 0.0019	< 0.0019	< 0.0019	< 0.0017 UJ
Chloroform	mg/kg	8260	1.4	15	0.44	< 0.00066	NA	< 0.00071	< 0.00071	< 0.00072	0.00082 J	< 0.00071	< 0.00066 UJ
Chloromethane	mg/kg	8260	46	500	0.098	< 0.00096	NA	< 0.001	< 0.001	< 0.0011	< 0.0011	< 0.001	< 0.00096 UJ
Cyclohexane	mg/kg	8260	2700	120	26	< 0.00042	NA	< 0.00045	< 0.00045	< 0.00046	< 0.00046	< 0.00045	< 0.00042 UJ
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	< 0.00063	NA	< 0.00068	< 0.00068	< 0.00069	< 0.0007	< 0.00068	< 0.00063 UJ
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	< 0.00075	NA	< 0.00081	< 0.00081	< 0.00082	< 0.00083	< 0.00081	< 0.00075 UJ
Isopropylbenzene	mg/kg	8260	990	270	1.48	< 0.00076	NA	< 0.00082	< 0.00082	< 0.00084	< 0.00085	< 0.00082	< 0.00076 UJ
Methyl acetate	mg/kg	8260	120000	29000	8.2	< 0.001	NA	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.001 UJ
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	< 0.00084	NA	< 0.00091	< 0.00091	< 0.00093	< 0.00093	< 0.0009	< 0.00084 UJ
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	< 0.00082	NA	< 0.00088	< 0.00088	< 0.0009	< 0.00091	< 0.00088	< 0.00082 UJ
Methylene Chloride	mg/kg	8260	320	3300	0.054	0.0025 B	NA	0.0023 B	0.0014 B	0.003 B	0.0029 B	0.0027 B	0.0026 B
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	< 0.00079	NA	< 0.00086	< 0.00086	< 0.00087	< 0.00088	< 0.00085	< 0.00079 UJ
Tetrachloroethene	mg/kg	8260	39	170	0.046	< 0.00077	NA	< 0.00083	< 0.00083	< 0.00084	0.0032 J	< 0.00082	< 0.00077 UJ
Trichloroethene	mg/kg	8260	1.9	20	0.036	< 0.00074	NA	< 0.0008	< 0.0008	< 0.00081	0.0012 J	< 0.0008	< 0.00074 UJ
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	< 0.001	NA	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.0011	< 0.001 UJ
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	< 0.00053	NA	< 0.00057	< 0.00057	< 0.00058	< 0.00059	< 0.00057	< 0.00053 UJ
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8270	4500	70000	11	< 0.0072	NA	< 0.0078 UJ	< 0.0078 UJ	0.0095 J	< 0.008	< 0.0078	< 0.0072 UJ
Acenaphthylene [1]	mg/kg	8270	4500	80000	11	< 0.0086	NA	< 0.0093 UJ	< 0.0093 UJ	0.023 J	< 0.0096	< 0.0092	< 0.0086 UJ
Anthracene	mg/kg	8270	23000	700000	116	< 0.0073	NA	< 0.0079 UJ	< 0.0079 UJ	0.021 J	< 0.0082	< 0.0079	< 0.0073 UJ
Benzo[a]anthracene	mg/kg	8270	21	88	0.22	< 0.0094	NA	< 0.01 UJ	< 0.01 UJ	0.087	< 0.011	< 0.01	< 0.0094 UJ
Benzo[a]pyrene	mg/kg	8270	2.1	4.3	4.8	< 0.0075	NA	< 0.0081 UJ	< 0.0081 UJ	0.071 J	< 0.0084	< 0.0081	< 0.0075 UJ

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VI-SB-102(68-70)DUP 10/10/2013 Duplicate		VI-SB-103 (4-5') 11/30/2017	VII-MW-01A(6-8) 10/17/2013		VII-MW-01A(34-36) 10/18/2013		VII-MW-02A(4-6) 10/16/2013		VII-MW-02A(40-42) 10/16/2013		VII-MW-02A(40-42)DUP 10/16/2013 Duplicate		VII-MW-03A(11-12) 10/11/2013			
Benzo[b]fluoranthene	mg/kg	8270	21	43	6	< 0.012		NA	< 0.013	UJ	< 0.013	UJ	0.086		< 0.013		< 0.013		< 0.012	UJ		
Benzo[g,h,i]perylene [1]	mg/kg	8270	2300	33000	26	< 0.0074		NA	< 0.0081	UJ	< 0.0081	UJ	0.047	J	< 0.0083		< 0.008		< 0.0074	UJ		
Benzo[k]fluoranthene	mg/kg	8270	210	430	58	< 0.015		NA	< 0.016	UJ	< 0.016	UJ	0.071	J	< 0.017		< 0.016		< 0.015	UJ		
Chrysene	mg/kg	8270	2100	4300	180	< 0.0089		NA	< 0.0097	UJ	< 0.0097	UJ	0.094		< 0.01		< 0.0096		< 0.0089	UJ		
Dibenz(a,h)anthracene	mg/kg	8270	2.1	4.3	1.92	< 0.0083		NA	< 0.009	UJ	< 0.009	UJ	< 0.0092		< 0.0093		< 0.009		< 0.0083	UJ		
Fluoranthene	mg/kg	8270	3000	44000	178	< 0.008		NA	0.011	J	< 0.0087	UJ	0.14		< 0.009		< 0.0086		< 0.008	UJ		
Fluorene	mg/kg	8270	3000	62000	10.8	< 0.0098		NA	< 0.011	UJ	< 0.011	UJ	0.013	J	< 0.011		< 0.011		< 0.0099	UJ		
Indeno[1,2,3-cd]pyrene	mg/kg	8270	21	43	19.6	< 0.0077		NA	< 0.0084	UJ	< 0.0084	UJ	0.047	J	< 0.0086		< 0.0083		< 0.0077	UJ		
Naphthalene	mg/kg	8270	8.6	180	0.0076	< 0.0064		NA	< 0.007	UJ	< 0.007	UJ	***0.031***	J	< 0.0072		< 0.007		< 0.0065	UJ		
Phenanthrene [1]	mg/kg	8270	23000	700000	116	< 0.012		NA	< 0.013	UJ	< 0.013	UJ	0.1		< 0.013		< 0.013		< 0.012	UJ		
Pyrene	mg/kg	8270	2300	66000	26	< 0.0075		NA	0.011	J	< 0.0082	UJ	0.12		< 0.0085		< 0.0082		0.037	J		
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	< 0.033		NA	< 0.036	UJ	< 0.036	UJ	< 0.037		< 0.037		< 0.036		< 0.033	UJ		
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	< 0.04		NA	< 0.043	UJ	< 0.043	UJ	< 0.044		< 0.045		< 0.043		< 0.04	UJ		
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	< 0.056		NA	< 0.061	UJ	< 0.061	UJ	< 0.062		< 0.063		< 0.06		< 0.056	UJ		
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	< 0.0075		NA	< 0.0081	UJ	< 0.0081	UJ	< 0.0083		< 0.0084		< 0.0081		< 0.0075	UJ		
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	< 0.058		NA	< 0.063	UJ	< 0.063	UJ	< 0.065		< 0.066		< 0.063		< 0.059	UJ		
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	< 0.44		NA	< 0.48	UJ	< 0.48	UJ	< 0.49		< 0.5		< 0.48		< 0.45	UJ		
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	< 0.03		NA	< 0.033	UJ	< 0.033	UJ	< 0.033		< 0.034		< 0.033		< 0.03	UJ		
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	< 0.039		NA	< 0.042	UJ	< 0.042	UJ	< 0.043		< 0.043		< 0.042		< 0.039	UJ		
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	< 0.0078		NA	< 0.0085	UJ	< 0.0085	UJ	< 0.0086		< 0.0087		< 0.0084		< 0.0078	UJ		
2-Chlorophenol	mg/kg	8270	580	5500	0.178	< 0.031		NA	< 0.033	UJ	< 0.033	UJ	< 0.034		< 0.034		< 0.033		< 0.031	UJ		
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	< 0.0067		NA	< 0.0073	UJ	< 0.0073	UJ	0.067	J	< 0.0075		< 0.0073		0.029	J		
2-Methylphenol	mg/kg	8270	4100	63000	1.5	< 0.026		NA	< 0.028	UJ	< 0.028	UJ	< 0.029		< 0.029		< 0.028		< 0.026	UJ		
2-Nitroaniline	mg/kg	8270	800	12000	0.16	< 0.17		NA	< 0.18	UJ	< 0.18	UJ	< 0.19		< 0.19		< 0.18		< 0.17	UJ		
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.041		NA	< 0.045	UJ	< 0.045	UJ	< 0.046		< 0.046		< 0.045		< 0.041	UJ		
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	< 0.039		NA	< 0.043	UJ	< 0.043	UJ	< 0.044		< 0.044		< 0.043		< 0.04	UJ		
Methylphenol, 3 & 4 [1]	mg/kg	8270	4100	63000	1.48	< 0.037		NA	< 0.04	UJ	< 0.04	UJ	< 0.04		< 0.041		< 0.04		< 0.037	UJ		
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.15		NA	< 0.17	UJ	< 0.17	UJ	< 0.17		< 0.17		< 0.17		< 0.15	UJ		
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	< 0.15		NA	< 0.16	UJ	< 0.16	UJ	< 0.17		< 0.17		< 0.16		< 0.15	UJ		
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.032		NA	< 0.035	UJ	< 0.035	UJ	< 0.036		< 0.036		< 0.035		< 0.033	UJ		
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	< 0.034		NA	< 0.037	UJ	< 0.037	UJ	< 0.038		< 0.039		< 0.037		< 0.034	UJ		
4-Chloroaniline	mg/kg	8270	11	180	0.0032	< 0.03		NA	< 0.032	UJ	< 0.032	UJ	< 0.033		< 0.034		< 0.032		< 0.03	UJ		
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.041		NA	< 0.045	UJ	< 0.045	UJ	< 0.046		< 0.047		< 0.045		< 0.042	UJ		
4-Nitroaniline	mg/kg	8270	110	- -	0.032	< 0.15		NA	< 0.16	UJ	< 0.16	UJ	< 0.17		< 0.17		< 0.16		< 0.15	UJ		
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.14		NA	< 0.15	UJ	< 0.15	UJ	< 0.15		< 0.15		< 0.15		< 0.14	UJ		
Acetophenone	mg/kg	8270	12000	2500	1.16	< 0.031		NA	< 0.033	UJ	< 0.033	UJ	< 0.034		< 0.034		< 0.033		< 0.031	UJ		
Atrazine	mg/kg	8270	10	150	0.038	< 0.036		NA	< 0.04	UJ	< 0.039	UJ	< 0.04		< 0.041		< 0.039		< 0.036	UJ		
Benzaldehyde	mg/kg	8270	820	1200	0.082	< 0.056		NA	< 0.061	UL	< 0.061	UL	< 0.062	UL	< 0.063	UL	< 0.061	UL	< 0.056	UJ		
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	< 0.0081		NA	< 0.0088		< 0.0088	UJ	< 0.0089		< 0.009		< 0.0087		< 0.0081	UJ		
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	< 0.025		NA	< 0.027	UJ	< 0.027	UJ	< 0.027		< 0.028		< 0.027		< 0.025	UJ		
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	< 0.01		NA	< 0.011	UJ	< 0.011	UJ	< 0.011		< 0.011		< 0.011		< 0.01	UJ		
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	< 0.06		NA	0.26	J	< 0.066	UJ	< 0.067		< 0.068		< 0.065		< 0.06	UJ		
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	< 0.051		NA	< 0.055	UJ	< 0.055	UJ	< 0.056		< 0.057		< 0.055		< 0.06	UJ		
Caprolactam	mg/kg	8270	40000	600000	5	< 0.28		NA	< 0.31	UJ	< 0.31	UJ	< 0.31		< 0.32		< 0.3		< 0.06	UJ		
Carbazole [1]	mg/kg	8270	23000	700000	116	< 0.0069		NA	< 0.0075	UJ	< 0.0075	UJ	< 0.0076		< 0.0077		< 0.0074		< 0.06	UJ		
Dibenzofuran	mg/kg	8270	120	2300	0.3	< 0.037		NA	< 0.04	UJ	< 0.04	UJ	< 0.041		< 0.041		< 0.04		< 0.06	UJ		
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	< 0.041		NA	< 0.044	UJ	< 0.044	UJ	< 0.045		< 0.046		< 0.044		< 0.041	UJ		
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.041		NA	< 0.044	UJ	< 0.044	UJ	< 0.045		< 0.046		< 0.044		< 0.041	UJ		
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	< 0.047		NA	< 0.051	UJ	< 0.051	UJ	< 0.052		< 0.053		< 0.051		< 0.06	UJ		
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	< 0.039		NA	< 0.043	UJ	< 0.043	UJ	< 0.044		< 0.044		< 0.043		< 0.06	UJ		
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	< 0.008		NA	< 0.0086	UJ	< 0.0086	UJ	< 0.0088		< 0.0089		< 0.0086		< 0.06	UJ		
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	< 0.0084		NA	< 0.0091	UJ	< 0.0091	UJ	< 0.0092		< 0.0094		< 0.009		< 0.06	UJ		
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	< 0.04		NA	< 0.044	UJ	< 0.044	UJ	< 0.045		< 0.045		< 0.044		< 0.06	UJ		
Hexachloroethane	mg/kg	8270	8	91	0.004	< 0.027		NA	< 0.029	UJ	< 0.029	UJ	< 0.03		< UJU		< 0.029		< 0.06	UJ		
Isophorone	mg/kg	8270	2400	37000	0.52	< 0.028		NA	< 0.031	UJ	< 0.031	UJ	< 0.031		< 0.032		< 0.03		< 0.028	UJ		
Nitrobenzene	mg/kg	8270	22	240	0.00184	< 0.031		NA	< 0.034	UJ	< 0.034	UJ	< 0.034		< 0.035		< 0.034		< 0.06	UJ		

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

| Constituent | Units | Analytical Method | Screening Criteria [1] | | | Sample Information [2] | | |

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-MW-03A(21-22) 10/15/2013		VII-MW-01P(11-12) 10/11/2013		VII-MW-02P(12-14) 10/21/2013		VII-MW-03P(8-10) 10/30/2013		VII-MW-03P(10-12) 10/30/2013		VII-SB-101(18-20) 10/23/2013		VII-SB-102(6-8) 10/28/2013		VII-SB-102(40-42) 10/29/2013	
Volatile Organic Compounds																							
Benzene	mg/kg	8260	5.1	57	0.052	< 0.00092		< 0.00085		< 0.00079		< 0.00076		< 0.00079		< 0.0008		< 0.00075		< 0.00075	
Toluene	mg/kg	8260	4700	820	13.8	< 0.00099		< 0.00091		< 0.00086		< 0.00082		0.0016	J	< 0.00086		< 0.00081		< 0.00081	
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.00087		0.0014	J	< 0.00076		< 0.00072		0.019		< 0.00076		< 0.00071		< 0.00071	
Xylenes, Total	mg/kg	8260	250	260	198	< 0.003		0.0058	J	< 0.0026		< 0.0025		0.044		< 0.0026		< 0.0025		< 0.0025	
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	< 0.00066		< 0.00061		< 0.00057		< 0.00054		< 0.00057		NA		< 0.00054		< 0.00054	
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	< 0.00097		< 0.0009		< 0.00084		< 0.0008		< 0.00084		NA		< 0.00079		< 0.0008	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	< 0.0014		< 0.0013		< 0.0013		< 0.0012		< 0.0013		NA		< 0.0012		< 0.0012	
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	< 0.0011		< 0.001		< 0.00098		< 0.00093		< 0.00098		NA		< 0.00092		< 0.00092	
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	< 0.00078		< 0.00072		< 0.00068		< 0.00064		< 0.00068		NA		< 0.00064		< 0.00064	
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	< 0.0012		< 0.0011		< 0.001		< 0.00095		< 0.001		NA		< 0.00094		< 0.00094	
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	< 0.0012		< 0.0011		< 0.001		< 0.00099		< 0.001		NA		< 0.00097		< 0.00098	
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	< 0.001		< 0.00094		< 0.00088		< 0.00084		< 0.00088		NA		< 0.00083		< 0.00083	
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	< 0.0012		< 0.0011		< 0.001		< 0.00097		< 0.001		NA		< 0.00095		< 0.00096	
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	< 0.0011		< 0.001		< 0.00094		< 0.00089		0.097		NA		< 0.00088		< 0.00089	
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	< 0.00083		< 0.00077		< 0.00072		< 0.00069		< 0.00072		NA		< 0.00068		< 0.00068	
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0017		< 0.0016		< 0.0015		< 0.0014		< 0.0015		NA		< 0.0014		< 0.0014	
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	< 0.00095		< 0.00088		< 0.00083		< 0.00079		< 0.00083		NA		< 0.00078		< 0.00078	
trans-1,2-Dichloroethene	mg/kg	8260	2300	570	0.62	< 0.00081		< 0.00075		< 0.0007		< 0.00067		< 0.0007		NA		< 0.00066		< 0.00066	
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	< 0.00074		< 0.00068		< 0.00064		< 0.00061		< 0.00064		NA		< 0.0006		< 0.0006	
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	< 0.00092		< 0.00085		< 0.0008		< 0.00076		< 0.0008		NA		< 0.00075		< 0.00075	
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	< 0.00081		< 0.00075		< 0.0007		< 0.00067		< 0.0007		NA		< 0.00066		< 0.00066	
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	< 0.00089		< 0.00082		< 0.00077		< 0.00073		< 0.00077		NA		< 0.00072		< 0.00073	
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	< 0.00086		< 0.0008		< 0.00075		< 0.00071		< 0.00075		NA		< 0.0007		< 0.00071	
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	< 0.0012		< 0.0011		< 0.001		< 0.00099		< 0.001		NA		< 0.00097		< 0.00098	
2-Hexanone	mg/kg	8260	130	- -	0.0176	< 0.00094		< 0.00086		< 0.00081		< 0.00077		< 0.00081		NA		< 0.00076		< 0.00077	
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	< 0.00088		< 0.00082		< 0.00077		< 0.00073		< 0.00077		NA		< 0.00072		< 0.00073	
Acetone	mg/kg	8260	67000	110000	5.8	< 0.0068		< 0.0063		< 0.0059		< 0.0056		< 0.0059		NA		< 0.0055		< 0.0056	
Bromoform	mg/kg	8260	86	910	0.42	< 0.0006		< 0.00055		< 0.00052		< 0.0005		< 0.00052		NA		< 0.00049		< 0.00049	
Bromomethane	mg/kg	8260	3	33	0.0038	< 0.001		< 0.00093		< 0.00087		< 0.00083		< 0.00087		NA		< 0.00082		< 0.00082	
Carbon disulfide	mg/kg	8260	350	740	0.48	< 0.00069		< 0.00064		< 0.0006		0.0011	J	0.0019	J	NA		< 0.00057		< 0.00057	
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	< 0.00061		< 0.00056		< 0.00052		< 0.0005		< 0.00053		NA		< 0.00049		< 0.0005	
Chlorobenzene	mg/kg	8260	130	760	1.36	< 0.001		< 0.00095		< 0.00089		< 0.00085		< 0.00089		NA		< 0.00084		< 0.00084	
Chlorodibromomethane	mg/kg	8260	39	780	0.42	< 0.00096		< 0.00089		< 0.00083		< 0.00079		< 0.00083		NA		< 0.00078		< 0.00079	
Chloroethane	mg/kg	8260	5700	2100	11.8	< 0.0021		< 0.0019		< 0.0018		< 0.0017		< 0.0018		NA		< 0.0017		< 0.0017	
Chloroform	mg/kg	8260	1.4	15	0.44	0.00087	B	< 0.00073		0.00088	J	< 0.00065		0.00079	J	NA		< 0.00065		< 0.00065	
Chloromethane	mg/kg	8260	46	500	0.098	< 0.0012		< 0.0011		< 0.001		< 0.00095		< 0.001		NA		< 0.00094		< 0.00095	
Cyclohexane	mg/kg	8260	2700	120	26	< 0.0005		< 0.00047		< 0.00044		< 0.00042		< 0.00044		NA		< 0.00041		< 0.00041	
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	< 0.00076		< 0.0007		< 0.00066		< 0.00063		< 0.00066		NA		< 0.00062		< 0.00062	
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	< 0.0009		< 0.00083		< 0.00078		< 0.00075		< 0.00078		NA		< 0.00073		< 0.00074	
Isopropylbenzene	mg/kg	8260	990	270	1.48	< 0.00092		0.0017	J	< 0.0008		< 0.00076		0.012		NA		< 0.00075		< 0.00075	
Methyl acetate	mg/kg	8260	120000	29000	8.2	< 0.0012		< 0.0011		< 0.0011		< 0.001		< 0.0011		NA		< 0.00099		< 0.001	
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	< 0.001		< 0.00094		< 0.00088		< 0.00084		< 0.00088		NA		< 0.00083		< 0.00083	
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	< 0.00098		0.0014	J	< 0.00085		< 0.00081		0.0046	J	NA		< 0.0008		< 0.00081	
Methylene Chloride	mg/kg	8260	320	3300	0.054	0.0038	B	0.003	B	0.0039	B	0.004	B	0.0047	B	NA		0.0043	B	0.0038	B
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA		NA		NA		NA		NA		NA		NA		NA	
Styrene	mg/kg	8260	3500	870	2.6	< 0.00096		< 0.00088		< 0.00083		< 0.00079		< 0.00083		NA		< 0.00078		< 0.00078	
Tetrachloroethene	mg/kg	8260	39	170	0.046	< 0.00092		0.0011	J	< 0.0008		***0.051***		0.0049	J	NA		< 0.00075		< 0.00076	
Trichloroethene	mg/kg	8260	1.9	20	0.036	< 0.00089		< 0.00082		< 0.00077		< 0.00074		0.0011	J	NA		< 0.00073		< 0.00073	
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	< 0.0012		< 0.0012		< 0.0011		< 0.001		< 0.0011		NA		< 0.001		< 0.001	
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	< 0.00064		< 0.00059		< 0.00055		< 0.00053		< 0.00055		NA		< 0.00052		< 0.00052	
Semi-Volatile Organic Compounds																							
Acenaphthene	mg/kg	8270	4500	70000	11	< 0.0087		< 0.008	UJ	0.03	J	< 0.0073	UJ	2.7	J	1		0.0089	J	< 0.0071	UJ
Acenaphthylene [1]	mg/kg	8270	4500	80000	11	< 0.01		< 0.0096	UJ	< 0.0089	UJ	< 0.0087	UJ	< 0.045	UJ	0.035	J	0.012	J	< 0.0085	UJ
Anthracene	mg/kg	8270	23000	700000	116	< 0.0089		< 0.0082	UJ	< 0.0076	UJ	< 0.0074	UJ	0.57	J	1.9		0.026	J	< 0.0073	UJ
Benzo[a]anthracene	mg/kg	8270	21	88	0.22	< 0.011		< 0.01	UJ	< 0.0098	UJ	***0.52***	J	***0.46***	J	***2.2***		0.084	J	< 0.0093	UJ
Benzo[a]pyrene	mg/kg	8270	2.1	4.3	4.8	< 0.0091		< 0.0084	UJ	< 0.0078	UJ	0.55	J	0.49	J	1.5		0.084	J	< 0.0074	UJ

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
						VII-MW-03A(21-22) 10/15/2013		VII-MW-01P(11-12) 10/11/2013		VII-MW-02P(12-14) 10/21/2013		VII-MW-03P(8-10) 10/30/2013		VII-MW-03P(10-12) 10/30/2013		VII-SB-101(18-20) 10/23/2013		VII-SB-102(6-8) 10/28/2013		VII-SB-102(40-42) 10/29/2013	
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*																		
Benzo[b]fluoranthene	mg/kg	8270	21	43	6	< 0.014		< 0.013	UJ	< 0.012	UJ	0.78	J	0.58	J	1.8		0.099	J	< 0.012	UJ
Benzo[g,h,i]perylene [1]	mg/kg	8270	2300	33000	26	< 0.009		< 0.0083	UJ	< 0.0078	UJ	0.39	J	0.27	J	0.75		0.078	J	< 0.0074	UJ
Benzo[k]fluoranthene	mg/kg	8270	210	430	58	< 0.018		< 0.017	UJ	< 0.016	UJ	0.38	J	0.2	J	0.99		0.075	J	< 0.015	UJ
Chrysene	mg/kg	8270	2100	4300	180	< 0.011		< 0.01	UJ	< 0.0093	UJ	0.58	J	0.61	J	1.8		0.11	J	< 0.0089	UJ
Dibenz(a,h)anthracene	mg/kg	8270	2.1	4.3	1.92	< 0.01		< 0.0093	UJ	< 0.0087	UJ	0.095	J	< 0.044	UJ	0.26	J	< 0.0081	UJ	< 0.0083	UJ
Fluoranthene	mg/kg	8270	3000	44000	178	< 0.0097		0.036	J	< 0.0083	UJ	0.36	J	1.6	J	5.1		0.16	J	< 0.008	UJ
Fluorene	mg/kg	8270	3000	62000	10.8	< 0.012		0.15	J	0.012	J	< 0.01	UJ	3	J	1.1		0.0099	J	< 0.0098	UJ
Indeno[1,2,3-cd]pyrene	mg/kg	8270	21	43	19.6	< 0.0093		< 0.0086	UJ	< 0.008	UJ	0.34	J	0.26	J	0.69		0.069	J	< 0.0077	UJ
Naphthalene	mg/kg	8270	8.6	180	0.0076	< 0.0078		< 0.0072	UJ	< 0.0067	UJ	< 0.0066	UJ	***1.6***	J	***0.073***	J	***0.11***	J	< 0.0064	UJ
Phenanthrene [1]	mg/kg	8270	23000	700000	116	0.039	J	0.38	J	0.016	J	< 0.012	UJ	7	J	5.5		0.15	J	< 0.012	UJ
Pyrene	mg/kg	8270	2300	66000	26	0.02	J	0.066	J	< 0.0079	UJ	2.3	J	2	J	4.5	J	0.14	J	< 0.0075	UJ
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	< 0.04		***0.065***	J	< 0.035	UJ	< 0.034	UJ	< 0.18	UJ	NA		< 0.033	UJ	< 0.033	UJ
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	< 0.048		< 0.045	UJ	< 0.042	UJ	< 0.041	UJ	< 0.21	UJ	NA		< 0.039	UJ	< 0.04	UJ
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	< 0.068		< 0.063	UJ	< 0.058	UJ	< 0.057	UJ	< 0.3	UJ	NA		< 0.055	UJ	< 0.056	UJ
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	< 0.0091		< 0.0084	UJ	< 0.0078	UJ	< 0.0076	UJ	< 0.04	UJ	NA		< 0.0073	UJ	< 0.0075	UJ
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	< 0.071		< 0.065	UJ	< 0.061	UJ	< 0.059	UJ	< 0.31	UJ	NA		< 0.057	UJ	< 0.058	UJ
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	< 0.54	UJ	< 0.5	UJ	< 0.46	UJ	< 0.45	UJ	< 2.4	UJ	NA		< 0.44	UJ	< 0.44	UJ
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	< 0.037		< 0.034	UJ	< 0.031	UJ	< 0.031	UJ	< 0.16	UJ	NA		< 0.03	UJ	< 0.03	UJ
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	< 0.047		< 0.043	UJ	< 0.04	UJ	< 0.039	UJ	< 0.2	UJ	NA		< 0.038	UJ	< 0.038	UJ
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	< 0.0094		< 0.0087	UJ	< 0.0081	UJ	< 0.0079	UJ	< 0.041	UJ	NA		< 0.0076	UJ	< 0.0078	UJ
2-Chlorophenol	mg/kg	8270	580	5500	0.178	< 0.037		< 0.034	UJ	< 0.032	UJ	< 0.031	UJ	< 0.16	UJ	NA		< 0.03	UJ	< 0.03	UJ
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	0.0089	J	***0.42***	J	< 0.007	UJ	< 0.0068	UJ	***11***	J	NA		0.16	J	< 0.0067	UJ
2-Methylphenol	mg/kg	8270	4100	63000	1.5	< 0.032		< 0.029	UJ	< 0.027	UJ	< 0.027	UJ	< 0.14	UJ	NA		< 0.026	UJ	< 0.026	UJ
2-Nitroaniline	mg/kg	8270	800	12000	0.16	< 0.2		< 0.19	UJ	< 0.17	UJ	< 0.17	UJ	< 0.88	UJ	NA		< 0.16	UJ	< 0.17	UJ
2-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.05		< 0.046	UJ	< 0.043	UJ	< 0.042	UJ	< 0.22	UJ	NA		< 0.04	UJ	< 0.041	UJ
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	< 0.048		< 0.044	UJ	< 0.041	UJ	< 0.04	UJ	< 0.21	UJ	NA		< 0.039	UJ	< 0.039	UJ
Methylphenol, 3 & 4 [1]	mg/kg	8270	4100	63000	1.48	< 0.044		< 0.041	UJ	< 0.038	UJ	< 0.037	UJ	< 0.19	UJ	NA		< 0.036	UJ	< 0.036	UJ
3-Nitroaniline	mg/kg	8270	- -	- -	- -	< 0.19		< 0.17	UJ	< 0.16	UJ	< 0.16	UJ	< 0.81	UJ	NA		< 0.15	UJ	< 0.15	UJ
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	< 0.18		< 0.17	UJ	< 0.16	UJ	< 0.15	UJ	< 0.79	UJ	NA		< 0.15	UJ	< 0.15	UJ
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.039		< 0.036	UJ	< 0.034	UJ	< 0.033	UJ	< 0.17	UJ	NA		< 0.032	UJ	< 0.032	UJ
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	< 0.042		< 0.039	UJ	< 0.036	UJ	< 0.035	UJ	< 0.18	UJ	NA		< 0.034	UJ	< 0.034	UJ
4-Chloroaniline	mg/kg	8270	11	180	0.0032	< 0.036		< 0.033	UJ	< 0.031	UJ	< 0.03	UJ	< 0.16	UJ	NA		< 0.029	UJ	< 0.03	UJ
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	< 0.05		< 0.046	UJ	< 0.043	UJ	< 0.042	UJ	< 0.22	UJ	NA		< 0.041	UJ	< 0.041	UJ
4-Nitroaniline	mg/kg	8270	110	- -	0.032	< 0.18		< 0.17	UJ	< 0.16	UJ	< 0.15	UJ	< 0.8	UJ	NA		< 0.15	UJ	< 0.15	UJ
4-Nitrophenol	mg/kg	8270	- -	- -	- -	< 0.17		< 0.15	UJ	< 0.14	UJ	< 0.14	UJ	< 0.72	UJ	NA		< 0.13	UJ	< 0.14	UJ
Acetophenone	mg/kg	8270	12000	2500	1.16	< 0.037		< 0.034	UJ	< 0.032	UJ	< 0.031	UJ	< 0.16	UJ	NA		< 0.03	UJ	< 0.031	UJ
Atrazine	mg/kg	8270	10	150	0.038	< 0.044		< 0.041	UJ	< 0.038	UJ	< 0.037	UJ	< 0.19	UJ	NA		< 0.036	UJ	< 0.036	UJ
Benzaldehyde	mg/kg	8270	820	1200	0.082	< 0.068	UJ	< 0.063	UJ	< 0.058	UJ	< 0.057	UJ	< 0.3	UJ	NA		< 0.055	UJ	< 0.056	UJ
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	< 0.0098		< 0.009	UJ	< 0.0084	UJ	< 0.0082	UJ	< 0.043	UJ	NA		< 0.0079	UJ	< 0.008	UJ
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	< 0.03		< 0.028	UJ	< 0.026	UJ	< 0.025	UJ	< 0.13	UJ	NA		< 0.024	UJ	< 0.024	UJ
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	< 0.012		< 0.011	UJ	< 0.01	UJ	< 0.01	UJ	< 0.053	UJ	NA		< 0.0098	UJ	< 0.01	UJ
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	< 0.073		< 0.068	UJ	< 0.063	UJ	0.1	J	< 0.32	UJ	NA		< 0.059	UJ	< 0.06	UJ
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	< 0.062		< 0.057	UJ	< 0.053	UJ	< 0.052	UJ	< 0.27	UJ	NA		< 0.05	UJ	< 0.051	UJ
Caprolactam	mg/kg	8270	40000	600000	5	< 0.34		< 0.32	UJ	< 0.29	UJ	< 0.29	UJ	< 1.5	UJ	NA		< 0.28	UJ	< 0.28	UJ
Carbazole [1]	mg/kg	8270	23000	700000	116	< 0.0083		< 0.0077	UJ	< 0.0072	UJ	< 0.007	UJ	< 0.036	UJ	NA		< 0.0067	UJ	< 0.0069	UJ
Dibenzofuran	mg/kg	8270	120	2300	0.3	< 0.045		< 0.041	UJ	< 0.038	UJ	< 0.037	UJ	< 0.19	UJ	NA		0.054	J	< 0.037	UJ
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	< 0.049		< 0.046	UJ	< 0.043	UJ	< 0.042	UJ	< 0.22	UJ	NA		< 0.04	UJ	< 0.041	UJ
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	< 0.049		< 0.046	UJ	< 0.042	UJ	< 0.041	UJ	< 0.22	UJ	NA		< 0.04	UJ	< 0.041	UJ
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	< 0.057		< 0.052	UJ	< 0.049	UJ	< 0.048	UJ	< 0.25	UJ	NA		< 0.046	UJ	< 0.047	UJ
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	< 0.048		< 0.044	UJ	< 0.041	UJ	< 0.04	UJ	< 0.21	UJ	NA		< 0.039	UJ	< 0.039	UJ
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	< 0.0096		< 0.0089	UJ	< 0.0083	UJ	< 0.0081	UJ	< 0.042	UJ	NA		< 0.0078	UJ	< 0.0079	UJ
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	< 0.01		< 0.0094	UJ	< 0.0087	UJ	< 0.0085	UJ	< 0.044	UJ	NA		< 0.0082	UJ	< 0.0083	UJ
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	< 0.049		< 0.045	UJ	< 0.042	UJ	< 0.041	UJ	< 0.21	UJ	NA		< 0.039	UJ	< 0.04	UJ
Hexachloroethane	mg/kg	8270	8	91	0.004	< 0.033		< 0.03	UJ	< 0.028	UJ	< 0.027	UJ	< 0.14	UJ	NA		< 0.026	UJ	< 0.027	UJ
Isophorone	mg/kg	8270	2400	37000	0.52	< 0.034		< 0.032	UJ	< 0.029	UJ	< 0.029	UJ	< 0.15	UJ	NA		< 0.028	UJ	< 0.028	UJ
Nitrobenzene	mg/kg	8270	22	240	0.00184	< 0.038		< 0.035	UJ	< U	UJ	< 0.032	UJ	< 0.16	UJ	NA		< 0.03	UJ	< 0.031	UJ

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]																	
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-MW-03A(21-22) 10/15/2013			VII-MW-01P(11-12) 10/11/2013			VII-MW-02P(12-14) 10/21/2013			VII-MW-03P(8-10) 10/30/2013			VII-MW-03P(10-12) 10/30/2013			VII-SB-101(18-20) 10/23/2013	VII-SB-102(6-8) 10/28/2013			VII-SB-102(40-42) 10/29/2013		
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	<	0.011		<	0.0098	UJ	<	0.0091	UJ	<	0.0089	UJ	<	0.046	UJ	NA	<	0.0086	UJ	<	0.0087	UJ
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	<	0.042		<	0.039	UJ	<	0.036	UJ	<	0.035	UJ	<	0.18	UJ	NA	<	0.034	UJ	<	0.034	UJ
Pentachlorophenol	mg/kg	8270	4	52	0.028	<	0.04	UJ	<	0.037	UJ	<	0.035	UJ	<	0.034	UJ	<	0.18	UJ	NA	<	0.033	UJ	<	0.033	UJ
Phenol	mg/kg	8270	25000	380000	6.6	<	0.011		<	0.0099	UJ	<	0.0092	UJ	<	0.009	UJ	<	0.047	UJ	NA	<	0.0087	UJ	<	0.0088	UJ
Polychlorinated Biphenyls																											
PCB-1016	mg/kg	8082	5.1	160	0.26	<	0.0033		<	0.003		<	0.0029		<	0.0028	UJ	<	0.0029	UJ	NA	<	0.0027	UJ	<	0.0028	UJ
PCB-1221	mg/kg	8082	0.83	19	0.0016	<	0.0043		<	0.0038		<	0.0037		<	0.0037	UJ	<	0.0038	UJ	NA	<	0.0035	UJ	<	0.0035	UJ
PCB-1232	mg/kg	8082	0.72	14	0.0016	<	0.0038		<	0.0034		<	0.0033		<	0.0033	UJ	<	0.0034	UJ	NA	<	0.0032	UJ	<	0.0032	UJ
PCB-1242	mg/kg	8082	0.95	26	0.024	<	0.0037		<	0.0033		<	0.0032		<	0.0031	UJ	<	0.0032	UJ	NA	<	0.003	UJ	<	0.003	UJ
PCB-1248	mg/kg	8082	0.94	27	0.024	<	0.0021		<	0.0019		<	0.0018		<	0.0018	UJ	<	0.0019	UJ	NA	<	0.0017	UJ	<	0.0018	UJ
PCB-1254	mg/kg	8082	0.97	28	0.04	<	0.0032		<	0.0029		<	0.0028		<	0.0027	UJ	<	0.0028	UJ	NA	<	0.0026	UJ	<	0.0026	UJ
PCB-1260	mg/kg	8082	0.99	30	0.11	<	0.0032		<	0.0029		<	0.0028		<	0.0027	UJ	<	0.0028	UJ	NA	<	0.0026	UJ	<	0.0026	UJ
Inorganics																											
Aluminum	mg/kg	6020	110000	1000000	60000		5200	K		9800	K		11000	K		32000	K		30000	K	NA		13000	K		3100	K
Antimony	mg/kg	6020	47	930	5.4		0.1	L		0.11	L		0.21	J		0.016	J		0.024	J	NA		0.26	L		0.13	J
Arsenic	mg/kg	6020	3	35	5.8		3.7	L		3	J		***6.4***			0.58	K		0.79	K	NA		5.5	K		3.3	K
Barium	mg/kg	6020	22000	400000	1640		76			89			81			320	J		270	J	NA		120	J		34	
Beryllium	mg/kg	6020	230	4500	64		0.38	L		1.3	L		0.69	L		7.5	J		7.1	J	NA		1.6	J		0.27	
Cadmium	mg/kg	6020	98	980	7.6		0.22			0.4			0.35			0.44	J		0.48	J	NA		0.92	J		0.24	
Calcium	mg/kg	6020	- -	- -	- -		2400	K		31000	K		3400			190000			170000		NA		62000	J		830	
Chromium [1]	mg/kg	6020	180000	1000000	3600000		14			66			19			15	J		48	J	NA		92	J		5.4	
Cobalt	mg/kg	6020	35	690	0.54		***6.6***			***6.7***			***13***			***1.4***	J		***1.8***	J	NA		***3.8***	J		***3.6***	
Copper	mg/kg	6020	4700	93000	920		18			20	K		19	K		2.4	K		4.4	K	NA		20	K		9.8	K
Iron	mg/kg	6020	82000	1000000	700		***23000***			***29000***	K		***29000***	K		***30000***	J		***50000***	J	NA		***30000***	J		***14000***	
Lead	mg/kg	6020	800	1000	280		9.6			13			14			0.35	J		1.5	J	NA		78	J		7.3	
Magnesium	mg/kg	6020	- -	- -	- -		1600	K		9600	K		3600			56000	J		60000	J	NA		15000	L		740	
Manganese [1]	mg/kg	6020	2600	80000	56		***230***			***1700***			***780***			***1800***	J		***4000***		NA		***4800***			***5200***	
Mercury	mg/kg	7471	4.6	3.1	2		0.036	J		0.018	J		0.033	K	<	0.012		<	0.012		NA		0.33			0.033	
Nickel	mg/kg	6020	2200	43000	52		16	K		17	K		24	K		0.87	J		3	J	NA		8.8	J		14	
Potassium	mg/kg	6020	- -	- -	- -		720			910			1100	K		1700	L		1300	L	NA		720	L		440	L
Selenium	mg/kg	6020	580	12000	5.2		0.18	J		0.14	J		0.52	J		2.3	K		1.6	K	NA		0.9	K		0.29	K
Silver	mg/kg	6020	580	12000	1.6		0.013	J		0.24			0.027	K		0.061	K		0.067	K	NA		0.071	K		0.0072	K
Sodium	mg/kg	6020	- -	- -	- -		75	J		200			58			1100	L		910	L	NA		250	L		37	L
Thallium	mg/kg	6020	1.2	23	2.8		0.095	J		0.15			0.16			0.0023	J		0.0053	J	NA		0.075	J		0.058	J
Vanadium	mg/kg	6020	580	160	172		10	J		26	J		21			3	J		39	J	NA		21	K		7.6	
Zinc	mg/kg	6020	35000	700000	740		46	K		51	K		51	K		1.9	K		9.2	K	NA		200	K		26	K
Other Parameters																											
Cyanide, Total	mg/kg	9012	15	170	40	<	0.13		<	0.12		<	0.12	J		3.7			1.6		NA		0.25	J		0.67	
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -		1800			4200			1900			12000			7000		NA		8200		<	75	
Percent Moisture	%	- -	- -	- -	- -		26			20			15			13			16		15		9.5			10	
Percent Solids	%	MCAWW 16	- -	- -	- -		NA			NA			NA			NA			NA		NA		NA			NA	

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-103(36-38) 10/29/2013	VII-SB-104(6-8) 10/24/2013	VII-SB-104(38-40) 10/25/2013	VII-SB-105(6-8) 10/25/2013	VII-SB-105(36-38) 10/28/2013	VII-SB-107(4-6) 10/23/2013	VII-SB-107(44-46) 10/24/2013	VII-SB-109(4-6) 10/22/2013
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	< 0.00074	< 0.061	< 0.055	< 0.059	< 0.055	< 0.056	< 0.058	< 0.0009
Toluene	mg/kg	8260	4700	820	13.8	< 0.00079	< 0.052	< 0.047	< 0.051	< 0.047	< 0.047	< 0.049	0.0052 J
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.0007	< 0.038	< 0.035	< 0.037	< 0.035	< 0.035	< 0.036	0.0053 J
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0024	< 0.12	< 0.11	< 0.12	< 0.11	< 0.11	< 0.11	0.037
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	< 0.00053	< 0.063	< 0.058	< 0.062	< 0.057	< 0.058	< 0.06	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	< 0.00078	< 0.057	< 0.052	< 0.056	< 0.052	< 0.052	< 0.054	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	< 0.0012	< 0.02	< 0.019	< 0.02	< 0.018	< 0.019	< 0.019	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	< 0.00091	< 0.071	< 0.065	< 0.07	< 0.065	< 0.065	< 0.068	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	< 0.00063	< 0.062	< 0.057	< 0.061	< 0.056	< 0.057	< 0.059	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	< 0.00092	< 0.065	< 0.06	< 0.064	< 0.059	< 0.06	< 0.062	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	< 0.00096	< 0.023	< 0.021	< 0.023	< 0.021	< 0.021	< 0.022	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	< 0.00082	< 0.022	< 0.02	< 0.021	< 0.02	< 0.02	< 0.02	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	< 0.00094	< 0.038	< 0.034	< 0.037	< 0.034	< 0.034	< 0.036	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	< 0.00087	< 0.042	< 0.038	< 0.041	< 0.038	< 0.038	< 0.04	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	< 0.00067	< 0.059	< 0.054	< 0.058	< 0.053	< 0.054	< 0.056	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	< 0.0014	< 0.058	< 0.053	< 0.057	< 0.053	< 0.053	< 0.055	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	< 0.00077	< 0.041	< 0.037	< 0.04	< 0.037	< 0.037	< 0.039	NA
trans-1,2-Dichloroethene	mg/kg	8260	2300	570	0.62	< 0.00065	< 0.046	< 0.042	< 0.045	< 0.042	< 0.042	< 0.044	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	< 0.00059	< 0.078	< 0.071	< 0.077	< 0.071	< 0.072	< 0.074	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	< 0.00074	< 0.045	< 0.041	< 0.044	< 0.04	< 0.041	< 0.042	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	< 0.00065	< 0.036	< 0.033	< 0.035	< 0.032	< 0.033	< 0.034	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	< 0.00071	< 0.031	< 0.028	< 0.03	< 0.028	< 0.028	< 0.029	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	< 0.00069	< 0.032	< 0.029	< 0.032	< 0.029	< 0.03	< 0.031	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	< 0.00096	< 0.067	< 0.061	< 0.065	< 0.06	< 0.061	< 0.063	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	< 0.00075	< 0.035	< 0.032	< 0.034	< 0.032	< 0.032	< 0.033	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	< 0.00071	< 0.036	< 0.033	< 0.035	< 0.033	< 0.033	< 0.034	NA
Acetone	mg/kg	8260	67000	110000	5.8	< 0.0054	< 0.31	< 0.28	< 0.3	< 0.28	< 0.28	< 0.29	NA
Bromoform	mg/kg	8260	86	910	0.42	< 0.00048	< 0.066	< 0.06	< 0.064	< 0.06	< 0.06	< 0.062	NA
Bromomethane	mg/kg	8260	3	33	0.0038	< 0.0008	< 0.097	< 0.088	< 0.095	< 0.088	< 0.089	< 0.092	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	< 0.00056	< 0.066	< 0.06	< 0.064	< 0.06	< 0.06	< 0.063	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	< 0.00049	< 0.066	< 0.061	< 0.065	< 0.06	< 0.061	< 0.063	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	< 0.00082	< 0.032	< 0.029	< 0.032	< 0.029	< 0.03	< 0.031	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	< 0.00077	< 0.04	< 0.036	< 0.039	< 0.036	< 0.036	< 0.038	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	< 0.0017	< 0.046	< 0.042	< 0.045	< 0.042	< 0.042	< 0.043	NA
Chloroform	mg/kg	8260	1.4	15	0.44	< 0.00064	< 0.062	< 0.056	< 0.06	< 0.056	< 0.057	< 0.059	NA
Chloromethane	mg/kg	8260	46	500	0.098	< 0.00093	< 0.085	< 0.078	< 0.083	< 0.078	< 0.078	< 0.081	NA
Cyclohexane	mg/kg	8260	2700	120	26	< 0.0004	< 0.037	< 0.033	< 0.036	< 0.033	< 0.034	< 0.035	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	< 0.00061	< 0.057	< 0.052	< 0.056	< 0.052	< 0.052	< 0.054	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	< 0.00073	< 0.039	< 0.036	< 0.038	< 0.035	< 0.036	< 0.037	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	< 0.00074	< 0.033	< 0.03	< 0.032	< 0.03	< 0.03	< 0.031	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	< 0.00098	< 0.075	< 0.069	< 0.074	< 0.068	< 0.069	< 0.071	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	< 0.00081	< 0.063	< 0.057	< 0.062	< 0.057	< 0.058	< 0.06	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	< 0.00079	< 0.034	< 0.031	< 0.033	< 0.031	< 0.031	< 0.032	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	0.0035 B	< 0.067	***0.089*** J	***0.089*** J	< 0.061	< 0.061	< 0.063	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	< 0.00077	< 0.039	< 0.036	< 0.038	< 0.036	< 0.036	< 0.037	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	< 0.00074	< 0.051	< 0.046	< 0.05	< 0.046	< 0.046	< 0.048	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	< 0.00072	< 0.049	< 0.045	< 0.048	< 0.045	< 0.045	< 0.047	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	< 0.001	< 0.069	< 0.063	< 0.067	< 0.062	< 0.063	< 0.065	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	< 0.00051	< 0.079	< 0.072	< 0.077	< 0.072	< 0.072	< 0.075	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8270	4500	70000	11	< 0.007 UJ	< 0.0078 UJ	< 0.0072	< 0.0077	< 0.0071	0.047 J	< 0.0075 UJ	0.76
Acenaphthylene [1]	mg/kg	8270	4500	80000	11	< 0.0084 UJ	< 0.0093 UJ	< 0.0086	< 0.0091	< 0.0085	0.039 J	< 0.0089 UJ	< 0.01
Anthracene	mg/kg	8270	23000	700000	116	< 0.0072 UJ	< 0.008 UJ	< 0.0073	< 0.0078	< 0.0072	0.22 J	< 0.0076 UJ	0.36
Benzo[a]anthracene	mg/kg	8270	21	88	0.22	< 0.0092 UJ	< 0.01 UJ	< 0.0094	< 0.01	< 0.0093	***0.39*** J	< 0.0097 UJ	***0.75***
Benzo[a]pyrene	mg/kg	8270	2.1	4.3	4.8	< 0.0073 UJ	< 0.0081 UJ	< 0.0075	< 0.008	< 0.0074	0.35 J	< 0.0078 UJ	0.45

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

| Constituent | Units | Analytical Method | Screening Criteria [1] | | | Sample Information [2] | | |

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]					
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-103(36-38) 10/29/2013	VII-SB-104(6-8) 10/24/2013	VII-SB-104(38-40) 10/25/2013	VII-SB-105(6-8) 10/25/2013	VII-SB-105(36-38) 10/28/2013	VII-SB-107(4-6) 10/23/2013	VII-SB-107(44-46) 10/24/2013	VII-SB-109(4-6) 10/22/2013
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	< 0.0086 UJ	< 0.0095 UJ	< 0.0088	< 0.0093	< 0.0087	< 0.0088 UJ	< 0.0091 UJ	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	< 0.034 UJ	< 0.038 UJ	< 0.035	< 0.037	< 0.034	< 0.035 UJ	< 0.036 UJ	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	< 0.033 UJ	< 0.036 UJ	< 0.033	< 0.036	< 0.033	< 0.034 UJ	< 0.035 UJ	NA
Phenol	mg/kg	8270	25000	380000	6.6	< 0.0086 UJ	< 0.0096 UJ	< 0.0088	< 0.0094	< 0.0087	< 0.0089 UJ	< 0.0092 UJ	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	< 0.0027 UJ	< 0.003 UJ	< 0.0028	< 0.003	< 0.0028	< 0.0028 UJ	< 0.0029 UJ	NA
PCB-1221	mg/kg	8082	0.83	19	0.0016	< 0.0035 UJ	< 0.0039 UJ	< 0.0036	< 0.0038	< 0.0035	< 0.0036 UJ	< 0.0037 UJ	NA
PCB-1232	mg/kg	8082	0.72	14	0.0016	< 0.0031 UJ	< 0.0035 UJ	< 0.0032	< 0.0034	< 0.0032	< 0.0032 UJ	< 0.0033 UJ	NA
PCB-1242	mg/kg	8082	0.95	26	0.024	< 0.003 UJ	< 0.0033 UJ	< 0.003	< 0.0032	< 0.003	< 0.0031 UJ	< 0.0032 UJ	NA
PCB-1248	mg/kg	8082	0.94	27	0.024	< 0.0017 UJ	< 0.0019 UJ	< 0.0018	< 0.0019	< 0.0018	< 0.0018 UJ	< 0.0018 UJ	NA
PCB-1254	mg/kg	8082	0.97	28	0.04	< 0.0026 UJ	< 0.0029 UJ	< 0.0027	< 0.0028	< 0.0026	< 0.0027 UJ	< 0.0028 UJ	NA
PCB-1260	mg/kg	8082	0.99	30	0.11	< 0.0026 UJ	< 0.0029 UJ	< 0.0027	< 0.0028	< 0.0026	0.015 J	< 0.0028 UJ	NA
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	4700 K	13000 K	5900 K	12000 K	4700 K	9900 K	13000 K	NA
Antimony	mg/kg	6020	47	930	5.4	0.21	0.35	0.15 J	0.39	0.25	0.46	0.11 J	NA
Arsenic	mg/kg	6020	3	35	5.8	3.8 K	***12***	3	***13***	2.8	***7.4***	2.1	NA
Barium	mg/kg	6020	22000	400000	1640	56	85	32	120	32	98	57	NA
Beryllium	mg/kg	6020	230	4500	64	0.58	1.3 L	0.33 L	1 L	0.47 L	0.65 L	0.8 L	NA
Cadmium	mg/kg	6020	98	980	7.6	0.17	0.44	0.12	1.3	0.16	0.98	0.23	NA
Calcium	mg/kg	6020	- -	- -	- -	3300	24000	790	5500	590	31000	1900	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	8.7	70	11	86	9.1	450	17	NA
Cobalt	mg/kg	6020	35	690	0.54	***7.2***	***11***	***6.4***	***15***	***7.1***	***11***	***19***	NA
Copper	mg/kg	6020	4700	93000	920	13 K	53 K	13 K	150 K	17 K	43 K	15 K	NA
Iron	mg/kg	6020	82000	1000000	700	***25000***	***42000*** K	***22000*** K	***40000*** K	***34000*** K	***86000*** J	***17000*** K	NA
Lead	mg/kg	6020	800	1000	280	9.6	22	7.3	44	8.5	76	19	NA
Magnesium	mg/kg	6020	- -	- -	- -	1600	9300	1400	4100	860	12000	2400	NA
Manganese [1]	mg/kg	6020	2600	80000	56	***870***	***1800***	***520***	***350***	***650***	***7800*** J	***600***	NA
Mercury	mg/kg	7471	4.6	3.1	2	0.014 J	0.022 J	0.02 J	0.026 J	0.031 J	0.091	0.028 J	NA
Nickel	mg/kg	6020	2200	43000	52	14	23 K	13 K	***55*** K	13 K	23 K	19 K	NA
Potassium	mg/kg	6020	- -	- -	- -	480 L	1400 K	550 K	840 K	440 K	790 K	850 K	NA
Selenium	mg/kg	6020	580	12000	5.2	0.33 K	1.1	0.31 J	2.3	0.44 J	1	0.38 J	NA
Silver	mg/kg	6020	580	12000	1.6	0.012 K	0.048 K	0.0057 B	0.05 K	0.0056 B	0.14 K	0.026 K	NA
Sodium	mg/kg	6020	- -	- -	- -	78 L	270	53	87	35	220	58	NA
Thallium	mg/kg	6020	1.2	23	2.8	0.13	0.13	0.058 J	0.24	0.072 J	0.15	0.14	NA
Vanadium	mg/kg	6020	580	160	172	8.6	63	8.2	26	7.2	110	22	NA
Zinc	mg/kg	6020	35000	700000	740	36 K	82 K	32 K	120 K	40 K	260 K	46 K	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	< 0.1	< 0.12	< 0.11	< 0.12	< 0.11	< 0.11	< 0.11	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	< 74	8800	< 75	67000	< 75	5200	1400	NA
Percent Moisture	%	- -	- -	- -	- -	8.8	19	11	17	10	11	14	25
Percent Solids	%	MCAWW 16	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-110(6-8) 10/22/2013	VII-SB-110(6-8)DUP 10/22/2013 Duplicate	VII-SB-111(2-4) 10/22/2013	VII-SB-112(2-4) 10/22/2013	VII-SB-113(2-4) 10/22/2013	VII-SB-114(4-6) 10/22/2013	VII-SB-115(2-4) 10/22/2013	VII-SB-116(2-4) 10/22/2013
Volatile Organic Compounds													
Benzene	mg/kg	8260	5.1	57	0.052	0.0033 J	0.0012 L	0.00095 J	< 0.00095	< 0.00087	< 0.00083	< 0.00093	< 0.00081 UJ
Toluene	mg/kg	8260	4700	820	13.8	0.034 J	0.014 L	0.0021 J	< 0.001	< 0.00094	< 0.0009	0.0011 J	< 0.00088 UJ
Ethylbenzene	mg/kg	8260	25	280	15.6	0.037 J	0.012 L	0.0027 J	< 0.0009	0.0013 J	< 0.00079	0.0015 J	< 0.00077 UJ
Xylenes, Total	mg/kg	8260	250	260	198	0.22 J	0.079 L	0.01 J	< 0.0031	< 0.0029	< 0.0028	0.006 J	< 0.0027 UJ
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	8260	2300	570	0.62	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	NA	NA	NA	NA	NA	NA
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	NA	NA	NA	NA	NA	NA
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	NA	NA	NA	NA	NA	NA
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	NA	NA	NA	NA	NA	NA
Semi-Volatile Organic Compounds													
Acenaphthene	mg/kg	8270	4500	70000	11	1.6	1.2	2.3	5.4	1.2	1.9	3.3	0.32
Acenaphthylene [1]	mg/kg	8270	4500	80000	11	0.19	0.15	< 0.0099	0.78	0.12	0.08 J	< 0.01	< 0.0092
Anthracene	mg/kg	8270	23000	700000	116	0.41	0.31	1	3.3	0.59	1.5	1.4	0.16
Benzo[a]anthracene	mg/kg	8270	21	88	0.22	0.18	0.17	***0.96***	***0.98***	***0.66***	***1.4***	***1.6***	0.22
Benzo[a]pyrene	mg/kg	8270	2.1	4.3	4.8	0.074 J	0.072 J	0.38	0.39	0.33	0.6	0.68	0.15

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-110(6-8) 10/22/2013	VII-SB-110(6-8)DUP 10/22/2013 Duplicate	VII-SB-111(2-4) 10/22/2013	VII-SB-112(2-4) 10/22/2013	VII-SB-113(2-4) 10/22/2013	VII-SB-114(4-6) 10/22/2013	VII-SB-115(2-4) 10/22/2013	VII-SB-116(2-4) 10/22/2013
Benzo[b]fluoranthene	mg/kg	8270	21	43	6	0.16	0.1	0.55	0.57	0.49	0.94	1.1	0.21
Benzo[g,h,i]perylene [1]	mg/kg	8270	2300	33000	26	0.053 J	0.031 J	0.18 J	0.3	0.25	0.26	0.32 J	0.11 J
Benzo[k]fluoranthene	mg/kg	8270	210	430	58	0.055 J	0.066 J	0.17	0.35	0.24	0.38	0.36	0.1
Chrysene	mg/kg	8270	2100	4300	180	0.19	0.16	1	1	0.68	1.5	1.8	0.25
Dibenz(a,h)anthracene	mg/kg	8270	2.1	4.3	1.92	< 0.0084	< 0.0085	< 0.0096	0.08 J	0.086 J	< 0.0091	0.11 J	< 0.0089
Fluoranthene	mg/kg	8270	3000	44000	178	0.95	0.86	4.6	3	2.6	6	8	0.97
Fluorene	mg/kg	8270	3000	62000	10.8	1.2	0.53	2.5	8.8	1.4	1.4	3.2	0.2
Indeno[1,2,3-cd]pyrene	mg/kg	8270	21	43	19.6	0.052 J	0.028 J	0.16 J	0.24	0.19	0.25	0.26 J	0.087 J
Naphthalene	mg/kg	8270	8.6	180	0.0076	***0.52***	***0.75***	***1.7***	***1.3***	***0.31***	***1***	***1.7***	***0.056*** J
Phenanthrene [1]	mg/kg	8270	23000	700000	116	4	3.6	4.3	9.8	0.41	4.9	8.1	0.45
Pyrene	mg/kg	8270	2300	66000	26	1.2 J	1.1 J	4.4	5.5 J	3.2 J	5.3 J	7.2	0.84
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA	NA	NA	NA	NA	NA
Methylphenol, 3 & 4 [1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA	NA	NA	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA	NA	NA	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA	NA	NA	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA	NA	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA	NA	NA	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA	NA	NA	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA	NA	NA	NA	NA	NA
Carbazole [1]	mg/kg	8270	23000	700000	116	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA	NA	NA	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA	NA	NA	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA	NA	NA	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]							
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-110(6-8) 10/22/2013	VII-SB-110(6-8)DUP 10/22/2013 Duplicate	VII-SB-111(2-4) 10/22/2013	VII-SB-112(2-4) 10/22/2013	VII-SB-113(2-4) 10/22/2013	VII-SB-114(4-6) 10/22/2013	VII-SB-115(2-4) 10/22/2013	VII-SB-116(2-4) 10/22/2013
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA	NA	NA	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA	NA	NA	NA	NA	NA
Polychlorinated Biphenyls													
PCB-1016	mg/kg	8082	5.1	160	0.26	NA	NA	NA	NA	NA	NA	NA	NA
PCB-1221	mg/kg	8082	0.83	19	0.0016	NA	NA	NA	NA	NA	NA	NA	NA
PCB-1232	mg/kg	8082	0.72	14	0.0016	NA	NA	NA	NA	NA	NA	NA	NA
PCB-1242	mg/kg	8082	0.95	26	0.024	NA	NA	NA	NA	NA	NA	NA	NA
PCB-1248	mg/kg	8082	0.94	27	0.024	NA	NA	NA	NA	NA	NA	NA	NA
PCB-1254	mg/kg	8082	0.97	28	0.04	NA	NA	NA	NA	NA	NA	NA	NA
PCB-1260	mg/kg	8082	0.99	30	0.11	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics													
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA	NA	NA	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA	NA	NA	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA	NA	NA	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA	NA	NA	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA	NA	NA	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA	NA	NA	NA	NA	NA
Other Parameters													
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	11	12	23	29	23	19	28	17
Percent Solids	%	MCAWW 16	- -	- -	- -	NA	NA	NA	NA	NA	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]		
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-117(6-8) 10/22/2013	VII-SB-118 (4-5') 11/30/2017	VII-SB-119 (4-5') 12/08/2017
Volatile Organic Compounds								
Benzene	mg/kg	8260	5.1	57	0.052	< 0.00087	NA	< 0.012
Toluene	mg/kg	8260	4700	820	13.8	< 0.00094	NA	< 0.01
Ethylbenzene	mg/kg	8260	25	280	15.6	< 0.00083	NA	< 0.013
Xylenes, Total	mg/kg	8260	250	260	198	< 0.0029	NA	< 0.026
1,1,1-Trichloroethane	mg/kg	8260	3600	640	5.6	NA	NA	< 0.015
1,1,2,2-Tetrachloroethane	mg/kg	8260	2.7	31	0.0006	NA	NA	< 0.018
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	8260	2800	910	52	NA	NA	< 0.011
1,1,2-Trichloroethane	mg/kg	8260	0.63	6.8	0.032	NA	NA	< 0.014
1,1-Dichloroethane	mg/kg	8260	16	170	0.0156	NA	NA	< 0.011
1,1-Dichloroethene	mg/kg	8260	100	1100	0.2	NA	NA	< 0.017
1,2,4-Trichlorobenzene	mg/kg	8260	26	280	4	NA	NA	< 0.0096
1,2-Dibromo-3-Chloropropane	mg/kg	8260	0.064	0.7	0.00172	NA	NA	< 0.018
1,2-Dibromoethane (EDB)	mg/kg	8260	0.16	1.8	0.00028	NA	NA	< 0.016
1,2-Dichlorobenzene	mg/kg	8260	930	380	11.6	NA	NA	< 0.024
1,2-Dichloroethane	mg/kg	8260	2	23	0.028	NA	NA	< 0.0086
1,2-Dichloroethene, Total	mg/kg	8260	- -	- -	- -	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	8260	230	81	0.42	NA	NA	< 0.0094
trans-1,2-Dichloroethene	mg/kg	8260	2300	570	0.62	NA	NA	< 0.015
1,2-Dichloropropane	mg/kg	8260	6.6	49	0.034	NA	NA	< 0.015
cis-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	< 0.0095
trans-1,3-Dichloropropene [1]	mg/kg	8260	8.2	99	0.0034	NA	NA	< 0.01
1,3-Dichlorobenzene [1]	mg/kg	8260	11	120	1.44	NA	NA	< 0.0095
1,4-Dichlorobenzene	mg/kg	8260	11	120	1.44	NA	NA	< 0.0061
2-Butanone (MEK)	mg/kg	8260	19000	28000	2.4	NA	NA	< 0.017
2-Hexanone	mg/kg	8260	130	- -	0.0176	NA	NA	< 0.025
4-Methyl-2-pentanone (MIBK)	mg/kg	8260	14000	3400	2.8	NA	NA	< 0.011
Acetone	mg/kg	8260	67000	110000	5.8	NA	NA	< 0.019
Bromoform	mg/kg	8260	86	910	0.42	NA	NA	< 0.016
Bromomethane	mg/kg	8260	3	33	0.0038	NA	NA	< 0.027
Carbon disulfide	mg/kg	8260	350	740	0.48	NA	NA	< 0.018
Carbon tetrachloride	mg/kg	8260	2.9	32	0.038	NA	NA	< 0.02
Chlorobenzene	mg/kg	8260	130	760	1.36	NA	NA	< 0.0094
Chlorodibromomethane	mg/kg	8260	39	780	0.42	NA	NA	< 0.014
Chloroethane	mg/kg	8260	5700	2100	11.8	NA	NA	< 0.015
Chloroform	mg/kg	8260	1.4	15	0.44	NA	NA	< 0.013
Chloromethane	mg/kg	8260	46	500	0.098	NA	NA	< 0.023
Cyclohexane	mg/kg	8260	2700	120	26	NA	NA	< 0.0073
Dichlorobromomethane	mg/kg	8260	1.3	14	0.44	NA	NA	< 0.014
Dichlorodifluoromethane	mg/kg	8260	37	400	0.6	NA	NA	< 0.017
Isopropylbenzene	mg/kg	8260	990	270	1.48	NA	NA	< 0.014
Methyl acetate	mg/kg	8260	120000	29000	8.2	NA	NA	< 0.035
Methyl tert-butyl ether	mg/kg	8260	210	2300	0.064	NA	NA	< 0.022
Methylcyclohexane [1]	mg/kg	8260	2700	120	26	NA	NA	< 0.012
Methylene Chloride	mg/kg	8260	320	3300	0.054	NA	NA	< 0.014
Naphthalene	mg/kg	8260	8.6	180	0.0076	NA	NA	< 0.019
Styrene	mg/kg	8260	3500	870	2.6	NA	NA	< 0.0079
Tetrachloroethene	mg/kg	8260	39	170	0.046	NA	NA	< 0.012
Trichloroethene	mg/kg	8260	1.9	20	0.036	NA	NA	< 0.0089
Trichlorofluoromethane	mg/kg	8260	35000	1200	6.6	NA	NA	< 0.0087
Vinyl chloride	mg/kg	8260	1.7	22	0.0138	NA	NA	< 0.022
Semi-Volatile Organic Compounds								
Acenaphthene	mg/kg	8270	4500	70000	11	0.27	< 0.0031	NA
Acenaphthylene [1]	mg/kg	8270	4500	80000	11	0.05 J	< 0.0031	NA
Anthracene	mg/kg	8270	23000	700000	116	0.12	< 0.0034	NA
Benzo[a]anthracene	mg/kg	8270	21	88	0.22	***0.26***	< 0.0036	NA
Benzo[a]pyrene	mg/kg	8270	2.1	4.3	4.8	0.22	< 0.0038	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]		
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-117(6-8) 10/22/2013	VII-SB-118 (4-5') 11/30/2017	VII-SB-119 (4-5') 12/08/2017
Benzo[b]fluoranthene	mg/kg	8270	21	43	6	0.26	< 0.004	NA
Benzo[g,h,i]perylene [1]	mg/kg	8270	2300	33000	26	0.14	< 0.004	NA
Benzo[k]fluoranthene	mg/kg	8270	210	430	58	0.11	< 0.0032	NA
Chrysene	mg/kg	8270	2100	4300	180	0.31	< 0.0036	NA
Dibenz(a,h)anthracene	mg/kg	8270	2.1	4.3	1.92	0.053 J	< 0.0038	NA
Fluoranthene	mg/kg	8270	3000	44000	178	0.81	< 0.0036	NA
Fluorene	mg/kg	8270	3000	62000	10.8	0.32	< 0.0033	NA
Indeno[1,2,3-cd]pyrene	mg/kg	8270	21	43	19.6	0.13	< 0.0036	NA
Naphthalene	mg/kg	8270	8.6	180	0.0076	***0.18***	< 0.0033	NA
Phenanthrene [1]	mg/kg	8270	23000	700000	116	0.61	< 0.0038	NA
Pyrene	mg/kg	8270	2300	66000	26	0.96 J	< 0.0041	NA
1,1'-Biphenyl	mg/kg	8270	20	210	0.0174	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	8270	8200	130000	8	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	8270	82	1300	0.024	NA	NA	NA
2,4-Dichlorophenol	mg/kg	8270	250	3800	0.046	NA	NA	NA
2,4-Dimethylphenol	mg/kg	8270	1600	25000	0.84	NA	NA	NA
2,4-Dinitrophenol	mg/kg	8270	160	2500	0.088	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	8270	7.4	110	0.0064	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	8270	1.5	24	0.00134	NA	NA	NA
2-Chloronaphthalene	mg/kg	8270	6000	67000	7.8	NA	NA	NA
2-Chlorophenol	mg/kg	8270	580	5500	0.178	NA	NA	NA
2-Methylnaphthalene	mg/kg	8270	300	9300	0.38	NA	NA	NA
2-Methylphenol	mg/kg	8270	4100	63000	1.5	NA	NA	NA
2-Nitroaniline	mg/kg	8270	800	12000	0.16	NA	NA	NA
2-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	8270	5.1	79	0.0164	NA	NA	NA
Methylphenol, 3 & 4 [1]	mg/kg	8270	4100	63000	1.48	NA	NA	NA
3-Nitroaniline	mg/kg	8270	- -	- -	- -	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	8270	6.6	- -	0.0052	NA	NA	NA
4-Bromophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA
4-Chloro-3-methylphenol	mg/kg	8270	8200	- -	3.4	NA	NA	NA
4-Chloroaniline	mg/kg	8270	11	180	0.0032	NA	NA	NA
4-Chlorophenyl phenyl ether	mg/kg	8270	- -	- -	- -	NA	NA	NA
4-Nitroaniline	mg/kg	8270	110	- -	0.032	NA	NA	NA
4-Nitrophenol	mg/kg	8270	- -	- -	- -	NA	NA	NA
Acetophenone	mg/kg	8270	12000	2500	1.16	NA	NA	NA
Atrazine	mg/kg	8270	10	150	0.038	NA	NA	NA
Benzaldehyde	mg/kg	8270	820	1200	0.082	NA	NA	NA
Bis(2-chloroisopropyl)ether	mg/kg	8270	4700	310	0.52	NA	NA	NA
Bis(2-chloroethoxy)methane	mg/kg	8270	250	- -	0.026	NA	NA	NA
Bis(2-chloroethyl)ether	mg/kg	8270	1	13	0.000072	NA	NA	NA
Bis(2-ethylhexyl) phthalate	mg/kg	8270	160	2500	28	NA	NA	NA
Butyl benzyl phthalate	mg/kg	8270	1200	19000	4.8	NA	NA	NA
Caprolactam	mg/kg	8270	40000	600000	5	NA	NA	NA
Carbazole [1]	mg/kg	8270	23000	700000	116	NA	NA	NA
Dibenzofuran	mg/kg	8270	120	2300	0.3	NA	NA	NA
Diethyl phthalate	mg/kg	8270	66000	1000000	12.2	NA	NA	NA
Dimethyl phthalate	mg/kg	8270	- -	- -	- -	NA	NA	NA
Di-n-butyl phthalate	mg/kg	8270	8200	130000	4.6	NA	NA	NA
Di-n-octyl phthalate	mg/kg	8270	820	- -	114	NA	NA	NA
Hexachlorobenzene	mg/kg	8270	0.96	13	0.26	NA	NA	NA
Hexachlorobutadiene	mg/kg	8270	5.3	17	0.0054	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	8270	0.75	8	3.2	NA	NA	NA
Hexachloroethane	mg/kg	8270	8	91	0.004	NA	NA	NA
Isophorone	mg/kg	8270	2400	37000	0.52	NA	NA	NA
Nitrobenzene	mg/kg	8270	22	240	0.00184	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Analytical Method	Screening Criteria [1]			Sample Information [2]		
			Industrial Soil RSL	Industrial Soil De Minimis	*Protection of Groundwater RSL*	VII-SB-117(6-8) 10/22/2013	VII-SB-118 (4-5') 11/30/2017	VII-SB-119 (4-5') 12/08/2017
N-Nitrosodi-n-propylamine	mg/kg	8270	0.33	5.1	0.000162	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	8270	470	7200	1.34	NA	NA	NA
Pentachlorophenol	mg/kg	8270	4	52	0.028	NA	NA	NA
Phenol	mg/kg	8270	25000	380000	6.6	NA	NA	NA
Polychlorinated Biphenyls								
PCB-1016	mg/kg	8082	5.1	160	0.26	NA	NA	NA
PCB-1221	mg/kg	8082	0.83	19	0.0016	NA	NA	NA
PCB-1232	mg/kg	8082	0.72	14	0.0016	NA	NA	NA
PCB-1242	mg/kg	8082	0.95	26	0.024	NA	NA	NA
PCB-1248	mg/kg	8082	0.94	27	0.024	NA	NA	NA
PCB-1254	mg/kg	8082	0.97	28	0.04	NA	NA	NA
PCB-1260	mg/kg	8082	0.99	30	0.11	NA	NA	NA
Inorganics								
Aluminum	mg/kg	6020	110000	1000000	60000	NA	NA	NA
Antimony	mg/kg	6020	47	930	5.4	NA	NA	NA
Arsenic	mg/kg	6020	3	35	5.8	NA	NA	NA
Barium	mg/kg	6020	22000	400000	1640	NA	NA	NA
Beryllium	mg/kg	6020	230	4500	64	NA	NA	NA
Cadmium	mg/kg	6020	98	980	7.6	NA	NA	NA
Calcium	mg/kg	6020	- -	- -	- -	NA	NA	NA
Chromium [1]	mg/kg	6020	180000	1000000	3600000	NA	NA	NA
Cobalt	mg/kg	6020	35	690	0.54	NA	NA	NA
Copper	mg/kg	6020	4700	93000	920	NA	NA	NA
Iron	mg/kg	6020	82000	1000000	700	NA	NA	NA
Lead	mg/kg	6020	800	1000	280	NA	NA	NA
Magnesium	mg/kg	6020	- -	- -	- -	NA	NA	NA
Manganese [1]	mg/kg	6020	2600	80000	56	NA	NA	NA
Mercury	mg/kg	7471	4.6	3.1	2	NA	NA	NA
Nickel	mg/kg	6020	2200	43000	52	NA	NA	NA
Potassium	mg/kg	6020	- -	- -	- -	NA	NA	NA
Selenium	mg/kg	6020	580	12000	5.2	NA	NA	NA
Silver	mg/kg	6020	580	12000	1.6	NA	NA	NA
Sodium	mg/kg	6020	- -	- -	- -	NA	NA	NA
Thallium	mg/kg	6020	1.2	23	2.8	NA	NA	NA
Vanadium	mg/kg	6020	580	160	172	NA	NA	NA
Zinc	mg/kg	6020	35000	700000	740	NA	NA	NA
Other Parameters								
Cyanide, Total	mg/kg	9012	15	170	40	NA	NA	NA
Total Organic Carbon	mg/kg	WALKLEY	- -	- -	- -	NA	NA	NA
Percent Moisture	%	- -	- -	- -	- -	23	NA	NA
Percent Solids	%	MCAWW 16	- -	- -	- -	NA	NA	NA

TABLE A-4
ANALYTICAL AND SCREENING RESULTS
SUBSURFACE SOIL
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Direct contact USEPA regional screening levels (RSLs) and WVDEP De Minimis values are based on industrial land use. RSLs for the protection of groundwater are based on a dilution attenuation factor (DAF) of 20. For chemicals with both risk-based and MCL-based protection of groundwater RSLs, the higher of the two values was used. RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

RSLs for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the RSLs for total 1,3-dichloropropene.
RSLs for 1,3-dichlorobenzene are based on the RSLs for 1,4-dichlorobenzene.
RSLs for methylcyclohexane are based on the RSLs for cyclohexane.
RSLs for acenaphthylene are based on the RSLs for acenaphthene.
RSLs for benzo(g,h,i)perylene are based on the RSLs for pyrene.
RSLs for phenanthrene and carbazole are based on the RSLs for anthracene.
RSLs for 3&4-methylphenol are conservatively based on the RSLs for 3-methylphenol.
Direct contact RSL for chromium is for the trivalent valence state; protection of groundwater RSL is based on total chromium.
RSLs for manganese are based on the non-diet values.

Shading indicates an exceedance of the lower of the industrial soil RSL or De Minimis value.
Bold italics numbers indicate exceedance of the RSL for Protection of Groundwater

2 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region 3 data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers

NA - Not Analyzed
- - - Screening Criterion not available for this chemical constituent.
* - LCS or LCSD exceeds the control limits.
4 - MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B - Compound was found in the blank and sample.
F1 - MS and/or MSD Recovery is outside acceptance limits.
F2 - MS/MSD RPD exceeds control limits.
J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.
K - Analyte present. Reported value may be biased high. Actual value is expected to be lower.
L - Analyte present. Reported value may be biased low. Actual value is expected to be higher.
PG - The difference between the original results and the laboratory confirmation analysis is greater than 40%.
R - Unusable result. Analyte may or may not be present in the sample.
UJ - Not Detected. Quantitation limit may be inaccurate or imprecise.

3- Sample ID's ending in "A" were taken in the zone with the greatest potential for contamination based on field screening (just above the base of fill). Sample ID's ending in "B" were taken several feet above the apparent area of contamination (above the "A" samples). Sample IM-W700-S-19D is a field duplicate of sample IM-W700-S-19.

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	MA-MW-07A 11/15/2013	MA-MW-07D 11/15/2013	VI-MW-01A 11/19/2013	VI-MW-02AR 11/14/2013	VI-MW-01P 11/18/2013	VII-MW-01A 11/18/2013	VII-MW-01A DUP 11/18/2013 Duplicate	VII-MW-02A 11/18/2013	VII-MW-03A 11/04/2013
Volatile Organic Compounds														
1,1,1-Trichloroethane	ug/l	8260	800	200	200	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29
1,1,2,2-Tetrachloroethane	ug/l	8260	0.076	0.076	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	1000	57000	- -	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32
1,1,2-Trichloroethane	ug/l	8260	0.041	5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1-Dichloroethane	ug/l	8260	2.8	2.8	- -	< 0.12	< 0.12	< 0.12	0.19 J	< 0.12	7	6.4	0.95 J	0.88 J
1,1-Dichloroethene	ug/l	8260	28	7	7	< 0.3	1.1	< 0.3	0.4 J	< 0.3	< 0.3	< 0.3	0.42 J	< 0.3
1,2,4-Trichlorobenzene	ug/l	8260	0.4	70	70	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.00033	0.2	0.2	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane (EDB)	ug/l	8260	0.0075	0.05	0.05	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
1,2-Dichlorobenzene	ug/l	8260	30	600	600	< 0.15	< 0.15	< 0.15	< 0.15	0.2 J	< 0.15	< 0.15	< 0.15	< 0.15
1,2-Dichloroethane	ug/l	8260	0.17	5	5	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	- -	< 0.51	< 0.51	< 0.51	< 0.51	2.5	10	9.5	1.7	2.3
cis-1,2-Dichloroethene	ug/l	8260	3.6	70	70	< 0.24	< 0.24	< 0.24	< 0.24	2.4	10	9.3	1.6	2.1
trans-1,2-Dichloroethene	ug/l	8260	6.8	100	100	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
1,2-Dichloropropane	ug/l	8260	0.82	5	5	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095
cis-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
trans-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
1,3-Dichlorobenzene [1]	ug/l	8260	0.48	75	75	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,4-Dichlorobenzene	ug/l	8260	0.48	75	75	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
2-Butanone (MEK)	ug/l	8260	560	5600	- -	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55
2-Hexanone	ug/l	8260	3.8	- -	- -	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
4-Methyl-2-pentanone (MIBK)	ug/l	8260	630	1200	- -	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53
Acetone	ug/l	8260	1400	14000	- -	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Benzene	ug/l	8260	0.46	5	5	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Bromoform	ug/l	8260	3.3	3.3	80	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Bromomethane	ug/l	8260	0.75	7.5	- -	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	ug/l	8260	81	810	- -	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
Carbon tetrachloride	ug/l	8260	0.46	5	5	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chlorobenzene	ug/l	8260	7.8	100	100	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chlorodibromomethane	ug/l	8260	0.87	0.87	80	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chloroethane	ug/l	8260	2100	21000	- -	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
Chloroform	ug/l	8260	0.22	0.22	80	0.64 B	1.5 B	3.7	0.21 B	1.5	0.25 B	0.19 B	1.2 B	< 0.17
Chloromethane	ug/l	8260	19	190	- -	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Cyclohexane	ug/l	8260	1300	13000	- -	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Dichlorobromomethane	ug/l	8260	0.13	0.13	80	< 0.13	< 0.13	1.1	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Dichlorodifluoromethane	ug/l	8260	20	200	- -	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Ethylbenzene	ug/l	8260	1.5	700	700	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23
Isopropylbenzene	ug/l	8260	45	450	- -	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Methyl acetate	ug/l	8260	2000	5300	- -	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methyl tert-butyl ether	ug/l	8260	14	14	- -	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
Methylcyclohexane [1]	ug/l	8260	1300	13000	- -	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Methylene Chloride	ug/l	8260	11	5	5	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Naphthalene	ug/l	8260	0.12	0.17	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ug/l	8260	120	100	100	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097
Tetrachloroethene	ug/l	8260	4.1	5	5	0.17 J	0.29 J	0.23 J	0.2 J	< 0.15	4.1	3.5	2.4	0.32 J
Toluene	ug/l	8260	110	1000	1000	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Trichloroethene	ug/l	8260	0.28	5	5	0.39 J	0.46 J	< 0.14	0.4 J	0.57 J	1.4	1.3	1	0.84 J
Trichlorofluoromethane	ug/l	8260	520	1100	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Vinyl chloride	ug/l	8260	0.019	2	2	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	0.25 J	< 0.23	< 0.23
Xylenes, Total	ug/l	8260	19	10000	10000	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49
Semi-Volatile Organics														
1,1'-Biphenyl	ug/l	8270	0.083	0.83	- -	< 0.11	< 0.1	< 0.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.1
2,4,5-Trichlorophenol	ug/l	8270	120	1200	- -	< 0.12	< 0.12	< 0.12	< 0.12	< 0.13	< 0.12	< 0.12	< 0.13	< 0.12
2,4,6-Trichlorophenol	ug/l	8270	1.2	4.1	- -	< 0.3	< 0.29	< 0.29	< 0.3	< 0.31	< 0.3	< 0.3	< 0.31	< 0.29
2,4-Dichlorophenol	ug/l	8270	4.6	46	- -	< 0.067	< 0.065	< 0.065	< 0.067	< 0.07	< 0.067	< 0.067	< 0.07	< 0.065
2,4-Dimethylphenol	ug/l	8270	36	360	- -	< 0.17	< 0.16	< 0.16	< 0.17	< 0.18	< 0.17	< 0.17	< 0.18	< 0.16

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	MA-MW-07A 11/15/2013	MA-MW-07D 11/15/2013	VI-MW-01A 11/19/2013	VI-MW-02AR 11/14/2013	VI-MW-01P 11/18/2013	VII-MW-01A 11/18/2013	VII-MW-01A DUP 11/18/2013 Duplicate	VII-MW-02A 11/18/2013	VII-MW-03A 11/04/2013
2,4-Dinitrophenol	ug/l	8270	3.9	39	- -	< 2.5	< 2.4	< 2.4	< 2.5	< 2.6	< 2.5	< 2.5	< 2.6	< 2.4
2,4-Dinitrotoluene	ug/l	8270	0.24	0.24	- -	< 0.21	< 0.21	< 0.21	< 0.21	< 0.22	< 0.21	< 0.21	< 0.22	< 0.21
2,6-Dinitrotoluene	ug/l	8270	0.049	0.049	- -	< 0.14	< 0.13	< 0.13	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.13
2-Chloronaphthalene	ug/l	8270	75	330	- -	< 0.031	< 0.03	< 0.03	< 0.031	< 0.032	< 0.031	< 0.031	< 0.032	< 0.03
2-Chlorophenol	ug/l	8270	9.1	27	- -	< 0.23	< 0.22	< 0.22	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.22
2-Methylnaphthalene	ug/l	8270	3.6	36	- -	< 0.019	< 0.018	< 0.018	< 0.019	< 0.02	< 0.019	< 0.019	< 0.02	< 0.018
2-Methylphenol	ug/l	8270	93	930	- -	< 0.19	< 0.18	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.18
2-Nitroaniline	ug/l	8270	19	190	- -	< 0.67	< 0.65	< 0.65	< 0.67	< 0.7	< 0.67	< 0.67	< 0.7	< 0.65
2-Nitrophenol	ug/l	8270	- -	- -	- -	< 0.11	< 0.11	< 0.11	< 0.11	< 0.12	< 0.11	< 0.11	< 0.12	< 0.11
3,3'-Dichlorobenzidine	ug/l	8270	0.13	0.13	- -	< 0.15	< 0.14	< 0.14	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.14
3-Nitroaniline	ug/l	8270	- -	- -	- -	< 0.81	< 0.77	< 0.77	< 0.81	< 0.84	< 0.81	< 0.81	< 0.84	< 0.77
4,6-Dinitro-2-methylphenol	ug/l	8270	0.15	- -	- -	< 1.6	< 1.5	< 1.5	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.5
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	- -	< 0.12	< 0.11	< 0.11	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.11
4-Chloro-3-methylphenol	ug/l	8270	140	- -	- -	< 0.17	< 0.16	< 0.16	< 0.17	< 0.18	< 0.17	< 0.17	< 0.18	< 0.16
4-Chloroaniline	ug/l	8270	0.37	0.37	- -	< 0.29	< 0.28	0.31 J	< 0.29	< 0.3	< 0.29	< 0.29	< 0.3	< 0.28
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	- -	< 0.08	< 0.077	< 0.077	< 0.08	< 0.083	< 0.08	< 0.08	< 0.083	< 0.077
4-Nitroaniline	ug/l	8270	3.8	- -	- -	< 0.77	< 0.74	< 0.74	< 0.77	< 0.81	< 0.77	< 0.77	< 0.81	< 0.74
4-Nitrophenol [1]	ug/l	8270	3.9	39	- -	< 0.8	< 0.77	< 0.77	< 0.8	< 0.84	0.85 J	< 0.8	< 0.84	< 0.77
Acenaphthene	ug/l	8270	53	240	- -	< 0.029	< 0.028	< 0.028	< 0.029	0.66	< 0.029	< 0.029	< 0.03	< 0.028
Acenaphthylene [1]	ug/l	8270	53	320	- -	< 0.022	< 0.021	< 0.021	< 0.022	< 0.022	< 0.022	< 0.022	< 0.022	< 0.021
Acetophenone	ug/l	8270	190	1900	- -	< 0.11	< 0.11	< 0.11	< 0.11	< 0.12	< 0.11	< 0.11	< 0.12	< 0.11
Anthracene	ug/l	8270	180	1800	- -	< 0.019	< 0.018	0.027 J	< 0.019	0.23	0.034 J	< 0.019	< 0.02	< 0.018
Atrazine	ug/l	8270	0.3	3	3	< 0.22	< 0.21	< 0.21	< 0.22	< 0.23	< 0.22	< 0.22	< 0.23	< 0.21
Benzaldehyde	ug/l	8270	19	1900	- -	< 0.11	< 0.1	< 0.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.1
Benzo[a]anthracene	ug/l	8270	0.03	0.012	- -	< 0.037	0.22	< 0.035	< 0.037	< 0.038	< 0.037	< 0.037	0.24	< 0.035
Benzo[a]pyrene	ug/l	8270	0.025	0.2	0.2	< 0.028	0.14 J	< 0.027	< 0.028	< 0.029	< 0.028	< 0.028	***0.21***	< 0.027
Benzo[b]fluoranthene	ug/l	8270	0.25	0.034	- -	< 0.049	0.2	< 0.047	< 0.049	< 0.051	< 0.049	< 0.049	0.34	< 0.047
Benzo[g,h,i]perylene [1]	ug/l	8270	12	600	- -	< 0.029	0.15 J	< 0.028	< 0.029	< 0.03	< 0.029	< 0.029	0.37	< 0.028
Benzo[k]fluoranthene	ug/l	8270	2.5	0.34	- -	< 0.03	0.22	< 0.029	< 0.03	< 0.031	< 0.03	< 0.03	0.36	< 0.029
Bis(2-chloroisopropyl)ether	ug/l	8270	71	0.36	- -	< 0.024	< 0.023	< 0.023	< 0.024	< 0.025	< 0.024	< 0.024	< 0.025	< 0.023
Bis(2-chloroethoxy)methane	ug/l	8270	5.9	- -	- -	< 0.13	< 0.13	< 0.13	< 0.13	< 0.14	< 0.13	< 0.13	< 0.14	< 0.13
Bis(2-chloroethyl)ether	ug/l	8270	0.014	0.014	- -	< 0.032	< 0.03	< 0.03	< 0.032	< 0.033	< 0.032	< 0.032	< 0.033	< 0.03
Bis(2-ethylhexyl) phthalate	ug/l	8270	5.6	6	6	***6.6***	1 J	1.1 J	0.51 J	0.63 J	1.1 J	0.51 J	0.62 J	***13***
Butyl benzyl phthalate	ug/l	8270	16	16	- -	< 0.21	0.42 J	0.78 J	< 0.21	0.83 J	1.8	0.56 J	0.69 J	0.51 J
Caprolactam	ug/l	8270	990	9900	- -	< 1.5	< 1.4	< 1.4	36	< 1.5	< 1.5	< 1.5	< 1.5	< 1.4
Carbazole [1]	ug/l	8270	180	1800	- -	< 0.027	< 0.026	< 0.026	< 0.027	< 0.028	< 0.027	< 0.027	< 0.028	< 0.026
Chrysene	ug/l	8270	25	3.4	- -	< 0.031	0.26	< 0.03	< 0.031	< 0.032	< 0.031	< 0.031	0.35	< 0.03
Dibenz(a,h)anthracene	ug/l	8270	0.025	0.0034	- -	< 0.027	0.18 J	< 0.026	< 0.027	< 0.028	< 0.027	< 0.027	0.41	< 0.026
Dibenzofuran	ug/l	8270	0.79	7.9	- -	< 0.097	< 0.093	< 0.093	< 0.097	< 0.1	< 0.097	< 0.097	< 0.1	< 0.093
Diethyl phthalate	ug/l	8270	1500	15000	- -	< 0.3	< 0.29	< 0.29	< 0.3	< 0.31	< 0.3	< 0.3	< 0.31	< 0.29
Dimethyl phthalate	ug/l	8270	- -	- -	- -	< 0.18	< 0.18	< 0.18	< 0.18	< 0.19	< 0.18	< 0.18	< 0.19	< 0.18
Di-n-butyl phthalate	ug/l	8270	90	900	- -	< 0.24	< 0.23	< 0.23	< 0.24	< 0.25	< 0.24	< 0.24	< 0.25	< 0.23
Di-n-octyl phthalate	ug/l	8270	20	- -	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.21	< 0.2	< 0.2	0.23 J	< 0.2
Fluoranthene	ug/l	8270	80	800	- -	< 0.021	< 0.02	0.027 J	< 0.021	0.44	< 0.021	< 0.021	< 0.022	< 0.02
Fluorene	ug/l	8270	29	150	- -	< 0.024	< 0.023	< 0.023	< 0.024	0.86	< 0.024	< 0.024	< 0.025	< 0.023
Hexachlorobenzene	ug/l	8270	0.0098	1	1	< 0.061	< 0.059	< 0.059	< 0.061	< 0.064	< 0.061	< 0.061	< 0.064	< 0.059
Hexachlorobutadiene	ug/l	8270	0.14	0.14	- -	< 0.094	< 0.09	< 0.09	< 0.094	< 0.098	< 0.094	< 0.094	< 0.098	< 0.09
Hexachlorocyclopentadiene	ug/l	8270	0.041	50	50	< 0.14	< 0.13	< 0.13	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.13
Hexachloroethane	ug/l	8270	0.33	0.33	- -	< 0.14	< 0.13	< 0.13	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.13
Indeno[1,2,3-cd]pyrene	ug/l	8270	0.25	0.034	- -	< 0.043	0.15 J	< 0.042	< 0.043	< 0.045	< 0.043	< 0.043	0.37	< 0.042
Isophorone	ug/l	8270	78	78	- -	< 0.074	< 0.071	< 0.071	< 0.074	< 0.077	< 0.074	< 0.074	< 0.077	< 0.071
Methylphenol, 3 & 4 [1]	ug/l	8270	93	930	- -	< 0.21	< 0.2	< 0.2	< 0.21	< 0.22	< 0.21	< 0.21	< 0.22	< 0.2
Naphthalene	ug/l	8270	0.12	0.17	- -	< 0.023	< 0.022	0.046 J	< 0.023	< 0.024	< 0.023	< 0.023	< 0.024	< 0.022
Nitrobenzene	ug/l	8270	0.14	0.14	- -	< 0.15	< 0.14	< 0.14	< 0.15	< 0.16	< 0.15	< 0.15	< 0.16	< 0.14
N-Nitrosodi-n-propylamine	ug/l	8270	0.011	0.011	- -	< 0.05	< 0.048	< 0.048	< 0.05	< 0.052	< 0.05	< 0.05	< 0.052	< 0.048
N-Nitrosodiphenylamine	ug/l	8270	12	12	- -	< 0.12	< 0.12	< 0.12	< 0.12	< 0.13	< 0.12	< 0.12	< 0.13	< 0.12
Pentachlorophenol	ug/l	8270	0.041	1	1	< 0.5	< 0.48	< 0.48	< 0.5	< 0.52	< 0.5	< 0.5	< 0.52	< 0.48

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

| | | | Screening Criteria [1] | | | Sample Information [2] | | |

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-01P 11/18/2013	VII-MW-02P 11/18/2013	VII-MW-03P 11/18/2013	MA-MW-07A 02/17/2014	MA-MW-07D 02/17/2014	VI-MW-01A 02/13/2014	VI-MW-02AR 02/13/2014	VI-MW-01P 02/13/2014	VII-MW-01A 02/19/2014
Volatile Organic Compounds														
1,1,1-Trichloroethane	ug/l	8260	800	200	200	< 0.29	< 0.29	< 0.29 UJ	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29
1,1,2,2-Tetrachloroethane	ug/l	8260	0.076	0.076	- -	< 0.2	< 0.2	< 0.2 UJ	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	1000	57000	- -	< 0.32	< 0.32	< 0.32 UJ	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32
1,1,2-Trichloroethane	ug/l	8260	0.041	5	5	< 0.2	< 0.2	< 0.2 UJ	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1-Dichloroethane	ug/l	8260	2.8	2.8	- -	0.24 J	< 0.12	< 0.12 UJ	< 0.12	< 0.12	< 0.12	0.24 J	0.36 J	6.7
1,1-Dichloroethene	ug/l	8260	28	7	7	< 0.3	< 0.3	< 0.3 UJ	0.34 J	1.2	< 0.3	0.53 J	< 0.3	< 0.3
1,2,4-Trichlorobenzene	ug/l	8260	0.4	70	70	< 0.27	< 0.27	< 0.27 UJ	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.00033	0.2	0.2	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane (EDB)	ug/l	8260	0.0075	0.05	0.05	< 0.18	< 0.18	< 0.18 UJ	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
1,2-Dichlorobenzene	ug/l	8260	30	600	600	< 0.15	< 0.15	37 J	< 0.15	< 0.15	< 0.15	< 0.15	0.34 J	< 0.15
1,2-Dichloroethane	ug/l	8260	0.17	5	5	< 0.21	< 0.21	< 0.21 UJ	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	- -	1	< 0.51	4.7 J	< 0.51	< 0.51	< 0.51	< 0.51	3.5	10
cis-1,2-Dichloroethene	ug/l	8260	3.6	70	70	1	< 0.24	2.7 J	< 0.24	< 0.24	< 0.24	< 0.24	3.5	9.7
trans-1,2-Dichloroethene	ug/l	8260	6.8	100	100	< 0.17	< 0.17	2 J	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
1,2-Dichloropropane	ug/l	8260	0.82	5	5	< 0.095	< 0.095	< 0.095 UJ	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095
cis-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.19	< 0.19	< 0.19 UJ	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
trans-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.15	< 0.15	< 0.15 UJ	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
1,3-Dichlorobenzene [1]	ug/l	8260	0.48	75	75	< 0.11	< 0.11	< 0.11 UJ	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,4-Dichlorobenzene	ug/l	8260	0.48	75	75	< 0.21	< 0.21	0.54 J	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
2-Butanone (MEK)	ug/l	8260	560	5600	- -	< 0.55	< 0.55	4.7 J	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55
2-Hexanone	ug/l	8260	3.8	- -	- -	< 0.16	< 0.16	0.66 J	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
4-Methyl-2-pentanone (MIBK)	ug/l	8260	630	1200	- -	< 0.53	< 0.53	0.53 J	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53
Acetone	ug/l	8260	1400	14000	- -	3.1 J	8.8	8.8 J	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Benzene	ug/l	8260	0.46	5	5	0.13 J	< 0.11	0.54 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Bromoform	ug/l	8260	3.3	3.3	80	< 0.19	< 0.19	< 0.19 UJ	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Bromomethane	ug/l	8260	0.75	7.5	- -	< 0.31	< 0.31	< 0.31 UJ	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	ug/l	8260	81	810	- -	< 0.21	< 0.21	< 0.21 UJ	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
Carbon tetrachloride	ug/l	8260	0.46	5	5	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chlorobenzene	ug/l	8260	7.8	100	100	< 0.14	< 0.14	0.96 J	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chlorodibromomethane	ug/l	8260	0.87	0.87	80	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	0.19 J	< 0.14	< 0.14	< 0.14
Chloroethane	ug/l	8260	2100	21000	- -	< 0.21	< 0.21	< 0.21 UJ	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
Chloroform	ug/l	8260	0.22	0.22	80	< 0.17	< 0.17	< 0.17 UJ	0.67 J	1.8	4.1	0.25 J	2.6	< 0.17
Chloromethane	ug/l	8260	19	190	- -	< 0.28	< 0.28	< 0.28 UJ	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Cyclohexane	ug/l	8260	1300	13000	- -	0.58 J	< 0.25	0.41 J	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Dichlorobromomethane	ug/l	8260	0.13	0.13	80	< 0.13	< 0.13	< 0.13 UJ	< 0.13	< 0.13	1.4	< 0.13	< 0.13	< 0.13
Dichlorodifluoromethane	ug/l	8260	20	200	- -	< 0.19	< 0.19	< 0.19 UJ	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Ethylbenzene	ug/l	8260	1.5	700	700	3.5	< 0.23	16 J	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23
Isopropylbenzene	ug/l	8260	45	450	- -	1.8	< 0.16	4.8 J	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Methyl acetate	ug/l	8260	2000	5300	- -	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methyl tert-butyl ether	ug/l	8260	14	14	- -	< 0.18	< 0.18	< 0.18 UJ	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
Methylcyclohexane [1]	ug/l	8260	1300	13000	- -	1.1	< 0.26	1 J	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Methylene Chloride	ug/l	8260	11	5	5	< 0.13	< 0.13	< 0.13 UJ	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Naphthalene	ug/l	8260	0.12	0.17	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ug/l	8260	120	100	100	< 0.097	< 0.097	< 0.097 UJ	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097
Tetrachloroethene	ug/l	8260	4.1	5	5	2.5	< 0.15	2.9 J	0.23 J	0.34 J	0.41 J	0.23 J	< 0.15	3.6
Toluene	ug/l	8260	110	1000	1000	0.96 J	< 0.15	5 J	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Trichloroethene	ug/l	8260	0.28	5	5	0.51 J	< 0.14	1.3 J	0.38 J	0.43 J	0.15 J	0.4 J	0.75 J	1.3
Trichlorofluoromethane	ug/l	8260	520	1100	- -	< 0.2	< 0.2	< 0.2 UJ	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Vinyl chloride	ug/l	8260	0.019	2	2	< 0.23	< 0.23	0.49 J	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23
Xylenes, Total	ug/l	8260	19	10000	10000	16	0.78 J	61 J	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49
Semi-Volatile Organics														
1,1'-Biphenyl	ug/l	8270	0.083	0.83	- -	0.78 J	< 0.11	1.6	< 0.097	< 0.1	< 0.13	< 0.13	< 0.11	< 0.11
2,4,5-Trichlorophenol	ug/l	8270	120	1200	- -	< 0.13	< 0.12	< 0.12	< 0.11	< 0.12	< 0.15	< 0.15	< 0.13	< 0.13
2,4,6-Trichlorophenol	ug/l	8270	1.2	4.1	- -	< 0.31	< 0.3	< 0.3	< 0.28	< 0.29	< 0.36	< 0.36	< 0.31	< 0.31
2,4-Dichlorophenol	ug/l	8270	4.6	46	- -	< 0.07	< 0.067	< 0.067	< 0.062	< 0.065	< 0.08	< 0.08	< 0.07	< 0.07
2,4-Dimethylphenol	ug/l	8270	36	360	- -	< 0.18	< 0.17	< 0.17	< 0.16	< 0.16	< 0.2	< 0.2	< 0.18	< 0.18

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-01P 11/18/2013	VII-MW-02P 11/18/2013	VII-MW-03P 11/18/2013	MA-MW-07A 02/17/2014	MA-MW-07D 02/17/2014	VI-MW-01A 02/13/2014	VI-MW-02AR 02/13/2014	VI-MW-01P 02/13/2014	VII-MW-01A 02/19/2014
2,4-Dinitrophenol	ug/l	8270	3.9	39	- -	< 2.6	< 2.5	< 2.5	< 2.3	< 2.4	< 3	< 3	< 2.6	< 2.6
2,4-Dinitrotoluene	ug/l	8270	0.24	0.24	- -	< 0.22	< 0.21	< 0.21	< 0.2	< 0.21	< 0.25	< 0.25	< 0.22	< 0.22
2,6-Dinitrotoluene	ug/l	8270	0.049	0.049	- -	< 0.14	< 0.14	< 0.14	< 0.13	< 0.13	< 0.16	< 0.16	< 0.14	< 0.14
2-Chloronaphthalene	ug/l	8270	75	330	- -	< 0.032	< 0.031	< 0.031	< 0.028	< 0.03	< 0.037	< 0.037	< 0.032	< 0.032
2-Chlorophenol	ug/l	8270	9.1	27	- -	< 0.23	< 0.23	< 0.23	< 0.21	< 0.22	< 0.27	< 0.27	< 0.23	< 0.23
2-Methylnaphthalene	ug/l	8270	3.6	36	- -	13	0.26	30	< 0.018	< 0.018	< 0.023	0.024 J	< 0.02	< 0.02
2-Methylphenol	ug/l	8270	93	930	- -	< 0.19	< 0.19	0.23 J	< 0.17	< 0.18	< 0.22	< 0.22	< 0.19	< 0.19
2-Nitroaniline	ug/l	8270	19	190	- -	< 0.7	< 0.67	< 0.67	< 0.62	< 0.65	< 0.8	< 0.8	< 0.7	< 0.7
2-Nitrophenol	ug/l	8270	- -	- -	- -	< 0.12	< 0.11	< 0.11	< 0.1	< 0.11	< 0.13	< 0.13	< 0.12	< 0.12
3,3'-Dichlorobenzidine	ug/l	8270	0.13	0.13	- -	< 0.15	< 0.15	< 0.15	< 0.14	< 0.14	< 0.17	< 0.17	< 0.15	< 0.15
3-Nitroaniline	ug/l	8270	- -	- -	- -	< 0.84	< 0.81	< 0.81	< 0.75	< 0.77	< 0.96	< 0.96	< 0.84	< 0.84
4,6-Dinitro-2-methylphenol	ug/l	8270	0.15	- -	- -	< 1.6	< 1.6	< 1.6	< 1.4	< 1.5	< 1.9	< 1.9	< 1.6	< 1.6
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	- -	< 0.12	< 0.12	< 0.12	< 0.11	< 0.11	< 0.14	< 0.14	< 0.12	< 0.12
4-Chloro-3-methylphenol	ug/l	8270	140	- -	- -	< 0.18	< 0.17	< 0.17	< 0.16	< 0.16	< 0.2	< 0.2	< 0.18	< 0.18
4-Chloroaniline	ug/l	8270	0.37	0.37	- -	< 0.3	< 0.29	< 0.29	< 0.27	< 0.28	< 0.35	< 0.35	< 0.3	< 0.3
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	- -	< 0.083	< 0.08	< 0.08	< 0.074	< 0.077	< 0.095	< 0.095	< 0.083	< 0.083
4-Nitroaniline	ug/l	8270	3.8	- -	- -	< 0.81	< 0.77	< 0.77	< 0.72	< 0.74	< 0.92	< 0.92	< 0.81	< 0.81
4-Nitrophenol [1]	ug/l	8270	3.9	39	- -	< 0.84	< 0.8	< 0.8	< 0.74	< 0.77	< 0.96	< 0.96	< 0.84	< 0.84
Acenaphthene	ug/l	8270	53	240	- -	< 0.03	0.091 J	1.8	< 0.027	< 0.028	< 0.035	< 0.035	0.38	< 0.03
Acenaphthylene [1]	ug/l	8270	53	320	- -	< 0.022	< 0.022	< 0.022	< 0.02	< 0.021	< 0.026	< 0.026	< 0.022	< 0.022
Acetophenone	ug/l	8270	190	1900	- -	< 0.12	0.13 J	< 0.11	< 0.1	< 0.11	< 0.13	< 0.13	< 0.12	< 0.12
Anthracene	ug/l	8270	180	1800	- -	< 0.02	0.042 J	0.23	< 0.018	< 0.018	< 0.023	0.025 J	< 0.02	< 0.02
Atrazine	ug/l	8270	0.3	3	3	< 0.23	< 0.22	< 0.22	< 0.21	< 0.21	< 0.27	< 0.27	< 0.23	< 0.23
Benzaldehyde	ug/l	8270	19	1900	- -	< 0.11	< 0.11	< 0.11	< 0.098	< 0.1	< 0.13	< 0.13	< 0.11	< 0.11
Benzo[a]anthracene	ug/l	8270	0.03	0.012	- -	< 0.038	< 0.037	< 0.037	< 0.034	< 0.035	< 0.044	< 0.044	< 0.038	< 0.038
Benzo[a]pyrene	ug/l	8270	0.025	0.2	0.2	< 0.029	< 0.028	< 0.028	< 0.026	< 0.027	< 0.034	< 0.034	< 0.029	< 0.029
Benzo[b]fluoranthene	ug/l	8270	0.25	0.034	- -	< 0.051	< 0.049	< 0.049	< 0.045	< 0.047	< 0.058	< 0.058	< 0.051	< 0.051
Benzo[g,h,i]perylene [1]	ug/l	8270	12	600	- -	< 0.03	< 0.029	< 0.029	< 0.027	< 0.028	< 0.035	< 0.035	< 0.03	< 0.03
Benzo[k]fluoranthene	ug/l	8270	2.5	0.34	- -	< 0.031	< 0.03	< 0.03	< 0.028	< 0.029	< 0.036	< 0.036	< 0.031	< 0.031
Bis(2-chloroisopropyl)ether	ug/l	8270	71	0.36	- -	< 0.025	< 0.024	< 0.024	< 0.022	< 0.023	< 0.028	< 0.028	< 0.025	< 0.025
Bis(2-chloroethoxy)methane	ug/l	8270	5.9	- -	- -	< 0.14	< 0.13	< 0.13	< 0.12	< 0.13	< 0.16	< 0.16	< 0.14	< 0.14
Bis(2-chloroethyl)ether	ug/l	8270	0.014	0.014	- -	< 0.033	< 0.032	< 0.032	< 0.029	< 0.03	< 0.038	< 0.038	< 0.033	< 0.033
Bis(2-ethylhexyl) phthalate	ug/l	8270	5.6	6	6	0.67 J	0.61 J	0.52 J	< 0.41	< 0.42	2.4	1.2 J	1 J	< 0.46
Butyl benzyl phthalate	ug/l	8270	16	16	- -	0.62 J	0.84 J	0.62 J	0.21 J	0.32 J	4.1	2.8	2.1	< 0.22
Caprolactam	ug/l	8270	990	9900	- -	< 1.5	< 1.5	< 1.5	< 1.4	< 1.4	< 1.8	< 1.8	< 1.5	< 1.5
Carbazole [1]	ug/l	8270	180	1800	- -	< 0.028	0.036 J	2	< 0.025	< 0.026	< 0.032	< 0.032	< 0.028	< 0.028
Chrysene	ug/l	8270	25	3.4	- -	< 0.032	< 0.031	< 0.031	0.034 J	< 0.03	< 0.037	< 0.037	< 0.032	< 0.032
Dibenz(a,h)anthracene	ug/l	8270	0.025	0.0034	- -	< 0.028	< 0.027	< 0.027	< 0.025	< 0.026	< 0.032	< 0.032	< 0.028	< 0.028
Dibenzofuran	ug/l	8270	0.79	7.9	- -	0.6 J	< 0.097	1.5	< 0.089	< 0.093	< 0.11	< 0.11	< 0.1	< 0.1
Diethyl phthalate	ug/l	8270	1500	15000	- -	< 0.31	< 0.3	< 0.3	< 0.27	< 0.29	0.56 B	0.36 B	0.37 B	< 0.31
Dimethyl phthalate	ug/l	8270	- -	- -	- -	< 0.19	< 0.18	< 0.18	< 0.17	< 0.18	< 0.22	< 0.22	< 0.19	< 0.19
Di-n-butyl phthalate	ug/l	8270	90	900	- -	< 0.25	< 0.24	< 0.24	< 0.22	< 0.23	< 0.29	< 0.29	< 0.25	< 0.25
Di-n-octyl phthalate	ug/l	8270	20	- -	- -	< 0.21	< 0.2	< 0.2	< 0.19	< 0.2	0.3 J	< 0.24	< 0.21	< 0.21
Fluoranthene	ug/l	8270	80	800	- -	0.038 J	0.026 J	0.17 J	0.021 J	0.035 J	0.035 J	0.04 J	0.26	< 0.022
Fluorene	ug/l	8270	29	150	- -	0.94	0.079 J	2.2	< 0.022	< 0.023	< 0.029	< 0.029	0.19 J	< 0.025
Hexachlorobenzene	ug/l	8270	0.0098	1	1	< 0.064	< 0.061	< 0.061	< 0.056	< 0.059	< 0.073	< 0.073	< 0.064	< 0.064
Hexachlorobutadiene	ug/l	8270	0.14	0.14	- -	< 0.098	< 0.094	< 0.094	< 0.087	< 0.09	< 0.11	< 0.11	< 0.098	< 0.098
Hexachlorocyclopentadiene	ug/l	8270	0.041	50	50	< 0.14	< 0.14	< 0.14	< 0.13	< 0.13	< 0.16 UJ	< 0.16	< 0.14	< 0.14
Hexachloroethane	ug/l	8270	0.33	0.33	- -	< 0.14	< 0.14	< 0.14	< 0.13	< 0.13	< 0.16	< 0.16	< 0.14	< 0.14
Indeno[1,2,3-cd]pyrene	ug/l	8270	0.25	0.034	- -	< 0.045	< 0.043	< 0.043	< 0.04	< 0.042	< 0.052	< 0.052	< 0.045	< 0.045
Isophorone	ug/l	8270	78	78	- -	< 0.077	< 0.074	< 0.074	< 0.068	< 0.071	< 0.088	< 0.088	< 0.077	< 0.077
Methylphenol, 3 & 4 [1]	ug/l	8270	93	930	- -	< 0.22	< 0.21	0.35 J	< 0.19	< 0.2	< 0.25	< 0.25	< 0.22	< 0.22
Naphthalene	ug/l	8270	0.12	0.17	- -	4.7	0.21	23	< 0.021	< 0.022	0.044 J	0.047 J	< 0.024	< 0.024
Nitrobenzene	ug/l	8270	0.14	0.14	- -	< 0.16	< 0.15	< 0.15	< 0.14	< 0.14	< 0.18	< 0.18	< 0.16	< 0.16
N-Nitrosodi-n-propylamine	ug/l	8270	0.011	0.011	- -	< 0.052	< 0.05	< 0.05	< 0.046	< 0.048	< 0.06	< 0.06	< 0.052	< 0.052
N-Nitrosodiphenylamine	ug/l	8270	12	12	- -	< 0.13	< 0.12	< 0.12	< 0.11	< 0.12	< 0.14	< 0.14	< 0.13	< 0.13
Pentachlorophenol	ug/l	8270	0.041	1	1	< 0.52	< 0.5	< 0.5	< 0.46	< 0.48	< 0.6	< 0.6	< 0.52	< 0.52

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]																					
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	MCL	VII-MW-01P 11/18/2013		VII-MW-02P 11/18/2013		VII-MW-03P 11/18/2013		MA-MW-07A 02/17/2014		MA-MW-07D 02/17/2014		VI-MW-01A 02/13/2014		VI-MW-02AR 02/13/2014		VI-MW-01P 02/13/2014		VII-MW-01A 02/19/2014	
Phenanthrene [1]	ug/l	8270	180	6000	- -	1.6		0.09	J	2.6		0.039	J	0.067	J	0.056	J	0.075	J	< 0.043		< 0.043	
Phenol	ug/l	8270	580	5800	- -	< 0.058		< 0.055		0.42	J	< 0.051		< 0.053		< 0.066		< 0.066		< 0.058		< 0.058	
Pyrene	ug/l	8270	12	79	- -	< 0.024		0.037	J	0.14	J	< 0.021		0.024	J	< 0.027		< 0.027		0.2	J	< 0.024	
Inorganics [3]																							
Aluminum	ug/l	6020	2000	20000	*200*	***920***	K	140	K	52	K	< 2.6		< 2.6		34	K	7.1	J	17	J	3.6	J
Antimony	ug/l	6020	0.78	7.8	6	0.094	B	0.94	J	0.12	B	0.061	J	0.052	J	< 0.019	UL	< 0.019	UL	< 0.019	UL	0.047	J
Arsenic	ug/l	6020	0.052	10	10	< 0.29		1.6		1.4		< 0.29		< 0.29		0.41	K	< 0.29	UJ	1.2	K	< 0.29	UJ
Barium	ug/l	6020	380	2000	2000	110		22		39		26		19		28		16	J	44	J	30	J
Beryllium	ug/l	6020	2.5	4	4	1.2	K	< 0.037		< 0.037		< 0.037		< 0.037		< 0.037		< 0.037	UJ	< 0.037	UJ	0.048	J
Cadmium	ug/l	6020	0.92	5	5	0.84	J	< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11	UJ	< 0.11	UJ	< 0.11	UJ
Calcium	ug/l	6020	- -	- -	- -	760000		25000		310000		77000	K	81000	K	98000		170000	J	38000	J	140000	K
Chromium [1]	ug/l	6020	2200	22000	100	1.9	J	2.4		1.5	J	1.5	J	1.8	J	2.1		2.8	J	0.75	J	1.4	J
Cobalt	ug/l	6020	0.6	6	- -	98		0.13	J	0.42	J	0.17	J	0.17	J	0.21	J	0.43	J	3.8	J	1.1	J
Copper	ug/l	6020	80	800	1300	2.6		2.4		1.4	J	0.56	K	0.5	K	1.2	K	1.7	K	0.95	K	0.57	K
Iron	ug/l	6020	1400	14000	*300*	***60000***		200		65		33	B	31	B	15	J	16	J	***7500***	J	7.4	B
Lead	ug/l	6020	15	15	15	1	B	2.8		0.052	B	1.5		< 0.019		0.15	J	0.13	J	0.057	B	0.029	B
Magnesium	ug/l	6020	- -	- -	- -	5900		4000		22000		27000		29000		27000	L	54000	L	10000	L	31000	J
Manganese [1]	ug/l	6020	43	850	*50*	***30000***		***93***		48		0.65	B	1.3	B	***94***		***61***	J	***6000***	J	***1100***	J
Mercury	ug/l	7470	0.063	2	2	< 0.038		< 0.038		< 0.038		< 0.038	UL	< 0.038	UL	< 0.038	UL	< 0.038		< 0.038		< 0.038	
Nickel	ug/l	6020	39	390	- -	110	K	0.46	K	0.21	K	0.86	J	0.66	J	2.1		2.5	J	1.7	J	4.7	J
Potassium	ug/l	6020	- -	- -	- -	43000		3100		33000		8500		8200		1500	J	2100	J	3600	J	2700	J
Selenium	ug/l	6020	10	50	50	7.2		0.48	J	2	J	2.9	B	3	B	1.8	J	1.3	J	< 0.42	UJ	< 0.42	UJ
Silver	ug/l	6020	9.4	94	*100*	< 0.036		< 0.036		< 0.036		< 0.036		< 0.036		< 0.036		< 0.036	UJ	< 0.036	UJ	< 0.036	UJ
Sodium	ug/l	6020	- -	- -	- -	48000		5600		59000		93000	K	95000	K	20000		79000	J	66000	J	48000	K
Thallium	ug/l	6020	0.02	2	2	0.11	J	0.034	J	< 0.015		< 0.015		< 0.015		0.052	B	0.084	B	0.13	J	< 0.015	UJ
Vanadium	ug/l	6020	8.6	1.2	- -	0.33	L	10	L	1.3	L	0.11	B	0.4	B	1.5		1.8	J	< 0.082	UJ	0.46	B
Zinc	ug/l	6020	600	6000	*5000*	160	K	6.9	K	2.3	K	4.4	K	3.3	K	8.4		8.6	J	15	J	6.3	K
Other Parameters																							
Cyanide, Total	ug/l	9012	0.15	200	200	< 1.5		3.5	J	< 1.5		50		54		< 1.5		< 1.5		< 1.5		< 1.5	

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-01A DUP 02/19/2014 Duplicate	VII-MW-02A 02/19/2014	VII-MW-03A 02/19/2014	VII-MW-01P 02/14/2014	VII-MW-02P 02/13/2014	VII-MW-03P 02/14/2014	VI-MW-03A 01/17/2019	VI-MW-03A DUP 01/17/2019 Duplicate	VI-MW-04A 01/17/2019
Volatile Organic Compounds														
1,1,1-Trichloroethane	ug/l	8260	800	200	200	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	NA	NA	NA
1,1,2,2-Tetrachloroethane	ug/l	8260	0.076	0.076	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	1000	57000	- -	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	NA	NA	NA
1,1,2-Trichloroethane	ug/l	8260	0.041	5	5	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	NA
1,1-Dichloroethane	ug/l	8260	2.8	2.8	- -	6.9	< 0.12	0.54 J	0.25 J	< 0.12	< 0.12	NA	NA	NA
1,1-Dichloroethene	ug/l	8260	28	7	7	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	NA	NA	NA
1,2,4-Trichlorobenzene	ug/l	8260	0.4	70	70	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	NA	NA	NA
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.00033	0.2	0.2	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
1,2-Dibromoethane (EDB)	ug/l	8260	0.0075	0.05	0.05	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	NA
1,2-Dichlorobenzene	ug/l	8260	30	600	600	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	34	NA	NA	NA
1,2-Dichloroethane	ug/l	8260	0.17	5	5	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	NA	NA	NA
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	- -	10	1.3	1.9	0.55 J	< 0.51	6.5	NA	NA	NA
cis-1,2-Dichloroethene	ug/l	8260	3.6	70	70	9.8	1.3	1.8	0.54 J	< 0.24	4.3	NA	NA	NA
trans-1,2-Dichloroethene	ug/l	8260	6.8	100	100	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	2.2	NA	NA	NA
1,2-Dichloropropane	ug/l	8260	0.82	5	5	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	NA	NA	NA
cis-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
trans-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	NA	NA	NA
1,3-Dichlorobenzene [1]	ug/l	8260	0.48	75	75	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	NA	NA	NA
1,4-Dichlorobenzene	ug/l	8260	0.48	75	75	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	0.59 J	NA	NA	NA
2-Butanone (MEK)	ug/l	8260	560	5600	- -	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	3.9 J	NA	NA	NA
2-Hexanone	ug/l	8260	3.8	- -	- -	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	ug/l	8260	630	1200	- -	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	NA	NA	NA
Acetone	ug/l	8260	1400	14000	- -	< 2.5	< 2.5	< 2.5	< 2.5	4.9 J	5.2	NA	NA	NA
Benzene	ug/l	8260	0.46	5	5	< 0.11	< 0.11	< 0.11	0.19 J	< 0.11	0.35 J	NA	NA	NA
Bromoform	ug/l	8260	3.3	3.3	80	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
Bromomethane	ug/l	8260	0.75	7.5	- -	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	NA
Carbon disulfide	ug/l	8260	81	810	- -	< 0.21	< 0.21	< 0.21	0.58 J	< 0.21	< 0.21	NA	NA	NA
Carbon tetrachloride	ug/l	8260	0.46	5	5	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Chlorobenzene	ug/l	8260	7.8	100	100	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	0.6 J	NA	NA	NA
Chlorodibromomethane	ug/l	8260	0.87	0.87	80	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Chloroethane	ug/l	8260	2100	21000	- -	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	NA	NA	NA
Chloroform	ug/l	8260	0.22	0.22	80	< 0.17	4.3	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	NA
Chloromethane	ug/l	8260	19	190	- -	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	NA
Cyclohexane	ug/l	8260	1300	13000	- -	< 0.25	< 0.25	< 0.25	1	< 0.25	0.4 J	NA	NA	NA
Dichlorobromomethane	ug/l	8260	0.13	0.13	80	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
Dichlorodifluoromethane	ug/l	8260	20	200	- -	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
Ethylbenzene	ug/l	8260	1.5	700	700	< 0.23	< 0.23	< 0.23	7	0.23 J	12	NA	NA	NA
Isopropylbenzene	ug/l	8260	45	450	- -	< 0.16	< 0.16	< 0.16	3.5	< 0.16	4.4	NA	NA	NA
Methyl acetate	ug/l	8260	2000	5300	- -	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Methyl tert-butyl ether	ug/l	8260	14	14	- -	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	NA
Methylcyclohexane [1]	ug/l	8260	1300	13000	- -	< 0.26	< 0.26	< 0.26	2.2	< 0.26	1.3	NA	NA	NA
Methylene Chloride	ug/l	8260	11	5	5	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
Naphthalene	ug/l	8260	0.12	0.17	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ug/l	8260	120	100	100	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	1.1	NA	NA	NA
Tetrachloroethene	ug/l	8260	4.1	5	5	3.7	1.8	0.46 J	4.2	< 0.15	***10***	NA	NA	NA
Toluene	ug/l	8260	110	1000	1000	< 0.15	< 0.15	< 0.15	2.1	< 0.15	4.2	NA	NA	NA
Trichloroethene	ug/l	8260	0.28	5	5	1.4	0.42 J	0.79 J	0.31 J	< 0.14	1.8	NA	NA	NA
Trichlorofluoromethane	ug/l	8260	520	1100	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	NA
Vinyl chloride	ug/l	8260	0.019	2	2	0.24 J	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	NA	NA	NA
Xylenes, Total	ug/l	8260	19	10000	10000	< 0.49	< 0.49	< 0.49	31	0.92 J	50	NA	NA	NA
Semi-Volatile Organics														
1,1'-Biphenyl	ug/l	8270	0.083	0.83	- -	< 0.11	< 0.1	< 0.13	1.3	< 0.11	2.6	< 0.057	< 0.057	< 0.059
2,4,5-Trichlorophenol	ug/l	8270	120	1200	- -	< 0.13	< 0.12	< 0.15	< 0.12 R	< 0.13	< 0.12	< 0.059	< 0.059	< 0.061
2,4,6-Trichlorophenol	ug/l	8270	1.2	4.1	- -	< 0.31	< 0.29	< 0.36	< 0.29 R	< 0.31	< 0.3	< 0.065	< 0.065	< 0.068
2,4-Dichlorophenol	ug/l	8270	4.6	46	- -	< 0.07	< 0.065	< 0.08	< 0.065 R	< 0.07	< 0.067	< 0.049	< 0.049	< 0.051
2,4-Dimethylphenol	ug/l	8270	36	360	- -	< 0.18	< 0.16	< 0.2	< 0.16 R	< 0.18	< 0.17	< 0.039	< 0.039	< 0.041

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-01A DUP 02/19/2014 Duplicate	VII-MW-02A 02/19/2014	VII-MW-03A 02/19/2014	VII-MW-01P 02/14/2014	VII-MW-02P 02/13/2014	VII-MW-03P 02/14/2014	VI-MW-03A 01/17/2019	VI-MW-03A DUP 01/17/2019 Duplicate	VI-MW-04A 01/17/2019
2,4-Dinitrophenol	ug/l	8270	3.9	39	- -	< 2.6	< 2.4	< 3	< 2.4 R	< 2.6	< 2.5	< 1.5	< 1.5	< 1.5
2,4-Dinitrotoluene	ug/l	8270	0.24	0.24	- -	< 0.22	< 0.21	< 0.25	< 0.21	< 0.22	< 0.21	< 0.049	< 0.049	< 0.051
2,6-Dinitrotoluene	ug/l	8270	0.049	0.049	- -	< 0.14	< 0.13	< 0.16	< 0.13	< 0.14	< 0.14	< 0.058	< 0.058	< 0.06
2-Chloronaphthalene	ug/l	8270	75	330	- -	< 0.032	< 0.03	< 0.037	< 0.03	< 0.032	< 0.031	< 0.057	< 0.057	< 0.059
2-Chlorophenol	ug/l	8270	9.1	27	- -	< 0.23	< 0.22	< 0.27	< 0.22 R	< 0.23	< 0.23	< 0.062	< 0.062	< 0.064
2-Methylnaphthalene	ug/l	8270	3.6	36	- -	< 0.02	< 0.018	< 0.023	22	0.12 J	29	< 0.06	< 0.06	< 0.062
2-Methylphenol	ug/l	8270	93	930	- -	< 0.19	< 0.18	< 0.22	< 0.18 R	< 0.19	< 0.19	< 0.1	< 0.1	< 0.11
2-Nitroaniline	ug/l	8270	19	190	- -	< 0.7	< 0.65	< 0.8	< 0.65	< 0.7	< 0.67	< 0.2	< 0.2	< 0.21
2-Nitrophenol	ug/l	8270	- -	- -	- -	< 0.12	< 0.11	< 0.13	< 0.11 R	< 0.12	< 0.11	< 0.059	< 0.059	< 0.061
3,3'-Dichlorobenzidine	ug/l	8270	0.13	0.13	- -	< 0.15	< 0.14	< 0.17	< 0.14	< 0.15	< 0.15	< 0.56	< 0.56	< 0.58
3-Nitroaniline	ug/l	8270	- -	- -	- -	< 0.84	< 0.77	< 0.96	< 0.77	< 0.84	< 0.81	< 0.064	< 0.064	< 0.067
4,6-Dinitro-2-methylphenol	ug/l	8270	0.15	- -	- -	< 1.6	< 1.5	< 1.9	< 1.5 R	< 1.6	< 1.6	< 1.4	< 1.4	< 1.5
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	- -	< 0.12	< 0.11	< 0.14	< 0.11	< 0.12	< 0.12	< 0.061	< 0.061	< 0.063
4-Chloro-3-methylphenol	ug/l	8270	140	- -	- -	< 0.18	< 0.16	< 0.2	< 0.16 R	< 0.18	< 0.17	< 0.059	< 0.059	< 0.061
4-Chloroaniline	ug/l	8270	0.37	0.37	- -	< 0.3	< 0.28	< 0.35	< 0.28	< 0.3	< 0.29	< 0.042	< 0.042	< 0.044
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	- -	< 0.083	< 0.077	< 0.095	< 0.077	< 0.083	< 0.08	< 0.059	< 0.059	< 0.061
4-Nitroaniline	ug/l	8270	3.8	- -	- -	< 0.81	< 0.74	< 0.92	< 0.74	< 0.81	< 0.77	< 0.056	< 0.056	< 0.058
4-Nitrophenol [1]	ug/l	8270	3.9	39	- -	< 0.84	< 0.77	< 0.96	< 0.77 R	< 0.84	< 0.8	< 0.14	< 0.14	< 0.14
Acenaphthene	ug/l	8270	53	240	- -	< 0.03	< 0.028	< 0.035	< 0.028	0.082 J	2.1	< 0.063	< 0.063	< 0.065
Acenaphthylene [1]	ug/l	8270	53	320	- -	< 0.022	< 0.021	< 0.026	< 0.021	< 0.022	< 0.022	< 0.063	< 0.063	< 0.065
Acetophenone	ug/l	8270	190	1900	- -	< 0.12	< 0.11	< 0.13	< 0.11	< 0.12	< 0.11	< 0.06	< 0.06	< 0.062
Anthracene	ug/l	8270	180	1800	- -	< 0.02	< 0.018	< 0.023	< 0.018	0.058 J	0.29	< 0.047	< 0.047	< 0.049
Atrazine	ug/l	8270	0.3	3	3	< 0.23	< 0.21	< 0.27	< 0.21	< 0.23	< 0.22	< 0.18	< 0.18	< 0.18
Benzaldehyde	ug/l	8270	19	1900	- -	< 0.11	< 0.1	< 0.13	< 0.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Benzo[a]anthracene	ug/l	8270	0.03	0.012	- -	< 0.038	< 0.035	< 0.044	< 0.035	< 0.038	< 0.037	< 0.072	< 0.072	< 0.075
Benzo[a]pyrene	ug/l	8270	0.025	0.2	0.2	< 0.029	< 0.027	< 0.034	< 0.027	< 0.029	< 0.028	< 0.051	< 0.051	< 0.053
Benzo[b]fluoranthene	ug/l	8270	0.25	0.034	- -	< 0.051	< 0.047	< 0.058	< 0.047	< 0.051	< 0.049	< 0.093	< 0.093	< 0.097
Benzo[g,h,i]perylene [1]	ug/l	8270	12	600	- -	< 0.03	< 0.028	< 0.035	< 0.028	< 0.03	< 0.029	< 0.066	< 0.066	< 0.069
Benzo[k]fluoranthene	ug/l	8270	2.5	0.34	- -	< 0.031	< 0.029	< 0.036	< 0.029	< 0.031	< 0.03	< 0.085	< 0.085	< 0.088
Bis(2-chloroisopropyl)ether	ug/l	8270	71	0.36	- -	< 0.025	< 0.023	< 0.028	< 0.023	< 0.025	< 0.024	< 0.056 UJ	< 0.056 UJ	< 0.058 UJ
Bis(2-chloroethoxy)methane	ug/l	8270	5.9	- -	- -	< 0.14	< 0.13	< 0.16	< 0.13	< 0.14	< 0.13	< 0.064	< 0.064	< 0.067
Bis(2-chloroethyl)ether	ug/l	8270	0.014	0.014	- -	< 0.033	< 0.03	< 0.038	< 0.03	< 0.033	< 0.032	< 0.038	< 0.038	< 0.04
Bis(2-ethylhexyl) phthalate	ug/l	8270	5.6	6	6	0.61 J	0.8 J	0.6 J	1.6 J	1 J	1.6 J	< 4.4	< 4.4	< 4.6
Butyl benzyl phthalate	ug/l	8270	16	16	- -	< 0.22	0.29 J	< 0.25	3.6	3.3	1.6	0.44 J	< 0.44	< 0.46
Caprolactam	ug/l	8270	990	9900	- -	< 1.5	< 1.4	< 1.8	< 1.4	< 1.5	< 1.5	< 0.45	< 0.45	< 0.47
Carbazole [1]	ug/l	8270	180	1800	- -	< 0.028	< 0.026	< 0.032	< 0.026	< 0.028	1.3	< 0.049	< 0.049	< 0.051
Chrysene	ug/l	8270	25	3.4	- -	< 0.032	< 0.03	< 0.037	< 0.03	< 0.032	< 0.031	< 0.078	< 0.078	< 0.081
Dibenz(a,h)anthracene	ug/l	8270	0.025	0.0034	- -	< 0.028	< 0.026	< 0.032	< 0.026	< 0.028	< 0.027	< 0.069	< 0.069	< 0.072
Dibenzofuran	ug/l	8270	0.79	7.9	- -	< 0.1	< 0.093	< 0.11	1.1	< 0.1	1.5	< 0.07	< 0.07	< 0.073
Diethyl phthalate	ug/l	8270	1500	15000	- -	< 0.31	< 0.29	< 0.35	< 0.29	0.34 B	< 0.3	< 0.55	< 0.55	< 0.57
Dimethyl phthalate	ug/l	8270	- -	- -	- -	< 0.19	< 0.18	< 0.22	< 0.18	< 0.19	< 0.18	< 0.054	< 0.054	< 0.056
Di-n-butyl phthalate	ug/l	8270	90	900	- -	< 0.25	< 0.23	< 0.29	0.23 J	< 0.25	< 0.24	< 0.71	< 0.71	< 0.74
Di-n-octyl phthalate	ug/l	8270	20	- -	- -	< 0.21	< 0.2	< 0.24	< 0.2	< 0.21	< 0.2	< 0.66	< 0.66	< 0.69
Fluoranthene	ug/l	8270	80	800	- -	< 0.022	< 0.02	< 0.025	0.11 J	0.023 J	0.16 J	< 0.058	< 0.058	< 0.06
Fluorene	ug/l	8270	29	150	- -	< 0.025	< 0.023	< 0.029	1.7	0.04 J	2.4	< 0.066	< 0.066	< 0.069
Hexachlorobenzene	ug/l	8270	0.0098	1	1	< 0.064	< 0.059	< 0.073	< 0.059	< 0.064	< 0.061	< 0.054	< 0.054	< 0.056
Hexachlorobutadiene	ug/l	8270	0.14	0.14	- -	< 0.098	< 0.09	< 0.11	< 0.09	< 0.098	< 0.094	< 0.066	< 0.066	< 0.069
Hexachlorocyclopentadiene	ug/l	8270	0.041	50	50	< 0.14	< 0.13	< 0.16	< 0.13	< 0.14	< 0.14	< 0.48	< 0.48	< 0.5
Hexachloroethane	ug/l	8270	0.33	0.33	- -	< 0.14	< 0.13	< 0.16	< 0.13	< 0.14	< 0.14	< 0.06	< 0.06	< 0.062
Indeno[1,2,3-cd]pyrene	ug/l	8270	0.25	0.034	- -	< 0.045	< 0.042	< 0.052	< 0.042	< 0.045	< 0.043	< 0.082	< 0.082	< 0.085
Isophorone	ug/l	8270	78	78	- -	< 0.077	< 0.071	< 0.088	< 0.071	< 0.077	< 0.074	< 0.052	< 0.052	< 0.054
Methylphenol, 3 & 4 [1]	ug/l	8270	93	930	- -	< 0.22	< 0.2	< 0.25	< 0.2 R	< 0.22	< 0.21	< 0.4	< 0.4	< 0.42
Naphthalene	ug/l	8270	0.12	0.17	- -	< 0.024	< 0.022	< 0.027	9.1	0.16 J	17	< 0.057	< 0.057	< 0.059
Nitrobenzene	ug/l	8270	0.14	0.14	- -	< 0.16	< 0.14	< 0.18	< 0.14	< 0.16	< 0.15	< 0.16	< 0.16	< 0.17
N-Nitrosodi-n-propylamine	ug/l	8270	0.011	0.011	- -	< 0.052	< 0.048	< 0.06	< 0.048	< 0.052	< 0.05	< 0.068	< 0.068	< 0.071
N-Nitrosodiphenylamine	ug/l	8270	12	12	- -	< 0.13	< 0.12	< 0.14	< 0.12	< 0.13	< 0.12	< 0.11	< 0.11	< 0.12
Pentachlorophenol	ug/l	8270	0.041	1	1	< 0.52	< 0.48	< 0.6	< 0.48 R	< 0.52	< 0.5	< 0.23	< 0.23	< 0.24

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-01A DUP 02/19/2014 Duplicate	VII-MW-02A 02/19/2014	VII-MW-03A 02/19/2014	VII-MW-01P 02/14/2014	VII-MW-02P 02/13/2014	VII-MW-03P 02/14/2014	VI-MW-03A 01/17/2019	VI-MW-03A DUP 01/17/2019 Duplicate	VI-MW-04A 01/17/2019
Phenanthrene [1]	ug/l	8270	180	6000	- -	< 0.043	< 0.04	0.054 J	2.6	0.051 J	2.5	< 0.053	< 0.053	< 0.055
Phenol	ug/l	8270	580	5800	- -	< 0.058	< 0.053	< 0.066	< 0.053 R	< 0.058	0.33 J	< 0.094	< 0.094	< 0.098
Pyrene	ug/l	8270	12	79	- -	< 0.024	< 0.022	< 0.027	< 0.022	0.036 J	0.15 J	< 0.052	< 0.052	< 0.054
Inorganics [3]														
Aluminum	ug/l	6020	2000	20000	*200*	< 2.6 UJ	< 2.6 UJ	***2600*** J	5.5 J	24 J	50 J	NA	NA	NA
Antimony	ug/l	6020	0.78	7.8	6	0.082 J	0.079 J	0.1 J	< 0.019 UL	0.047 L	< 0.019 UL	NA	NA	NA
Arsenic	ug/l	6020	0.052	10	10	< 0.29 UJ	< 0.29 UJ	< 0.29 UJ	1.2 K	2.3 K	1.9 K	NA	NA	NA
Barium	ug/l	6020	380	2000	2000	29 J	23 J	41 J	94 J	20 J	26 J	NA	NA	NA
Beryllium	ug/l	6020	2.5	4	4	< 0.037 UJ	< 0.037 UJ	0.85 J	< 0.037 UJ	< 0.037 UJ	< 0.037 UJ	NA	NA	NA
Cadmium	ug/l	6020	0.92	5	5	< 0.11 UJ	< 0.11 UJ	1.4 J	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	NA	NA	NA
Calcium	ug/l	6020	- -	- -	- -	140000 K	56000 K	140000 K	1000000 J	31000 J	220000 J	NA	NA	NA
Chromium [1]	ug/l	6020	2200	22000	100	1.1 J	2.1 J	3.4 J	1.5 J	0.95 J	0.98 J	NA	NA	NA
Cobalt	ug/l	6020	0.6	6	- -	1.1 J	0.1 J	47 J	0.71 J	0.11 J	0.14 J	NA	NA	NA
Copper	ug/l	6020	80	800	1300	0.43 K	1 K	7.3 K	1.8 K	0.74 K	0.75 K	NA	NA	NA
Iron	ug/l	6020	1400	14000	*300*	< 6.1 UJ	< 6.1 UJ	***1400*** J	42 J	10 J	20 J	NA	NA	NA
Lead	ug/l	6020	15	15	15	0.033 B	0.031 B	4.4 J	0.056 B	0.072 B	0.073 B	NA	NA	NA
Magnesium	ug/l	6020	- -	- -	- -	32000 J	16000 J	13000 J	690 L	4400 L	16000 L	NA	NA	NA
Manganese [1]	ug/l	6020	43	850	*50*	***1100*** J	24 J	***19000*** J	25 J	***260*** J	8.6 J	NA	NA	NA
Mercury	ug/l	7470	0.063	2	2	< 0.038	0.043 J	< 0.038	0.05 J	< 0.038	< 0.038	NA	NA	NA
Nickel	ug/l	6020	39	390	- -	4.1 J	1.7 J	46 J	< 1.7 UJ	0.95 J	< 0.17 UJ	NA	NA	NA
Potassium	ug/l	6020	- -	- -	- -	2700 J	4100 J	15000 J	49000 J	2600 J	22000 J	NA	NA	NA
Selenium	ug/l	6020	10	50	50	< 0.42 UJ	0.72 B	1 B	15 J	0.45 J	1.1 J	NA	NA	NA
Silver	ug/l	6020	9.4	94	*100*	< 0.036 UJ	< 0.036 UJ	0.092 J	< 0.036 UJ	< 0.036 UJ	< 0.036 UJ	NA	NA	NA
Sodium	ug/l	6020	- -	- -	- -	47000 K	52000 K	47000 K	42000 J	7400 J	35000 J	NA	NA	NA
Thallium	ug/l	6020	0.02	2	2	< 0.015 UJ	< 0.015 UJ	0.093 B	0.043 B	0.035 B	< 0.015 UJ	NA	NA	NA
Vanadium	ug/l	6020	8.6	1.2	- -	0.34 B	0.39 B	0.13 B	< 0.082 UJ	1.8 J	1.5 J	NA	NA	NA
Zinc	ug/l	6020	600	6000	*5000*	4.7 K	7.2 K	100 K	4.7 J	5.7 J	8.1 J	NA	NA	NA
Other Parameters														
Cyanide, Total	ug/l	9012	0.15	200	200	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	NA	NA	NA

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-04P 01/17/2019	VII-MW-05P 01/17/2019	VII-MW-06P 01/17/2019	VII-MW-07P 01/17/2019	MA-MW-07A 04/04/2019	MA-MW-07D 04/04/2019	VI-MW-01A 04/01/2019	VI-MW-01P 04/01/2019	VI-MW-02AR 04/01/2019
Volatile Organic Compounds														
1,1,1-Trichloroethane	ug/l	8260	800	200	200	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2,2-Tetrachloroethane	ug/l	8260	0.076	0.076	- -	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	1000	57000	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	ug/l	8260	0.041	5	5	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45
1,1-Dichloroethane	ug/l	8260	2.8	2.8	- -	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63
1,1-Dichloroethene	ug/l	8260	28	7	7	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	0.96 J	< 0.55	< 0.55	< 0.55
1,2,4-Trichlorobenzene	ug/l	8260	0.4	70	70	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.00033	0.2	0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	ug/l	8260	0.0075	0.05	0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	ug/l	8260	30	600	600	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	ug/l	8260	0.17	5	5	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	- -	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3
cis-1,2-Dichloroethene	ug/l	8260	3.6	70	70	< 0.71	< 0.71	< 0.71	< 0.71	< 0.71	< 0.71	1.2	< 0.71	< 0.71
trans-1,2-Dichloroethene	ug/l	8260	6.8	100	100	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67
1,2-Dichloropropane	ug/l	8260	0.82	5	5	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66
cis-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
trans-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58
1,3-Dichlorobenzene [1]	ug/l	8260	0.48	75	75	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	ug/l	8260	0.48	75	75	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	ug/l	8260	560	5600	- -	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6
2-Hexanone	ug/l	8260	3.8	- -	- -	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3
4-Methyl-2-pentanone (MIBK)	ug/l	8260	630	1200	- -	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1
Acetone	ug/l	8260	1400	14000	- -	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	5.8	4 J	5.7 J	5.2 J
Benzene	ug/l	8260	0.46	5	5	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
Bromoform	ug/l	8260	3.3	3.3	80	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98
Bromomethane	ug/l	8260	0.75	7.5	- -	< 0.89	< 0.89 UJ	< 0.89 UJ	< 0.89 UJ	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89
Carbon disulfide	ug/l	8260	81	810	- -	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88
Carbon tetrachloride	ug/l	8260	0.46	5	5	< 0.88	< 0.88 UJ	< 0.88 UJ	< 0.88 UJ	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88
Chlorobenzene	ug/l	8260	7.8	100	100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Chlorodibromomethane	ug/l	8260	0.87	0.87	80	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84
Chloroethane	ug/l	8260	2100	21000	- -	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9
Chloroform	ug/l	8260	0.22	0.22	80	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	4.3	< 0.6	< 0.6
Chloromethane	ug/l	8260	19	190	- -	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9
Cyclohexane	ug/l	8260	1300	13000	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	ug/l	8260	0.13	0.13	80	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64
Dichlorodifluoromethane	ug/l	8260	20	200	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	ug/l	8260	1.5	700	700	0.54 J	< 0.51	< 0.51	< 0.51	< 0.51	< 0.51	< 0.51	< 0.51	< 0.51
Isopropylbenzene	ug/l	8260	45	450	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	ug/l	8260	2000	5300	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	ug/l	8260	14	14	- -	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Methylcyclohexane [1]	ug/l	8260	1300	13000	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	ug/l	8260	11	5	5	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89
Naphthalene	ug/l	8260	0.12	0.17	- -	2.4	< 0.79	< 0.79	< 0.79	< 0.79 UJ	< 0.79 UJ	< 0.79	< 0.79	< 0.79
Styrene	ug/l	8260	120	100	100	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47
Tetrachloroethene	ug/l	8260	4.1	5	5	2.4	< 0.47	0.9 J	< 0.47	< 0.47	< 0.47	1.4	< 0.47	< 0.47
Toluene	ug/l	8260	110	1000	1000	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46
Trichloroethene	ug/l	8260	0.28	5	5	< 0.69	< 0.69	< 0.69	< 0.69	< 0.69	< 0.69	0.84 J	< 0.69	< 0.69
Trichlorofluoromethane	ug/l	8260	520	1100	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	ug/l	8260	0.019	2	2	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88
Xylenes, Total	ug/l	8260	19	10000	10000	1.3 J	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89
Semi-Volatile Organics														
1,1'-Biphenyl	ug/l	8270	0.083	0.83	- -	NA	NA	NA	NA	< 0.055	< 0.057	< 0.055	< 0.061	< 0.057
2,4,5-Trichlorophenol	ug/l	8270	120	1200	- -	NA	NA	NA	NA	< 0.056	< 0.059	< 0.056	< 0.064	< 0.059
2,4,6-Trichlorophenol	ug/l	8270	1.2	4.1	- -	NA	NA	NA	NA	< 0.063	< 0.065	< 0.063	< 0.071	< 0.065
2,4-Dichlorophenol	ug/l	8270	4.6	46	- -	NA	NA	NA	NA	< 0.047	< 0.049	< 0.047	< 0.053	< 0.049
2,4-Dimethylphenol	ug/l	8270	36	360	- -	NA	NA	NA	NA	< 0.038	< 0.039	< 0.038	< 0.043	< 0.039

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]															
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-04P 01/17/2019	VII-MW-05P 01/17/2019	VII-MW-06P 01/17/2019	VII-MW-07P 01/17/2019	MA-MW-07A 04/04/2019		MA-MW-07D 04/04/2019		VI-MW-01A 04/01/2019		VI-MW-01P 04/01/2019		VI-MW-02AR 04/01/2019	
2,4-Dinitrophenol	ug/l	8270	3.9	39	- -	NA	NA	NA	NA	< 1.4		< 1.5		< 1.4		< 1.6		< 1.5	
2,4-Dinitrotoluene	ug/l	8270	0.24	0.24	- -	NA	NA	NA	NA	< 0.047		< 0.049		< 0.047		< 0.053		< 0.049	
2,6-Dinitrotoluene	ug/l	8270	0.049	0.049	- -	NA	NA	NA	NA	< 0.056		< 0.058		< 0.056		< 0.063		< 0.058	
2-Chloronaphthalene	ug/l	8270	75	330	- -	NA	NA	NA	NA	< 0.055		< 0.057		< 0.055		< 0.061		< 0.057	
2-Chlorophenol	ug/l	8270	9.1	27	- -	NA	NA	NA	NA	< 0.059		< 0.062		< 0.059		< 0.067		< 0.062	
2-Methylnaphthalene	ug/l	8270	3.6	36	- -	NA	NA	NA	NA	< 0.057		< 0.06		< 0.057		< 0.065		< 0.06	
2-Methylphenol	ug/l	8270	93	930	- -	NA	NA	NA	NA	< 0.28		< 0.29		< 0.28		< 0.31		< 0.29	
2-Nitroaniline	ug/l	8270	19	190	- -	NA	NA	NA	NA	< 0.51		< 0.53		< 0.51		< 0.57		< 0.53	
2-Nitrophenol	ug/l	8270	- -	- -	- -	NA	NA	NA	NA	< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
3,3'-Dichlorobenzidine	ug/l	8270	0.13	0.13	- -	NA	NA	NA	NA	< 0.54		< 0.56		< 0.54		< 0.61		< 0.56	
3-Nitroaniline	ug/l	8270	- -	- -	- -	NA	NA	NA	NA	< 0.062		< 0.064		< 0.062		< 0.07		< 0.064	
4,6-Dinitro-2-methylphenol	ug/l	8270	0.15	- -	- -	NA	NA	NA	NA	< 1.4		< 1.4		< 1.4		< 1.5		< 1.4	
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	- -	NA	NA	NA	NA	< 0.058		< 0.061		< 0.058		< 0.066		< 0.061	
4-Chloro-3-methylphenol	ug/l	8270	140	- -	- -	NA	NA	NA	NA	< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
4-Chloroaniline	ug/l	8270	0.37	0.37	- -	NA	NA	NA	NA	< 0.041		< 0.042		< 0.041		< 0.046		< 0.042	
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	- -	NA	NA	NA	NA	< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
4-Nitroaniline	ug/l	8270	3.8	- -	- -	NA	NA	NA	NA	< 0.054		< 0.056		< 0.054		< 0.06		< 0.056	
4-Nitrophenol [1]	ug/l	8270	3.9	39	- -	NA	NA	NA	NA	< 0.13		< 0.14		< 0.13		< 0.15		< 0.14	
Acenaphthene	ug/l	8270	53	240	- -	NA	NA	NA	NA	< 0.06		< 0.063		< 0.06		0.073	J	< 0.063	
Acenaphthylene [1]	ug/l	8270	53	320	- -	NA	NA	NA	NA	< 0.06		< 0.063		< 0.06		< 0.068		< 0.063	
Acetophenone	ug/l	8270	190	1900	- -	NA	NA	NA	NA	< 0.057		< 0.06		< 0.057		< 0.065		< 0.06	
Anthracene	ug/l	8270	180	1800	- -	NA	NA	NA	NA	< 0.045		< 0.047		< 0.045		< 0.051		< 0.047	
Atrazine	ug/l	8270	0.3	3	3	NA	NA	NA	NA	< 0.59		< 0.61		< 0.59	UJ	< 0.66	UJ	< 0.61	UJ
Benzaldehyde	ug/l	8270	19	1900	- -	NA	NA	NA	NA	< 0.1		< 0.11		< 0.1		< 0.12		< 0.11	
Benzo[a]anthracene	ug/l	8270	0.03	0.012	- -	NA	NA	NA	NA	< 0.069		< 0.072		< 0.069		< 0.078		< 0.072	
Benzo[a]pyrene	ug/l	8270	0.025	0.2	0.2	NA	NA	NA	NA	< 0.049		< 0.051		< 0.049		< 0.055		< 0.051	
Benzo[b]fluoranthene	ug/l	8270	0.25	0.034	- -	NA	NA	NA	NA	< 0.09		< 0.093		< 0.09		< 0.1		< 0.093	
Benzo[g,h,i]perylene [1]	ug/l	8270	12	600	- -	NA	NA	NA	NA	< 0.064		< 0.066		< 0.064		< 0.072		< 0.066	
Benzo[k]fluoranthene	ug/l	8270	2.5	0.34	- -	NA	NA	NA	NA	< 0.081		< 0.085		< 0.081		< 0.092		< 0.085	
Bis(2-chloroisopropyl)ether	ug/l	8270	71	0.36	- -	NA	NA	NA	NA	< 0.054		< 0.056		< 0.054		< 0.06		< 0.056	
Bis(2-chloroethoxy)methane	ug/l	8270	5.9	- -	- -	NA	NA	NA	NA	< 0.062		< 0.064		< 0.062		< 0.07		< 0.064	
Bis(2-chloroethyl)ether	ug/l	8270	0.014	0.014	- -	NA	NA	NA	NA	< 0.037		< 0.038		< 0.037		< 0.042		< 0.038	
Bis(2-ethylhexyl) phthalate	ug/l	8270	5.6	6	6	NA	NA	NA	NA	< 5.8		< 6		< 5.8		< 6.5		< 6	
Butyl benzyl phthalate	ug/l	8270	16	16	- -	NA	NA	NA	NA	0.46	J	< 0.44		0.49	J	0.61	J	0.56	J
Caprolactam	ug/l	8270	990	9900	- -	NA	NA	NA	NA	0.8	J	0.76	J	< 0.44		1.1	J	1.6	J
Carbazole [1]	ug/l	8270	180	1800	- -	NA	NA	NA	NA	< 0.047		< 0.049		< 0.047		< 0.053		< 0.049	
Chrysene	ug/l	8270	25	3.4	- -	NA	NA	NA	NA	< 0.075		< 0.078		< 0.075		< 0.084		< 0.078	
Dibenz(a,h)anthracene	ug/l	8270	0.025	0.0034	- -	NA	NA	NA	NA	< 0.067		< 0.069		< 0.067		< 0.075		< 0.069	
Dibenzofuran	ug/l	8270	0.79	7.9	- -	NA	NA	NA	NA	< 0.068		< 0.07		< 0.068		< 0.076		< 0.07	
Diethyl phthalate	ug/l	8270	1500	15000	- -	NA	NA	NA	NA	< 0.53		< 0.55		< 0.53		< 0.59		< 0.55	
Dimethyl phthalate	ug/l	8270	- -	- -	- -	NA	NA	NA	NA	< 0.052		< 0.054		< 0.052		< 0.058		< 0.054	
Di-n-butyl phthalate	ug/l	8270	90	900	- -	NA	NA	NA	NA	< 0.69		0.72	J	< 0.69		< 0.77		< 0.71	
Di-n-octyl phthalate	ug/l	8270	20	- -	- -	NA	NA	NA	NA	< 0.63		< 0.66		< 0.63		< 0.71		< 0.66	
Fluoranthene	ug/l	8270	80	800	- -	NA	NA	NA	NA	< 0.056		< 0.058		< 0.056		0.086	J	< 0.058	
Fluorene	ug/l	8270	29	150	- -	NA	NA	NA	NA	< 0.064		< 0.066		< 0.064		< 0.072		< 0.066	
Hexachlorobenzene	ug/l	8270	0.0098	1	1	NA	NA	NA	NA	< 0.052		< 0.054		< 0.052		< 0.058		< 0.054	
Hexachlorobutadiene	ug/l	8270	0.14	0.14	- -	NA	NA	NA	NA	< 0.064		< 0.066		< 0.064		< 0.072		< 0.066	
Hexachlorocyclopentadiene	ug/l	8270	0.041	50	50	NA	NA	NA	NA	< 0.46		< 0.48		< 0.46		< 0.52		< 0.48	
Hexachloroethane	ug/l	8270	0.33	0.33	- -	NA	NA	NA	NA	< 0.057		< 0.06		< 0.057		< 0.065		< 0.06	
Indeno[1,2,3-cd]pyrene	ug/l	8270	0.25	0.034	- -	NA	NA	NA	NA	< 0.079		< 0.082		< 0.079		< 0.089		< 0.082	
Isophorone	ug/l	8270	78	78	- -	NA	NA	NA	NA	< 0.05		< 0.052		< 0.05		< 0.056		< 0.052	
Methylphenol, 3 & 4 [1]	ug/l	8270	93	930	- -	NA	NA	NA	NA	< 0.34		< 0.36		< 0.34		< 0.39		< 0.36	
Naphthalene	ug/l	8270	0.12	0.17	- -	NA	NA	NA	NA	< 0.055		< 0.057		< 0.055		< 0.061		< 0.057	
Nitrobenzene	ug/l	8270	0.14	0.14	- -	NA	NA	NA	NA	< 0.46		< 0.48		< 0.46		< 0.52		< 0.48	
N-Nitrosodi-n-propylamine	ug/l	8270	0.011	0.011	- -	NA	NA	NA	NA	< 0.066		< 0.068		< 0.066		< 0.074		< 0.068	
N-Nitrosodiphenylamine	ug/l	8270	12	12	- -	NA	NA	NA	NA	< 0.11		< 0.11		< 0.11		< 0.12		< 0.11	
Pentachlorophenol	ug/l	8270	0.041	1	1	NA	NA	NA	NA	< 0.78		< 0.81		< 0.78		< 0.88		< 0.81	

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]									
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-04P 01/17/2019	VII-MW-05P 01/17/2019	VII-MW-06P 01/17/2019	VII-MW-07P 01/17/2019	MA-MW-07A 04/04/2019	MA-MW-07D 04/04/2019	VI-MW-01A 04/01/2019	VI-MW-01P 04/01/2019	VI-MW-02AR 04/01/2019
Phenanthrene [1]	ug/l	8270	180	6000	- -	NA	NA	NA	NA	0.059 J	0.096 J	0.06 J	0.1 J	0.079 J
Phenol	ug/l	8270	580	5800	- -	NA	NA	NA	NA	< 0.45	< 0.47	< 0.45	< 0.51	< 0.47
Pyrene	ug/l	8270	12	79	- -	NA	NA	NA	NA	< 0.05	< 0.052	< 0.05	0.094 J	< 0.052
Inorganics [3]														
Aluminum	ug/l	6020	2000	20000	*200*	NA	NA	NA	NA	< 13	< 13	< 13	< 13	< 13
Antimony	ug/l	6020	0.78	7.8	6	NA	NA	NA	NA	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38
Arsenic	ug/l	6020	0.052	10	10	NA	NA	NA	NA	0.48 J	< 0.32	< 0.32	1.1	< 0.32
Barium	ug/l	6020	380	2000	2000	NA	NA	NA	NA	23	19	22	34	13
Beryllium	ug/l	6020	2.5	4	4	NA	NA	NA	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Cadmium	ug/l	6020	0.92	5	5	NA	NA	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Calcium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA	54000	63000	140000	77000	160000
Chromium [1]	ug/l	6020	2200	22000	100	NA	NA	NA	NA	3	2.2	< 1.5	1.7 J	1.7 J
Cobalt	ug/l	6020	0.6	6	- -	NA	NA	NA	NA	0.11 J	0.099 J	0.1 J	1.6	0.13 J
Copper	ug/l	6020	80	800	1300	NA	NA	NA	NA	0.82 J	0.69 J	1.6 J	0.84 J	0.8 J
Iron	ug/l	6020	1400	14000	*300*	NA	NA	NA	NA	77	17 J	< 14	***2000***	< 14
Lead	ug/l	6020	15	15	15	NA	NA	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Magnesium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA	17000	21000	43000	33000	57000
Manganese [1]	ug/l	6020	43	850	*50*	NA	NA	NA	NA	< 1.4	< 1.4	4 J	***1400***	1.9 J
Mercury	ug/l	7470	0.063	2	2	NA	NA	NA	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	ug/l	6020	39	390	- -	NA	NA	NA	NA	0.45 J	0.45 J	1.4	5.1	1.4
Potassium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA	9300	7500	2200	5000	2100
Selenium	ug/l	6020	10	50	50	NA	NA	NA	NA	3.2 J	< 2.6	< 2.6	< 2.6	2.7 J
Silver	ug/l	6020	9.4	94	*100*	NA	NA	NA	NA	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Sodium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA	110000	100000	170000	94000	72000
Thallium	ug/l	6020	0.02	2	2	NA	NA	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Vanadium	ug/l	6020	8.6	1.2	- -	NA	NA	NA	NA	2	1.2	1.4	1.7	1.2
Zinc	ug/l	6020	600	6000	*5000*	NA	NA	NA	NA	< 3.2	5.6	< 3.2	6.2	< 3.2
Other Parameters														
Cyanide, Total	ug/l	9012	0.15	200	200	NA	NA	NA	NA	37	31	< 4.4	4.7 J	< 4.4

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1] Tapwater RSL	Groundwater De Minimis	*MCL*	Sample Information [2] VI-MW-03A 03/28/2019	VI-MW-04A 03/28/2019	VI-MW-04A DUP 03/28/2019 Duplicate	VII-MW-01A 03/28/2019	VII-MW-01P 04/03/2019	VII-MW-02A 03/28/2019	VII-MW-02P 03/28/2019	VII-MW-03A 03/29/2019	VII-MW-03P 04/03/2019
Volatile Organic Compounds														
1,1,1-Trichloroethane	ug/l	8260	800	200	200	NA	NA	NA	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2,2-Tetrachloroethane	ug/l	8260	0.076	0.076	- -	NA	NA	NA	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	1000	57000	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	ug/l	8260	0.041	5	5	NA	NA	NA	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45
1,1-Dichloroethane	ug/l	8260	2.8	2.8	- -	NA	NA	NA	6	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63
1,1-Dichloroethene	ug/l	8260	28	7	7	NA	NA	NA	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55
1,2,4-Trichlorobenzene	ug/l	8260	0.4	70	70	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.00033	0.2	0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	ug/l	8260	0.0075	0.05	0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	ug/l	8260	30	600	600	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	ug/l	8260	0.17	5	5	NA	NA	NA	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57	< 0.57
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	- -	NA	NA	NA	4.9	< 1.3	< 1.3	< 1.3	1.9 J	3.3
cis-1,2-Dichloroethene	ug/l	8260	3.6	70	70	NA	NA	NA	4.9	< 0.71	1	< 0.71	1.9	2.6
trans-1,2-Dichloroethene	ug/l	8260	6.8	100	100	NA	NA	NA	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67	0.68 J
1,2-Dichloropropane	ug/l	8260	0.82	5	5	NA	NA	NA	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66
cis-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	NA	NA	NA	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
trans-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	NA	NA	NA	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58	< 0.58
1,3-Dichlorobenzene [1]	ug/l	8260	0.48	75	75	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	ug/l	8260	0.48	75	75	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	ug/l	8260	560	5600	- -	NA	NA	NA	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6
2-Hexanone	ug/l	8260	3.8	- -	- -	NA	NA	NA	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3
4-Methyl-2-pentanone (MIBK)	ug/l	8260	630	1200	- -	NA	NA	NA	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1	< 3.1
Acetone	ug/l	8260	1400	14000	- -	NA	NA	NA	4.8 J	5.8	7.9	3.6 J	6.3	6.6
Benzene	ug/l	8260	0.46	5	5	NA	NA	NA	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
Bromoform	ug/l	8260	3.3	3.3	80	NA	NA	NA	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98
Bromomethane	ug/l	8260	0.75	7.5	- -	NA	NA	NA	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89
Carbon disulfide	ug/l	8260	81	810	- -	NA	NA	NA	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88
Carbon tetrachloride	ug/l	8260	0.46	5	5	NA	NA	NA	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88
Chlorobenzene	ug/l	8260	7.8	100	100	NA	NA	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Chlorodibromomethane	ug/l	8260	0.87	0.87	80	NA	NA	NA	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84
Chloroethane	ug/l	8260	2100	21000	- -	NA	NA	NA	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9
Chloroform	ug/l	8260	0.22	0.22	80	NA	NA	NA	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
Chloromethane	ug/l	8260	19	190	- -	NA	NA	NA	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9	< 0.9
Cyclohexane	ug/l	8260	1300	13000	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorobromomethane	ug/l	8260	0.13	0.13	80	NA	NA	NA	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64	< 0.64
Dichlorodifluoromethane	ug/l	8260	20	200	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	ug/l	8260	1.5	700	700	NA	NA	NA	< 0.51	3.4	< 0.51	< 0.51	< 0.51	0.78 J
Isopropylbenzene	ug/l	8260	45	450	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl acetate	ug/l	8260	2000	5300	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	ug/l	8260	14	14	- -	NA	NA	NA	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59	< 0.59
Methylcyclohexane [1]	ug/l	8260	1300	13000	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	ug/l	8260	11	5	5	NA	NA	NA	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89	< 0.89
Naphthalene	ug/l	8260	0.12	0.17	- -	NA	NA	NA	< 0.79	24 J	< 0.79	< 0.79	< 0.79	6.2 J
Styrene	ug/l	8260	120	100	100	NA	NA	NA	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47
Tetrachloroethene	ug/l	8260	4.1	5	5	NA	NA	NA	3.3	3.2	2	< 0.47	< 0.47	2.6
Toluene	ug/l	8260	110	1000	1000	NA	NA	NA	< 0.46	0.99 J	< 0.46	< 0.46	< 0.46	< 0.46
Trichloroethene	ug/l	8260	0.28	5	5	NA	NA	NA	1	< 0.69	0.85 J	< 0.69	1	1.2
Trichlorofluoromethane	ug/l	8260	520	1100	- -	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl chloride	ug/l	8260	0.019	2	2	NA	NA	NA	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88
Xylenes, Total	ug/l	8260	19	10000	10000	NA	NA	NA	< 0.89	16	< 0.89	< 0.89	< 0.89	3
Semi-Volatile Organics														
1,1'-Biphenyl	ug/l	8270	0.083	0.83	- -	NA	NA	NA	< 0.057	2 J	< 0.059	< 0.057 UJ	< 0.064	< 0.28
2,4,5-Trichlorophenol	ug/l	8270	120	1200	- -	NA	NA	NA	< 0.059	< 0.31	< 0.061	< 0.059 UJ	< 0.066	< 0.29
2,4,6-Trichlorophenol	ug/l	8270	1.2	4.1	- -	NA	NA	NA	< 0.065	< 0.34	< 0.068	< 0.065 UJ	< 0.074	< 0.33
2,4-Dichlorophenol	ug/l	8270	4.6	46	- -	NA	NA	NA	< 0.049	< 0.26	< 0.051	< 0.049 UJ	< 0.055	< 0.25
2,4-Dimethylphenol	ug/l	8270	36	360	- -	NA	NA	NA	< 0.039	< 0.21	< 0.041	< 0.039 UJ	< 0.045	< 0.2

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]																	
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VI-MW-03A 03/28/2019		VI-MW-04A 03/28/2019		VI-MW-04A DUP 03/28/2019 Duplicate		VII-MW-01A 03/28/2019		VII-MW-01P 04/03/2019		VII-MW-02A 03/28/2019		VII-MW-02P 03/28/2019		VII-MW-03A 03/29/2019		VII-MW-03P 04/03/2019	
2,4-Dinitrophenol	ug/l	8270	3.9	39	- -	NA		NA		NA		< 1.5		< 7.7		< 1.5		< 1.5		< 1.7		< 7.4	
2,4-Dinitrotoluene	ug/l	8270	0.24	0.24	- -	NA		NA		NA		< 0.049		< 0.26		< 0.051		< 0.049		< 0.055		< 0.25	
2,6-Dinitrotoluene	ug/l	8270	0.049	0.049	- -	NA		NA		NA		< 0.058		< 0.3		< 0.06		< 0.058		< 0.065		< 0.29	
2-Chloronaphthalene	ug/l	8270	75	330	- -	NA		NA		NA		< 0.057		< 0.3		< 0.059		< 0.057	UJ	< 0.064		< 0.28	
2-Chlorophenol	ug/l	8270	9.1	27	- -	NA		NA		NA		< 0.062		< 0.32		< 0.064		< 0.062	UJ	< 0.07		< 0.31	
2-Methylnaphthalene	ug/l	8270	3.6	36	- -	NA		NA		NA		< 0.06		21		< 0.062		< 0.06	UJ	< 0.067		< 0.3	
2-Methylphenol	ug/l	8270	93	930	- -	NA		NA		NA		< 0.29		< 1.5		< 0.3		< 0.29	UJ	< 0.33		< 1.4	
2-Nitroaniline	ug/l	8270	19	190	- -	NA		NA		NA		< 0.53		< 2.7		< 0.55		< 0.53		< 0.6		< 2.6	
2-Nitrophenol	ug/l	8270	- -	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
3,3'-Dichlorobenzidine	ug/l	8270	0.13	0.13	- -	NA		NA		NA		< 0.56		< 2.9		< 0.58		< 0.56	UR	< 0.63		< 2.8	
3-Nitroaniline	ug/l	8270	- -	- -	- -	NA		NA		NA		< 0.064		< 0.34		< 0.067		< 0.064	UJ	< 0.073		< 0.32	
4,6-Dinitro-2-methylphenol	ug/l	8270	0.15	- -	- -	NA		NA		NA		< 1.4		< 7.4		< 1.5		< 1.4		< 1.6		< 7.1	
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	- -	NA		NA		NA		< 0.061		< 0.32		< 0.063		< 0.061		< 0.068		< 0.3	
4-Chloro-3-methylphenol	ug/l	8270	140	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
4-Chloroaniline	ug/l	8270	0.37	0.37	- -	NA		NA		NA		< 0.042		< 0.22		< 0.044		< 0.042	UJ	< 0.048		< 0.21	
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
4-Nitroaniline	ug/l	8270	3.8	- -	- -	NA		NA		NA		< 0.056		< 0.29		< 0.058		< 0.056		< 0.063		< 0.28	
4-Nitrophenol [1]	ug/l	8270	3.9	39	- -	NA		NA		NA		< 0.14		< 0.71		< 0.14		< 0.14		< 0.15		< 0.68	
Acenaphthene	ug/l	8270	53	240	- -	< 0.065		< 0.065		< 0.065		< 0.063		1.8		< 0.065		< 0.063	UJ	< 0.071		< 0.31	
Acenaphthylene [1]	ug/l	8270	53	320	- -	< 0.065		< 0.065		< 0.065		< 0.063		< 0.33		< 0.065		< 0.063	UJ	< 0.071		< 0.31	
Acetophenone	ug/l	8270	190	1900	- -	NA		NA		NA		< 0.06		< 0.31		< 0.062		< 0.06	UJ	< 0.067		< 0.3	
Anthracene	ug/l	8270	180	1800	- -	< 0.049		< 0.049		< 0.049		< 0.047		< 0.25		0.072	J	0.053	J	< 0.053		< 0.24	
Atrazine	ug/l	8270	0.3	3	3	NA		NA		NA		< 0.61		< 3.2		< 0.63		< 0.61		< 0.69	UJ	< 3	
Benzaldehyde	ug/l	8270	19	1900	- -	NA		NA		NA		< 0.11		< 0.56		< 0.11		< 0.11		< 0.12		< 0.53	
Benzo[a]anthracene	ug/l	8270	0.03	0.012	- -	< 0.075		< 0.075		< 0.075		< 0.072		< 0.38		0.1	J	< 0.072		< 0.082		< 0.36	
Benzo[a]pyrene	ug/l	8270	0.025	0.2	0.2	< 0.053		< 0.053		< 0.053		< 0.051		< 0.27		0.07	J	< 0.051		< 0.058		< 0.25	
Benzo[b]fluoranthene	ug/l	8270	0.25	0.034	- -	< 0.097		< 0.097		< 0.097		< 0.093		< 0.49		0.11	J	< 0.093		< 0.11		< 0.47	
Benzo[g,h,i]perylene [1]	ug/l	8270	12	600	- -	< 0.069		< 0.069		< 0.069		< 0.066		< 0.35		0.12	J	< 0.066		< 0.075		< 0.33	
Benzo[k]fluoranthene	ug/l	8270	2.5	0.34	- -	< 0.088		< 0.088		< 0.088		< 0.085		< 0.44		0.14	J	< 0.085		< 0.096		< 0.42	
Bis(2-chloroisopropyl)ether	ug/l	8270	71	0.36	- -	NA		NA		NA		< 0.056		< 0.29		< 0.058		< 0.056	UJ	< 0.063		< 0.28	
Bis(2-chloroethoxy)methane	ug/l	8270	5.9	- -	- -	NA		NA		NA		< 0.064		< 0.34		< 0.067		< 0.064	UJ	< 0.073		< 0.32	
Bis(2-chloroethyl)ether	ug/l	8270	0.014	0.014	- -	NA		NA		NA		< 0.038		< 0.2		< 0.04		< 0.038	UJ	< 0.043		< 0.19	
Bis(2-ethylhexyl) phthalate	ug/l	8270	5.6	6	6	NA		NA		NA		< 6		< 31		< 6.2		< 6		< 6.8		< 30	
Butyl benzyl phthalate	ug/l	8270	16	16	- -	NA		NA		NA		< 0.44		< 2.3		< 0.46		< 0.44		0.53	J	< 2.2	
Caprolactam	ug/l	8270	990	9900	- -	NA		NA		NA		0.95	J	< 2.4		< 0.47		0.46	J	< 0.51		< 2.3	
Carbazole [1]	ug/l	8270	180	1800	- -	NA		NA		NA		< 0.049		0.48	J	0.091	J	< 0.049		< 0.055		< 0.25	
Chrysene	ug/l	8270	25	3.4	- -	< 0.081		< 0.081		< 0.081		< 0.078		< 0.41		0.098	J	< 0.078		< 0.088		< 0.39	
Dibenz(a,h)anthracene	ug/l	8270	0.025	0.0034	- -	< 0.072		< 0.072		< 0.072		< 0.069		< 0.36		0.12	J	< 0.069		< 0.078		< 0.35	
Dibenzofuran	ug/l	8270	0.79	7.9	- -	NA		NA		NA		< 0.07		1.5	J	< 0.073		< 0.07	UJ	< 0.079		< 0.35	
Diethyl phthalate	ug/l	8270	1500	15000	- -	NA		NA		NA		< 0.55		< 2.8		< 0.57		0.75	J	< 0.62		< 2.7	
Dimethyl phthalate	ug/l	8270	- -	- -	- -	NA		NA		NA		< 0.054		< 0.28		< 0.056		< 0.054		< 0.061		< 0.27	
Di-n-butyl phthalate	ug/l	8270	90	900	- -	NA		NA		NA		< 0.71		< 3.7		< 0.74		< 0.71		< 0.81		< 3.6	
Di-n-octyl phthalate	ug/l	8270	20	- -	- -	NA		NA		NA		< 0.66		< 3.4		< 0.69		< 0.66		< 0.74		< 3.3	
Fluoranthene	ug/l	8270	80	800	- -	< 0.06		< 0.06		< 0.06		< 0.058		< 0.3		0.12	J	< 0.058		< 0.065		< 0.29	
Fluorene	ug/l	8270	29	150	- -	< 0.069		< 0.069		< 0.069		< 0.066		2.6		< 0.069		< 0.066	UJ	< 0.075		< 0.33	
Hexachlorobenzene	ug/l	8270	0.0098	1	1	NA		NA		NA		< 0.054		< 0.28		< 0.056		< 0.054	UJ	< 0.061		< 0.27	
Hexachlorobutadiene	ug/l	8270	0.14	0.14	- -	NA		NA		NA		< 0.066		< 0.35		< 0.069		< 0.066	UJ	< 0.075		< 0.33	
Hexachlorocyclopentadiene	ug/l	8270	0.041	50	50	NA		NA		NA		< 0.48		< 2.5		< 0.5		< 0.48	UR	< 0.54		< 2.4	
Hexachloroethane	ug/l	8270	0.33	0.33	- -	NA		NA		NA		< 0.06		< 0.31		< 0.062		< 0.06	UJ	< 0.067		< 0.3	
Indeno[1,2,3-cd]pyrene	ug/l	8270	0.25	0.034	- -	< 0.085		< 0.085		< 0.085		< 0.082		< 0.43		0.11	J	< 0.082		< 0.092		< 0.41	
Isophorone	ug/l	8270	78	78	- -	NA		NA		NA		< 0.052		< 0.27		< 0.054		< 0.052	UJ	< 0.059		< 0.26	
Methylphenol, 3 & 4 [1]	ug/l	8270	93	930	- -	NA		NA		NA		< 0.36		< 1.9		< 0.37		< 0.36	UJ	< 0.4		< 1.8	
Naphthalene	ug/l	8270	0.12	0.17	- -	< 0.059		< 0.059		< 0.059		< 0.057		7		< 0.059		< 0.057	UJ	< 0.064		< 0.28	
Nitrobenzene	ug/l	8270	0.14	0.14	- -	NA		NA		NA		< 0.48		< 2.5		< 0.5		< 0.48	UJ	< 0.54		< 2.4	
N-Nitrosodi-n-propylamine	ug/l	8270	0.011	0.011	- -	NA		NA		NA		< 0.068		< 0.36		< 0.071		< 0.068	UJ	< 0.077		< 0.34	
N-Nitrosodiphenylamine	ug/l	8270	12	12	- -	NA		NA		NA		< 0.11		< 0.6		< 0.12		< 0.11	UJ	< 0.13		< 0.57	
Pentachlorophenol	ug/l	8270	0.041	1	1	NA		NA		NA		< 0.81	UJ	< 4.2		< 0.85	UJ	< 0.81		< 0.92	UJ	< 4.1	

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]								
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VI-MW-03A 03/28/2019	VI-MW-04A 03/28/2019	VI-MW-04A DUP 03/28/2019 Duplicate	VII-MW-01A 03/28/2019	VII-MW-01P 04/03/2019	VII-MW-02A 03/28/2019	VII-MW-02P 03/28/2019	VII-MW-03A 03/29/2019	VII-MW-03P 04/03/2019
Phenanthrene [1]	ug/l	8270	180	6000	- -	0.094 J	< 0.055	0.073 J	0.07 J	3	0.18 J	0.14 J	0.089 J	< 0.26
Phenol	ug/l	8270	580	5800	- -	NA	NA	NA	< 0.47	< 2.4	< 0.49	< 0.47 UJ	< 0.53	< 2.3
Pyrene	ug/l	8270	12	79	- -	< 0.054	< 0.054	< 0.054	< 0.052	< 0.27	0.11 J	< 0.052	< 0.059	< 0.26
Inorganics [3]														
Aluminum	ug/l	6020	2000	20000	*200*	NA	NA	NA	< 13	< 13	< 13	24 J	140	< 13
Antimony	ug/l	6020	0.78	7.8	6	NA	NA	NA	< 0.38	< 0.38	< 0.38	0.47 J	< 0.38	< 0.38
Arsenic	ug/l	6020	0.052	10	10	NA	NA	NA	0.35 J	0.59 J	0.34 J	2.4	2.1	1.4
Barium	ug/l	6020	380	2000	2000	NA	NA	NA	34	29	33	22	38	20
Beryllium	ug/l	6020	2.5	4	4	NA	NA	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Cadmium	ug/l	6020	0.92	5	5	NA	NA	NA	0.14 J	< 0.13	0.26 J	< 0.13	0.57 J	< 0.13
Calcium	ug/l	6020	- -	- -	- -	NA	NA	NA	140000	450000	65000	38000	130000	100000
Chromium [1]	ug/l	6020	2200	22000	100	NA	NA	NA	1.7 J	< 1.5	1.5 J	< 1.5	2.6	1.5 J
Cobalt	ug/l	6020	0.6	6	- -	NA	NA	NA	0.52	0.31 J	0.24 J	< 0.075	39	0.077 J
Copper	ug/l	6020	80	800	1300	NA	NA	NA	2.2	1 J	2.1	< 0.63	2.4	0.88 J
Iron	ug/l	6020	1400	14000	*300*	NA	NA	NA	14 J	< 14	< 14	25 J	***74000***	18 J
Lead	ug/l	6020	15	15	15	NA	NA	NA	0.14 J	< 0.13	< 0.13	< 0.13	0.17 J	< 0.13
Magnesium	ug/l	6020	- -	- -	- -	NA	NA	NA	28000	< 83	18000	6300	13000	19000
Manganese [1]	ug/l	6020	43	850	*50*	NA	NA	NA	***450***	< 1.4	***940***	***150***	***9800***	35
Mercury	ug/l	7470	0.063	2	2	NA	NA	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	ug/l	6020	39	390	- -	NA	NA	NA	3.7	0.54 J	9.2	0.67 J	31	< 0.31
Potassium	ug/l	6020	- -	- -	- -	NA	NA	NA	4100	30000	4300	5000	16000	10000
Selenium	ug/l	6020	10	50	50	NA	NA	NA	< 2.6	4 J	< 2.6	< 2.6	< 2.6	< 2.6
Silver	ug/l	6020	9.4	94	*100*	NA	NA	NA	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Sodium	ug/l	6020	- -	- -	- -	NA	NA	NA	69000	16000	60000	30000	68000	23000
Thallium	ug/l	6020	0.02	2	2	NA	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Vanadium	ug/l	6020	8.6	1.2	- -	NA	NA	NA	1.3	2.2	1.2	8	0.97 J	5.7
Zinc	ug/l	6020	600	6000	*5000*	NA	NA	NA	6.1	< 3.2	14	< 3.2	110	< 3.2
Other Parameters														
Cyanide, Total	ug/l	9012	0.15	200	200	NA	NA	NA	< 4.4	< 4.4	< 4.4	7.3 J	< 4.4	< 4.4

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]			
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-04P 04/03/2019	VII-MW-05P 04/03/2019	VII-MW-06P 04/01/2019	VII-MW-07P 04/01/2019
Volatile Organic Compounds									
1,1,1-Trichloroethane	ug/l	8260	800	200	200	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2,2-Tetrachloroethane	ug/l	8260	0.076	0.076	- -	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	1000	57000	- -	NA	NA	NA	NA
1,1,2-Trichloroethane	ug/l	8260	0.041	5	5	< 0.45	< 0.45	< 0.45	< 0.45
1,1-Dichloroethane	ug/l	8260	2.8	2.8	- -	< 0.63	< 0.63	< 0.63	< 0.63
1,1-Dichloroethene	ug/l	8260	28	7	7	< 0.55	< 0.55	< 0.55	< 0.55
1,2,4-Trichlorobenzene	ug/l	8260	0.4	70	70	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.00033	0.2	0.2	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	ug/l	8260	0.0075	0.05	0.05	NA	NA	NA	NA
1,2-Dichlorobenzene	ug/l	8260	30	600	600	NA	NA	NA	NA
1,2-Dichloroethane	ug/l	8260	0.17	5	5	< 0.57	< 0.57	< 0.57	< 0.57
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	- -	< 1.3	< 1.3	< 1.3	< 1.3
cis-1,2-Dichloroethene	ug/l	8260	3.6	70	70	0.76 J	< 0.71	< 0.71	< 0.71
trans-1,2-Dichloroethene	ug/l	8260	6.8	100	100	< 0.67	< 0.67	< 0.67	< 0.67
1,2-Dichloropropane	ug/l	8260	0.82	5	5	< 0.66	< 0.66	< 0.66	< 0.66
cis-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.59	< 0.59	< 0.59	< 0.59
trans-1,3-Dichloropropene [1]	ug/l	8260	0.47	0.47	- -	< 0.58	< 0.58	< 0.58	< 0.58
1,3-Dichlorobenzene [1]	ug/l	8260	0.48	75	75	NA	NA	NA	NA
1,4-Dichlorobenzene	ug/l	8260	0.48	75	75	NA	NA	NA	NA
2-Butanone (MEK)	ug/l	8260	560	5600	- -	< 2.6	< 2.6	< 2.6	< 2.6
2-Hexanone	ug/l	8260	3.8	- -	- -	< 3.3	< 3.3	< 3.3	< 3.3
4-Methyl-2-pentanone (MIBK)	ug/l	8260	630	1200	- -	< 3.1	< 3.1	< 3.1	< 3.1
Acetone	ug/l	8260	1400	14000	- -	6.3	< 3.4	4.6 J	5.5 J
Benzene	ug/l	8260	0.46	5	5	< 0.6	< 0.6	< 0.6	< 0.6
Bromoform	ug/l	8260	3.3	3.3	80	< 0.98	< 0.98	< 0.98	< 0.98
Bromomethane	ug/l	8260	0.75	7.5	- -	< 0.89	< 0.89	< 0.89	< 0.89
Carbon disulfide	ug/l	8260	81	810	- -	< 0.88	< 0.88	< 0.88	< 0.88
Carbon tetrachloride	ug/l	8260	0.46	5	5	< 0.88	< 0.88	< 0.88	< 0.88
Chlorobenzene	ug/l	8260	7.8	100	100	0.54 J	< 0.5	< 0.5	< 0.5
Chlorodibromomethane	ug/l	8260	0.87	0.87	80	< 0.84	< 0.84	< 0.84	< 0.84
Chloroethane	ug/l	8260	2100	21000	- -	< 0.9	< 0.9	< 0.9	< 0.9
Chloroform	ug/l	8260	0.22	0.22	80	< 0.6	< 0.6	< 0.6	3.5
Chloromethane	ug/l	8260	19	190	- -	< 0.9	< 0.9	< 0.9	< 0.9
Cyclohexane	ug/l	8260	1300	13000	- -	NA	NA	NA	NA
Dichlorobromomethane	ug/l	8260	0.13	0.13	80	< 0.64	< 0.64	< 0.64	1.3
Dichlorodifluoromethane	ug/l	8260	20	200	- -	NA	NA	NA	NA
Ethylbenzene	ug/l	8260	1.5	700	700	1.1	< 0.51	< 0.51	< 0.51
Isopropylbenzene	ug/l	8260	45	450	- -	NA	NA	NA	NA
Methyl acetate	ug/l	8260	2000	5300	- -	NA	NA	NA	NA
Methyl tert-butyl ether	ug/l	8260	14	14	- -	< 0.59	< 0.59	< 0.59	< 0.59
Methylcyclohexane [1]	ug/l	8260	1300	13000	- -	NA	NA	NA	NA
Methylene Chloride	ug/l	8260	11	5	5	< 0.89	< 0.89	< 0.89	< 0.89
Naphthalene	ug/l	8260	0.12	0.17	- -	13 J	< 0.79 UJ	< 0.79	< 0.79
Styrene	ug/l	8260	120	100	100	< 0.47	< 0.47	< 0.47	< 0.47
Tetrachloroethene	ug/l	8260	4.1	5	5	3.4	< 0.47	0.88 J	< 0.47
Toluene	ug/l	8260	110	1000	1000	< 0.46	< 0.46	< 0.46	< 0.46
Trichloroethene	ug/l	8260	0.28	5	5	< 0.69	< 0.69	< 0.69	< 0.69
Trichlorofluoromethane	ug/l	8260	520	1100	- -	NA	NA	NA	NA
Vinyl chloride	ug/l	8260	0.019	2	2	< 0.88	< 0.88	< 0.88	< 0.88
Xylenes, Total	ug/l	8260	19	10000	10000	3.3	< 0.89	< 0.89	< 0.89
Semi-Volatile Organics									
1,1'-Biphenyl	ug/l	8270	0.083	0.83	- -	NA	NA	NA	NA
2,4,5-Trichlorophenol	ug/l	8270	120	1200	- -	NA	NA	NA	NA
2,4,6-Trichlorophenol	ug/l	8270	1.2	4.1	- -	NA	NA	NA	NA
2,4-Dichlorophenol	ug/l	8270	4.6	46	- -	NA	NA	NA	NA
2,4-Dimethylphenol	ug/l	8270	36	360	- -	NA	NA	NA	NA

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]			
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-04P 04/03/2019	VII-MW-05P 04/03/2019	VII-MW-06P 04/01/2019	VII-MW-07P 04/01/2019
2,4-Dinitrophenol	ug/l	8270	3.9	39	- -	NA	NA	NA	NA
2,4-Dinitrotoluene	ug/l	8270	0.24	0.24	- -	NA	NA	NA	NA
2,6-Dinitrotoluene	ug/l	8270	0.049	0.049	- -	NA	NA	NA	NA
2-Chloronaphthalene	ug/l	8270	75	330	- -	NA	NA	NA	NA
2-Chlorophenol	ug/l	8270	9.1	27	- -	NA	NA	NA	NA
2-Methylnaphthalene	ug/l	8270	3.6	36	- -	NA	NA	NA	NA
2-Methylphenol	ug/l	8270	93	930	- -	NA	NA	NA	NA
2-Nitroaniline	ug/l	8270	19	190	- -	NA	NA	NA	NA
2-Nitrophenol	ug/l	8270	- -	- -	- -	NA	NA	NA	NA
3,3'-Dichlorobenzidine	ug/l	8270	0.13	0.13	- -	NA	NA	NA	NA
3-Nitroaniline	ug/l	8270	- -	- -	- -	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	ug/l	8270	0.15	- -	- -	NA	NA	NA	NA
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	- -	NA	NA	NA	NA
4-Chloro-3-methylphenol	ug/l	8270	140	- -	- -	NA	NA	NA	NA
4-Chloroaniline	ug/l	8270	0.37	0.37	- -	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	- -	NA	NA	NA	NA
4-Nitroaniline	ug/l	8270	3.8	- -	- -	NA	NA	NA	NA
4-Nitrophenol [1]	ug/l	8270	3.9	39	- -	NA	NA	NA	NA
Acenaphthene	ug/l	8270	53	240	- -	NA	NA	NA	NA
Acenaphthylene [1]	ug/l	8270	53	320	- -	NA	NA	NA	NA
Acetophenone	ug/l	8270	190	1900	- -	NA	NA	NA	NA
Anthracene	ug/l	8270	180	1800	- -	NA	NA	NA	NA
Atrazine	ug/l	8270	0.3	3	3	NA	NA	NA	NA
Benzaldehyde	ug/l	8270	19	1900	- -	NA	NA	NA	NA
Benzo[a]anthracene	ug/l	8270	0.03	0.012	- -	NA	NA	NA	NA
Benzo[a]pyrene	ug/l	8270	0.025	0.2	0.2	NA	NA	NA	NA
Benzo[b]fluoranthene	ug/l	8270	0.25	0.034	- -	NA	NA	NA	NA
Benzo[g,h,i]perylene [1]	ug/l	8270	12	600	- -	NA	NA	NA	NA
Benzo[k]fluoranthene	ug/l	8270	2.5	0.34	- -	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	ug/l	8270	71	0.36	- -	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	ug/l	8270	5.9	- -	- -	NA	NA	NA	NA
Bis(2-chloroethyl)ether	ug/l	8270	0.014	0.014	- -	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	ug/l	8270	5.6	6	6	NA	NA	NA	NA
Butyl benzyl phthalate	ug/l	8270	16	16	- -	NA	NA	NA	NA
Caprolactam	ug/l	8270	990	9900	- -	NA	NA	NA	NA
Carbazole [1]	ug/l	8270	180	1800	- -	NA	NA	NA	NA
Chrysene	ug/l	8270	25	3.4	- -	NA	NA	NA	NA
Dibenz(a,h)anthracene	ug/l	8270	0.025	0.0034	- -	NA	NA	NA	NA
Dibenzofuran	ug/l	8270	0.79	7.9	- -	NA	NA	NA	NA
Diethyl phthalate	ug/l	8270	1500	15000	- -	NA	NA	NA	NA
Dimethyl phthalate	ug/l	8270	- -	- -	- -	NA	NA	NA	NA
Di-n-butyl phthalate	ug/l	8270	90	900	- -	NA	NA	NA	NA
Di-n-octyl phthalate	ug/l	8270	20	- -	- -	NA	NA	NA	NA
Fluoranthene	ug/l	8270	80	800	- -	NA	NA	NA	NA
Fluorene	ug/l	8270	29	150	- -	NA	NA	NA	NA
Hexachlorobenzene	ug/l	8270	0.0098	1	1	NA	NA	NA	NA
Hexachlorobutadiene	ug/l	8270	0.14	0.14	- -	NA	NA	NA	NA
Hexachlorocyclopentadiene	ug/l	8270	0.041	50	50	NA	NA	NA	NA
Hexachloroethane	ug/l	8270	0.33	0.33	- -	NA	NA	NA	NA
Indeno[1,2,3-cd]pyrene	ug/l	8270	0.25	0.034	- -	NA	NA	NA	NA
Isophorone	ug/l	8270	78	78	- -	NA	NA	NA	NA
Methylphenol, 3 & 4 [1]	ug/l	8270	93	930	- -	NA	NA	NA	NA
Naphthalene	ug/l	8270	0.12	0.17	- -	NA	NA	NA	NA
Nitrobenzene	ug/l	8270	0.14	0.14	- -	NA	NA	NA	NA
N-Nitrosodi-n-propylamine	ug/l	8270	0.011	0.011	- -	NA	NA	NA	NA
N-Nitrosodiphenylamine	ug/l	8270	12	12	- -	NA	NA	NA	NA
Pentachlorophenol	ug/l	8270	0.041	1	1	NA	NA	NA	NA

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]			Sample Information [2]			
	Units	Analytical Method	Tapwater RSL	Groundwater De Minimis	*MCL*	VII-MW-04P 04/03/2019	VII-MW-05P 04/03/2019	VII-MW-06P 04/01/2019	VII-MW-07P 04/01/2019
Phenanthrene [1]	ug/l	8270	180	6000	- -	NA	NA	NA	NA
Phenol	ug/l	8270	580	5800	- -	NA	NA	NA	NA
Pyrene	ug/l	8270	12	79	- -	NA	NA	NA	NA
Inorganics [3]									
Aluminum	ug/l	6020	2000	20000	*200*	NA	NA	NA	NA
Antimony	ug/l	6020	0.78	7.8	6	NA	NA	NA	NA
Arsenic	ug/l	6020	0.052	10	10	NA	NA	NA	NA
Barium	ug/l	6020	380	2000	2000	NA	NA	NA	NA
Beryllium	ug/l	6020	2.5	4	4	NA	NA	NA	NA
Cadmium	ug/l	6020	0.92	5	5	NA	NA	NA	NA
Calcium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA
Chromium [1]	ug/l	6020	2200	22000	100	NA	NA	NA	NA
Cobalt	ug/l	6020	0.6	6	- -	NA	NA	NA	NA
Copper	ug/l	6020	80	800	1300	NA	NA	NA	NA
Iron	ug/l	6020	1400	14000	*300*	NA	NA	NA	NA
Lead	ug/l	6020	15	15	15	NA	NA	NA	NA
Magnesium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA
Manganese [1]	ug/l	6020	43	850	*50*	NA	NA	NA	NA
Mercury	ug/l	7470	0.063	2	2	NA	NA	NA	NA
Nickel	ug/l	6020	39	390	- -	NA	NA	NA	NA
Potassium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA
Selenium	ug/l	6020	10	50	50	NA	NA	NA	NA
Silver	ug/l	6020	9.4	94	*100*	NA	NA	NA	NA
Sodium	ug/l	6020	- -	- -	- -	NA	NA	NA	NA
Thallium	ug/l	6020	0.02	2	2	NA	NA	NA	NA
Vanadium	ug/l	6020	8.6	1.2	- -	NA	NA	NA	NA
Zinc	ug/l	6020	600	6000	*5000*	NA	NA	NA	NA
Other Parameters									
Cyanide, Total	ug/l	9012	0.15	200	200	NA	NA	NA	NA

TABLE A-5
ANALYTICAL AND SCREENING RESULTS
GROUNDWATER
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - Screening criteria based on the May 2021 USEPA Regional Screening Table and the June 2020 WVDEP De Minimis Table. Screening criteria include the USEPA Tapwater Regional Screening Levels (RSLs), WVDEP groundwater De Minimis values, and USEPA federal Maximum Contaminant Levels (MCLs). Secondary MCLs are shown in italics. Tapwater RSLs for noncarcinogenic chemicals are divided by 10 to account for potential cumulative effects. Only those chemicals for which at least one positive detection was encountered are included in the screening evaluation. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

RSLs for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the RSL for total 1,3-dichloropropene.
RSL for 1,3-dichlorobenzene is based on the RSL for 1,4-dichlorobenzene.
RSL for methylcyclohexane is based on the RSL for cyclohexane.
RSL for 4-nitrophenol is based on the RSL for 2,4-dinitrophenol.
RSL for acenaphthylene is based on the RSL for acenaphthene.
RSL for benzo(g,h,i)perylene is based on the RSL for pyrene.
RSLs for carbazole and phenanthrene are based on the RSL for anthracene.
RSLs for 3&4-methylphenol are conservatively based on the RSLs for 3-methylphenol.
RSL for chromium is for the trivalent valence state; MCL is based on total chromium.
RSL for manganese is based on the non-diet value.

Shading indicates an exceedance of the lower of the Tapwater RSL or Groundwater De Minimis value.
Bold italics numbers indicate exceedance of the primary or secondary MCL.

2 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region 3 data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers

NA - Not Analyzed
- - - Screening Criterion not available for this chemical constituent.
* - LCS or LCSD exceeds the control limits.
B - Compound was found in the blank and sample.
F1 - MS and/or MSD Recovery is outside acceptance limits.
J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.
K - Analyte present. Reported value may be biased high. Actual value is expected to be lower.
L - Analyte present. Reported value may be biased low. Actual value is expected to be higher.
R - Unusable result. Analyte may or may not be present in the sample.
UJ - Not Detected. Quantitation limit may be inaccurate or imprecise.

3 - Groundwater samples were collected for total inorganic analysis during the November 2013 event and dissolved inorganic analysis during the February 2014 and March/April 2019 events.

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]																	
					MA-MW-07A 11/15/2013		MA-MW-07D 11/15/2013		VI-MW-01A 11/19/2013		VI-MW-02AR 11/14/2013		VI-MW-01P 11/18/2013		VII-MW-01A 11/18/2013		VII-MW-01A DUP 11/18/2013 Duplicate		VII-MW-02A 11/18/2013		VII-MW-03A 11/04/2013	
			Residential	*Commercial*																		
Volatile Organic Compounds																						
1,1,1-Trichloroethane	ug/l	8260	1240	5210	< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29	
1,1,2,2-Tetrachloroethane	ug/l	8260	6.59	288	< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2	
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	38	160	< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32	
1,1,2-Trichloroethane	ug/l	8260	1.17	4.91	< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2	
1,1-Dichloroethane	ug/l	8260	12.4	541	< 0.12		< 0.12		< 0.12		0.19	J	< 0.12		7		6.4		0.95	J	0.88	J
1,1-Dichloroethene	ug/l	8260	29.7	125	< 0.3		1.1		< 0.3		0.4	J	< 0.3		< 0.3		< 0.3		0.42	J	< 0.3	
1,2,4-Trichlorobenzene	ug/l	8260	8.78	36.9	< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27	
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.0648	7.84	< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14	
1,2-Dibromoethane (EDB)	ug/l	8260	0.332	14.5	< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18	
1,2-Dichlorobenzene	ug/l	8260	571	2400	< 0.15		< 0.15		< 0.15		< 0.15		0.2	J	< 0.15		< 0.15		< 0.15		< 0.15	
1,2-Dichloroethane	ug/l	8260	3.92	111	< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21	
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	< 0.51		< 0.51		< 0.51		< 0.51		2.5		10		9.5		1.7		2.3	
cis-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.24		< 0.24		< 0.24		< 0.24		2.4		10		9.3		1.6		2.1	
trans-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.17		< 0.17		< 0.17		< 0.17		< 0.17		< 0.17		< 0.17		< 0.17		< 0.17	
1,2-Dichloropropane	ug/l	8260	6.38	26.8	< 0.095		< 0.095		< 0.095		< 0.095		< 0.095		< 0.095		< 0.095		< 0.095		< 0.095	
cis-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19	
trans-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15	
1,3-Dichlorobenzene [1]	ug/l	8260	5.57	243	< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11	
1,4-Dichlorobenzene	ug/l	8260	5.57	243	< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21	
2-Butanone (MEK)	ug/l	8260	389000	1640000	< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		< 0.55	
2-Hexanone	ug/l	8260	1650	6950	< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16	
4-Methyl-2-pentanone (MIBK)	ug/l	8260	106000	447000	< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53	
Acetone	ug/l	8260	3680000	15500000	< 2.5		< 2.5		< 2.5		< 2.5		< 2.5		< 2.5		< 2.5		< 2.5		< 2.5	
Benzene	ug/l	8260	2.7	98.6	< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11	
Bromoform	ug/l	8260	243	10600	< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19	
Bromomethane	ug/l	8260	2.48	10.4	< 0.31		< 0.31		< 0.31		< 0.31		< 0.31		< 0.31		< 0.31		< 0.31		< 0.31	
Carbon disulfide	ug/l	8260	191	801	< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21	
Carbon tetrachloride	ug/l	8260	0.693	30.3	< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14	
Chlorobenzene	ug/l	8260	78.6	330	< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14	
Chlorodibromomethane	ug/l	8260	- -	- -	< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14	
Chloroethane	ug/l	8260	3350	14000	< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21		< 0.21	
Chloroform	ug/l	8260	1.33	58.1	0.64	B	1.5	B	3.7		0.21	B	1.5		0.25	B	0.19	B	1.2	B	< 0.17	
Chloromethane	ug/l	8260	34.9	146	< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28	
Cyclohexane	ug/l	8260	172	722	< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25	
Dichlorobromomethane	ug/l	8260	1.55	67.6	< 0.13		< 0.13		1.1		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13	
Dichlorodifluoromethane	ug/l	8260	0.963	4.05	< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19		< 0.19	
Ethylbenzene	ug/l	8260	6.85	299	< 0.23		< 0.23		< 0.23		< 0.23		< 0.23		< 0.23		< 0.23		< 0.23		< 0.23	
Isopropylbenzene	ug/l	8260	208	873	< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16	
Methyl acetate	ug/l	8260	- -	- -	< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14		< 0.14	
Methyl tert-butyl ether	ug/l	8260	722	31500	< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18		< 0.18	
Methylcyclohexane [1]	ug/l	8260	172	722	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26	
Methylene Chloride	ug/l	8260	742	3120	< 0.13		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13	
Naphthalene	ug/l	8260	11	174	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Styrene	ug/l	8260	1860	7820	< 0.097		< 0.097		< 0.097		< 0.097		< 0.097		< 0.097		< 0.097		< 0.097		< 0.097	
Tetrachloroethene	ug/l	8260	10.9	45.6	0.17	J	0.29	J	0.23	J	0.2	J	< 0.15		4.1		3.5		2.4		0.32	J
Toluene	ug/l	8260	3520	14800	< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 0.15	
Trichloroethene	ug/l	8260	0.897	3.77	0.39	J	0.46	J	< 0.14		0.4	J	0.57	J	1.4		1.3		1		0.84	J
Trichlorofluoromethane	ug/l	8260	- -	- -	< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2	
Vinyl chloride	ug/l	8260	0.197	32.8	< 0.23		< 0.23		< 0.23		< 0.23		< 0.23		< 0.23		0.25	J	< 0.23		< 0.23	
Xylenes, Total	ug/l	8260	75.9	319	< 0.49		< 0.49		< 0.49		< 0.49		< 0.49		< 0.49		< 0.49		< 0.49		< 0.49	
Semi-Volatile Organics																						
1,1'-Biphenyl	ug/l	8270	8.73	36.7	< 0.11		< 0.1		< 0.1		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.1	
2,4,5-Trichlorophenol	ug/l	8270	- -	- -	< 0.12		< 0.12		< 0.12		< 0.12		< 0.13		< 0.12		< 0.12		< 0.13		< 0.12	
2,4,6-Trichlorophenol	ug/l	8270	- -	- -	< 0.3		< 0.29		< 0.29		< 0.3		< 0.31		< 0.3		< 0.3		< 0.31		< 0.29	
2,4-Dichlorophenol	ug/l	8270	- -	- -	< 0.067		< 0.065		< 0.065		< 0.067		< 0.07		< 0.067		< 0.067		< 0.07		< 0.065	
2,4-Dimethylphenol	ug/l	8270	- -	- -	< 0.17		< 0.16		< 0.16		< 0.17		< 0.18		< 0.17		< 0.17		< 0.18		< 0.16	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)									
					MA-MW-07A 11/15/2013	MA-MW-07D 11/15/2013	VI-MW-01A 11/19/2013	VI-MW-02AR 11/14/2013	VI-MW-01P 11/18/2013	VII-MW-01A 11/18/2013	VII-MW-01A DUP 11/18/2013 Duplicate	VII-MW-02A 11/18/2013	VII-MW-03A 11/04/2013
			Residential	*Commercial*									
2,4-Dinitrophenol	ug/l	8270	- -	- -	< 2.5	< 2.4	< 2.4	< 2.5	< 2.6	< 2.5	< 2.5	< 2.6	< 2.4
2,4-Dinitrotoluene	ug/l	8270	- -	- -	< 0.21	< 0.21	< 0.21	< 0.21	< 0.22	< 0.21	< 0.21	< 0.22	< 0.21
2,6-Dinitrotoluene	ug/l	8270	- -	- -	< 0.14	< 0.13	< 0.13	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.13
2-Chloronaphthalene	ug/l	8270	- -	- -	< 0.031	< 0.03	< 0.03	< 0.031	< 0.032	< 0.031	< 0.031	< 0.032	< 0.03
2-Chlorophenol	ug/l	8270	- -	- -	< 0.23	< 0.22	< 0.22	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.22
2-Methylnaphthalene	ug/l	8270	- -	- -	< 0.019	< 0.018	< 0.018	< 0.019	< 0.02	< 0.019	< 0.019	< 0.02	< 0.018
2-Methylphenol	ug/l	8270	- -	- -	< 0.19	< 0.18	< 0.18	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.18
2-Nitroaniline	ug/l	8270	- -	- -	< 0.67	< 0.65	< 0.65	< 0.67	< 0.7	< 0.67	< 0.67	< 0.7	< 0.65
2-Nitrophenol	ug/l	8270	- -	- -	< 0.11	< 0.11	< 0.11	< 0.11	< 0.12	< 0.11	< 0.11	< 0.12	< 0.11
3,3'-Dichlorobenzidine	ug/l	8270	- -	- -	< 0.15	< 0.14	< 0.14	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.14
3-Nitroaniline	ug/l	8270	- -	- -	< 0.81	< 0.77	< 0.77	< 0.81	< 0.84	< 0.81	< 0.81	< 0.84	< 0.77
4,6-Dinitro-2-methylphenol	ug/l	8270	- -	- -	< 1.6	< 1.5	< 1.5	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.5
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	< 0.12	< 0.11	< 0.11	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.11
4-Chloro-3-methylphenol	ug/l	8270	- -	- -	< 0.17	< 0.16	< 0.16	< 0.17	< 0.18	< 0.17	< 0.17	< 0.18	< 0.16
4-Chloroaniline	ug/l	8270	- -	- -	< 0.29	< 0.28	0.31 J	< 0.29	< 0.3	< 0.29	< 0.29	< 0.3	< 0.28
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	< 0.08	< 0.077	< 0.077	< 0.08	< 0.083	< 0.08	< 0.08	< 0.083	< 0.077
4-Nitroaniline	ug/l	8270	- -	- -	< 0.77	< 0.74	< 0.74	< 0.77	< 0.81	< 0.77	< 0.77	< 0.81	< 0.74
4-Nitrophenol	ug/l	8270	- -	- -	< 0.8	< 0.77	< 0.77	< 0.8	< 0.84	0.85 J	< 0.8	< 0.84	< 0.77
Acenaphthene	ug/l	8270	- -	- -	< 0.029	< 0.028	< 0.028	< 0.029	0.66	< 0.029	< 0.029	< 0.03	< 0.028
Acenaphthylene	ug/l	8270	- -	- -	< 0.022	< 0.021	< 0.021	< 0.022	< 0.022	< 0.022	< 0.022	< 0.022	< 0.021
Acetophenone	ug/l	8270	- -	- -	< 0.11	< 0.11	< 0.11	< 0.11	< 0.12	< 0.11	< 0.11	< 0.12	< 0.11
Anthracene	ug/l	8270	- -	- -	< 0.019	< 0.018	0.027 J	< 0.019	0.23	0.034 J	< 0.019	< 0.02	< 0.018
Atrazine	ug/l	8270	- -	- -	< 0.22	< 0.21	< 0.21	< 0.22	< 0.23	< 0.22	< 0.22	< 0.23	< 0.21
Benzaldehyde	ug/l	8270	- -	- -	< 0.11	< 0.1	< 0.1	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.1
Benzo[a]anthracene	ug/l	8270	176	- -	< 0.037	0.22	< 0.035	< 0.037	< 0.038	< 0.037	< 0.037	0.24	< 0.035
Benzo[a]pyrene	ug/l	8270	- -	- -	< 0.028	0.14 J	< 0.027	< 0.028	< 0.029	< 0.028	< 0.028	0.21	< 0.027
Benzo[b]fluoranthene	ug/l	8270	- -	- -	< 0.049	0.2	< 0.047	< 0.049	< 0.051	< 0.049	< 0.049	0.34	< 0.047
Benzo[g,h,i]perylene	ug/l	8270	- -	- -	< 0.029	0.15 J	< 0.028	< 0.029	< 0.03	< 0.029	< 0.029	0.37	< 0.028
Benzo[k]fluoranthene	ug/l	8270	- -	- -	< 0.03	0.22	< 0.029	< 0.03	< 0.031	< 0.03	< 0.03	0.36	< 0.029
Bis(2-chloroisopropyl)ether	ug/l	8270	- -	- -	< 0.024	< 0.023	< 0.023	< 0.024	< 0.025	< 0.024	< 0.024	< 0.025	< 0.023
Bis(2-chloroethoxy)methane	ug/l	8270	- -	- -	< 0.13	< 0.13	< 0.13	< 0.13	< 0.14	< 0.13	< 0.13	< 0.14	< 0.13
Bis(2-chloroethyl)ether	ug/l	8270	30.5	1330	< 0.032	< 0.03	< 0.03	< 0.032	< 0.033	< 0.032	< 0.032	< 0.033	< 0.03
Bis(2-ethylhexyl) phthalate	ug/l	8270	- -	- -	6.6	1 J	1.1 J	0.51 J	0.63 J	1.1 J	0.51 J	0.62 J	13
Butyl benzyl phthalate	ug/l	8270	- -	- -	< 0.21	0.42 J	0.78 J	< 0.21	0.83 J	1.8	0.56 J	0.69 J	0.51 J
Caprolactam	ug/l	8270	- -	- -	< 1.5	< 1.4	< 1.4	36	< 1.5	< 1.5	< 1.5	< 1.5	< 1.4
Carbazole	ug/l	8270	- -	- -	< 0.027	< 0.026	< 0.026	< 0.027	< 0.028	< 0.027	< 0.027	< 0.028	< 0.026
Chrysene	ug/l	8270	- -	- -	< 0.031	0.26	< 0.03	< 0.031	< 0.032	< 0.031	< 0.031	0.35	< 0.03
Dibenz(a,h)anthracene	ug/l	8270	- -	- -	< 0.027	0.18 J	< 0.026	< 0.027	< 0.028	< 0.027	< 0.027	0.41	< 0.026
Dibenzofuran	ug/l	8270	- -	- -	< 0.097	< 0.093	< 0.093	< 0.097	< 0.1	< 0.097	< 0.097	< 0.1	< 0.093
Diethyl phthalate	ug/l	8270	- -	- -	< 0.3	< 0.29	< 0.29	< 0.3	< 0.31	< 0.3	< 0.3	< 0.31	< 0.29
Dimethyl phthalate	ug/l	8270	- -	- -	< 0.18	< 0.18	< 0.18	< 0.18	< 0.19	< 0.18	< 0.18	< 0.19	< 0.18
Di-n-butyl phthalate	ug/l	8270	- -	- -	< 0.24	< 0.23	< 0.23	< 0.24	< 0.25	< 0.24	< 0.24	< 0.25	< 0.23
Di-n-octyl phthalate	ug/l	8270	- -	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.21	< 0.2	< 0.2	0.23 J	< 0.2
Fluoranthene	ug/l	8270	- -	- -	< 0.021	< 0.02	0.027 J	< 0.021	0.44	< 0.021	< 0.021	< 0.022	< 0.02
Fluorene	ug/l	8270	- -	- -	< 0.024	< 0.023	< 0.023	< 0.024	0.86	< 0.024	< 0.024	< 0.025	< 0.023
Hexachlorobenzene	ug/l	8270	0.275	12	< 0.061	< 0.059	< 0.059	< 0.061	< 0.064	< 0.061	< 0.061	< 0.064	< 0.059
Hexachlorobutadiene	ug/l	8270	0.716	31.3	< 0.094	< 0.09	< 0.09	< 0.094	< 0.098	< 0.094	< 0.094	< 0.098	< 0.09
Hexachlorocyclopentadiene	ug/l	8270	0.958	4.02	< 0.14	< 0.13	< 0.13	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.13
Hexachloroethane	ug/l	8270	4.26	186	< 0.14	< 0.13	< 0.13	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.13
Indeno[1,2,3-cd]pyrene	ug/l	8270	- -	- -	< 0.043	0.15 J	< 0.042	< 0.043	< 0.045	< 0.043	< 0.043	0.37	< 0.042
Isophorone	ug/l	8270	- -	- -	< 0.074	< 0.071	< 0.071	< 0.074	< 0.077	< 0.074	< 0.074	< 0.077	< 0.071
Methylphenol, 3 & 4	ug/l	8270	- -	- -	< 0.21	< 0.2	< 0.2	< 0.21	< 0.22	< 0.21	< 0.21	< 0.22	< 0.2
Naphthalene	ug/l	8270	11	174	< 0.023	< 0.022	0.046 J	< 0.023	< 0.024	< 0.023	< 0.023	< 0.024	< 0.022
Nitrobenzene	ug/l	8270	177	7710	< 0.15	< 0.14	< 0.14	< 0.15	< 0.16	< 0.15	< 0.15	< 0.16	< 0.14
N-Nitrosodi-n-propylamine	ug/l	8270	- -	- -	< 0.05	< 0.048	< 0.048	< 0.05	< 0.052	< 0.05	< 0.05	< 0.052	< 0.048
N-Nitrosodiphenylamine	ug/l	8270	- -	- -	< 0.12	< 0.12	< 0.12	< 0.12	< 0.13	< 0.12	< 0.12	< 0.13	< 0.12
Pentachlorophenol	ug/l	8270	- -	- -	< 0.5	< 0.48	< 0.48	< 0.5	< 0.52	< 0.5	< 0.5	< 0.52	< 0.48

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]																			
					MA-MW-07A 11/15/2013		MA-MW-07D 11/15/2013		VI-MW-01A 11/19/2013		VI-MW-02AR 11/14/2013		VI-MW-01P 11/18/2013		VII-MW-01A 11/18/2013		VII-MW-01A DUP 11/18/2013 Duplicate		VII-MW-02A 11/18/2013		VII-MW-03A 11/04/2013	
			Residential	*Commercial*																		
Phenanthrene	ug/l	8270	- -	- -	< 0.042		< 0.04		0.075	J	< 0.042		0.082	J	0.077	J	< 0.042		< 0.043		< 0.04	
Phenol	ug/l	8270	- -	- -	< 0.055		< 0.053		< 0.053		< 0.055		0.2	J	< 0.055		< 0.055		< 0.058		< 0.053	
Pyrene	ug/l	8270	- -	- -	< 0.023		< 0.022		< 0.022		< 0.023		0.28		< 0.023		< 0.023		< 0.024		< 0.022	
Inorganics [3]																						
Aluminum	ug/l	6020	- -	- -	8.6	K	56	K	1400	K	310	K	18	K	5300	K	6300	K	1100	K	7000	
Antimony	ug/l	6020	- -	- -	0.081	B	0.052	B	0.32	J	0.077	B	0.24	J	0.35	J	0.29	J	0.12	B	0.053	J
Arsenic	ug/l	6020	- -	- -	< 0.29		< 0.29		0.47	J	< 0.29		1.8		1.6		1.7		< 0.29		1.5	
Barium	ug/l	6020	- -	- -	25		19		39		23		46		69		67		43		110	
Beryllium	ug/l	6020	- -	- -	< 0.037		< 0.037		0.092	K	< 0.037		< 0.037		0.19	J	0.21	K	0.077	K	1.6	
Cadmium	ug/l	6020	- -	- -	< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		0.12	J	0.12	J	< 0.11		1.4	
Calcium	ug/l	6020	- -	- -	82000		85000		93000		160000		34000		130000		130000		85000		180000	B
Chromium	ug/l	6020	- -	- -	1.6	J	2.2		3.8		2.5		1.7	J	7		7.5		3.9		14	B
Cobalt	ug/l	6020	- -	- -	0.17	J	0.25	J	2.3		1.2		3.5		3.8		3.5		1.2		60	B
Copper	ug/l	6020	- -	- -	0.39	K	0.88	K	3.3		1.6	K	0.48	J	7.3		7.1		1.7	J	26	
Iron	ug/l	6020	- -	- -	36	J	200		2900		990		7900		5900		6100		2400		29000	B
Lead	ug/l	6020	- -	- -	0.051	B	0.2	B	1.5		0.55	B	0.052	B	4		3.7		1.1		31	B
Magnesium	ug/l	6020	- -	- -	26000		28000		29000		62000		9600		27000		28000		23000		19000	
Manganese	ug/l	6020	- -	- -	1.4	J	30		1100		920		5900		1300		1200		350		19000	B
Mercury	ug/l	7470	0.252	1.06	< 0.038		< 0.038		< 0.038		0.067	J	< 0.038		< 0.038		< 0.038		0.044	J	< 0.038	
Nickel	ug/l	6020	- -	- -	0.65	K	0.65	K	5.7	K	4.6	K	1.2	K	9.3		9.4	K	3.4	K	39	
Potassium	ug/l	6020	- -	- -	9000		8600		2400		2300		4800		3900		4200		3700		20000	B
Selenium	ug/l	6020	- -	- -	2.8	B	2.6	B	1.1	J	0.99	B	1.1	J	< 0.42		< 0.42		0.87	J	2.1	J
Silver	ug/l	6020	- -	- -	< 0.036		< 0.036		< 0.036		< 0.036		< 0.036		< 0.036		< 0.036		< 0.036		0.7	J
Sodium	ug/l	6020	- -	- -	110000		110000		21000		88000		84000		55000	K	54000		65000		53000	B
Thallium	ug/l	6020	- -	- -	< 0.015		< 0.015		0.084	J	0.017	J	< 0.015		0.069	J	0.075	J	0.041	J	0.15	J
Vanadium	ug/l	6020	- -	- -	0.57	B	0.8	B	2.2	L	1.4		< 0.082	UL	5.8		7	L	1.9	L	2.2	B
Zinc	ug/l	6020	- -	- -	2.6	B	6.5	K	23	K	4.8	B	5	K	23	K	29	K	6.4	K	130	B
Other Parameters																						
Cyanide, Total	ug/l	9012	20.1	84.4	60		60		1.5	J	< 1.5		3.9	J	< 1.5		1.9	J	1.6	J	< 1.5	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1] Residential	Screening Criteria [1] *Commercial*	Sample Information [2] VII-MW-01P 11/18/2013	VII-MW-02P 11/18/2013	VII-MW-03P 11/18/2013	MA-MW-07A 02/17/2014	MA-MW-07D 02/17/2014	VI-MW-01A 02/13/2014	VI-MW-02AR 02/13/2014	VI-MW-01P 02/13/2014	VII-MW-01A 02/19/2014
Volatile Organic Compounds													
1,1,1-Trichloroethane	ug/l	8260	1240	5210	< 0.29	< 0.29	< 0.29 UJ	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29
1,1,2,2-Tetrachloroethane	ug/l	8260	6.59	288	< 0.2	< 0.2	< 0.2 UJ	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	38	160	< 0.32	< 0.32	< 0.32 UJ	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32
1,1,2-Trichloroethane	ug/l	8260	1.17	4.91	< 0.2	< 0.2	< 0.2 UJ	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
1,1-Dichloroethane	ug/l	8260	12.4	541	0.24 J	< 0.12	< 0.12 UJ	< 0.12	< 0.12	< 0.12	0.24 J	0.36 J	6.7
1,1-Dichloroethene	ug/l	8260	29.7	125	< 0.3	< 0.3	< 0.3 UJ	0.34 J	1.2	< 0.3	0.53 J	< 0.3	< 0.3
1,2,4-Trichlorobenzene	ug/l	8260	8.78	36.9	< 0.27	< 0.27	< 0.27 UJ	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.0648	7.84	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
1,2-Dibromoethane (EDB)	ug/l	8260	0.332	14.5	< 0.18	< 0.18	< 0.18 UJ	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
1,2-Dichlorobenzene	ug/l	8260	571	2400	< 0.15	< 0.15	37 J	< 0.15	< 0.15	< 0.15	< 0.15	0.34 J	< 0.15
1,2-Dichloroethane	ug/l	8260	3.92	111	< 0.21	< 0.21	< 0.21 UJ	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	1	< 0.51	4.7 J	< 0.51	< 0.51	< 0.51	< 0.51	3.5	10
cis-1,2-Dichloroethene	ug/l	8260	- -	- -	1	< 0.24	2.7 J	< 0.24	< 0.24	< 0.24	< 0.24	3.5	9.7
trans-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.17	< 0.17	2 J	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
1,2-Dichloropropane	ug/l	8260	6.38	26.8	< 0.095	< 0.095	< 0.095 UJ	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095
cis-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.19	< 0.19	< 0.19 UJ	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
trans-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.15	< 0.15	< 0.15 UJ	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
1,3-Dichlorobenzene [1]	ug/l	8260	5.57	243	< 0.11	< 0.11	< 0.11 UJ	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
1,4-Dichlorobenzene	ug/l	8260	5.57	243	< 0.21	< 0.21	0.54 J	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
2-Butanone (MEK)	ug/l	8260	389000	1640000	< 0.55	< 0.55	4.7 J	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55
2-Hexanone	ug/l	8260	1650	6950	< 0.16	< 0.16	0.66 J	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
4-Methyl-2-pentanone (MIBK)	ug/l	8260	106000	447000	< 0.53	< 0.53	0.53 J	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53
Acetone	ug/l	8260	3680000	15500000	3.1 J	8.8	8.8 J	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Benzene	ug/l	8260	2.7	98.6	0.13 J	< 0.11	0.54 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11
Bromoform	ug/l	8260	243	10600	< 0.19	< 0.19	< 0.19 UJ	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Bromomethane	ug/l	8260	2.48	10.4	< 0.31	< 0.31	< 0.31 UJ	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31
Carbon disulfide	ug/l	8260	191	801	< 0.21	< 0.21	< 0.21 UJ	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
Carbon tetrachloride	ug/l	8260	0.693	30.3	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chlorobenzene	ug/l	8260	78.6	330	< 0.14	< 0.14	0.96 J	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Chlorodibromomethane	ug/l	8260	- -	- -	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	0.19 J	< 0.14	< 0.14	< 0.14
Chloroethane	ug/l	8260	3350	14000	< 0.21	< 0.21	< 0.21 UJ	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21
Chloroform	ug/l	8260	1.33	58.1	< 0.17	< 0.17	< 0.17 UJ	0.67 J	1.8	4.1	0.25 J	2.6	< 0.17
Chloromethane	ug/l	8260	34.9	146	< 0.28	< 0.28	< 0.28 UJ	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28
Cyclohexane	ug/l	8260	172	722	0.58 J	< 0.25	0.41 J	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Dichlorobromomethane	ug/l	8260	1.55	67.6	< 0.13	< 0.13	< 0.13 UJ	< 0.13	< 0.13	1.4	< 0.13	< 0.13	< 0.13
Dichlorodifluoromethane	ug/l	8260	0.963	4.05	< 0.19	< 0.19	< 0.19 UJ	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19
Ethylbenzene	ug/l	8260	6.85	299	3.5	< 0.23	16 J	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23
Isopropylbenzene	ug/l	8260	208	873	1.8	< 0.16	4.8 J	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Methyl acetate	ug/l	8260	- -	- -	< 0.14	< 0.14	< 0.14 UJ	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14
Methyl tert-butyl ether	ug/l	8260	722	31500	< 0.18	< 0.18	< 0.18 UJ	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18
Methylcyclohexane [1]	ug/l	8260	172	722	1.1	< 0.26	1 J	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Methylene Chloride	ug/l	8260	742	3120	< 0.13	< 0.13	< 0.13 UJ	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Naphthalene	ug/l	8260	11	174	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ug/l	8260	1860	7820	< 0.097	< 0.097	< 0.097 UJ	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097
Tetrachloroethene	ug/l	8260	10.9	45.6	2.5	< 0.15	2.9 J	0.23 J	0.34 J	0.41 J	0.23 J	< 0.15	3.6
Toluene	ug/l	8260	3520	14800	0.96 J	< 0.15	5 J	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Trichloroethene	ug/l	8260	0.897	3.77	0.51 J	< 0.14	1.3 J	0.38 J	0.43 J	0.15 J	0.4 J	0.75 J	1.3
Trichlorofluoromethane	ug/l	8260	- -	- -	< 0.2	< 0.2	< 0.2 UJ	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Vinyl chloride	ug/l	8260	0.197	32.8	< 0.23	< 0.23	0.49 J	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23
Xylenes, Total	ug/l	8260	75.9	319	16	0.78 J	61 J	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49
Semi-Volatile Organics													
1,1'-Biphenyl	ug/l	8270	8.73	36.7	0.78 J	< 0.11	1.6	< 0.097	< 0.1	< 0.13	< 0.13	< 0.11	< 0.11
2,4,5-Trichlorophenol	ug/l	8270	- -	- -	< 0.13	< 0.12	< 0.12	< 0.11	< 0.12	< 0.15	< 0.15	< 0.13	< 0.13
2,4,6-Trichlorophenol	ug/l	8270	- -	- -	< 0.31	< 0.3	< 0.3	< 0.28	< 0.29	< 0.36	< 0.36	< 0.31	< 0.31
2,4-Dichlorophenol	ug/l	8270	- -	- -	< 0.07	< 0.067	< 0.067	< 0.062	< 0.065	< 0.08	< 0.08	< 0.07	< 0.07
2,4-Dimethylphenol	ug/l	8270	- -	- -	< 0.18	< 0.17	< 0.17	< 0.16	< 0.16	< 0.2	< 0.2	< 0.18	< 0.18

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

			Screening Criteria [1]		Sample Information [2]								
	Units	Analytical Method	Residential	*Commercial*	VII-MW-01P 11/18/2013	VII-MW-02P 11/18/2013	VII-MW-03P 11/18/2013	MA-MW-07A 02/17/2014	MA-MW-07D 02/17/2014	VI-MW-01A 02/13/2014	VI-MW-02AR 02/13/2014	VI-MW-01P 02/13/2014	VII-MW-01A 02/19/2014
2,4-Dinitrophenol	ug/l	8270	- -	- -	< 2.6	< 2.5	< 2.5	< 2.3	< 2.4	< 3	< 3	< 2.6	< 2.6
2,4-Dinitrotoluene	ug/l	8270	- -	- -	< 0.22	< 0.21	< 0.21	< 0.2	< 0.21	< 0.25	< 0.25	< 0.22	< 0.22
2,6-Dinitrotoluene	ug/l	8270	- -	- -	< 0.14	< 0.14	< 0.14	< 0.13	< 0.13	< 0.16	< 0.16	< 0.14	< 0.14
2-Chloronaphthalene	ug/l	8270	- -	- -	< 0.032	< 0.031	< 0.031	< 0.028	< 0.03	< 0.037	< 0.037	< 0.032	< 0.032
2-Chlorophenol	ug/l	8270	- -	- -	< 0.23	< 0.23	< 0.23	< 0.21	< 0.22	< 0.27	< 0.27	< 0.23	< 0.23
2-Methylnaphthalene	ug/l	8270	- -	- -	13	0.26	30	< 0.018	< 0.018	< 0.023	0.024 J	< 0.02	< 0.02
2-Methylphenol	ug/l	8270	- -	- -	< 0.19	< 0.19	0.23 J	< 0.17	< 0.18	< 0.22	< 0.22	< 0.19	< 0.19
2-Nitroaniline	ug/l	8270	- -	- -	< 0.7	< 0.67	< 0.67	< 0.62	< 0.65	< 0.8	< 0.8	< 0.7	< 0.7
2-Nitrophenol	ug/l	8270	- -	- -	< 0.12	< 0.11	< 0.11	< 0.1	< 0.11	< 0.13	< 0.13	< 0.12	< 0.12
3,3'-Dichlorobenzidine	ug/l	8270	- -	- -	< 0.15	< 0.15	< 0.15	< 0.14	< 0.14	< 0.17	< 0.17	< 0.15	< 0.15
3-Nitroaniline	ug/l	8270	- -	- -	< 0.84	< 0.81	< 0.81	< 0.75	< 0.77	< 0.96	< 0.96	< 0.84	< 0.84
4,6-Dinitro-2-methylphenol	ug/l	8270	- -	- -	< 1.6	< 1.6	< 1.6	< 1.4	< 1.5	< 1.9	< 1.9	< 1.6	< 1.6
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	< 0.12	< 0.12	< 0.12	< 0.11	< 0.11	< 0.14	< 0.14	< 0.12	< 0.12
4-Chloro-3-methylphenol	ug/l	8270	- -	- -	< 0.18	< 0.17	< 0.17	< 0.16	< 0.16	< 0.2	< 0.2	< 0.18	< 0.18
4-Chloroaniline	ug/l	8270	- -	- -	< 0.3	< 0.29	< 0.29	< 0.27	< 0.28	< 0.35	< 0.35	< 0.3	< 0.3
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	< 0.083	< 0.08	< 0.08	< 0.074	< 0.077	< 0.095	< 0.095	< 0.083	< 0.083
4-Nitroaniline	ug/l	8270	- -	- -	< 0.81	< 0.77	< 0.77	< 0.72	< 0.74	< 0.92	< 0.92	< 0.81	< 0.81
4-Nitrophenol	ug/l	8270	- -	- -	< 0.84	< 0.8	< 0.8	< 0.74	< 0.77	< 0.96	< 0.96	< 0.84	< 0.84
Acenaphthene	ug/l	8270	- -	- -	< 0.03	0.091 J	1.8	< 0.027	< 0.028	< 0.035	< 0.035	0.38	< 0.03
Acenaphthylene	ug/l	8270	- -	- -	< 0.022	< 0.022	< 0.022	< 0.02	< 0.021	< 0.026	< 0.026	< 0.022	< 0.022
Acetophenone	ug/l	8270	- -	- -	< 0.12	0.13 J	< 0.11	< 0.1	< 0.11	< 0.13	< 0.13	< 0.12	< 0.12
Anthracene	ug/l	8270	- -	- -	< 0.02	0.042 J	0.23	< 0.018	< 0.018	< 0.023	0.025 J	< 0.02	< 0.02
Atrazine	ug/l	8270	- -	- -	< 0.23	< 0.22	< 0.22	< 0.21	< 0.21	< 0.27	< 0.27	< 0.23	< 0.23
Benzaldehyde	ug/l	8270	- -	- -	< 0.11	< 0.11	< 0.11	< 0.098	< 0.1	< 0.13	< 0.13	< 0.11	< 0.11
Benzo[a]anthracene	ug/l	8270	176	- -	< 0.038	< 0.037	< 0.037	< 0.034	< 0.035	< 0.044	< 0.044	< 0.038	< 0.038
Benzo[a]pyrene	ug/l	8270	- -	- -	< 0.029	< 0.028	< 0.028	< 0.026	< 0.027	< 0.034	< 0.034	< 0.029	< 0.029
Benzo[b]fluoranthene	ug/l	8270	- -	- -	< 0.051	< 0.049	< 0.049	< 0.045	< 0.047	< 0.058	< 0.058	< 0.051	< 0.051
Benzo[g,h,i]perylene	ug/l	8270	- -	- -	< 0.03	< 0.029	< 0.029	< 0.027	< 0.028	< 0.035	< 0.035	< 0.03	< 0.03
Benzo[k]fluoranthene	ug/l	8270	- -	- -	< 0.031	< 0.03	< 0.03	< 0.028	< 0.029	< 0.036	< 0.036	< 0.031	< 0.031
Bis(2-chloroisopropyl)ether	ug/l	8270	- -	- -	< 0.025	< 0.024	< 0.024	< 0.022	< 0.023	< 0.028	< 0.028	< 0.025	< 0.025
Bis(2-chloroethoxy)methane	ug/l	8270	- -	- -	< 0.14	< 0.13	< 0.13	< 0.12	< 0.13	< 0.16	< 0.16	< 0.14	< 0.14
Bis(2-chloroethyl)ether	ug/l	8270	30.5	1330	< 0.033	< 0.032	< 0.032	< 0.029	< 0.03	< 0.038	< 0.038	< 0.033	< 0.033
Bis(2-ethylhexyl) phthalate	ug/l	8270	- -	- -	0.67 J	0.61 J	0.52 J	< 0.41	< 0.42	2.4	1.2 J	1 J	< 0.46
Butyl benzyl phthalate	ug/l	8270	- -	- -	0.62 J	0.84 J	0.62 J	0.21 J	0.32 J	4.1	2.8	2.1	< 0.22
Caprolactam	ug/l	8270	- -	- -	< 1.5	< 1.5	< 1.5	< 1.4	< 1.4	< 1.8	< 1.8	< 1.5	< 1.5
Carbazole	ug/l	8270	- -	- -	< 0.028	0.036 J	2	< 0.025	< 0.026	< 0.032	< 0.032	< 0.028	< 0.028
Chrysene	ug/l	8270	- -	- -	< 0.032	< 0.031	< 0.031	0.034 J	< 0.03	< 0.037	< 0.037	< 0.032	< 0.032
Dibenz(a,h)anthracene	ug/l	8270	- -	- -	< 0.028	< 0.027	< 0.027	< 0.025	< 0.026	< 0.032	< 0.032	< 0.028	< 0.028
Dibenzofuran	ug/l	8270	- -	- -	0.6 J	< 0.097	1.5	< 0.089	< 0.093	< 0.11	< 0.11	< 0.1	< 0.1
Diethyl phthalate	ug/l	8270	- -	- -	< 0.31	< 0.3	< 0.3	< 0.27	< 0.29	0.56 B	0.36 B	0.37 B	< 0.31
Dimethyl phthalate	ug/l	8270	- -	- -	< 0.19	< 0.18	< 0.18	< 0.17	< 0.18	< 0.22	< 0.22	< 0.19	< 0.19
Di-n-butyl phthalate	ug/l	8270	- -	- -	< 0.25	< 0.24	< 0.24	< 0.22	< 0.23	< 0.29	< 0.29	< 0.25	< 0.25
Di-n-octyl phthalate	ug/l	8270	- -	- -	< 0.21	< 0.2	< 0.2	< 0.19	< 0.2	0.3 J	< 0.24	< 0.21	< 0.21
Fluoranthene	ug/l	8270	- -	- -	0.038 J	0.026 J	0.17 J	0.021 J	0.035 J	0.035 J	0.04 J	0.26	< 0.022
Fluorene	ug/l	8270	- -	- -	0.94	0.079 J	2.2	< 0.022	< 0.023	< 0.029	< 0.029	0.19 J	< 0.025
Hexachlorobenzene	ug/l	8270	0.275	12	< 0.064	< 0.061	< 0.061	< 0.056	< 0.059	< 0.073	< 0.073	< 0.064	< 0.064
Hexachlorobutadiene	ug/l	8270	0.716	31.3	< 0.098	< 0.094	< 0.094	< 0.087	< 0.09	< 0.11	< 0.11	< 0.098	< 0.098
Hexachlorocyclopentadiene	ug/l	8270	0.958	4.02	< 0.14	< 0.14	< 0.14	< 0.13	< 0.13	< 0.16 UJ	< 0.16	< 0.14	< 0.14
Hexachloroethane	ug/l	8270	4.26	186	< 0.14	< 0.14	< 0.14	< 0.13	< 0.13	< 0.16	< 0.16	< 0.14	< 0.14
Indeno[1,2,3-cd]pyrene	ug/l	8270	- -	- -	< 0.045	< 0.043	< 0.043	< 0.04	< 0.042	< 0.052	< 0.052	< 0.045	< 0.045
Isophorone	ug/l	8270	- -	- -	< 0.077	< 0.074	< 0.074	< 0.068	< 0.071	< 0.088	< 0.088	< 0.077	< 0.077
Methylphenol, 3 & 4	ug/l	8270	- -	- -	< 0.22	< 0.21	0.35 J	< 0.19	< 0.2	< 0.25	< 0.25	< 0.22	< 0.22
Naphthalene	ug/l	8270	11	174	4.7	0.21	23	< 0.021	< 0.022	0.044 J	0.047 J	< 0.024	< 0.024
Nitrobenzene	ug/l	8270	177	7710	< 0.16	< 0.15	< 0.15	< 0.14	< 0.14	< 0.18	< 0.18	< 0.16	< 0.16
N-Nitrosodi-n-propylamine	ug/l	8270	- -	- -	< 0.052	< 0.05	< 0.05	< 0.046	< 0.048	< 0.06	< 0.06	< 0.052	< 0.052
N-Nitrosodiphenylamine	ug/l	8270	- -	- -	< 0.13	< 0.12	< 0.12	< 0.11	< 0.12	< 0.14	< 0.14	< 0.13	< 0.13
Pentachlorophenol	ug/l	8270	- -	- -	< 0.52	< 0.5	< 0.5	< 0.46	< 0.48	< 0.6	< 0.6	< 0.52	< 0.52

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1] Residential	Screening Criteria [1] *Commercial*	Sample Information [2] VII-MW-01P 11/18/2013	VII-MW-02P 11/18/2013	VII-MW-03P 11/18/2013	MA-MW-07A 02/17/2014	MA-MW-07D 02/17/2014	VI-MW-01A 02/13/2014	VI-MW-02AR 02/13/2014	VI-MW-01P 02/13/2014	VII-MW-01A 02/19/2014
Phenanthrene	ug/l	8270	- -	- -	1.6	0.09 J	2.6	0.039 J	0.067 J	0.056 J	0.075 J	< 0.043	< 0.043
Phenol	ug/l	8270	- -	- -	< 0.058	< 0.055	0.42 J	< 0.051	< 0.053	< 0.066	< 0.066	< 0.058	< 0.058
Pyrene	ug/l	8270	- -	- -	< 0.024	0.037 J	0.14 J	< 0.021	0.024 J	< 0.027	< 0.027	0.2 J	< 0.024
Inorganics [3]													
Aluminum	ug/l	6020	- -	- -	920 K	140 K	52 K	< 2.6	< 2.6	34 K	7.1 J	17 J	3.6 J
Antimony	ug/l	6020	- -	- -	0.094 B	0.94 J	0.12 B	0.061 J	0.052 J	< 0.019 UL	< 0.019 UL	< 0.019 UL	0.047 J
Arsenic	ug/l	6020	- -	- -	< 0.29	1.6	1.4	< 0.29	< 0.29	0.41 K	< 0.29 UJ	1.2 K	< 0.29 UJ
Barium	ug/l	6020	- -	- -	110	22	39	26	19	28	16 J	44 J	30 J
Beryllium	ug/l	6020	- -	- -	1.2 K	< 0.037	< 0.037	< 0.037	< 0.037	< 0.037	< 0.037 UJ	< 0.037 UJ	0.048 J
Cadmium	ug/l	6020	- -	- -	0.84 J	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ
Calcium	ug/l	6020	- -	- -	760000	25000	310000	77000 K	81000 K	98000	170000 J	38000 J	140000 K
Chromium	ug/l	6020	- -	- -	1.9 J	2.4	1.5 J	1.5 J	1.8 J	2.1	2.8 J	0.75 J	1.4 J
Cobalt	ug/l	6020	- -	- -	98	0.13 J	0.42 J	0.17 J	0.17 J	0.21 J	0.43 J	3.8 J	1.1 J
Copper	ug/l	6020	- -	- -	2.6	2.4	1.4 J	0.56 K	0.5 K	1.2 K	1.7 K	0.95 K	0.57 K
Iron	ug/l	6020	- -	- -	60000	200	65	33 B	31 B	15 J	16 J	7500 J	7.4 B
Lead	ug/l	6020	- -	- -	1 B	2.8	0.052 B	1.5	< 0.019	0.15 J	0.13 J	0.057 B	0.029 B
Magnesium	ug/l	6020	- -	- -	5900	4000	22000	27000	29000	27000 L	54000 L	10000 L	31000 J
Manganese	ug/l	6020	- -	- -	30000	93	48	0.65 B	1.3 B	94	61 J	6000 J	1100 J
Mercury	ug/l	7470	0.252	1.06	< 0.038	< 0.038	< 0.038	< 0.038 UL	< 0.038 UL	< 0.038 UL	< 0.038	< 0.038	< 0.038
Nickel	ug/l	6020	- -	- -	110 K	0.46 K	0.21 K	0.86 J	0.66 J	2.1	2.5 J	1.7 J	4.7 J
Potassium	ug/l	6020	- -	- -	43000	3100	33000	8500	8200	1500 J	2100 J	3600 J	2700 J
Selenium	ug/l	6020	- -	- -	7.2	0.48 J	2 J	2.9 B	3 B	1.8 J	1.3 J	< 0.42 UJ	< 0.42 UJ
Silver	ug/l	6020	- -	- -	< 0.036	< 0.036	< 0.036	< 0.036	< 0.036	< 0.036	< 0.036 UJ	< 0.036 UJ	< 0.036 UJ
Sodium	ug/l	6020	- -	- -	48000	5600	59000	93000 K	95000 K	20000	79000 J	66000 J	48000 K
Thallium	ug/l	6020	- -	- -	0.11 J	0.034 J	< 0.015	< 0.015	< 0.015	0.052 B	0.084 B	0.13 J	< 0.015 UJ
Vanadium	ug/l	6020	- -	- -	0.33 L	10 L	1.3 L	0.11 B	0.4 B	1.5	1.8 J	< 0.082 UJ	0.46 B
Zinc	ug/l	6020	- -	- -	160 K	6.9 K	2.3 K	4.4 K	3.3 K	8.4	8.6 J	15 J	6.3 K
Other Parameters													
Cyanide, Total	ug/l	9012	20.1	84.4	< 1.5	3.5 J	< 1.5	50	54	< 1.5	< 1.5	< 1.5	< 1.5

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]								
			Residential	*Commercial*	VII-MW-01A DUP 02/19/2014 Duplicate	VII-MW-02A 02/19/2014	VII-MW-03A 02/19/2014	VII-MW-01P 02/14/2014	VII-MW-02P 02/13/2014	VII-MW-03P 02/14/2014	VI-MW-03A 01/17/2019	VI-MW-03A DUP 01/17/2019 Duplicate	VI-MW-04A 01/17/2019
Volatile Organic Compounds													
1,1,1-Trichloroethane	ug/l	8260	1240	5210	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	NA	NA	NA
1,1,2,2-Tetrachloroethane	ug/l	8260	6.59	288	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	38	160	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	NA	NA	NA
1,1,2-Trichloroethane	ug/l	8260	1.17	4.91	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	NA
1,1-Dichloroethane	ug/l	8260	12.4	541	6.9	< 0.12	0.54 J	0.25 J	< 0.12	< 0.12	NA	NA	NA
1,1-Dichloroethene	ug/l	8260	29.7	125	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	NA	NA	NA
1,2,4-Trichlorobenzene	ug/l	8260	8.78	36.9	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	NA	NA	NA
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.0648	7.84	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
1,2-Dibromoethane (EDB)	ug/l	8260	0.332	14.5	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	NA
1,2-Dichlorobenzene	ug/l	8260	571	2400	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	34	NA	NA	NA
1,2-Dichloroethane	ug/l	8260	3.92	111	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	NA	NA	NA
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	10	1.3	1.9	0.55 J	< 0.51	6.5	NA	NA	NA
cis-1,2-Dichloroethene	ug/l	8260	- -	- -	9.8	1.3	1.8	0.54 J	< 0.24	4.3	NA	NA	NA
trans-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	2.2	NA	NA	NA
1,2-Dichloropropane	ug/l	8260	6.38	26.8	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	NA	NA	NA
cis-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
trans-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	NA	NA	NA
1,3-Dichlorobenzene [1]	ug/l	8260	5.57	243	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	NA	NA	NA
1,4-Dichlorobenzene	ug/l	8260	5.57	243	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	0.59 J	NA	NA	NA
2-Butanone (MEK)	ug/l	8260	389000	1640000	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	3.9 J	NA	NA	NA
2-Hexanone	ug/l	8260	1650	6950	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	ug/l	8260	106000	447000	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	NA	NA	NA
Acetone	ug/l	8260	3680000	15500000	< 2.5	< 2.5	< 2.5	< 2.5	4.9 J	5.2	NA	NA	NA
Benzene	ug/l	8260	2.7	98.6	< 0.11	< 0.11	< 0.11	0.19 J	< 0.11	0.35 J	NA	NA	NA
Bromoform	ug/l	8260	243	10600	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
Bromomethane	ug/l	8260	2.48	10.4	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	NA	NA	NA
Carbon disulfide	ug/l	8260	191	801	< 0.21	< 0.21	< 0.21	0.58 J	< 0.21	< 0.21	NA	NA	NA
Carbon tetrachloride	ug/l	8260	0.693	30.3	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Chlorobenzene	ug/l	8260	78.6	330	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	0.6 J	NA	NA	NA
Chlorodibromomethane	ug/l	8260	- -	- -	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Chloroethane	ug/l	8260	3350	14000	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	NA	NA	NA
Chloroform	ug/l	8260	1.33	58.1	< 0.17	4.3	< 0.17	< 0.17	< 0.17	< 0.17	NA	NA	NA
Chloromethane	ug/l	8260	34.9	146	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	NA	NA	NA
Cyclohexane	ug/l	8260	172	722	< 0.25	< 0.25	< 0.25	1	< 0.25	0.4 J	NA	NA	NA
Dichlorobromomethane	ug/l	8260	1.55	67.6	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
Dichlorodifluoromethane	ug/l	8260	0.963	4.05	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	< 0.19	NA	NA	NA
Ethylbenzene	ug/l	8260	6.85	299	< 0.23	< 0.23	< 0.23	7	0.23 J	12	NA	NA	NA
Isopropylbenzene	ug/l	8260	208	873	< 0.16	< 0.16	< 0.16	3.5	< 0.16	4.4	NA	NA	NA
Methyl acetate	ug/l	8260	- -	- -	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14	NA	NA	NA
Methyl tert-butyl ether	ug/l	8260	722	31500	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	NA	NA	NA
Methylcyclohexane [1]	ug/l	8260	172	722	< 0.26	< 0.26	< 0.26	2.2	< 0.26	1.3	NA	NA	NA
Methylene Chloride	ug/l	8260	742	3120	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	NA	NA	NA
Naphthalene	ug/l	8260	11	174	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ug/l	8260	1860	7820	< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	1.1	NA	NA	NA
Tetrachloroethene	ug/l	8260	10.9	45.6	3.7	1.8	0.46 J	4.2	< 0.15	10	NA	NA	NA
Toluene	ug/l	8260	3520	14800	< 0.15	< 0.15	< 0.15	2.1	< 0.15	4.2	NA	NA	NA
Trichloroethene	ug/l	8260	0.897	3.77	1.4	0.42 J	0.79 J	0.31 J	< 0.14	1.8	NA	NA	NA
Trichlorofluoromethane	ug/l	8260	- -	- -	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	NA	NA	NA
Vinyl chloride	ug/l	8260	0.197	32.8	0.24 J	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	NA	NA	NA
Xylenes, Total	ug/l	8260	75.9	319	< 0.49	< 0.49	< 0.49	31	0.92 J	50	NA	NA	NA
Semi-Volatile Organics													
1,1'-Biphenyl	ug/l	8270	8.73	36.7	< 0.11	< 0.1	< 0.13	1.3	< 0.11	2.6	< 0.057	< 0.057	< 0.059
2,4,5-Trichlorophenol	ug/l	8270	- -	- -	< 0.13	< 0.12	< 0.15	< 0.12 R	< 0.13	< 0.12	< 0.059	< 0.059	< 0.061
2,4,6-Trichlorophenol	ug/l	8270	- -	- -	< 0.31	< 0.29	< 0.36	< 0.29 R	< 0.31	< 0.3	< 0.065	< 0.065	< 0.068
2,4-Dichlorophenol	ug/l	8270	- -	- -	< 0.07	< 0.065	< 0.08	< 0.065 R	< 0.07	< 0.067	< 0.049	< 0.049	< 0.051
2,4-Dimethylphenol	ug/l	8270	- -	- -	< 0.18	< 0.16	< 0.2	< 0.16 R	< 0.18	< 0.17	< 0.039	< 0.039	< 0.041

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]																					
					VII-MW-01A DUP 02/19/2014 Duplicate		VII-MW-02A 02/19/2014		VII-MW-03A 02/19/2014		VII-MW-01P 02/14/2014		VII-MW-02P 02/13/2014		VII-MW-03P 02/14/2014		VI-MW-03A 01/17/2019		VI-MW-03A DUP 01/17/2019 Duplicate		VI-MW-04A 01/17/2019	
			Residential	*Commercial*																						
2,4-Dinitrophenol	ug/l	8270	- -	- -	<	2.6	<	2.4	<	3	<	2.4	R	<	2.6		<	2.5	<	1.5	<	1.5	<	1.5		
2,4-Dinitrotoluene	ug/l	8270	- -	- -	<	0.22	<	0.21	<	0.25	<	0.21		<	0.22		<	0.21	<	0.049	<	0.049	<	0.051		
2,6-Dinitrotoluene	ug/l	8270	- -	- -	<	0.14	<	0.13	<	0.16	<	0.13		<	0.14		<	0.14	<	0.058	<	0.058	<	0.06		
2-Chloronaphthalene	ug/l	8270	- -	- -	<	0.032	<	0.03	<	0.037	<	0.03		<	0.032		<	0.031	<	0.057	<	0.057	<	0.059		
2-Chlorophenol	ug/l	8270	- -	- -	<	0.23	<	0.22	<	0.27	<	0.22	R	<	0.23		<	0.23	<	0.062	<	0.062	<	0.064		
2-Methylnaphthalene	ug/l	8270	- -	- -	<	0.02	<	0.018	<	0.023		22			0.12	J		29	<	0.06	<	0.06	<	0.062		
2-Methylphenol	ug/l	8270	- -	- -	<	0.19	<	0.18	<	0.22	<	0.18	R	<	0.19		<	0.19	<	0.1	<	0.1	<	0.11		
2-Nitroaniline	ug/l	8270	- -	- -	<	0.7	<	0.65	<	0.8	<	0.65		<	0.7		<	0.67	<	0.2	<	0.2	<	0.21		
2-Nitrophenol	ug/l	8270	- -	- -	<	0.12	<	0.11	<	0.13	<	0.11	R	<	0.12		<	0.11	<	0.059	<	0.059	<	0.061		
3,3'-Dichlorobenzidine	ug/l	8270	- -	- -	<	0.15	<	0.14	<	0.17	<	0.14		<	0.15		<	0.15	<	0.56	<	0.56	<	0.58		
3-Nitroaniline	ug/l	8270	- -	- -	<	0.84	<	0.77	<	0.96	<	0.77		<	0.84		<	0.81	<	0.064	<	0.064	<	0.067		
4,6-Dinitro-2-methylphenol	ug/l	8270	- -	- -	<	1.6	<	1.5	<	1.9	<	1.5	R	<	1.6		<	1.6	<	1.4	<	1.4	<	1.5		
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	<	0.12	<	0.11	<	0.14	<	0.11		<	0.12		<	0.12	<	0.061	<	0.061	<	0.063		
4-Chloro-3-methylphenol	ug/l	8270	- -	- -	<	0.18	<	0.16	<	0.2	<	0.16	R	<	0.18		<	0.17	<	0.059	<	0.059	<	0.061		
4-Chloroaniline	ug/l	8270	- -	- -	<	0.3	<	0.28	<	0.35	<	0.28		<	0.3		<	0.29	<	0.042	<	0.042	<	0.044		
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	<	0.083	<	0.077	<	0.095	<	0.077		<	0.083		<	0.08	<	0.059	<	0.059	<	0.061		
4-Nitroaniline	ug/l	8270	- -	- -	<	0.81	<	0.74	<	0.92	<	0.74		<	0.81		<	0.77	<	0.056	<	0.056	<	0.058		
4-Nitrophenol	ug/l	8270	- -	- -	<	0.84	<	0.77	<	0.96	<	0.77	R	<	0.84		<	0.8	<	0.14	<	0.14	<	0.14		
Acenaphthene	ug/l	8270	- -	- -	<	0.03	<	0.028	<	0.035	<	0.028			0.082	J		2.1	<	0.063	<	0.063	<	0.065		
Acenaphthylene	ug/l	8270	- -	- -	<	0.022	<	0.021	<	0.026	<	0.021		<	0.022		<	0.022	<	0.063	<	0.063	<	0.065		
Acetophenone	ug/l	8270	- -	- -	<	0.12	<	0.11	<	0.13	<	0.11		<	0.12		<	0.11	<	0.06	<	0.06	<	0.062		
Anthracene	ug/l	8270	- -	- -	<	0.02	<	0.018	<	0.023	<	0.018			0.058	J		0.29	<	0.047	<	0.047	<	0.049		
Atrazine	ug/l	8270	- -	- -	<	0.23	<	0.21	<	0.27	<	0.21		<	0.23		<	0.22	<	0.18	<	0.18	<	0.18		
Benzaldehyde	ug/l	8270	- -	- -	<	0.11	<	0.1	<	0.13	<	0.1		<	0.11		<	0.11	<	0.11	<	0.11	<	0.11		
Benzo[a]anthracene	ug/l	8270	176	- -	<	0.038	<	0.035	<	0.044	<	0.035		<	0.038		<	0.037	<	0.072	<	0.072	<	0.075		
Benzo[a]pyrene	ug/l	8270	- -	- -	<	0.029	<	0.027	<	0.034	<	0.027		<	0.029		<	0.028	<	0.051	<	0.051	<	0.053		
Benzo[b]fluoranthene	ug/l	8270	- -	- -	<	0.051	<	0.047	<	0.058	<	0.047		<	0.051		<	0.049	<	0.093	<	0.093	<	0.097		
Benzo[g,h,i]perylene	ug/l	8270	- -	- -	<	0.03	<	0.028	<	0.035	<	0.028		<	0.03		<	0.029	<	0.066	<	0.066	<	0.069		
Benzo[k]fluoranthene	ug/l	8270	- -	- -	<	0.031	<	0.029	<	0.036	<	0.029		<	0.031		<	0.03	<	0.085	<	0.085	<	0.088		
Bis(2-chloroisopropyl)ether	ug/l	8270	- -	- -	<	0.025	<	0.023	<	0.028	<	0.023		<	0.025		<	0.024	<	0.056	UJ	<	0.056	UJ	<	0.058	UJ
Bis(2-chloroethoxy)methane	ug/l	8270	- -	- -	<	0.14	<	0.13	<	0.16	<	0.13		<	0.14		<	0.13	<	0.064	<	0.064	<	0.067		
Bis(2-chloroethyl)ether	ug/l	8270	30.5	1330	<	0.033	<	0.03	<	0.038	<	0.03		<	0.033		<	0.032	<	0.038	<	0.038	<	0.04		
Bis(2-ethylhexyl) phthalate	ug/l	8270	- -	- -		0.61	J		0.8	J		0.6	J		1.6	J		1	J		1.6	J	<	4.4	<	4.4	<	4.6		
Butyl benzyl phthalate	ug/l	8270	- -	- -	<	0.22			0.29	J	<	0.25			3.6			3.3			1.6			0.44	J	<	0.44	<	0.46		
Caprolactam	ug/l	8270	- -	- -	<	1.5	<	1.4	<	1.8	<	1.4		<	1.5		<	1.5	<	0.45	<	0.45	<	0.47		
Carbazole	ug/l	8270	- -	- -	<	0.028	<	0.026	<	0.032	<	0.026		<	0.028			1.3	<	0.049	<	0.049	<	0.051		
Chrysene	ug/l	8270	- -	- -	<	0.032	<	0.03	<	0.037	<	0.03		<	0.032		<	0.031	<	0.078	<	0.078	<	0.081		
Dibenz(a,h)anthracene	ug/l	8270	- -	- -	<	0.028	<	0.026	<	0.032	<	0.026		<	0.028		<	0.027	<	0.069	<	0.069	<	0.072		
Dibenzofuran	ug/l	8270	- -	- -	<	0.1	<	0.093	<	0.11		1.1		<	0.1			1.5	<	0.07	<	0.07	<	0.073		
Diethyl phthalate	ug/l	8270	- -	- -	<	0.31	<	0.29	<	0.35	<	0.29			0.34	B	<	0.3	<	0.55	<	0.55	<	0.57		
Dimethyl phthalate	ug/l	8270	- -	- -	<	0.19	<	0.18	<	0.22	<	0.18		<	0.19		<	0.18	<	0.054	<	0.054	<	0.056		
Di-n-butyl phthalate	ug/l	8270	- -	- -	<	0.25	<	0.23	<	0.29		0.23	J	<	0.25		<	0.24	<	0.71	<	0.71	<	0.74		
Di-n-octyl phthalate	ug/l	8270	- -	- -	<	0.21	<	0.2	<	0.24	<	0.2		<	0.21		<	0.2	<	0.66	<	0.66	<	0.69		
Fluoranthene	ug/l	8270	- -	- -	<	0.022	<	0.02	<	0.025		0.11	J		0.023	J		0.16	J	<	0.058	<	0.058	<	0.06		
Fluorene	ug/l	8270	- -	- -	<	0.025	<	0.023	<	0.029		1.7			0.04	J		2.4	<	0.066	<	0.066	<	0.069		
Hexachlorobenzene	ug/l	8270	0.275	12	<	0.064	<	0.059	<	0.073	<	0.059		<	0.064		<	0.061	<	0.054	<	0.054	<	0.056		
Hexachlorobutadiene	ug/l	8270	0.716	31.3	<	0.098	<	0.09	<	0.11	<	0.09		<	0.098		<	0.094	<	0.066	<	0.066	<	0.069		
Hexachlorocyclopentadiene	ug/l	8270	0.958	4.02	<	0.14	<	0.13	<	0.16	<	0.13		<	0.14		<	0.14	<	0.48	<	0.48	<	0.5		
Hexachloroethane	ug/l	8270	4.26	186	<	0.14	<	0.13	<	0.16	<	0.13		<	0.14		<	0.14	<	0.06	<	0.06	<	0.062		
Indeno[1,2,3-cd]pyrene	ug/l	8270	- -	- -	<	0.045	<	0.042	<	0.052	<	0.042		<	0.045		<	0.043	<	0.082	<	0.082	<	0.085		
Isophorone	ug/l	8270	- -	- -	<	0.077	<	0.071	<	0.088	<	0.071		<	0.077		<	0.074	<	0.052	<	0.052	<	0.054		
Methylphenol, 3 & 4	ug/l	8270	- -	- -	<	0.22	<	0.2	<	0.25	<	0.2	R	<	0.22		<	0.21	<	0.4	<	0.4	<	0.42		
Naphthalene	ug/l	8270	11	174	<	0.024	<	0.022	<	0.027		9.1			0.16	J		17	<	0.057	<	0.057	<	0.059		
Nitrobenzene	ug/l	8270	177	7710	<	0.16	<	0.14	<	0.18	<	0.14		<	0.16		<	0.15	<	0.16	<	0.16	<	0.17		
N-Nitrosodi-n-propylamine	ug/l	8270	- -	- -	<	0.052	<	0.048	<	0.06	<	0.048		<	0.052		<	0.05	<	0.068	<	0.068	<	0.071		
N-Nitrosodiphenylamine	ug/l	8270	- -	- -	<	0.13	<	0.12	<	0.14	<	0.12		<	0.13		<	0.12	<	0.11	<	0.11	<	0.12		
Pentachlorophenol	ug/l	8270	- -	- -	<	0.52	<	0.48	<	0.6	<	0.48	R	<	0.52		<	0.5	<	0.23	<	0.23	<	0.24		

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)																							
					VII-MW-01A DUP 02/19/2014 Duplicate			VII-MW-02A 02/19/2014			VII-MW-03A 02/19/2014			VII-MW-01P 02/14/2014			VII-MW-02P 02/13/2014			VII-MW-03P 02/14/2014			VI-MW-03A 01/17/2019		VI-MW-03A DUP 01/17/2019 Duplicate		VI-MW-04A 01/17/2019	
			Residential	*Commercial*																								
Phenanthrene	ug/l	8270	- -	- -	<	0.043		<	0.04			0.054	J		2.6			0.051	J		2.5		<	0.053	<	0.053	<	0.055
Phenol	ug/l	8270	- -	- -	<	0.058		<	0.053		<	0.066		<	0.053	R	<	0.058			0.33	J	<	0.094	<	0.094	<	0.098
Pyrene	ug/l	8270	- -	- -	<	0.024		<	0.022		<	0.027		<	0.022			0.036	J		0.15	J	<	0.052	<	0.052	<	0.054
Inorganics (3)																												
Aluminum	ug/l	6020	- -	- -	<	2.6	UJ	<	2.6	UJ		2600	J		5.5	J		24	J		50	J		NA		NA		NA
Antimony	ug/l	6020	- -	- -		0.082	J		0.079	J		0.1	J	<	0.019	UL		0.047	L	<	0.019	UL		NA		NA		NA
Arsenic	ug/l	6020	- -	- -	<	0.29	UJ	<	0.29	UJ	<	0.29	UJ		1.2	K		2.3	K		1.9	K		NA		NA		NA
Barium	ug/l	6020	- -	- -		29	J		23	J		41	J		94	J		20	J		26	J		NA		NA		NA
Beryllium	ug/l	6020	- -	- -	<	0.037	UJ	<	0.037	UJ		0.85	J	<	0.037	UJ	<	0.037	UJ	<	0.037	UJ		NA		NA		NA
Cadmium	ug/l	6020	- -	- -	<	0.11	UJ	<	0.11	UJ		1.4	J	<	0.11	UJ	<	0.11	UJ	<	0.11	UJ		NA		NA		NA
Calcium	ug/l	6020	- -	- -		140000	K		56000	K		140000	K		1000000	J		31000	J		220000	J		NA		NA		NA
Chromium	ug/l	6020	- -	- -		1.1	J		2.1	J		3.4	J		1.5	J		0.95	J		0.98	J		NA		NA		NA
Cobalt	ug/l	6020	- -	- -		1.1	J		0.1	J		47	J		0.71	J		0.11	J		0.14	J		NA		NA		NA
Copper	ug/l	6020	- -	- -		0.43	K		1	K		7.3	K		1.8	K		0.74	K		0.75	K		NA		NA		NA
Iron	ug/l	6020	- -	- -	<	6.1	UJ	<	6.1	UJ		1400	J		42	J		10	J		20	J		NA		NA		NA
Lead	ug/l	6020	- -	- -		0.033	B		0.031	B		4.4	J		0.056	B		0.072	B		0.073	B		NA		NA		NA
Magnesium	ug/l	6020	- -	- -		32000	J		16000	J		13000	J		690	L		4400	L		16000	L		NA		NA		NA
Manganese	ug/l	6020	- -	- -		1100	J		24	J		19000	J		25	J		260	J		8.6	J		NA		NA		NA
Mercury	ug/l	7470	0.252	1.06	<	0.038			0.043	J	<	0.038			0.05	J	<	0.038		<	0.038			NA		NA		NA
Nickel	ug/l	6020	- -	- -		4.1	J		1.7	J		46	J	<	1.7	UJ		0.95	J	<	0.17	UJ		NA		NA		NA
Potassium	ug/l	6020	- -	- -		2700	J		4100	J		15000	J		49000	J		2600	J		22000	J		NA		NA		NA
Selenium	ug/l	6020	- -	- -	<	0.42	UJ		0.72	B		1	B		15	J		0.45	J		1.1	J		NA		NA		NA
Silver	ug/l	6020	- -	- -	<	0.036	UJ	<	0.036	UJ		0.092	J	<	0.036	UJ	<	0.036	UJ	<	0.036	UJ		NA		NA		NA
Sodium	ug/l	6020	- -	- -		47000	K		52000	K		47000	K		42000	J		7400	J		35000	J		NA		NA		NA
Thallium	ug/l	6020	- -	- -	<	0.015	UJ	<	0.015	UJ		0.093	B		0.043	B		0.035	B	<	0.015	UJ		NA		NA		NA
Vanadium	ug/l	6020	- -	- -		0.34	B		0.39	B		0.13	B	<	0.082	UJ		1.8	J		1.5	J		NA		NA		NA
Zinc	ug/l	6020	- -	- -		4.7	K		7.2	K		100	K		4.7	J		5.7	J		8.1	J		NA		NA		NA
Other Parameters																												
Cyanide, Total	ug/l	9012	20.1	84.4	<	1.5		<	1.5		<	1.5		<	1.5		<	1.5		<	1.5			NA		NA		NA

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]																	
					VII-MW-04P 01/17/2019		VII-MW-05P 01/17/2019		VII-MW-06P 01/17/2019		VII-MW-07P 01/17/2019		MA-MW-07A 04/04/2019		MA-MW-07D 04/04/2019		VI-MW-01A 04/01/2019		VI-MW-01P 04/01/2019		VI-MW-02AR 04/01/2019	
			Residential	*Commercial*																		
Volatile Organic Compounds																						
1,1,1-Trichloroethane	ug/l	8260	1240	5210	< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
1,1,2,2-Tetrachloroethane	ug/l	8260	6.59	288	< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	38	160	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane	ug/l	8260	1.17	4.91	< 0.45		< 0.45		< 0.45		< 0.45		< 0.45		< 0.45		< 0.45		< 0.45		< 0.45	
1,1-Dichloroethane	ug/l	8260	12.4	541	< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63	
1,1-Dichloroethene	ug/l	8260	29.7	125	< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		0.96	J	< 0.55		< 0.55		< 0.55	
1,2,4-Trichlorobenzene	ug/l	8260	8.78	36.9	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.0648	7.84	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dibromoethane (EDB)	ug/l	8260	0.332	14.5	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene	ug/l	8260	571	2400	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dichloroethane	ug/l	8260	3.92	111	< 0.57		< 0.57		< 0.57		< 0.57		< 0.57		< 0.57		< 0.57		< 0.57		< 0.57	
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3	
cis-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.71		< 0.71		< 0.71		< 0.71		< 0.71		< 0.71		1.2		< 0.71		< 0.71	
trans-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.67		< 0.67		< 0.67		< 0.67		< 0.67		< 0.67		< 0.67		< 0.67		< 0.67	
1,2-Dichloropropane	ug/l	8260	6.38	26.8	< 0.66		< 0.66		< 0.66		< 0.66		< 0.66		< 0.66		< 0.66		< 0.66		< 0.66	
cis-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59	
trans-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58	
1,3-Dichlorobenzene [1]	ug/l	8260	5.57	243	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene	ug/l	8260	5.57	243	NA		NA		NA		NA		NA		NA		NA		NA		NA	
2-Butanone (MEK)	ug/l	8260	389000	1640000	< 2.6		< 2.6		< 2.6		< 2.6		< 2.6		< 2.6		< 2.6		< 2.6		< 2.6	
2-Hexanone	ug/l	8260	1650	6950	< 3.3		< 3.3		< 3.3		< 3.3		< 3.3		< 3.3		< 3.3		< 3.3		< 3.3	
4-Methyl-2-pentanone (MIBK)	ug/l	8260	106000	447000	< 3.1		< 3.1		< 3.1		< 3.1		< 3.1		< 3.1		< 3.1		< 3.1		< 3.1	
Acetone	ug/l	8260	3680000	15500000	< 3.4		< 3.4		< 3.4		< 3.4		< 3.4		5.8		4	J	5.7	J	5.2	J
Benzene	ug/l	8260	2.7	98.6	< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
Bromoform	ug/l	8260	243	10600	< 0.98		< 0.98		< 0.98		< 0.98		< 0.98		< 0.98		< 0.98		< 0.98		< 0.98	
Bromomethane	ug/l	8260	2.48	10.4	< 0.89		< 0.89	UJ	< 0.89	UJ	< 0.89	UJ	< 0.89		< 0.89		< 0.89		< 0.89		< 0.89	
Carbon disulfide	ug/l	8260	191	801	< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88	
Carbon tetrachloride	ug/l	8260	0.693	30.3	< 0.88		< 0.88	UJ	< 0.88	UJ	< 0.88	UJ	< 0.88		< 0.88		< 0.88		< 0.88		< 0.88	
Chlorobenzene	ug/l	8260	78.6	330	< 0.5		< 0.5		< 0.5		< 0.5		< 0.5		< 0.5		< 0.5		< 0.5		< 0.5	
Chlorodibromomethane	ug/l	8260	- -	- -	< 0.84		< 0.84		< 0.84		< 0.84		< 0.84		< 0.84		< 0.84		< 0.84		< 0.84	
Chloroethane	ug/l	8260	3350	14000	< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9	
Chloroform	ug/l	8260	1.33	58.1	< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		4.3		< 0.6		< 0.6	
Chloromethane	ug/l	8260	34.9	146	< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9	
Cyclohexane	ug/l	8260	172	722	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Dichlorobromomethane	ug/l	8260	1.55	67.6	< 0.64		< 0.64		< 0.64		< 0.64		< 0.64		< 0.64		< 0.64		< 0.64		< 0.64	
Dichlorodifluoromethane	ug/l	8260	0.963	4.05	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Ethylbenzene	ug/l	8260	6.85	299	0.54	J	< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 0.51	
Isopropylbenzene	ug/l	8260	208	873	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Methyl acetate	ug/l	8260	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Methyl tert-butyl ether	ug/l	8260	722	31500	< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59	
Methylcyclohexane [1]	ug/l	8260	172	722	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Methylene Chloride	ug/l	8260	742	3120	< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89	
Naphthalene	ug/l	8260	11	174	2.4		< 0.79		< 0.79		< 0.79		< 0.79	UJ	< 0.79	UJ	< 0.79		< 0.79		< 0.79	
Styrene	ug/l	8260	1860	7820	< 0.47		< 0.47		< 0.47		< 0.47		< 0.47		< 0.47		< 0.47		< 0.47		< 0.47	
Tetrachloroethene	ug/l	8260	10.9	45.6	2.4		< 0.47		0.9	J	< 0.47		< 0.47		< 0.47		1.4		< 0.47		< 0.47	
Toluene	ug/l	8260	3520	14800	< 0.46		< 0.46		< 0.46		< 0.46		< 0.46		< 0.46		< 0.46		< 0.46		< 0.46	
Trichloroethene	ug/l	8260	0.897	3.77	< 0.69		< 0.69		< 0.69		< 0.69		< 0.69		< 0.69		0.84	J	< 0.69		< 0.69	
Trichlorofluoromethane	ug/l	8260	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Vinyl chloride	ug/l	8260	0.197	32.8	< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88	
Xylenes, Total	ug/l	8260	75.9	319	1.3	J	< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89	
Semi-Volatile Organics																						
1,1'-Biphenyl	ug/l	8270	8.73	36.7	NA		NA		NA		NA		< 0.055		< 0.057		< 0.055		< 0.061		< 0.057	
2,4,5-Trichlorophenol	ug/l	8270	- -	- -	NA		NA		NA		NA		< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
2,4,6-Trichlorophenol	ug/l	8270	- -	- -	NA		NA		NA		NA		< 0.063		< 0.065		< 0.063		< 0.071		< 0.065	
2,4-Dichlorophenol	ug/l	8270	- -	- -	NA		NA		NA		NA		< 0.047		< 0.049		< 0.047		< 0.053		< 0.049	
2,4-Dimethylphenol	ug/l	8270	- -	- -	NA		NA		NA		NA		< 0.038		< 0.039		< 0.038		< 0.043		< 0.039	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)															
			Residential	*Commercial*	VII-MW-04P 01/17/2019	VII-MW-05P 01/17/2019	VII-MW-06P 01/17/2019	VII-MW-07P 01/17/2019	MA-MW-07A 04/04/2019		MA-MW-07D 04/04/2019		VI-MW-01A 04/01/2019		VI-MW-01P 04/01/2019		VI-MW-02AR 04/01/2019	
2,4-Dinitrophenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 1.4		< 1.5		< 1.4		< 1.6		< 1.5	
2,4-Dinitrotoluene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.047		< 0.049		< 0.047		< 0.053		< 0.049	
2,6-Dinitrotoluene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.056		< 0.058		< 0.056		< 0.063		< 0.058	
2-Chloronaphthalene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.055		< 0.057		< 0.055		< 0.061		< 0.057	
2-Chlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.059		< 0.062		< 0.059		< 0.067		< 0.062	
2-Methylnaphthalene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.057		< 0.06		< 0.057		< 0.065		< 0.06	
2-Methylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.28		< 0.29		< 0.28		< 0.31		< 0.29	
2-Nitroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.51		< 0.53		< 0.51		< 0.57		< 0.53	
2-Nitrophenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
3,3'-Dichlorobenzidine	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.54		< 0.56		< 0.54		< 0.61		< 0.56	
3-Nitroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.062		< 0.064		< 0.062		< 0.07		< 0.064	
4,6-Dinitro-2-methylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 1.4		< 1.4		< 1.4		< 1.5		< 1.4	
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.058		< 0.061		< 0.058		< 0.066		< 0.061	
4-Chloro-3-methylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
4-Chloroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.041		< 0.042		< 0.041		< 0.046		< 0.042	
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.056		< 0.059		< 0.056		< 0.064		< 0.059	
4-Nitroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.054		< 0.056		< 0.054		< 0.06		< 0.056	
4-Nitrophenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.13		< 0.14		< 0.13		< 0.15		< 0.14	
Acenaphthene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.06		< 0.063		< 0.06		0.073	J	< 0.063	
Acenaphthylene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.06		< 0.063		< 0.06		< 0.068		< 0.063	
Acetophenone	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.057		< 0.06		< 0.057		< 0.065		< 0.06	
Anthracene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.045		< 0.047		< 0.045		< 0.051		< 0.047	
Atrazine	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.59		< 0.61		< 0.59	UJ	< 0.66	UJ	< 0.61	UJ
Benzaldehyde	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.1		< 0.11		< 0.1		< 0.12		< 0.11	
Benzo[a]anthracene	ug/l	8270	176	- -	NA	NA	NA	NA	< 0.069		< 0.072		< 0.069		< 0.078		< 0.072	
Benzo[a]pyrene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.049		< 0.051		< 0.049		< 0.055		< 0.051	
Benzo[b]fluoranthene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.09		< 0.093		< 0.09		< 0.1		< 0.093	
Benzo[g,h,i]perylene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.064		< 0.066		< 0.064		< 0.072		< 0.066	
Benzo[k]fluoranthene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.081		< 0.085		< 0.081		< 0.092		< 0.085	
Bis(2-chloroisopropyl)ether	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.054		< 0.056		< 0.054		< 0.06		< 0.056	
Bis(2-chloroethoxy)methane	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.062		< 0.064		< 0.062		< 0.07		< 0.064	
Bis(2-chloroethyl)ether	ug/l	8270	30.5	1330	NA	NA	NA	NA	< 0.037		< 0.038		< 0.037		< 0.042		< 0.038	
Bis(2-ethylhexyl) phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA	< 5.8		< 6		< 5.8		< 6.5		< 6	
Butyl benzyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA	0.46	J	< 0.44		0.49	J	0.61	J	0.56	J
Caprolactam	ug/l	8270	- -	- -	NA	NA	NA	NA	0.8	J	0.76	J	< 0.44		1.1	J	1.6	J
Carbazole	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.047		< 0.049		< 0.047		< 0.053		< 0.049	
Chrysene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.075		< 0.078		< 0.075		< 0.084		< 0.078	
Dibenz(a,h)anthracene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.067		< 0.069		< 0.067		< 0.075		< 0.069	
Dibenzofuran	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.068		< 0.07		< 0.068		< 0.076		< 0.07	
Diethyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.53		< 0.55		< 0.53		< 0.59		< 0.55	
Dimethyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.052		< 0.054		< 0.052		< 0.058		< 0.054	
Di-n-butyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.69		0.72	J	< 0.69		< 0.77		< 0.71	
Di-n-octyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.63		< 0.66		< 0.63		< 0.71		< 0.66	
Fluoranthene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.056		< 0.058		< 0.056		0.086	J	< 0.058	
Fluorene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.064		< 0.066		< 0.064		< 0.072		< 0.066	
Hexachlorobenzene	ug/l	8270	0.275	12	NA	NA	NA	NA	< 0.052		< 0.054		< 0.052		< 0.058		< 0.054	
Hexachlorobutadiene	ug/l	8270	0.716	31.3	NA	NA	NA	NA	< 0.064		< 0.066		< 0.064		< 0.072		< 0.066	
Hexachlorocyclopentadiene	ug/l	8270	0.958	4.02	NA	NA	NA	NA	< 0.46		< 0.48		< 0.46		< 0.52		< 0.48	
Hexachloroethane	ug/l	8270	4.26	186	NA	NA	NA	NA	< 0.057		< 0.06		< 0.057		< 0.065		< 0.06	
Indeno[1,2,3-cd]pyrene	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.079		< 0.082		< 0.079		< 0.089		< 0.082	
Isophorone	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.05		< 0.052		< 0.05		< 0.056		< 0.052	
Methylphenol, 3 & 4	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.34		< 0.36		< 0.34		< 0.39		< 0.36	
Naphthalene	ug/l	8270	11	174	NA	NA	NA	NA	< 0.055		< 0.057		< 0.055		< 0.061		< 0.057	
Nitrobenzene	ug/l	8270	177	7710	NA	NA	NA	NA	< 0.46		< 0.48		< 0.46		< 0.52		< 0.48	
N-Nitrosodi-n-propylamine	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.066		< 0.068		< 0.066		< 0.074		< 0.068	
N-Nitrosodiphenylamine	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.11		< 0.11		< 0.11		< 0.12		< 0.11	
Pentachlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA	< 0.78		< 0.81		< 0.78		< 0.88		< 0.81	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)																	
			Residential	*Commercial*	VII-MW-04P 01/17/2019		VII-MW-05P 01/17/2019		VII-MW-06P 01/17/2019		VII-MW-07P 01/17/2019		MA-MW-07A 04/04/2019		MA-MW-07D 04/04/2019		VI-MW-01A 04/01/2019		VI-MW-01P 04/01/2019		VI-MW-02AR 04/01/2019	
Phenanthrene	ug/l	8270	- -	- -	NA		NA		NA		NA		0.059	J	0.096	J	0.06	J	0.1	J	0.079	J
Phenol	ug/l	8270	- -	- -	NA		NA		NA		NA		< 0.45		< 0.47		< 0.45		< 0.51		< 0.47	
Pyrene	ug/l	8270	- -	- -	NA		NA		NA		NA		< 0.05		< 0.052		< 0.05		0.094	J	< 0.052	
Inorganics (3)																						
Aluminum	ug/l	6020	- -	- -	NA		NA		NA		NA		< 13		< 13		< 13		< 13		< 13	
Antimony	ug/l	6020	- -	- -	NA		NA		NA		NA		< 0.38		< 0.38		< 0.38		< 0.38		< 0.38	
Arsenic	ug/l	6020	- -	- -	NA		NA		NA		NA		0.48	J	< 0.32		< 0.32		1.1		< 0.32	
Barium	ug/l	6020	- -	- -	NA		NA		NA		NA		23		19		22		34		13	
Beryllium	ug/l	6020	- -	- -	NA		NA		NA		NA		< 0.16		< 0.16		< 0.16		< 0.16		< 0.16	
Cadmium	ug/l	6020	- -	- -	NA		NA		NA		NA		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13	
Calcium	ug/l	6020	- -	- -	NA		NA		NA		NA		54000		63000		140000		77000		160000	
Chromium	ug/l	6020	- -	- -	NA		NA		NA		NA		3		2.2		< 1.5		1.7	J	1.7	J
Cobalt	ug/l	6020	- -	- -	NA		NA		NA		NA		0.11	J	0.099	J	0.1	J	1.6		0.13	J
Copper	ug/l	6020	- -	- -	NA		NA		NA		NA		0.82	J	0.69	J	1.6	J	0.84	J	0.8	J
Iron	ug/l	6020	- -	- -	NA		NA		NA		NA		77		17	J	< 14		2000		< 14	
Lead	ug/l	6020	- -	- -	NA		NA		NA		NA		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13	
Magnesium	ug/l	6020	- -	- -	NA		NA		NA		NA		17000		21000		43000		33000		57000	
Manganese	ug/l	6020	- -	- -	NA		NA		NA		NA		< 1.4		< 1.4		4	J	1400		1.9	J
Mercury	ug/l	7470	0.252	1.06	NA		NA		NA		NA		< 0.1		< 0.1		< 0.1		< 0.1		< 0.1	
Nickel	ug/l	6020	- -	- -	NA		NA		NA		NA		0.45	J	0.45	J	1.4		5.1		1.4	
Potassium	ug/l	6020	- -	- -	NA		NA		NA		NA		9300		7500		2200		5000		2100	
Selenium	ug/l	6020	- -	- -	NA		NA		NA		NA		3.2	J	< 2.6		< 2.6		< 2.6		2.7	J
Silver	ug/l	6020	- -	- -	NA		NA		NA		NA		< 0.12		< 0.12		< 0.12		< 0.12		< 0.12	
Sodium	ug/l	6020	- -	- -	NA		NA		NA		NA		110000		100000		170000		94000		72000	
Thallium	ug/l	6020	- -	- -	NA		NA		NA		NA		< 0.13		< 0.13		< 0.13		< 0.13		< 0.13	
Vanadium	ug/l	6020	- -	- -	NA		NA		NA		NA		2		1.2		1.4		1.7		1.2	
Zinc	ug/l	6020	- -	- -	NA		NA		NA		NA		< 3.2		5.6		< 3.2		6.2		< 3.2	
Other Parameters																						
Cyanide, Total	ug/l	9012	20.1	84.4	NA		NA		NA		NA		37		31		< 4.4		4.7	J	< 4.4	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)																	
			Residential	*Commercial*	VI-MW-03A 03/28/2019		VI-MW-04A 03/28/2019		VI-MW-04A DUP 03/28/2019 Duplicate		VII-MW-01A 03/28/2019		VII-MW-01P 04/03/2019		VII-MW-02A 03/28/2019		VII-MW-02P 03/28/2019		VII-MW-03A 03/29/2019		VII-MW-03P 04/03/2019	
Volatile Organic Compounds																						
1,1,1-Trichloroethane	ug/l	8260	1240	5210	NA		NA		NA		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
1,1,2,2-Tetrachloroethane	ug/l	8260	6.59	288	NA		NA		NA		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	38	160	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane	ug/l	8260	1.17	4.91	NA		NA		NA		< 0.45		< 0.45		< 0.45		< 0.45		< 0.45		< 0.45	
1,1-Dichloroethane	ug/l	8260	12.4	541	NA		NA		NA		6		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63	
1,1-Dichloroethene	ug/l	8260	29.7	125	NA		NA		NA		< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		< 0.55	
1,2,4-Trichlorobenzene	ug/l	8260	8.78	36.9	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.0648	7.84	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dibromoethane (EDB)	ug/l	8260	0.332	14.5	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene	ug/l	8260	571	2400	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,2-Dichloroethane	ug/l	8260	3.92	111	NA		NA		NA		< 0.57		< 0.57		< 0.57		< 0.57		< 0.57		< 0.57	
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	NA		NA		NA		4.9		< 1.3		< 1.3		< 1.3		1.9	J	3.3	
cis-1,2-Dichloroethene	ug/l	8260	- -	- -	NA		NA		NA		4.9		< 0.71		1		< 0.71		1.9		2.6	
trans-1,2-Dichloroethene	ug/l	8260	- -	- -	NA		NA		NA		< 0.67		< 0.67		< 0.67		< 0.67		< 0.67		0.68	J
1,2-Dichloropropane	ug/l	8260	6.38	26.8	NA		NA		NA		< 0.66		< 0.66		< 0.66		< 0.66		< 0.66		< 0.66	
cis-1,3-Dichloropropene (1)	ug/l	8260	8.93	111	NA		NA		NA		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59	
trans-1,3-Dichloropropene (1)	ug/l	8260	8.93	111	NA		NA		NA		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58	
1,3-Dichlorobenzene (1)	ug/l	8260	5.57	243	NA		NA		NA		NA		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene	ug/l	8260	5.57	243	NA		NA		NA		NA		NA		NA		NA		NA		NA	
2-Butanone (MEK)	ug/l	8260	389000	1640000	NA		NA		NA		< 2.6		< 2.6		< 2.6		< 2.6		< 2.6		< 2.6	
2-Hexanone	ug/l	8260	1650	6950	NA		NA		NA		< 3.3		< 3.3		< 3.3		< 3.3		< 3.3		< 3.3	
4-Methyl-2-pentanone (MIBK)	ug/l	8260	106000	447000	NA		NA		NA		< 3.1		< 3.1		< 3.1		< 3.1		< 3.1		< 3.1	
Acetone	ug/l	8260	3680000	15500000	NA		NA		NA		4.8	J	5.8		7.9		3.6	J	6.3		6.6	
Benzene	ug/l	8260	2.7	98.6	NA		NA		NA		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
Bromoform	ug/l	8260	243	10600	NA		NA		NA		< 0.98		< 0.98		< 0.98		< 0.98		< 0.98		< 0.98	
Bromomethane	ug/l	8260	2.48	10.4	NA		NA		NA		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89	
Carbon disulfide	ug/l	8260	191	801	NA		NA		NA		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88	
Carbon tetrachloride	ug/l	8260	0.693	30.3	NA		NA		NA		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88	
Chlorobenzene	ug/l	8260	78.6	330	NA		NA		NA		< 0.5		< 0.5		< 0.5		< 0.5		< 0.5		< 0.5	
Chlorodibromomethane	ug/l	8260	- -	- -	NA		NA		NA		< 0.84		< 0.84		< 0.84		< 0.84		< 0.84		< 0.84	
Chloroethane	ug/l	8260	3350	14000	NA		NA		NA		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9	
Chloroform	ug/l	8260	1.33	58.1	NA		NA		NA		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6		< 0.6	
Chloromethane	ug/l	8260	34.9	146	NA		NA		NA		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9		< 0.9	
Cyclohexane	ug/l	8260	172	722	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Dichlorobromomethane	ug/l	8260	1.55	67.6	NA		NA		NA		< 0.64		< 0.64		< 0.64		< 0.64		< 0.64		< 0.64	
Dichlorodifluoromethane	ug/l	8260	0.963	4.05	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Ethylbenzene	ug/l	8260	6.85	299	NA		NA		NA		< 0.51		3.4		< 0.51		< 0.51		< 0.51		0.78	J
Isopropylbenzene	ug/l	8260	208	873	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Methyl acetate	ug/l	8260	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Methyl tert-butyl ether	ug/l	8260	722	31500	NA		NA		NA		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59	
Methylcyclohexane (1)	ug/l	8260	172	722	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Methylene Chloride	ug/l	8260	742	3120	NA		NA		NA		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89		< 0.89	
Naphthalene	ug/l	8260	11	174	NA		NA		NA		< 0.79		24	J	< 0.79		< 0.79		< 0.79		6.2	J
Styrene	ug/l	8260	1860	7820	NA		NA		NA		< 0.47		< 0.47		< 0.47		< 0.47		< 0.47		< 0.47	
Tetrachloroethene	ug/l	8260	10.9	45.6	NA		NA		NA		3.3		3.2		2		< 0.47		< 0.47		2.6	
Toluene	ug/l	8260	3520	14800	NA		NA		NA		< 0.46		0.99	J	< 0.46		< 0.46		< 0.46		< 0.46	
Trichloroethene	ug/l	8260	0.897	3.77	NA		NA		NA		1		< 0.69		0.85	J	< 0.69		1		1.2	
Trichlorofluoromethane	ug/l	8260	- -	- -	NA		NA		NA		NA		NA		NA		NA		NA		NA	
Vinyl chloride	ug/l	8260	0.197	32.8	NA		NA		NA		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88		< 0.88	
Xylenes, Total	ug/l	8260	75.9	319	NA		NA		NA		< 0.89		16		< 0.89		< 0.89		< 0.89		3	
Semi-Volatile Organics																						
1,1'-Biphenyl	ug/l	8270	8.73	36.7	NA		NA		NA		< 0.057		2	J	< 0.059		< 0.057	UJ	< 0.064		< 0.28	
2,4,5-Trichlorophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
2,4,6-Trichlorophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.065		< 0.34		< 0.068		< 0.065	UJ	< 0.074		< 0.33	
2,4-Dichlorophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.049		< 0.26		< 0.051		< 0.049	UJ	< 0.055		< 0.25	
2,4-Dimethylphenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.039		< 0.21		< 0.041		< 0.039	UJ	< 0.045		< 0.2	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)																	
			Residential	*Commercial*	VI-MW-03A 03/28/2019		VI-MW-04A 03/28/2019		VI-MW-04A DUP 03/28/2019 Duplicate		VII-MW-01A 03/28/2019		VII-MW-01P 04/03/2019		VII-MW-02A 03/28/2019		VII-MW-02P 03/28/2019		VII-MW-03A 03/29/2019		VII-MW-03P 04/03/2019	
2,4-Dinitrophenol	ug/l	8270	- -	- -	NA		NA		NA		< 1.5		< 7.7		< 1.5		< 1.5		< 1.7		< 7.4	
2,4-Dinitrotoluene	ug/l	8270	- -	- -	NA		NA		NA		< 0.049		< 0.26		< 0.051		< 0.049		< 0.055		< 0.25	
2,6-Dinitrotoluene	ug/l	8270	- -	- -	NA		NA		NA		< 0.058		< 0.3		< 0.06		< 0.058		< 0.065		< 0.29	
2-Chloronaphthalene	ug/l	8270	- -	- -	NA		NA		NA		< 0.057		< 0.3		< 0.059		< 0.057	UJ	< 0.064		< 0.28	
2-Chlorophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.062		< 0.32		< 0.064		< 0.062	UJ	< 0.07		< 0.31	
2-Methylnaphthalene	ug/l	8270	- -	- -	NA		NA		NA		< 0.06		21		< 0.062		< 0.06	UJ	< 0.067		< 0.3	
2-Methylphenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.29		< 1.5		< 0.3		< 0.29	UJ	< 0.33		< 1.4	
2-Nitroaniline	ug/l	8270	- -	- -	NA		NA		NA		< 0.53		< 2.7		< 0.55		< 0.53		< 0.6		< 2.6	
2-Nitrophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
3,3'-Dichlorobenzidine	ug/l	8270	- -	- -	NA		NA		NA		< 0.56		< 2.9		< 0.58		< 0.56	UR	< 0.63		< 2.8	
3-Nitroaniline	ug/l	8270	- -	- -	NA		NA		NA		< 0.064		< 0.34		< 0.067		< 0.064	UJ	< 0.073		< 0.32	
4,6-Dinitro-2-methylphenol	ug/l	8270	- -	- -	NA		NA		NA		< 1.4		< 7.4		< 1.5		< 1.4		< 1.6		< 7.1	
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	NA		NA		NA		< 0.061		< 0.32		< 0.063		< 0.061		< 0.068		< 0.3	
4-Chloro-3-methylphenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
4-Chloroaniline	ug/l	8270	- -	- -	NA		NA		NA		< 0.042		< 0.22		< 0.044		< 0.042	UJ	< 0.048		< 0.21	
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	NA		NA		NA		< 0.059		< 0.31		< 0.061		< 0.059	UJ	< 0.066		< 0.29	
4-Nitroaniline	ug/l	8270	- -	- -	NA		NA		NA		< 0.056		< 0.29		< 0.058		< 0.056		< 0.063		< 0.28	
4-Nitrophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.14		< 0.71		< 0.14		< 0.14		< 0.15		< 0.68	
Acenaphthene	ug/l	8270	- -	- -	< 0.065		< 0.065		< 0.065		< 0.063		1.8		< 0.065		< 0.063	UJ	< 0.071		< 0.31	
Acenaphthylene	ug/l	8270	- -	- -	< 0.065		< 0.065		< 0.065		< 0.063		< 0.33		< 0.065		< 0.063	UJ	< 0.071		< 0.31	
Acetophenone	ug/l	8270	- -	- -	NA		NA		NA		< 0.06		< 0.31		< 0.062		< 0.06	UJ	< 0.067		< 0.3	
Anthracene	ug/l	8270	- -	- -	< 0.049		< 0.049		< 0.049		< 0.047		< 0.25		0.072	J	0.053	J	< 0.053		< 0.24	
Atrazine	ug/l	8270	- -	- -	NA		NA		NA		< 0.61		< 3.2		< 0.63		< 0.61		< 0.69	UJ	< 3	
Benzaldehyde	ug/l	8270	- -	- -	NA		NA		NA		< 0.11		< 0.56		< 0.11		< 0.11		< 0.12		< 0.53	
Benzo[a]anthracene	ug/l	8270	176	- -	< 0.075		< 0.075		< 0.075		< 0.072		< 0.38		0.1	J	< 0.072		< 0.082		< 0.36	
Benzo[a]pyrene	ug/l	8270	- -	- -	< 0.053		< 0.053		< 0.053		< 0.051		< 0.27		0.07	J	< 0.051		< 0.058		< 0.25	
Benzo[b]fluoranthene	ug/l	8270	- -	- -	< 0.097		< 0.097		< 0.097		< 0.093		< 0.49		0.11	J	< 0.093		< 0.11		< 0.47	
Benzo[g,h,i]perylene	ug/l	8270	- -	- -	< 0.069		< 0.069		< 0.069		< 0.066		< 0.35		0.12	J	< 0.066		< 0.075		< 0.33	
Benzo[k]fluoranthene	ug/l	8270	- -	- -	< 0.088		< 0.088		< 0.088		< 0.085		< 0.44		0.14	J	< 0.085		< 0.096		< 0.42	
Bis(2-chloroisopropyl)ether	ug/l	8270	- -	- -	NA		NA		NA		< 0.056		< 0.29		< 0.058		< 0.056	UJ	< 0.063		< 0.28	
Bis(2-chloroethoxy)methane	ug/l	8270	- -	- -	NA		NA		NA		< 0.064		< 0.34		< 0.067		< 0.064	UJ	< 0.073		< 0.32	
Bis(2-chloroethyl)ether	ug/l	8270	30.5	1330	NA		NA		NA		< 0.038		< 0.2		< 0.04		< 0.038	UJ	< 0.043		< 0.19	
Bis(2-ethylhexyl) phthalate	ug/l	8270	- -	- -	NA		NA		NA		< 6		< 31		< 6.2		< 6		< 6.8		< 30	
Butyl benzyl phthalate	ug/l	8270	- -	- -	NA		NA		NA		< 0.44		< 2.3		< 0.46		< 0.44		0.53	J	< 2.2	
Caprolactam	ug/l	8270	- -	- -	NA		NA		NA		0.95	J	< 2.4		< 0.47		0.46	J	< 0.51		< 2.3	
Carbazole	ug/l	8270	- -	- -	NA		NA		NA		< 0.049		0.48	J	0.091	J	< 0.049		< 0.055		< 0.25	
Chrysene	ug/l	8270	- -	- -	< 0.081		< 0.081		< 0.081		< 0.078		< 0.41		0.098	J	< 0.078		< 0.088		< 0.39	
Dibenz(a,h)anthracene	ug/l	8270	- -	- -	< 0.072		< 0.072		< 0.072		< 0.069		< 0.36		0.12	J	< 0.069		< 0.078		< 0.35	
Dibenzofuran	ug/l	8270	- -	- -	NA		NA		NA		< 0.07		1.5	J	< 0.073		< 0.07	UJ	< 0.079		< 0.35	
Diethyl phthalate	ug/l	8270	- -	- -	NA		NA		NA		< 0.55		< 2.8		< 0.57		0.75	J	< 0.62		< 2.7	
Dimethyl phthalate	ug/l	8270	- -	- -	NA		NA		NA		< 0.054		< 0.28		< 0.056		< 0.054		< 0.061		< 0.27	
Di-n-butyl phthalate	ug/l	8270	- -	- -	NA		NA		NA		< 0.71		< 3.7		< 0.74		< 0.71		< 0.81		< 3.6	
Di-n-octyl phthalate	ug/l	8270	- -	- -	NA		NA		NA		< 0.66		< 3.4		< 0.69		< 0.66		< 0.74		< 3.3	
Fluoranthene	ug/l	8270	- -	- -	< 0.06		< 0.06		< 0.06		< 0.058		< 0.3		0.12	J	< 0.058		< 0.065		< 0.29	
Fluorene	ug/l	8270	- -	- -	< 0.069		< 0.069		< 0.069		< 0.066		2.6		< 0.069		< 0.066	UJ	< 0.075		< 0.33	
Hexachlorobenzene	ug/l	8270	0.275	12	NA		NA		NA		< 0.054		< 0.28		< 0.056		< 0.054	UJ	< 0.061		< 0.27	
Hexachlorobutadiene	ug/l	8270	0.716	31.3	NA		NA		NA		< 0.066		< 0.35		< 0.069		< 0.066	UJ	< 0.075		< 0.33	
Hexachlorocyclopentadiene	ug/l	8270	0.958	4.02	NA		NA		NA		< 0.48		< 2.5		< 0.5		< 0.48	UR	< 0.54		< 2.4	
Hexachloroethane	ug/l	8270	4.26	186	NA		NA		NA		< 0.06		< 0.31		< 0.062		< 0.06	UJ	< 0.067		< 0.3	
Indeno[1,2,3-cd]pyrene	ug/l	8270	- -	- -	< 0.085		< 0.085		< 0.085		< 0.082		< 0.43		0.11	J	< 0.082		< 0.092		< 0.41	
Isophorone	ug/l	8270	- -	- -	NA		NA		NA		< 0.052		< 0.27		< 0.054		< 0.052	UJ	< 0.059		< 0.26	
Methylphenol, 3 & 4	ug/l	8270	- -	- -	NA		NA		NA		< 0.36		< 1.9		< 0.37		< 0.36	UJ	< 0.4		< 1.8	
Naphthalene	ug/l	8270	11	174	< 0.059		< 0.059		< 0.059		< 0.057		7		< 0.059		< 0.057	UJ	< 0.064		< 0.28	
Nitrobenzene	ug/l	8270	177	7710	NA		NA		NA		< 0.48		< 2.5		< 0.5		< 0.48	UJ	< 0.54		< 2.4	
N-Nitrosodi-n-propylamine	ug/l	8270	- -	- -	NA		NA		NA		< 0.068		< 0.36		< 0.071		< 0.068	UJ	< 0.077		< 0.34	
N-Nitrosodiphenylamine	ug/l	8270	- -	- -	NA		NA		NA		< 0.11		< 0.6		< 0.12		< 0.11	UJ	< 0.13		< 0.57	
Pentachlorophenol	ug/l	8270	- -	- -	NA		NA		NA		< 0.81	UJ	< 4.2		< 0.85	UJ	< 0.81		< 0.92	UJ	< 4.1	

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria (1)		Sample Information (2)									
					VI-MW-03A 03/28/2019	VI-MW-04A 03/28/2019	VI-MW-04A DUP 03/28/2019 Duplicate	VII-MW-01A 03/28/2019	VII-MW-01P 04/03/2019	VII-MW-02A 03/28/2019	VII-MW-02P 03/28/2019	VII-MW-03A 03/29/2019	VII-MW-03P 04/03/2019
			Residential	*Commercial*									
Phenanthrene	ug/l	8270	- -	- -	0.094 J	< 0.055	0.073 J	0.07 J	3	0.18 J	0.14 J	0.089 J	< 0.26
Phenol	ug/l	8270	- -	- -	NA	NA	NA	< 0.47	< 2.4	< 0.49	< 0.47 UJ	< 0.53	< 2.3
Pyrene	ug/l	8270	- -	- -	< 0.054	< 0.054	< 0.054	< 0.052	< 0.27	0.11 J	< 0.052	< 0.059	< 0.26
Inorganics (3)													
Aluminum	ug/l	6020	- -	- -	NA	NA	NA	< 13	< 13	< 13	24 J	140	< 13
Antimony	ug/l	6020	- -	- -	NA	NA	NA	< 0.38	< 0.38	< 0.38	0.47 J	< 0.38	< 0.38
Arsenic	ug/l	6020	- -	- -	NA	NA	NA	0.35 J	0.59 J	0.34 J	2.4	2.1	1.4
Barium	ug/l	6020	- -	- -	NA	NA	NA	34	29	33	22	38	20
Beryllium	ug/l	6020	- -	- -	NA	NA	NA	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Cadmium	ug/l	6020	- -	- -	NA	NA	NA	0.14 J	< 0.13	0.26 J	< 0.13	0.57 J	< 0.13
Calcium	ug/l	6020	- -	- -	NA	NA	NA	140000	450000	65000	38000	130000	100000
Chromium	ug/l	6020	- -	- -	NA	NA	NA	1.7 J	< 1.5	1.5 J	< 1.5	2.6	1.5 J
Cobalt	ug/l	6020	- -	- -	NA	NA	NA	0.52	0.31 J	0.24 J	< 0.075	39	0.077 J
Copper	ug/l	6020	- -	- -	NA	NA	NA	2.2	1 J	2.1	< 0.63	2.4	0.88 J
Iron	ug/l	6020	- -	- -	NA	NA	NA	14 J	< 14	< 14	25 J	74000	18 J
Lead	ug/l	6020	- -	- -	NA	NA	NA	0.14 J	< 0.13	< 0.13	< 0.13	0.17 J	< 0.13
Magnesium	ug/l	6020	- -	- -	NA	NA	NA	28000	< 83	18000	6300	13000	19000
Manganese	ug/l	6020	- -	- -	NA	NA	NA	450	< 1.4	940	150	9800	35
Mercury	ug/l	7470	0.252	1.06	NA	NA	NA	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	ug/l	6020	- -	- -	NA	NA	NA	3.7	0.54 J	9.2	0.67 J	31	< 0.31
Potassium	ug/l	6020	- -	- -	NA	NA	NA	4100	30000	4300	5000	16000	10000
Selenium	ug/l	6020	- -	- -	NA	NA	NA	< 2.6	4 J	< 2.6	< 2.6	< 2.6	< 2.6
Silver	ug/l	6020	- -	- -	NA	NA	NA	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12
Sodium	ug/l	6020	- -	- -	NA	NA	NA	69000	16000	60000	30000	68000	23000
Thallium	ug/l	6020	- -	- -	NA	NA	NA	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13	< 0.13
Vanadium	ug/l	6020	- -	- -	NA	NA	NA	1.3	2.2	1.2	8	0.97 J	5.7
Zinc	ug/l	6020	- -	- -	NA	NA	NA	6.1	< 3.2	14	< 3.2	110	< 3.2
Other Parameters													
Cyanide, Total	ug/l	9012	20.1	84.4	NA	NA	NA	< 4.4	< 4.4	< 4.4	7.3 J	< 4.4	< 4.4

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1] Residential	Screening Criteria [1] *Commercial*	Sample Information [2] VII-MW-04P 04/03/2019	VII-MW-05P 04/03/2019	VII-MW-06P 04/01/2019	VII-MW-07P 04/01/2019
Volatile Organic Compounds								
1,1,1-Trichloroethane	ug/l	8260	1240	5210	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2,2-Tetrachloroethane	ug/l	8260	6.59	288	< 0.6	< 0.6	< 0.6	< 0.6
1,1,2-Trichloro-1,2,2-trifluoroethane	ug/l	8260	38	160	NA	NA	NA	NA
1,1,2-Trichloroethane	ug/l	8260	1.17	4.91	< 0.45	< 0.45	< 0.45	< 0.45
1,1-Dichloroethane	ug/l	8260	12.4	541	< 0.63	< 0.63	< 0.63	< 0.63
1,1-Dichloroethene	ug/l	8260	29.7	125	< 0.55	< 0.55	< 0.55	< 0.55
1,2,4-Trichlorobenzene	ug/l	8260	8.78	36.9	NA	NA	NA	NA
1,2-Dibromo-3-Chloropropane	ug/l	8260	0.0648	7.84	NA	NA	NA	NA
1,2-Dibromoethane (EDB)	ug/l	8260	0.332	14.5	NA	NA	NA	NA
1,2-Dichlorobenzene	ug/l	8260	571	2400	NA	NA	NA	NA
1,2-Dichloroethane	ug/l	8260	3.92	111	< 0.57	< 0.57	< 0.57	< 0.57
1,2-Dichloroethene, Total	ug/l	8260	- -	- -	< 1.3	< 1.3	< 1.3	< 1.3
cis-1,2-Dichloroethene	ug/l	8260	- -	- -	0.76 J	< 0.71	< 0.71	< 0.71
trans-1,2-Dichloroethene	ug/l	8260	- -	- -	< 0.67	< 0.67	< 0.67	< 0.67
1,2-Dichloropropane	ug/l	8260	6.38	26.8	< 0.66	< 0.66	< 0.66	< 0.66
cis-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.59	< 0.59	< 0.59	< 0.59
trans-1,3-Dichloropropene [1]	ug/l	8260	8.93	111	< 0.58	< 0.58	< 0.58	< 0.58
1,3-Dichlorobenzene [1]	ug/l	8260	5.57	243	NA	NA	NA	NA
1,4-Dichlorobenzene	ug/l	8260	5.57	243	NA	NA	NA	NA
2-Butanone (MEK)	ug/l	8260	389000	1640000	< 2.6	< 2.6	< 2.6	< 2.6
2-Hexanone	ug/l	8260	1650	6950	< 3.3	< 3.3	< 3.3	< 3.3
4-Methyl-2-pentanone (MIBK)	ug/l	8260	106000	447000	< 3.1	< 3.1	< 3.1	< 3.1
Acetone	ug/l	8260	3680000	15500000	6.3	< 3.4	4.6 J	5.5 J
Benzene	ug/l	8260	2.7	98.6	< 0.6	< 0.6	< 0.6	< 0.6
Bromoform	ug/l	8260	243	10600	< 0.98	< 0.98	< 0.98	< 0.98
Bromomethane	ug/l	8260	2.48	10.4	< 0.89	< 0.89	< 0.89	< 0.89
Carbon disulfide	ug/l	8260	191	801	< 0.88	< 0.88	< 0.88	< 0.88
Carbon tetrachloride	ug/l	8260	0.693	30.3	< 0.88	< 0.88	< 0.88	< 0.88
Chlorobenzene	ug/l	8260	78.6	330	0.54 J	< 0.5	< 0.5	< 0.5
Chlorodibromomethane	ug/l	8260	- -	- -	< 0.84	< 0.84	< 0.84	< 0.84
Chloroethane	ug/l	8260	3350	14000	< 0.9	< 0.9	< 0.9	< 0.9
Chloroform	ug/l	8260	1.33	58.1	< 0.6	< 0.6	< 0.6	3.5
Chloromethane	ug/l	8260	34.9	146	< 0.9	< 0.9	< 0.9	< 0.9
Cyclohexane	ug/l	8260	172	722	NA	NA	NA	NA
Dichlorobromomethane	ug/l	8260	1.55	67.6	< 0.64	< 0.64	< 0.64	1.3
Dichlorodifluoromethane	ug/l	8260	0.963	4.05	NA	NA	NA	NA
Ethylbenzene	ug/l	8260	6.85	299	1.1	< 0.51	< 0.51	< 0.51
Isopropylbenzene	ug/l	8260	208	873	NA	NA	NA	NA
Methyl acetate	ug/l	8260	- -	- -	NA	NA	NA	NA
Methyl tert-butyl ether	ug/l	8260	722	31500	< 0.59	< 0.59	< 0.59	< 0.59
Methylcyclohexane [1]	ug/l	8260	172	722	NA	NA	NA	NA
Methylene Chloride	ug/l	8260	742	3120	< 0.89	< 0.89	< 0.89	< 0.89
Naphthalene	ug/l	8260	11	174	13 J	< 0.79 UJ	< 0.79	< 0.79
Styrene	ug/l	8260	1860	7820	< 0.47	< 0.47	< 0.47	< 0.47
Tetrachloroethene	ug/l	8260	10.9	45.6	3.4	< 0.47	0.88 J	< 0.47
Toluene	ug/l	8260	3520	14800	< 0.46	< 0.46	< 0.46	< 0.46
Trichloroethene	ug/l	8260	0.897	3.77	< 0.69	< 0.69	< 0.69	< 0.69
Trichlorofluoromethane	ug/l	8260	- -	- -	NA	NA	NA	NA
Vinyl chloride	ug/l	8260	0.197	32.8	< 0.88	< 0.88	< 0.88	< 0.88
Xylenes, Total	ug/l	8260	75.9	319	3.3	< 0.89	< 0.89	< 0.89
Semi-Volatile Organics								
1,1'-Biphenyl	ug/l	8270	8.73	36.7	NA	NA	NA	NA
2,4,5-Trichlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
2,4,6-Trichlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
2,4-Dichlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
2,4-Dimethylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]			
			Residential	*Commercial*	VII-MW-04P 04/03/2019	VII-MW-05P 04/03/2019	VII-MW-06P 04/01/2019	VII-MW-07P 04/01/2019
2,4-Dinitrophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
2,4-Dinitrotoluene	ug/l	8270	- -	- -	NA	NA	NA	NA
2,6-Dinitrotoluene	ug/l	8270	- -	- -	NA	NA	NA	NA
2-Chloronaphthalene	ug/l	8270	- -	- -	NA	NA	NA	NA
2-Chlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
2-Methylnaphthalene	ug/l	8270	- -	- -	NA	NA	NA	NA
2-Methylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA
2-Nitroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA
2-Nitrophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
3,3'-Dichlorobenzidine	ug/l	8270	- -	- -	NA	NA	NA	NA
3-Nitroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA
4-Bromophenyl phenyl ether	ug/l	8270	- -	- -	NA	NA	NA	NA
4-Chloro-3-methylphenol	ug/l	8270	- -	- -	NA	NA	NA	NA
4-Chloroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA
4-Chlorophenyl phenyl ether	ug/l	8270	- -	- -	NA	NA	NA	NA
4-Nitroaniline	ug/l	8270	- -	- -	NA	NA	NA	NA
4-Nitrophenol	ug/l	8270	- -	- -	NA	NA	NA	NA
Acenaphthene	ug/l	8270	- -	- -	NA	NA	NA	NA
Acenaphthylene	ug/l	8270	- -	- -	NA	NA	NA	NA
Acetophenone	ug/l	8270	- -	- -	NA	NA	NA	NA
Anthracene	ug/l	8270	- -	- -	NA	NA	NA	NA
Atrazine	ug/l	8270	- -	- -	NA	NA	NA	NA
Benzaldehyde	ug/l	8270	- -	- -	NA	NA	NA	NA
Benzo[a]anthracene	ug/l	8270	176	- -	NA	NA	NA	NA
Benzo[a]pyrene	ug/l	8270	- -	- -	NA	NA	NA	NA
Benzo[b]fluoranthene	ug/l	8270	- -	- -	NA	NA	NA	NA
Benzo[g,h,i]perylene	ug/l	8270	- -	- -	NA	NA	NA	NA
Benzo[k]fluoranthene	ug/l	8270	- -	- -	NA	NA	NA	NA
Bis(2-chloroisopropyl)ether	ug/l	8270	- -	- -	NA	NA	NA	NA
Bis(2-chloroethoxy)methane	ug/l	8270	- -	- -	NA	NA	NA	NA
Bis(2-chloroethyl)ether	ug/l	8270	30.5	1330	NA	NA	NA	NA
Bis(2-ethylhexyl) phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA
Butyl benzyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA
Caprolactam	ug/l	8270	- -	- -	NA	NA	NA	NA
Carbazole	ug/l	8270	- -	- -	NA	NA	NA	NA
Chrysene	ug/l	8270	- -	- -	NA	NA	NA	NA
Dibenz(a,h)anthracene	ug/l	8270	- -	- -	NA	NA	NA	NA
Dibenzofuran	ug/l	8270	- -	- -	NA	NA	NA	NA
Diethyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA
Dimethyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA
Di-n-butyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA
Di-n-octyl phthalate	ug/l	8270	- -	- -	NA	NA	NA	NA
Fluoranthene	ug/l	8270	- -	- -	NA	NA	NA	NA
Fluorene	ug/l	8270	- -	- -	NA	NA	NA	NA
Hexachlorobenzene	ug/l	8270	0.275	12	NA	NA	NA	NA
Hexachlorobutadiene	ug/l	8270	0.716	31.3	NA	NA	NA	NA
Hexachlorocyclopentadiene	ug/l	8270	0.958	4.02	NA	NA	NA	NA
Hexachloroethane	ug/l	8270	4.26	186	NA	NA	NA	NA
Indeno[1,2,3-cd]pyrene	ug/l	8270	- -	- -	NA	NA	NA	NA
Isophorone	ug/l	8270	- -	- -	NA	NA	NA	NA
Methylphenol, 3 & 4	ug/l	8270	- -	- -	NA	NA	NA	NA
Naphthalene	ug/l	8270	11	174	NA	NA	NA	NA
Nitrobenzene	ug/l	8270	177	7710	NA	NA	NA	NA
N-Nitrosodi-n-propylamine	ug/l	8270	- -	- -	NA	NA	NA	NA
N-Nitrosodiphenylamine	ug/l	8270	- -	- -	NA	NA	NA	NA
Pentachlorophenol	ug/l	8270	- -	- -	NA	NA	NA	NA

TABLE A-6
ANALYTICAL AND VAPOR INTRUSTION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

	Units	Analytical Method	Screening Criteria [1]		Sample Information [2]			
			Residential	*Commercial*	VII-MW-04P 04/03/2019	VII-MW-05P 04/03/2019	VII-MW-06P 04/01/2019	VII-MW-07P 04/01/2019
Phenanthrene	ug/l	8270	- -	- -	NA	NA	NA	NA
Phenol	ug/l	8270	- -	- -	NA	NA	NA	NA
Pyrene	ug/l	8270	- -	- -	NA	NA	NA	NA
Inorganics [3]								
Aluminum	ug/l	6020	- -	- -	NA	NA	NA	NA
Antimony	ug/l	6020	- -	- -	NA	NA	NA	NA
Arsenic	ug/l	6020	- -	- -	NA	NA	NA	NA
Barium	ug/l	6020	- -	- -	NA	NA	NA	NA
Beryllium	ug/l	6020	- -	- -	NA	NA	NA	NA
Cadmium	ug/l	6020	- -	- -	NA	NA	NA	NA
Calcium	ug/l	6020	- -	- -	NA	NA	NA	NA
Chromium	ug/l	6020	- -	- -	NA	NA	NA	NA
Cobalt	ug/l	6020	- -	- -	NA	NA	NA	NA
Copper	ug/l	6020	- -	- -	NA	NA	NA	NA
Iron	ug/l	6020	- -	- -	NA	NA	NA	NA
Lead	ug/l	6020	- -	- -	NA	NA	NA	NA
Magnesium	ug/l	6020	- -	- -	NA	NA	NA	NA
Manganese	ug/l	6020	- -	- -	NA	NA	NA	NA
Mercury	ug/l	7470	0.252	1.06	NA	NA	NA	NA
Nickel	ug/l	6020	- -	- -	NA	NA	NA	NA
Potassium	ug/l	6020	- -	- -	NA	NA	NA	NA
Selenium	ug/l	6020	- -	- -	NA	NA	NA	NA
Silver	ug/l	6020	- -	- -	NA	NA	NA	NA
Sodium	ug/l	6020	- -	- -	NA	NA	NA	NA
Thallium	ug/l	6020	- -	- -	NA	NA	NA	NA
Vanadium	ug/l	6020	- -	- -	NA	NA	NA	NA
Zinc	ug/l	6020	- -	- -	NA	NA	NA	NA
Other Parameters								
Cyanide, Total	ug/l	9012	20.1	84.4	NA	NA	NA	NA

TABLE A-6
ANALYTICAL AND VAPOR INTRUSION SCREENING RESULTS
GROUNDWATER SAMPLES
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORK LLC - WEIRTON FACILITY

1 - Screening criteria based on the May 2021 USEPA Vapor Intrusion Screening Levels (VISL) for residential and commercial scenarios. The residential scenario is based on a Target Risk Level of 1E-6, a Hazard Quotient of 0.1, and the default West Virginia groundwater temperature of 13°C. The commercial scenario is based on a Target Risk Level of 1E-5, a Hazard Quotient of 0.1, and the default West Virginia groundwater temperature of 13°C. Double dashes indicate that an RSL is not available for a given constituent. Notes regarding specific values for various chemicals (e.g., surrogates used, effects basis, etc.) are as follows:

Criteria for cis-1,3-dichloropropene and trans-1,3-dichloropropene are based on the criteria for total 1,3-dichloropropene.

Criteria for 1,3-dichlorobenzene is based on the criteria for 1,4-dichlorobenzene.

Criteria for methylcyclohexane is based on the criteria for cyclohexane.

Shading indicates an exceedance of the Residential VISL criterion.

Bold italics numbers indicate exceedance of the Commercial VISL criterion.

2 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region 3 data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers

- NA - Not Analyzed
- - - - Screening Criterion not available for this chemical constituent.
- * - LCS or LCSD exceeds the control limits.
- B - Compound was found in the blank and sample.
- F1 - MS and/or MSD Recovery is outside acceptance limits.
- J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.
- K - Analyte present. Reported value may be biased high. Actual value is expected to be lower.
- L - Analyte present. Reported value may be biased low. Actual value is expected to be higher.
- R - Unusable result. Analyte may or may not be present in the sample.
- UJ - Not Detected. Quantitation limit may be inaccurate or imprecise.

3 - Groundwater samples were collected for total inorganic analysis during the November 2013 event and dissolved inorganic analysis during the February 2014 and March/April 2019 events.

TABLE A-7
DOWNGRADIENT GROUNDWATER ANALYTICAL AND ECOLOGICAL SCREENING RESULTS
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Method	Human Health		WVDEP Aquatic Life Criteria (B1, B4)	Sample ID [1]		
			Category C Fish Consumption	Category A Drinking Water+Fish Consumption		VII-MW-03A	CA-MW-02A	CA-MW-02A
						03/29/2019	12/17/2018	12/18/2019
							180-85057-1	180-100222-3
							C&E Outfall	C&E Outfall
Volatile Organic Compounds								
Acetone	ug/L	8260D	- -	- -	- -	6.3	< 3.4	3.7 J
1,2-Dichloroethene, Total	ug/L	8260B	- -	- -	- -	1.9 J	< 1.3	< 1.3
cis-1,2-Dichloroethene	ug/L	8260B	- -	- -	- -	1.9	< 0.71	< 0.71
Trichloroethene	ug/L	8260B	81	2.7	2.7	1	< 0.69	< 0.69
Butyl benzyl phthalate	ug/L	8270	- -	- -	3	0.53 J	na	na
Phenanthrene	ug/L	8270	- -	- -	- -	0.089 J	na	na
Dissolved Inorganics								
Aluminum	ug/L	6020B	- -	- -	750	140	< 12	19 B
Antimony	ug/L	6020B	4300	14	- -	< 0.38	< 1.1	< 0.38
Arsenic	ug/L	6020B	10	10	- -	2.1	5.3	8.2
Barium	ug/L	6020B	- -	1000	- -	38	66	130
Beryllium	ug/L	6020B	- -	4	- -	< 0.16	< 0.057	0.21 B
Cadmium [2]	ug/L	6020B	- -	5	0.25	0.57 J	< 0.13	< 0.13
Calcium	ug/L	6020B	- -	- -	- -	130000	51000	57000
Chromium	ug/L	6020B	- -	50	11	2.6	< 0.63	< 1.5
Cobalt	ug/L	6020B	- -	- -	- -	39	< 0.075	0.13 B
Copper [2]	ug/L	6020B	- -	1000	8.96	2.4	2.3	1.2 J
Iron	ug/L	6020B	- -	1500	1500	74000	< 14	51 B
Lead [2]	ug/L	6020B	- -	50	2.52	0.17 J	< 0.094	< 0.13
Magnesium	ug/L	6020B	- -	- -	- -	13000	4000	6600
Manganese	ug/L	6020B	- -	1000	- -	9800	270	380
Nickel [2]	ug/L	6020B	4600	510	52.01	31	1.2	1.2
Potassium	ug/L	6020B	- -	- -	- -	16000	8300	11000
Selenium	ug/L	6020B	- -	50	5	< 2.6	< 0.81	< 1.5
Silver	ug/L	6020B	- -	4	4	< 0.12	< 0.12	< 0.18
Sodium	ug/L	6020B	- -	- -	- -	68000	18000	28000
Thallium	ug/L	6020B	6.3	1.7	- -	< 0.13	< 0.063	0.27 B
Vanadium	ug/L	6020B	- -	- -	- -	0.97 J	2.3	3.6
Zinc [2]	ug/L	6020B	- -	- -	118.14	110	7.5	18
Other Parameters								
Cyanide	ug/L	9014	5	5	5	< 4.4	< 4.4	***8.7*** J

TABLE A-7
DOWNGRADIENT GROUNDWATER ANALYTICAL AND ECOLOGICAL SCREENING RESULTS
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

Constituent	Units	Method	Human Health		WVDEP Aquatic Life Criteria (B1, B4)	Sample ID [1]			
			Category C Fish Consumption	Category A Drinking Water+Fish Consumption		CA-MW-02A	CA-MW-04AR	CA-MW-04AR	CA-MW-04AR
						12/28/2020	12/19/2018	12/18/2019	12/28/2020
						180-115360-3	180-85057-2	180-100222-4	180-115360-4
						C&E Outfall	C&E Outfall	C&E Outfall	C&E Outfall
Volatile Organic Compounds									
Acetone	ug/L	8260D	- -	- -	- -	na	< 3.4	< 3.4	na
1,2-Dichloroethene, Total	ug/L	8260B	- -	- -	- -	na	< 1.3	< 1.3	na
cis-1,2-Dichloroethene	ug/L	8260B	- -	- -	- -	na	< 0.71	< 0.71	na
Trichloroethene	ug/L	8260B	81	2.7	2.7	na	< 0.69	< 0.69 UJ	na
Butyl benzyl phthalate	ug/L	8270	- -	- -	3	na	na	na	na
Phenanthrene	ug/L	8270	- -	- -	- -	na	na	na	na
Dissolved Inorganics									
Aluminum	ug/L	6020B	- -	- -	750	< 13	< 12	14 B	< 13
Antimony	ug/L	6020B	4300	14	- -	< 0.38	< 1.1	< 0.38	< 0.38
Arsenic	ug/L	6020B	10	10	- -	7.4	0.57 J	< 0.32	< 0.31
Barium	ug/L	6020B	- -	1000	- -	120	66	100	91
Beryllium	ug/L	6020B	- -	4	- -	< 0.18	< 0.057	< 0.18	< 0.18
Cadmium [2]	ug/L	6020B	- -	5	0.25	< 0.22	< 0.13	< 0.13	< 0.22
Calcium	ug/L	6020B	- -	- -	- -	57000	140000	130000	140000
Chromium	ug/L	6020B	- -	50	11	< 1.5	< 0.63	< 1.5	< 1.5
Cobalt	ug/L	6020B	- -	- -	- -	< 0.13	< 0.075	< 0.075	< 0.13
Copper [2]	ug/L	6020B	- -	1000	8.96	< 0.63	< 1.3	0.96 J	< 0.63
Iron	ug/L	6020B	- -	1500	1500	120	< 14	< 20	< 20
Lead [2]	ug/L	6020B	- -	50	2.52	< 0.13	< 0.094	< 0.13	0.47 J
Magnesium	ug/L	6020B	- -	- -	- -	6700	34000	39000	41000
Manganese	ug/L	6020B	- -	1000	- -	570	47	560	930
Nickel [2]	ug/L	6020B	4600	510	52.01	0.73 J	< 0.31	1.3	0.71 J
Potassium	ug/L	6020B	- -	- -	- -	9100	5200	6700	5400
Selenium	ug/L	6020B	- -	50	5	< 1.5	3.1 J	4.2 J	6.2
Silver	ug/L	6020B	- -	4	4	< 0.18	< 0.12	< 0.18	< 0.18
Sodium	ug/L	6020B	- -	- -	- -	23000	15000	18000	15000
Thallium	ug/L	6020B	6.3	1.7	- -	< 0.15	< 0.063	< 0.15	< 0.15
Vanadium	ug/L	6020B	- -	- -	- -	2.1	< 0.9	< 0.99	< 0.99
Zinc [2]	ug/L	6020B	- -	- -	118.14	7.8	6.4	7.4	< 3.2
Other Parameters									
Cyanide	ug/L	9014	5	5	5	< 8	< 4.4	7 J	< 8

TABLE A-7
DOWNGRADIENT GROUNDWATER ANALYTICAL AND ECOLOGICAL SCREENING RESULTS
CAA VIM AND VIIM
MINGO JUNCTION STEEL WORKS LLC - WEIRTON FACILITY

1 - General sample information provided in column headings includes sample identification number and sampling date. Table qualifier codes are consistent with Region III data qualifiers related to identification and quantitation and are as follows:

Data Qualifiers

- - - Screening criterion not available for this chemical constituent.
- n/a - Parameter analyzed in field, no method associated with it.
- UJ - Not detected. Quantitation limit may be inaccurate or imprecise.
- J - Analyte present. Reported value may not be accurate or precise.
- J+ - Analyte present. Reported value may be biased high.
- B - Not detected. Not detected substantially above the level reported in the laboratory or field blanks.
- ^c - CCV recovery is outside acceptance limits.
- *+ - LCS and/or LCSD is outside acceptance limits, biased high.

2 - Screening values are from Appendix E, Table 1 of WVDEP Title 47: Requirements Governing Water Quality Standards (WQS),chronic values Aquatic Life standards for cadmium, copper, lead, nickel, and zinc are calculated assuming a hardness of 100 mg/L.

Shaded bold numbers indicate exceedance of the Screening Criteria for Surface Water.

APPENDIX B

APPROVED DE MINIMIS ECOLOGICAL SCREENING CHECKLIST

ATTACHMENT 2

Checklist to Determine Applicable Remediation Standards
Part 1: Ecological Standards

STEP 1: Determine Whether a De Minimis Ecological Screening Evaluation is Appropriate for the Site		
1.1	Are there any undeveloped terrestrial areas on or adjacent to the site (e.g., areas that are not under intensive landscape or agricultural control)?	X Yes ☐ No
1.2	Are there any potential wetlands (including vernal pools) on or adjacent to the site?	X Yes ☐ No
1.3	Are there any surface water bodies (i.e., lotic or lentic habitat) on or adjacent to the site?	X Yes ☐ No
1.4	Are there any terrestrial, wetland, or aquatic habitats off-site, but situated downstream, downwind, or downgradient from the site that may be affected by site-related stressors?	☐ Yes X No
1.5	Are there any projected land uses for the site that would result in undeveloped areas, wetland habitat, lotic habitat, or lentic habitat?	☐ Yes X No
If "Yes" to any: A complete exposure pathway may exist for potential ecological receptors of concern. Proceed to Step 2. *If "No" to all: No further ecological evaluation is required. File this completed form with the Risk Assessment Report.*		

STEP 2: Identify any Readily Apparent Harm or Exceedances of Surface Water Quality Standards		
2.1	Have there been any incidents where harm to wildlife attributable to contaminants originating from the site has been readily apparent?	☐ Yes X No
	If "Yes": Proceed to Question 2.2. *If "No": Skip to Question 2.3.*	
2.2	Has the cause of such harm been eliminated?	☐ Yes ☐ No
	If "Yes": Briefly describe the action taken and complete the rest of the checklist. *If "No": Proceed directly to the remedy evaluation or, alternately, proceed with a determination of a Uniform or Site-Specific Ecological Standard, as described in the VRP Guidance Manual, prior to implementation of the remedy. File this form with the Risk Assessment Report.*	
	Action Taken:	
2.3	Is the site contributing to exceedances of surface water quality standards established for the protection of aquatic life (see W. Va. Legislative Rule 47CSR2)?	☐ Yes X No
	If "Yes": Proceed directly to the remedy evaluation or, alternately, proceed with a determination of a Uniform or Site-Specific Ecological Standard, as described in the VRP Guidance Manual, prior to implementation of the remedy. *If "No": Proceed to Step 3.*	

ATTACHMENT 2

STEP 3: Identify Contamination Associated with Ecological Habitats		
3.1	Have the environmental media (e.g., soil, surface water, sediment, biota) associated with the ecological habitat(s) identified in Questions 1.2 through 1.5 been sampled and analyzed with regard to potential site-related contaminants of concern?	**X** Yes ☐ No
	If "Yes": Proceed to Question 3.2. *If "No": Skip to Step 4.*	
3.2	Have any site-related contaminants been detected above natural background concentrations in environmental media collected from terrestrial habitat?	**X** Yes ☐ No ☐ Unknown ☐ n/a
3.3	Have any site-related contaminants been detected above natural background concentrations in environmental media collected from wetland or aquatic habitats (lotic or lentic habitats)?	☐ Yes ☐ No ☐ Unknown ☐ n/a
	If "Yes" or "Unknown" to 3.2 and/or 3.3: Proceed to Question 3.4. *If "No" or "n/a" to both 3.2 and 3.3: Skip to Question 3.6.*	
3.4	Are site-related contaminants presenting an ecological risk over and above "local" condition?	☐ Yes **X** No ☐ Unknown
	If "Yes": Skip to Step 4. *If "No" or "Unknown": Proceed to Question 3.5.*	
3.5	Have site-related releases of contaminants been stopped?	**X** Yes ☐ No
	If "Yes": Proceed to Question 3.6. *If "No": Skip to Part 4.*	
3.6	Are site-related contaminants currently or likely to be migrating to aquatic habitat (e.g., lotic, lentic, or wetland habitat)?	☐ Yes **X** No ☐ n/a
	If "Yes": Proceed to Step 4. *If "No" or "n/a": No further ecological evaluation is required. File this completed form with the Risk Assessment Report.*	

ATTACHMENT 2

STEP 4: Characterize the Potential Ecological Habitat		
4.1	Describe the general land use in the immediate vicinity of the site.	
	☐ X Commercial/Industrial X Residential ☐ Rural/Agricultural ☐ Rural/Undeveloped ☐ Urban	
4.2	For all affected areas that fulfill the descriptions in Step 1, answer the following and attach a site map identifying the potential ecological habitat.	
	4.2.1 Outline characteristics for potential terrestrial habitats.	
	Location:	Mature Forest Area (Green shaded Area on Figure 1 of the Habitat Assessment Report)
	Contiguous Area:	77 acres
	General Topography:	Steeply sloping hillside that is higher in elevation than the facility.
	Primary Soil Type:	unknown
	Predominant Vegetation Species:	Dominant canopy tree species include black cherry, American sycamore, black walnut, American elm, tulip poplar, and red oak. The subcanopy layer includes spicebush and common privet.
	4.2.2 Outline characteristics for potential wetland habitats (e.g., vernal pools, marshes, etc.).	
	Location:	Located within immature forest area of CAA VIIM (Red shaded areas on Figure 1 of the Habitat Assessment Report)
	Contiguous Area:	0.2 acres
	General Topography:	Generally flat
	Primary Soil Type:	unknown
	Predominant Vegetation Species:	Narrow-leaf cattail, common reed, and black willow.
	4.2.3 Outline characteristics for potential lotic habitats (e.g., flowing water habitat such as rivers and streams).	
	Location:	Perennial stream located at the southern end of the Mature Forest Area (see Figure 1 of Habitat Assessment Report). Stream originates from the Williams Country Club and flows in a southward direction on the site for approximately 330 feet.
	Typical Width and Depth:	<5 foot width and <2 foot depth
	Typical Flow Rate:	unknown
	Typical Gradient (m/km):	unknown
	Type of River/Creek Bottom:	unknown
	Types of Aquatic Vegetation Present:	unknown
	Topography of the Riparian Zone:	Steeply sloping
	Predominant Riparian Vegetation:	Dominant canopy tree species include black cherry, American sycamore, black walnut, American elm, tulip poplar, and red oak. The subcanopy layer includes spicebush and common privet.
	Human Utilization of Lotic Habitat:	none
	Local Conditions:	

	4.2.4 Outline characteristics for potential lentic habitats (e.g., standing water habitats such as lakes and ponds).	
	Location:	Not Applicable
	Is the lentic habitat…?	☐ Natural ☐ Man-made
	Area of Lentic Habitat	
	Typical and Maximum Depth:	
	Description of Sources & Drainage:	
	Predominant Aquatic Vegetation:	
	Topography of Littoral Zone:	
	Predominant Littoral Zone Vegetation:	
	Human Utilization of Lentic Habitat:	

	Local Conditions:	
4.3	Indicate if the site contains or is adjacent to any of the following types of valued terrestrial habitats:	
	☐ Climax Community (e.g., old growth forest) ☐ Federal Wilderness Area (designated or administratively proposed) ☐ National or State Forest ☐ National or State Park ☐ National or State Wildlife Refuge ☐ National Preserve Area ☐ State designated natural area ☐ Federal land designated for protection of natural ecosystems ☐ Federal or State land designated for wildlife or game management ☐ Area utilized for breeding by large or dense aggregations of wildlife ☐ Feeding, breeding, nesting, cover, or wintering habitat for migratory birds ☐ Area important to the maintenance of unique biotic communities (e.g., high proportion of endemic species) *Threatened or Endangered Species* ☐ Critical habitat for federally designated threatened or endangered species ☐ Habitat known to be used or potentially used by Federal or State designated threatened or endangered species, or species in the State Wildlife Action Plan	
4.4	Indicate if the site contains or is adjacent to any of the following types of valued wetlands:	
	☐ Area important to the maintenance of unique biotic communities (e.g., high proportion of endemic species) ☐ Area utilized for breeding by large or dense aggregations of wildlife ☐ Spawning or nursery areas critical to the maintenance of fish/shellfish species ☐ Feeding, breeding, nesting, cover, or wintering habitat for migratory waterfowl or other aquatic birds ☐ Area important to the maintenance of unique biotic communities (e.g., high proportion of endemic species) *Threatened or Endangered Species* ☐ Critical habitat for federally designated threatened or endangered species ☐ Habitat known to be used or potentially used by Federal or State designated threatened or endangered species, or species in the State Wildlife Action Plan	
4.5	Indicate if the site is within or adjacent to any of the following valued aquatic habitats:	
	☐ Federal or State Fish Hatchery ☐ Federal or State designated Scenic or Wild River ☐ National River Reach designated as recreational ☐ Critical areas identified under the Clean Lakes Program ☐ Trout-stocked streams or wild trout streams with verified trout production ☐ Spawning or nursery areas critical the maintenance of fish/shellfish species ☐ Feeding, breeding, nesting, cover, or wintering habitat for migratory waterfowl or other aquatic birds ☐ Area important to the maintenance of unique biotic communities (e.g., high proportion of endemic species) *Threatened or Endangered Species* ☐ Critical habitat for federally designated threatened or endangered species ☐ Habitat known to be used or potentially used by Federal or State designated threatened or endangered species, or species in the State Wildlife Action Plan	
4.6	Have valued terrestrial, wetland, or aquatic habitats been identified within or adjacent to this site? *(A list of agencies that can provide information that should assist in determining whether the site is located within or adjacent to the areas listed in 4.3, 4.4, and 4.5 is provided at the end of this checklist.)*	☐ Yes **X** No

ATTACHMENT 2

STEP 5: Identify Any Potential Ecological Receptors of Concern		
5.1	Threatened and Endangered Species Were any potential habitats within or adjacent to the site identified as critical habitat for federally designated threatened or endangered species listed in 50CFS17.95 or 17.96, or areas known to be used by federal or state designated threatened or endangered species?	☐ Yes **X** No
	If "Yes", indicate which species*: *Amphibians* ☐ Cheat Mountain salamander (Plethodon nettingi) *Birds* ☐ Bald eagle (Haliaeetus leucocephalus) *Clams* ☐ Clubshell (Pleurobema clava) ☐ Fanshell (Cyprogenia stegaria) ☐ James spinymussel (Pleurobeam collina) ☐ Northern riffleshell (Epioblasma torulosa rangiana) ☐ Pink mucket pearlymussel (Lampsilis abrupta) ☐ Tubercled blossom pearlymussel (Epioblasma torulosa torulosa) *Flowering Plants* ☐ Harperella (Ptilimnium nodosum) ☐ Northeastern bulrush (Scirpus ancistrochaetus) ☐ Running buffalo cover (Trifolium stoloniferum) ☐ Shale barren rock cress (Arabis perstellata) ☐ Small whorled pogonia (Isotria medeoloides) ☐ Virginia spiraea (Spiraea virginiana) *Mammals* ☐ Eastern cougar (Felis concolor couguar) ☐ Gray bat (Myotis grisescens) ☐ Indiana bat (Myotis sodalis) ☐ Virginia big-eared bat (Corynorhinus towsendii virgniaus) ☐ Virginia northern flying squirrel (Glaucomys sabrinus fuscus) *Snails* ☐ Flat-spired three-toothed land snail (Triodopsis platysayoides)	
5.2	Local Populations Providing Important Natural or Economic Resources, Functions, and Values Were any valued terrestrial, wetland, or aquatic habitats listed in 4.3, 4.4, or 4.5 identified within or adjacent to the site?	☐ Yes **X** No
If "Yes" to 5.1 and/or 5.2 and/or surface water bodies are not in compliance with applicable water quality standards: The site does not pass the De Minimis ecological risk screening, since a complete exposure pathway may exist for potential ecological receptors of concern. Further evaluation of the site is required using either the Uniform Ecological Standard or the Site-Specific Ecological Standard. *If "No" to 5.1 and 5.2 and surface water bodes are in compliance with applicable water quality standards: No further ecological evaluation is required. File this completed form with the Risk Assessment Report.*		

*The list contains those federally designated threatened and endangered species that are indigenous to WV. WVDNR, Wildlife Resources Section should be consulted to ensure the list is correct. WV has not established a list of state designated threatened or endangered species; however, the WVDNR has developed a "Species of Greatest Conservation Need" list in the State Wildlife Action Plan. Species listed in the in the State Wildlife Action Plan should also be considered in any Ecological Risk Assessment.

ATTACHMENT 2

Federal and State Agencies for Ecological Review Consultation

U.S. Department of Agricultural – Natural Resources and Conservation Service
1550 Earl L. Core Road, Suite 200
Morgantown, WV 26505
304-284-7540
https://www.nrcs.usda.gov/wps/portal/nrcs/site/wv/home

U.S. Fish and Wildlife Service – WV Field Office
Ecological Services
90 Vance Drive
Elkins, WV 26241
304-636-6586
https://www.fws.gov/northeast/ecologicalservices/index.html

WV Division of Forestry
7 Players Club Drive
Charleston, WV 25311
304-558-2788
https://wvforestry.com/

WV Division of Natural Resources
Building 74
324 Fourth Avenue
South Charleston, WV 25303
304-558-2754
http://www.wvdnr.gov/

WV Division of Natural Resources – Wildlife Resources Section
Building 74
324 Fourth Avenue
South Charleston, WV 25303
304-558-2771
http://www.wvdnr.gov/

APPENDIX C

PROUCL STATISTICAL OUTPUT

	A	B	C	D	E	F	G	H	I	J	K	L
1	**UCL Statistics for Data Sets with Non-Detects**											
2												
3	User Selected Options											
4	Date/Time of Computation			ProUCL 5.15/13/2021 10:12:47 AM								
5	From File			SurfSoilProUCL.xls								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10	**Benzo[a]anthracene**											
11												
12	**General Statistics**											
13	Total Number of Observations					78	Number of Distinct Observations					66
14	Number of Detects					66	Number of Non-Detects					12
15	Number of Distinct Detects					59	Number of Distinct Non-Detects					9
16	Minimum Detect					0.009	Minimum Non-Detect					0.0088
17	Maximum Detect					48	Maximum Non-Detect					0.95
18	Variance Detects					50.26	Percent Non-Detects					15.38%
19	Mean Detects					2.281	SD Detects					7.09
20	Median Detects					0.115	CV Detects					3.108
21	Skewness Detects					4.915	Kurtosis Detects					27.82
22	Mean of Logged Detects					-1.544	SD of Logged Detects					2.015
23												
24	**Normal GOF Test on Detects Only**											
25	Shapiro Wilk Test Statistic					0.375	**Normal GOF Test on Detected Observations Only**					
26	5% Shapiro Wilk P Value					0	Detected Data Not Normal at 5% Significance Level					
27	Lilliefors Test Statistic					0.379	**Lilliefors GOF Test**					
28	5% Lilliefors Critical Value					0.109	Detected Data Not Normal at 5% Significance Level					
29	**Detected Data Not Normal at 5% Significance Level**											
30												
31	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
32	KM Mean					1.935	KM Standard Error of Mean					0.744
33	KM SD					6.523	95% KM (BCA) UCL					3.247
34	95% KM (t) UCL					3.174	95% KM (Percentile Bootstrap) UCL					3.231
35	95% KM (z) UCL					3.159	95% KM Bootstrap t UCL					4.438
36	90% KM Chebyshev UCL					4.167	95% KM Chebyshev UCL					5.179
37	97.5% KM Chebyshev UCL					6.582	99% KM Chebyshev UCL					9.34
38												
39	**Gamma GOF Tests on Detected Observations Only**											
40	A-D Test Statistic					6.807	**Anderson-Darling GOF Test**					
41	5% A-D Critical Value					0.869	Detected Data Not Gamma Distributed at 5% Significance Level					
42	K-S Test Statistic					0.244	**Kolmogorov-Smirnov GOF**					
43	5% K-S Critical Value					0.119	Detected Data Not Gamma Distributed at 5% Significance Level					
44	**Detected Data Not Gamma Distributed at 5% Significance Level**											
45												
46	**Gamma Statistics on Detected Data Only**											
47	k hat (MLE)					0.292	k star (bias corrected MLE)					0.289
48	Theta hat (MLE)					7.804	Theta star (bias corrected MLE)					7.89
49	nu hat (MLE)					38.59	nu star (bias corrected)					38.17
50	Mean (detects)					2.281						
51												

	A	B	C	D	E	F	G	H	I	J	K	L
52	**Gamma ROS Statistics using Imputed Non-Detects**											
53	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
54	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
55	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
56	This is especially true when the sample size is small.											
57	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
58					Minimum	0.009				Mean		1.932
59					Maximum	48				Median		0.0895
60					SD	6.566				CV		3.399
61					k hat (MLE)	0.263				k star (bias corrected MLE)		0.262
62					Theta hat (MLE)	7.334				Theta star (bias corrected MLE)		7.378
63					nu hat (MLE)	41.1				nu star (bias corrected)		40.85
64					Adjusted Level of Significance (β)	0.0469						
65					Approximate Chi Square Value (40.85, α)	27.2				Adjusted Chi Square Value (40.85, β)		26.99
66					95% Gamma Approximate UCL (use when n>=50)	2.901				95% Gamma Adjusted UCL (use when n<50)		2.924
67												
68	**Estimates of Gamma Parameters using KM Estimates**											
69					Mean (KM)	1.935				SD (KM)		6.523
70					Variance (KM)	42.55				SE of Mean (KM)		0.744
71					k hat (KM)	0.088				k star (KM)		0.0931
72					nu hat (KM)	13.72				nu star (KM)		14.53
73					theta hat (KM)	21.99				theta star (KM)		20.77
74					80% gamma percentile (KM)	1.204				90% gamma percentile (KM)		4.988
75					95% gamma percentile (KM)	11.26				99% gamma percentile (KM)		31.84
76												
77	**Gamma Kaplan-Meier (KM) Statistics**											
78					Approximate Chi Square Value (14.53, α)	6.934				Adjusted Chi Square Value (14.53, β)		6.835
79					95% Gamma Approximate KM-UCL (use when n>=50)	4.053				95% Gamma Adjusted KM-UCL (use when n<50)		4.112
80												
81	**Lognormal GOF Test on Detected Observations Only**											
82					Shapiro Wilk Approximate Test Statistic	0.914				**Shapiro Wilk GOF Test**		
83					5% Shapiro Wilk P Value	1.1035E-4				Detected Data Not Lognormal at 5% Significance Level		
84					Lilliefors Test Statistic	0.158				**Lilliefors GOF Test**		
85					5% Lilliefors Critical Value	0.109				Detected Data Not Lognormal at 5% Significance Level		
86	**Detected Data Not Lognormal at 5% Significance Level**											
87												
88	**Lognormal ROS Statistics Using Imputed Non-Detects**											
89					Mean in Original Scale	1.932				Mean in Log Scale		-2.089
90					SD in Original Scale	6.566				SD in Log Scale		2.304
91					95% t UCL (assumes normality of ROS data)	3.17				95% Percentile Bootstrap UCL		3.334
92					95% BCA Bootstrap UCL	3.712				95% Bootstrap t UCL		4.6
93					95% H-UCL (Log ROS)	4.814						
94												
95	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
96					KM Mean (logged)	-1.955				KM Geo Mean		0.142
97					KM SD (logged)	2.103				95% Critical H Value (KM-Log)		3.567
98					KM Standard Error of Mean (logged)	0.241				95% H-UCL (KM -Log)		3.035
99					KM SD (logged)	2.103				95% Critical H Value (KM-Log)		3.567
100					KM Standard Error of Mean (logged)	0.241						
101												

102	**DL/2 Statistics**											
103	**DL/2 Normal**						**DL/2 Log-Transformed**					
104					Mean in Original Scale	1.939				Mean in Log Scale	-1.96	
105					SD in Original Scale	6.564				SD in Log Scale	2.163	
106					95% t UCL (Assumes normality)	3.176				95% H-Stat UCL	3.596	
107	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
108												
109	**Nonparametric Distribution Free UCL Statistics**											
110	**Data do not follow a Discernible Distribution at 5% Significance Level**											
111												
112	**Suggested UCL to Use**											
113					95% KM (Chebyshev) UCL	5.179						
114												
115	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
116	Recommendations are based upon data size, data distribution, and skewness.											
117	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
118	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
119												
120	**Benzo[a]pyrene**											
121												
122	**General Statistics**											
123					Total Number of Observations	78				Number of Distinct Observations	63	
124					Number of Detects	55				Number of Non-Detects	23	
125					Number of Distinct Detects	50				Number of Distinct Non-Detects	16	
126					Minimum Detect	0.01				Minimum Non-Detect	0.0071	
127					Maximum Detect	28				Maximum Non-Detect	0.76	
128					Variance Detects	31.56				Percent Non-Detects	29.49%	
129					Mean Detects	2.291				SD Detects	5.617	
130					Median Detects	0.15				CV Detects	2.452	
131					Skewness Detects	3.351				Kurtosis Detects	11.52	
132					Mean of Logged Detects	-1.296				SD of Logged Detects	2.015	
133												
134	**Normal GOF Test on Detects Only**											
135					Shapiro Wilk Test Statistic	0.469	**Normal GOF Test on Detected Observations Only**					
136					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
137					Lilliefors Test Statistic	0.373	**Lilliefors GOF Test**					
138					5% Lilliefors Critical Value	0.119	Detected Data Not Normal at 5% Significance Level					
139	**Detected Data Not Normal at 5% Significance Level**											
140												
141	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
142					KM Mean	1.62				KM Standard Error of Mean	0.547	
143					KM SD	4.788				95% KM (BCA) UCL	2.712	
144					95% KM (t) UCL	2.531				95% KM (Percentile Bootstrap) UCL	2.656	
145					95% KM (z) UCL	2.52				95% KM Bootstrap t UCL	3.232	
146					90% KM Chebyshev UCL	3.262				95% KM Chebyshev UCL	4.005	
147					97.5% KM Chebyshev UCL	5.037				99% KM Chebyshev UCL	7.064	
148												
149	**Gamma GOF Tests on Detected Observations Only**											
150					A-D Test Statistic	4.804	**Anderson-Darling GOF Test**					
151					5% A-D Critical Value	0.858	Detected Data Not Gamma Distributed at 5% Significance Level					
152					K-S Test Statistic	0.235	**Kolmogorov-Smirnov GOF**					
153					5% K-S Critical Value	0.13	Detected Data Not Gamma Distributed at 5% Significance Level					

154	**Detected Data Not Gamma Distributed at 5% Significance Level**											
155												
156	**Gamma Statistics on Detected Data Only**											
157						k hat (MLE)	0.321			k star (bias corrected MLE)	0.316	
158						Theta hat (MLE)	7.139			Theta star (bias corrected MLE)	7.261	
159						nu hat (MLE)	35.3			nu star (bias corrected)	34.71	
160						Mean (detects)	2.291					
161												
162	**Gamma ROS Statistics using Imputed Non-Detects**											
163	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
164	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
165	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
166	This is especially true when the sample size is small.											
167	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
168						Minimum	0.01			Mean	1.619	
169						Maximum	28			Median	0.085	
170						SD	4.819			CV	2.978	
171						k hat (MLE)	0.257			k star (bias corrected MLE)	0.256	
172						Theta hat (MLE)	6.301			Theta star (bias corrected MLE)	6.334	
173						nu hat (MLE)	40.07			nu star (bias corrected)	39.86	
174						Adjusted Level of Significance (β)	0.0469					
175						Approximate Chi Square Value (39.86, α)	26.4			Adjusted Chi Square Value (39.86, β)	26.19	
176						95% Gamma Approximate UCL (use when n>=50)	2.444			95% Gamma Adjusted UCL (use when n<50)	2.463	
177												
178	**Estimates of Gamma Parameters using KM Estimates**											
179						Mean (KM)	1.62			SD (KM)	4.788	
180						Variance (KM)	22.92			SE of Mean (KM)	0.547	
181						k hat (KM)	0.115			k star (KM)	0.119	
182						nu hat (KM)	17.87			nu star (KM)	18.52	
183						theta hat (KM)	14.15			theta star (KM)	13.65	
184						80% gamma percentile (KM)	1.404			90% gamma percentile (KM)	4.577	
185						95% gamma percentile (KM)	9.26			99% gamma percentile (KM)	23.59	
186												
187	**Gamma Kaplan-Meier (KM) Statistics**											
188						Approximate Chi Square Value (18.52, α)	9.766			Adjusted Chi Square Value (18.52, β)	9.646	
189						95% Gamma Approximate KM-UCL (use when n>=50)	3.073			95% Gamma Adjusted KM-UCL (use when n<50)	3.111	
190												
191	**Lognormal GOF Test on Detected Observations Only**											
192						Shapiro Wilk Approximate Test Statistic	0.921			**Shapiro Wilk GOF Test**		
193						5% Shapiro Wilk P Value	0.0014			Detected Data Not Lognormal at 5% Significance Level		
194						Lilliefors Test Statistic	0.146			**Lilliefors GOF Test**		
195						5% Lilliefors Critical Value	0.119			Detected Data Not Lognormal at 5% Significance Level		
196	**Detected Data Not Lognormal at 5% Significance Level**											
197												
198	**Lognormal ROS Statistics Using Imputed Non-Detects**											
199						Mean in Original Scale	1.618			Mean in Log Scale	-2.512	
200						SD in Original Scale	4.82			SD in Log Scale	2.583	
201						95% t UCL (assumes normality of ROS data)	2.526			95% Percentile Bootstrap UCL	2.528	
202						95% BCA Bootstrap UCL	2.927			95% Bootstrap t UCL	3.237	
203						95% H-UCL (Log ROS)	7.876					
204												

	A	B	C	D	E	F	G	H	I	J	K	L
205	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
206					KM Mean (logged)	-2.29				KM Geo Mean		0.101
207					KM SD (logged)	2.308				95% Critical H Value (KM-Log)		3.839
208					KM Standard Error of Mean (logged)	0.266				95% H-UCL (KM -Log)		3.989
209					KM SD (logged)	2.308				95% Critical H Value (KM-Log)		3.839
210					KM Standard Error of Mean (logged)	0.266						
211												
212	**DL/2 Statistics**											
213	**DL/2 Normal**						**DL/2 Log-Transformed**					
214					Mean in Original Scale	1.625				Mean in Log Scale		-2.288
215					SD in Original Scale	4.817				SD in Log Scale		2.391
216					95% t UCL (Assumes normality)	2.533				95% H-Stat UCL		5.185
217	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
218												
219	**Nonparametric Distribution Free UCL Statistics**											
220	**Data do not follow a Discernible Distribution at 5% Significance Level**											
221												
222	**Suggested UCL to Use**											
223					95% KM (Chebyshev) UCL	4.005						
224												
225	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
226	Recommendations are based upon data size, data distribution, and skewness.											
227	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
228	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
229												
230	**Benzo[b]fluoranthene**											
231												
232	**General Statistics**											
233					Total Number of Observations	78				Number of Distinct Observations		54
234					Number of Detects	58				Number of Non-Detects		20
235					Number of Distinct Detects	44				Number of Distinct Non-Detects		11
236					Minimum Detect	0.021				Minimum Non-Detect		0.011
237					Maximum Detect	31				Maximum Non-Detect		1.2
238					Variance Detects	27.03				Percent Non-Detects		25.64%
239					Mean Detects	2.047				SD Detects		5.199
240					Median Detects	0.195				CV Detects		2.541
241					Skewness Detects	4.156				Kurtosis Detects		19.3
242					Mean of Logged Detects	-1.124				SD of Logged Detects		1.857
243												
244	**Normal GOF Test on Detects Only**											
245					Shapiro Wilk Test Statistic	0.445	**Normal GOF Test on Detected Observations Only**					
246					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
247					Lilliefors Test Statistic	0.348	**Lilliefors GOF Test**					
248					5% Lilliefors Critical Value	0.116	Detected Data Not Normal at 5% Significance Level					
249	**Detected Data Not Normal at 5% Significance Level**											
250												
251	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
252					KM Mean	1.529				KM Standard Error of Mean		0.518
253					KM SD	4.531				95% KM (BCA) UCL		2.404
254					95% KM (t) UCL	2.39				95% KM (Percentile Bootstrap) UCL		2.457
255					95% KM (z) UCL	2.38				95% KM Bootstrap t UCL		3.329

	A	B	C	D	E	F	G	H	I	J	K	L
256					90% KM Chebyshev UCL	3.081				95% KM Chebyshev UCL		3.785
257					97.5% KM Chebyshev UCL	4.761				99% KM Chebyshev UCL		6.679
258												
259					**Gamma GOF Tests on Detected Observations Only**							
260					A-D Test Statistic	4.38	**Anderson-Darling GOF Test**					
261					5% A-D Critical Value	0.848	Detected Data Not Gamma Distributed at 5% Significance Level					
262					K-S Test Statistic	0.248	**Kolmogorov-Smirnov GOF**					
263					5% K-S Critical Value	0.126	Detected Data Not Gamma Distributed at 5% Significance Level					
264					**Detected Data Not Gamma Distributed at 5% Significance Level**							
265												
266					**Gamma Statistics on Detected Data Only**							
267					k hat (MLE)	0.363	k star (bias corrected MLE)					0.356
268					Theta hat (MLE)	5.634	Theta star (bias corrected MLE)					5.749
269					nu hat (MLE)	42.14	nu star (bias corrected)					41.29
270					Mean (detects)	2.047						
271												
272					**Gamma ROS Statistics using Imputed Non-Detects**							
273					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
274					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
275					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
276					This is especially true when the sample size is small.							
277					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
278					Minimum	0.01	Mean					1.524
279					Maximum	31	Median					0.115
280					SD	4.562	CV					2.993
281					k hat (MLE)	0.285	k star (bias corrected MLE)					0.283
282					Theta hat (MLE)	5.345	Theta star (bias corrected MLE)					5.391
283					nu hat (MLE)	44.49	nu star (bias corrected)					44.11
284					Adjusted Level of Significance (β)	0.0469						
285					Approximate Chi Square Value (44.11, α)	29.88	Adjusted Chi Square Value (44.11, β)					29.66
286					95% Gamma Approximate UCL (use when n>=50)	2.25	95% Gamma Adjusted UCL (use when n<50)					2.267
287												
288					**Estimates of Gamma Parameters using KM Estimates**							
289					Mean (KM)	1.529	SD (KM)					4.531
290					Variance (KM)	20.53	SE of Mean (KM)					0.518
291					k hat (KM)	0.114	k star (KM)					0.118
292					nu hat (KM)	17.75	nu star (KM)					18.4
293					theta hat (KM)	13.43	theta star (KM)					12.96
294					80% gamma percentile (KM)	1.315	90% gamma percentile (KM)					4.311
295					95% gamma percentile (KM)	8.742	99% gamma percentile (KM)					22.32
296												
297					**Gamma Kaplan-Meier (KM) Statistics**							
298					Approximate Chi Square Value (18.40, α)	9.684	Adjusted Chi Square Value (18.40, β)					9.564
299					95% Gamma Approximate KM-UCL (use when n>=50)	2.905	95% Gamma Adjusted KM-UCL (use when n<50)					2.942
300												
301					**Lognormal GOF Test on Detected Observations Only**							
302					Shapiro Wilk Approximate Test Statistic	0.928	**Shapiro Wilk GOF Test**					
303					5% Shapiro Wilk P Value	0.0021	Detected Data Not Lognormal at 5% Significance Level					
304					Lilliefors Test Statistic	0.162	**Lilliefors GOF Test**					
305					5% Lilliefors Critical Value	0.116	Detected Data Not Lognormal at 5% Significance Level					
306					**Detected Data Not Lognormal at 5% Significance Level**							
307												

308	**Lognormal ROS Statistics Using Imputed Non-Detects**											
309					Mean in Original Scale	1.525				Mean in Log Scale	-2.073	
310					SD in Original Scale	4.562				SD in Log Scale	2.338	
311					95% t UCL (assumes normality of ROS data)	2.385				95% Percentile Bootstrap UCL	2.445	
312					95% BCA Bootstrap UCL	2.737				95% Bootstrap t UCL	3.366	
313					95% H-UCL (Log ROS)	5.443						
314												
315	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
316					KM Mean (logged)	-1.905				KM Geo Mean	0.149	
317					KM SD (logged)	2.105				95% Critical H Value (KM-Log)	3.571	
318					KM Standard Error of Mean (logged)	0.243				95% H-UCL (KM -Log)	3.216	
319					KM SD (logged)	2.105				95% Critical H Value (KM-Log)	3.571	
320					KM Standard Error of Mean (logged)	0.243						
321												
322	**DL/2 Statistics**											
323					**DL/2 Normal**					**DL/2 Log-Transformed**		
324					Mean in Original Scale	1.535				Mean in Log Scale	-1.909	
325					SD in Original Scale	4.559				SD in Log Scale	2.193	
326					95% t UCL (Assumes normality)	2.395				95% H-Stat UCL	4.118	
327	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
328												
329	**Nonparametric Distribution Free UCL Statistics**											
330	**Data do not follow a Discernible Distribution at 5% Significance Level**											
331												
332	**Suggested UCL to Use**											
333					95% KM (Chebyshev) UCL	3.785						
334												
335	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
336	Recommendations are based upon data size, data distribution, and skewness.											
337	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
338	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
339												
340	**Benzo[k]fluoranthene**											
341												
342	**General Statistics**											
343					Total Number of Observations	78				Number of Distinct Observations	57	
344					Number of Detects	45				Number of Non-Detects	33	
345					Number of Distinct Detects	42				Number of Distinct Non-Detects	16	
346					Minimum Detect	0.0061				Minimum Non-Detect	0.014	
347					Maximum Detect	14				Maximum Non-Detect	1.5	
348					Variance Detects	5.286				Percent Non-Detects	42.31%	
349					Mean Detects	0.811				SD Detects	2.299	
350					Median Detects	0.08				CV Detects	2.834	
351					Skewness Detects	4.793				Kurtosis Detects	25.69	
352					Mean of Logged Detects	-1.944				SD of Logged Detects	1.709	
353												
354	**Normal GOF Test on Detects Only**											
355					Shapiro Wilk Test Statistic	0.39				**Shapiro Wilk GOF Test**		
356					5% Shapiro Wilk Critical Value	0.945				Detected Data Not Normal at 5% Significance Level		
357					Lilliefors Test Statistic	0.374				**Lilliefors GOF Test**		
358					5% Lilliefors Critical Value	0.131				Detected Data Not Normal at 5% Significance Level		
359	**Detected Data Not Normal at 5% Significance Level**											

360												
361	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
362					KM Mean	0.479			KM Standard Error of Mean		0.203	
363					KM SD	1.77			95% KM (BCA) UCL		0.846	
364					95% KM (t) UCL	0.817			95% KM (Percentile Bootstrap) UCL		0.831	
365					95% KM (z) UCL	0.813			95% KM Bootstrap t UCL		1.39	
366					90% KM Chebyshev UCL	1.088			95% KM Chebyshev UCL		1.363	
367					97.5% KM Chebyshev UCL	1.746			99% KM Chebyshev UCL		2.497	
368												
369	**Gamma GOF Tests on Detected Observations Only**											
370					A-D Test Statistic	3.916			**Anderson-Darling GOF Test**			
371					5% A-D Critical Value	0.842			Detected Data Not Gamma Distributed at 5% Significance Level			
372					K-S Test Statistic	0.23			**Kolmogorov-Smirnov GOF**			
373					5% K-S Critical Value	0.142			Detected Data Not Gamma Distributed at 5% Significance Level			
374	**Detected Data Not Gamma Distributed at 5% Significance Level**											
375												
376	**Gamma Statistics on Detected Data Only**											
377					k hat (MLE)	0.382			k star (bias corrected MLE)		0.371	
378					Theta hat (MLE)	2.123			Theta star (bias corrected MLE)		2.184	
379					nu hat (MLE)	34.39			nu star (bias corrected)		33.43	
380					Mean (detects)	0.811						
381												
382	**Gamma ROS Statistics using Imputed Non-Detects**											
383	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
384	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
385	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
386	This is especially true when the sample size is small.											
387	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
388					Minimum	0.0061			Mean		0.472	
389					Maximum	14			Median		0.027	
390					SD	1.783			CV		3.775	
391					k hat (MLE)	0.298			k star (bias corrected MLE)		0.295	
392					Theta hat (MLE)	1.587			Theta star (bias corrected MLE)		1.602	
393					nu hat (MLE)	46.43			nu star (bias corrected)		45.98	
394					Adjusted Level of Significance (β)	0.0469						
395					Approximate Chi Square Value (45.98, α)	31.42			Adjusted Chi Square Value (45.98, β)		31.2	
396					95% Gamma Approximate UCL (use when n>=50)	0.691			95% Gamma Adjusted UCL (use when n<50)		0.696	
397												
398	**Estimates of Gamma Parameters using KM Estimates**											
399					Mean (KM)	0.479			SD (KM)		1.77	
400					Variance (KM)	3.135			SE of Mean (KM)		0.203	
401					k hat (KM)	0.0732			k star (KM)		0.079	
402					nu hat (KM)	11.43			nu star (KM)		12.32	
403					theta hat (KM)	6.542			theta star (KM)		6.067	
404					80% gamma percentile (KM)	0.222			90% gamma percentile (KM)		1.127	
405					95% gamma percentile (KM)	2.785			99% gamma percentile (KM)		8.538	
406												
407	**Gamma Kaplan-Meier (KM) Statistics**											
408					Approximate Chi Square Value (12.32, α)	5.439			Adjusted Chi Square Value (12.32, β)		5.352	
409					95% Gamma Approximate KM-UCL (use when n>=50)	1.085			95% Gamma Adjusted KM-UCL (use when n<50)		1.103	
410												

411	**Lognormal GOF Test on Detected Observations Only**											
412					Shapiro Wilk Test Statistic	0.935	**Shapiro Wilk GOF Test**					
413					5% Shapiro Wilk Critical Value	0.945	Detected Data Not Lognormal at 5% Significance Level					
414					Lilliefors Test Statistic	0.164	**Lilliefors GOF Test**					
415					5% Lilliefors Critical Value	0.131	Detected Data Not Lognormal at 5% Significance Level					
416	**Detected Data Not Lognormal at 5% Significance Level**											
417												
418	**Lognormal ROS Statistics Using Imputed Non-Detects**											
419					Mean in Original Scale	0.474	Mean in Log Scale	-3.174				
420					SD in Original Scale	1.783	SD in Log Scale	2.072				
421					95% t UCL (assumes normality of ROS data)	0.81	95% Percentile Bootstrap UCL	0.858				
422					95% BCA Bootstrap UCL	0.975	95% Bootstrap t UCL	1.339				
423					95% H-UCL (Log ROS)	0.823						
424												
425	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
426					KM Mean (logged)	-3.022	KM Geo Mean	0.0487				
427					KM SD (logged)	1.92	95% Critical H Value (KM-Log)	3.33				
428					KM Standard Error of Mean (logged)	0.23	95% H-UCL (KM -Log)	0.637				
429					KM SD (logged)	1.92	95% Critical H Value (KM-Log)	3.33				
430					KM Standard Error of Mean (logged)	0.23						
431												
432	**DL/2 Statistics**											
433	**DL/2 Normal**						**DL/2 Log-Transformed**					
434					Mean in Original Scale	0.507	Mean in Log Scale	-2.67				
435					SD in Original Scale	1.779	SD in Log Scale	1.812				
436					95% t UCL (Assumes normality)	0.842	95% H-Stat UCL	0.692				
437	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
438												
439	**Nonparametric Distribution Free UCL Statistics**											
440	**Data do not follow a Discernible Distribution at 5% Significance Level**											
441												
442	**Suggested UCL to Use**											
443					95% KM (Chebyshev) UCL	1.363						
444												
445	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
446	Recommendations are based upon data size, data distribution, and skewness.											
447	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
448	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
449												
450	**Chrysene**											
451												
452	**General Statistics**											
453					Total Number of Observations	78	Number of Distinct Observations	62				
454					Number of Detects	66	Number of Non-Detects	12				
455					Number of Distinct Detects	54	Number of Distinct Non-Detects	9				
456					Minimum Detect	0.019	Minimum Non-Detect	0.0084				
457					Maximum Detect	87	Maximum Non-Detect	0.9				
458					Variance Detects	169	Percent Non-Detects	15.38%				
459					Mean Detects	4.129	SD Detects	13				
460					Median Detects	0.145	CV Detects	3.149				
461					Skewness Detects	4.769	Kurtosis Detects	26.4				
462					Mean of Logged Detects	-1.152	SD of Logged Detects	2.086				

463												
464	**Normal GOF Test on Detects Only**											
465					Shapiro Wilk Test Statistic	0.372	**Normal GOF Test on Detected Observations Only**					
466					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
467					Lilliefors Test Statistic	0.41	**Lilliefors GOF Test**					
468					5% Lilliefors Critical Value	0.109	Detected Data Not Normal at 5% Significance Level					
469	**Detected Data Not Normal at 5% Significance Level**											
470												
471	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
472					KM Mean	3.498	KM Standard Error of Mean	1.365				
473					KM SD	11.96	95% KM (BCA) UCL	5.926				
474					95% KM (t) UCL	5.77	95% KM (Percentile Bootstrap) UCL	5.935				
475					95% KM (z) UCL	5.743	95% KM Bootstrap t UCL	7.716				
476					90% KM Chebyshev UCL	7.592	95% KM Chebyshev UCL	9.447				
477					97.5% KM Chebyshev UCL	12.02	99% KM Chebyshev UCL	17.08				
478												
479	**Gamma GOF Tests on Detected Observations Only**											
480					A-D Test Statistic	7.475	**Anderson-Darling GOF Test**					
481					5% A-D Critical Value	0.878	Detected Data Not Gamma Distributed at 5% Significance Level					
482					K-S Test Statistic	0.254	**Kolmogorov-Smirnov GOF**					
483					5% K-S Critical Value	0.12	Detected Data Not Gamma Distributed at 5% Significance Level					
484	**Detected Data Not Gamma Distributed at 5% Significance Level**											
485												
486	**Gamma Statistics on Detected Data Only**											
487					k hat (MLE)	0.272	k star (bias corrected MLE)	0.27				
488					Theta hat (MLE)	15.15	Theta star (bias corrected MLE)	15.28				
489					nu hat (MLE)	35.97	nu star (bias corrected)	35.67				
490					Mean (detects)	4.129						
491												
492	**Gamma ROS Statistics using Imputed Non-Detects**											
493	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
494	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
495	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
496	This is especially true when the sample size is small.											
497	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
498					Minimum	0.01	Mean	3.496				
499					Maximum	87	Median	0.12				
500					SD	12.04	CV	3.444				
501					k hat (MLE)	0.243	k star (bias corrected MLE)	0.242				
502					Theta hat (MLE)	14.38	Theta star (bias corrected MLE)	14.43				
503					nu hat (MLE)	37.92	nu star (bias corrected)	37.8				
504					Adjusted Level of Significance (β)	0.0469						
505					Approximate Chi Square Value (37.80, α)	24.72	Adjusted Chi Square Value (37.80, β)	24.52				
506					95% Gamma Approximate UCL (use when n>=50)	5.345	95% Gamma Adjusted UCL (use when n<50)	5.388				
507												
508	**Estimates of Gamma Parameters using KM Estimates**											
509					Mean (KM)	3.498	SD (KM)	11.96				
510					Variance (KM)	143.1	SE of Mean (KM)	1.365				
511					k hat (KM)	0.0855	k star (KM)	0.0908				
512					nu hat (KM)	13.35	nu star (KM)	14.17				
513					theta hat (KM)	40.89	theta star (KM)	38.53				

514	80% gamma percentile (KM)					2.091	90% gamma percentile (KM)					8.909
515	95% gamma percentile (KM)					20.38	99% gamma percentile (KM)					58.29
516												
517	**Gamma Kaplan-Meier (KM) Statistics**											
518	Approximate Chi Square Value (14.17, α)					6.685	Adjusted Chi Square Value (14.17, β)					6.588
519	95% Gamma Approximate KM-UCL (use when n>=50)					7.413	95% Gamma Adjusted KM-UCL (use when n<50)					7.522
520												
521	**Lognormal GOF Test on Detected Observations Only**											
522	Shapiro Wilk Approximate Test Statistic					0.894	**Shapiro Wilk GOF Test**					
523	5% Shapiro Wilk P Value					4.8357E-6	Detected Data Not Lognormal at 5% Significance Level					
524	Lilliefors Test Statistic					0.17	**Lilliefors GOF Test**					
525	5% Lilliefors Critical Value					0.109	Detected Data Not Lognormal at 5% Significance Level					
526	**Detected Data Not Lognormal at 5% Significance Level**											
527												
528	**Lognormal ROS Statistics Using Imputed Non-Detects**											
529	Mean in Original Scale					3.496	Mean in Log Scale					-1.746
530	SD in Original Scale					12.04	SD in Log Scale					2.414
531	95% t UCL (assumes normality of ROS data)					5.766	95% Percentile Bootstrap UCL					5.873
532	95% BCA Bootstrap UCL					6.871	95% Bootstrap t UCL					7.841
533	95% H-UCL (Log ROS)					9.6						
534												
535	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
536	KM Mean (logged)					-1.626	KM Geo Mean					0.197
537	KM SD (logged)					2.231	95% Critical H Value (KM-Log)					3.737
538	KM Standard Error of Mean (logged)					0.256	95% H-UCL (KM -Log)					6.132
539	KM SD (logged)					2.231	95% Critical H Value (KM-Log)					3.737
540	KM Standard Error of Mean (logged)					0.256						
541												
542	**DL/2 Statistics**											
543	**DL/2 Normal**						**DL/2 Log-Transformed**					
544	Mean in Original Scale					3.502	Mean in Log Scale					-1.636
545	SD in Original Scale					12.04	SD in Log Scale					2.295
546	95% t UCL (Assumes normality)					5.771	95% H-Stat UCL					7.369
547	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
548												
549	**Nonparametric Distribution Free UCL Statistics**											
550	**Data do not follow a Discernible Distribution at 5% Significance Level**											
551												
552	**Suggested UCL to Use**											
553	95% KM (Chebyshev) UCL					9.447						
554												
555	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
556	Recommendations are based upon data size, data distribution, and skewness.											
557	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
558	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
559												
560	**Dibenz(a,h)anthracene**											
561												
562	**General Statistics**											
563	Total Number of Observations					78	Number of Distinct Observations					60
564	Number of Detects					40	Number of Non-Detects					38
565	Number of Distinct Detects					37	Number of Distinct Non-Detects					27

566					Minimum Detect	0.0099					Minimum Non-Detect	0.0066
567					Maximum Detect	5.9					Maximum Non-Detect	0.84
568					Variance Detects	2.016					Percent Non-Detects	48.72%
569					Mean Detects	0.726					SD Detects	1.42
570					Median Detects	0.115					CV Detects	1.955
571					Skewness Detects	2.547					Kurtosis Detects	6.102
572					Mean of Logged Detects	-1.952					SD of Logged Detects	1.832
573												
574					**Normal GOF Test on Detects Only**							
575					Shapiro Wilk Test Statistic	0.567			**Shapiro Wilk GOF Test**			
576					5% Shapiro Wilk Critical Value	0.94			Detected Data Not Normal at 5% Significance Level			
577					Lilliefors Test Statistic	0.343			**Lilliefors GOF Test**			
578					5% Lilliefors Critical Value	0.139			Detected Data Not Normal at 5% Significance Level			
579					**Detected Data Not Normal at 5% Significance Level**							
580												
581					**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**							
582					KM Mean	0.378					KM Standard Error of Mean	0.122
583					KM SD	1.066					95% KM (BCA) UCL	0.601
584					95% KM (t) UCL	0.581					95% KM (Percentile Bootstrap) UCL	0.581
585					95% KM (z) UCL	0.579					95% KM Bootstrap t UCL	0.686
586					90% KM Chebyshev UCL	0.745					95% KM Chebyshev UCL	0.911
587					97.5% KM Chebyshev UCL	1.141					99% KM Chebyshev UCL	1.594
588												
589					**Gamma GOF Tests on Detected Observations Only**							
590					A-D Test Statistic	2.649			**Anderson-Darling GOF Test**			
591					5% A-D Critical Value	0.835			Detected Data Not Gamma Distributed at 5% Significance Level			
592					K-S Test Statistic	0.236			**Kolmogorov-Smirnov GOF**			
593					5% K-S Critical Value	0.149			Detected Data Not Gamma Distributed at 5% Significance Level			
594					**Detected Data Not Gamma Distributed at 5% Significance Level**							
595												
596					**Gamma Statistics on Detected Data Only**							
597					k hat (MLE)	0.403					k star (bias corrected MLE)	0.389
598					Theta hat (MLE)	1.803					Theta star (bias corrected MLE)	1.866
599					nu hat (MLE)	32.22					nu star (bias corrected)	31.14
600					Mean (detects)	0.726						
601												
602					**Gamma ROS Statistics using Imputed Non-Detects**							
603					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
604					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
605					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
606					This is especially true when the sample size is small.							
607					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
608					Minimum	0.0099					Mean	0.377
609					Maximum	5.9					Median	0.012
610					SD	1.073					CV	2.843
611					k hat (MLE)	0.303					k star (bias corrected MLE)	0.3
612					Theta hat (MLE)	1.244					Theta star (bias corrected MLE)	1.257
613					nu hat (MLE)	47.31					nu star (bias corrected)	46.82
614					Adjusted Level of Significance (β)	0.0469						
615					Approximate Chi Square Value (46.82, α)	32.12					Adjusted Chi Square Value (46.82, β)	31.89
616					95% Gamma Approximate UCL (use when n>=50)	0.55					95% Gamma Adjusted UCL (use when n<50)	0.554
617												

	A	B	C	D	E	F	G	H	I	J	K	L
618	**Estimates of Gamma Parameters using KM Estimates**											
619					Mean (KM)	0.378				SD (KM)		1.066
620					Variance (KM)	1.136				SE of Mean (KM)		0.122
621					k hat (KM)	0.126				k star (KM)		0.129
622					nu hat (KM)	19.61				nu star (KM)		20.19
623					theta hat (KM)	3.006				theta star (KM)		2.92
624					80% gamma percentile (KM)	0.359				90% gamma percentile (KM)		1.091
625					95% gamma percentile (KM)	2.134				99% gamma percentile (KM)		5.26
626												
627	**Gamma Kaplan-Meier (KM) Statistics**											
628					Approximate Chi Square Value (20.19, α)	10.99				Adjusted Chi Square Value (20.19, β)		10.86
629					95% Gamma Approximate KM-UCL (use when n>=50)	0.694				95% Gamma Adjusted KM-UCL (use when n<50)		0.702
630												
631	**Lognormal GOF Test on Detected Observations Only**											
632					Shapiro Wilk Test Statistic	0.921			**Shapiro Wilk GOF Test**			
633					5% Shapiro Wilk Critical Value	0.94			Detected Data Not Lognormal at 5% Significance Level			
634					Lilliefors Test Statistic	0.124			**Lilliefors GOF Test**			
635					5% Lilliefors Critical Value	0.139			Detected Data appear Lognormal at 5% Significance Level			
636	**Detected Data appear Approximate Lognormal at 5% Significance Level**											
637												
638	**Lognormal ROS Statistics Using Imputed Non-Detects**											
639					Mean in Original Scale	0.374				Mean in Log Scale		-3.953
640					SD in Original Scale	1.074				SD in Log Scale		2.521
641					95% t UCL (assumes normality of ROS data)	0.577				95% Percentile Bootstrap UCL		0.586
642					95% BCA Bootstrap UCL	0.628				95% Bootstrap t UCL		0.669
643					95% H-UCL (Log ROS)	1.505						
644												
645	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
646					KM Mean (logged)	-3.353				KM Geo Mean		0.035
647					KM SD (logged)	1.973				95% Critical H Value (KM-Log)		3.398
648					KM Standard Error of Mean (logged)	0.23				95% H-UCL (KM -Log)		0.526
649					KM SD (logged)	1.973				95% Critical H Value (KM-Log)		3.398
650					KM Standard Error of Mean (logged)	0.23						
651												
652	**DL/2 Statistics**											
653	**DL/2 Normal**						**DL/2 Log-Transformed**					
654					Mean in Original Scale	0.385				Mean in Log Scale		-3.3
655					SD in Original Scale	1.071				SD in Log Scale		2.071
656					95% t UCL (Assumes normality)	0.587				95% H-Stat UCL		0.724
657	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
658												
659	**Nonparametric Distribution Free UCL Statistics**											
660	**Detected Data appear Approximate Lognormal Distributed at 5% Significance Level**											
661												
662	**Suggested UCL to Use**											
663					KM H-UCL	0.526						
664												
665	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
666	Recommendations are based upon data size, data distribution, and skewness.											
667	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
668	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
669												

670	**Indeno[1,2,3-cd]pyrene**											
671												
672	**General Statistics**											
673						Total Number of Observations	78			Number of Distinct Observations	64	
674						Number of Detects	55			Number of Non-Detects	23	
675						Number of Distinct Detects	48			Number of Distinct Non-Detects	17	
676						Minimum Detect	0.014			Minimum Non-Detect	0.0072	
677						Maximum Detect	18			Maximum Non-Detect	0.78	
678						Variance Detects	7.674			Percent Non-Detects	29.49%	
679						Mean Detects	1.064			SD Detects	2.77	
680						Median Detects	0.13			CV Detects	2.604	
681						Skewness Detects	4.808			Kurtosis Detects	26.77	
682						Mean of Logged Detects	-1.55			SD of Logged Detects	1.695	
683												
684	**Normal GOF Test on Detects Only**											
685						Shapiro Wilk Test Statistic	0.423			**Normal GOF Test on Detected Observations Only**		
686						5% Shapiro Wilk P Value	0			Detected Data Not Normal at 5% Significance Level		
687						Lilliefors Test Statistic	0.352			**Lilliefors GOF Test**		
688						5% Lilliefors Critical Value	0.119			Detected Data Not Normal at 5% Significance Level		
689	**Detected Data Not Normal at 5% Significance Level**											
690												
691	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
692						KM Mean	0.755			KM Standard Error of Mean	0.269	
693						KM SD	2.354			95% KM (BCA) UCL	1.278	
694						95% KM (t) UCL	1.203			95% KM (Percentile Bootstrap) UCL	1.248	
695						95% KM (z) UCL	1.197			95% KM Bootstrap t UCL	1.718	
696						90% KM Chebyshev UCL	1.562			95% KM Chebyshev UCL	1.927	
697						97.5% KM Chebyshev UCL	2.435			99% KM Chebyshev UCL	3.431	
698												
699	**Gamma GOF Tests on Detected Observations Only**											
700						A-D Test Statistic	4.069			**Anderson-Darling GOF Test**		
701						5% A-D Critical Value	0.837			Detected Data Not Gamma Distributed at 5% Significance Level		
702						K-S Test Statistic	0.246			**Kolmogorov-Smirnov GOF**		
703						5% K-S Critical Value	0.128			Detected Data Not Gamma Distributed at 5% Significance Level		
704	**Detected Data Not Gamma Distributed at 5% Significance Level**											
705												
706	**Gamma Statistics on Detected Data Only**											
707						k hat (MLE)	0.407			k star (bias corrected MLE)	0.397	
708						Theta hat (MLE)	2.612			Theta star (bias corrected MLE)	2.678	
709						nu hat (MLE)	44.79			nu star (bias corrected)	43.68	
710						Mean (detects)	1.064					
711												
712	**Gamma ROS Statistics using Imputed Non-Detects**											
713	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
714	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
715	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
716	This is especially true when the sample size is small.											
717	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
718						Minimum	0.01			Mean	0.753	
719						Maximum	18			Median	0.0715	
720						SD	2.37			CV	3.147	
721						k hat (MLE)	0.316			k star (bias corrected MLE)	0.312	

722					Theta hat (MLE)	2.386					Theta star (bias corrected MLE)	2.413
723					nu hat (MLE)	49.24					nu star (bias corrected)	48.68
724					Adjusted Level of Significance (β)	0.0469						
725					Approximate Chi Square Value (48.68, α)	33.66					Adjusted Chi Square Value (48.68, β)	33.43
726					95% Gamma Approximate UCL (use when n>=50)	1.089					95% Gamma Adjusted UCL (use when n<50)	1.096
727												
728					**Estimates of Gamma Parameters using KM Estimates**							
729					Mean (KM)	0.755					SD (KM)	2.354
730					Variance (KM)	5.541					SE of Mean (KM)	0.269
731					k hat (KM)	0.103					k star (KM)	0.107
732					nu hat (KM)	16.04					nu star (KM)	16.75
733					theta hat (KM)	7.342					theta star (KM)	7.028
734					80% gamma percentile (KM)	0.578					90% gamma percentile (KM)	2.065
735					95% gamma percentile (KM)	4.358					99% gamma percentile (KM)	11.57
736												
737					**Gamma Kaplan-Meier (KM) Statistics**							
738					Approximate Chi Square Value (16.75, α)	8.496					Adjusted Chi Square Value (16.75, β)	8.386
739					95% Gamma Approximate KM-UCL (use when n>=50)	1.488					95% Gamma Adjusted KM-UCL (use when n<50)	1.508
740												
741					**Lognormal GOF Test on Detected Observations Only**							
742					Shapiro Wilk Approximate Test Statistic	0.934					**Shapiro Wilk GOF Test**	
743					5% Shapiro Wilk P Value	0.00662					Detected Data Not Lognormal at 5% Significance Level	
744					Lilliefors Test Statistic	0.166					**Lilliefors GOF Test**	
745					5% Lilliefors Critical Value	0.119					Detected Data Not Lognormal at 5% Significance Level	
746					**Detected Data Not Lognormal at 5% Significance Level**							
747												
748					**Lognormal ROS Statistics Using Imputed Non-Detects**							
749					Mean in Original Scale	0.753					Mean in Log Scale	-2.577
750					SD in Original Scale	2.37					SD in Log Scale	2.177
751					95% t UCL (assumes normality of ROS data)	1.199					95% Percentile Bootstrap UCL	1.227
752					95% BCA Bootstrap UCL	1.433					95% Bootstrap t UCL	1.691
753					95% H-UCL (Log ROS)	2.018						
754												
755					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
756					KM Mean (logged)	-2.47					KM Geo Mean	0.0846
757					KM SD (logged)	2.04					95% Critical H Value (KM-Log)	3.486
758					KM Standard Error of Mean (logged)	0.236					95% H-UCL (KM -Log)	1.524
759					KM SD (logged)	2.04					95% Critical H Value (KM-Log)	3.486
760					KM Standard Error of Mean (logged)	0.236						
761												
762					**DL/2 Statistics**							
763					**DL/2 Normal**						**DL/2 Log-Transformed**	
764					Mean in Original Scale	0.759					Mean in Log Scale	-2.487
765					SD in Original Scale	2.368					SD in Log Scale	2.148
766					95% t UCL (Assumes normality)	1.205					95% H-Stat UCL	2.03
767					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
768												
769					**Nonparametric Distribution Free UCL Statistics**							
770					**Data do not follow a Discernible Distribution at 5% Significance Level**							
771												
772					**Suggested UCL to Use**							
773					95% KM (Chebyshev) UCL	1.927						

	A	B	C	D	E	F	G	H	I	J	K	L
774												
775	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
776	Recommendations are based upon data size, data distribution, and skewness.											
777	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
778	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
779												
780	**Naphthalene**											
781												
782	**General Statistics**											
783						Total Number of Observations	78				Number of Distinct Observations	51	
784						Number of Detects	28				Number of Non-Detects	50	
785						Number of Distinct Detects	23				Number of Distinct Non-Detects	32	
786						Minimum Detect	0.0076				Minimum Non-Detect	0.0057	
787						Maximum Detect	32				Maximum Non-Detect	0.65	
788						Variance Detects	36.4				Percent Non-Detects	64.1%	
789						Mean Detects	1.383				SD Detects	6.033	
790						Median Detects	0.0445				CV Detects	4.361	
791						Skewness Detects	5.204				Kurtosis Detects	27.32	
792						Mean of Logged Detects	-2.505				SD of Logged Detects	1.804	
793												
794	**Normal GOF Test on Detects Only**											
795						Shapiro Wilk Test Statistic	0.24			**Shapiro Wilk GOF Test**			
796						5% Shapiro Wilk Critical Value	0.924			Detected Data Not Normal at 5% Significance Level			
797						Lilliefors Test Statistic	0.45			**Lilliefors GOF Test**			
798						5% Lilliefors Critical Value	0.164			Detected Data Not Normal at 5% Significance Level			
799	**Detected Data Not Normal at 5% Significance Level**											
800												
801	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
802						KM Mean	0.503				KM Standard Error of Mean	0.416	
803						KM SD	3.61				95% KM (BCA) UCL	1.334	
804						95% KM (t) UCL	1.196				95% KM (Percentile Bootstrap) UCL	1.325	
805						95% KM (z) UCL	1.188				95% KM Bootstrap t UCL	12.47	
806						90% KM Chebyshev UCL	1.752				95% KM Chebyshev UCL	2.318	
807						97.5% KM Chebyshev UCL	3.103				99% KM Chebyshev UCL	4.645	
808												
809	**Gamma GOF Tests on Detected Observations Only**											
810						A-D Test Statistic	5.281			**Anderson-Darling GOF Test**			
811						5% A-D Critical Value	0.878			Detected Data Not Gamma Distributed at 5% Significance Level			
812						K-S Test Statistic	0.374			**Kolmogorov-Smirnov GOF**			
813						5% K-S Critical Value	0.182			Detected Data Not Gamma Distributed at 5% Significance Level			
814	**Detected Data Not Gamma Distributed at 5% Significance Level**											
815												
816	**Gamma Statistics on Detected Data Only**											
817						k hat (MLE)	0.251				k star (bias corrected MLE)	0.248	
818						Theta hat (MLE)	5.513				Theta star (bias corrected MLE)	5.582	
819						nu hat (MLE)	14.05				nu star (bias corrected)	13.88	
820						Mean (detects)	1.383						
821												
822	**Gamma ROS Statistics using Imputed Non-Detects**											
823	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
824	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
825	For such situations, GROS method may yield incorrect values of UCLs and BTVs											

826	This is especially true when the sample size is small.											
827	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
828					Minimum	0.0076				Mean		0.503
829					Maximum	32				Median		0.01
830					SD	3.634				CV		7.224
831					k hat (MLE)	0.228				k star (bias corrected MLE)		0.228
832					Theta hat (MLE)	2.207				Theta star (bias corrected MLE)		2.21
833					nu hat (MLE)	35.55				nu star (bias corrected)		35.51
834					Adjusted Level of Significance (β)	0.0469						
835					Approximate Chi Square Value (35.51, α)	22.88				Adjusted Chi Square Value (35.51, β)		22.69
836					95% Gamma Approximate UCL (use when n>=50)	0.781				95% Gamma Adjusted UCL (use when n<50)		0.787
837												
838	**Estimates of Gamma Parameters using KM Estimates**											
839					Mean (KM)	0.503				SD (KM)		3.61
840					Variance (KM)	13.03				SE of Mean (KM)		0.416
841					k hat (KM)	0.0194				k star (KM)		0.0272
842					nu hat (KM)	3.028				nu star (KM)		4.245
843					theta hat (KM)	25.91				theta star (KM)		18.48
844					80% gamma percentile (KM)	0.00291				90% gamma percentile (KM)		0.224
845					95% gamma percentile (KM)	1.764				99% gamma percentile (KM)		13.31
846												
847	**Gamma Kaplan-Meier (KM) Statistics**											
848					Approximate Chi Square Value (4.25, α)	0.821				Adjusted Chi Square Value (4.25, β)		0.794
849					95% Gamma Approximate KM-UCL (use when n>=50)	2.601				95% Gamma Adjusted KM-UCL (use when n<50)		2.689
850												
851	**Lognormal GOF Test on Detected Observations Only**											
852					Shapiro Wilk Test Statistic	0.822				**Shapiro Wilk GOF Test**		
853					5% Shapiro Wilk Critical Value	0.924				Detected Data Not Lognormal at 5% Significance Level		
854					Lilliefors Test Statistic	0.22				**Lilliefors GOF Test**		
855					5% Lilliefors Critical Value	0.164				Detected Data Not Lognormal at 5% Significance Level		
856	**Detected Data Not Lognormal at 5% Significance Level**											
857												
858	**Lognormal ROS Statistics Using Imputed Non-Detects**											
859					Mean in Original Scale	0.498				Mean in Log Scale		-5.153
860					SD in Original Scale	3.634				SD in Log Scale		2.407
861					95% t UCL (assumes normality of ROS data)	1.183				95% Percentile Bootstrap UCL		1.301
862					95% BCA Bootstrap UCL	1.784				95% Bootstrap t UCL		15.19
863					95% H-UCL (Log ROS)	0.312						
864												
865	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
866					KM Mean (logged)	-4.067				KM Geo Mean		0.0171
867					KM SD (logged)	1.651				95% Critical H Value (KM-Log)		2.992
868					KM Standard Error of Mean (logged)	0.199				95% H-UCL (KM -Log)		0.117
869					KM SD (logged)	1.651				95% Critical H Value (KM-Log)		2.992
870					KM Standard Error of Mean (logged)	0.199						
871												
872	**DL/2 Statistics**											
873	**DL/2 Normal**									**DL/2 Log-Transformed**		
874					Mean in Original Scale	0.517				Mean in Log Scale		-3.861
875					SD in Original Scale	3.632				SD in Log Scale		1.833
876					95% t UCL (Assumes normality)	1.201				95% H-Stat UCL		0.221
877	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											

878												
879	**Nonparametric Distribution Free UCL Statistics**											
880	**Data do not follow a Discernible Distribution at 5% Significance Level**											
881												
882	**Suggested UCL to Use**											
883					95% KM (Chebyshev) UCL	2.318						
884												
885	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
886	Recommendations are based upon data size, data distribution, and skewness.											
887	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
888	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
889												
890	**1,1'-Biphenyl**											
891												
892	**General Statistics**											
893					Total Number of Observations	71			Number of Distinct Observations	31		
894					Number of Detects	9			Number of Non-Detects	62		
895					Number of Distinct Detects	9			Number of Distinct Non-Detects	23		
896					Minimum Detect	0.013			Minimum Non-Detect	0.03		
897					Maximum Detect	6.3			Maximum Non-Detect	3.4		
898					Variance Detects	4.329			Percent Non-Detects	87.32%		
899					Mean Detects	0.754			SD Detects	2.081		
900					Median Detects	0.066			CV Detects	2.761		
901					Skewness Detects	2.996			Kurtosis Detects	8.984		
902					Mean of Logged Detects	-2.666			SD of Logged Detects	1.937		
903												
904	**Normal GOF Test on Detects Only**											
905					Shapiro Wilk Test Statistic	0.411			**Shapiro Wilk GOF Test**			
906					5% Shapiro Wilk Critical Value	0.829			Detected Data Not Normal at 5% Significance Level			
907					Lilliefors Test Statistic	0.499			**Lilliefors GOF Test**			
908					5% Lilliefors Critical Value	0.274			Detected Data Not Normal at 5% Significance Level			
909	**Detected Data Not Normal at 5% Significance Level**											
910												
911	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
912					KM Mean	0.111			KM Standard Error of Mean	0.0932		
913					KM SD	0.74			95% KM (BCA) UCL	0.292		
914					95% KM (t) UCL	0.267			95% KM (Percentile Bootstrap) UCL	0.288		
915					95% KM (z) UCL	0.265			95% KM Bootstrap t UCL	3.229		
916					90% KM Chebyshev UCL	0.391			95% KM Chebyshev UCL	0.518		
917					97.5% KM Chebyshev UCL	0.693			99% KM Chebyshev UCL	1.039		
918												
919	**Gamma GOF Tests on Detected Observations Only**											
920					A-D Test Statistic	1.6			**Anderson-Darling GOF Test**			
921					5% A-D Critical Value	0.811			Detected Data Not Gamma Distributed at 5% Significance Level			
922					K-S Test Statistic	0.392			**Kolmogorov-Smirnov GOF**			
923					5% K-S Critical Value	0.302			Detected Data Not Gamma Distributed at 5% Significance Level			
924	**Detected Data Not Gamma Distributed at 5% Significance Level**											
925												
926	**Gamma Statistics on Detected Data Only**											
927					k hat (MLE)	0.291			k star (bias corrected MLE)	0.268		
928					Theta hat (MLE)	2.591			Theta star (bias corrected MLE)	2.812		

	A	B	C	D	E	F	G	H	I	J	K	L
929					nu hat (MLE)	5.234				nu star (bias corrected)		4.823
930					Mean (detects)	0.754						
931												
932	**Gamma ROS Statistics using Imputed Non-Detects**											
933	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
934	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
935	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
936	This is especially true when the sample size is small.											
937	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
938					Minimum	0.01				Mean		0.104
939					Maximum	6.3				Median		0.01
940					SD	0.746				CV		7.157
941					k hat (MLE)	0.324				k star (bias corrected MLE)		0.32
942					Theta hat (MLE)	0.321				Theta star (bias corrected MLE)		0.326
943					nu hat (MLE)	46.07				nu star (bias corrected)		45.46
944					Adjusted Level of Significance (β)	0.0466						
945					Approximate Chi Square Value (45.46, α)	30.99				Adjusted Chi Square Value (45.46, β)		30.74
946					95% Gamma Approximate UCL (use when n>=50)	0.153				95% Gamma Adjusted UCL (use when n<50)		0.154
947												
948	**Estimates of Gamma Parameters using KM Estimates**											
949					Mean (KM)	0.111				SD (KM)		0.74
950					Variance (KM)	0.548				SE of Mean (KM)		0.0932
951					k hat (KM)	0.0227				k star (KM)		0.0311
952					nu hat (KM)	3.22				nu star (KM)		4.418
953					theta hat (KM)	4.915				theta star (KM)		3.583
954					80% gamma percentile (KM)	0.00158				90% gamma percentile (KM)		0.0711
955					95% gamma percentile (KM)	0.446				99% gamma percentile (KM)		2.849
956												
957	**Gamma Kaplan-Meier (KM) Statistics**											
958					Approximate Chi Square Value (4.42, α)	0.893				Adjusted Chi Square Value (4.42, β)		0.862
959					95% Gamma Approximate KM-UCL (use when n>=50)	0.551				95% Gamma Adjusted KM-UCL (use when n<50)		0.571
960												
961	**Lognormal GOF Test on Detected Observations Only**											
962					Shapiro Wilk Test Statistic	0.805				**Shapiro Wilk GOF Test**		
963					5% Shapiro Wilk Critical Value	0.829				Detected Data Not Lognormal at 5% Significance Level		
964					Lilliefors Test Statistic	0.216				**Lilliefors GOF Test**		
965					5% Lilliefors Critical Value	0.274				Detected Data appear Lognormal at 5% Significance Level		
966	**Detected Data appear Approximate Lognormal at 5% Significance Level**											
967												
968	**Lognormal ROS Statistics Using Imputed Non-Detects**											
969					Mean in Original Scale	0.114				Mean in Log Scale		-3.97
970					SD in Original Scale	0.745				SD in Log Scale		1.104
971					95% t UCL (assumes normality of ROS data)	0.261				95% Percentile Bootstrap UCL		0.29
972					95% BCA Bootstrap UCL	0.466				95% Bootstrap t UCL		3.782
973					95% H-UCL (Log ROS)	0.0474						
974												
975	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
976					KM Mean (logged)	-3.91				KM Geo Mean		0.02
977					KM SD (logged)	0.861				95% Critical H Value (KM-Log)		2.122
978					KM Standard Error of Mean (logged)	0.141				95% H-UCL (KM -Log)		0.0361
979					KM SD (logged)	0.861				95% Critical H Value (KM-Log)		2.122
980					KM Standard Error of Mean (logged)	0.141						

981												
982	**DL/2 Statistics**											
983	**DL/2 Normal**						**DL/2 Log-Transformed**					
984				Mean in Original Scale	0.215					Mean in Log Scale	-3.147	
985				SD in Original Scale	0.795					SD in Log Scale	1.407	
986				95% t UCL (Assumes normality)	0.372					95% H-Stat UCL	0.182	
987	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
988												
989	**Nonparametric Distribution Free UCL Statistics**											
990	**Detected Data appear Approximate Lognormal Distributed at 5% Significance Level**											
991												
992	**Suggested UCL to Use**											
993				KM H-UCL	0.0361							
994												
995	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
996	Recommendations are based upon data size, data distribution, and skewness.											
997	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
998	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
999												
1000	**2-Methylnaphthalene**											
1001												
1002	**General Statistics**											
1003				Total Number of Observations	71					Number of Distinct Observations	52	
1004				Number of Detects	47					Number of Non-Detects	24	
1005				Number of Distinct Detects	38					Number of Distinct Non-Detects	18	
1006				Minimum Detect	0.0081					Minimum Non-Detect	0.0061	
1007				Maximum Detect	76					Maximum Non-Detect	0.68	
1008				Variance Detects	130.6					Percent Non-Detects	33.8%	
1009				Mean Detects	2.307					SD Detects	11.43	
1010				Median Detects	0.049					CV Detects	4.954	
1011				Skewness Detects	6.181					Kurtosis Detects	39.8	
1012				Mean of Logged Detects	-2.535					SD of Logged Detects	1.854	
1013												
1014	**Normal GOF Test on Detects Only**											
1015				Shapiro Wilk Test Statistic	0.222		**Shapiro Wilk GOF Test**					
1016				5% Shapiro Wilk Critical Value	0.946		Detected Data Not Normal at 5% Significance Level					
1017				Lilliefors Test Statistic	0.482		**Lilliefors GOF Test**					
1018				5% Lilliefors Critical Value	0.128		Detected Data Not Normal at 5% Significance Level					
1019	**Detected Data Not Normal at 5% Significance Level**											
1020												
1021	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1022				KM Mean	1.532					KM Standard Error of Mean	1.111	
1023				KM SD	9.262					95% KM (BCA) UCL	3.365	
1024				95% KM (t) UCL	3.384					95% KM (Percentile Bootstrap) UCL	3.715	
1025				95% KM (z) UCL	3.36					95% KM Bootstrap t UCL	58.3	
1026				90% KM Chebyshev UCL	4.866					95% KM Chebyshev UCL	6.376	
1027				97.5% KM Chebyshev UCL	8.471					99% KM Chebyshev UCL	12.59	
1028												
1029	**Gamma GOF Tests on Detected Observations Only**											
1030				A-D Test Statistic	9.976		**Anderson-Darling GOF Test**					
1031				5% A-D Critical Value	0.904		Detected Data Not Gamma Distributed at 5% Significance Level					
1032				K-S Test Statistic	0.384		**Kolmogorov-Smirnov GOF**					

	A	B	C	D	E	F	G	H	I	J	K	L
1033				5% K-S Critical Value		0.143	Detected Data Not Gamma Distributed at 5% Significance Level					
1034	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1035												
1036	**Gamma Statistics on Detected Data Only**											
1037				k hat (MLE)		0.216	k star (bias corrected MLE)					0.216
1038				Theta hat (MLE)		10.69	Theta star (bias corrected MLE)					10.67
1039				nu hat (MLE)		20.28	nu star (bias corrected)					20.32
1040				Mean (detects)		2.307						
1041												
1042	**Gamma ROS Statistics using Imputed Non-Detects**											
1043	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1044	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1045	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1046	This is especially true when the sample size is small.											
1047	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1048				Minimum		0.0081	Mean					1.53
1049				Maximum		76	Median					0.022
1050				SD		9.329	CV					6.096
1051				k hat (MLE)		0.201	k star (bias corrected MLE)					0.202
1052				Theta hat (MLE)		7.617	Theta star (bias corrected MLE)					7.583
1053				nu hat (MLE)		28.53	nu star (bias corrected)					28.66
1054				Adjusted Level of Significance (β)		0.0466						
1055				Approximate Chi Square Value (28.66, α)		17.44	Adjusted Chi Square Value (28.66, β)					17.26
1056				95% Gamma Approximate UCL (use when n>=50)		2.515	95% Gamma Adjusted UCL (use when n<50)					2.541
1057												
1058	**Estimates of Gamma Parameters using KM Estimates**											
1059				Mean (KM)		1.532	SD (KM)					9.262
1060				Variance (KM)		85.79	SE of Mean (KM)					1.111
1061				k hat (KM)		0.0274	k star (KM)					0.0356
1062				nu hat (KM)		3.885	nu star (KM)					5.055
1063				theta hat (KM)		56	theta star (KM)					43.04
1064				80% gamma percentile (KM)		0.0472	90% gamma percentile (KM)					1.328
1065				95% gamma percentile (KM)		6.823	99% gamma percentile (KM)					37.63
1066												
1067	**Gamma Kaplan-Meier (KM) Statistics**											
1068				Approximate Chi Square Value (5.05, α)		1.178	Adjusted Chi Square Value (5.05, β)					1.14
1069				95% Gamma Approximate KM-UCL (use when n>=50)		6.577	95% Gamma Adjusted KM-UCL (use when n<50)					6.793
1070												
1071	**Lognormal GOF Test on Detected Observations Only**											
1072				Shapiro Wilk Test Statistic		0.8	**Shapiro Wilk GOF Test**					
1073				5% Shapiro Wilk Critical Value		0.946	Detected Data Not Lognormal at 5% Significance Level					
1074				Lilliefors Test Statistic		0.182	**Lilliefors GOF Test**					
1075				5% Lilliefors Critical Value		0.128	Detected Data Not Lognormal at 5% Significance Level					
1076	**Detected Data Not Lognormal at 5% Significance Level**											
1077												
1078	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1079				Mean in Original Scale		1.53	Mean in Log Scale					-3.534
1080				SD in Original Scale		9.329	SD in Log Scale					2.158
1081				95% t UCL (assumes normality of ROS data)		3.375	95% Percentile Bootstrap UCL					3.653
1082				95% BCA Bootstrap UCL		5.495	95% Bootstrap t UCL					56.16
1083				95% H-UCL (Log ROS)		0.759						
1084												

	A	B	C	D	E	F	G	H	I	J	K	L
1085	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1086					KM Mean (logged)	-3.239				KM Geo Mean		0.0392
1087					KM SD (logged)	1.845				95% Critical H Value (KM-Log)		3.206
1088					KM Standard Error of Mean (logged)	0.226				95% H-UCL (KM -Log)		0.436
1089					KM SD (logged)	1.845				95% Critical H Value (KM-Log)		3.206
1090					KM Standard Error of Mean (logged)	0.226						
1091												
1092	**DL/2 Statistics**											
1093	**DL/2 Normal**						**DL/2 Log-Transformed**					
1094					Mean in Original Scale	1.542				Mean in Log Scale		-3.181
1095					SD in Original Scale	9.327				SD in Log Scale		1.955
1096					95% t UCL (Assumes normality)	3.387				95% H-Stat UCL		0.614
1097	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1098												
1099	**Nonparametric Distribution Free UCL Statistics**											
1100	**Data do not follow a Discernible Distribution at 5% Significance Level**											
1101												
1102	**Suggested UCL to Use**											
1103					95% KM (Chebyshev) UCL	6.376						
1104												
1105	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1106	Recommendations are based upon data size, data distribution, and skewness.											
1107	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1108	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1109												
1110	**Dibenzofuran**											
1111												
1112	**General Statistics**											
1113					Total Number of Observations	71				Number of Distinct Observations		31
1114					Number of Detects	11				Number of Non-Detects		60
1115					Number of Distinct Detects	9				Number of Distinct Non-Detects		23
1116					Minimum Detect	0.055				Minimum Non-Detect		0.034
1117					Maximum Detect	13				Maximum Non-Detect		3.7
1118					Variance Detects	14.86				Percent Non-Detects		84.51%
1119					Mean Detects	1.455				SD Detects		3.854
1120					Median Detects	0.13				CV Detects		2.649
1121					Skewness Detects	3.242				Kurtosis Detects		10.61
1122					Mean of Logged Detects	-1.364				SD of Logged Detects		1.588
1123												
1124	**Normal GOF Test on Detects Only**											
1125					Shapiro Wilk Test Statistic	0.413	**Shapiro Wilk GOF Test**					
1126					5% Shapiro Wilk Critical Value	0.85	Detected Data Not Normal at 5% Significance Level					
1127					Lilliefors Test Statistic	0.437	**Lilliefors GOF Test**					
1128					5% Lilliefors Critical Value	0.251	Detected Data Not Normal at 5% Significance Level					
1129	**Detected Data Not Normal at 5% Significance Level**											
1130												
1131	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1132					KM Mean	0.26				KM Standard Error of Mean		0.191
1133					KM SD	1.535				95% KM (BCA) UCL		0.627
1134					95% KM (t) UCL	0.579				95% KM (Percentile Bootstrap) UCL		0.624
1135					95% KM (z) UCL	0.574				95% KM Bootstrap t UCL		5.844

1136				90% KM Chebyshev UCL		0.833				95% KM Chebyshev UCL		1.093
1137				97.5% KM Chebyshev UCL		1.454				99% KM Chebyshev UCL		2.162
1138												
1139						**Gamma GOF Tests on Detected Observations Only**							
1140					A-D Test Statistic	1.874				**Anderson-Darling GOF Test**		
1141					5% A-D Critical Value	0.804				Detected Data Not Gamma Distributed at 5% Significance Level		
1142					K-S Test Statistic	0.406				**Kolmogorov-Smirnov GOF**		
1143					5% K-S Critical Value	0.273				Detected Data Not Gamma Distributed at 5% Significance Level		
1144						**Detected Data Not Gamma Distributed at 5% Significance Level**						
1145												
1146						**Gamma Statistics on Detected Data Only**							
1147					k hat (MLE)	0.381				k star (bias corrected MLE)		0.338
1148					Theta hat (MLE)	3.815				Theta star (bias corrected MLE)		4.305
1149					nu hat (MLE)	8.39				nu star (bias corrected)		7.435
1150					Mean (detects)	1.455						
1151												
1152						**Gamma ROS Statistics using Imputed Non-Detects**							
1153						GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs						
1154						GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)						
1155						For such situations, GROS method may yield incorrect values of UCLs and BTVs						
1156						This is especially true when the sample size is small.						
1157						For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates						
1158					Minimum	0.01				Mean		0.234
1159					Maximum	13				Median		0.01
1160					SD	1.549				CV		6.623
1161					k hat (MLE)	0.265				k star (bias corrected MLE)		0.264
1162					Theta hat (MLE)	0.881				Theta star (bias corrected MLE)		0.887
1163					nu hat (MLE)	37.69				nu star (bias corrected)		37.43
1164					Adjusted Level of Significance (β)	0.0466						
1165					Approximate Chi Square Value (37.43, α)	24.43				Adjusted Chi Square Value (37.43, β)		24.21
1166					95% Gamma Approximate UCL (use when n>=50)	0.358				95% Gamma Adjusted UCL (use when n<50)		0.362
1167												
1168						**Estimates of Gamma Parameters using KM Estimates**							
1169					Mean (KM)	0.26				SD (KM)		1.535
1170					Variance (KM)	2.356				SE of Mean (KM)		0.191
1171					k hat (KM)	0.0287				k star (KM)		0.0368
1172					nu hat (KM)	4.069				nu star (KM)		5.23
1173					theta hat (KM)	9.068				theta star (KM)		7.055
1174					80% gamma percentile (KM)	0.00956				90% gamma percentile (KM)		0.241
1175					95% gamma percentile (KM)	1.185				99% gamma percentile (KM)		6.313
1176												
1177						**Gamma Kaplan-Meier (KM) Statistics**							
1178					Approximate Chi Square Value (5.23, α)	1.26				Adjusted Chi Square Value (5.23, β)		1.221
1179					95% Gamma Approximate KM-UCL (use when n>=50)	1.079				95% Gamma Adjusted KM-UCL (use when n<50)		1.113
1180												
1181						**Lognormal GOF Test on Detected Observations Only**							
1182					Shapiro Wilk Test Statistic	0.798				**Shapiro Wilk GOF Test**		
1183					5% Shapiro Wilk Critical Value	0.85				Detected Data Not Lognormal at 5% Significance Level		
1184					Lilliefors Test Statistic	0.287				**Lilliefors GOF Test**		
1185					5% Lilliefors Critical Value	0.251				Detected Data Not Lognormal at 5% Significance Level		
1186						**Detected Data Not Lognormal at 5% Significance Level**						
1187												

1188	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1189					Mean in Original Scale	0.229				Mean in Log Scale	-5.735	
1190					SD in Original Scale	1.55				SD in Log Scale	2.454	
1191					95% t UCL (assumes normality of ROS data)	0.535				95% Percentile Bootstrap UCL	0.594	
1192					95% BCA Bootstrap UCL	0.924				95% Bootstrap t UCL	5.933	
1193					95% H-UCL (Log ROS)	0.212						
1194												
1195	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1196					KM Mean (logged)	-3.007				KM Geo Mean	0.0495	
1197					KM SD (logged)	0.969				95% Critical H Value (KM-Log)	2.221	
1198					KM Standard Error of Mean (logged)	0.127				95% H-UCL (KM -Log)	0.102	
1199					KM SD (logged)	0.969				95% Critical H Value (KM-Log)	2.221	
1200					KM Standard Error of Mean (logged)	0.127						
1201												
1202	**DL/2 Statistics**											
1203					**DL/2 Normal**					**DL/2 Log-Transformed**		
1204					Mean in Original Scale	0.357				Mean in Log Scale	-2.82	
1205					SD in Original Scale	1.568				SD in Log Scale	1.499	
1206					95% t UCL (Assumes normality)	0.667				95% H-Stat UCL	0.302	
1207	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1208												
1209	**Nonparametric Distribution Free UCL Statistics**											
1210	**Data do not follow a Discernible Distribution at 5% Significance Level**											
1211												
1212	**Suggested UCL to Use**											
1213					95% KM (Chebyshev) UCL	1.093						
1214												
1215	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1216	Recommendations are based upon data size, data distribution, and skewness.											
1217	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1218	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1219												
1220	**PCB-1254**											
1221												
1222	**General Statistics**											
1223					Total Number of Observations	69				Number of Distinct Observations	22	
1224					Number of Detects	11				Number of Non-Detects	58	
1225					Number of Distinct Detects	11				Number of Distinct Non-Detects	11	
1226					Minimum Detect	0.011				Minimum Non-Detect	6.5000E-4	
1227					Maximum Detect	0.58				Maximum Non-Detect	0.064	
1228					Variance Detects	0.0409				Percent Non-Detects	84.06%	
1229					Mean Detects	0.155				SD Detects	0.202	
1230					Median Detects	0.035				CV Detects	1.309	
1231					Skewness Detects	1.323				Kurtosis Detects	0.52	
1232					Mean of Logged Detects	-2.81				SD of Logged Detects	1.481	
1233												
1234	**Normal GOF Test on Detects Only**											
1235					Shapiro Wilk Test Statistic	0.746				**Shapiro Wilk GOF Test**		
1236					5% Shapiro Wilk Critical Value	0.85				Detected Data Not Normal at 5% Significance Level		
1237					Lilliefors Test Statistic	0.349				**Lilliefors GOF Test**		
1238					5% Lilliefors Critical Value	0.251				Detected Data Not Normal at 5% Significance Level		
1239	**Detected Data Not Normal at 5% Significance Level**											

1240												
1241	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1242					KM Mean	0.0252			KM Standard Error of Mean		0.012	
1243					KM SD	0.0954			95% KM (BCA) UCL		0.0494	
1244					95% KM (t) UCL	0.0453			95% KM (Percentile Bootstrap) UCL		0.0455	
1245					95% KM (z) UCL	0.045			95% KM Bootstrap t UCL		0.0672	
1246					90% KM Chebyshev UCL	0.0614			95% KM Chebyshev UCL		0.0777	
1247					97.5% KM Chebyshev UCL	0.1			99% KM Chebyshev UCL		0.145	
1248												
1249	**Gamma GOF Tests on Detected Observations Only**											
1250					A-D Test Statistic	0.869			**Anderson-Darling GOF Test**			
1251					5% A-D Critical Value	0.77			Detected Data Not Gamma Distributed at 5% Significance Level			
1252					K-S Test Statistic	0.304			**Kolmogorov-Smirnov GOF**			
1253					5% K-S Critical Value	0.267			Detected Data Not Gamma Distributed at 5% Significance Level			
1254	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1255												
1256	**Gamma Statistics on Detected Data Only**											
1257					k hat (MLE)	0.648			k star (bias corrected MLE)		0.532	
1258					Theta hat (MLE)	0.238			Theta star (bias corrected MLE)		0.29	
1259					nu hat (MLE)	14.26			nu star (bias corrected)		11.7	
1260					Mean (detects)	0.155						
1261												
1262	**Gamma ROS Statistics using Imputed Non-Detects**											
1263	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1264	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1265	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1266	This is especially true when the sample size is small.											
1267	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1268					Minimum	0.01			Mean		0.033	
1269					Maximum	0.58			Median		0.01	
1270					SD	0.0941			CV		2.849	
1271					k hat (MLE)	0.669			k star (bias corrected MLE)		0.65	
1272					Theta hat (MLE)	0.0494			Theta star (bias corrected MLE)		0.0509	
1273					nu hat (MLE)	92.33			nu star (bias corrected)		89.65	
1274					Adjusted Level of Significance (β)	0.0465						
1275					Approximate Chi Square Value (89.65, α)	68.82			Adjusted Chi Square Value (89.65, β)		68.43	
1276					95% Gamma Approximate UCL (use when n>=50)	0.043			95% Gamma Adjusted UCL (use when n<50)		0.0433	
1277												
1278	**Estimates of Gamma Parameters using KM Estimates**											
1279					Mean (KM)	0.0252			SD (KM)		0.0954	
1280					Variance (KM)	0.00911			SE of Mean (KM)		0.012	
1281					k hat (KM)	0.0699			k star (KM)		0.0765	
1282					nu hat (KM)	9.645			nu star (KM)		10.56	
1283					theta hat (KM)	0.361			theta star (KM)		0.33	
1284					80% gamma percentile (KM)	0.011			90% gamma percentile (KM)		0.0581	
1285					95% gamma percentile (KM)	0.146			99% gamma percentile (KM)		0.456	
1286												
1287	**Gamma Kaplan-Meier (KM) Statistics**											
1288					Approximate Chi Square Value (10.56, α)	4.294			Adjusted Chi Square Value (10.56, β)		4.209	
1289					95% Gamma Approximate KM-UCL (use when n>=50)	0.062			95% Gamma Adjusted KM-UCL (use when n<50)		0.0633	
1290												

	A	B	C	D	E	F	G	H	I	J	K	L
1291	**Lognormal GOF Test on Detected Observations Only**											
1292					Shapiro Wilk Test Statistic	0.868	**Shapiro Wilk GOF Test**					
1293					5% Shapiro Wilk Critical Value	0.85	Detected Data appear Lognormal at 5% Significance Level					
1294					Lilliefors Test Statistic	0.239	**Lilliefors GOF Test**					
1295					5% Lilliefors Critical Value	0.251	Detected Data appear Lognormal at 5% Significance Level					
1296	**Detected Data appear Lognormal at 5% Significance Level**											
1297												
1298	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1299					Mean in Original Scale	0.0251	Mean in Log Scale	-8.137				
1300					SD in Original Scale	0.0961	SD in Log Scale	3.169				
1301					95% t UCL (assumes normality of ROS data)	0.0444	95% Percentile Bootstrap UCL	0.0457				
1302					95% BCA Bootstrap UCL	0.0525	95% Bootstrap t UCL	0.0704				
1303					95% H-UCL (Log ROS)	0.196						
1304												
1305	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1306					KM Mean (logged)	-6.61	KM Geo Mean	0.00135				
1307					KM SD (logged)	1.755	95% Critical H Value (KM-Log)	2.625				
1308					KM Standard Error of Mean (logged)	0.222	95% H-UCL (KM -Log)	0.011				
1309					KM SD (logged)	1.755	95% Critical H Value (KM-Log)	2.625				
1310					KM Standard Error of Mean (logged)	0.222						
1311												
1312	**DL/2 Statistics**											
1313	**DL/2 Normal**						**DL/2 Log-Transformed**					
1314					Mean in Original Scale	0.0264	Mean in Log Scale	-5.93				
1315					SD in Original Scale	0.0959	SD in Log Scale	1.563				
1316					95% t UCL (Assumes normality)	0.0456	95% H-Stat UCL	0.0142				
1317	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1318												
1319	**Nonparametric Distribution Free UCL Statistics**											
1320	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
1321												
1322	**Suggested UCL to Use**											
1323					KM H-UCL	0.011						
1324												
1325	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1326	Recommendations are based upon data size, data distribution, and skewness.											
1327	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1328	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1329												
1330	**PCB-1260**											
1331												
1332	**General Statistics**											
1333					Total Number of Observations	69	Number of Distinct Observations	36				
1334					Number of Detects	33	Number of Non-Detects	36				
1335					Number of Distinct Detects	29	Number of Distinct Non-Detects	8				
1336					Minimum Detect	0.0031	Minimum Non-Detect	0.0024				
1337					Maximum Detect	4.3	Maximum Non-Detect	0.0035				
1338					Variance Detects	1.544	Percent Non-Detects	52.17%				
1339					Mean Detects	0.66	SD Detects	1.242				
1340					Median Detects	0.019	CV Detects	1.882				
1341					Skewness Detects	1.823	Kurtosis Detects	1.983				
1342					Mean of Logged Detects	-2.871	SD of Logged Detects	2.404				

	A	B	C	D	E	F	G	H	I	J	K	L
1343												
1344	**Normal GOF Test on Detects Only**											
1345					Shapiro Wilk Test Statistic	0.591	**Shapiro Wilk GOF Test**					
1346					5% Shapiro Wilk Critical Value	0.931	Detected Data Not Normal at 5% Significance Level					
1347					Lilliefors Test Statistic	0.375	**Lilliefors GOF Test**					
1348					5% Lilliefors Critical Value	0.152	Detected Data Not Normal at 5% Significance Level					
1349	**Detected Data Not Normal at 5% Significance Level**											
1350												
1351	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1352					KM Mean	0.317	KM Standard Error of Mean	0.111				
1353					KM SD	0.908	95% KM (BCA) UCL	0.513				
1354					95% KM (t) UCL	0.502	95% KM (Percentile Bootstrap) UCL	0.493				
1355					95% KM (z) UCL	0.5	95% KM Bootstrap t UCL	0.559				
1356					90% KM Chebyshev UCL	0.65	95% KM Chebyshev UCL	0.801				
1357					97.5% KM Chebyshev UCL	1.01	99% KM Chebyshev UCL	1.421				
1358												
1359	**Gamma GOF Tests on Detected Observations Only**											
1360					A-D Test Statistic	3.06	**Anderson-Darling GOF Test**					
1361					5% A-D Critical Value	0.864	Detected Data Not Gamma Distributed at 5% Significance Level					
1362					K-S Test Statistic	0.269	**Kolmogorov-Smirnov GOF**					
1363					5% K-S Critical Value	0.167	Detected Data Not Gamma Distributed at 5% Significance Level					
1364	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1365												
1366	**Gamma Statistics on Detected Data Only**											
1367					k hat (MLE)	0.283	k star (bias corrected MLE)	0.278				
1368					Theta hat (MLE)	2.33	Theta star (bias corrected MLE)	2.377				
1369					nu hat (MLE)	18.7	nu star (bias corrected)	18.34				
1370					Mean (detects)	0.66						
1371												
1372	**Gamma ROS Statistics using Imputed Non-Detects**											
1373	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1374	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1375	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1376	This is especially true when the sample size is small.											
1377	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1378					Minimum	0.0031	Mean	0.321				
1379					Maximum	4.3	Median	0.01				
1380					SD	0.913	CV	2.844				
1381					k hat (MLE)	0.266	k star (bias corrected MLE)	0.264				
1382					Theta hat (MLE)	1.205	Theta star (bias corrected MLE)	1.214				
1383					nu hat (MLE)	36.75	nu star (bias corrected)	36.49				
1384					Adjusted Level of Significance (β)	0.0465						
1385					Approximate Chi Square Value (36.49, α)	23.66	Adjusted Chi Square Value (36.49, β)	23.44				
1386					95% Gamma Approximate UCL (use when n>=50)	0.495	95% Gamma Adjusted UCL (use when n<50)	0.5				
1387												
1388	**Estimates of Gamma Parameters using KM Estimates**											
1389					Mean (KM)	0.317	SD (KM)	0.908				
1390					Variance (KM)	0.824	SE of Mean (KM)	0.111				
1391					k hat (KM)	0.122	k star (KM)	0.126				
1392					nu hat (KM)	16.84	nu star (KM)	17.44				
1393					theta hat (KM)	2.599	theta star (KM)	2.509				

1394					80% gamma percentile (KM)	0.294				90% gamma percentile (KM)		0.91
1395					95% gamma percentile (KM)	1.797				99% gamma percentile (KM)		4.468
1396												
1397	**Gamma Kaplan-Meier (KM) Statistics**											
1398					Approximate Chi Square Value (17.44, α)	8.987				Adjusted Chi Square Value (17.44, β)		8.857
1399					95% Gamma Approximate KM-UCL (use when n>=50)	0.615				95% Gamma Adjusted KM-UCL (use when n<50)		0.624
1400												
1401	**Lognormal GOF Test on Detected Observations Only**											
1402					Shapiro Wilk Test Statistic	0.859	**Shapiro Wilk GOF Test**					
1403					5% Shapiro Wilk Critical Value	0.931	Detected Data Not Lognormal at 5% Significance Level					
1404					Lilliefors Test Statistic	0.197	**Lilliefors GOF Test**					
1405					5% Lilliefors Critical Value	0.152	Detected Data Not Lognormal at 5% Significance Level					
1406	**Detected Data Not Lognormal at 5% Significance Level**											
1407												
1408	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1409					Mean in Original Scale	0.316				Mean in Log Scale		-6.236
1410					SD in Original Scale	0.915				SD in Log Scale		3.883
1411					95% t UCL (assumes normality of ROS data)	0.5				95% Percentile Bootstrap UCL		0.513
1412					95% BCA Bootstrap UCL	0.555				95% Bootstrap t UCL		0.58
1413					95% H-UCL (Log ROS)	36.75						
1414												
1415	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1416					KM Mean (logged)	-4.52				KM Geo Mean		0.0109
1417					KM SD (logged)	2.274				95% Critical H Value (KM-Log)		3.044
1418					KM Standard Error of Mean (logged)	0.278				95% H-UCL (KM -Log)		0.335
1419					KM SD (logged)	2.274				95% Critical H Value (KM-Log)		3.044
1420					KM Standard Error of Mean (logged)	0.278						
1421												
1422	**DL/2 Statistics**											
1423	**DL/2 Normal**						**DL/2 Log-Transformed**					
1424					Mean in Original Scale	0.317				Mean in Log Scale		-4.823
1425					SD in Original Scale	0.915				SD in Log Scale		2.503
1426					95% t UCL (Assumes normality)	0.5				95% H-Stat UCL		0.456
1427	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1428												
1429	**Nonparametric Distribution Free UCL Statistics**											
1430	**Data do not follow a Discernible Distribution at 5% Significance Level**											
1431												
1432	**Suggested UCL to Use**											
1433					95% KM (Chebyshev) UCL	0.801						
1434												
1435	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1436	Recommendations are based upon data size, data distribution, and skewness.											
1437	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1438	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1439												
1440	**Antimony**											
1441												
1442	**General Statistics**											
1443					Total Number of Observations	65				Number of Distinct Observations		50
1444					Number of Detects	62				Number of Non-Detects		3
1445					Number of Distinct Detects	48				Number of Distinct Non-Detects		2

1446					Minimum Detect	0.055					Minimum Non-Detect	0.027
1447					Maximum Detect	6.9					Maximum Non-Detect	0.028
1448					Variance Detects	1.309					Percent Non-Detects	4.615%
1449					Mean Detects	0.888					SD Detects	1.144
1450					Median Detects	0.465					CV Detects	1.288
1451					Skewness Detects	3.076					Kurtosis Detects	12.24
1452					Mean of Logged Detects	-0.668					SD of Logged Detects	1.036
1453												
1454					**Normal GOF Test on Detects Only**							
1455					Shapiro Wilk Test Statistic	0.665				**Normal GOF Test on Detected Observations Only**		
1456					5% Shapiro Wilk P Value	0				Detected Data Not Normal at 5% Significance Level		
1457					Lilliefors Test Statistic	0.234				**Lilliefors GOF Test**		
1458					5% Lilliefors Critical Value	0.112				Detected Data Not Normal at 5% Significance Level		
1459					**Detected Data Not Normal at 5% Significance Level**							
1460												
1461					**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**							
1462					KM Mean	0.849				KM Standard Error of Mean		0.14
1463					KM SD	1.123				95% KM (BCA) UCL		1.106
1464					95% KM (t) UCL	1.083				95% KM (Percentile Bootstrap) UCL		1.092
1465					95% KM (z) UCL	1.08				95% KM Bootstrap t UCL		1.193
1466					90% KM Chebyshev UCL	1.27				95% KM Chebyshev UCL		1.461
1467					97.5% KM Chebyshev UCL	1.725				99% KM Chebyshev UCL		2.246
1468												
1469					**Gamma GOF Tests on Detected Observations Only**							
1470					A-D Test Statistic	1.434				**Anderson-Darling GOF Test**		
1471					5% A-D Critical Value	0.778				Detected Data Not Gamma Distributed at 5% Significance Level		
1472					K-S Test Statistic	0.13				**Kolmogorov-Smirnov GOF**		
1473					5% K-S Critical Value	0.116				Detected Data Not Gamma Distributed at 5% Significance Level		
1474					**Detected Data Not Gamma Distributed at 5% Significance Level**							
1475												
1476					**Gamma Statistics on Detected Data Only**							
1477					k hat (MLE)	1.045				k star (bias corrected MLE)		1.005
1478					Theta hat (MLE)	0.85				Theta star (bias corrected MLE)		0.884
1479					nu hat (MLE)	129.6				nu star (bias corrected)		124.6
1480					Mean (detects)	0.888						
1481												
1482					**Gamma ROS Statistics using Imputed Non-Detects**							
1483					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
1484					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
1485					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
1486					This is especially true when the sample size is small.							
1487					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
1488					Minimum	0.01				Mean		0.848
1489					Maximum	6.9				Median		0.44
1490					SD	1.132				CV		1.335
1491					k hat (MLE)	0.859				k star (bias corrected MLE)		0.83
1492					Theta hat (MLE)	0.987				Theta star (bias corrected MLE)		1.022
1493					nu hat (MLE)	111.7				nu star (bias corrected)		107.8
1494					Adjusted Level of Significance (β)	0.0463						
1495					Approximate Chi Square Value (107.84, α)	84.88				Adjusted Chi Square Value (107.84, β)		84.41
1496					95% Gamma Approximate UCL (use when n>=50)	1.077				95% Gamma Adjusted UCL (use when n<50)		1.083
1497												

	A	B	C	D	E	F	G	H	I	J	K	L
1498	**Estimates of Gamma Parameters using KM Estimates**											
1499					Mean (KM)	0.849				SD (KM)		1.123
1500					Variance (KM)	1.261				SE of Mean (KM)		0.14
1501					k hat (KM)	0.571				k star (KM)		0.555
1502					nu hat (KM)	74.26				nu star (KM)		72.16
1503					theta hat (KM)	1.486				theta star (KM)		1.529
1504					80% gamma percentile (KM)	1.398				90% gamma percentile (KM)		2.245
1505					95% gamma percentile (KM)	3.14				99% gamma percentile (KM)		5.319
1506												
1507	**Gamma Kaplan-Meier (KM) Statistics**											
1508					Approximate Chi Square Value (72.16, α)	53.6				Adjusted Chi Square Value (72.16, β)		53.24
1509					95% Gamma Approximate KM-UCL (use when n>=50)	1.142				95% Gamma Adjusted KM-UCL (use when n<50)		1.15
1510												
1511	**Lognormal GOF Test on Detected Observations Only**											
1512					Shapiro Wilk Approximate Test Statistic	0.983				**Shapiro Wilk GOF Test**		
1513					5% Shapiro Wilk P Value	0.786				Detected Data appear Lognormal at 5% Significance Level		
1514					Lilliefors Test Statistic	0.0561				**Lilliefors GOF Test**		
1515					5% Lilliefors Critical Value	0.112				Detected Data appear Lognormal at 5% Significance Level		
1516	**Detected Data appear Lognormal at 5% Significance Level**											
1517												
1518	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1519					Mean in Original Scale	0.849				Mean in Log Scale		-0.783
1520					SD in Original Scale	1.131				SD in Log Scale		1.14
1521					95% t UCL (assumes normality of ROS data)	1.083				95% Percentile Bootstrap UCL		1.098
1522					95% BCA Bootstrap UCL	1.156				95% Bootstrap t UCL		1.206
1523					95% H-UCL (Log ROS)	1.208						
1524												
1525	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1526					KM Mean (logged)	-0.804				KM Geo Mean		0.448
1527					KM SD (logged)	1.178				95% Critical H Value (KM-Log)		2.237
1528					KM Standard Error of Mean (logged)	0.147				95% H-UCL (KM -Log)		1.246
1529					KM SD (logged)	1.178				95% Critical H Value (KM-Log)		2.237
1530					KM Standard Error of Mean (logged)	0.147						
1531												
1532	**DL/2 Statistics**											
1533	**DL/2 Normal**						**DL/2 Log-Transformed**					
1534					Mean in Original Scale	0.848				Mean in Log Scale		-0.835
1535					SD in Original Scale	1.132				SD in Log Scale		1.269
1536					95% t UCL (Assumes normality)	1.082				95% H-Stat UCL		1.373
1537	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1538												
1539	**Nonparametric Distribution Free UCL Statistics**											
1540	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
1541												
1542	**Suggested UCL to Use**											
1543					KM H-UCL	1.246						
1544												
1545	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1546	Recommendations are based upon data size, data distribution, and skewness.											
1547	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1548	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1549												

1550	**Arsenic**											
1551												
1552	**General Statistics**											
1553						Total Number of Observations	65			Number of Distinct Observations	43	
1554						Number of Detects	62			Number of Non-Detects	3	
1555						Number of Distinct Detects	41			Number of Distinct Non-Detects	2	
1556						Minimum Detect	0.35			Minimum Non-Detect	0.2	
1557						Maximum Detect	17			Maximum Non-Detect	0.22	
1558						Variance Detects	13.78			Percent Non-Detects	4.615%	
1559						Mean Detects	3.986			SD Detects	3.712	
1560						Median Detects	2.8			CV Detects	0.931	
1561						Skewness Detects	1.962			Kurtosis Detects	3.722	
1562						Mean of Logged Detects	1.027			SD of Logged Detects	0.861	
1563												
1564	**Normal GOF Test on Detects Only**											
1565						Shapiro Wilk Test Statistic	0.766			**Normal GOF Test on Detected Observations Only**		
1566						5% Shapiro Wilk P Value	5.076E-13			Detected Data Not Normal at 5% Significance Level		
1567						Lilliefors Test Statistic	0.185			**Lilliefors GOF Test**		
1568						5% Lilliefors Critical Value	0.112			Detected Data Not Normal at 5% Significance Level		
1569	**Detected Data Not Normal at 5% Significance Level**											
1570												
1571	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1572						KM Mean	3.811			KM Standard Error of Mean	0.461	
1573						KM SD	3.683			95% KM (BCA) UCL	4.647	
1574						95% KM (t) UCL	4.58			95% KM (Percentile Bootstrap) UCL	4.642	
1575						95% KM (z) UCL	4.569			95% KM Bootstrap t UCL	4.714	
1576						90% KM Chebyshev UCL	5.193			95% KM Chebyshev UCL	5.819	
1577						97.5% KM Chebyshev UCL	6.687			99% KM Chebyshev UCL	8.394	
1578												
1579	**Gamma GOF Tests on Detected Observations Only**											
1580						A-D Test Statistic	0.789			**Anderson-Darling GOF Test**		
1581						5% A-D Critical Value	0.768			Detected Data Not Gamma Distributed at 5% Significance Level		
1582						K-S Test Statistic	0.105			**Kolmogorov-Smirnov GOF**		
1583						5% K-S Critical Value	0.115			Detected data appear Gamma Distributed at 5% Significance Level		
1584	**Detected data follow Appr. Gamma Distribution at 5% Significance Level**											
1585												
1586	**Gamma Statistics on Detected Data Only**											
1587						k hat (MLE)	1.549			k star (bias corrected MLE)	1.485	
1588						Theta hat (MLE)	2.573			Theta star (bias corrected MLE)	2.684	
1589						nu hat (MLE)	192.1			nu star (bias corrected)	184.1	
1590						Mean (detects)	3.986					
1591												
1592	**Gamma ROS Statistics using Imputed Non-Detects**											
1593	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1594	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1595	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1596	This is especially true when the sample size is small.											
1597	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1598						Minimum	0.01			Mean	3.802	
1599						Maximum	17			Median	2.8	
1600						SD	3.721			CV	0.978	
1601						k hat (MLE)	1.013			k star (bias corrected MLE)	0.976	

	A	B	C	D	E	F	G	H	I	J	K	L
1602					Theta hat (MLE)	3.754				Theta star (bias corrected MLE)		3.895
1603					nu hat (MLE)	131.7				nu star (bias corrected)		126.9
1604					Adjusted Level of Significance (β)	0.0463						
1605					Approximate Chi Square Value (126.93, α)	101.9				Adjusted Chi Square Value (126.93, β)		101.4
1606					95% Gamma Approximate UCL (use when n>=50)	4.736				95% Gamma Adjusted UCL (use when n<50)		4.76
1607												
1608					**Estimates of Gamma Parameters using KM Estimates**							
1609					Mean (KM)	3.811				SD (KM)		3.683
1610					Variance (KM)	13.57				SE of Mean (KM)		0.461
1611					k hat (KM)	1.071				k star (KM)		1.032
1612					nu hat (KM)	139.2				nu star (KM)		134.1
1613					theta hat (KM)	3.559				theta star (KM)		3.694
1614					80% gamma percentile (KM)	6.118				90% gamma percentile (KM)		8.709
1615					95% gamma percentile (KM)	11.29				99% gamma percentile (KM)		17.28
1616												
1617					**Gamma Kaplan-Meier (KM) Statistics**							
1618					Approximate Chi Square Value (134.11, α)	108.4				Adjusted Chi Square Value (134.11, β)		107.8
1619					95% Gamma Approximate KM-UCL (use when n>=50)	4.717				95% Gamma Adjusted KM-UCL (use when n<50)		4.74
1620												
1621					**Lognormal GOF Test on Detected Observations Only**							
1622					Shapiro Wilk Approximate Test Statistic	0.979				**Shapiro Wilk GOF Test**		
1623					5% Shapiro Wilk P Value	0.635				Detected Data appear Lognormal at 5% Significance Level		
1624					Lilliefors Test Statistic	0.0521				**Lilliefors GOF Test**		
1625					5% Lilliefors Critical Value	0.112				Detected Data appear Lognormal at 5% Significance Level		
1626					**Detected Data appear Lognormal at 5% Significance Level**							
1627												
1628					**Lognormal ROS Statistics Using Imputed Non-Detects**							
1629					Mean in Original Scale	3.819				Mean in Log Scale		0.932
1630					SD in Original Scale	3.705				SD in Log Scale		0.947
1631					95% t UCL (assumes normality of ROS data)	4.585				95% Percentile Bootstrap UCL		4.602
1632					95% BCA Bootstrap UCL	4.736				95% Bootstrap t UCL		4.806
1633					95% H-UCL (Log ROS)	5.169						
1634												
1635					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
1636					KM Mean (logged)	0.905				KM Geo Mean		2.472
1637					KM SD (logged)	1.001				95% Critical H Value (KM-Log)		2.253
1638					KM Standard Error of Mean (logged)	0.125				95% H-UCL (KM -Log)		5.406
1639					KM SD (logged)	1.001				95% Critical H Value (KM-Log)		2.253
1640					KM Standard Error of Mean (logged)	0.125						
1641												
1642					**DL/2 Statistics**							
1643					**DL/2 Normal**					**DL/2 Log-Transformed**		
1644					Mean in Original Scale	3.807				Mean in Log Scale		0.876
1645					SD in Original Scale	3.716				SD in Log Scale		1.088
1646					95% t UCL (Assumes normality)	4.576				95% H-Stat UCL		5.905
1647					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
1648												
1649					**Nonparametric Distribution Free UCL Statistics**							
1650					**Detected Data appear Approximate Gamma Distributed at 5% Significance Level**							
1651												
1652					**Suggested UCL to Use**							
1653					95% KM Approximate Gamma UCL	4.717				95% GROS Approximate Gamma UCL		4.736

	A	B	C	D	E	F	G	H	I	J	K	L
1654												
1655	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
1656	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
1657												
1658	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1659	Recommendations are based upon data size, data distribution, and skewness.											
1660	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1661	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1662												
1663												
1664	**Cadmium**											
1665												
1666	**General Statistics**											
1667					Total Number of Observations	65			Number of Distinct Observations	49		
1668									Number of Missing Observations	0		
1669					Minimum	0.13			Mean	1.975		
1670					Maximum	8			Median	1.1		
1671					SD	2.002			Std. Error of Mean	0.248		
1672					Coefficient of Variation	1.013			Skewness	1.729		
1673												
1674	**Normal GOF Test**											
1675					Shapiro Wilk Test Statistic	0.74			**Shapiro Wilk GOF Test**			
1676					5% Shapiro Wilk P Value	2.776E-15			Data Not Normal at 5% Significance Level			
1677					Lilliefors Test Statistic	0.223			**Lilliefors GOF Test**			
1678					5% Lilliefors Critical Value	0.11			Data Not Normal at 5% Significance Level			
1679	**Data Not Normal at 5% Significance Level**											
1680												
1681	**Assuming Normal Distribution**											
1682	**95% Normal UCL**								**95% UCLs (Adjusted for Skewness)**			
1683					95% Student's-t UCL	2.39			95% Adjusted-CLT UCL (Chen-1995)	2.441		
1684									95% Modified-t UCL (Johnson-1978)	2.399		
1685												
1686	**Gamma GOF Test**											
1687					A-D Test Statistic	2.154			**Anderson-Darling Gamma GOF Test**			
1688					5% A-D Critical Value	0.772			Data Not Gamma Distributed at 5% Significance Level			
1689					K-S Test Statistic	0.179			**Kolmogorov-Smirnov Gamma GOF Test**			
1690					5% K-S Critical Value	0.113			Data Not Gamma Distributed at 5% Significance Level			
1691	**Data Not Gamma Distributed at 5% Significance Level**											
1692												
1693	**Gamma Statistics**											
1694					k hat (MLE)	1.349			k star (bias corrected MLE)	1.297		
1695					Theta hat (MLE)	1.464			Theta star (bias corrected MLE)	1.523		
1696					nu hat (MLE)	175.4			nu star (bias corrected)	168.6		
1697					MLE Mean (bias corrected)	1.975			MLE Sd (bias corrected)	1.734		
1698									Approximate Chi Square Value (0.05)	139.6		
1699					Adjusted Level of Significance	0.0463			Adjusted Chi Square Value	139		
1700												
1701	**Assuming Gamma Distribution**											
1702					95% Approximate Gamma UCL (use when n>=50))	2.386			95% Adjusted Gamma UCL (use when n<50)	2.396		
1703												
1704	**Lognormal GOF Test**											
1705					Shapiro Wilk Test Statistic	0.957			**Shapiro Wilk Lognormal GOF Test**			

1706				5% Shapiro Wilk P Value		0.0624		Data appear Lognormal at 5% Significance Level				
1707				Lilliefors Test Statistic		0.129		**Lilliefors Lognormal GOF Test**				
1708				5% Lilliefors Critical Value		0.11		Data Not Lognormal at 5% Significance Level				
1709	**Data appear Approximate Lognormal at 5% Significance Level**											
1710												
1711	**Lognormal Statistics**											
1712				Minimum of Logged Data		-2.04		Mean of logged Data				0.266
1713				Maximum of Logged Data		2.079		SD of logged Data				0.907
1714												
1715	**Assuming Lognormal Distribution**											
1716				95% H-UCL		2.524		90% Chebyshev (MVUE) UCL				2.714
1717				95% Chebyshev (MVUE) UCL		3.059		97.5% Chebyshev (MVUE) UCL				3.538
1718				99% Chebyshev (MVUE) UCL		4.48						
1719												
1720	**Nonparametric Distribution Free UCL Statistics**											
1721	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1722												
1723	**Nonparametric Distribution Free UCLs**											
1724				95% CLT UCL		2.384		95% Jackknife UCL				2.39
1725				95% Standard Bootstrap UCL		2.385		95% Bootstrap-t UCL				2.451
1726				95% Hall's Bootstrap UCL		2.452		95% Percentile Bootstrap UCL				2.369
1727				95% BCA Bootstrap UCL		2.412						
1728				90% Chebyshev(Mean, Sd) UCL		2.72		95% Chebyshev(Mean, Sd) UCL				3.058
1729				97.5% Chebyshev(Mean, Sd) UCL		3.526		99% Chebyshev(Mean, Sd) UCL				4.446
1730												
1731	**Suggested UCL to Use**											
1732				95% H-UCL		2.524						
1733												
1734	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1735	Recommendations are based upon data size, data distribution, and skewness.											
1736	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1737	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1738												
1739	**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**											
1740	**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**											
1741	**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**											
1742	**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**											
1743												
1744												
1745	**Cobalt**											
1746												
1747	**General Statistics**											
1748				Total Number of Observations		65		Number of Distinct Observations				47
1749								Number of Missing Observations				0
1750				Minimum		0.53		Mean				8.415
1751				Maximum		100		Median				3.5
1752				SD		15.14		Std. Error of Mean				1.878
1753				Coefficient of Variation		1.799		Skewness				4.42
1754												
1755	**Normal GOF Test**											
1756				Shapiro Wilk Test Statistic		0.473		**Shapiro Wilk GOF Test**				
1757				5% Shapiro Wilk P Value		0		Data Not Normal at 5% Significance Level				

1758					Lilliefors Test Statistic	0.314	**Lilliefors GOF Test**					
1759					5% Lilliefors Critical Value	0.11	Data Not Normal at 5% Significance Level					
1760	**Data Not Normal at 5% Significance Level**											
1761												
1762	**Assuming Normal Distribution**											
1763	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
1764					95% Student's-t UCL	11.55	95% Adjusted-CLT UCL (Chen-1995)					12.6
1765							95% Modified-t UCL (Johnson-1978)					11.72
1766												
1767	**Gamma GOF Test**											
1768					A-D Test Statistic	3.986	**Anderson-Darling Gamma GOF Test**					
1769					5% A-D Critical Value	0.784	Data Not Gamma Distributed at 5% Significance Level					
1770					K-S Test Statistic	0.184	**Kolmogorov-Smirnov Gamma GOF Test**					
1771					5% K-S Critical Value	0.114	Data Not Gamma Distributed at 5% Significance Level					
1772	**Data Not Gamma Distributed at 5% Significance Level**											
1773												
1774	**Gamma Statistics**											
1775					k hat (MLE)	0.922	k star (bias corrected MLE)					0.89
1776					Theta hat (MLE)	9.124	Theta star (bias corrected MLE)					9.455
1777					nu hat (MLE)	119.9	nu star (bias corrected)					115.7
1778					MLE Mean (bias corrected)	8.415	MLE Sd (bias corrected)					8.92
1779							Approximate Chi Square Value (0.05)					91.87
1780					Adjusted Level of Significance	0.0463	Adjusted Chi Square Value					91.39
1781												
1782	**Assuming Gamma Distribution**											
1783					95% Approximate Gamma UCL (use when n>=50))	10.6	95% Adjusted Gamma UCL (use when n<50)					10.65
1784												
1785	**Lognormal GOF Test**											
1786					Shapiro Wilk Test Statistic	0.948	**Shapiro Wilk Lognormal GOF Test**					
1787					5% Shapiro Wilk P Value	0.0183	Data Not Lognormal at 5% Significance Level					
1788					Lilliefors Test Statistic	0.124	**Lilliefors Lognormal GOF Test**					
1789					5% Lilliefors Critical Value	0.11	Data Not Lognormal at 5% Significance Level					
1790	**Data Not Lognormal at 5% Significance Level**											
1791												
1792	**Lognormal Statistics**											
1793					Minimum of Logged Data	-0.635	Mean of logged Data					1.498
1794					Maximum of Logged Data	4.605	SD of logged Data					0.989
1795												
1796	**Assuming Lognormal Distribution**											
1797					95% H-UCL	9.628	90% Chebyshev (MVUE) UCL					10.35
1798					95% Chebyshev (MVUE) UCL	11.78	97.5% Chebyshev (MVUE) UCL					13.75
1799					99% Chebyshev (MVUE) UCL	17.63						
1800												
1801	**Nonparametric Distribution Free UCL Statistics**											
1802	**Data do not follow a Discernible Distribution (0.05)**											
1803												
1804	**Nonparametric Distribution Free UCLs**											
1805					95% CLT UCL	11.5	95% Jackknife UCL					11.55
1806					95% Standard Bootstrap UCL	11.49	95% Bootstrap-t UCL					14.18
1807					95% Hall's Bootstrap UCL	14.16	95% Percentile Bootstrap UCL					11.83
1808					95% BCA Bootstrap UCL	13.26						

1809				90% Chebyshev(Mean, Sd) UCL		14.05				95% Chebyshev(Mean, Sd) UCL		16.6
1810				97.5% Chebyshev(Mean, Sd) UCL		20.14				99% Chebyshev(Mean, Sd) UCL		27.1
1811												
1812						**Suggested UCL to Use**							
1813				95% Chebyshev (Mean, Sd) UCL		16.6						
1814												
1815						Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.						
1816						Recommendations are based upon data size, data distribution, and skewness.						
1817						These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).						
1818						However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.						
1819												
1820												
1821	**Copper**											
1822												
1823						**General Statistics**						
1824				Total Number of Observations		65				Number of Distinct Observations		40
1825										Number of Missing Observations		0
1826				Minimum		6.1				Mean		52.85
1827				Maximum		490				Median		34
1828				SD		66.67				Std. Error of Mean		8.269
1829				Coefficient of Variation		1.261				Skewness		4.781
1830												
1831						**Normal GOF Test**						
1832				Shapiro Wilk Test Statistic		0.552				**Shapiro Wilk GOF Test**		
1833				5% Shapiro Wilk P Value		0				Data Not Normal at 5% Significance Level		
1834				Lilliefors Test Statistic		0.253				**Lilliefors GOF Test**		
1835				5% Lilliefors Critical Value		0.11				Data Not Normal at 5% Significance Level		
1836						**Data Not Normal at 5% Significance Level**						
1837												
1838						**Assuming Normal Distribution**						
1839						**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**
1840				95% Student's-t UCL		66.65				95% Adjusted-CLT UCL (Chen-1995)		71.69
1841										95% Modified-t UCL (Johnson-1978)		67.47
1842												
1843						**Gamma GOF Test**						
1844				A-D Test Statistic		2.145				**Anderson-Darling Gamma GOF Test**		
1845				5% A-D Critical Value		0.769				Data Not Gamma Distributed at 5% Significance Level		
1846				K-S Test Statistic		0.149				**Kolmogorov-Smirnov Gamma GOF Test**		
1847				5% K-S Critical Value		0.113				Data Not Gamma Distributed at 5% Significance Level		
1848						**Data Not Gamma Distributed at 5% Significance Level**						
1849												
1850						**Gamma Statistics**						
1851				k hat (MLE)		1.526				k star (bias corrected MLE)		1.466
1852				Theta hat (MLE)		34.62				Theta star (bias corrected MLE)		36.05
1853				nu hat (MLE)		198.4				nu star (bias corrected)		190.6
1854				MLE Mean (bias corrected)		52.85				MLE Sd (bias corrected)		43.65
1855										Approximate Chi Square Value (0.05)		159.7
1856				Adjusted Level of Significance		0.0463				Adjusted Chi Square Value		159
1857												
1858						**Assuming Gamma Distribution**						
1859				95% Approximate Gamma UCL (use when n>=50))		63.09				95% Adjusted Gamma UCL (use when n<50)		63.34
1860												

	A	B	C	D	E	F	G	H	I	J	K	L
1861	**Lognormal GOF Test**											
1862					Shapiro Wilk Test Statistic	0.972	**Shapiro Wilk Lognormal GOF Test**					
1863					5% Shapiro Wilk P Value	0.335	Data appear Lognormal at 5% Significance Level					
1864					Lilliefors Test Statistic	0.0825	**Lilliefors Lognormal GOF Test**					
1865					5% Lilliefors Critical Value	0.11	Data appear Lognormal at 5% Significance Level					
1866	**Data appear Lognormal at 5% Significance Level**											
1867												
1868	**Lognormal Statistics**											
1869					Minimum of Logged Data	1.808	Mean of logged Data	3.605				
1870					Maximum of Logged Data	6.194	SD of logged Data	0.782				
1871												
1872	**Assuming Lognormal Distribution**											
1873					95% H-UCL	61.19	90% Chebyshev (MVUE) UCL	65.82				
1874					95% Chebyshev (MVUE) UCL	73.15	97.5% Chebyshev (MVUE) UCL	83.33				
1875					99% Chebyshev (MVUE) UCL	103.3						
1876												
1877	**Nonparametric Distribution Free UCL Statistics**											
1878	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1879												
1880	**Nonparametric Distribution Free UCLs**											
1881					95% CLT UCL	66.45	95% Jackknife UCL	66.65				
1882					95% Standard Bootstrap UCL	66	95% Bootstrap-t UCL	77.51				
1883					95% Hall's Bootstrap UCL	126.5	95% Percentile Bootstrap UCL	68.25				
1884					95% BCA Bootstrap UCL	72.46						
1885					90% Chebyshev(Mean, Sd) UCL	77.65	95% Chebyshev(Mean, Sd) UCL	88.89				
1886					97.5% Chebyshev(Mean, Sd) UCL	104.5	99% Chebyshev(Mean, Sd) UCL	135.1				
1887												
1888	**Suggested UCL to Use**											
1889					95% H-UCL	61.19						
1890												
1891	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1892	Recommendations are based upon data size, data distribution, and skewness.											
1893	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1894	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1895												
1896	**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**											
1897	**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**											
1898	**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**											
1899	**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**											
1900												
1901												
1902	**Iron**											
1903												
1904	**General Statistics**											
1905					Total Number of Observations	65	Number of Distinct Observations	38				
1906							Number of Missing Observations	0				
1907					Minimum	8200	Mean	107449				
1908					Maximum	430000	Median	95000				
1909					SD	74753	Std. Error of Mean	9272				
1910					Coefficient of Variation	0.696	Skewness	1.526				
1911												

	A	B	C	D	E	F	G	H	I	J	K	L
1912	**Normal GOF Test**											
1913					Shapiro Wilk Test Statistic	0.894	**Shapiro Wilk GOF Test**					
1914					5% Shapiro Wilk P Value	6.2227E-6	Data Not Normal at 5% Significance Level					
1915					Lilliefors Test Statistic	0.102	**Lilliefors GOF Test**					
1916					5% Lilliefors Critical Value	0.11	Data appear Normal at 5% Significance Level					
1917	**Data appear Approximate Normal at 5% Significance Level**											
1918												
1919	**Assuming Normal Distribution**											
1920	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
1921					95% Student's-t UCL	122924				95% Adjusted-CLT UCL (Chen-1995)	124576	
1922										95% Modified-t UCL (Johnson-1978)	123217	
1923												
1924	**Gamma GOF Test**											
1925					A-D Test Statistic	0.446	**Anderson-Darling Gamma GOF Test**					
1926					5% A-D Critical Value	0.763	Detected data appear Gamma Distributed at 5% Significance Level					
1927					K-S Test Statistic	0.0738	**Kolmogorov-Smirnov Gamma GOF Test**					
1928					5% K-S Critical Value	0.112	Detected data appear Gamma Distributed at 5% Significance Level					
1929	**Detected data appear Gamma Distributed at 5% Significance Level**											
1930												
1931	**Gamma Statistics**											
1932					k hat (MLE)	2.055				k star (bias corrected MLE)	1.971	
1933					Theta hat (MLE)	52279				Theta star (bias corrected MLE)	54523	
1934					nu hat (MLE)	267.2				nu star (bias corrected)	256.2	
1935					MLE Mean (bias corrected)	107449				MLE Sd (bias corrected)	76541	
1936										Approximate Chi Square Value (0.05)	220.1	
1937					Adjusted Level of Significance	0.0463				Adjusted Chi Square Value	219.4	
1938												
1939	**Assuming Gamma Distribution**											
1940					95% Approximate Gamma UCL (use when n>=50))	125051				95% Adjusted Gamma UCL (use when n<50)	125481	
1941												
1942	**Lognormal GOF Test**											
1943					Shapiro Wilk Test Statistic	0.956	**Shapiro Wilk Lognormal GOF Test**					
1944					5% Shapiro Wilk P Value	0.049	Data Not Lognormal at 5% Significance Level					
1945					Lilliefors Test Statistic	0.102	**Lilliefors Lognormal GOF Test**					
1946					5% Lilliefors Critical Value	0.11	Data appear Lognormal at 5% Significance Level					
1947	**Data appear Approximate Lognormal at 5% Significance Level**											
1948												
1949	**Lognormal Statistics**											
1950					Minimum of Logged Data	9.012				Mean of logged Data	11.32	
1951					Maximum of Logged Data	12.97				SD of logged Data	0.793	
1952												
1953	**Assuming Lognormal Distribution**											
1954					95% H-UCL	139244				90% Chebyshev (MVUE) UCL	149809	
1955					95% Chebyshev (MVUE) UCL	166717				97.5% Chebyshev (MVUE) UCL	190186	
1956					99% Chebyshev (MVUE) UCL	236284						
1957												
1958	**Nonparametric Distribution Free UCL Statistics**											
1959	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1960												
1961	**Nonparametric Distribution Free UCLs**											
1962					95% CLT UCL	122700				95% Jackknife UCL	122924	
1963					95% Standard Bootstrap UCL	122983				95% Bootstrap-t UCL	124459	

1964				95% Hall's Bootstrap UCL	127644			95% Percentile Bootstrap UCL	122437			
1965				95% BCA Bootstrap UCL	123615							
1966				90% Chebyshev(Mean, Sd) UCL	135265			95% Chebyshev(Mean, Sd) UCL	147865			
1967				97.5% Chebyshev(Mean, Sd) UCL	165353			99% Chebyshev(Mean, Sd) UCL	199704			
1968												
1969				**Suggested UCL to Use**								
1970				95% Student's-t UCL	122924							
1971												
1972	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
1973	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
1974												
1975	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1976	Recommendations are based upon data size, data distribution, and skewness.											
1977	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1978	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1979												
1980												
1981	**Lead**											
1982												
1983				**General Statistics**								
1984				Total Number of Observations	65			Number of Distinct Observations	52			
1985								Number of Missing Observations	0			
1986				Minimum	2.8			Mean	107.1			
1987				Maximum	830			Median	35			
1988				SD	171.3			Std. Error of Mean	21.25			
1989				Coefficient of Variation	1.6			Skewness	2.607			
1990												
1991				**Normal GOF Test**								
1992				Shapiro Wilk Test Statistic	0.619			**Shapiro Wilk GOF Test**				
1993				5% Shapiro Wilk P Value	0			Data Not Normal at 5% Significance Level				
1994				Lilliefors Test Statistic	0.284			**Lilliefors GOF Test**				
1995				5% Lilliefors Critical Value	0.11			Data Not Normal at 5% Significance Level				
1996				**Data Not Normal at 5% Significance Level**								
1997												
1998				**Assuming Normal Distribution**								
1999				**95% Normal UCL**				**95% UCLs (Adjusted for Skewness)**				
2000				95% Student's-t UCL	142.6			95% Adjusted-CLT UCL (Chen-1995)	149.4			
2001								95% Modified-t UCL (Johnson-1978)	143.7			
2002												
2003				**Gamma GOF Test**								
2004				A-D Test Statistic	2.429			**Anderson-Darling Gamma GOF Test**				
2005				5% A-D Critical Value	0.801			Data Not Gamma Distributed at 5% Significance Level				
2006				K-S Test Statistic	0.156			**Kolmogorov-Smirnov Gamma GOF Test**				
2007				5% K-S Critical Value	0.116			Data Not Gamma Distributed at 5% Significance Level				
2008				**Data Not Gamma Distributed at 5% Significance Level**								
2009												
2010				**Gamma Statistics**								
2011				k hat (MLE)	0.659			k star (bias corrected MLE)	0.639			
2012				Theta hat (MLE)	162.5			Theta star (bias corrected MLE)	167.6			
2013				nu hat (MLE)	85.7			nu star (bias corrected)	83.07			

2014	MLE Mean (bias corrected)					107.1	MLE Sd (bias corrected)					134
2015							Approximate Chi Square Value (0.05)					63.07
2016	Adjusted Level of Significance					0.0463	Adjusted Chi Square Value					62.67
2017												
2018	**Assuming Gamma Distribution**											
2019	95% Approximate Gamma UCL (use when n>=50))					141.1	95% Adjusted Gamma UCL (use when n<50)					142
2020												
2021	**Lognormal GOF Test**											
2022	Shapiro Wilk Test Statistic					0.964	**Shapiro Wilk Lognormal GOF Test**					
2023	5% Shapiro Wilk P Value					0.142	Data appear Lognormal at 5% Significance Level					
2024	Lilliefors Test Statistic					0.0824	**Lilliefors Lognormal GOF Test**					
2025	5% Lilliefors Critical Value					0.11	Data appear Lognormal at 5% Significance Level					
2026	**Data appear Lognormal at 5% Significance Level**											
2027												
2028	**Lognormal Statistics**											
2029	Minimum of Logged Data					1.03	Mean of logged Data					3.749
2030	Maximum of Logged Data					6.721	SD of logged Data					1.355
2031												
2032	**Assuming Lognormal Distribution**											
2033	95% H-UCL					155.6	90% Chebyshev (MVUE) UCL					171.7
2034	95% Chebyshev (MVUE) UCL					202.6	97.5% Chebyshev (MVUE) UCL					245.4
2035	99% Chebyshev (MVUE) UCL					329.5						
2036												
2037	**Nonparametric Distribution Free UCL Statistics**											
2038	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
2039												
2040	**Nonparametric Distribution Free UCLs**											
2041	95% CLT UCL					142.1	95% Jackknife UCL					142.6
2042	95% Standard Bootstrap UCL					141.8	95% Bootstrap-t UCL					158.3
2043	95% Hall's Bootstrap UCL					147.9	95% Percentile Bootstrap UCL					144.7
2044	95% BCA Bootstrap UCL					150.8						
2045	90% Chebyshev(Mean, Sd) UCL					170.9	95% Chebyshev(Mean, Sd) UCL					199.7
2046	97.5% Chebyshev(Mean, Sd) UCL					239.8	99% Chebyshev(Mean, Sd) UCL					318.5
2047												
2048	**Suggested UCL to Use**											
2049	95% H-UCL					155.6						
2050												
2051	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2052	Recommendations are based upon data size, data distribution, and skewness.											
2053	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2054	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2055												
2056	**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**											
2057	**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**											
2058	**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**											
2059	**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**											
2060												
2061												

2062	**Manganese**										
2063											
2064	**General Statistics**										
2065					Total Number of Observations	65			Number of Distinct Observations	47	
2066									Number of Missing Observations	0	
2067					Minimum	520			Mean	10511	
2068					Maximum	36000			Median	7600	
2069					SD	8438			Std. Error of Mean	1047	
2070					Coefficient of Variation	0.803			Skewness	1.088	
2071											
2072	**Normal GOF Test**										
2073					Shapiro Wilk Test Statistic	0.872			**Shapiro Wilk GOF Test**		
2074					5% Shapiro Wilk P Value	2.3133E-7			Data Not Normal at 5% Significance Level		
2075					Lilliefors Test Statistic	0.182			**Lilliefors GOF Test**		
2076					5% Lilliefors Critical Value	0.11			Data Not Normal at 5% Significance Level		
2077	**Data Not Normal at 5% Significance Level**										
2078											
2079	**Assuming Normal Distribution**										
2080					**95% Normal UCL**				**95% UCLs (Adjusted for Skewness)**		
2081					95% Student's-t UCL	12258			95% Adjusted-CLT UCL (Chen-1995)	12384	
2082									95% Modified-t UCL (Johnson-1978)	12281	
2083											
2084	**Gamma GOF Test**										
2085					A-D Test Statistic	0.445			**Anderson-Darling Gamma GOF Test**		
2086					5% A-D Critical Value	0.768			Detected data appear Gamma Distributed at 5% Significance Level		
2087					K-S Test Statistic	0.0773			**Kolmogorov-Smirnov Gamma GOF Test**		
2088					5% K-S Critical Value	0.113			Detected data appear Gamma Distributed at 5% Significance Level		
2089	**Detected data appear Gamma Distributed at 5% Significance Level**										
2090											
2091	**Gamma Statistics**										
2092					k hat (MLE)	1.567			k star (bias corrected MLE)	1.505	
2093					Theta hat (MLE)	6708			Theta star (bias corrected MLE)	6984	
2094					nu hat (MLE)	203.7			nu star (bias corrected)	195.6	
2095					MLE Mean (bias corrected)	10511			MLE Sd (bias corrected)	8568	
2096									Approximate Chi Square Value (0.05)	164.3	
2097					Adjusted Level of Significance	0.0463			Adjusted Chi Square Value	163.6	
2098											
2099	**Assuming Gamma Distribution**										
2100					95% Approximate Gamma UCL (use when n>=50)	12518			95% Adjusted Gamma UCL (use when n<50)	12567	
2101											
2102	**Lognormal GOF Test**										
2103					Shapiro Wilk Test Statistic	0.969			**Shapiro Wilk Lognormal GOF Test**		
2104					5% Shapiro Wilk P Value	0.256			Data appear Lognormal at 5% Significance Level		
2105					Lilliefors Test Statistic	0.079			**Lilliefors Lognormal GOF Test**		
2106					5% Lilliefors Critical Value	0.11			Data appear Lognormal at 5% Significance Level		
2107	**Data appear Lognormal at 5% Significance Level**										
2108											
2109	**Lognormal Statistics**										
2110					Minimum of Logged Data	6.254			Mean of logged Data	8.908	
2111					Maximum of Logged Data	10.49			SD of logged Data	0.909	
2112											

2113	**Assuming Lognormal Distribution**											
2114					95% H-UCL	14343			90% Chebyshev (MVUE) UCL	15422		
2115					95% Chebyshev (MVUE) UCL	17389			97.5% Chebyshev (MVUE) UCL	20119		
2116					99% Chebyshev (MVUE) UCL	25482						
2117												
2118	**Nonparametric Distribution Free UCL Statistics**											
2119	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
2120												
2121	**Nonparametric Distribution Free UCLs**											
2122					95% CLT UCL	12233			95% Jackknife UCL	12258		
2123					95% Standard Bootstrap UCL	12246			95% Bootstrap-t UCL	12450		
2124					95% Hall's Bootstrap UCL	12467			95% Percentile Bootstrap UCL	12291		
2125					95% BCA Bootstrap UCL	12425						
2126					90% Chebyshev(Mean, Sd) UCL	13651			95% Chebyshev(Mean, Sd) UCL	15073		
2127					97.5% Chebyshev(Mean, Sd) UCL	17047			99% Chebyshev(Mean, Sd) UCL	20925		
2128												
2129	**Suggested UCL to Use**											
2130					95% Approximate Gamma UCL	12518						
2131												
2132	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2133	Recommendations are based upon data size, data distribution, and skewness.											
2134	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2135	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2136												
2137	**Mercury**											
2138												
2139	**General Statistics**											
2140					Total Number of Observations	65			Number of Distinct Observations	41		
2141					Number of Detects	53			Number of Non-Detects	12		
2142					Number of Distinct Detects	40			Number of Distinct Non-Detects	3		
2143					Minimum Detect	0.011			Minimum Non-Detect	0.011		
2144					Maximum Detect	2.8			Maximum Non-Detect	0.013		
2145					Variance Detects	0.163			Percent Non-Detects	18.46%		
2146					Mean Detects	0.144			SD Detects	0.404		
2147					Median Detects	0.036			CV Detects	2.8		
2148					Skewness Detects	5.8			Kurtosis Detects	37.24		
2149					Mean of Logged Detects	-2.983			SD of Logged Detects	1.159		
2150												
2151	**Normal GOF Test on Detects Only**											
2152					Shapiro Wilk Test Statistic	0.341			**Normal GOF Test on Detected Observations Only**			
2153					5% Shapiro Wilk P Value	0			Detected Data Not Normal at 5% Significance Level			
2154					Lilliefors Test Statistic	0.374			**Lilliefors GOF Test**			
2155					5% Lilliefors Critical Value	0.121			Detected Data Not Normal at 5% Significance Level			
2156	**Detected Data Not Normal at 5% Significance Level**											
2157												
2158	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2159					KM Mean	0.12			KM Standard Error of Mean	0.0457		
2160					KM SD	0.365			95% KM (BCA) UCL	0.212		
2161					95% KM (t) UCL	0.196			95% KM (Percentile Bootstrap) UCL	0.207		
2162					95% KM (z) UCL	0.195			95% KM Bootstrap t UCL	0.337		
2163					90% KM Chebyshev UCL	0.257			95% KM Chebyshev UCL	0.319		
2164					97.5% KM Chebyshev UCL	0.405			99% KM Chebyshev UCL	0.575		

	A	B	C	D	E	F	G	H	I	J	K	L
2165												
2166	**Gamma GOF Tests on Detected Observations Only**											
2167					A-D Test Statistic	5.849	**Anderson-Darling GOF Test**					
2168					5% A-D Critical Value	0.807	Detected Data Not Gamma Distributed at 5% Significance Level					
2169					K-S Test Statistic	0.274	**Kolmogorov-Smirnov GOF**					
2170					5% K-S Critical Value	0.128	Detected Data Not Gamma Distributed at 5% Significance Level					
2171	**Detected Data Not Gamma Distributed at 5% Significance Level**											
2172												
2173	**Gamma Statistics on Detected Data Only**											
2174					k hat (MLE)	0.591	k star (bias corrected MLE)	0.57				
2175					Theta hat (MLE)	0.244	Theta star (bias corrected MLE)	0.253				
2176					nu hat (MLE)	62.66	nu star (bias corrected)	60.45				
2177					Mean (detects)	0.144						
2178												
2179	**Gamma ROS Statistics using Imputed Non-Detects**											
2180	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2181	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2182	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2183	This is especially true when the sample size is small.											
2184	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2185					Minimum	0.01	Mean	0.12				
2186					Maximum	2.8	Median	0.03				
2187					SD	0.368	CV	3.079				
2188					k hat (MLE)	0.542	k star (bias corrected MLE)	0.527				
2189					Theta hat (MLE)	0.221	Theta star (bias corrected MLE)	0.227				
2190					nu hat (MLE)	70.41	nu star (bias corrected)	68.49				
2191					Adjusted Level of Significance (β)	0.0463						
2192					Approximate Chi Square Value (68.49, α)	50.44	Adjusted Chi Square Value (68.49, β)	50.09				
2193					95% Gamma Approximate UCL (use when n>=50)	0.162	95% Gamma Adjusted UCL (use when n<50)	0.163				
2194												
2195	**Estimates of Gamma Parameters using KM Estimates**											
2196					Mean (KM)	0.12	SD (KM)	0.365				
2197					Variance (KM)	0.133	SE of Mean (KM)	0.0457				
2198					k hat (KM)	0.107	k star (KM)	0.113				
2199					nu hat (KM)	13.97	nu star (KM)	14.66				
2200					theta hat (KM)	1.114	theta star (KM)	1.062				
2201					80% gamma percentile (KM)	0.0976	90% gamma percentile (KM)	0.333				
2202					95% gamma percentile (KM)	0.688	99% gamma percentile (KM)	1.79				
2203												
2204	**Gamma Kaplan-Meier (KM) Statistics**											
2205					Approximate Chi Square Value (14.66, α)	7.025	Adjusted Chi Square Value (14.66, β)	6.905				
2206					95% Gamma Approximate KM-UCL (use when n>=50)	0.25	95% Gamma Adjusted KM-UCL (use when n<50)	0.254				
2207												
2208	**Lognormal GOF Test on Detected Observations Only**											
2209					Shapiro Wilk Approximate Test Statistic	0.882	**Shapiro Wilk GOF Test**					
2210					5% Shapiro Wilk P Value	1.9399E-5	Detected Data Not Lognormal at 5% Significance Level					
2211					Lilliefors Test Statistic	0.141	**Lilliefors GOF Test**					
2212					5% Lilliefors Critical Value	0.121	Detected Data Not Lognormal at 5% Significance Level					
2213	**Detected Data Not Lognormal at 5% Significance Level**											
2214												

	A	B	C	D	E	F	G	H	I	J	K	L
2215	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2216					Mean in Original Scale	0.119				Mean in Log Scale		-3.449
2217					SD in Original Scale	0.369				SD in Log Scale		1.45
2218				95% t UCL (assumes normality of ROS data)		0.195				95% Percentile Bootstrap UCL		0.202
2219					95% BCA Bootstrap UCL	0.248				95% Bootstrap t UCL		0.349
2220					95% H-UCL (Log ROS)	0.14						
2221												
2222	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2223					KM Mean (logged)	-3.265				KM Geo Mean		0.0382
2224					KM SD (logged)	1.194				95% Critical H Value (KM-Log)		2.227
2225				KM Standard Error of Mean (logged)		0.149				95% H-UCL (KM -Log)		0.109
2226					KM SD (logged)	1.194				95% Critical H Value (KM-Log)		2.227
2227				KM Standard Error of Mean (logged)		0.149						
2228												
2229	**DL/2 Statistics**											
2230	**DL/2 Normal**						**DL/2 Log-Transformed**					
2231					Mean in Original Scale	0.119				Mean in Log Scale		-3.382
2232					SD in Original Scale	0.368				SD in Log Scale		1.344
2233				95% t UCL (Assumes normality)		0.195				95% H-Stat UCL		0.122
2234	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2235												
2236	**Nonparametric Distribution Free UCL Statistics**											
2237	**Data do not follow a Discernible Distribution at 5% Significance Level**											
2238												
2239	**Suggested UCL to Use**											
2240					95% KM (Chebyshev) UCL	0.319						
2241												
2242	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2243	Recommendations are based upon data size, data distribution, and skewness.											
2244	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2245	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2246												
2247												
2248	**Nickel**											
2249												
2250	**General Statistics**											
2251					Total Number of Observations	65				Number of Distinct Observations		43
2252										Number of Missing Observations		0
2253					Minimum	2.9				Mean		92.24
2254					Maximum	4600				Median		15
2255					SD	568.2				Std. Error of Mean		70.47
2256					Coefficient of Variation	6.16				Skewness		8.048
2257												
2258	**Normal GOF Test**											
2259					Shapiro Wilk Test Statistic	0.145				**Shapiro Wilk GOF Test**		
2260					5% Shapiro Wilk P Value	0				Data Not Normal at 5% Significance Level		
2261					Lilliefors Test Statistic	0.488				**Lilliefors GOF Test**		
2262					5% Lilliefors Critical Value	0.11				Data Not Normal at 5% Significance Level		
2263	**Data Not Normal at 5% Significance Level**											
2264												

2265	**Assuming Normal Distribution**											
2266	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2267				95% Student's-t UCL		209.9				95% Adjusted-CLT UCL (Chen-1995)		283.3
2268										95% Modified-t UCL (Johnson-1978)		221.6
2269												
2270	**Gamma GOF Test**											
2271				A-D Test Statistic		13.12	**Anderson-Darling Gamma GOF Test**					
2272				5% A-D Critical Value		0.842	Data Not Gamma Distributed at 5% Significance Level					
2273				K-S Test Statistic		0.338	**Kolmogorov-Smirnov Gamma GOF Test**					
2274				5% K-S Critical Value		0.119	Data Not Gamma Distributed at 5% Significance Level					
2275	**Data Not Gamma Distributed at 5% Significance Level**											
2276												
2277	**Gamma Statistics**											
2278				k hat (MLE)		0.395	k star (bias corrected MLE)					0.387
2279				Theta hat (MLE)		233.2	Theta star (bias corrected MLE)					238
2280				nu hat (MLE)		51.41	nu star (bias corrected)					50.37
2281				MLE Mean (bias corrected)		92.24	MLE Sd (bias corrected)					148.2
2282							Approximate Chi Square Value (0.05)					35.08
2283				Adjusted Level of Significance		0.0463	Adjusted Chi Square Value					34.79
2284												
2285	**Assuming Gamma Distribution**											
2286				95% Approximate Gamma UCL (use when n>=50))		132.5	95% Adjusted Gamma UCL (use when n<50)					133.6
2287												
2288	**Lognormal GOF Test**											
2289				Shapiro Wilk Test Statistic		0.846	**Shapiro Wilk Lognormal GOF Test**					
2290				5% Shapiro Wilk P Value		5.2354E-9	Data Not Lognormal at 5% Significance Level					
2291				Lilliefors Test Statistic		0.148	**Lilliefors Lognormal GOF Test**					
2292				5% Lilliefors Critical Value		0.11	Data Not Lognormal at 5% Significance Level					
2293	**Data Not Lognormal at 5% Significance Level**											
2294												
2295	**Lognormal Statistics**											
2296				Minimum of Logged Data		1.065	Mean of logged Data					2.858
2297				Maximum of Logged Data		8.434	SD of logged Data					1.052
2298												
2299	**Assuming Lognormal Distribution**											
2300				95% H-UCL		40.8	90% Chebyshev (MVUE) UCL					43.98
2301				95% Chebyshev (MVUE) UCL		50.36	97.5% Chebyshev (MVUE) UCL					59.22
2302				99% Chebyshev (MVUE) UCL		76.61						
2303												
2304	**Nonparametric Distribution Free UCL Statistics**											
2305	**Data do not follow a Discernible Distribution (0.05)**											
2306												
2307	**Nonparametric Distribution Free UCLs**											
2308				95% CLT UCL		208.2	95% Jackknife UCL					209.9
2309				95% Standard Bootstrap UCL		206.4	95% Bootstrap-t UCL					2663
2310				95% Hall's Bootstrap UCL		1026	95% Percentile Bootstrap UCL					232.8
2311				95% BCA Bootstrap UCL		373.2						
2312				90% Chebyshev(Mean, Sd) UCL		303.7	95% Chebyshev(Mean, Sd) UCL					399.4
2313				97.5% Chebyshev(Mean, Sd) UCL		532.3	99% Chebyshev(Mean, Sd) UCL					793.4
2314												

2315	**Suggested UCL to Use**											
2316				95% Chebyshev (Mean, Sd) UCL		399.4						
2317												
2318	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2319	Recommendations are based upon data size, data distribution, and skewness.											
2320	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2321	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2322												
2323	**Thallium**											
2324												
2325	**General Statistics**											
2326				Total Number of Observations		65			Number of Distinct Observations			51
2327				Number of Detects		56			Number of Non-Detects			9
2328				Number of Distinct Detects		48			Number of Distinct Non-Detects			5
2329				Minimum Detect		0.0064			Minimum Non-Detect			0.021
2330				Maximum Detect		0.81			Maximum Non-Detect			0.025
2331				Variance Detects		0.0248			Percent Non-Detects			13.85%
2332				Mean Detects		0.0977			SD Detects			0.158
2333				Median Detects		0.0435			CV Detects			1.612
2334				Skewness Detects		3.422			Kurtosis Detects			12.05
2335				Mean of Logged Detects		-2.958			SD of Logged Detects			1.04
2336												
2337	**Normal GOF Test on Detects Only**											
2338				Shapiro Wilk Test Statistic		0.527			**Normal GOF Test on Detected Observations Only**			
2339				5% Shapiro Wilk P Value		0			Detected Data Not Normal at 5% Significance Level			
2340				Lilliefors Test Statistic		0.302			**Lilliefors GOF Test**			
2341				5% Lilliefors Critical Value		0.118			Detected Data Not Normal at 5% Significance Level			
2342	**Detected Data Not Normal at 5% Significance Level**											
2343												
2344	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2345				KM Mean		0.0858			KM Standard Error of Mean			0.0185
2346				KM SD		0.148			95% KM (BCA) UCL			0.118
2347				95% KM (t) UCL		0.117			95% KM (Percentile Bootstrap) UCL			0.118
2348				95% KM (z) UCL		0.116			95% KM Bootstrap t UCL			0.135
2349				90% KM Chebyshev UCL		0.141			95% KM Chebyshev UCL			0.167
2350				97.5% KM Chebyshev UCL		0.201			99% KM Chebyshev UCL			0.27
2351												
2352	**Gamma GOF Tests on Detected Observations Only**											
2353				A-D Test Statistic		3.05			**Anderson-Darling GOF Test**			
2354				5% A-D Critical Value		0.784			Detected Data Not Gamma Distributed at 5% Significance Level			
2355				K-S Test Statistic		0.2			**Kolmogorov-Smirnov GOF**			
2356				5% K-S Critical Value		0.123			Detected Data Not Gamma Distributed at 5% Significance Level			
2357	**Detected Data Not Gamma Distributed at 5% Significance Level**											
2358												
2359	**Gamma Statistics on Detected Data Only**											
2360				k hat (MLE)		0.922			k star (bias corrected MLE)			0.884
2361				Theta hat (MLE)		0.106			Theta star (bias corrected MLE)			0.111
2362				nu hat (MLE)		103.2			nu star (bias corrected)			99.02
2363				Mean (detects)		0.0977						
2364												

2365	**Gamma ROS Statistics using Imputed Non-Detects**											
2366	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2367	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2368	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2369	This is especially true when the sample size is small.											
2370	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2371					Minimum	0.0064			Mean	0.0856		
2372					Maximum	0.81			Median	0.038		
2373					SD	0.149			CV	1.744		
2374					k hat (MLE)	0.814			k star (bias corrected MLE)	0.786		
2375					Theta hat (MLE)	0.105			Theta star (bias corrected MLE)	0.109		
2376					nu hat (MLE)	105.8			nu star (bias corrected)	102.2		
2377					Adjusted Level of Significance (β)	0.0463						
2378					Approximate Chi Square Value (102.22, α)	79.89			Adjusted Chi Square Value (102.22, β)	79.44		
2379					95% Gamma Approximate UCL (use when n>=50)	0.109			95% Gamma Adjusted UCL (use when n<50)	0.11		
2380												
2381	**Estimates of Gamma Parameters using KM Estimates**											
2382					Mean (KM)	0.0858			SD (KM)	0.148		
2383					Variance (KM)	0.0219			SE of Mean (KM)	0.0185		
2384					k hat (KM)	0.336			k star (KM)	0.331		
2385					nu hat (KM)	43.68			nu star (KM)	42.99		
2386					theta hat (KM)	0.255			theta star (KM)	0.259		
2387					80% gamma percentile (KM)	0.134			90% gamma percentile (KM)	0.25		
2388					95% gamma percentile (KM)	0.38			99% gamma percentile (KM)	0.715		
2389												
2390	**Gamma Kaplan-Meier (KM) Statistics**											
2391					Approximate Chi Square Value (42.99, α)	28.96			Adjusted Chi Square Value (42.99, β)	28.7		
2392					95% Gamma Approximate KM-UCL (use when n>=50)	0.127			95% Gamma Adjusted KM-UCL (use when n<50)	0.128		
2393												
2394	**Lognormal GOF Test on Detected Observations Only**											
2395					Shapiro Wilk Approximate Test Statistic	0.951			**Shapiro Wilk GOF Test**			
2396					5% Shapiro Wilk P Value	0.0462			Detected Data Not Lognormal at 5% Significance Level			
2397					Lilliefors Test Statistic	0.109			**Lilliefors GOF Test**			
2398					5% Lilliefors Critical Value	0.118			Detected Data appear Lognormal at 5% Significance Level			
2399	**Detected Data appear Approximate Lognormal at 5% Significance Level**											
2400												
2401	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2402					Mean in Original Scale	0.0856			Mean in Log Scale	-3.186		
2403					SD in Original Scale	0.149			SD in Log Scale	1.125		
2404					95% t UCL (assumes normality of ROS data)	0.117			95% Percentile Bootstrap UCL	0.116		
2405					95% BCA Bootstrap UCL	0.126			95% Bootstrap t UCL	0.139		
2406					95% H-UCL (Log ROS)	0.107						
2407												
2408	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2409					KM Mean (logged)	-3.18			KM Geo Mean	0.0416		
2410					KM SD (logged)	1.116			95% Critical H Value (KM-Log)	2.262		
2411					KM Standard Error of Mean (logged)	0.143			95% H-UCL (KM -Log)	0.106		
2412					KM SD (logged)	1.116			95% Critical H Value (KM-Log)	2.262		
2413					KM Standard Error of Mean (logged)	0.143						
2414												

2415	**DL/2 Statistics**											
2416	**DL/2 Normal**						**DL/2 Log-Transformed**					
2417					Mean in Original Scale	0.0857				Mean in Log Scale	-3.17	
2418					SD in Original Scale	0.149				SD in Log Scale	1.102	
2419					95% t UCL (Assumes normality)	0.117				95% H-Stat UCL	0.105	
2420	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2421												
2422	**Nonparametric Distribution Free UCL Statistics**											
2423	**Detected Data appear Approximate Lognormal Distributed at 5% Significance Level**											
2424												
2425	**Suggested UCL to Use**											
2426					KM H-UCL	0.106						
2427												
2428	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2429	Recommendations are based upon data size, data distribution, and skewness.											
2430	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2431	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2432												
2433												
2434	**Vanadium**											
2435												
2436	**General Statistics**											
2437					Total Number of Observations	65				Number of Distinct Observations	47	
2438										Number of Missing Observations	0	
2439					Minimum	1.3				Mean	173.1	
2440					Maximum	620				Median	110	
2441					SD	163.6				Std. Error of Mean	20.29	
2442					Coefficient of Variation	0.945				Skewness	1.024	
2443												
2444	**Normal GOF Test**											
2445					Shapiro Wilk Test Statistic	0.854	**Shapiro Wilk GOF Test**					
2446					5% Shapiro Wilk P Value	1.6341E-8	Data Not Normal at 5% Significance Level					
2447					Lilliefors Test Statistic	0.173	**Lilliefors GOF Test**					
2448					5% Lilliefors Critical Value	0.11	Data Not Normal at 5% Significance Level					
2449	**Data Not Normal at 5% Significance Level**											
2450												
2451	**Assuming Normal Distribution**											
2452	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2453					95% Student's-t UCL	207				95% Adjusted-CLT UCL (Chen-1995)	209.3	
2454										95% Modified-t UCL (Johnson-1978)	207.4	
2455												
2456	**Gamma GOF Test**											
2457					A-D Test Statistic	0.504	**Anderson-Darling Gamma GOF Test**					
2458					5% A-D Critical Value	0.782	Detected data appear Gamma Distributed at 5% Significance Level					
2459					K-S Test Statistic	0.0881	**Kolmogorov-Smirnov Gamma GOF Test**					
2460					5% K-S Critical Value	0.114	Detected data appear Gamma Distributed at 5% Significance Level					
2461	**Detected data appear Gamma Distributed at 5% Significance Level**											
2462												
2463	**Gamma Statistics**											
2464					k hat (MLE)	0.961				k star (bias corrected MLE)	0.927	
2465					Theta hat (MLE)	180.2				Theta star (bias corrected MLE)	186.8	
2466					nu hat (MLE)	124.9				nu star (bias corrected)	120.5	

2467					MLE Mean (bias corrected)	173.1					MLE Sd (bias corrected)	179.8
2468											Approximate Chi Square Value (0.05)	96.14
2469					Adjusted Level of Significance	0.0463					Adjusted Chi Square Value	95.65
2470												
2471					**Assuming Gamma Distribution**							
2472					95% Approximate Gamma UCL (use when n>=50)	217					95% Adjusted Gamma UCL (use when n<50)	218.1
2473												
2474					**Lognormal GOF Test**							
2475					Shapiro Wilk Test Statistic	0.943					**Shapiro Wilk Lognormal GOF Test**	
2476					5% Shapiro Wilk P Value	0.00907					Data Not Lognormal at 5% Significance Level	
2477					Lilliefors Test Statistic	0.1					**Lilliefors Lognormal GOF Test**	
2478					5% Lilliefors Critical Value	0.11					Data appear Lognormal at 5% Significance Level	
2479					**Data appear Approximate Lognormal at 5% Significance Level**							
2480												
2481					**Lognormal Statistics**							
2482					Minimum of Logged Data	0.262					Mean of logged Data	4.551
2483					Maximum of Logged Data	6.43					SD of logged Data	1.294
2484												
2485					**Assuming Lognormal Distribution**							
2486					95% H-UCL	312.3					90% Chebyshev (MVUE) UCL	345.8
2487					95% Chebyshev (MVUE) UCL	405.6					97.5% Chebyshev (MVUE) UCL	488.6
2488					99% Chebyshev (MVUE) UCL	651.7						
2489												
2490					**Nonparametric Distribution Free UCL Statistics**							
2491					**Data appear to follow a Discernible Distribution at 5% Significance Level**							
2492												
2493					**Nonparametric Distribution Free UCLs**							
2494					95% CLT UCL	206.5					95% Jackknife UCL	207
2495					95% Standard Bootstrap UCL	206.6					95% Bootstrap-t UCL	210.9
2496					95% Hall's Bootstrap UCL	209.8					95% Percentile Bootstrap UCL	207.5
2497					95% BCA Bootstrap UCL	210.4						
2498					90% Chebyshev(Mean, Sd) UCL	234					95% Chebyshev(Mean, Sd) UCL	261.6
2499					97.5% Chebyshev(Mean, Sd) UCL	299.9					99% Chebyshev(Mean, Sd) UCL	375.1
2500												
2501					**Suggested UCL to Use**							
2502					95% Approximate Gamma UCL	217						
2503												
2504	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2505	Recommendations are based upon data size, data distribution, and skewness.											
2506	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2507	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2508												
2509												
2510	**Zinc**											
2511												
2512					**General Statistics**							
2513					Total Number of Observations	65					Number of Distinct Observations	54
2514											Number of Missing Observations	0
2515					Minimum	15					Mean	488
2516					Maximum	5100					Median	120
2517					SD	854.8					Std. Error of Mean	106
2518					Coefficient of Variation	1.752					Skewness	3.256

2519												
2520	**Normal GOF Test**											
2521					Shapiro Wilk Test Statistic	0.588	**Shapiro Wilk GOF Test**					
2522					5% Shapiro Wilk P Value	0	Data Not Normal at 5% Significance Level					
2523					Lilliefors Test Statistic	0.29	**Lilliefors GOF Test**					
2524					5% Lilliefors Critical Value	0.11	Data Not Normal at 5% Significance Level					
2525	**Data Not Normal at 5% Significance Level**											
2526												
2527	**Assuming Normal Distribution**											
2528	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2529					95% Student's-t UCL	665	95% Adjusted-CLT UCL (Chen-1995)	708.2				
2530							95% Modified-t UCL (Johnson-1978)	672.1				
2531												
2532	**Gamma GOF Test**											
2533					A-D Test Statistic	4.041	**Anderson-Darling Gamma GOF Test**					
2534					5% A-D Critical Value	0.806	Data Not Gamma Distributed at 5% Significance Level					
2535					K-S Test Statistic	0.227	**Kolmogorov-Smirnov Gamma GOF Test**					
2536					5% K-S Critical Value	0.116	Data Not Gamma Distributed at 5% Significance Level					
2537	**Data Not Gamma Distributed at 5% Significance Level**											
2538												
2539	**Gamma Statistics**											
2540					k hat (MLE)	0.611	k star (bias corrected MLE)	0.593				
2541					Theta hat (MLE)	799.3	Theta star (bias corrected MLE)	823.4				
2542					nu hat (MLE)	79.38	nu star (bias corrected)	77.05				
2543					MLE Mean (bias corrected)	488	MLE Sd (bias corrected)	633.9				
2544							Approximate Chi Square Value (0.05)	57.83				
2545					Adjusted Level of Significance	0.0463	Adjusted Chi Square Value	57.45				
2546												
2547	**Assuming Gamma Distribution**											
2548					95% Approximate Gamma UCL (use when n>=50))	650.3	95% Adjusted Gamma UCL (use when n<50)	654.5				
2549												
2550	**Lognormal GOF Test**											
2551					Shapiro Wilk Test Statistic	0.919	**Shapiro Wilk Lognormal GOF Test**					
2552					5% Shapiro Wilk P Value	2.7707E-4	Data Not Lognormal at 5% Significance Level					
2553					Lilliefors Test Statistic	0.15	**Lilliefors Lognormal GOF Test**					
2554					5% Lilliefors Critical Value	0.11	Data Not Lognormal at 5% Significance Level					
2555	**Data Not Lognormal at 5% Significance Level**											
2556												
2557	**Lognormal Statistics**											
2558					Minimum of Logged Data	2.708	Mean of logged Data	5.181				
2559					Maximum of Logged Data	8.537	SD of logged Data	1.364				
2560												
2561	**Assuming Lognormal Distribution**											
2562					95% H-UCL	662.2	90% Chebyshev (MVUE) UCL	730				
2563					95% Chebyshev (MVUE) UCL	861.8	97.5% Chebyshev (MVUE) UCL	1045				
2564					99% Chebyshev (MVUE) UCL	1404						
2565												
2566	**Nonparametric Distribution Free UCL Statistics**											
2567	**Data do not follow a Discernible Distribution (0.05)**											
2568												

	A	B	C	D	E	F	G	H	I	J	K	L
2569	**Nonparametric Distribution Free UCLs**											
2570	95% CLT UCL					662.4	95% Jackknife UCL					665
2571	95% Standard Bootstrap UCL					664.9	95% Bootstrap-t UCL					750.6
2572	95% Hall's Bootstrap UCL					777.5	95% Percentile Bootstrap UCL					668.6
2573	95% BCA Bootstrap UCL					713						
2574	90% Chebyshev(Mean, Sd) UCL					806.1	95% Chebyshev(Mean, Sd) UCL					950.2
2575	97.5% Chebyshev(Mean, Sd) UCL					1150	99% Chebyshev(Mean, Sd) UCL					1543
2576												
2577	**Suggested UCL to Use**											
2578	95% Chebyshev (Mean, Sd) UCL					950.2						
2579												
2580	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2581	Recommendations are based upon data size, data distribution, and skewness.											
2582	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2583	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2584												
2585	**Cyanide, Total**											
2586												
2587	**General Statistics**											
2588	Total Number of Observations					65	Number of Distinct Observations					43
2589	Number of Detects					53	Number of Non-Detects					12
2590	Number of Distinct Detects					40	Number of Distinct Non-Detects					5
2591	Minimum Detect					0.11	Minimum Non-Detect					0.095
2592	Maximum Detect					26	Maximum Non-Detect					0.12
2593	Variance Detects					15.51	Percent Non-Detects					18.46%
2594	Mean Detects					2.049	SD Detects					3.938
2595	Median Detects					0.91	CV Detects					1.921
2596	Skewness Detects					4.822	Kurtosis Detects					27.1
2597	Mean of Logged Detects					0.0158	SD of Logged Detects					1.075
2598												
2599	**Normal GOF Test on Detects Only**											
2600	Shapiro Wilk Test Statistic					0.453	**Normal GOF Test on Detected Observations Only**					
2601	5% Shapiro Wilk P Value					0	Detected Data Not Normal at 5% Significance Level					
2602	Lilliefors Test Statistic					0.326	**Lilliefors GOF Test**					
2603	5% Lilliefors Critical Value					0.121	Detected Data Not Normal at 5% Significance Level					
2604	**Detected Data Not Normal at 5% Significance Level**											
2605												
2606	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2607	KM Mean					1.689	KM Standard Error of Mean					0.451
2608	KM SD					3.603	95% KM (BCA) UCL					2.474
2609	95% KM (t) UCL					2.442	95% KM (Percentile Bootstrap) UCL					2.498
2610	95% KM (z) UCL					2.431	95% KM Bootstrap t UCL					3.254
2611	90% KM Chebyshev UCL					3.042	95% KM Chebyshev UCL					3.655
2612	97.5% KM Chebyshev UCL					4.506	99% KM Chebyshev UCL					6.178
2613												
2614	**Gamma GOF Tests on Detected Observations Only**											
2615	A-D Test Statistic					3.231	**Anderson-Darling GOF Test**					
2616	5% A-D Critical Value					0.788	Detected Data Not Gamma Distributed at 5% Significance Level					
2617	K-S Test Statistic					0.214	**Kolmogorov-Smirnov GOF**					
2618	5% K-S Critical Value					0.127	Detected Data Not Gamma Distributed at 5% Significance Level					
2619	**Detected Data Not Gamma Distributed at 5% Significance Level**											
2620												

	A	B	C	D	E	F	G	H	I	J	K	L
2621	**Gamma Statistics on Detected Data Only**											
2622					k hat (MLE)	0.84				k star (bias corrected MLE)		0.805
2623					Theta hat (MLE)	2.439				Theta star (bias corrected MLE)		2.545
2624					nu hat (MLE)	89.07				nu star (bias corrected)		85.37
2625					Mean (detects)	2.049						
2626												
2627	**Gamma ROS Statistics using Imputed Non-Detects**											
2628	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2629	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2630	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2631	This is especially true when the sample size is small.											
2632	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2633					Minimum	0.01				Mean		1.673
2634					Maximum	26				Median		0.69
2635					SD	3.638				CV		2.175
2636					k hat (MLE)	0.474				k star (bias corrected MLE)		0.462
2637					Theta hat (MLE)	3.531				Theta star (bias corrected MLE)		3.619
2638					nu hat (MLE)	61.6				nu star (bias corrected)		60.09
2639					Adjusted Level of Significance (β)	0.0463						
2640					Approximate Chi Square Value (60.09, α)	43.26				Adjusted Chi Square Value (60.09, β)		42.94
2641					95% Gamma Approximate UCL (use when n>=50)	2.324				95% Gamma Adjusted UCL (use when n<50)		2.341
2642												
2643	**Estimates of Gamma Parameters using KM Estimates**											
2644					Mean (KM)	1.689				SD (KM)		3.603
2645					Variance (KM)	12.98				SE of Mean (KM)		0.451
2646					k hat (KM)	0.22				k star (KM)		0.22
2647					nu hat (KM)	28.56				nu star (KM)		28.58
2648					theta hat (KM)	7.686				theta star (KM)		7.682
2649					80% gamma percentile (KM)	2.33				90% gamma percentile (KM)		5.102
2650					95% gamma percentile (KM)	8.483				99% gamma percentile (KM)		17.65
2651												
2652	**Gamma Kaplan-Meier (KM) Statistics**											
2653					Approximate Chi Square Value (28.58, α)	17.38				Adjusted Chi Square Value (28.58, β)		17.18
2654					95% Gamma Approximate KM-UCL (use when n>=50)	2.777				95% Gamma Adjusted KM-UCL (use when n<50)		2.809
2655												
2656	**Lognormal GOF Test on Detected Observations Only**											
2657					Shapiro Wilk Approximate Test Statistic	0.952				**Shapiro Wilk GOF Test**		
2658					5% Shapiro Wilk P Value	0.059				Detected Data appear Lognormal at 5% Significance Level		
2659					Lilliefors Test Statistic	0.113				**Lilliefors GOF Test**		
2660					5% Lilliefors Critical Value	0.121				Detected Data appear Lognormal at 5% Significance Level		
2661	**Detected Data appear Lognormal at 5% Significance Level**											
2662												
2663	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2664					Mean in Original Scale	1.69				Mean in Log Scale		-0.418
2665					SD in Original Scale	3.63				SD in Log Scale		1.344
2666					95% t UCL (assumes normality of ROS data)	2.441				95% Percentile Bootstrap UCL		2.508
2667					95% BCA Bootstrap UCL	2.783				95% Bootstrap t UCL		3.359
2668					95% H-UCL (Log ROS)	2.367						
2669												
2670	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2671					KM Mean (logged)	-0.42				KM Geo Mean		0.657
2672					KM SD (logged)	1.328				95% Critical H Value (KM-Log)		2.227

2673	KM Standard Error of Mean (logged)					0.166	95% H-UCL (KM -Log)					2.298
2674	KM SD (logged)					1.328	95% Critical H Value (KM-Log)					2.227
2675	KM Standard Error of Mean (logged)					0.166						
2676												
2677	**DL/2 Statistics**											
2678	**DL/2 Normal**						**DL/2 Log-Transformed**					
2679	Mean in Original Scale					1.681	Mean in Log Scale					-0.526
2680	SD in Original Scale					3.634	SD in Log Scale					1.501
2681	95% t UCL (Assumes normality)					2.433	95% H-Stat UCL					2.884
2682	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2683												
2684	**Nonparametric Distribution Free UCL Statistics**											
2685	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
2686												
2687	**Suggested UCL to Use**											
2688	KM H-UCL					2.298						
2689												
2690	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2691	Recommendations are based upon data size, data distribution, and skewness.											
2692	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2693	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2694												

UCL Statistics for Data Sets with Non-Detects

User Selected Options	
Date/Time of Computation	ProUCL 5.15/18/2021 11:03:22 AM
From File	WoodedProUCL.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Total Number of Observations	5	Number of Distinct Observations	5
		Number of Missing Observations	0
Minimum	9.5	Mean	14.9
Maximum	32	Median	11
SD	9.607	Std. Error of Mean	4.297
Coefficient of Variation	0.645	Skewness	2.181

Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest. For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012). Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1

Normal GOF Test

Shapiro Wilk Test Statistic	0.645	**Shapiro Wilk GOF Test**
5% Shapiro Wilk Critical Value	0.762	Data Not Normal at 5% Significance Level
Lilliefors Test Statistic	0.419	**Lilliefors GOF Test**
5% Lilliefors Critical Value	0.343	Data Not Normal at 5% Significance Level

Data Not Normal at 5% Significance Level

Assuming Normal Distribution

95% Normal UCL		**95% UCLs (Adjusted for Skewness)**	
95% Student's-t UCL	24.06	95% Adjusted-CLT UCL (Chen-1995)	26.44
		95% Modified-t UCL (Johnson-1978)	24.76

Gamma GOF Test

A-D Test Statistic	0.903	**Anderson-Darling Gamma GOF Test**
5% A-D Critical Value	0.681	Data Not Gamma Distributed at 5% Significance Level
K-S Test Statistic	0.406	**Kolmogorov-Smirnov Gamma GOF Test**
5% K-S Critical Value	0.358	Data Not Gamma Distributed at 5% Significance Level

Data Not Gamma Distributed at 5% Significance Level

Gamma Statistics

k hat (MLE)	4.296	k star (bias corrected MLE)	1.852
Theta hat (MLE)	3.468	Theta star (bias corrected MLE)	8.046
nu hat (MLE)	42.96	nu star (bias corrected)	18.52
MLE Mean (bias corrected)	14.9	MLE Sd (bias corrected)	10.95
		Approximate Chi Square Value (0.05)	9.766
Adjusted Level of Significance	0.0086	Adjusted Chi Square Value	7.156

53	**Assuming Gamma Distribution**											
54	95% Approximate Gamma UCL (use when n>=50))				28.25	95% Adjusted Gamma UCL (use when n<50)					38.56	
55												
56	**Lognormal GOF Test**											
57	Shapiro Wilk Test Statistic				0.716	**Shapiro Wilk Lognormal GOF Test**						
58	5% Shapiro Wilk Critical Value				0.762	Data Not Lognormal at 5% Significance Level						
59	Lilliefors Test Statistic				0.375	**Lilliefors Lognormal GOF Test**						
60	5% Lilliefors Critical Value				0.343	Data Not Lognormal at 5% Significance Level						
61	**Data Not Lognormal at 5% Significance Level**											
62												
63	**Lognormal Statistics**											
64	Minimum of Logged Data				2.251	Mean of logged Data					2.58	
65	Maximum of Logged Data				3.466	SD of logged Data					0.503	
66												
67	**Assuming Lognormal Distribution**											
68	95% H-UCL				31.51	90% Chebyshev (MVUE) UCL					24.34	
69	95% Chebyshev (MVUE) UCL				28.75	97.5% Chebyshev (MVUE) UCL					34.88	
70	99% Chebyshev (MVUE) UCL				46.93							
71												
72	**Nonparametric Distribution Free UCL Statistics**											
73	**Data do not follow a Discernible Distribution (0.05)**											
74												
75	**Nonparametric Distribution Free UCLs**											
76	95% CLT UCL				21.97	95% Jackknife UCL					24.06	
77	95% Standard Bootstrap UCL				21.11	95% Bootstrap-t UCL					80.78	
78	95% Hall's Bootstrap UCL				72.11	95% Percentile Bootstrap UCL					23.2	
79	95% BCA Bootstrap UCL				23.6							
80	90% Chebyshev(Mean, Sd) UCL				27.79	95% Chebyshev(Mean, Sd) UCL					33.63	
81	97.5% Chebyshev(Mean, Sd) UCL				41.73	99% Chebyshev(Mean, Sd) UCL					57.65	
82												
83	**Suggested UCL to Use**											
84	95% Chebyshev (Mean, Sd) UCL				33.63							
85												
86	**Recommended UCL exceeds the maximum observation**											
87												
88	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
89	Recommendations are based upon data size, data distribution, and skewness.											
90	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
91	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
92												
93												
94	**Iron**											
95												
96	**General Statistics**											
97	Total Number of Observations				5	Number of Distinct Observations					5	
98						Number of Missing Observations					0	
99	Minimum				19000	Mean					35200	
100	Maximum				64000	Median					31000	
101	SD				17152	Std. Error of Mean					7671	
102	Coefficient of Variation				0.487	Skewness					1.57	
103												

104	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
105	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
106	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
107	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
108												
109	**Normal GOF Test**											
110					Shapiro Wilk Test Statistic	0.861	**Shapiro Wilk GOF Test**					
111					5% Shapiro Wilk Critical Value	0.762	Data appear Normal at 5% Significance Level					
112					Lilliefors Test Statistic	0.305	**Lilliefors GOF Test**					
113					5% Lilliefors Critical Value	0.343	Data appear Normal at 5% Significance Level					
114	**Data appear Normal at 5% Significance Level**											
115												
116	**Assuming Normal Distribution**											
117	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
118					95% Student's-t UCL	51553	95% Adjusted-CLT UCL (Chen-1995)	53571				
119							95% Modified-t UCL (Johnson-1978)	52450				
120												
121	**Gamma GOF Test**											
122					A-D Test Statistic	0.321	**Anderson-Darling Gamma GOF Test**					
123					5% A-D Critical Value	0.68	Detected data appear Gamma Distributed at 5% Significance Level					
124					K-S Test Statistic	0.252	**Kolmogorov-Smirnov Gamma GOF Test**					
125					5% K-S Critical Value	0.358	Detected data appear Gamma Distributed at 5% Significance Level					
126	**Detected data appear Gamma Distributed at 5% Significance Level**											
127												
128	**Gamma Statistics**											
129					k hat (MLE)	6.161	k star (bias corrected MLE)	2.598				
130					Theta hat (MLE)	5713	Theta star (bias corrected MLE)	13551				
131					nu hat (MLE)	61.61	nu star (bias corrected)	25.98				
132					MLE Mean (bias corrected)	35200	MLE Sd (bias corrected)	21840				
133							Approximate Chi Square Value (0.05)	15.36				
134					Adjusted Level of Significance	0.0086	Adjusted Chi Square Value	11.94				
135												
136	**Assuming Gamma Distribution**											
137					95% Approximate Gamma UCL (use when n>=50))	59524	95% Adjusted Gamma UCL (use when n<50)	76554				
138												
139	**Lognormal GOF Test**											
140					Shapiro Wilk Test Statistic	0.958	**Shapiro Wilk Lognormal GOF Test**					
141					5% Shapiro Wilk Critical Value	0.762	Data appear Lognormal at 5% Significance Level					
142					Lilliefors Test Statistic	0.231	**Lilliefors Lognormal GOF Test**					
143					5% Lilliefors Critical Value	0.343	Data appear Lognormal at 5% Significance Level					
144	**Data appear Lognormal at 5% Significance Level**											
145												
146	**Lognormal Statistics**											
147					Minimum of Logged Data	9.852	Mean of logged Data	10.39				
148					Maximum of Logged Data	11.07	SD of logged Data	0.444				
149												
150	**Assuming Lognormal Distribution**											
151					95% H-UCL	66222	90% Chebyshev (MVUE) UCL	55729				
152					95% Chebyshev (MVUE) UCL	65114	97.5% Chebyshev (MVUE) UCL	78141				
153					99% Chebyshev (MVUE) UCL	103728						
154												

155	**Nonparametric Distribution Free UCL Statistics**											
156	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
157												
158	**Nonparametric Distribution Free UCLs**											
159					95% CLT UCL	47817			95% Jackknife UCL	51553		
160					95% Standard Bootstrap UCL	46305			95% Bootstrap-t UCL	63910		
161					95% Hall's Bootstrap UCL	109889			95% Percentile Bootstrap UCL	47600		
162					95% BCA Bootstrap UCL	50000						
163					90% Chebyshev(Mean, Sd) UCL	58212			95% Chebyshev(Mean, Sd) UCL	68636		
164					97.5% Chebyshev(Mean, Sd) UCL	83104			99% Chebyshev(Mean, Sd) UCL	111523		
165												
166	**Suggested UCL to Use**											
167					95% Student's-t UCL	51553						
168												
169	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
170	Recommendations are based upon data size, data distribution, and skewness.											
171	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
172	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
173												
174												
175	**Manganese**											
176												
177	**General Statistics**											
178					Total Number of Observations	5			Number of Distinct Observations	4		
179									Number of Missing Observations	0		
180					Minimum	590			Mean	1358		
181					Maximum	2100			Median	1100		
182					SD	626			Std. Error of Mean	279.9		
183					Coefficient of Variation	0.461			Skewness	0.137		
184												
185	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
186	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
187	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
188	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
189												
190	**Normal GOF Test**											
191					Shapiro Wilk Test Statistic	0.914			**Shapiro Wilk GOF Test**			
192					5% Shapiro Wilk Critical Value	0.762			Data appear Normal at 5% Significance Level			
193					Lilliefors Test Statistic	0.26			**Lilliefors GOF Test**			
194					5% Lilliefors Critical Value	0.343			Data appear Normal at 5% Significance Level			
195	**Data appear Normal at 5% Significance Level**											
196												
197	**Assuming Normal Distribution**											
198	**95% Normal UCL**								**95% UCLs (Adjusted for Skewness)**			
199					95% Student's-t UCL	1955			95% Adjusted-CLT UCL (Chen-1995)	1837		
200									95% Modified-t UCL (Johnson-1978)	1958		
201												
202	**Gamma GOF Test**											
203					A-D Test Statistic	0.348			**Anderson-Darling Gamma GOF Test**			
204					5% A-D Critical Value	0.681			Detected data appear Gamma Distributed at 5% Significance Level			

205					K-S Test Statistic	0.232	**Kolmogorov-Smirnov Gamma GOF Test**					
206					5% K-S Critical Value	0.358	Detected data appear Gamma Distributed at 5% Significance Level					
207	**Detected data appear Gamma Distributed at 5% Significance Level**											
208												
209	**Gamma Statistics**											
210					k hat (MLE)	5.334				k star (bias corrected MLE)		2.267
211					Theta hat (MLE)	254.6				Theta star (bias corrected MLE)		599
212					nu hat (MLE)	53.34				nu star (bias corrected)		22.67
213					MLE Mean (bias corrected)	1358				MLE Sd (bias corrected)		901.9
214										Approximate Chi Square Value (0.05)		12.84
215					Adjusted Level of Significance	0.0086				Adjusted Chi Square Value		9.766
216												
217	**Assuming Gamma Distribution**											
218					95% Approximate Gamma UCL (use when n>=50))	2397				95% Adjusted Gamma UCL (use when n<50)		3152
219												
220	**Lognormal GOF Test**											
221					Shapiro Wilk Test Statistic	0.915	**Shapiro Wilk Lognormal GOF Test**					
222					5% Shapiro Wilk Critical Value	0.762	Data appear Lognormal at 5% Significance Level					
223					Lilliefors Test Statistic	0.212	**Lilliefors Lognormal GOF Test**					
224					5% Lilliefors Critical Value	0.343	Data appear Lognormal at 5% Significance Level					
225	**Data appear Lognormal at 5% Significance Level**											
226												
227	**Lognormal Statistics**											
228					Minimum of Logged Data	6.38				Mean of logged Data		7.117
229					Maximum of Logged Data	7.65				SD of logged Data		0.51
230												
231	**Assuming Lognormal Distribution**											
232					95% H-UCL	3000				90% Chebyshev (MVUE) UCL		2291
233					95% Chebyshev (MVUE) UCL	2710				97.5% Chebyshev (MVUE) UCL		3292
234					99% Chebyshev (MVUE) UCL	4435						
235												
236	**Nonparametric Distribution Free UCL Statistics**											
237	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
238												
239	**Nonparametric Distribution Free UCLs**											
240					95% CLT UCL	1818				95% Jackknife UCL		1955
241					95% Standard Bootstrap UCL	N/A				95% Bootstrap-t UCL		N/A
242					95% Hall's Bootstrap UCL	N/A				95% Percentile Bootstrap UCL		N/A
243					95% BCA Bootstrap UCL	N/A						
244					90% Chebyshev(Mean, Sd) UCL	2198				95% Chebyshev(Mean, Sd) UCL		2578
245					97.5% Chebyshev(Mean, Sd) UCL	3106				99% Chebyshev(Mean, Sd) UCL		4143
246												
247	**Suggested UCL to Use**											
248					95% Student's-t UCL	1955						
249												
250	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
251	Recommendations are based upon data size, data distribution, and skewness.											
252	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
253	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
254												

	A	B	C	D	E	F	G	H	I	J	K	L
1	**UCL Statistics for Data Sets with Non-Detects**											
2												
3				User Selected Options								
4				Date/Time of Computation	ProUCL 5.15/13/2021 2:41:04 PM							
5				From File	ShallowProUCL.xls							
6				Full Precision	OFF							
7				Confidence Coefficient	95%							
8				Number of Bootstrap Operations	2000							
9												
10	**Benzo[a]anthracene**											
11												
12	**General Statistics**											
13				Total Number of Observations	147			Number of Distinct Observations	106			
14				Number of Detects	129			Number of Non-Detects	18			
15				Number of Distinct Detects	96			Number of Distinct Non-Detects	13			
16				Minimum Detect	0.0012			Minimum Non-Detect	0.0011			
17				Maximum Detect	48			Maximum Non-Detect	0.95			
18				Variance Detects	27.07			Percent Non-Detects	12.24%			
19				Mean Detects	1.411			SD Detects	5.203			
20				Median Detects	0.15			CV Detects	3.687			
21				Skewness Detects	6.721			Kurtosis Detects	53.23			
22				Mean of Logged Detects	-1.708			SD of Logged Detects	1.831			
23												
24	**Normal GOF Test on Detects Only**											
25				Shapiro Wilk Test Statistic	0.304			**Normal GOF Test on Detected Observations Only**				
26				5% Shapiro Wilk P Value	0			Detected Data Not Normal at 5% Significance Level				
27				Lilliefors Test Statistic	0.394			**Lilliefors GOF Test**				
28				5% Lilliefors Critical Value	0.0784			Detected Data Not Normal at 5% Significance Level				
29	**Detected Data Not Normal at 5% Significance Level**											
30												
31	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
32				KM Mean	1.241			KM Standard Error of Mean	0.404			
33				KM SD	4.877			95% KM (BCA) UCL	2.004			
34				95% KM (t) UCL	1.909			95% KM (Percentile Bootstrap) UCL	1.96			
35				95% KM (z) UCL	1.905			95% KM Bootstrap t UCL	2.534			
36				90% KM Chebyshev UCL	2.452			95% KM Chebyshev UCL	3.001			
37				97.5% KM Chebyshev UCL	3.762			99% KM Chebyshev UCL	5.258			
38												
39	**Gamma GOF Tests on Detected Observations Only**											
40				A-D Test Statistic	12.13			**Anderson-Darling GOF Test**				
41				5% A-D Critical Value	0.861			Detected Data Not Gamma Distributed at 5% Significance Level				
42				K-S Test Statistic	0.242			**Kolmogorov-Smirnov GOF**				
43				5% K-S Critical Value	0.0886			Detected Data Not Gamma Distributed at 5% Significance Level				
44	**Detected Data Not Gamma Distributed at 5% Significance Level**											
45												
46	**Gamma Statistics on Detected Data Only**											
47				k hat (MLE)	0.331			k star (bias corrected MLE)	0.328			
48				Theta hat (MLE)	4.268			Theta star (bias corrected MLE)	4.301			
49				nu hat (MLE)	85.31			nu star (bias corrected)	84.66			
50				Mean (detects)	1.411							
51												

52	**Gamma ROS Statistics using Imputed Non-Detects**											
53	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
54	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
55	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
56	This is especially true when the sample size is small.											
57	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
58					Minimum	0.0012				Mean	1.24	
59					Maximum	48				Median	0.11	
60					SD	4.893				CV	3.947	
61					k hat (MLE)	0.302				k star (bias corrected MLE)	0.301	
62					Theta hat (MLE)	4.1				Theta star (bias corrected MLE)	4.123	
63					nu hat (MLE)	88.89				nu star (bias corrected)	88.41	
64					Adjusted Level of Significance (β)	0.0484						
65					Approximate Chi Square Value (88.41, α)	67.73				Adjusted Chi Square Value (88.41, β)	67.56	
66					95% Gamma Approximate UCL (use when n>=50)	1.618				95% Gamma Adjusted UCL (use when n<50)	1.622	
67												
68	**Estimates of Gamma Parameters using KM Estimates**											
69					Mean (KM)	1.241				SD (KM)	4.877	
70					Variance (KM)	23.78				SE of Mean (KM)	0.404	
71					k hat (KM)	0.0647				k star (KM)	0.0679	
72					nu hat (KM)	19.03				nu star (KM)	19.97	
73					theta hat (KM)	19.17				theta star (KM)	18.26	
74					80% gamma percentile (KM)	0.414				90% gamma percentile (KM)	2.613	
75					95% gamma percentile (KM)	7.108				99% gamma percentile (KM)	23.7	
76												
77	**Gamma Kaplan-Meier (KM) Statistics**											
78					Approximate Chi Square Value (19.97, α)	10.83				Adjusted Chi Square Value (19.97, β)	10.76	
79					95% Gamma Approximate KM-UCL (use when n>=50)	2.288				95% Gamma Adjusted KM-UCL (use when n<50)	2.302	
80												
81	**Lognormal GOF Test on Detected Observations Only**											
82					Shapiro Wilk Approximate Test Statistic	0.968				**Shapiro Wilk GOF Test**		
83					5% Shapiro Wilk P Value	0.05				Detected Data Not Lognormal at 5% Significance Level		
84					Lilliefors Test Statistic	0.0849				**Lilliefors GOF Test**		
85					5% Lilliefors Critical Value	0.0784				Detected Data Not Lognormal at 5% Significance Level		
86	**Detected Data Not Lognormal at 5% Significance Level**											
87												
88	**Lognormal ROS Statistics Using Imputed Non-Detects**											
89					Mean in Original Scale	1.24				Mean in Log Scale	-2.122	
90					SD in Original Scale	4.893				SD in Log Scale	2.072	
91					95% t UCL (assumes normality of ROS data)	1.908				95% Percentile Bootstrap UCL	1.931	
92					95% BCA Bootstrap UCL	2.241				95% Bootstrap t UCL	2.524	
93					95% H-UCL (Log ROS)	1.83						
94												
95	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
96					KM Mean (logged)	-2.186				KM Geo Mean	0.112	
97					KM SD (logged)	2.197				95% Critical H Value (KM-Log)	3.531	
98					KM Standard Error of Mean (logged)	0.186				95% H-UCL (KM -Log)	2.383	
99					KM SD (logged)	2.197				95% Critical H Value (KM-Log)	3.531	
100					KM Standard Error of Mean (logged)	0.186						
101												

102	**DL/2 Statistics**											
103	**DL/2 Normal**						**DL/2 Log-Transformed**					
104					Mean in Original Scale	1.243				Mean in Log Scale	-2.085	
105					SD in Original Scale	4.893				SD in Log Scale	2.053	
106					95% t UCL (Assumes normality)	1.911				95% H-Stat UCL	1.807	
107	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
108												
109	**Nonparametric Distribution Free UCL Statistics**											
110	**Data do not follow a Discernible Distribution at 5% Significance Level**											
111												
112	**Suggested UCL to Use**											
113					95% KM (Chebyshev) UCL	3.001						
114												
115	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
116	Recommendations are based upon data size, data distribution, and skewness.											
117	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
118	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
119												
120	**Benzo[a]pyrene**											
121												
122	**General Statistics**											
123					Total Number of Observations	147				Number of Distinct Observations	105	
124					Number of Detects	117				Number of Non-Detects	30	
125					Number of Distinct Detects	90				Number of Distinct Non-Detects	21	
126					Minimum Detect	0.0017				Minimum Non-Detect	0.0038	
127					Maximum Detect	28				Maximum Non-Detect	0.76	
128					Variance Detects	15.91				Percent Non-Detects	20.41%	
129					Mean Detects	1.282				SD Detects	3.989	
130					Median Detects	0.17				CV Detects	3.111	
131					Skewness Detects	4.989				Kurtosis Detects	27.13	
132					Mean of Logged Detects	-1.611				SD of Logged Detects	1.793	
133												
134	**Normal GOF Test on Detects Only**											
135					Shapiro Wilk Test Statistic	0.353	**Normal GOF Test on Detected Observations Only**					
136					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
137					Lilliefors Test Statistic	0.408	**Lilliefors GOF Test**					
138					5% Lilliefors Critical Value	0.0822	Detected Data Not Normal at 5% Significance Level					
139	**Detected Data Not Normal at 5% Significance Level**											
140												
141	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
142					KM Mean	1.023				KM Standard Error of Mean	0.297	
143					KM SD	3.58				95% KM (BCA) UCL	1.482	
144					95% KM (t) UCL	1.514				95% KM (Percentile Bootstrap) UCL	1.518	
145					95% KM (z) UCL	1.511				95% KM Bootstrap t UCL	1.823	
146					90% KM Chebyshev UCL	1.913				95% KM Chebyshev UCL	2.316	
147					97.5% KM Chebyshev UCL	2.875				99% KM Chebyshev UCL	3.974	
148												
149	**Gamma GOF Tests on Detected Observations Only**											
150					A-D Test Statistic	10.17	**Anderson-Darling GOF Test**					
151					5% A-D Critical Value	0.853	Detected Data Not Gamma Distributed at 5% Significance Level					

152					K-S Test Statistic	0.247	**Kolmogorov-Smirnov GOF**					
153					5% K-S Critical Value	0.0916	Detected Data Not Gamma Distributed at 5% Significance Level					
154	**Detected Data Not Gamma Distributed at 5% Significance Level**											
155												
156	**Gamma Statistics on Detected Data Only**											
157					k hat (MLE)	0.36				k star (bias corrected MLE)		0.356
158					Theta hat (MLE)	3.562				Theta star (bias corrected MLE)		3.597
159					nu hat (MLE)	84.24				nu star (bias corrected)		83.42
160					Mean (detects)	1.282						
161												
162	**Gamma ROS Statistics using Imputed Non-Detects**											
163	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
164	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
165	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
166	This is especially true when the sample size is small.											
167	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
168					Minimum	0.0017				Mean		1.023
169					Maximum	28				Median		0.11
170					SD	3.593				CV		3.513
171					k hat (MLE)	0.306				k star (bias corrected MLE)		0.305
172					Theta hat (MLE)	3.339				Theta star (bias corrected MLE)		3.358
173					nu hat (MLE)	90.04				nu star (bias corrected)		89.53
174					Adjusted Level of Significance (β)	0.0484						
175					Approximate Chi Square Value (89.53, α)	68.72				Adjusted Chi Square Value (89.53, β)		68.54
176					95% Gamma Approximate UCL (use when n>=50)	1.332				95% Gamma Adjusted UCL (use when n<50)		1.336
177												
178	**Estimates of Gamma Parameters using KM Estimates**											
179					Mean (KM)	1.023				SD (KM)		3.58
180					Variance (KM)	12.82				SE of Mean (KM)		0.297
181					k hat (KM)	0.0817				k star (KM)		0.0845
182					nu hat (KM)	24.01				nu star (KM)		24.85
183					theta hat (KM)	12.53				theta star (KM)		12.1
184					80% gamma percentile (KM)	0.54				90% gamma percentile (KM)		2.507
185					95% gamma percentile (KM)	5.96				99% gamma percentile (KM)		17.65
186												
187	**Gamma Kaplan-Meier (KM) Statistics**											
188					Approximate Chi Square Value (24.85, α)	14.5				Adjusted Chi Square Value (24.85, β)		14.42
189					95% Gamma Approximate KM-UCL (use when n>=50)	1.754				95% Gamma Adjusted KM-UCL (use when n<50)		1.763
190												
191	**Lognormal GOF Test on Detected Observations Only**											
192					Shapiro Wilk Approximate Test Statistic	0.965	**Shapiro Wilk GOF Test**					
193					5% Shapiro Wilk P Value	0.0375	Detected Data Not Lognormal at 5% Significance Level					
194					Lilliefors Test Statistic	0.085	**Lilliefors GOF Test**					
195					5% Lilliefors Critical Value	0.0822	Detected Data Not Lognormal at 5% Significance Level					
196	**Detected Data Not Lognormal at 5% Significance Level**											
197												
198	**Lognormal ROS Statistics Using Imputed Non-Detects**											
199					Mean in Original Scale	1.023				Mean in Log Scale		-2.292
200					SD in Original Scale	3.593				SD in Log Scale		2.118
201					95% t UCL (assumes normality of ROS data)	1.513				95% Percentile Bootstrap UCL		1.508
202					95% BCA Bootstrap UCL	1.67				95% Bootstrap t UCL		1.816
203					95% H-UCL (Log ROS)	1.736						

204												
205	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
206					KM Mean (logged)	-2.437			KM Geo Mean	0.0874		
207					KM SD (logged)	2.332			95% Critical H Value (KM-Log)	3.7		
208					KM Standard Error of Mean (logged)	0.197			95% H-UCL (KM -Log)	2.71		
209					KM SD (logged)	2.332			95% Critical H Value (KM-Log)	3.7		
210					KM Standard Error of Mean (logged)	0.197						
211												
212	**DL/2 Statistics**											
213				**DL/2 Normal**				**DL/2 Log-Transformed**				
214					Mean in Original Scale	1.026			Mean in Log Scale	-2.278		
215					SD in Original Scale	3.592			SD in Log Scale	2.143		
216					95% t UCL (Assumes normality)	1.516			95% H-Stat UCL	1.883		
217	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
218												
219	**Nonparametric Distribution Free UCL Statistics**											
220	**Data do not follow a Discernible Distribution at 5% Significance Level**											
221												
222	**Suggested UCL to Use**											
223					95% KM (Chebyshev) UCL	2.316						
224												
225	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
226	Recommendations are based upon data size, data distribution, and skewness.											
227	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
228	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
229												
230	**Benzo[b]fluoranthene**											
231												
232	**General Statistics**											
233					Total Number of Observations	147			Number of Distinct Observations	95		
234					Number of Detects	121			Number of Non-Detects	26		
235					Number of Distinct Detects	83			Number of Distinct Non-Detects	13		
236					Minimum Detect	0.0044			Minimum Non-Detect	0.004		
237					Maximum Detect	31			Maximum Non-Detect	1.2		
238					Variance Detects	14.24			Percent Non-Detects	17.69%		
239					Mean Detects	1.397			SD Detects	3.774		
240					Median Detects	0.35			CV Detects	2.702		
241					Skewness Detects	5.623			Kurtosis Detects	37.26		
242					Mean of Logged Detects	-1.089			SD of Logged Detects	1.655		
243												
244	**Normal GOF Test on Detects Only**											
245					Shapiro Wilk Test Statistic	0.389			**Normal GOF Test on Detected Observations Only**			
246					5% Shapiro Wilk P Value	0			Detected Data Not Normal at 5% Significance Level			
247					Lilliefors Test Statistic	0.356			**Lilliefors GOF Test**			
248					5% Lilliefors Critical Value	0.0809			Detected Data Not Normal at 5% Significance Level			
249	**Detected Data Not Normal at 5% Significance Level**											
250												
251	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
252					KM Mean	1.153			KM Standard Error of Mean	0.286		
253					KM SD	3.45			95% KM (BCA) UCL	1.718		
254					95% KM (t) UCL	1.626			95% KM (Percentile Bootstrap) UCL	1.666		
255					95% KM (z) UCL	1.623			95% KM Bootstrap t UCL	1.981		

	A	B	C	D	E	F	G	H	I	J	K	L
256					90% KM Chebyshev UCL	2.011				95% KM Chebyshev UCL		2.399
257					97.5% KM Chebyshev UCL	2.938				99% KM Chebyshev UCL		3.996
258												
259					**Gamma GOF Tests on Detected Observations Only**							
260					A-D Test Statistic	5.84	**Anderson-Darling GOF Test**					
261					5% A-D Critical Value	0.83	Detected Data Not Gamma Distributed at 5% Significance Level					
262					K-S Test Statistic	0.177	**Kolmogorov-Smirnov GOF**					
263					5% K-S Critical Value	0.0894	Detected Data Not Gamma Distributed at 5% Significance Level					
264					**Detected Data Not Gamma Distributed at 5% Significance Level**							
265												
266					**Gamma Statistics on Detected Data Only**							
267					k hat (MLE)	0.453	k star (bias corrected MLE)					0.447
268					Theta hat (MLE)	3.082	Theta star (bias corrected MLE)					3.121
269					nu hat (MLE)	109.7	nu star (bias corrected)					108.3
270					Mean (detects)	1.397						
271												
272					**Gamma ROS Statistics using Imputed Non-Detects**							
273					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
274					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
275					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
276					This is especially true when the sample size is small.							
277					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
278					Minimum	0.0044	Mean					1.151
279					Maximum	31	Median					0.21
280					SD	3.462	CV					3.007
281					k hat (MLE)	0.361	k star (bias corrected MLE)					0.358
282					Theta hat (MLE)	3.187	Theta star (bias corrected MLE)					3.213
283					nu hat (MLE)	106.2	nu star (bias corrected)					105.4
284					Adjusted Level of Significance (β)	0.0484						
285					Approximate Chi Square Value (105.36, α)	82.67	Adjusted Chi Square Value (105.36, β)					82.48
286					95% Gamma Approximate UCL (use when n>=50)	1.467	95% Gamma Adjusted UCL (use when n<50)					1.471
287												
288					**Estimates of Gamma Parameters using KM Estimates**							
289					Mean (KM)	1.153	SD (KM)					3.45
290					Variance (KM)	11.9	SE of Mean (KM)					0.286
291					k hat (KM)	0.112	k star (KM)					0.114
292					nu hat (KM)	32.87	nu star (KM)					33.53
293					theta hat (KM)	10.32	theta star (KM)					10.11
294					80% gamma percentile (KM)	0.953	90% gamma percentile (KM)					3.22
295					95% gamma percentile (KM)	6.622	99% gamma percentile (KM)					17.14
296												
297					**Gamma Kaplan-Meier (KM) Statistics**							
298					Approximate Chi Square Value (33.53, α)	21.29	Adjusted Chi Square Value (33.53, β)					21.19
299					95% Gamma Approximate KM-UCL (use when n>=50)	1.817	95% Gamma Adjusted KM-UCL (use when n<50)					1.825
300												
301					**Lognormal GOF Test on Detected Observations Only**							
302					Shapiro Wilk Approximate Test Statistic	0.985	**Shapiro Wilk GOF Test**					
303					5% Shapiro Wilk P Value	0.757	Detected Data appear Lognormal at 5% Significance Level					
304					Lilliefors Test Statistic	0.047	**Lilliefors GOF Test**					
305					5% Lilliefors Critical Value	0.0809	Detected Data appear Lognormal at 5% Significance Level					
306					**Detected Data appear Lognormal at 5% Significance Level**							
307												

308	**Lognormal ROS Statistics Using Imputed Non-Detects**											
309					Mean in Original Scale	1.153				Mean in Log Scale	-1.668	
310					SD in Original Scale	3.462				SD in Log Scale	1.987	
311					95% t UCL (assumes normality of ROS data)	1.626				95% Percentile Bootstrap UCL	1.659	
312					95% BCA Bootstrap UCL	1.835				95% Bootstrap t UCL	1.963	
313					95% H-UCL (Log ROS)	2.325						
314												
315	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
316					KM Mean (logged)	-1.769				KM Geo Mean	0.17	
317					KM SD (logged)	2.138				95% Critical H Value (KM-Log)	3.458	
318					KM Standard Error of Mean (logged)	0.18				95% H-UCL (KM -Log)	3.088	
319					KM SD (logged)	2.138				95% Critical H Value (KM-Log)	3.458	
320					KM Standard Error of Mean (logged)	0.18						
321												
322	**DL/2 Statistics**											
323	**DL/2 Normal**						**DL/2 Log-Transformed**					
324					Mean in Original Scale	1.157				Mean in Log Scale	-1.679	
325					SD in Original Scale	3.461				SD in Log Scale	2.039	
326					95% t UCL (Assumes normality)	1.63				95% H-Stat UCL	2.62	
327	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
328												
329	**Nonparametric Distribution Free UCL Statistics**											
330	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
331												
332	**Suggested UCL to Use**											
333					KM H-UCL	3.088						
334												
335	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
336	Recommendations are based upon data size, data distribution, and skewness.											
337	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
338	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
339												
340	**Benzo[k]fluoranthene**											
341												
342	**General Statistics**											
343					Total Number of Observations	147				Number of Distinct Observations	106	
344					Number of Detects	84				Number of Non-Detects	63	
345					Number of Distinct Detects	72				Number of Distinct Non-Detects	37	
346					Minimum Detect	0.0015				Minimum Non-Detect	9.8000E-4	
347					Maximum Detect	14				Maximum Non-Detect	1.5	
348					Variance Detects	3.071				Percent Non-Detects	42.86%	
349					Mean Detects	0.606				SD Detects	1.752	
350					Median Detects	0.135				CV Detects	2.894	
351					Skewness Detects	6.025				Kurtosis Detects	42.47	
352					Mean of Logged Detects	-1.902				SD of Logged Detects	1.586	
353												
354	**Normal GOF Test on Detects Only**											
355					Shapiro Wilk Test Statistic	0.36	**Normal GOF Test on Detected Observations Only**					
356					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
357					Lilliefors Test Statistic	0.382	**Lilliefors GOF Test**					
358					5% Lilliefors Critical Value	0.0968	Detected Data Not Normal at 5% Significance Level					
359	**Detected Data Not Normal at 5% Significance Level**											

360												
361	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
362					KM Mean	0.352			KM Standard Error of Mean	0.112		
363					KM SD	1.35			95% KM (BCA) UCL	0.576		
364					95% KM (t) UCL	0.537			95% KM (Percentile Bootstrap) UCL	0.549		
365					95% KM (z) UCL	0.536			95% KM Bootstrap t UCL	0.742		
366					90% KM Chebyshev UCL	0.688			95% KM Chebyshev UCL	0.84		
367					97.5% KM Chebyshev UCL	1.051			99% KM Chebyshev UCL	1.466		
368												
369	**Gamma GOF Tests on Detected Observations Only**											
370					A-D Test Statistic	5.287			**Anderson-Darling GOF Test**			
371					5% A-D Critical Value	0.828			Detected Data Not Gamma Distributed at 5% Significance Level			
372					K-S Test Statistic	0.203			**Kolmogorov-Smirnov GOF**			
373					5% K-S Critical Value	0.104			Detected Data Not Gamma Distributed at 5% Significance Level			
374	**Detected Data Not Gamma Distributed at 5% Significance Level**											
375												
376	**Gamma Statistics on Detected Data Only**											
377					k hat (MLE)	0.46			k star (bias corrected MLE)	0.451		
378					Theta hat (MLE)	1.318			Theta star (bias corrected MLE)	1.343		
379					nu hat (MLE)	77.2			nu star (bias corrected)	75.78		
380					Mean (detects)	0.606						
381												
382	**Gamma ROS Statistics using Imputed Non-Detects**											
383	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
384	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
385	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
386	This is especially true when the sample size is small.											
387	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
388					Minimum	0.0015			Mean	0.35		
389					Maximum	14			Median	0.028		
390					SD	1.354			CV	3.865		
391					k hat (MLE)	0.336			k star (bias corrected MLE)	0.334		
392					Theta hat (MLE)	1.041			Theta star (bias corrected MLE)	1.049		
393					nu hat (MLE)	98.91			nu star (bias corrected)	98.22		
394					Adjusted Level of Significance (β)	0.0484						
395					Approximate Chi Square Value (98.22, α)	76.36			Adjusted Chi Square Value (98.22, β)	76.17		
396					95% Gamma Approximate UCL (use when n>=50)	0.451			95% Gamma Adjusted UCL (use when n<50)	0.452		
397												
398	**Estimates of Gamma Parameters using KM Estimates**											
399					Mean (KM)	0.352			SD (KM)	1.35		
400					Variance (KM)	1.821			SE of Mean (KM)	0.112		
401					k hat (KM)	0.0679			k star (KM)	0.0711		
402					nu hat (KM)	19.97			nu star (KM)	20.9		
403					theta hat (KM)	5.178			theta star (KM)	4.948		
404					80% gamma percentile (KM)	0.131			90% gamma percentile (KM)	0.768		
405					95% gamma percentile (KM)	2.027			99% gamma percentile (KM)	6.582		
406												
407	**Gamma Kaplan-Meier (KM) Statistics**											
408					Approximate Chi Square Value (20.90, α)	11.52			Adjusted Chi Square Value (20.90, β)	11.45		
409					95% Gamma Approximate KM-UCL (use when n>=50)	0.638			95% Gamma Adjusted KM-UCL (use when n<50)	0.642		
410												

411	**Lognormal GOF Test on Detected Observations Only**											
412					Shapiro Wilk Approximate Test Statistic	0.982	**Shapiro Wilk GOF Test**					
413					5% Shapiro Wilk P Value	0.684	Detected Data appear Lognormal at 5% Significance Level					
414					Lilliefors Test Statistic	0.0745	**Lilliefors GOF Test**					
415					5% Lilliefors Critical Value	0.0968	Detected Data appear Lognormal at 5% Significance Level					
416	**Detected Data appear Lognormal at 5% Significance Level**											
417												
418	**Lognormal ROS Statistics Using Imputed Non-Detects**											
419					Mean in Original Scale	0.35	Mean in Log Scale	-3.298				
420					SD in Original Scale	1.354	SD in Log Scale	2.095				
421					95% t UCL (assumes normality of ROS data)	0.535	95% Percentile Bootstrap UCL	0.558				
422					95% BCA Bootstrap UCL	0.629	95% Bootstrap t UCL	0.781				
423					95% H-UCL (Log ROS)	0.598						
424												
425	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
426					KM Mean (logged)	-3.722	KM Geo Mean	0.0242				
427					KM SD (logged)	2.588	95% Critical H Value (KM-Log)	4.025				
428					KM Standard Error of Mean (logged)	0.231	95% H-UCL (KM -Log)	1.629				
429					KM SD (logged)	2.588	95% Critical H Value (KM-Log)	4.025				
430					KM Standard Error of Mean (logged)	0.231						
431												
432	**DL/2 Statistics**											
433	**DL/2 Normal**						**DL/2 Log-Transformed**					
434					Mean in Original Scale	0.368	Mean in Log Scale	-3.064				
435					SD in Original Scale	1.353	SD in Log Scale	2.103				
436					95% t UCL (Assumes normality)	0.553	95% H-Stat UCL	0.772				
437	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
438												
439	**Nonparametric Distribution Free UCL Statistics**											
440	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
441												
442	**Suggested UCL to Use**											
443					KM H-UCL	1.629						
444												
445	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
446	Recommendations are based upon data size, data distribution, and skewness.											
447	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
448	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
449												
450	**Chrysene**											
451												
452	**General Statistics**											
453					Total Number of Observations	147	Number of Distinct Observations	107				
454					Number of Detects	125	Number of Non-Detects	22				
455					Number of Distinct Detects	94	Number of Distinct Non-Detects	16				
456					Minimum Detect	0.0018	Minimum Non-Detect	0.001				
457					Maximum Detect	87	Maximum Non-Detect	0.9				
458					Variance Detects	92.38	Percent Non-Detects	14.97%				
459					Mean Detects	2.442	SD Detects	9.611				
460					Median Detects	0.21	CV Detects	3.936				
461					Skewness Detects	6.611	Kurtosis Detects	51.18				
462					Mean of Logged Detects	-1.356	SD of Logged Detects	1.878				

463												
464	**Normal GOF Test on Detects Only**											
465					Shapiro Wilk Test Statistic	0.286	**Normal GOF Test on Detected Observations Only**					
466					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
467					Lilliefors Test Statistic	0.415	**Lilliefors GOF Test**					
468					5% Lilliefors Critical Value	0.0796	Detected Data Not Normal at 5% Significance Level					
469	**Detected Data Not Normal at 5% Significance Level**											
470												
471	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
472					KM Mean	2.079	KM Standard Error of Mean	0.735				
473					KM SD	8.87	95% KM (BCA) UCL	3.529				
474					95% KM (t) UCL	3.294	95% KM (Percentile Bootstrap) UCL	3.414				
475					95% KM (z) UCL	3.287	95% KM Bootstrap t UCL	4.492				
476					90% KM Chebyshev UCL	4.282	95% KM Chebyshev UCL	5.28				
477					97.5% KM Chebyshev UCL	6.666	99% KM Chebyshev UCL	9.387				
478												
479	**Gamma GOF Tests on Detected Observations Only**											
480					A-D Test Statistic	13.28	**Anderson-Darling GOF Test**					
481					5% A-D Critical Value	0.867	Detected Data Not Gamma Distributed at 5% Significance Level					
482					K-S Test Statistic	0.259	**Kolmogorov-Smirnov GOF**					
483					5% K-S Critical Value	0.09	Detected Data Not Gamma Distributed at 5% Significance Level					
484	**Detected Data Not Gamma Distributed at 5% Significance Level**											
485												
486	**Gamma Statistics on Detected Data Only**											
487					k hat (MLE)	0.306	k star (bias corrected MLE)	0.304				
488					Theta hat (MLE)	7.987	Theta star (bias corrected MLE)	8.04				
489					nu hat (MLE)	76.43	nu star (bias corrected)	75.93				
490					Mean (detects)	2.442						
491												
492	**Gamma ROS Statistics using Imputed Non-Detects**											
493	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
494	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
495	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
496	This is especially true when the sample size is small.											
497	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
498					Minimum	0.0018	Mean	2.078				
499					Maximum	87	Median	0.15				
500					SD	8.9	CV	4.283				
501					k hat (MLE)	0.272	k star (bias corrected MLE)	0.271				
502					Theta hat (MLE)	7.633	Theta star (bias corrected MLE)	7.662				
503					nu hat (MLE)	80.03	nu star (bias corrected)	79.73				
504					Adjusted Level of Significance (β)	0.0484						
505					Approximate Chi Square Value (79.73, α)	60.16	Adjusted Chi Square Value (79.73, β)	59.99				
506					95% Gamma Approximate UCL (use when n>=50)	2.754	95% Gamma Adjusted UCL (use when n<50)	2.762				
507												
508	**Estimates of Gamma Parameters using KM Estimates**											
509					Mean (KM)	2.079	SD (KM)	8.87				
510					Variance (KM)	78.67	SE of Mean (KM)	0.735				
511					k hat (KM)	0.0549	k star (KM)	0.0583				
512					nu hat (KM)	16.15	nu star (KM)	17.15				
513					theta hat (KM)	37.85	theta star (KM)	35.63				

514	80% gamma percentile (KM)				0.463	90% gamma percentile (KM)						3.799
515	95% gamma percentile (KM)				11.57	99% gamma percentile (KM)						42.44
516												
517	**Gamma Kaplan-Meier (KM) Statistics**											
518	Approximate Chi Square Value (17.15, α)				8.779	Adjusted Chi Square Value (17.15, β)						8.72
519	95% Gamma Approximate KM-UCL (use when n>=50)				4.06	95% Gamma Adjusted KM-UCL (use when n<50)						4.088
520												
521	**Lognormal GOF Test on Detected Observations Only**											
522	Shapiro Wilk Approximate Test Statistic				0.964	**Shapiro Wilk GOF Test**						
523	5% Shapiro Wilk P Value				0.0246	Detected Data Not Lognormal at 5% Significance Level						
524	Lilliefors Test Statistic				0.0928	**Lilliefors GOF Test**						
525	5% Lilliefors Critical Value				0.0796	Detected Data Not Lognormal at 5% Significance Level						
526	**Detected Data Not Lognormal at 5% Significance Level**											
527												
528	**Lognormal ROS Statistics Using Imputed Non-Detects**											
529	Mean in Original Scale				2.078	Mean in Log Scale						-1.894
530	SD in Original Scale				8.9	SD in Log Scale						2.181
531	95% t UCL (assumes normality of ROS data)				3.293	95% Percentile Bootstrap UCL						3.446
532	95% BCA Bootstrap UCL				3.933	95% Bootstrap t UCL						4.672
533	95% H-UCL (Log ROS)				3.059							
534												
535	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
536	KM Mean (logged)				-1.997	KM Geo Mean						0.136
537	KM SD (logged)				2.362	95% Critical H Value (KM-Log)						3.738
538	KM Standard Error of Mean (logged)				0.201	95% H-UCL (KM -Log)						4.59
539	KM SD (logged)				2.362	95% Critical H Value (KM-Log)						3.738
540	KM Standard Error of Mean (logged)				0.201							
541												
542	**DL/2 Statistics**											
543	**DL/2 Normal**					**DL/2 Log-Transformed**						
544	Mean in Original Scale				2.081	Mean in Log Scale						-1.869
545	SD in Original Scale				8.9	SD in Log Scale						2.184
546	95% t UCL (Assumes normality)				3.296	95% H-Stat UCL						3.159
547	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
548												
549	**Nonparametric Distribution Free UCL Statistics**											
550	**Data do not follow a Discernible Distribution at 5% Significance Level**											
551												
552	**Suggested UCL to Use**											
553	95% KM (Chebyshev) UCL				5.28							
554												
555	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
556	Recommendations are based upon data size, data distribution, and skewness.											
557	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
558	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
559												
560	**Dibenz(a,h)anthracene**											
561												
562	**General Statistics**											
563	Total Number of Observations				147	Number of Distinct Observations						99
564	Number of Detects				48	Number of Non-Detects						99
565	Number of Distinct Detects				44	Number of Distinct Non-Detects						65

566					Minimum Detect	0.0094					Minimum Non-Detect	9.7000E-4
567					Maximum Detect	5.9					Maximum Non-Detect	0.84
568					Variance Detects	1.733					Percent Non-Detects	67.35%
569					Mean Detects	0.618					SD Detects	1.317
570					Median Detects	0.0945					CV Detects	2.131
571					Skewness Detects	2.866					Kurtosis Detects	8.016
572					Mean of Logged Detects	-2.088					SD of Logged Detects	1.724
573												
574					**Normal GOF Test on Detects Only**							
575					Shapiro Wilk Test Statistic	0.519			**Shapiro Wilk GOF Test**			
576					5% Shapiro Wilk Critical Value	0.947			Detected Data Not Normal at 5% Significance Level			
577					Lilliefors Test Statistic	0.366			**Lilliefors GOF Test**			
578					5% Lilliefors Critical Value	0.127			Detected Data Not Normal at 5% Significance Level			
579					**Detected Data Not Normal at 5% Significance Level**							
580												
581					**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**							
582					KM Mean	0.203			KM Standard Error of Mean			0.0666
583					KM SD	0.798			95% KM (BCA) UCL			0.318
584					95% KM (t) UCL	0.314			95% KM (Percentile Bootstrap) UCL			0.316
585					95% KM (z) UCL	0.313			95% KM Bootstrap t UCL			0.374
586					90% KM Chebyshev UCL	0.403			95% KM Chebyshev UCL			0.494
587					97.5% KM Chebyshev UCL	0.619			99% KM Chebyshev UCL			0.866
588												
589					**Gamma GOF Tests on Detected Observations Only**							
590					A-D Test Statistic	3.919			**Anderson-Darling GOF Test**			
591					5% A-D Critical Value	0.836			Detected Data Not Gamma Distributed at 5% Significance Level			
592					K-S Test Statistic	0.271			**Kolmogorov-Smirnov GOF**			
593					5% K-S Critical Value	0.137			Detected Data Not Gamma Distributed at 5% Significance Level			
594					**Detected Data Not Gamma Distributed at 5% Significance Level**							
595												
596					**Gamma Statistics on Detected Data Only**							
597					k hat (MLE)	0.408			k star (bias corrected MLE)			0.397
598					Theta hat (MLE)	1.513			Theta star (bias corrected MLE)			1.557
599					nu hat (MLE)	39.2			nu star (bias corrected)			38.09
600					Mean (detects)	0.618						
601												
602					**Gamma ROS Statistics using Imputed Non-Detects**							
603					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
604					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
605					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
606					This is especially true when the sample size is small.							
607					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
608					Minimum	0.0094			Mean			0.208
609					Maximum	5.9			Median			0.01
610					SD	0.8			CV			3.837
611					k hat (MLE)	0.31			k star (bias corrected MLE)			0.308
612					Theta hat (MLE)	0.673			Theta star (bias corrected MLE)			0.677
613					nu hat (MLE)	91.05			nu star (bias corrected)			90.52
614					Adjusted Level of Significance (β)	0.0484						
615					Approximate Chi Square Value (90.52, α)	69.59			Adjusted Chi Square Value (90.52, β)			69.41
616					95% Gamma Approximate UCL (use when n>=50)	0.271			95% Gamma Adjusted UCL (use when n<50)			0.272
617												

	A	B	C	D	E	F	G	H	I	J	K	L
618	**Estimates of Gamma Parameters using KM Estimates**											
619					Mean (KM)	0.203				SD (KM)		0.798
620					Variance (KM)	0.638				SE of Mean (KM)		0.0666
621					k hat (KM)	0.0649				k star (KM)		0.0682
622					nu hat (KM)	19.09				nu star (KM)		20.04
623					theta hat (KM)	3.133				theta star (KM)		2.986
624					80% gamma percentile (KM)	0.0684				90% gamma percentile (KM)		0.43
625					95% gamma percentile (KM)	1.166				99% gamma percentile (KM)		3.881
626												
627	**Gamma Kaplan-Meier (KM) Statistics**											
628					Approximate Chi Square Value (20.04, α)	10.88				Adjusted Chi Square Value (20.04, β)		10.81
629					95% Gamma Approximate KM-UCL (use when n>=50)	0.375				95% Gamma Adjusted KM-UCL (use when n<50)		0.377
630												
631	**Lognormal GOF Test on Detected Observations Only**											
632					Shapiro Wilk Test Statistic	0.919			**Shapiro Wilk GOF Test**			
633					5% Shapiro Wilk Critical Value	0.947			Detected Data Not Lognormal at 5% Significance Level			
634					Lilliefors Test Statistic	0.15			**Lilliefors GOF Test**			
635					5% Lilliefors Critical Value	0.127			Detected Data Not Lognormal at 5% Significance Level			
636	**Detected Data Not Lognormal at 5% Significance Level**											
637												
638	**Lognormal ROS Statistics Using Imputed Non-Detects**											
639					Mean in Original Scale	0.203				Mean in Log Scale		-5.397
640					SD in Original Scale	0.801				SD in Log Scale		2.63
641					95% t UCL (assumes normality of ROS data)	0.312				95% Percentile Bootstrap UCL		0.323
642					95% BCA Bootstrap UCL	0.345				95% Bootstrap t UCL		0.377
643					95% H-UCL (Log ROS)	0.35						
644												
645	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
646					KM Mean (logged)	-5.253				KM Geo Mean		0.00523
647					KM SD (logged)	2.478				95% Critical H Value (KM-Log)		3.885
648					KM Standard Error of Mean (logged)	0.212				95% H-UCL (KM -Log)		0.25
649					KM SD (logged)	2.478				95% Critical H Value (KM-Log)		3.885
650					KM Standard Error of Mean (logged)	0.212						
651												
652	**DL/2 Statistics**											
653				**DL/2 Normal**					**DL/2 Log-Transformed**			
654					Mean in Original Scale	0.211				Mean in Log Scale		-4.226
655					SD in Original Scale	0.8				SD in Log Scale		2.049
656					95% t UCL (Assumes normality)	0.321				95% H-Stat UCL		0.21
657	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
658												
659	**Nonparametric Distribution Free UCL Statistics**											
660	**Data do not follow a Discernible Distribution at 5% Significance Level**											
661												
662	**Suggested UCL to Use**											
663					95% KM (Chebyshev) UCL	0.494						
664												
665	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
666	Recommendations are based upon data size, data distribution, and skewness.											
667	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
668	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
669												

670	**Indeno[1,2,3-cd]pyrene**											
671												
672	**General Statistics**											
673						Total Number of Observations	147			Number of Distinct Observations	108	
674						Number of Detects	114			Number of Non-Detects	33	
675						Number of Distinct Detects	88			Number of Distinct Non-Detects	24	
676						Minimum Detect	0.0021			Minimum Non-Detect	9.7000E-4	
677						Maximum Detect	18			Maximum Non-Detect	0.78	
678						Variance Detects	4.061			Percent Non-Detects	22.45%	
679						Mean Detects	0.686			SD Detects	2.015	
680						Median Detects	0.135			CV Detects	2.938	
681						Skewness Detects	6.445			Kurtosis Detects	50.03	
682						Mean of Logged Detects	-1.803			SD of Logged Detects	1.575	
683												
684	**Normal GOF Test on Detects Only**											
685						Shapiro Wilk Test Statistic	0.36			**Normal GOF Test on Detected Observations Only**		
686						5% Shapiro Wilk P Value	0			Detected Data Not Normal at 5% Significance Level		
687						Lilliefors Test Statistic	0.367			**Lilliefors GOF Test**		
688						5% Lilliefors Critical Value	0.0833			Detected Data Not Normal at 5% Significance Level		
689	**Detected Data Not Normal at 5% Significance Level**											
690												
691	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
692						KM Mean	0.534			KM Standard Error of Mean	0.148	
693						KM SD	1.789			95% KM (BCA) UCL	0.806	
694						95% KM (t) UCL	0.78			95% KM (Percentile Bootstrap) UCL	0.8	
695						95% KM (z) UCL	0.778			95% KM Bootstrap t UCL	1.019	
696						90% KM Chebyshev UCL	0.979			95% KM Chebyshev UCL	1.18	
697						97.5% KM Chebyshev UCL	1.46			99% KM Chebyshev UCL	2.009	
698												
699	**Gamma GOF Tests on Detected Observations Only**											
700						A-D Test Statistic	7.651			**Anderson-Darling GOF Test**		
701						5% A-D Critical Value	0.83			Detected Data Not Gamma Distributed at 5% Significance Level		
702						K-S Test Statistic	0.193			**Kolmogorov-Smirnov GOF**		
703						5% K-S Critical Value	0.0914			Detected Data Not Gamma Distributed at 5% Significance Level		
704	**Detected Data Not Gamma Distributed at 5% Significance Level**											
705												
706	**Gamma Statistics on Detected Data Only**											
707						k hat (MLE)	0.452			k star (bias corrected MLE)	0.446	
708						Theta hat (MLE)	1.516			Theta star (bias corrected MLE)	1.537	
709						nu hat (MLE)	103.1			nu star (bias corrected)	101.8	
710						Mean (detects)	0.686					
711												
712	**Gamma ROS Statistics using Imputed Non-Detects**											
713	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
714	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
715	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
716	This is especially true when the sample size is small.											
717	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
718						Minimum	0.0021			Mean	0.534	
719						Maximum	18			Median	0.082	
720						SD	1.795			CV	3.36	
721						k hat (MLE)	0.369			k star (bias corrected MLE)	0.366	

	A	B	C	D	E	F	G	H	I	J	K	L
722					Theta hat (MLE)	1.447				Theta star (bias corrected MLE)		1.459
723					nu hat (MLE)	108.6				nu star (bias corrected)		107.7
724					Adjusted Level of Significance (β)	0.0484						
725					Approximate Chi Square Value (107.68, α)	84.73				Adjusted Chi Square Value (107.68, β)		84.53
726					95% Gamma Approximate UCL (use when n>=50)	0.679				95% Gamma Adjusted UCL (use when n<50)		0.681
727												
728					**Estimates of Gamma Parameters using KM Estimates**							
729					Mean (KM)	0.534				SD (KM)		1.789
730					Variance (KM)	3.202				SE of Mean (KM)		0.148
731					k hat (KM)	0.0891				k star (KM)		0.0918
732					nu hat (KM)	26.2				nu star (KM)		27
733					theta hat (KM)	5.994				theta star (KM)		5.816
734					80% gamma percentile (KM)	0.325				90% gamma percentile (KM)		1.368
735					95% gamma percentile (KM)	3.111				99% gamma percentile (KM)		8.851
736												
737					**Gamma Kaplan-Meier (KM) Statistics**							
738					Approximate Chi Square Value (27.00, α)	16.15				Adjusted Chi Square Value (27.00, β)		16.07
739					95% Gamma Approximate KM-UCL (use when n>=50)	0.893				95% Gamma Adjusted KM-UCL (use when n<50)		0.898
740												
741					**Lognormal GOF Test on Detected Observations Only**							
742					Shapiro Wilk Approximate Test Statistic	0.976				**Shapiro Wilk GOF Test**		
743					5% Shapiro Wilk P Value	0.286				Detected Data appear Lognormal at 5% Significance Level		
744					Lilliefors Test Statistic	0.0952				**Lilliefors GOF Test**		
745					5% Lilliefors Critical Value	0.0833				Detected Data Not Lognormal at 5% Significance Level		
746					**Detected Data appear Approximate Lognormal at 5% Significance Level**							
747												
748					**Lognormal ROS Statistics Using Imputed Non-Detects**							
749					Mean in Original Scale	0.534				Mean in Log Scale		-2.506
750					SD in Original Scale	1.795				SD in Log Scale		1.933
751					95% t UCL (assumes normality of ROS data)	0.779				95% Percentile Bootstrap UCL		0.808
752					95% BCA Bootstrap UCL	0.911				95% Bootstrap t UCL		1.041
753					95% H-UCL (Log ROS)	0.883						
754												
755					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
756					KM Mean (logged)	-2.766				KM Geo Mean		0.0629
757					KM SD (logged)	2.33				95% Critical H Value (KM-Log)		3.698
758					KM Standard Error of Mean (logged)	0.201				95% H-UCL (KM -Log)		1.938
759					KM SD (logged)	2.33				95% Critical H Value (KM-Log)		3.698
760					KM Standard Error of Mean (logged)	0.201						
761												
762					**DL/2 Statistics**							
763					**DL/2 Normal**					**DL/2 Log-Transformed**		
764					Mean in Original Scale	0.537				Mean in Log Scale		-2.538
765					SD in Original Scale	1.795				SD in Log Scale		2.041
766					95% t UCL (Assumes normality)	0.782				95% H-Stat UCL		1.117
767					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
768												
769					**Nonparametric Distribution Free UCL Statistics**							
770					**Detected Data appear Approximate Lognormal Distributed at 5% Significance Level**							
771												
772					**Suggested UCL to Use**							
773					KM H-UCL	1.938						

	A	B	C	D	E	F	G	H	I	J	K	L
774												
775	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
776	Recommendations are based upon data size, data distribution, and skewness.											
777	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
778	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
779												
780	**Naphthalene**											
781												
782	**General Statistics**											
783						Total Number of Observations	147				Number of Distinct Observations	101	
784						Number of Detects	88				Number of Non-Detects	59	
785						Number of Distinct Detects	67				Number of Distinct Non-Detects	38	
786						Minimum Detect	0.0072				Minimum Non-Detect	7.1000E-4	
787						Maximum Detect	32				Maximum Non-Detect	0.65	
788						Variance Detects	13.42				Percent Non-Detects	40.14%	
789						Mean Detects	1.039				SD Detects	3.663	
790						Median Detects	0.21				CV Detects	3.526	
791						Skewness Detects	7.399				Kurtosis Detects	60.53	
792						Mean of Logged Detects	-1.661				SD of Logged Detects	1.822	
793												
794	**Normal GOF Test on Detects Only**											
795						Shapiro Wilk Test Statistic	0.288			**Normal GOF Test on Detected Observations Only**		
796						5% Shapiro Wilk P Value	0			Detected Data Not Normal at 5% Significance Level		
797						Lilliefors Test Statistic	0.389			**Lilliefors GOF Test**		
798						5% Lilliefors Critical Value	0.0946			Detected Data Not Normal at 5% Significance Level		
799	**Detected Data Not Normal at 5% Significance Level**											
800												
801	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
802						KM Mean	0.626				KM Standard Error of Mean	0.238	
803						KM SD	2.863				95% KM (BCA) UCL	1.113	
804						95% KM (t) UCL	1.019				95% KM (Percentile Bootstrap) UCL	1.047	
805						95% KM (z) UCL	1.016				95% KM Bootstrap t UCL	1.84	
806						90% KM Chebyshev UCL	1.338				95% KM Chebyshev UCL	1.661	
807						97.5% KM Chebyshev UCL	2.109				99% KM Chebyshev UCL	2.989	
808												
809	**Gamma GOF Tests on Detected Observations Only**											
810						A-D Test Statistic	4.042			**Anderson-Darling GOF Test**		
811						5% A-D Critical Value	0.846			Detected Data Not Gamma Distributed at 5% Significance Level		
812						K-S Test Statistic	0.148			**Kolmogorov-Smirnov GOF**		
813						5% K-S Critical Value	0.102			Detected Data Not Gamma Distributed at 5% Significance Level		
814	**Detected Data Not Gamma Distributed at 5% Significance Level**											
815												
816	**Gamma Statistics on Detected Data Only**											
817						k hat (MLE)	0.389				k star (bias corrected MLE)	0.383	
818						Theta hat (MLE)	2.671				Theta star (bias corrected MLE)	2.711	
819						nu hat (MLE)	68.46				nu star (bias corrected)	67.46	
820						Mean (detects)	1.039						
821												
822	**Gamma ROS Statistics using Imputed Non-Detects**											
823	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
824	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
825	For such situations, GROS method may yield incorrect values of UCLs and BTVs											

826	This is especially true when the sample size is small.											
827	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
828					Minimum	0.0072			Mean	0.626		
829					Maximum	32			Median	0.031		
830					SD	2.873			CV	4.589		
831					k hat (MLE)	0.292			k star (bias corrected MLE)	0.29		
832					Theta hat (MLE)	2.146			Theta star (bias corrected MLE)	2.156		
833					nu hat (MLE)	85.77			nu star (bias corrected)	85.36		
834					Adjusted Level of Significance (β)	0.0484						
835					Approximate Chi Square Value (85.36, α)	65.06			Adjusted Chi Square Value (85.36, β)	64.89		
836					95% Gamma Approximate UCL (use when n>=50)	0.821			95% Gamma Adjusted UCL (use when n<50)	0.823		
837												
838	**Estimates of Gamma Parameters using KM Estimates**											
839					Mean (KM)	0.626			SD (KM)	2.863		
840					Variance (KM)	8.198			SE of Mean (KM)	0.238		
841					k hat (KM)	0.0477			k star (KM)	0.0513		
842					nu hat (KM)	14.04			nu star (KM)	15.09		
843					theta hat (KM)	13.1			theta star (KM)	12.19		
844					80% gamma percentile (KM)	0.0928			90% gamma percentile (KM)	0.987		
845					95% gamma percentile (KM)	3.358			99% gamma percentile (KM)	13.47		
846												
847	**Gamma Kaplan-Meier (KM) Statistics**											
848					Approximate Chi Square Value (15.09, α)	7.321			Adjusted Chi Square Value (15.09, β)	7.267		
849					95% Gamma Approximate KM-UCL (use when n>=50)	1.289			95% Gamma Adjusted KM-UCL (use when n<50)	1.299		
850												
851	**Lognormal GOF Test on Detected Observations Only**											
852					Shapiro Wilk Approximate Test Statistic	0.964			**Shapiro Wilk GOF Test**			
853					5% Shapiro Wilk P Value	0.0748			Detected Data appear Lognormal at 5% Significance Level			
854					Lilliefors Test Statistic	0.0974			**Lilliefors GOF Test**			
855					5% Lilliefors Critical Value	0.0946			Detected Data Not Lognormal at 5% Significance Level			
856	**Detected Data appear Approximate Lognormal at 5% Significance Level**											
857												
858	**Lognormal ROS Statistics Using Imputed Non-Detects**											
859					Mean in Original Scale	0.625			Mean in Log Scale	-3.194		
860					SD in Original Scale	2.873			SD in Log Scale	2.415		
861					95% t UCL (assumes normality of ROS data)	1.017			95% Percentile Bootstrap UCL	1.036		
862					95% BCA Bootstrap UCL	1.406			95% Bootstrap t UCL	1.953		
863					95% H-UCL (Log ROS)	1.619						
864												
865	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
866					KM Mean (logged)	-3.644			KM Geo Mean	0.0261		
867					KM SD (logged)	2.942			95% Critical H Value (KM-Log)	4.484		
868					KM Standard Error of Mean (logged)	0.254			95% H-UCL (KM -Log)	5.911		
869					KM SD (logged)	2.942			95% Critical H Value (KM-Log)	4.484		
870					KM Standard Error of Mean (logged)	0.254						
871												
872	**DL/2 Statistics**											
873	**DL/2 Normal**								**DL/2 Log-Transformed**			
874					Mean in Original Scale	0.634			Mean in Log Scale	-2.895		
875					SD in Original Scale	2.871			SD in Log Scale	2.252		
876					95% t UCL (Assumes normality)	1.026			95% H-Stat UCL	1.368		
877	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											

878												
879	**Nonparametric Distribution Free UCL Statistics**											
880	**Detected Data appear Approximate Lognormal Distributed at 5% Significance Level**											
881												
882	**Suggested UCL to Use**											
883					KM H-UCL	5.911						
884												
885	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
886	Recommendations are based upon data size, data distribution, and skewness.											
887	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
888	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
889												
890	**1,1'-Biphenyl**											
891												
892	**General Statistics**											
893					Total Number of Observations	80			Number of Distinct Observations	32		
894					Number of Detects	9			Number of Non-Detects	71		
895					Number of Distinct Detects	9			Number of Distinct Non-Detects	24		
896					Minimum Detect	0.013			Minimum Non-Detect	0.03		
897					Maximum Detect	6.3			Maximum Non-Detect	3.4		
898					Variance Detects	4.329			Percent Non-Detects	88.75%		
899					Mean Detects	0.754			SD Detects	2.081		
900					Median Detects	0.066			CV Detects	2.761		
901					Skewness Detects	2.996			Kurtosis Detects	8.984		
902					Mean of Logged Detects	-2.666			SD of Logged Detects	1.937		
903												
904	**Normal GOF Test on Detects Only**											
905					Shapiro Wilk Test Statistic	0.411			**Shapiro Wilk GOF Test**			
906					5% Shapiro Wilk Critical Value	0.829			Detected Data Not Normal at 5% Significance Level			
907					Lilliefors Test Statistic	0.499			**Lilliefors GOF Test**			
908					5% Lilliefors Critical Value	0.274			Detected Data Not Normal at 5% Significance Level			
909	**Detected Data Not Normal at 5% Significance Level**											
910												
911	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
912					KM Mean	0.101			KM Standard Error of Mean	0.0828		
913					KM SD	0.698			95% KM (BCA) UCL	0.261		
914					95% KM (t) UCL	0.238			95% KM (Percentile Bootstrap) UCL	0.258		
915					95% KM (z) UCL	0.237			95% KM Bootstrap t UCL	2.863		
916					90% KM Chebyshev UCL	0.349			95% KM Chebyshev UCL	0.461		
917					97.5% KM Chebyshev UCL	0.617			99% KM Chebyshev UCL	0.924		
918												
919	**Gamma GOF Tests on Detected Observations Only**											
920					A-D Test Statistic	1.6			**Anderson-Darling GOF Test**			
921					5% A-D Critical Value	0.811			Detected Data Not Gamma Distributed at 5% Significance Level			
922					K-S Test Statistic	0.392			**Kolmogorov-Smirnov GOF**			
923					5% K-S Critical Value	0.302			Detected Data Not Gamma Distributed at 5% Significance Level			
924	**Detected Data Not Gamma Distributed at 5% Significance Level**											
925												
926	**Gamma Statistics on Detected Data Only**											
927					k hat (MLE)	0.291			k star (bias corrected MLE)	0.268		
928					Theta hat (MLE)	2.591			Theta star (bias corrected MLE)	2.812		

	A	B	C	D	E	F	G	H	I	J	K	L
929					nu hat (MLE)	5.234				nu star (bias corrected)		4.823
930					Mean (detects)	0.754						
931												
932					**Gamma ROS Statistics using Imputed Non-Detects**							
933					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
934					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
935					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
936					This is especially true when the sample size is small.							
937					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
938					Minimum	0.01				Mean		0.0942
939					Maximum	6.3				Median		0.01
940					SD	0.703				CV		7.464
941					k hat (MLE)	0.338				k star (bias corrected MLE)		0.333
942					Theta hat (MLE)	0.279				Theta star (bias corrected MLE)		0.283
943					nu hat (MLE)	54.02				nu star (bias corrected)		53.33
944					Adjusted Level of Significance (β)	0.047						
945					Approximate Chi Square Value (53.33, α)	37.55				Adjusted Chi Square Value (53.33, β)		37.31
946					95% Gamma Approximate UCL (use when n>=50)	0.134				95% Gamma Adjusted UCL (use when n<50)		0.135
947												
948					**Estimates of Gamma Parameters using KM Estimates**							
949					Mean (KM)	0.101				SD (KM)		0.698
950					Variance (KM)	0.487				SE of Mean (KM)		0.0828
951					k hat (KM)	0.0207				k star (KM)		0.0283
952					nu hat (KM)	3.318				nu star (KM)		4.527
953					theta hat (KM)	4.846				theta star (KM)		3.552
954					80% gamma percentile (KM)	7.6724E-4				90% gamma percentile (KM)		0.05
955					95% gamma percentile (KM)	0.367				99% gamma percentile (KM)		2.634
956												
957					**Gamma Kaplan-Meier (KM) Statistics**							
958					Approximate Chi Square Value (4.53, α)	0.94				Adjusted Chi Square Value (4.53, β)		0.912
959					95% Gamma Approximate KM-UCL (use when n>=50)	0.484				95% Gamma Adjusted KM-UCL (use when n<50)		0.499
960												
961					**Lognormal GOF Test on Detected Observations Only**							
962					Shapiro Wilk Test Statistic	0.805				**Shapiro Wilk GOF Test**		
963					5% Shapiro Wilk Critical Value	0.829				Detected Data Not Lognormal at 5% Significance Level		
964					Lilliefors Test Statistic	0.216				**Lilliefors GOF Test**		
965					5% Lilliefors Critical Value	0.274				Detected Data appear Lognormal at 5% Significance Level		
966					**Detected Data appear Approximate Lognormal at 5% Significance Level**							
967												
968					**Lognormal ROS Statistics Using Imputed Non-Detects**							
969					Mean in Original Scale	0.103				Mean in Log Scale		-4.002
970					SD in Original Scale	0.702				SD in Log Scale		1.085
971					95% t UCL (assumes normality of ROS data)	0.234				95% Percentile Bootstrap UCL		0.26
972					95% BCA Bootstrap UCL	0.344				95% Bootstrap t UCL		3.161
973					95% H-UCL (Log ROS)	0.0439						
974												
975					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
976					KM Mean (logged)	-3.941				KM Geo Mean		0.0194
977					KM SD (logged)	0.812				95% Critical H Value (KM-Log)		2.094
978					KM Standard Error of Mean (logged)	0.131				95% H-UCL (KM -Log)		0.0327
979					KM SD (logged)	0.812				95% Critical H Value (KM-Log)		2.094
980					KM Standard Error of Mean (logged)	0.131						

981												
982	**DL/2 Statistics**											
983	**DL/2 Normal**						**DL/2 Log-Transformed**					
984					Mean in Original Scale	0.193				Mean in Log Scale	-3.246	
985					SD in Original Scale	0.751				SD in Log Scale	1.354	
986					95% t UCL (Assumes normality)	0.332				95% H-Stat UCL	0.146	
987	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
988												
989	**Nonparametric Distribution Free UCL Statistics**											
990	**Detected Data appear Approximate Lognormal Distributed at 5% Significance Level**											
991												
992	**Suggested UCL to Use**											
993					KM H-UCL	0.0327						
994												
995	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
996	Recommendations are based upon data size, data distribution, and skewness.											
997	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
998	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
999												
1000	**2-Methylnaphthalene**											
1001												
1002	**General Statistics**											
1003					Total Number of Observations	80				Number of Distinct Observations	57	
1004					Number of Detects	51				Number of Non-Detects	29	
1005					Number of Distinct Detects	41				Number of Distinct Non-Detects	21	
1006					Minimum Detect	0.0081				Minimum Non-Detect	0.0061	
1007					Maximum Detect	76				Maximum Non-Detect	0.68	
1008					Variance Detects	120.5				Percent Non-Detects	36.25%	
1009					Mean Detects	2.134				SD Detects	10.98	
1010					Median Detects	0.053				CV Detects	5.146	
1011					Skewness Detects	6.441				Kurtosis Detects	43.23	
1012					Mean of Logged Detects	-2.531				SD of Logged Detects	1.786	
1013												
1014	**Normal GOF Test on Detects Only**											
1015					Shapiro Wilk Test Statistic	0.212	**Normal GOF Test on Detected Observations Only**					
1016					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
1017					Lilliefors Test Statistic	0.482	**Lilliefors GOF Test**					
1018					5% Lilliefors Critical Value	0.123	Detected Data Not Normal at 5% Significance Level					
1019	**Detected Data Not Normal at 5% Significance Level**											
1020												
1021	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1022					KM Mean	1.365				KM Standard Error of Mean	0.987	
1023					KM SD	8.739				95% KM (BCA) UCL	3.275	
1024					95% KM (t) UCL	3.007				95% KM (Percentile Bootstrap) UCL	3.212	
1025					95% KM (z) UCL	2.988				95% KM Bootstrap t UCL	51.69	
1026					90% KM Chebyshev UCL	4.325				95% KM Chebyshev UCL	5.666	
1027					97.5% KM Chebyshev UCL	7.527				99% KM Chebyshev UCL	11.18	
1028												
1029	**Gamma GOF Tests on Detected Observations Only**											
1030					A-D Test Statistic	10.97	**Anderson-Darling GOF Test**					
1031					5% A-D Critical Value	0.902	Detected Data Not Gamma Distributed at 5% Significance Level					
1032					K-S Test Statistic	0.394	**Kolmogorov-Smirnov GOF**					

1033				5% K-S Critical Value	0.137	Detected Data Not Gamma Distributed at 5% Significance Level						
1034	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1035												
1036	**Gamma Statistics on Detected Data Only**											
1037				k hat (MLE)	0.22	k star (bias corrected MLE)					0.22	
1038				Theta hat (MLE)	9.681	Theta star (bias corrected MLE)					9.676	
1039				nu hat (MLE)	22.48	nu star (bias corrected)					22.49	
1040				Mean (detects)	2.134							
1041												
1042	**Gamma ROS Statistics using Imputed Non-Detects**											
1043	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1044	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1045	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1046	This is especially true when the sample size is small.											
1047	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1048				Minimum	0.0081	Mean					1.364	
1049				Maximum	76	Median					0.022	
1050				SD	8.794	CV					6.448	
1051				k hat (MLE)	0.204	k star (bias corrected MLE)					0.205	
1052				Theta hat (MLE)	6.68	Theta star (bias corrected MLE)					6.658	
1053				nu hat (MLE)	32.67	nu star (bias corrected)					32.77	
1054				Adjusted Level of Significance (β)	0.047							
1055				Approximate Chi Square Value (32.77, α)	20.69	Adjusted Chi Square Value (32.77, β)					20.51	
1056				95% Gamma Approximate UCL (use when n>=50)	2.161	95% Gamma Adjusted UCL (use when n<50)					2.179	
1057												
1058	**Estimates of Gamma Parameters using KM Estimates**											
1059				Mean (KM)	1.365	SD (KM)					8.739	
1060				Variance (KM)	76.36	SE of Mean (KM)					0.987	
1061				k hat (KM)	0.0244	k star (KM)					0.0318	
1062				nu hat (KM)	3.904	nu star (KM)					5.091	
1063				theta hat (KM)	55.95	theta star (KM)					42.9	
1064				80% gamma percentile (KM)	0.0222	90% gamma percentile (KM)					0.92	
1065				95% gamma percentile (KM)	5.57	99% gamma percentile (KM)					34.68	
1066												
1067	**Gamma Kaplan-Meier (KM) Statistics**											
1068				Approximate Chi Square Value (5.09, α)	1.194	Adjusted Chi Square Value (5.09, β)					1.161	
1069				95% Gamma Approximate KM-UCL (use when n>=50)	5.818	95% Gamma Adjusted KM-UCL (use when n<50)					5.986	
1070												
1071	**Lognormal GOF Test on Detected Observations Only**											
1072				Shapiro Wilk Approximate Test Statistic	0.804	**Shapiro Wilk GOF Test**						
1073				5% Shapiro Wilk P Value	9.9624E-9	Detected Data Not Lognormal at 5% Significance Level						
1074				Lilliefors Test Statistic	0.176	**Lilliefors GOF Test**						
1075				5% Lilliefors Critical Value	0.123	Detected Data Not Lognormal at 5% Significance Level						
1076	**Detected Data Not Lognormal at 5% Significance Level**											
1077												
1078	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1079				Mean in Original Scale	1.362	Mean in Log Scale					-3.663	
1080				SD in Original Scale	8.794	SD in Log Scale					2.16	
1081				95% t UCL (assumes normality of ROS data)	2.999	95% Percentile Bootstrap UCL					3.238	
1082				95% BCA Bootstrap UCL	4.531	95% Bootstrap t UCL					52.05	
1083				95% H-UCL (Log ROS)	0.642							
1084												

	A	B	C	D	E	F	G	H	I	J	K	L
1085	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1086					KM Mean (logged)	-3.33				KM Geo Mean		0.0358
1087					KM SD (logged)	1.818				95% Critical H Value (KM-Log)		3.208
1088					KM Standard Error of Mean (logged)	0.209				95% H-UCL (KM -Log)		0.36
1089					KM SD (logged)	1.818				95% Critical H Value (KM-Log)		3.208
1090					KM Standard Error of Mean (logged)	0.209						
1091												
1092	**DL/2 Statistics**											
1093	**DL/2 Normal**						**DL/2 Log-Transformed**					
1094					Mean in Original Scale	1.373				Mean in Log Scale		-3.299
1095					SD in Original Scale	8.793				SD in Log Scale		1.948
1096					95% t UCL (Assumes normality)	3.01				95% H-Stat UCL		0.516
1097	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1098												
1099	**Nonparametric Distribution Free UCL Statistics**											
1100	**Data do not follow a Discernible Distribution at 5% Significance Level**											
1101												
1102	**Suggested UCL to Use**											
1103					95% KM (Chebyshev) UCL	5.666						
1104												
1105	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1106	Recommendations are based upon data size, data distribution, and skewness.											
1107	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1108	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1109												
1110	**Dibenzofuran**											
1111												
1112	**General Statistics**											
1113					Total Number of Observations	80				Number of Distinct Observations		34
1114					Number of Detects	13				Number of Non-Detects		67
1115					Number of Distinct Detects	11				Number of Distinct Non-Detects		24
1116					Minimum Detect	0.054				Minimum Non-Detect		0.034
1117					Maximum Detect	13				Maximum Non-Detect		3.7
1118					Variance Detects	12.66				Percent Non-Detects		83.75%
1119					Mean Detects	1.24				SD Detects		3.557
1120					Median Detects	0.12				CV Detects		2.869
1121					Skewness Detects	3.525				Kurtosis Detects		12.55
1122					Mean of Logged Detects	-1.595				SD of Logged Detects		1.555
1123												
1124	**Normal GOF Test on Detects Only**											
1125					Shapiro Wilk Test Statistic	0.376	**Shapiro Wilk GOF Test**					
1126					5% Shapiro Wilk Critical Value	0.866	Detected Data Not Normal at 5% Significance Level					
1127					Lilliefors Test Statistic	0.451	**Lilliefors GOF Test**					
1128					5% Lilliefors Critical Value	0.234	Detected Data Not Normal at 5% Significance Level					
1129	**Detected Data Not Normal at 5% Significance Level**											
1130												
1131	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1132					KM Mean	0.235				KM Standard Error of Mean		0.169
1133					KM SD	1.448				95% KM (BCA) UCL		0.57
1134					95% KM (t) UCL	0.515				95% KM (Percentile Bootstrap) UCL		0.553
1135					95% KM (z) UCL	0.512				95% KM Bootstrap t UCL		5.456

1136				90% KM Chebyshev UCL		0.74				95% KM Chebyshev UCL		0.969
1137				97.5% KM Chebyshev UCL		1.287				99% KM Chebyshev UCL		1.912
1138												
1139						**Gamma GOF Tests on Detected Observations Only**							
1140					A-D Test Statistic	2.293				**Anderson-Darling GOF Test**		
1141					5% A-D Critical Value	0.816				Detected Data Not Gamma Distributed at 5% Significance Level		
1142					K-S Test Statistic	0.401				**Kolmogorov-Smirnov GOF**		
1143					5% K-S Critical Value	0.254				Detected Data Not Gamma Distributed at 5% Significance Level		
1144						**Detected Data Not Gamma Distributed at 5% Significance Level**						
1145												
1146						**Gamma Statistics on Detected Data Only**							
1147					k hat (MLE)	0.368				k star (bias corrected MLE)		0.335
1148					Theta hat (MLE)	3.366				Theta star (bias corrected MLE)		3.705
1149					nu hat (MLE)	9.579				nu star (bias corrected)		8.702
1150					Mean (detects)	1.24						
1151												
1152						**Gamma ROS Statistics using Imputed Non-Detects**							
1153						GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs						
1154						GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)						
1155						For such situations, GROS method may yield incorrect values of UCLs and BTVs						
1156						This is especially true when the sample size is small.						
1157						For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates						
1158					Minimum	0.01				Mean		0.21
1159					Maximum	13				Median		0.01
1160					SD	1.46				CV		6.956
1161					k hat (MLE)	0.274				k star (bias corrected MLE)		0.272
1162					Theta hat (MLE)	0.766				Theta star (bias corrected MLE)		0.772
1163					nu hat (MLE)	43.83				nu star (bias corrected)		43.52
1164					Adjusted Level of Significance (β)	0.047						
1165					Approximate Chi Square Value (43.52, α)	29.39				Adjusted Chi Square Value (43.52, β)		29.18
1166					95% Gamma Approximate UCL (use when n>=50)	0.311				95% Gamma Adjusted UCL (use when n<50)		0.313
1167												
1168						**Estimates of Gamma Parameters using KM Estimates**							
1169					Mean (KM)	0.235				SD (KM)		1.448
1170					Variance (KM)	2.096				SE of Mean (KM)		0.169
1171					k hat (KM)	0.0262				k star (KM)		0.0336
1172					nu hat (KM)	4.198				nu star (KM)		5.374
1173					theta hat (KM)	8.938				theta star (KM)		6.982
1174					80% gamma percentile (KM)	0.00525				90% gamma percentile (KM)		0.179
1175					95% gamma percentile (KM)	1				99% gamma percentile (KM)		5.864
1176												
1177						**Gamma Kaplan-Meier (KM) Statistics**							
1178					Approximate Chi Square Value (5.37, α)	1.329				Adjusted Chi Square Value (5.37, β)		1.293
1179					95% Gamma Approximate KM-UCL (use when n>=50)	0.948				95% Gamma Adjusted KM-UCL (use when n<50)		0.975
1180												
1181						**Lognormal GOF Test on Detected Observations Only**							
1182					Shapiro Wilk Test Statistic	0.781				**Shapiro Wilk GOF Test**		
1183					5% Shapiro Wilk Critical Value	0.866				Detected Data Not Lognormal at 5% Significance Level		
1184					Lilliefors Test Statistic	0.255				**Lilliefors GOF Test**		
1185					5% Lilliefors Critical Value	0.234				Detected Data Not Lognormal at 5% Significance Level		
1186						**Detected Data Not Lognormal at 5% Significance Level**						
1187												

1188	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1189						Mean in Original Scale	0.204			Mean in Log Scale	-5.787	
1190						SD in Original Scale	1.46			SD in Log Scale	2.423	
1191						95% t UCL (assumes normality of ROS data)	0.476			95% Percentile Bootstrap UCL	0.527	
1192						95% BCA Bootstrap UCL	0.712			95% Bootstrap t UCL	5.472	
1193						95% H-UCL (Log ROS)	0.172					
1194												
1195	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1196						KM Mean (logged)	-3.039			KM Geo Mean	0.0479	
1197						KM SD (logged)	0.915			95% Critical H Value (KM-Log)	2.186	
1198						KM Standard Error of Mean (logged)	0.112			95% H-UCL (KM -Log)	0.0912	
1199						KM SD (logged)	0.915			95% Critical H Value (KM-Log)	2.186	
1200						KM Standard Error of Mean (logged)	0.112					
1201												
1202	**DL/2 Statistics**											
1203					**DL/2 Normal**					**DL/2 Log-Transformed**		
1204						Mean in Original Scale	0.32			Mean in Log Scale	-2.916	
1205						SD in Original Scale	1.48			SD in Log Scale	1.445	
1206						95% t UCL (Assumes normality)	0.595			95% H-Stat UCL	0.241	
1207	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1208												
1209	**Nonparametric Distribution Free UCL Statistics**											
1210	**Data do not follow a Discernible Distribution at 5% Significance Level**											
1211												
1212	**Suggested UCL to Use**											
1213						95% KM (Chebyshev) UCL	0.969					
1214												
1215	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1216	Recommendations are based upon data size, data distribution, and skewness.											
1217	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1218	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1219												
1220	**PCB-1254**											
1221												
1222	**General Statistics**											
1223						Total Number of Observations	127			Number of Distinct Observations	29	
1224						Number of Detects	13			Number of Non-Detects	114	
1225						Number of Distinct Detects	13			Number of Distinct Non-Detects	16	
1226						Minimum Detect	0.011			Minimum Non-Detect	6.5000E-4	
1227						Maximum Detect	0.58			Maximum Non-Detect	0.064	
1228						Variance Detects	0.0363			Percent Non-Detects	89.76%	
1229						Mean Detects	0.135			SD Detects	0.191	
1230						Median Detects	0.035			CV Detects	1.406	
1231						Skewness Detects	1.579			Kurtosis Detects	1.393	
1232						Mean of Logged Detects	-2.919			SD of Logged Detects	1.382	
1233												
1234	**Normal GOF Test on Detects Only**											
1235						Shapiro Wilk Test Statistic	0.696			**Shapiro Wilk GOF Test**		
1236						5% Shapiro Wilk Critical Value	0.866			Detected Data Not Normal at 5% Significance Level		
1237						Lilliefors Test Statistic	0.382			**Lilliefors GOF Test**		
1238						5% Lilliefors Critical Value	0.234			Detected Data Not Normal at 5% Significance Level		
1239	**Detected Data Not Normal at 5% Significance Level**											

1240												
1241	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1242					KM Mean	0.0145			KM Standard Error of Mean			0.0066
1243					KM SD	0.0714			95% KM (BCA) UCL			0.0285
1244					95% KM (t) UCL	0.0254			95% KM (Percentile Bootstrap) UCL			0.0267
1245					95% KM (z) UCL	0.0253			95% KM Bootstrap t UCL			0.0369
1246					90% KM Chebyshev UCL	0.0343			95% KM Chebyshev UCL			0.0432
1247					97.5% KM Chebyshev UCL	0.0557			99% KM Chebyshev UCL			0.0801
1248												
1249	**Gamma GOF Tests on Detected Observations Only**											
1250					A-D Test Statistic	1.203			**Anderson-Darling GOF Test**			
1251					5% A-D Critical Value	0.777			Detected Data Not Gamma Distributed at 5% Significance Level			
1252					K-S Test Statistic	0.339			**Kolmogorov-Smirnov GOF**			
1253					5% K-S Critical Value	0.247			Detected Data Not Gamma Distributed at 5% Significance Level			
1254	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1255												
1256	**Gamma Statistics on Detected Data Only**											
1257					k hat (MLE)	0.662			k star (bias corrected MLE)			0.56
1258					Theta hat (MLE)	0.205			Theta star (bias corrected MLE)			0.242
1259					nu hat (MLE)	17.21			nu star (bias corrected)			14.57
1260					Mean (detects)	0.135						
1261												
1262	**Gamma ROS Statistics using Imputed Non-Detects**											
1263	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1264	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1265	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1266	This is especially true when the sample size is small.											
1267	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1268					Minimum	0.01			Mean			0.0228
1269					Maximum	0.58			Median			0.01
1270					SD	0.0701			CV			3.069
1271					k hat (MLE)	0.895			k star (bias corrected MLE)			0.879
1272					Theta hat (MLE)	0.0255			Theta star (bias corrected MLE)			0.026
1273					nu hat (MLE)	227.4			nu star (bias corrected)			223.3
1274					Adjusted Level of Significance (β)	0.0481						
1275					Approximate Chi Square Value (223.35, α)	189.8			Adjusted Chi Square Value (223.35, β)			189.4
1276					95% Gamma Approximate UCL (use when n>=50)	0.0269			95% Gamma Adjusted UCL (use when n<50)			0.0269
1277												
1278	**Estimates of Gamma Parameters using KM Estimates**											
1279					Mean (KM)	0.0145			SD (KM)			0.0714
1280					Variance (KM)	0.0051			SE of Mean (KM)			0.0066
1281					k hat (KM)	0.041			k star (KM)			0.0453
1282					nu hat (KM)	10.42			nu star (KM)			11.51
1283					theta hat (KM)	0.352			theta star (KM)			0.319
1284					80% gamma percentile (KM)	0.00136			90% gamma percentile (KM)			0.0192
1285					95% gamma percentile (KM)	0.074			99% gamma percentile (KM)			0.327
1286												
1287	**Gamma Kaplan-Meier (KM) Statistics**											
1288					Approximate Chi Square Value (11.51, α)	4.907			Adjusted Chi Square Value (11.51, β)			4.857
1289					95% Gamma Approximate KM-UCL (use when n>=50)	0.0339			95% Gamma Adjusted KM-UCL (use when n<50)			0.0343
1290												

1291	**Lognormal GOF Test on Detected Observations Only**											
1292					Shapiro Wilk Test Statistic	0.859	**Shapiro Wilk GOF Test**					
1293					5% Shapiro Wilk Critical Value	0.866	Detected Data Not Lognormal at 5% Significance Level					
1294					Lilliefors Test Statistic	0.271	**Lilliefors GOF Test**					
1295					5% Lilliefors Critical Value	0.234	Detected Data Not Lognormal at 5% Significance Level					
1296	**Detected Data Not Lognormal at 5% Significance Level**											
1297												
1298	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1299					Mean in Original Scale	0.0143	Mean in Log Scale	-9.135				
1300					SD in Original Scale	0.0717	SD in Log Scale	3.225				
1301					95% t UCL (assumes normality of ROS data)	0.0248	95% Percentile Bootstrap UCL	0.0254				
1302					95% BCA Bootstrap UCL	0.0292	95% Bootstrap t UCL	0.0382				
1303					95% H-UCL (Log ROS)	0.0776						
1304												
1305	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1306					KM Mean (logged)	-6.884	KM Geo Mean	0.00102				
1307					KM SD (logged)	1.408	95% Critical H Value (KM-Log)	2.588				
1308					KM Standard Error of Mean (logged)	0.13	95% H-UCL (KM -Log)	0.00382				
1309					KM SD (logged)	1.408	95% Critical H Value (KM-Log)	2.588				
1310					KM Standard Error of Mean (logged)	0.13						
1311												
1312	**DL/2 Statistics**											
1313	**DL/2 Normal**						**DL/2 Log-Transformed**					
1314					Mean in Original Scale	0.0154	Mean in Log Scale	-6.158				
1315					SD in Original Scale	0.0716	SD in Log Scale	1.235				
1316					95% t UCL (Assumes normality)	0.026	95% H-Stat UCL	0.00591				
1317	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1318												
1319	**Nonparametric Distribution Free UCL Statistics**											
1320	**Data do not follow a Discernible Distribution at 5% Significance Level**											
1321												
1322	**Suggested UCL to Use**											
1323					95% KM (Chebyshev) UCL	0.0432						
1324												
1325	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1326	Recommendations are based upon data size, data distribution, and skewness.											
1327	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1328	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1329												
1330	**PCB-1260**											
1331												
1332	**General Statistics**											
1333					Total Number of Observations	127	Number of Distinct Observations	39				
1334					Number of Detects	35	Number of Non-Detects	92				
1335					Number of Distinct Detects	30	Number of Distinct Non-Detects	13				
1336					Minimum Detect	0.0031	Minimum Non-Detect	0.0024				
1337					Maximum Detect	4.3	Maximum Non-Detect	0.0036				
1338					Variance Detects	1.472	Percent Non-Detects	72.44%				
1339					Mean Detects	0.627	SD Detects	1.213				
1340					Median Detects	0.019	CV Detects	1.936				
1341					Skewness Detects	1.916	Kurtosis Detects	2.363				
1342					Mean of Logged Detects	-2.885	SD of Logged Detects	2.347				

	A	B	C	D	E	F	G	H	I	J	K	L
1343												
1344	**Normal GOF Test on Detects Only**											
1345					Shapiro Wilk Test Statistic	0.576	**Shapiro Wilk GOF Test**					
1346					5% Shapiro Wilk Critical Value	0.934	Detected Data Not Normal at 5% Significance Level					
1347					Lilliefors Test Statistic	0.381	**Lilliefors GOF Test**					
1348					5% Lilliefors Critical Value	0.148	Detected Data Not Normal at 5% Significance Level					
1349	**Detected Data Not Normal at 5% Significance Level**											
1350												
1351	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1352					KM Mean	0.174	KM Standard Error of Mean	0.0619				
1353					KM SD	0.687	95% KM (BCA) UCL	0.287				
1354					95% KM (t) UCL	0.277	95% KM (Percentile Bootstrap) UCL	0.278				
1355					95% KM (z) UCL	0.276	95% KM Bootstrap t UCL	0.319				
1356					90% KM Chebyshev UCL	0.36	95% KM Chebyshev UCL	0.444				
1357					97.5% KM Chebyshev UCL	0.561	99% KM Chebyshev UCL	0.79				
1358												
1359	**Gamma GOF Tests on Detected Observations Only**											
1360					A-D Test Statistic	3.261	**Anderson-Darling GOF Test**					
1361					5% A-D Critical Value	0.863	Detected Data Not Gamma Distributed at 5% Significance Level					
1362					K-S Test Statistic	0.262	**Kolmogorov-Smirnov GOF**					
1363					5% K-S Critical Value	0.162	Detected Data Not Gamma Distributed at 5% Significance Level					
1364	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1365												
1366	**Gamma Statistics on Detected Data Only**											
1367					k hat (MLE)	0.287	k star (bias corrected MLE)	0.282				
1368					Theta hat (MLE)	2.182	Theta star (bias corrected MLE)	2.226				
1369					nu hat (MLE)	20.1	nu star (bias corrected)	19.71				
1370					Mean (detects)	0.627						
1371												
1372	**Gamma ROS Statistics using Imputed Non-Detects**											
1373	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1374	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1375	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1376	This is especially true when the sample size is small.											
1377	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1378					Minimum	0.0031	Mean	0.18				
1379					Maximum	4.3	Median	0.01				
1380					SD	0.688	CV	3.825				
1381					k hat (MLE)	0.287	k star (bias corrected MLE)	0.286				
1382					Theta hat (MLE)	0.626	Theta star (bias corrected MLE)	0.63				
1383					nu hat (MLE)	73	nu star (bias corrected)	72.61				
1384					Adjusted Level of Significance (β)	0.0481						
1385					Approximate Chi Square Value (72.61, α)	53.98	Adjusted Chi Square Value (72.61, β)	53.8				
1386					95% Gamma Approximate UCL (use when n>=50)	0.242	95% Gamma Adjusted UCL (use when n<50)	0.243				
1387												
1388	**Estimates of Gamma Parameters using KM Estimates**											
1389					Mean (KM)	0.174	SD (KM)	0.687				
1390					Variance (KM)	0.472	SE of Mean (KM)	0.0619				
1391					k hat (KM)	0.0645	k star (KM)	0.0682				
1392					nu hat (KM)	16.38	nu star (KM)	17.33				
1393					theta hat (KM)	2.705	theta star (KM)	2.557				

1394					80% gamma percentile (KM)	0.0588				90% gamma percentile (KM)		0.369
1395					95% gamma percentile (KM)	1				99% gamma percentile (KM)		3.326
1396												
1397					**Gamma Kaplan-Meier (KM) Statistics**							
1398					Approximate Chi Square Value (17.33, α)	8.907				Adjusted Chi Square Value (17.33, β)		8.837
1399					95% Gamma Approximate KM-UCL (use when n>=50)	0.339				95% Gamma Adjusted KM-UCL (use when n<50)		0.342
1400												
1401					**Lognormal GOF Test on Detected Observations Only**							
1402					Shapiro Wilk Test Statistic	0.865				**Shapiro Wilk GOF Test**		
1403					5% Shapiro Wilk Critical Value	0.934				Detected Data Not Lognormal at 5% Significance Level		
1404					Lilliefors Test Statistic	0.193				**Lilliefors GOF Test**		
1405					5% Lilliefors Critical Value	0.148				Detected Data Not Lognormal at 5% Significance Level		
1406					**Detected Data Not Lognormal at 5% Significance Level**							
1407												
1408					**Lognormal ROS Statistics Using Imputed Non-Detects**							
1409					Mean in Original Scale	0.173				Mean in Log Scale		-8.648
1410					SD in Original Scale	0.69				SD in Log Scale		4.484
1411					95% t UCL (assumes normality of ROS data)	0.274				95% Percentile Bootstrap UCL		0.285
1412					95% BCA Bootstrap UCL	0.312				95% Bootstrap t UCL		0.316
1413					95% H-UCL (Log ROS)	54.22						
1414												
1415					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
1416					KM Mean (logged)	-5.165				KM Geo Mean		0.00572
1417					KM SD (logged)	1.858				95% Critical H Value (KM-Log)		3.091
1418					KM Standard Error of Mean (logged)	0.167				95% H-UCL (KM -Log)		0.0535
1419					KM SD (logged)	1.858				95% Critical H Value (KM-Log)		3.091
1420					KM Standard Error of Mean (logged)	0.167						
1421												
1422					**DL/2 Statistics**							
1423					**DL/2 Normal**					**DL/2 Log-Transformed**		
1424					Mean in Original Scale	0.174				Mean in Log Scale		-5.553
1425					SD in Original Scale	0.69				SD in Log Scale		2.054
1426					95% t UCL (Assumes normality)	0.275				95% H-Stat UCL		0.0588
1427					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
1428												
1429					**Nonparametric Distribution Free UCL Statistics**							
1430					**Data do not follow a Discernible Distribution at 5% Significance Level**							
1431												
1432					**Suggested UCL to Use**							
1433					95% KM (Chebyshev) UCL	0.444						
1434												
1435					Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.							
1436					Recommendations are based upon data size, data distribution, and skewness.							
1437					These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).							
1438					However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.							
1439												
1440	**Antimony**											
1441												
1442					**General Statistics**							
1443					Total Number of Observations	74				Number of Distinct Observations		56
1444					Number of Detects	71				Number of Non-Detects		3
1445					Number of Distinct Detects	54				Number of Distinct Non-Detects		2

1446					Minimum Detect	0.016					Minimum Non-Detect	0.027
1447					Maximum Detect	6.9					Maximum Non-Detect	0.028
1448					Variance Detects	1.191					Percent Non-Detects	4.054%
1449					Mean Detects	0.806					SD Detects	1.091
1450					Median Detects	0.42					CV Detects	1.355
1451					Skewness Detects	3.278					Kurtosis Detects	13.91
1452					Mean of Logged Detects	-0.804					SD of Logged Detects	1.087
1453												
1454					**Normal GOF Test on Detects Only**							
1455					Shapiro Wilk Test Statistic	0.642	**Normal GOF Test on Detected Observations Only**					
1456					5% Shapiro Wilk P Value	0	Detected Data Not Normal at 5% Significance Level					
1457					Lilliefors Test Statistic	0.237	**Lilliefors GOF Test**					
1458					5% Lilliefors Critical Value	0.105	Detected Data Not Normal at 5% Significance Level					
1459					**Detected Data Not Normal at 5% Significance Level**							
1460												
1461					**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**							
1462					KM Mean	0.774	KM Standard Error of Mean	0.126				
1463					KM SD	1.073	95% KM (BCA) UCL	0.993				
1464					95% KM (t) UCL	0.983	95% KM (Percentile Bootstrap) UCL	1				
1465					95% KM (z) UCL	0.98	95% KM Bootstrap t UCL	1.056				
1466					90% KM Chebyshev UCL	1.15	95% KM Chebyshev UCL	1.321				
1467					97.5% KM Chebyshev UCL	1.558	99% KM Chebyshev UCL	2.023				
1468												
1469					**Gamma GOF Tests on Detected Observations Only**							
1470					A-D Test Statistic	1.797	**Anderson-Darling GOF Test**					
1471					5% A-D Critical Value	0.781	Detected Data Not Gamma Distributed at 5% Significance Level					
1472					K-S Test Statistic	0.139	**Kolmogorov-Smirnov GOF**					
1473					5% K-S Critical Value	0.109	Detected Data Not Gamma Distributed at 5% Significance Level					
1474					**Detected Data Not Gamma Distributed at 5% Significance Level**							
1475												
1476					**Gamma Statistics on Detected Data Only**							
1477					k hat (MLE)	0.984	k star (bias corrected MLE)	0.952				
1478					Theta hat (MLE)	0.819	Theta star (bias corrected MLE)	0.847				
1479					nu hat (MLE)	139.7	nu star (bias corrected)	135.1				
1480					Mean (detects)	0.806						
1481												
1482					**Gamma ROS Statistics using Imputed Non-Detects**							
1483					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
1484					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
1485					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
1486					This is especially true when the sample size is small.							
1487					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
1488					Minimum	0.01	Mean	0.773				
1489					Maximum	6.9	Median	0.385				
1490					SD	1.08	CV	1.397				
1491					k hat (MLE)	0.841	k star (bias corrected MLE)	0.816				
1492					Theta hat (MLE)	0.92	Theta star (bias corrected MLE)	0.948				
1493					nu hat (MLE)	124.5	nu star (bias corrected)	120.8				
1494					Adjusted Level of Significance (β)	0.0468						
1495					Approximate Chi Square Value (120.75, α)	96.38	Adjusted Chi Square Value (120.75, β)	95.94				
1496					95% Gamma Approximate UCL (use when n>=50)	0.969	95% Gamma Adjusted UCL (use when n<50)	0.973				
1497												

	A	B	C	D	E	F	G	H	I	J	K	L
1498	**Estimates of Gamma Parameters using KM Estimates**											
1499					Mean (KM)	0.774				SD (KM)		1.073
1500					Variance (KM)	1.15				SE of Mean (KM)		0.126
1501					k hat (KM)	0.52				k star (KM)		0.508
1502					nu hat (KM)	76.97				nu star (KM)		75.19
1503					theta hat (KM)	1.487				theta star (KM)		1.523
1504					80% gamma percentile (KM)	1.271				90% gamma percentile (KM)		2.086
1505					95% gamma percentile (KM)	2.955				99% gamma percentile (KM)		5.088
1506												
1507	**Gamma Kaplan-Meier (KM) Statistics**											
1508					Approximate Chi Square Value (75.19, α)	56.22				Adjusted Chi Square Value (75.19, β)		55.89
1509					95% Gamma Approximate KM-UCL (use when n>=50)	1.035				95% Gamma Adjusted KM-UCL (use when n<50)		1.041
1510												
1511	**Lognormal GOF Test on Detected Observations Only**											
1512					Shapiro Wilk Approximate Test Statistic	0.989			**Shapiro Wilk GOF Test**			
1513					5% Shapiro Wilk P Value	0.943			Detected Data appear Lognormal at 5% Significance Level			
1514					Lilliefors Test Statistic	0.0598			**Lilliefors GOF Test**			
1515					5% Lilliefors Critical Value	0.105			Detected Data appear Lognormal at 5% Significance Level			
1516	**Detected Data appear Lognormal at 5% Significance Level**											
1517												
1518	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1519					Mean in Original Scale	0.774				Mean in Log Scale		-0.903
1520					SD in Original Scale	1.079				SD in Log Scale		1.17
1521					95% t UCL (assumes normality of ROS data)	0.984				95% Percentile Bootstrap UCL		0.991
1522					95% BCA Bootstrap UCL	1.035				95% Bootstrap t UCL		1.066
1523					95% H-UCL (Log ROS)	1.12						
1524												
1525	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1526					KM Mean (logged)	-0.939				KM Geo Mean		0.391
1527					KM SD (logged)	1.245				95% Critical H Value (KM-Log)		2.508
1528					KM Standard Error of Mean (logged)	0.146				95% H-UCL (KM -Log)		1.222
1529					KM SD (logged)	1.245				95% Critical H Value (KM-Log)		2.508
1530					KM Standard Error of Mean (logged)	0.146						
1531												
1532	**DL/2 Statistics**											
1533	**DL/2 Normal**						**DL/2 Log-Transformed**					
1534					Mean in Original Scale	0.773				Mean in Log Scale		-0.946
1535					SD in Original Scale	1.08				SD in Log Scale		1.27
1536					95% t UCL (Assumes normality)	0.983				95% H-Stat UCL		1.268
1537	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1538												
1539	**Nonparametric Distribution Free UCL Statistics**											
1540	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
1541												
1542	**Suggested UCL to Use**											
1543					KM H-UCL	1.222						
1544												
1545	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1546	Recommendations are based upon data size, data distribution, and skewness.											
1547	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1548	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1549												

1550	**Arsenic**											
1551												
1552	**General Statistics**											
1553					Total Number of Observations	74			Number of Distinct Observations	48		
1554					Number of Detects	71			Number of Non-Detects	3		
1555					Number of Distinct Detects	46			Number of Distinct Non-Detects	2		
1556					Minimum Detect	0.35			Minimum Non-Detect	0.2		
1557					Maximum Detect	17			Maximum Non-Detect	0.22		
1558					Variance Detects	14.71			Percent Non-Detects	4.054%		
1559					Mean Detects	4.324			SD Detects	3.836		
1560					Median Detects	3			CV Detects	0.887		
1561					Skewness Detects	1.612			Kurtosis Detects	2.214		
1562					Mean of Logged Detects	1.1			SD of Logged Detects	0.891		
1563												
1564	**Normal GOF Test on Detects Only**											
1565					Shapiro Wilk Test Statistic	0.808			**Normal GOF Test on Detected Observations Only**			
1566					5% Shapiro Wilk P Value	1.305E-12			Detected Data Not Normal at 5% Significance Level			
1567					Lilliefors Test Statistic	0.17			**Lilliefors GOF Test**			
1568					5% Lilliefors Critical Value	0.105			Detected Data Not Normal at 5% Significance Level			
1569	**Detected Data Not Normal at 5% Significance Level**											
1570												
1571	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1572					KM Mean	4.157			KM Standard Error of Mean	0.447		
1573					KM SD	3.818			95% KM (BCA) UCL	4.916		
1574					95% KM (t) UCL	4.902			95% KM (Percentile Bootstrap) UCL	4.935		
1575					95% KM (z) UCL	4.892			95% KM Bootstrap t UCL	5.035		
1576					90% KM Chebyshev UCL	5.498			95% KM Chebyshev UCL	6.105		
1577					97.5% KM Chebyshev UCL	6.949			99% KM Chebyshev UCL	8.605		
1578												
1579	**Gamma GOF Tests on Detected Observations Only**											
1580					A-D Test Statistic	0.661			**Anderson-Darling GOF Test**			
1581					5% A-D Critical Value	0.769			Detected data appear Gamma Distributed at 5% Significance Level			
1582					K-S Test Statistic	0.0924			**Kolmogorov-Smirnov GOF**			
1583					5% K-S Critical Value	0.108			Detected data appear Gamma Distributed at 5% Significance Level			
1584	**Detected data appear Gamma Distributed at 5% Significance Level**											
1585												
1586	**Gamma Statistics on Detected Data Only**											
1587					k hat (MLE)	1.517			k star (bias corrected MLE)	1.462		
1588					Theta hat (MLE)	2.851			Theta star (bias corrected MLE)	2.958		
1589					nu hat (MLE)	215.4			nu star (bias corrected)	207.6		
1590					Mean (detects)	4.324						
1591												
1592	**Gamma ROS Statistics using Imputed Non-Detects**											
1593	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1594	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1595	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1596	This is especially true when the sample size is small.											
1597	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1598					Minimum	0.01			Mean	4.149		
1599					Maximum	17			Median	2.85		
1600					SD	3.853			CV	0.929		
1601					k hat (MLE)	1.037			k star (bias corrected MLE)	1.004		

	A	B	C	D	E	F	G	H	I	J	K	L
1602					Theta hat (MLE)	4.003				Theta star (bias corrected MLE)		4.135
1603					nu hat (MLE)	153.4				nu star (bias corrected)		148.5
1604					Adjusted Level of Significance (β)	0.0468						
1605					Approximate Chi Square Value (148.52, α)	121.4				Adjusted Chi Square Value (148.52, β)		120.9
1606					95% Gamma Approximate UCL (use when n>=50)	5.078				95% Gamma Adjusted UCL (use when n<50)		5.098
1607												
1608					**Estimates of Gamma Parameters using KM Estimates**							
1609					Mean (KM)	4.157				SD (KM)		3.818
1610					Variance (KM)	14.58				SE of Mean (KM)		0.447
1611					k hat (KM)	1.185				k star (KM)		1.146
1612					nu hat (KM)	175.4				nu star (KM)		169.6
1613					theta hat (KM)	3.507				theta star (KM)		3.627
1614					80% gamma percentile (KM)	6.611				90% gamma percentile (KM)		9.255
1615					95% gamma percentile (KM)	11.87				99% gamma percentile (KM)		17.89
1616												
1617					**Gamma Kaplan-Meier (KM) Statistics**							
1618					Approximate Chi Square Value (169.63, α)	140.5				Adjusted Chi Square Value (169.63, β)		140
1619					95% Gamma Approximate KM-UCL (use when n>=50)	5.018				95% Gamma Adjusted KM-UCL (use when n<50)		5.037
1620												
1621					**Lognormal GOF Test on Detected Observations Only**							
1622					Shapiro Wilk Approximate Test Statistic	0.974				**Shapiro Wilk GOF Test**		
1623					5% Shapiro Wilk P Value	0.362				Detected Data appear Lognormal at 5% Significance Level		
1624					Lilliefors Test Statistic	0.0728				**Lilliefors GOF Test**		
1625					5% Lilliefors Critical Value	0.105				Detected Data appear Lognormal at 5% Significance Level		
1626					**Detected Data appear Lognormal at 5% Significance Level**							
1627												
1628					**Lognormal ROS Statistics Using Imputed Non-Detects**							
1629					Mean in Original Scale	4.163				Mean in Log Scale		1.013
1630					SD in Original Scale	3.838				SD in Log Scale		0.971
1631					95% t UCL (assumes normality of ROS data)	4.906				95% Percentile Bootstrap UCL		4.939
1632					95% BCA Bootstrap UCL	4.987				95% Bootstrap t UCL		5.037
1633					95% H-UCL (Log ROS)	5.682						
1634												
1635					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
1636					KM Mean (logged)	0.99				KM Geo Mean		2.691
1637					KM SD (logged)	1.018				95% Critical H Value (KM-Log)		2.274
1638					KM Standard Error of Mean (logged)	0.119				95% H-UCL (KM -Log)		5.922
1639					KM SD (logged)	1.018				95% Critical H Value (KM-Log)		2.274
1640					KM Standard Error of Mean (logged)	0.119						
1641												
1642					**DL/2 Statistics**							
1643					**DL/2 Normal**					**DL/2 Log-Transformed**		
1644					Mean in Original Scale	4.153				Mean in Log Scale		0.964
1645					SD in Original Scale	3.848				SD in Log Scale		1.096
1646					95% t UCL (Assumes normality)	4.898				95% H-Stat UCL		6.462
1647					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
1648												
1649					**Nonparametric Distribution Free UCL Statistics**							
1650					**Detected Data appear Gamma Distributed at 5% Significance Level**							
1651												

	A	B	C	D	E	F	G	H	I	J	K	L
1652	**Suggested UCL to Use**											
1653	95% KM Approximate Gamma UCL					5.018	95% GROS Approximate Gamma UCL					5.078
1654												
1655	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1656	Recommendations are based upon data size, data distribution, and skewness.											
1657	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1658	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1659												
1660												
1661	**Cadmium**											
1662												
1663	**General Statistics**											
1664	Total Number of Observations					74	Number of Distinct Observations					54
1665							Number of Missing Observations					0
1666	Minimum					0.13	Mean					1.809
1667	Maximum					8	Median					0.985
1668	SD					1.931	Std. Error of Mean					0.225
1669	Coefficient of Variation					1.068	Skewness					1.894
1670												
1671	**Normal GOF Test**											
1672	Shapiro Wilk Test Statistic					0.719	**Shapiro Wilk GOF Test**					
1673	5% Shapiro Wilk P Value					0	Data Not Normal at 5% Significance Level					
1674	Lilliefors Test Statistic					0.239	**Lilliefors GOF Test**					
1675	5% Lilliefors Critical Value					0.103	Data Not Normal at 5% Significance Level					
1676	**Data Not Normal at 5% Significance Level**											
1677												
1678	**Assuming Normal Distribution**											
1679	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
1680	95% Student's-t UCL					2.183	95% Adjusted-CLT UCL (Chen-1995)					2.231
1681							95% Modified-t UCL (Johnson-1978)					2.191
1682												
1683	**Gamma GOF Test**											
1684	A-D Test Statistic					2.417	**Anderson-Darling Gamma GOF Test**					
1685	5% A-D Critical Value					0.775	Data Not Gamma Distributed at 5% Significance Level					
1686	K-S Test Statistic					0.179	**Kolmogorov-Smirnov Gamma GOF Test**					
1687	5% K-S Critical Value					0.106	Data Not Gamma Distributed at 5% Significance Level					
1688	**Data Not Gamma Distributed at 5% Significance Level**											
1689												
1690	**Gamma Statistics**											
1691	k hat (MLE)					1.282	k star (bias corrected MLE)					1.239
1692	Theta hat (MLE)					1.411	Theta star (bias corrected MLE)					1.46
1693	nu hat (MLE)					189.8	nu star (bias corrected)					183.4
1694	MLE Mean (bias corrected)					1.809	MLE Sd (bias corrected)					1.625
1695							Approximate Chi Square Value (0.05)					153.1
1696	Adjusted Level of Significance					0.0468	Adjusted Chi Square Value					152.6
1697												
1698	**Assuming Gamma Distribution**											
1699	95% Approximate Gamma UCL (use when n>=50))					2.168	95% Adjusted Gamma UCL (use when n<50)					2.175
1700												
1701	**Lognormal GOF Test**											
1702	Shapiro Wilk Test Statistic					0.963	**Shapiro Wilk Lognormal GOF Test**					
1703	5% Shapiro Wilk P Value					0.0885	Data appear Lognormal at 5% Significance Level					

1704					Lilliefors Test Statistic	0.12	**Lilliefors Lognormal GOF Test**					
1705					5% Lilliefors Critical Value	0.103	Data Not Lognormal at 5% Significance Level					
1706	**Data appear Approximate Lognormal at 5% Significance Level**											
1707												
1708	**Lognormal Statistics**											
1709					Minimum of Logged Data	-2.04	Mean of logged Data	0.155				
1710					Maximum of Logged Data	2.079	SD of logged Data	0.922				
1711												
1712	**Assuming Lognormal Distribution**											
1713					95% H-UCL	2.259	90% Chebyshev (MVUE) UCL	2.435				
1714					95% Chebyshev (MVUE) UCL	2.735	97.5% Chebyshev (MVUE) UCL	3.153				
1715					99% Chebyshev (MVUE) UCL	3.972						
1716												
1717	**Nonparametric Distribution Free UCL Statistics**											
1718	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1719												
1720	**Nonparametric Distribution Free UCLs**											
1721					95% CLT UCL	2.179	95% Jackknife UCL	2.183				
1722					95% Standard Bootstrap UCL	2.184	95% Bootstrap-t UCL	2.249				
1723					95% Hall's Bootstrap UCL	2.223	95% Percentile Bootstrap UCL	2.192				
1724					95% BCA Bootstrap UCL	2.215						
1725					90% Chebyshev(Mean, Sd) UCL	2.483	95% Chebyshev(Mean, Sd) UCL	2.788				
1726					97.5% Chebyshev(Mean, Sd) UCL	3.211	99% Chebyshev(Mean, Sd) UCL	4.043				
1727												
1728	**Suggested UCL to Use**											
1729					95% H-UCL	2.259						
1730												
1731	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1732	Recommendations are based upon data size, data distribution, and skewness.											
1733	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1734	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1735												
1736	**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**											
1737	**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**											
1738	**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**											
1739	**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**											
1740												
1741												
1742	**Cobalt**											
1743												
1744	**General Statistics**											
1745					Total Number of Observations	74	Number of Distinct Observations	50				
1746							Number of Missing Observations	0				
1747					Minimum	0.53	Mean	8.293				
1748					Maximum	100	Median	3.85				
1749					SD	14.26	Std. Error of Mean	1.658				
1750					Coefficient of Variation	1.719	Skewness	4.647				
1751												
1752	**Normal GOF Test**											
1753					Shapiro Wilk Test Statistic	0.479	**Shapiro Wilk GOF Test**					
1754					5% Shapiro Wilk P Value	0	Data Not Normal at 5% Significance Level					

1755				Lilliefors Test Statistic	0.303	**Lilliefors GOF Test**						
1756				5% Lilliefors Critical Value	0.103	Data Not Normal at 5% Significance Level						
1757	**Data Not Normal at 5% Significance Level**											
1758												
1759	**Assuming Normal Distribution**											
1760	**95% Normal UCL**					**95% UCLs (Adjusted for Skewness)**						
1761				95% Student's-t UCL	11.05	95% Adjusted-CLT UCL (Chen-1995)					11.98	
1762						95% Modified-t UCL (Johnson-1978)					11.2	
1763												
1764	**Gamma GOF Test**											
1765				A-D Test Statistic	3.659	**Anderson-Darling Gamma GOF Test**						
1766				5% A-D Critical Value	0.781	Data Not Gamma Distributed at 5% Significance Level						
1767				K-S Test Statistic	0.176	**Kolmogorov-Smirnov Gamma GOF Test**						
1768				5% K-S Critical Value	0.107	Data Not Gamma Distributed at 5% Significance Level						
1769	**Data Not Gamma Distributed at 5% Significance Level**											
1770												
1771	**Gamma Statistics**											
1772				k hat (MLE)	0.993	k star (bias corrected MLE)					0.962	
1773				Theta hat (MLE)	8.349	Theta star (bias corrected MLE)					8.621	
1774				nu hat (MLE)	147	nu star (bias corrected)					142.4	
1775				MLE Mean (bias corrected)	8.293	MLE Sd (bias corrected)					8.455	
1776						Approximate Chi Square Value (0.05)					115.8	
1777				Adjusted Level of Significance	0.0468	Adjusted Chi Square Value					115.3	
1778												
1779	**Assuming Gamma Distribution**											
1780			95% Approximate Gamma UCL (use when n>=50))		10.2	95% Adjusted Gamma UCL (use when n<50)					10.24	
1781												
1782	**Lognormal GOF Test**											
1783				Shapiro Wilk Test Statistic	0.961	**Shapiro Wilk Lognormal GOF Test**						
1784				5% Shapiro Wilk P Value	0.0678	Data appear Lognormal at 5% Significance Level						
1785				Lilliefors Test Statistic	0.118	**Lilliefors Lognormal GOF Test**						
1786				5% Lilliefors Critical Value	0.103	Data Not Lognormal at 5% Significance Level						
1787	**Data appear Approximate Lognormal at 5% Significance Level**											
1788												
1789	**Lognormal Statistics**											
1790				Minimum of Logged Data	-0.635	Mean of logged Data					1.534	
1791				Maximum of Logged Data	4.605	SD of logged Data					0.963	
1792												
1793	**Assuming Lognormal Distribution**											
1794				95% H-UCL	9.473	90% Chebyshev (MVUE) UCL					10.2	
1795				95% Chebyshev (MVUE) UCL	11.51	97.5% Chebyshev (MVUE) UCL					13.33	
1796				99% Chebyshev (MVUE) UCL	16.91							
1797												
1798	**Nonparametric Distribution Free UCL Statistics**											
1799	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1800												
1801	**Nonparametric Distribution Free UCLs**											
1802				95% CLT UCL	11.02	95% Jackknife UCL					11.05	
1803				95% Standard Bootstrap UCL	10.93	95% Bootstrap-t UCL					13.16	
1804				95% Hall's Bootstrap UCL	22.21	95% Percentile Bootstrap UCL					11.2	
1805				95% BCA Bootstrap UCL	12.2							

1806				90% Chebyshev(Mean, Sd) UCL		13.27				95% Chebyshev(Mean, Sd) UCL		15.52
1807				97.5% Chebyshev(Mean, Sd) UCL		18.64				99% Chebyshev(Mean, Sd) UCL		24.79
1808												
1809						**Suggested UCL to Use**							
1810					95% H-UCL	9.473						
1811												
1812						Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.						
1813						Recommendations are based upon data size, data distribution, and skewness.						
1814						These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).						
1815						However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.						
1816												
1817						**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**						
1818						**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**						
1819						**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**						
1820						**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**						
1821												
1822												
1823	**Copper**											
1824												
1825						**General Statistics**						
1826					Total Number of Observations	74				Number of Distinct Observations		44
1827										Number of Missing Observations		0
1828					Minimum	2.4				Mean		50.95
1829					Maximum	490				Median		32.5
1830					SD	64.39				Std. Error of Mean		7.485
1831					Coefficient of Variation	1.264				Skewness		4.755
1832												
1833						**Normal GOF Test**						
1834					Shapiro Wilk Test Statistic	0.569				**Shapiro Wilk GOF Test**		
1835					5% Shapiro Wilk P Value	0				Data Not Normal at 5% Significance Level		
1836					Lilliefors Test Statistic	0.245				**Lilliefors GOF Test**		
1837					5% Lilliefors Critical Value	0.103				Data Not Normal at 5% Significance Level		
1838						**Data Not Normal at 5% Significance Level**						
1839												
1840						**Assuming Normal Distribution**						
1841						**95% Normal UCL**					**95% UCLs (Adjusted for Skewness)**	
1842					95% Student's-t UCL	63.42				95% Adjusted-CLT UCL (Chen-1995)		67.68
1843										95% Modified-t UCL (Johnson-1978)		64.11
1844												
1845						**Gamma GOF Test**						
1846					A-D Test Statistic	2.178				**Anderson-Darling Gamma GOF Test**		
1847					5% A-D Critical Value	0.771				Data Not Gamma Distributed at 5% Significance Level		
1848					K-S Test Statistic	0.14				**Kolmogorov-Smirnov Gamma GOF Test**		
1849					5% K-S Critical Value	0.106				Data Not Gamma Distributed at 5% Significance Level		
1850						**Data Not Gamma Distributed at 5% Significance Level**						
1851												
1852						**Gamma Statistics**						
1853					k hat (MLE)	1.426				k star (bias corrected MLE)		1.378
1854					Theta hat (MLE)	35.72				Theta star (bias corrected MLE)		36.99
1855					nu hat (MLE)	211.1				nu star (bias corrected)		203.9

1856	MLE Mean (bias corrected)					50.95	MLE Sd (bias corrected)					43.41
1857							Approximate Chi Square Value (0.05)					171.8
1858	Adjusted Level of Significance					0.0468	Adjusted Chi Square Value					171.3
1859												
1860	**Assuming Gamma Distribution**											
1861	95% Approximate Gamma UCL (use when n>=50))					60.45	95% Adjusted Gamma UCL (use when n<50)					60.66
1862												
1863	**Lognormal GOF Test**											
1864	Shapiro Wilk Test Statistic					0.981	**Shapiro Wilk Lognormal GOF Test**					
1865	5% Shapiro Wilk P Value					0.643	Data appear Lognormal at 5% Significance Level					
1866	Lilliefors Test Statistic					0.0867	**Lilliefors Lognormal GOF Test**					
1867	5% Lilliefors Critical Value					0.103	Data appear Lognormal at 5% Significance Level					
1868	**Data appear Lognormal at 5% Significance Level**											
1869												
1870	**Lognormal Statistics**											
1871	Minimum of Logged Data					0.875	Mean of logged Data					3.541
1872	Maximum of Logged Data					6.194	SD of logged Data					0.844
1873												
1874	**Assuming Lognormal Distribution**											
1875	95% H-UCL					60.69	90% Chebyshev (MVUE) UCL					65.4
1876	95% Chebyshev (MVUE) UCL					72.85	97.5% Chebyshev (MVUE) UCL					83.19
1877	99% Chebyshev (MVUE) UCL					103.5						
1878												
1879	**Nonparametric Distribution Free UCL Statistics**											
1880	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1881												
1882	**Nonparametric Distribution Free UCLs**											
1883	95% CLT UCL					63.26	95% Jackknife UCL					63.42
1884	95% Standard Bootstrap UCL					63.18	95% Bootstrap-t UCL					72.13
1885	95% Hall's Bootstrap UCL					116.7	95% Percentile Bootstrap UCL					64.38
1886	95% BCA Bootstrap UCL					69.99						
1887	90% Chebyshev(Mean, Sd) UCL					73.41	95% Chebyshev(Mean, Sd) UCL					83.58
1888	97.5% Chebyshev(Mean, Sd) UCL					97.69	99% Chebyshev(Mean, Sd) UCL					125.4
1889												
1890	**Suggested UCL to Use**											
1891	95% H-UCL					60.69						
1892												
1893	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1894	Recommendations are based upon data size, data distribution, and skewness.											
1895	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1896	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1897												
1898	**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**											
1899	**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**											
1900	**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**											
1901	**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**											
1902												
1903												

	A	B	C	D	E	F	G	H	I	J	K	L
1904	**Iron**											
1905												
1906	**General Statistics**											
1907					Total Number of Observations	74			Number of Distinct Observations			42
1908									Number of Missing Observations			0
1909					Minimum	8200			Mean			99030
1910					Maximum	430000			Median			87000
1911					SD	73875			Std. Error of Mean			8588
1912					Coefficient of Variation	0.746			Skewness			1.612
1913												
1914	**Normal GOF Test**											
1915					Shapiro Wilk Test Statistic	0.876	**Shapiro Wilk GOF Test**					
1916					5% Shapiro Wilk P Value	3.2751E-8	Data Not Normal at 5% Significance Level					
1917					Lilliefors Test Statistic	0.123	**Lilliefors GOF Test**					
1918					5% Lilliefors Critical Value	0.103	Data Not Normal at 5% Significance Level					
1919	**Data Not Normal at 5% Significance Level**											
1920												
1921	**Assuming Normal Distribution**											
1922	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
1923					95% Student's-t UCL	113337			95% Adjusted-CLT UCL (Chen-1995)			114875
1924									95% Modified-t UCL (Johnson-1978)			113605
1925												
1926	**Gamma GOF Test**											
1927					A-D Test Statistic	0.554	**Anderson-Darling Gamma GOF Test**					
1928					5% A-D Critical Value	0.764	Detected data appear Gamma Distributed at 5% Significance Level					
1929					K-S Test Statistic	0.0771	**Kolmogorov-Smirnov Gamma GOF Test**					
1930					5% K-S Critical Value	0.105	Detected data appear Gamma Distributed at 5% Significance Level					
1931	**Detected data appear Gamma Distributed at 5% Significance Level**											
1932												
1933	**Gamma Statistics**											
1934					k hat (MLE)	1.909			k star (bias corrected MLE)			1.841
1935					Theta hat (MLE)	51870			Theta star (bias corrected MLE)			53797
1936					nu hat (MLE)	282.6			nu star (bias corrected)			272.4
1937					MLE Mean (bias corrected)	99030			MLE Sd (bias corrected)			72989
1938									Approximate Chi Square Value (0.05)			235.2
1939					Adjusted Level of Significance	0.0468			Adjusted Chi Square Value			234.5
1940												
1941	**Assuming Gamma Distribution**											
1942					95% Approximate Gamma UCL (use when n>=50)	114702			95% Adjusted Gamma UCL (use when n<50)			115036
1943												
1944	**Lognormal GOF Test**											
1945					Shapiro Wilk Test Statistic	0.966	**Shapiro Wilk Lognormal GOF Test**					
1946					5% Shapiro Wilk P Value	0.139	Data appear Lognormal at 5% Significance Level					
1947					Lilliefors Test Statistic	0.0913	**Lilliefors Lognormal GOF Test**					
1948					5% Lilliefors Critical Value	0.103	Data appear Lognormal at 5% Significance Level					
1949	**Data appear Lognormal at 5% Significance Level**											
1950												
1951	**Lognormal Statistics**											
1952					Minimum of Logged Data	9.012			Mean of logged Data			11.22
1953					Maximum of Logged Data	12.97			SD of logged Data			0.804
1954												

1955	**Assuming Lognormal Distribution**											
1956					95% H-UCL	125162			90% Chebyshev (MVUE) UCL	134776		
1957					95% Chebyshev (MVUE) UCL	149459			97.5% Chebyshev (MVUE) UCL	169840		
1958					99% Chebyshev (MVUE) UCL	209873						
1959												
1960	**Nonparametric Distribution Free UCL Statistics**											
1961	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
1962												
1963	**Nonparametric Distribution Free UCLs**											
1964					95% CLT UCL	113155			95% Jackknife UCL	113337		
1965					95% Standard Bootstrap UCL	112882			95% Bootstrap-t UCL	115276		
1966					95% Hall's Bootstrap UCL	116531			95% Percentile Bootstrap UCL	112662		
1967					95% BCA Bootstrap UCL	114100						
1968					90% Chebyshev(Mean, Sd) UCL	124793			95% Chebyshev(Mean, Sd) UCL	136463		
1969					97.5% Chebyshev(Mean, Sd) UCL	152661			99% Chebyshev(Mean, Sd) UCL	184478		
1970												
1971	**Suggested UCL to Use**											
1972					95% Approximate Gamma UCL	114702						
1973												
1974	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1975	Recommendations are based upon data size, data distribution, and skewness.											
1976	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1977	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1978												
1979												
1980	**Lead**											
1981												
1982	**General Statistics**											
1983					Total Number of Observations	74			Number of Distinct Observations	56		
1984									Number of Missing Observations	0		
1985					Minimum	0.35			Mean	98.03		
1986					Maximum	830			Median	31		
1987					SD	162.6			Std. Error of Mean	18.9		
1988					Coefficient of Variation	1.658			Skewness	2.822		
1989												
1990	**Normal GOF Test**											
1991					Shapiro Wilk Test Statistic	0.595			**Shapiro Wilk GOF Test**			
1992					5% Shapiro Wilk P Value	0			Data Not Normal at 5% Significance Level			
1993					Lilliefors Test Statistic	0.292			**Lilliefors GOF Test**			
1994					5% Lilliefors Critical Value	0.103			Data Not Normal at 5% Significance Level			
1995	**Data Not Normal at 5% Significance Level**											
1996												
1997	**Assuming Normal Distribution**											
1998					**95% Normal UCL**				**95% UCLs (Adjusted for Skewness)**			
1999					95% Student's-t UCL	129.5			95% Adjusted-CLT UCL (Chen-1995)	135.7		
2000									95% Modified-t UCL (Johnson-1978)	130.5		
2001												
2002	**Gamma GOF Test**											
2003					A-D Test Statistic	2.712			**Anderson-Darling Gamma GOF Test**			
2004					5% A-D Critical Value	0.803			Data Not Gamma Distributed at 5% Significance Level			
2005					K-S Test Statistic	0.146			**Kolmogorov-Smirnov Gamma GOF Test**			

2006					5% K-S Critical Value	0.109	Data Not Gamma Distributed at 5% Significance Level					
2007	**Data Not Gamma Distributed at 5% Significance Level**											
2008												
2009	**Gamma Statistics**											
2010					k hat (MLE)	0.649	k star (bias corrected MLE)					0.632
2011					Theta hat (MLE)	151.1	Theta star (bias corrected MLE)					155.2
2012					nu hat (MLE)	96.04	nu star (bias corrected)					93.48
2013					MLE Mean (bias corrected)	98.03	MLE Sd (bias corrected)					123.3
2014							Approximate Chi Square Value (0.05)					72.18
2015					Adjusted Level of Significance	0.0468	Adjusted Chi Square Value					71.81
2016												
2017	**Assuming Gamma Distribution**											
2018			95% Approximate Gamma UCL (use when n>=50))			126.9	95% Adjusted Gamma UCL (use when n<50)					127.6
2019												
2020	**Lognormal GOF Test**											
2021					Shapiro Wilk Test Statistic	0.976	**Shapiro Wilk Lognormal GOF Test**					
2022					5% Shapiro Wilk P Value	0.448	Data appear Lognormal at 5% Significance Level					
2023					Lilliefors Test Statistic	0.0742	**Lilliefors Lognormal GOF Test**					
2024					5% Lilliefors Critical Value	0.103	Data appear Lognormal at 5% Significance Level					
2025	**Data appear Lognormal at 5% Significance Level**											
2026												
2027	**Lognormal Statistics**											
2028					Minimum of Logged Data	-1.05	Mean of logged Data					3.644
2029					Maximum of Logged Data	6.721	SD of logged Data					1.405
2030												
2031	**Assuming Lognormal Distribution**											
2032					95% H-UCL	159.8	90% Chebyshev (MVUE) UCL					165.4
2033					95% Chebyshev (MVUE) UCL	194.9	97.5% Chebyshev (MVUE) UCL					236
2034					99% Chebyshev (MVUE) UCL	316.6						
2035												
2036	**Nonparametric Distribution Free UCL Statistics**											
2037	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
2038												
2039	**Nonparametric Distribution Free UCLs**											
2040					95% CLT UCL	129.1	95% Jackknife UCL					129.5
2041					95% Standard Bootstrap UCL	130.1	95% Bootstrap-t UCL					140.5
2042					95% Hall's Bootstrap UCL	136.2	95% Percentile Bootstrap UCL					131.2
2043					95% BCA Bootstrap UCL	135.7						
2044					90% Chebyshev(Mean, Sd) UCL	154.7	95% Chebyshev(Mean, Sd) UCL					180.4
2045					97.5% Chebyshev(Mean, Sd) UCL	216	99% Chebyshev(Mean, Sd) UCL					286
2046												
2047	**Suggested UCL to Use**											
2048					95% H-UCL	159.8						
2049												
2050	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2051	Recommendations are based upon data size, data distribution, and skewness.											
2052	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2053	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2054												
2055	**ProUCL computes and outputs H-statistic based UCLs for historical reasons only.**											
2056	**H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.**											

2057	**It is therefore recommended to avoid the use of H-statistic based 95% UCLs.**											
2058	**Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.**											
2059												
2060												
2061	**Manganese**											
2062												
2063	**General Statistics**											
2064					Total Number of Observations	74			Number of Distinct Observations	51		
2065									Number of Missing Observations	0		
2066					Minimum	350			Mean	9591		
2067					Maximum	36000			Median	6950		
2068					SD	8318			Std. Error of Mean	966.9		
2069					Coefficient of Variation	0.867			Skewness	1.218		
2070												
2071	**Normal GOF Test**											
2072					Shapiro Wilk Test Statistic	0.852			**Shapiro Wilk GOF Test**			
2073					5% Shapiro Wilk P Value	4.848E-10			Data Not Normal at 5% Significance Level			
2074					Lilliefors Test Statistic	0.186			**Lilliefors GOF Test**			
2075					5% Lilliefors Critical Value	0.103			Data Not Normal at 5% Significance Level			
2076	**Data Not Normal at 5% Significance Level**											
2077												
2078	**Assuming Normal Distribution**											
2079					**95% Normal UCL**				**95% UCLs (Adjusted for Skewness)**			
2080					95% Student's-t UCL	11202			95% Adjusted-CLT UCL (Chen-1995)	11328		
2081									95% Modified-t UCL (Johnson-1978)	11225		
2082												
2083	**Gamma GOF Test**											
2084					A-D Test Statistic	0.505			**Anderson-Darling Gamma GOF Test**			
2085					5% A-D Critical Value	0.773			Detected data appear Gamma Distributed at 5% Significance Level			
2086					K-S Test Statistic	0.0719			**Kolmogorov-Smirnov Gamma GOF Test**			
2087					5% K-S Critical Value	0.106			Detected data appear Gamma Distributed at 5% Significance Level			
2088	**Detected data appear Gamma Distributed at 5% Significance Level**											
2089												
2090	**Gamma Statistics**											
2091					k hat (MLE)	1.369			k star (bias corrected MLE)	1.322		
2092					Theta hat (MLE)	7007			Theta star (bias corrected MLE)	7254		
2093					nu hat (MLE)	202.6			nu star (bias corrected)	195.7		
2094					MLE Mean (bias corrected)	9591			MLE Sd (bias corrected)	8341		
2095									Approximate Chi Square Value (0.05)	164.3		
2096					Adjusted Level of Significance	0.0468			Adjusted Chi Square Value	163.8		
2097												
2098	**Assuming Gamma Distribution**											
2099					95% Approximate Gamma UCL (use when n>=50)	11422			95% Adjusted Gamma UCL (use when n<50)	11462		
2100												
2101	**Lognormal GOF Test**											
2102					Shapiro Wilk Test Statistic	0.967			**Shapiro Wilk Lognormal GOF Test**			
2103					5% Shapiro Wilk P Value	0.157			Data appear Lognormal at 5% Significance Level			
2104					Lilliefors Test Statistic	0.0679			**Lilliefors Lognormal GOF Test**			
2105					5% Lilliefors Critical Value	0.103			Data appear Lognormal at 5% Significance Level			
2106	**Data appear Lognormal at 5% Significance Level**											
2107												

	A	B	C	D	E	F	G	H	I	J	K	L
2108	**Lognormal Statistics**											
2109					Minimum of Logged Data	5.858				Mean of logged Data		8.761
2110					Maximum of Logged Data	10.49				SD of logged Data		0.985
2111												
2112	**Assuming Lognormal Distribution**											
2113					95% H-UCL	13422				90% Chebyshev (MVUE) UCL		14449
2114					95% Chebyshev (MVUE) UCL	16344				97.5% Chebyshev (MVUE) UCL		18974
2115					99% Chebyshev (MVUE) UCL	24140						
2116												
2117	**Nonparametric Distribution Free UCL Statistics**											
2118	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
2119												
2120	**Nonparametric Distribution Free UCLs**											
2121					95% CLT UCL	11182				95% Jackknife UCL		11202
2122					95% Standard Bootstrap UCL	11190				95% Bootstrap-t UCL		11320
2123					95% Hall's Bootstrap UCL	11370				95% Percentile Bootstrap UCL		11141
2124					95% BCA Bootstrap UCL	11278						
2125					90% Chebyshev(Mean, Sd) UCL	12492				95% Chebyshev(Mean, Sd) UCL		13806
2126					97.5% Chebyshev(Mean, Sd) UCL	15630				99% Chebyshev(Mean, Sd) UCL		19212
2127												
2128	**Suggested UCL to Use**											
2129					95% Approximate Gamma UCL	11422						
2130												
2131	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2132	Recommendations are based upon data size, data distribution, and skewness.											
2133	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2134	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2135												
2136	**Mercury**											
2137												
2138	**General Statistics**											
2139					Total Number of Observations	74				Number of Distinct Observations		45
2140					Number of Detects	61				Number of Non-Detects		13
2141					Number of Distinct Detects	44				Number of Distinct Non-Detects		3
2142					Minimum Detect	0.011				Minimum Non-Detect		0.011
2143					Maximum Detect	2.8				Maximum Non-Detect		0.013
2144					Variance Detects	0.144				Percent Non-Detects		17.57%
2145					Mean Detects	0.135				SD Detects		0.379
2146					Median Detects	0.034				CV Detects		2.805
2147					Skewness Detects	6.15				Kurtosis Detects		42.2
2148					Mean of Logged Detects	-3.005				SD of Logged Detects		1.128
2149												
2150	**Normal GOF Test on Detects Only**											
2151					Shapiro Wilk Test Statistic	0.336				**Normal GOF Test on Detected Observations Only**		
2152					5% Shapiro Wilk P Value	0				Detected Data Not Normal at 5% Significance Level		
2153					Lilliefors Test Statistic	0.373				**Lilliefors GOF Test**		
2154					5% Lilliefors Critical Value	0.113				Detected Data Not Normal at 5% Significance Level		
2155	**Detected Data Not Normal at 5% Significance Level**											
2156												
2157	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2158					KM Mean	0.113				KM Standard Error of Mean		0.0404
2159					KM SD	0.344				95% KM (BCA) UCL		0.193

2160					95% KM (t) UCL	0.181				95% KM (Percentile Bootstrap) UCL		0.185
2161					95% KM (z) UCL	0.18				95% KM Bootstrap t UCL		0.306
2162					90% KM Chebyshev UCL	0.234				95% KM Chebyshev UCL		0.289
2163					97.5% KM Chebyshev UCL	0.365				99% KM Chebyshev UCL		0.515
2164												
2165					**Gamma GOF Tests on Detected Observations Only**							
2166					A-D Test Statistic	6.695	**Anderson-Darling GOF Test**					
2167					5% A-D Critical Value	0.805	Detected Data Not Gamma Distributed at 5% Significance Level					
2168					K-S Test Statistic	0.261	**Kolmogorov-Smirnov GOF**					
2169					5% K-S Critical Value	0.12	Detected Data Not Gamma Distributed at 5% Significance Level					
2170					**Detected Data Not Gamma Distributed at 5% Significance Level**							
2171												
2172					**Gamma Statistics on Detected Data Only**							
2173					k hat (MLE)	0.614				k star (bias corrected MLE)		0.595
2174					Theta hat (MLE)	0.22				Theta star (bias corrected MLE)		0.227
2175					nu hat (MLE)	74.92				nu star (bias corrected)		72.57
2176					Mean (detects)	0.135						
2177												
2178					**Gamma ROS Statistics using Imputed Non-Detects**							
2179					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
2180					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
2181					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
2182					This is especially true when the sample size is small.							
2183					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
2184					Minimum	0.01				Mean		0.113
2185					Maximum	2.8				Median		0.03
2186					SD	0.347				CV		3.066
2187					k hat (MLE)	0.564				k star (bias corrected MLE)		0.55
2188					Theta hat (MLE)	0.201				Theta star (bias corrected MLE)		0.206
2189					nu hat (MLE)	83.43				nu star (bias corrected)		81.38
2190					Adjusted Level of Significance (β)	0.0468						
2191					Approximate Chi Square Value (81.38, α)	61.59				Adjusted Chi Square Value (81.38, β)		61.25
2192					95% Gamma Approximate UCL (use when n>=50)	0.149				95% Gamma Adjusted UCL (use when n<50)		0.15
2193												
2194					**Estimates of Gamma Parameters using KM Estimates**							
2195					Mean (KM)	0.113				SD (KM)		0.344
2196					Variance (KM)	0.119				SE of Mean (KM)		0.0404
2197					k hat (KM)	0.108				k star (KM)		0.113
2198					nu hat (KM)	16.01				nu star (KM)		16.69
2199					theta hat (KM)	1.047				theta star (KM)		1.004
2200					80% gamma percentile (KM)	0.0924				90% gamma percentile (KM)		0.315
2201					95% gamma percentile (KM)	0.651				99% gamma percentile (KM)		1.693
2202												
2203					**Gamma Kaplan-Meier (KM) Statistics**							
2204					Approximate Chi Square Value (16.69, α)	8.454				Adjusted Chi Square Value (16.69, β)		8.338
2205					95% Gamma Approximate KM-UCL (use when n>=50)	0.224				95% Gamma Adjusted KM-UCL (use when n<50)		0.227
2206												
2207					**Lognormal GOF Test on Detected Observations Only**							
2208					Shapiro Wilk Approximate Test Statistic	0.877	**Shapiro Wilk GOF Test**					
2209					5% Shapiro Wilk P Value	1.4781E-6	Detected Data Not Lognormal at 5% Significance Level					
2210					Lilliefors Test Statistic	0.143	**Lilliefors GOF Test**					

2211				5% Lilliefors Critical Value		0.113	Detected Data Not Lognormal at 5% Significance Level					
2212	**Detected Data Not Lognormal at 5% Significance Level**											
2213												
2214	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2215				Mean in Original Scale		0.112	Mean in Log Scale					-3.435
2216				SD in Original Scale		0.347	SD in Log Scale					1.401
2217			95% t UCL (assumes normality of ROS data)			0.179	95% Percentile Bootstrap UCL					0.184
2218				95% BCA Bootstrap UCL		0.234	95% Bootstrap t UCL					0.304
2219				95% H-UCL (Log ROS)		0.134						
2220												
2221	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2222				KM Mean (logged)		-3.269	KM Geo Mean					0.038
2223				KM SD (logged)		1.166	95% Critical H Value (KM-Log)					2.425
2224			KM Standard Error of Mean (logged)			0.137	95% H-UCL (KM -Log)					0.105
2225				KM SD (logged)		1.166	95% Critical H Value (KM-Log)					2.425
2226			KM Standard Error of Mean (logged)			0.137						
2227												
2228	**DL/2 Statistics**											
2229	**DL/2 Normal**						**DL/2 Log-Transformed**					
2230				Mean in Original Scale		0.112	Mean in Log Scale					-3.38
2231				SD in Original Scale		0.347	SD in Log Scale					1.311
2232				95% t UCL (Assumes normality)		0.18	95% H-Stat UCL					0.119
2233	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2234												
2235	**Nonparametric Distribution Free UCL Statistics**											
2236	**Data do not follow a Discernible Distribution at 5% Significance Level**											
2237												
2238	**Suggested UCL to Use**											
2239				95% KM (Chebyshev) UCL		0.289						
2240												
2241	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2242	Recommendations are based upon data size, data distribution, and skewness.											
2243	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2244	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2245												
2246												
2247	**Nickel**											
2248												
2249	**General Statistics**											
2250				Total Number of Observations		74	Number of Distinct Observations					47
2251							Number of Missing Observations					0
2252				Minimum		0.87	Mean					83.27
2253				Maximum		4600	Median					15
2254				SD		532.6	Std. Error of Mean					61.91
2255				Coefficient of Variation		6.396	Skewness					8.586
2256												
2257	**Normal GOF Test**											
2258				Shapiro Wilk Test Statistic		0.137	**Shapiro Wilk GOF Test**					
2259				5% Shapiro Wilk P Value		0	Data Not Normal at 5% Significance Level					
2260				Lilliefors Test Statistic		0.483	**Lilliefors GOF Test**					
2261				5% Lilliefors Critical Value		0.103	Data Not Normal at 5% Significance Level					
2262	**Data Not Normal at 5% Significance Level**											

2263												
2264	**Assuming Normal Distribution**											
2265	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2266	95% Student's-t UCL				186.4		95% Adjusted-CLT UCL (Chen-1995)				251.1	
2267							95% Modified-t UCL (Johnson-1978)				196.7	
2268												
2269	**Gamma GOF Test**											
2270	A-D Test Statistic				14.17		**Anderson-Darling Gamma GOF Test**					
2271	5% A-D Critical Value				0.84		Data Not Gamma Distributed at 5% Significance Level					
2272	K-S Test Statistic				0.336		**Kolmogorov-Smirnov Gamma GOF Test**					
2273	5% K-S Critical Value				0.111		Data Not Gamma Distributed at 5% Significance Level					
2274	**Data Not Gamma Distributed at 5% Significance Level**											
2275												
2276	**Gamma Statistics**											
2277	k hat (MLE)				0.408		k star (bias corrected MLE)				0.401	
2278	Theta hat (MLE)				204		Theta star (bias corrected MLE)				207.9	
2279	nu hat (MLE)				60.4		nu star (bias corrected)				59.28	
2280	MLE Mean (bias corrected)				83.27		MLE Sd (bias corrected)				131.6	
2281							Approximate Chi Square Value (0.05)				42.58	
2282	Adjusted Level of Significance				0.0468		Adjusted Chi Square Value				42.3	
2283												
2284	**Assuming Gamma Distribution**											
2285	95% Approximate Gamma UCL (use when n>=50))				115.9		95% Adjusted Gamma UCL (use when n<50)				116.7	
2286												
2287	**Lognormal GOF Test**											
2288	Shapiro Wilk Test Statistic				0.882		**Shapiro Wilk Lognormal GOF Test**					
2289	5% Shapiro Wilk P Value				1.0370E-7		Data Not Lognormal at 5% Significance Level					
2290	Lilliefors Test Statistic				0.136		**Lilliefors Lognormal GOF Test**					
2291	5% Lilliefors Critical Value				0.103		Data Not Lognormal at 5% Significance Level					
2292	**Data Not Lognormal at 5% Significance Level**											
2293												
2294	**Lognormal Statistics**											
2295	Minimum of Logged Data				-0.139		Mean of logged Data				2.815	
2296	Maximum of Logged Data				8.434		SD of logged Data				1.064	
2297												
2298	**Assuming Lognormal Distribution**											
2299	95% H-UCL				39.23		90% Chebyshev (MVUE) UCL				42.11	
2300	95% Chebyshev (MVUE) UCL				48.03		97.5% Chebyshev (MVUE) UCL				56.24	
2301	99% Chebyshev (MVUE) UCL				72.37							
2302												
2303	**Nonparametric Distribution Free UCL Statistics**											
2304	**Data do not follow a Discernible Distribution (0.05)**											
2305												
2306	**Nonparametric Distribution Free UCLs**											
2307	95% CLT UCL				185.1		95% Jackknife UCL				186.4	
2308	95% Standard Bootstrap UCL				184.1		95% Bootstrap-t UCL				2215	
2309	95% Hall's Bootstrap UCL				800.3		95% Percentile Bootstrap UCL				206.5	
2310	95% BCA Bootstrap UCL				332							
2311	90% Chebyshev(Mean, Sd) UCL				269		95% Chebyshev(Mean, Sd) UCL				353.1	
2312	97.5% Chebyshev(Mean, Sd) UCL				469.9		99% Chebyshev(Mean, Sd) UCL				699.3	
2313												

2314	**Suggested UCL to Use**											
2315				95% Chebyshev (Mean, Sd) UCL		353.1						
2316												
2317	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2318	Recommendations are based upon data size, data distribution, and skewness.											
2319	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2320	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2321												
2322	**Thallium**											
2323												
2324	**General Statistics**											
2325				Total Number of Observations		74			Number of Distinct Observations			58
2326				Number of Detects		65			Number of Non-Detects			9
2327				Number of Distinct Detects		55			Number of Distinct Non-Detects			5
2328				Minimum Detect		0.0023			Minimum Non-Detect			0.021
2329				Maximum Detect		0.81			Maximum Non-Detect			0.025
2330				Variance Detects		0.0221			Percent Non-Detects			12.16%
2331				Mean Detects		0.102			SD Detects			0.149
2332				Median Detects		0.05			CV Detects			1.45
2333				Skewness Detects		3.408			Kurtosis Detects			12.7
2334				Mean of Logged Detects		-2.884			SD of Logged Detects			1.101
2335												
2336	**Normal GOF Test on Detects Only**											
2337				Shapiro Wilk Test Statistic		0.581			**Normal GOF Test on Detected Observations Only**			
2338				5% Shapiro Wilk P Value		0			Detected Data Not Normal at 5% Significance Level			
2339				Lilliefors Test Statistic		0.25			**Lilliefors GOF Test**			
2340				5% Lilliefors Critical Value		0.11			Detected Data Not Normal at 5% Significance Level			
2341	**Detected Data Not Normal at 5% Significance Level**											
2342												
2343	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2344				KM Mean		0.0912			KM Standard Error of Mean			0.0166
2345				KM SD		0.141			95% KM (BCA) UCL			0.125
2346				95% KM (t) UCL		0.119			95% KM (Percentile Bootstrap) UCL			0.119
2347				95% KM (z) UCL		0.118			95% KM Bootstrap t UCL			0.134
2348				90% KM Chebyshev UCL		0.141			95% KM Chebyshev UCL			0.163
2349				97.5% KM Chebyshev UCL		0.195			99% KM Chebyshev UCL			0.256
2350												
2351	**Gamma GOF Tests on Detected Observations Only**											
2352				A-D Test Statistic		1.812			**Anderson-Darling GOF Test**			
2353				5% A-D Critical Value		0.782			Detected Data Not Gamma Distributed at 5% Significance Level			
2354				K-S Test Statistic		0.143			**Kolmogorov-Smirnov GOF**			
2355				5% K-S Critical Value		0.114			Detected Data Not Gamma Distributed at 5% Significance Level			
2356	**Detected Data Not Gamma Distributed at 5% Significance Level**											
2357												
2358	**Gamma Statistics on Detected Data Only**											
2359				k hat (MLE)		0.957			k star (bias corrected MLE)			0.924
2360				Theta hat (MLE)		0.107			Theta star (bias corrected MLE)			0.111
2361				nu hat (MLE)		124.5			nu star (bias corrected)			120.1
2362				Mean (detects)		0.102						
2363												

	A	B	C	D	E	F	G	H	I	J	K	L
2364	**Gamma ROS Statistics using Imputed Non-Detects**											
2365	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2366	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2367	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2368	This is especially true when the sample size is small.											
2369	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2370					Minimum	0.0023				Mean		0.0912
2371					Maximum	0.81				Median		0.0415
2372					SD	0.142				CV		1.561
2373					k hat (MLE)	0.843				k star (bias corrected MLE)		0.818
2374					Theta hat (MLE)	0.108				Theta star (bias corrected MLE)		0.111
2375					nu hat (MLE)	124.8				nu star (bias corrected)		121.1
2376					Adjusted Level of Significance (β)	0.0468						
2377					Approximate Chi Square Value (121.07, α)	96.66				Adjusted Chi Square Value (121.07, β)		96.23
2378					95% Gamma Approximate UCL (use when n>=50)	0.114				95% Gamma Adjusted UCL (use when n<50)		0.115
2379												
2380	**Estimates of Gamma Parameters using KM Estimates**											
2381					Mean (KM)	0.0912				SD (KM)		0.141
2382					Variance (KM)	0.02				SE of Mean (KM)		0.0166
2383					k hat (KM)	0.416				k star (KM)		0.409
2384					nu hat (KM)	61.63				nu star (KM)		60.46
2385					theta hat (KM)	0.219				theta star (KM)		0.223
2386					80% gamma percentile (KM)	0.148				90% gamma percentile (KM)		0.257
2387					95% gamma percentile (KM)	0.376				99% gamma percentile (KM)		0.676
2388												
2389	**Gamma Kaplan-Meier (KM) Statistics**											
2390					Approximate Chi Square Value (60.46, α)	43.58				Adjusted Chi Square Value (60.46, β)		43.3
2391					95% Gamma Approximate KM-UCL (use when n>=50)	0.127				95% Gamma Adjusted KM-UCL (use when n<50)		0.127
2392												
2393	**Lognormal GOF Test on Detected Observations Only**											
2394					Shapiro Wilk Approximate Test Statistic	0.979				**Shapiro Wilk GOF Test**		
2395					5% Shapiro Wilk P Value	0.626				Detected Data appear Lognormal at 5% Significance Level		
2396					Lilliefors Test Statistic	0.0983				**Lilliefors GOF Test**		
2397					5% Lilliefors Critical Value	0.11				Detected Data appear Lognormal at 5% Significance Level		
2398	**Detected Data appear Lognormal at 5% Significance Level**											
2399												
2400	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2401					Mean in Original Scale	0.0912				Mean in Log Scale		-3.098
2402					SD in Original Scale	0.142				SD in Log Scale		1.186
2403					95% t UCL (assumes normality of ROS data)	0.119				95% Percentile Bootstrap UCL		0.121
2404					95% BCA Bootstrap UCL	0.127				95% Bootstrap t UCL		0.132
2405					95% H-UCL (Log ROS)	0.128						
2406												
2407	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2408					KM Mean (logged)	-3.111				KM Geo Mean		0.0445
2409					KM SD (logged)	1.212				95% Critical H Value (KM-Log)		2.474
2410					KM Standard Error of Mean (logged)	0.147				95% H-UCL (KM -Log)		0.132
2411					KM SD (logged)	1.212				95% Critical H Value (KM-Log)		2.474
2412					KM Standard Error of Mean (logged)	0.147						
2413												

	A	B	C	D	E	F	G	H	I	J	K	L
2414	**DL/2 Statistics**											
2415	**DL/2 Normal**						**DL/2 Log-Transformed**					
2416					Mean in Original Scale	0.0914				Mean in Log Scale		-3.08
2417					SD in Original Scale	0.142				SD in Log Scale		1.159
2418					95% t UCL (Assumes normality)	0.119				95% H-Stat UCL		0.125
2419	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2420												
2421	**Nonparametric Distribution Free UCL Statistics**											
2422	**Detected Data appear Lognormal Distributed at 5% Significance Level**											
2423												
2424	**Suggested UCL to Use**											
2425					KM H-UCL	0.132						
2426												
2427	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2428	Recommendations are based upon data size, data distribution, and skewness.											
2429	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2430	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2431												
2432												
2433	**Vanadium**											
2434												
2435	**General Statistics**											
2436					Total Number of Observations	74				Number of Distinct Observations		54
2437										Number of Missing Observations		0
2438					Minimum	1.3				Mean		156.2
2439					Maximum	620				Median		91.5
2440					SD	160.3				Std. Error of Mean		18.63
2441					Coefficient of Variation	1.027				Skewness		1.184
2442												
2443	**Normal GOF Test**											
2444					Shapiro Wilk Test Statistic	0.824	**Shapiro Wilk GOF Test**					
2445					5% Shapiro Wilk P Value	4.277E-12	Data Not Normal at 5% Significance Level					
2446					Lilliefors Test Statistic	0.194	**Lilliefors GOF Test**					
2447					5% Lilliefors Critical Value	0.103	Data Not Normal at 5% Significance Level					
2448	**Data Not Normal at 5% Significance Level**											
2449												
2450	**Assuming Normal Distribution**											
2451	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2452					95% Student's-t UCL	187.2				95% Adjusted-CLT UCL (Chen-1995)		189.6
2453										95% Modified-t UCL (Johnson-1978)		187.6
2454												
2455	**Gamma GOF Test**											
2456					A-D Test Statistic	0.716	**Anderson-Darling Gamma GOF Test**					
2457					5% A-D Critical Value	0.787	Detected data appear Gamma Distributed at 5% Significance Level					
2458					K-S Test Statistic	0.103	**Kolmogorov-Smirnov Gamma GOF Test**					
2459					5% K-S Critical Value	0.107	Detected data appear Gamma Distributed at 5% Significance Level					
2460	**Detected data appear Gamma Distributed at 5% Significance Level**											
2461												
2462	**Gamma Statistics**											
2463					k hat (MLE)	0.87				k star (bias corrected MLE)		0.844
2464					Theta hat (MLE)	179.4				Theta star (bias corrected MLE)		185
2465					nu hat (MLE)	128.8				nu star (bias corrected)		124.9

2466					MLE Mean (bias corrected)	156.2				MLE Sd (bias corrected)		170
2467										Approximate Chi Square Value (0.05)		100.1
2468					Adjusted Level of Significance	0.0468				Adjusted Chi Square Value		99.69
2469												
2470					**Assuming Gamma Distribution**							
2471					95% Approximate Gamma UCL (use when n>=50)	194.9				95% Adjusted Gamma UCL (use when n<50)		195.7
2472												
2473					**Lognormal GOF Test**							
2474					Shapiro Wilk Test Statistic	0.951				**Shapiro Wilk Lognormal GOF Test**		
2475					5% Shapiro Wilk P Value	0.0161				Data Not Lognormal at 5% Significance Level		
2476					Lilliefors Test Statistic	0.0872				**Lilliefors Lognormal GOF Test**		
2477					5% Lilliefors Critical Value	0.103				Data appear Lognormal at 5% Significance Level		
2478					**Data appear Approximate Lognormal at 5% Significance Level**							
2479												
2480					**Lognormal Statistics**							
2481					Minimum of Logged Data	0.262				Mean of logged Data		4.376
2482					Maximum of Logged Data	6.43				SD of logged Data		1.341
2483												
2484					**Assuming Lognormal Distribution**							
2485					95% H-UCL	294.8				90% Chebyshev (MVUE) UCL		308.2
2486					95% Chebyshev (MVUE) UCL	361.2				97.5% Chebyshev (MVUE) UCL		434.8
2487					99% Chebyshev (MVUE) UCL	579.3						
2488												
2489					**Nonparametric Distribution Free UCL Statistics**							
2490					**Data appear to follow a Discernible Distribution at 5% Significance Level**							
2491												
2492					**Nonparametric Distribution Free UCLs**							
2493					95% CLT UCL	186.8				95% Jackknife UCL		187.2
2494					95% Standard Bootstrap UCL	186.5				95% Bootstrap-t UCL		190.6
2495					95% Hall's Bootstrap UCL	188.5				95% Percentile Bootstrap UCL		186.1
2496					95% BCA Bootstrap UCL	192.1						
2497					90% Chebyshev(Mean, Sd) UCL	212.1				95% Chebyshev(Mean, Sd) UCL		237.4
2498					97.5% Chebyshev(Mean, Sd) UCL	272.5				99% Chebyshev(Mean, Sd) UCL		341.6
2499												
2500					**Suggested UCL to Use**							
2501					95% Approximate Gamma UCL	194.9						
2502												
2503					Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.							
2504					Recommendations are based upon data size, data distribution, and skewness.							
2505					These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).							
2506					However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.							
2507												
2508												
2509	**Zinc**											
2510												
2511					**General Statistics**							
2512					Total Number of Observations	74				Number of Distinct Observations		60
2513										Number of Missing Observations		0
2514					Minimum	1.9				Mean		440.8
2515					Maximum	5100				Median		110
2516					SD	811				Std. Error of Mean		94.28
2517					Coefficient of Variation	1.84				Skewness		3.495

2518												
2519	**Normal GOF Test**											
2520					Shapiro Wilk Test Statistic	0.562	**Shapiro Wilk GOF Test**					
2521					5% Shapiro Wilk P Value	0	Data Not Normal at 5% Significance Level					
2522					Lilliefors Test Statistic	0.301	**Lilliefors GOF Test**					
2523					5% Lilliefors Critical Value	0.103	Data Not Normal at 5% Significance Level					
2524	**Data Not Normal at 5% Significance Level**											
2525												
2526	**Assuming Normal Distribution**											
2527	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2528					95% Student's-t UCL	597.9	95% Adjusted-CLT UCL (Chen-1995)	636.8				
2529							95% Modified-t UCL (Johnson-1978)	604.2				
2530												
2531	**Gamma GOF Test**											
2532					A-D Test Statistic	4.626	**Anderson-Darling Gamma GOF Test**					
2533					5% A-D Critical Value	0.808	Data Not Gamma Distributed at 5% Significance Level					
2534					K-S Test Statistic	0.219	**Kolmogorov-Smirnov Gamma GOF Test**					
2535					5% K-S Critical Value	0.109	Data Not Gamma Distributed at 5% Significance Level					
2536	**Data Not Gamma Distributed at 5% Significance Level**											
2537												
2538	**Gamma Statistics**											
2539					k hat (MLE)	0.594	k star (bias corrected MLE)	0.579				
2540					Theta hat (MLE)	741.5	Theta star (bias corrected MLE)	760.9				
2541					nu hat (MLE)	87.98	nu star (bias corrected)	85.74				
2542					MLE Mean (bias corrected)	440.8	MLE Sd (bias corrected)	579.1				
2543							Approximate Chi Square Value (0.05)	65.4				
2544					Adjusted Level of Significance	0.0468	Adjusted Chi Square Value	65.05				
2545												
2546	**Assuming Gamma Distribution**											
2547					95% Approximate Gamma UCL (use when n>=50))	577.9	95% Adjusted Gamma UCL (use when n<50)	581				
2548												
2549	**Lognormal GOF Test**											
2550					Shapiro Wilk Test Statistic	0.944	**Shapiro Wilk Lognormal GOF Test**					
2551					5% Shapiro Wilk P Value	0.00502	Data Not Lognormal at 5% Significance Level					
2552					Lilliefors Test Statistic	0.132	**Lilliefors Lognormal GOF Test**					
2553					5% Lilliefors Critical Value	0.103	Data Not Lognormal at 5% Significance Level					
2554	**Data Not Lognormal at 5% Significance Level**											
2555												
2556	**Lognormal Statistics**											
2557					Minimum of Logged Data	0.642	Mean of logged Data	5.048				
2558					Maximum of Logged Data	8.537	SD of logged Data	1.409				
2559												
2560	**Assuming Lognormal Distribution**											
2561					95% H-UCL	655.4	90% Chebyshev (MVUE) UCL	677.9				
2562					95% Chebyshev (MVUE) UCL	799.4	97.5% Chebyshev (MVUE) UCL	968.1				
2563					99% Chebyshev (MVUE) UCL	1299						
2564												
2565	**Nonparametric Distribution Free UCL Statistics**											
2566	**Data do not follow a Discernible Distribution (0.05)**											
2567												

	A	B	C	D	E	F	G	H	I	J	K	L
2568	**Nonparametric Distribution Free UCLs**											
2569	95% CLT UCL					595.9	95% Jackknife UCL					597.9
2570	95% Standard Bootstrap UCL					596.9	95% Bootstrap-t UCL					672.1
2571	95% Hall's Bootstrap UCL					689.5	95% Percentile Bootstrap UCL					609.9
2572	95% BCA Bootstrap UCL					642.9						
2573	90% Chebyshev(Mean, Sd) UCL					723.6	95% Chebyshev(Mean, Sd) UCL					851.7
2574	97.5% Chebyshev(Mean, Sd) UCL					1030	99% Chebyshev(Mean, Sd) UCL					1379
2575												
2576	**Suggested UCL to Use**											
2577	95% Chebyshev (Mean, Sd) UCL					851.7						
2578												
2579	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2580	Recommendations are based upon data size, data distribution, and skewness.											
2581	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2582	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2583												
2584	**Cyanide, Total**											
2585												
2586	**General Statistics**											
2587	Total Number of Observations					74	Number of Distinct Observations					47
2588	Number of Detects					56	Number of Non-Detects					18
2589	Number of Distinct Detects					43	Number of Distinct Non-Detects					6
2590	Minimum Detect					0.11	Minimum Non-Detect					0.095
2591	Maximum Detect					26	Maximum Non-Detect					0.13
2592	Variance Detects					14.83	Percent Non-Detects					24.32%
2593	Mean Detects					2.014	SD Detects					3.851
2594	Median Detects					0.91	CV Detects					1.912
2595	Skewness Detects					4.891	Kurtosis Detects					28.14
2596	Mean of Logged Detects					-0.0135	SD of Logged Detects					1.095
2597												
2598	**Normal GOF Test on Detects Only**											
2599	Shapiro Wilk Test Statistic					0.46	**Normal GOF Test on Detected Observations Only**					
2600	5% Shapiro Wilk P Value					0	Detected Data Not Normal at 5% Significance Level					
2601	Lilliefors Test Statistic					0.315	**Lilliefors GOF Test**					
2602	5% Lilliefors Critical Value					0.118	Detected Data Not Normal at 5% Significance Level					
2603	**Detected Data Not Normal at 5% Significance Level**											
2604												
2605	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2606	KM Mean					1.548	KM Standard Error of Mean					0.401
2607	KM SD					3.42	95% KM (BCA) UCL					2.308
2608	95% KM (t) UCL					2.216	95% KM (Percentile Bootstrap) UCL					2.243
2609	95% KM (z) UCL					2.208	95% KM Bootstrap t UCL					2.929
2610	90% KM Chebyshev UCL					2.751	95% KM Chebyshev UCL					3.296
2611	97.5% KM Chebyshev UCL					4.053	99% KM Chebyshev UCL					5.54
2612												
2613	**Gamma GOF Tests on Detected Observations Only**											
2614	A-D Test Statistic					2.92	**Anderson-Darling GOF Test**					
2615	5% A-D Critical Value					0.788	Detected Data Not Gamma Distributed at 5% Significance Level					
2616	K-S Test Statistic					0.201	**Kolmogorov-Smirnov GOF**					
2617	5% K-S Critical Value					0.123	Detected Data Not Gamma Distributed at 5% Significance Level					
2618	**Detected Data Not Gamma Distributed at 5% Significance Level**											
2619												

	A	B	C	D	E	F	G	H	I	J	K	L
2620	**Gamma Statistics on Detected Data Only**											
2621					k hat (MLE)	0.828			k star (bias corrected MLE)			0.795
2622					Theta hat (MLE)	2.433			Theta star (bias corrected MLE)			2.532
2623					nu hat (MLE)	92.73			nu star (bias corrected)			89.09
2624					Mean (detects)	2.014						
2625												
2626	**Gamma ROS Statistics using Imputed Non-Detects**											
2627	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2628	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2629	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2630	This is especially true when the sample size is small.											
2631	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2632					Minimum	0.01			Mean			1.527
2633					Maximum	26			Median			0.635
2634					SD	3.453			CV			2.262
2635					k hat (MLE)	0.42			k star (bias corrected MLE)			0.412
2636					Theta hat (MLE)	3.633			Theta star (bias corrected MLE)			3.703
2637					nu hat (MLE)	62.2			nu star (bias corrected)			61.01
2638					Adjusted Level of Significance (β)	0.0468						
2639					Approximate Chi Square Value (61.01, α)	44.05			Adjusted Chi Square Value (61.01, β)			43.76
2640					95% Gamma Approximate UCL (use when n>=50)	2.115			95% Gamma Adjusted UCL (use when n<50)			2.128
2641												
2642	**Estimates of Gamma Parameters using KM Estimates**											
2643					Mean (KM)	1.548			SD (KM)			3.42
2644					Variance (KM)	11.7			SE of Mean (KM)			0.401
2645					k hat (KM)	0.205			k star (KM)			0.205
2646					nu hat (KM)	30.3			nu star (KM)			30.4
2647					theta hat (KM)	7.559			theta star (KM)			7.533
2648					80% gamma percentile (KM)	2.068			90% gamma percentile (KM)			4.681
2649					95% gamma percentile (KM)	7.918			99% gamma percentile (KM)			16.79
2650												
2651	**Gamma Kaplan-Meier (KM) Statistics**											
2652					Approximate Chi Square Value (30.40, α)	18.81			Adjusted Chi Square Value (30.40, β)			18.63
2653					95% Gamma Approximate KM-UCL (use when n>=50)	2.501			95% Gamma Adjusted KM-UCL (use when n<50)			2.526
2654												
2655	**Lognormal GOF Test on Detected Observations Only**											
2656					Shapiro Wilk Approximate Test Statistic	0.965			**Shapiro Wilk GOF Test**			
2657					5% Shapiro Wilk P Value	0.205			Detected Data appear Lognormal at 5% Significance Level			
2658					Lilliefors Test Statistic	0.101			**Lilliefors GOF Test**			
2659					5% Lilliefors Critical Value	0.118			Detected Data appear Lognormal at 5% Significance Level			
2660	**Detected Data appear Lognormal at 5% Significance Level**											
2661												
2662	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2663					Mean in Original Scale	1.547			Mean in Log Scale			-0.61
2664					SD in Original Scale	3.444			SD in Log Scale			1.442
2665					95% t UCL (assumes normality of ROS data)	2.214			95% Percentile Bootstrap UCL			2.27
2666					95% BCA Bootstrap UCL	2.655			95% Bootstrap t UCL			2.984
2667					95% H-UCL (Log ROS)	2.437						
2668												
2669	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2670					KM Mean (logged)	-0.58			KM Geo Mean			0.56
2671					KM SD (logged)	1.375			95% Critical H Value (KM-Log)			2.653

	A	B	C	D	E	F	G	H	I	J	K	L
2672				KM Standard Error of Mean (logged)		0.161				95% H-UCL (KM -Log)		2.208
2673				KM SD (logged)		1.375				95% Critical H Value (KM-Log)		2.653
2674				KM Standard Error of Mean (logged)		0.161						
2675												
2676						**DL/2 Statistics**						
2677				**DL/2 Normal**						**DL/2 Log-Transformed**		
2678				Mean in Original Scale		1.538				Mean in Log Scale		-0.711
2679				SD in Original Scale		3.448				SD in Log Scale		1.563
2680				95% t UCL (Assumes normality)		2.206				95% H-Stat UCL		2.815
2681						**DL/2 is not a recommended method, provided for comparisons and historical reasons**						
2682												
2683						**Nonparametric Distribution Free UCL Statistics**						
2684						**Detected Data appear Lognormal Distributed at 5% Significance Level**						
2685												
2686						**Suggested UCL to Use**						
2687				KM H-UCL		2.208						
2688												
2689						Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.						
2690						Recommendations are based upon data size, data distribution, and skewness.						
2691						These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).						
2692						However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.						
2693												

UCL Statistics for Data Sets with Non-Detects

User Selected Options	
Date/Time of Computation	ProUCL 5.15/18/2021 12:49:42 PM
From File	HCL PerchedGW ProUCL.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

1,1-Dichloroethane

General Statistics

Total Number of Observations	14	Number of Distinct Observations	4
Number of Detects	2	Number of Non-Detects	12
Number of Distinct Detects	2	Number of Distinct Non-Detects	2
Minimum Detect	0.24	Minimum Non-Detect	0.12
Maximum Detect	0.25	Maximum Non-Detect	0.63
Variance Detects	5.0000E-5	Percent Non-Detects	85.71%
Mean Detects	0.245	SD Detects	0.00707
Median Detects	0.245	CV Detects	0.0289
Skewness Detects	N/A	Kurtosis Detects	N/A
Mean of Logged Detects	-1.407	SD of Logged Detects	0.0289

Warning: Data set has only 2 Detected Values.

This is not enough to compute meaningful or reliable statistics and estimates.

Normal GOF Test on Detects Only

Not Enough Data to Perform GOF Test

Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs

KM Mean	0.183	KM Standard Error of Mean	0.0443
KM SD	0.0626	95% KM (BCA) UCL	N/A
95% KM (t) UCL	0.261	95% KM (Percentile Bootstrap) UCL	N/A
95% KM (z) UCL	0.255	95% KM Bootstrap t UCL	N/A
90% KM Chebyshev UCL	0.315	95% KM Chebyshev UCL	0.375
97.5% KM Chebyshev UCL	0.459	99% KM Chebyshev UCL	0.623

Gamma GOF Tests on Detected Observations Only

Not Enough Data to Perform GOF Test

Gamma Statistics on Detected Data Only

k hat (MLE)	2401	k star (bias corrected MLE)	N/A
Theta hat (MLE)	1.0205E-4	Theta star (bias corrected MLE)	N/A
nu hat (MLE)	9603	nu star (bias corrected)	N/A
Mean (detects)	0.245		

Estimates of Gamma Parameters using KM Estimates

Mean (KM)	0.183	SD (KM)	0.0626
Variance (KM)	0.00392	SE of Mean (KM)	0.0443
k hat (KM)	8.499	k star (KM)	6.726
nu hat (KM)	238	nu star (KM)	188.3

53					theta hat (KM)	0.0215					theta star (KM)	0.0271
54					80% gamma percentile (KM)	0.238					90% gamma percentile (KM)	0.276
55					95% gamma percentile (KM)	0.312					99% gamma percentile (KM)	0.385
56												
57					**Gamma Kaplan-Meier (KM) Statistics**							
58											Adjusted Level of Significance (β)	0.0312
59					Approximate Chi Square Value (188.32, α)	157.6					Adjusted Chi Square Value (188.32, β)	153.8
60					95% Gamma Approximate KM-UCL (use when n>=50)	0.218					95% Gamma Adjusted KM-UCL (use when n<50)	0.223
61												
62					**Lognormal GOF Test on Detected Observations Only**							
63					**Not Enough Data to Perform GOF Test**							
64												
65					**Lognormal ROS Statistics Using Imputed Non-Detects**							
66					Mean in Original Scale	0.233					Mean in Log Scale	-1.46
67					SD in Original Scale	0.0143					SD in Log Scale	0.0614
68					95% t UCL (assumes normality of ROS data)	0.239					95% Percentile Bootstrap UCL	0.239
69					95% BCA Bootstrap UCL	0.239					95% Bootstrap t UCL	0.239
70					95% H-UCL (Log ROS)	N/A						
71												
72					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
73					KM Mean (logged)	-1.763					KM Geo Mean	0.171
74					KM SD (logged)	0.357					95% Critical H Value (KM-Log)	1.944
75					KM Standard Error of Mean (logged)	0.252					95% H-UCL (KM -Log)	0.222
76					KM SD (logged)	0.357					95% Critical H Value (KM-Log)	1.944
77					KM Standard Error of Mean (logged)	0.252						
78												
79					**DL/2 Statistics**							
80					**DL/2 Normal**						**DL/2 Log-Transformed**	
81					Mean in Original Scale	0.269					Mean in Log Scale	-1.428
82					SD in Original Scale	0.0919					SD in Log Scale	0.594
83					95% t UCL (Assumes normality)	0.312					95% H-Stat UCL	0.41
84					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
85												
86					**Nonparametric Distribution Free UCL Statistics**							
87					**Data do not follow a Discernible Distribution at 5% Significance Level**							
88												
89					**Suggested UCL to Use**							
90					95% KM (t) UCL	0.261					KM H-UCL	0.222
91					95% KM (BCA) UCL	N/A						
92					**Warning: One or more Recommended UCL(s) not available!**							
93					**Warning: Recommended UCL exceeds the maximum observation**							
94												
95					Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.							
96					Recommendations are based upon data size, data distribution, and skewness.							
97					These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).							
98					However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.							
99												

100	**1,2-Dichlorobenzene**											
101												
102	**General Statistics**											
103					Total Number of Observations	4			Number of Distinct Observations	3		
104					Number of Detects	2			Number of Non-Detects	2		
105					Number of Distinct Detects	2			Number of Distinct Non-Detects	1		
106					Minimum Detect	34			Minimum Non-Detect	0.15		
107					Maximum Detect	37			Maximum Non-Detect	0.15		
108					Variance Detects	4.5			Percent Non-Detects	50%		
109					Mean Detects	35.5			SD Detects	2.121		
110					Median Detects	35.5			CV Detects	0.0598		
111					Skewness Detects	N/A			Kurtosis Detects	N/A		
112					Mean of Logged Detects	3.569			SD of Logged Detects	0.0598		
113												
114	**Warning: Data set has only 2 Detected Values.**											
115	**This is not enough to compute meaningful or reliable statistics and estimates.**											
116												
117												
118	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
119	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
120	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
121	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
122												
123	**Normal GOF Test on Detects Only**											
124	**Not Enough Data to Perform GOF Test**											
125												
126	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
127					KM Mean	17.83			KM Standard Error of Mean	12.52		
128					KM SD	17.71			95% KM (BCA) UCL	N/A		
129					95% KM (t) UCL	47.29			95% KM (Percentile Bootstrap) UCL	N/A		
130					95% KM (z) UCL	38.42			95% KM Bootstrap t UCL	N/A		
131					90% KM Chebyshev UCL	55.39			95% KM Chebyshev UCL	72.4		
132					97.5% KM Chebyshev UCL	96.02			99% KM Chebyshev UCL	142.4		
133												
134	**Gamma GOF Tests on Detected Observations Only**											
135	**Not Enough Data to Perform GOF Test**											
136												
137	**Gamma Statistics on Detected Data Only**											
138					k hat (MLE)	559.8			k star (bias corrected MLE)	N/A		
139					Theta hat (MLE)	0.0634			Theta star (bias corrected MLE)	N/A		
140					nu hat (MLE)	2239			nu star (bias corrected)	N/A		
141					Mean (detects)	35.5						
142												
143	**Estimates of Gamma Parameters using KM Estimates**											
144					Mean (KM)	17.83			SD (KM)	17.71		
145					Variance (KM)	313.5			SE of Mean (KM)	12.52		
146					k hat (KM)	1.013			k star (KM)	0.42		
147					nu hat (KM)	8.107			nu star (KM)	3.36		
148					theta hat (KM)	17.59			theta star (KM)	42.44		

149	80% gamma percentile (KM)					28.92	90% gamma percentile (KM)					49.91
150	95% gamma percentile (KM)					72.82	99% gamma percentile (KM)					130.1
151												
152	**Gamma Kaplan-Meier (KM) Statistics**											
153							Adjusted Level of Significance (β)					0.00498
154	Approximate Chi Square Value (3.36, α)					0.487	Adjusted Chi Square Value (3.36, β)					0.139
155	95% Gamma Approximate KM-UCL (use when n>=50)					123.1	95% Gamma Adjusted KM-UCL (use when n<50)					429.8
156												
157	**Lognormal GOF Test on Detected Observations Only**											
158	**Not Enough Data to Perform GOF Test**											
159												
160	**Lognormal ROS Statistics Using Imputed Non-Detects**											
161	Mean in Original Scale					31.99	Mean in Log Scale					3.458
162	SD in Original Scale					4.346	SD in Log Scale					0.136
163	95% t UCL (assumes normality of ROS data)					37.1	95% Percentile Bootstrap UCL					N/A
164	95% BCA Bootstrap UCL					N/A	95% Bootstrap t UCL					N/A
165	95% H-UCL (Log ROS)					38.43						
166												
167	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
168	KM Mean (logged)					0.836	KM Geo Mean					2.307
169	KM SD (logged)					2.733	95% Critical H Value (KM-Log)					17.86
170	KM Standard Error of Mean (logged)					1.933	95% H-UCL (KM -Log)					1.685E+14
171	KM SD (logged)					2.733	95% Critical H Value (KM-Log)					17.86
172	KM Standard Error of Mean (logged)					1.933						
173												
174	**DL/2 Statistics**											
175	**DL/2 Normal**						**DL/2 Log-Transformed**					
176	Mean in Original Scale					17.79	Mean in Log Scale					0.489
177	SD in Original Scale					20.49	SD in Log Scale					3.556
178	95% t UCL (Assumes normality)					41.9	95% H-Stat UCL					4.543E+23
179	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
180												
181	**Nonparametric Distribution Free UCL Statistics**											
182	**Data do not follow a Discernible Distribution at 5% Significance Level**											
183												
184	**Suggested UCL to Use**											
185	95% KM (t) UCL					47.29	KM H-UCL					1.685E+14
186	95% KM (BCA) UCL					N/A						
187	**Warning: One or more Recommended UCL(s) not available!**											
188	**Warning: Recommended UCL exceeds the maximum observation**											
189												
190	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
191	Recommendations are based upon data size, data distribution, and skewness.											
192	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
193	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
194												

195	**cis-1,2-Dichloroethene**											
196												
197	**General Statistics**											
198						Total Number of Observations	14			Number of Distinct Observations	7	
199						Number of Detects	6			Number of Non-Detects	8	
200						Number of Distinct Detects	6			Number of Distinct Non-Detects	1	
201						Minimum Detect	0.54			Minimum Non-Detect	0.71	
202						Maximum Detect	4.3			Maximum Non-Detect	0.71	
203						Variance Detects	2.162			Percent Non-Detects	57.14%	
204						Mean Detects	1.983			SD Detects	1.47	
205						Median Detects	1.8			CV Detects	0.741	
206						Skewness Detects	0.684			Kurtosis Detects	-0.747	
207						Mean of Logged Detects	0.419			SD of Logged Detects	0.828	
208												
209	**Normal GOF Test on Detects Only**											
210						Shapiro Wilk Test Statistic	0.891			**Shapiro Wilk GOF Test**		
211						5% Shapiro Wilk Critical Value	0.788			Detected Data appear Normal at 5% Significance Level		
212						Lilliefors Test Statistic	0.248			**Lilliefors GOF Test**		
213						5% Lilliefors Critical Value	0.325			Detected Data appear Normal at 5% Significance Level		
214	**Detected Data appear Normal at 5% Significance Level**											
215												
216	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
217						KM Mean	1.159			KM Standard Error of Mean	0.332	
218						KM SD	1.132			95% KM (BCA) UCL	1.784	
219						95% KM (t) UCL	1.746			95% KM (Percentile Bootstrap) UCL	1.719	
220						95% KM (z) UCL	1.704			95% KM Bootstrap t UCL	1.986	
221						90% KM Chebyshev UCL	2.153			95% KM Chebyshev UCL	2.604	
222						97.5% KM Chebyshev UCL	3.229			99% KM Chebyshev UCL	4.457	
223												
224	**Gamma GOF Tests on Detected Observations Only**											
225						A-D Test Statistic	0.375			**Anderson-Darling GOF Test**		
226						5% A-D Critical Value	0.704			Detected data appear Gamma Distributed at 5% Significance Level		
227						K-S Test Statistic	0.237			**Kolmogorov-Smirnov GOF**		
228						5% K-S Critical Value	0.336			Detected data appear Gamma Distributed at 5% Significance Level		
229	**Detected data appear Gamma Distributed at 5% Significance Level**											
230												
231	**Gamma Statistics on Detected Data Only**											
232						k hat (MLE)	2.035			k star (bias corrected MLE)	1.129	
233						Theta hat (MLE)	0.974			Theta star (bias corrected MLE)	1.757	
234						nu hat (MLE)	24.43			nu star (bias corrected)	13.55	
235						Mean (detects)	1.983					
236												
237	**Gamma ROS Statistics using Imputed Non-Detects**											
238	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
239	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
240	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
241	This is especially true when the sample size is small.											
242	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
243						Minimum	0.01			Mean	0.961	
244						Maximum	4.3			Median	0.516	
245						SD	1.312			CV	1.366	
246						k hat (MLE)	0.41			k star (bias corrected MLE)	0.37	

247					Theta hat (MLE)	2.342				Theta star (bias corrected MLE)		2.597
248					nu hat (MLE)	11.49				nu star (bias corrected)		10.36
249					Adjusted Level of Significance (β)	0.0312						
250					Approximate Chi Square Value (10.36, α)	4.168				Adjusted Chi Square Value (10.36, β)		3.661
251					95% Gamma Approximate UCL (use when n>=50)	2.388				95% Gamma Adjusted UCL (use when n<50)		2.719
252												
253					**Estimates of Gamma Parameters using KM Estimates**							
254					Mean (KM)	1.159				SD (KM)		1.132
255					Variance (KM)	1.282				SE of Mean (KM)		0.332
256					k hat (KM)	1.047				k star (KM)		0.87
257					nu hat (KM)	29.31				nu star (KM)		24.37
258					theta hat (KM)	1.107				theta star (KM)		1.331
259					80% gamma percentile (KM)	1.884				90% gamma percentile (KM)		2.76
260					95% gamma percentile (KM)	3.647				99% gamma percentile (KM)		5.726
261												
262					**Gamma Kaplan-Meier (KM) Statistics**							
263					Approximate Chi Square Value (24.37, α)	14.13				Adjusted Chi Square Value (24.37, β)		13.1
264					95% Gamma Approximate KM-UCL (use when n>=50)	1.998				95% Gamma Adjusted KM-UCL (use when n<50)		2.155
265												
266					**Lognormal GOF Test on Detected Observations Only**							
267					Shapiro Wilk Test Statistic	0.918				**Shapiro Wilk GOF Test**		
268					5% Shapiro Wilk Critical Value	0.788				Detected Data appear Lognormal at 5% Significance Level		
269					Lilliefors Test Statistic	0.241				**Lilliefors GOF Test**		
270					5% Lilliefors Critical Value	0.325				Detected Data appear Lognormal at 5% Significance Level		
271					**Detected Data appear Lognormal at 5% Significance Level**							
272												
273					**Lognormal ROS Statistics Using Imputed Non-Detects**							
274					Mean in Original Scale	1.102				Mean in Log Scale		-0.372
275					SD in Original Scale	1.22				SD in Log Scale		0.984
276					95% t UCL (assumes normality of ROS data)	1.679				95% Percentile Bootstrap UCL		1.668
277					95% BCA Bootstrap UCL	1.787				95% Bootstrap t UCL		2.075
278					95% H-UCL (Log ROS)	2.377						
279												
280					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
281					KM Mean (logged)	-0.172				KM Geo Mean		0.842
282					KM SD (logged)	0.712				95% Critical H Value (KM-Log)		2.353
283					KM Standard Error of Mean (logged)	0.209				95% H-UCL (KM -Log)		1.727
284					KM SD (logged)	0.712				95% Critical H Value (KM-Log)		2.353
285					KM Standard Error of Mean (logged)	0.209						
286												
287					**DL/2 Statistics**							
288					**DL/2 Normal**					**DL/2 Log-Transformed**		
289					Mean in Original Scale	1.053				Mean in Log Scale		-0.412
290					SD in Original Scale	1.237				SD in Log Scale		0.907
291					95% t UCL (Assumes normality)	1.638				95% H-Stat UCL		1.941
292					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
293												

294	**Nonparametric Distribution Free UCL Statistics**											
295	**Detected Data appear Normal Distributed at 5% Significance Level**											
296												
297	**Suggested UCL to Use**											
298					95% KM (t) UCL	1.746						
299												
300	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
301	Recommendations are based upon data size, data distribution, and skewness.											
302	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
303	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
304												
305	**1,4-Dichlorobenzene**											
306												
307	**General Statistics**											
308					Total Number of Observations	4			Number of Distinct Observations	3		
309					Number of Detects	2			Number of Non-Detects	2		
310					Number of Distinct Detects	2			Number of Distinct Non-Detects	1		
311					Minimum Detect	0.54			Minimum Non-Detect	0.21		
312					Maximum Detect	0.59			Maximum Non-Detect	0.21		
313					Variance Detects	0.00125			Percent Non-Detects	50%		
314					Mean Detects	0.565			SD Detects	0.0354		
315					Median Detects	0.565			CV Detects	0.0626		
316					Skewness Detects	N/A			Kurtosis Detects	N/A		
317					Mean of Logged Detects	-0.572			SD of Logged Detects	0.0626		
318												
319	**Warning: Data set has only 2 Detected Values.**											
320	**This is not enough to compute meaningful or reliable statistics and estimates.**											
321												
322												
323	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
324	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
325	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
326	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
327												
328	**Normal GOF Test on Detects Only**											
329	**Not Enough Data to Perform GOF Test**											
330												
331	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
332					KM Mean	0.388			KM Standard Error of Mean	0.126		
333					KM SD	0.178			95% KM (BCA) UCL	N/A		
334					95% KM (t) UCL	0.684			95% KM (Percentile Bootstrap) UCL	N/A		
335					95% KM (z) UCL	0.595			95% KM Bootstrap t UCL	N/A		
336					90% KM Chebyshev UCL	0.766			95% KM Chebyshev UCL	0.937		
337					97.5% KM Chebyshev UCL	1.175			99% KM Chebyshev UCL	1.643		
338												
339	**Gamma GOF Tests on Detected Observations Only**											
340	**Not Enough Data to Perform GOF Test**											
341												

342	**Gamma Statistics on Detected Data Only**											
343					k hat (MLE)	510.4			k star (bias corrected MLE)		N/A	
344					Theta hat (MLE)	0.00111			Theta star (bias corrected MLE)		N/A	
345					nu hat (MLE)	2042			nu star (bias corrected)		N/A	
346					Mean (detects)	0.565						
347												
348	**Estimates of Gamma Parameters using KM Estimates**											
349					Mean (KM)	0.388			SD (KM)		0.178	
350					Variance (KM)	0.0318			SE of Mean (KM)		0.126	
351					k hat (KM)	4.719			k star (KM)		1.346	
352					nu hat (KM)	37.75			nu star (KM)		10.77	
353					theta hat (KM)	0.0821			theta star (KM)		0.288	
354					80% gamma percentile (KM)	0.607			90% gamma percentile (KM)		0.829	
355					95% gamma percentile (KM)	1.047			99% gamma percentile (KM)		1.542	
356												
357	**Gamma Kaplan-Meier (KM) Statistics**											
358									Adjusted Level of Significance (β)		0.00498	
359					Approximate Chi Square Value (10.77, α)	4.43			Adjusted Chi Square Value (10.77, β)		2.501	
360					95% Gamma Approximate KM-UCL (use when n>=50)	0.942			95% Gamma Adjusted KM-UCL (use when n<50)		1.669	
361												
362	**Lognormal GOF Test on Detected Observations Only**											
363	**Not Enough Data to Perform GOF Test**											
364												
365	**Lognormal ROS Statistics Using Imputed Non-Detects**											
366					Mean in Original Scale	0.507			Mean in Log Scale		-0.687	
367					SD in Original Scale	0.0721			SD in Log Scale		0.143	
368					95% t UCL (assumes normality of ROS data)	0.592			95% Percentile Bootstrap UCL		N/A	
369					95% BCA Bootstrap UCL	N/A			95% Bootstrap t UCL		N/A	
370					95% H-UCL (Log ROS)	0.615						
371												
372	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
373					KM Mean (logged)	-1.066			KM Geo Mean		0.344	
374					KM SD (logged)	0.495			95% Critical H Value (KM-Log)		3.634	
375					KM Standard Error of Mean (logged)	0.35			95% H-UCL (KM -Log)		1.1	
376					KM SD (logged)	0.495			95% Critical H Value (KM-Log)		3.634	
377					KM Standard Error of Mean (logged)	0.35						
378												
379	**DL/2 Statistics**											
380	**DL/2 Normal**								**DL/2 Log-Transformed**			
381					Mean in Original Scale	0.335			Mean in Log Scale		-1.413	
382					SD in Original Scale	0.266			SD in Log Scale		0.972	
383					95% t UCL (Assumes normality)	0.648			95% H-Stat UCL		14.88	
384	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
385												
386	**Nonparametric Distribution Free UCL Statistics**											
387	**Data do not follow a Discernible Distribution at 5% Significance Level**											
388												

	A	B	C	D	E	F	G	H	I	J	K	L
389	**Suggested UCL to Use**											
390					95% KM (t) UCL	0.684				KM H-UCL		1.1
391					95% KM (BCA) UCL	N/A						
392	**Warning: One or more Recommended UCL(s) not available!**											
393	**Warning: Recommended UCL exceeds the maximum observation**											
394												
395	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
396	Recommendations are based upon data size, data distribution, and skewness.											
397	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
398	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
399												
400	**Benzene**											
401												
402	**General Statistics**											
403					Total Number of Observations	14				Number of Distinct Observations		5
404					Number of Detects	4				Number of Non-Detects		10
405					Number of Distinct Detects	4				Number of Distinct Non-Detects		1
406					Minimum Detect	0.13				Minimum Non-Detect		0.6
407					Maximum Detect	0.54				Maximum Non-Detect		0.6
408					Variance Detects	0.0337				Percent Non-Detects		71.43%
409					Mean Detects	0.303				SD Detects		0.184
410					Median Detects	0.27				CV Detects		0.607
411					Skewness Detects	0.749				Kurtosis Detects		-1.072
412					Mean of Logged Detects	-1.342				SD of Logged Detects		0.633
413												
414	**Normal GOF Test on Detects Only**											
415					Shapiro Wilk Test Statistic	0.942			**Shapiro Wilk GOF Test**			
416					5% Shapiro Wilk Critical Value	0.748			Detected Data appear Normal at 5% Significance Level			
417					Lilliefors Test Statistic	0.23			**Lilliefors GOF Test**			
418					5% Lilliefors Critical Value	0.375			Detected Data appear Normal at 5% Significance Level			
419	**Detected Data appear Normal at 5% Significance Level**											
420												
421	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
422					KM Mean	0.303				KM Standard Error of Mean		0.0918
423					KM SD	0.159				95% KM (BCA) UCL		N/A
424					95% KM (t) UCL	0.465				95% KM (Percentile Bootstrap) UCL		N/A
425					95% KM (z) UCL	0.453				95% KM Bootstrap t UCL		N/A
426					90% KM Chebyshev UCL	0.578				95% KM Chebyshev UCL		0.703
427					97.5% KM Chebyshev UCL	0.876				99% KM Chebyshev UCL		1.216
428												
429	**Gamma GOF Tests on Detected Observations Only**											
430					A-D Test Statistic	0.246			**Anderson-Darling GOF Test**			
431					5% A-D Critical Value	0.659			Detected data appear Gamma Distributed at 5% Significance Level			
432					K-S Test Statistic	0.237			**Kolmogorov-Smirnov GOF**			
433					5% K-S Critical Value	0.396			Detected data appear Gamma Distributed at 5% Significance Level			
434	**Detected data appear Gamma Distributed at 5% Significance Level**											
435												
436	**Gamma Statistics on Detected Data Only**											
437					k hat (MLE)	3.581				k star (bias corrected MLE)		1.062
438					Theta hat (MLE)	0.0845				Theta star (bias corrected MLE)		0.285
439					nu hat (MLE)	28.65				nu star (bias corrected)		8.496
440					Mean (detects)	0.303						

	A	B	C	D	E	F	G	H	I	J	K	L
441												
442	**Gamma ROS Statistics using Imputed Non-Detects**											
443	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
444	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
445	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
446	This is especially true when the sample size is small.											
447	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
448					Minimum	0.0267				Mean		0.31
449					Maximum	0.707				Median		0.285
450					SD	0.198				CV		0.639
451					k hat (MLE)	2.044				k star (bias corrected MLE)		1.654
452					Theta hat (MLE)	0.152				Theta star (bias corrected MLE)		0.188
453					nu hat (MLE)	57.24				nu star (bias corrected)		46.3
454					Adjusted Level of Significance (β)	0.0312						
455					Approximate Chi Square Value (46.30, α)	31.69				Adjusted Chi Square Value (46.30, β)		30.09
456					95% Gamma Approximate UCL (use when n>=50)	0.453				95% Gamma Adjusted UCL (use when n<50)		N/A
457												
458	**Estimates of Gamma Parameters using KM Estimates**											
459					Mean (KM)	0.303				SD (KM)		0.159
460					Variance (KM)	0.0253				SE of Mean (KM)		0.0918
461					k hat (KM)	3.621				k star (KM)		2.893
462					nu hat (KM)	101.4				nu star (KM)		81
463					theta hat (KM)	0.0835				theta star (KM)		0.105
464					80% gamma percentile (KM)	0.433				90% gamma percentile (KM)		0.541
465					95% gamma percentile (KM)	0.642				99% gamma percentile (KM)		0.86
466												
467	**Gamma Kaplan-Meier (KM) Statistics**											
468					Approximate Chi Square Value (81.00, α)	61.26				Adjusted Chi Square Value (81.00, β)		58.99
469					95% Gamma Approximate KM-UCL (use when n>=50)	0.4				95% Gamma Adjusted KM-UCL (use when n<50)		0.415
470												
471	**Lognormal GOF Test on Detected Observations Only**											
472					Shapiro Wilk Test Statistic	0.973				**Shapiro Wilk GOF Test**		
473					5% Shapiro Wilk Critical Value	0.748				Detected Data appear Lognormal at 5% Significance Level		
474					Lilliefors Test Statistic	0.193				**Lilliefors GOF Test**		
475					5% Lilliefors Critical Value	0.375				Detected Data appear Lognormal at 5% Significance Level		
476	**Detected Data appear Lognormal at 5% Significance Level**											
477												
478	**Lognormal ROS Statistics Using Imputed Non-Detects**											
479					Mean in Original Scale	0.321				Mean in Log Scale		-1.342
480					SD in Original Scale	0.216				SD in Log Scale		0.678
481					95% t UCL (assumes normality of ROS data)	0.424				95% Percentile Bootstrap UCL		0.419
482					95% BCA Bootstrap UCL	0.43				95% Bootstrap t UCL		0.458
483					95% H-UCL (Log ROS)	0.508						
484												
485	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
486					KM Mean (logged)	-1.342				KM Geo Mean		0.261
487					KM SD (logged)	0.548				95% Critical H Value (KM-Log)		2.081
488					KM Standard Error of Mean (logged)	0.316				95% H-UCL (KM -Log)		0.417
489					KM SD (logged)	0.548				95% Critical H Value (KM-Log)		2.081
490					KM Standard Error of Mean (logged)	0.316						
491												
492	**DL/2 Statistics**											

493	**DL/2 Normal**						**DL/2 Log-Transformed**					
494					Mean in Original Scale	0.301				Mean in Log Scale	-1.243	
495					SD in Original Scale	0.0882				SD in Log Scale	0.311	
496					95% t UCL (Assumes normality)	0.342				95% H-Stat UCL	0.357	
497	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
498												
499	**Nonparametric Distribution Free UCL Statistics**											
500	**Detected Data appear Normal Distributed at 5% Significance Level**											
501												
502	**Suggested UCL to Use**											
503					95% KM (t) UCL	0.465						
504												
505	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
506	Recommendations are based upon data size, data distribution, and skewness.											
507	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
508	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
509												
510	**Chloroform**											
511												
512	**General Statistics**											
513					Total Number of Observations	14				Number of Distinct Observations	3	
514					Number of Detects	1				Number of Non-Detects	13	
515					Number of Distinct Detects	1				Number of Distinct Non-Detects	2	
516												
517	**Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!**											
518	**It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).**											
519												
520	**The data set for variable Chloroform was not processed!**											
521												
522												
523	**Dichlorobromomethane**											
524												
525	**General Statistics**											
526					Total Number of Observations	14				Number of Distinct Observations	3	
527					Number of Detects	1				Number of Non-Detects	13	
528					Number of Distinct Detects	1				Number of Distinct Non-Detects	2	
529												
530	**Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!**											
531	**It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).**											
532												
533	**The data set for variable Dichlorobromomethane was not processed!**											
534												
535												

	A	B	C	D	E	F	G	H	I	J	K	L
536	**Ethylbenzene**											
537												
538	**General Statistics**											
539	Total Number of Observations					14	Number of Distinct Observations					9
540	Number of Detects					8	Number of Non-Detects					6
541	Number of Distinct Detects					8	Number of Distinct Non-Detects					1
542	Minimum Detect					0.54	Minimum Non-Detect					0.51
543	Maximum Detect					16	Maximum Non-Detect					0.51
544	Variance Detects					32.77	Percent Non-Detects					42.86%
545	Mean Detects					5.54	SD Detects					5.724
546	Median Detects					3.45	CV Detects					1.033
547	Skewness Detects					1.095	Kurtosis Detects					-0.0207
548	Mean of Logged Detects					1.114	SD of Logged Detects					1.267
549												
550	**Normal GOF Test on Detects Only**											
551	Shapiro Wilk Test Statistic					0.847	**Shapiro Wilk GOF Test**					
552	5% Shapiro Wilk Critical Value					0.818	Detected Data appear Normal at 5% Significance Level					
553	Lilliefors Test Statistic					0.264	**Lilliefors GOF Test**					
554	5% Lilliefors Critical Value					0.283	Detected Data appear Normal at 5% Significance Level					
555	**Detected Data appear Normal at 5% Significance Level**											
556												
557	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
558	KM Mean					3.384	KM Standard Error of Mean					1.358
559	KM SD					4.752	95% KM (BCA) UCL					5.686
560	95% KM (t) UCL					5.789	95% KM (Percentile Bootstrap) UCL					5.596
561	95% KM (z) UCL					5.617	95% KM Bootstrap t UCL					7.716
562	90% KM Chebyshev UCL					7.457	95% KM Chebyshev UCL					9.302
563	97.5% KM Chebyshev UCL					11.86	99% KM Chebyshev UCL					16.89
564												
565	**Gamma GOF Tests on Detected Observations Only**											
566	A-D Test Statistic					0.299	**Anderson-Darling GOF Test**					
567	5% A-D Critical Value					0.737	Detected data appear Gamma Distributed at 5% Significance Level					
568	K-S Test Statistic					0.188	**Kolmogorov-Smirnov GOF**					
569	5% K-S Critical Value					0.302	Detected data appear Gamma Distributed at 5% Significance Level					
570	**Detected data appear Gamma Distributed at 5% Significance Level**											
571												
572	**Gamma Statistics on Detected Data Only**											
573	k hat (MLE)					0.969	k star (bias corrected MLE)					0.689
574	Theta hat (MLE)					5.719	Theta star (bias corrected MLE)					8.044
575	nu hat (MLE)					15.5	nu star (bias corrected)					11.02
576	Mean (detects)					5.54						
577												
578	**Gamma ROS Statistics using Imputed Non-Detects**											
579	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
580	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
581	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
582	This is especially true when the sample size is small.											
583	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
584	Minimum					0.01	Mean					3.17
585	Maximum					16	Median					0.66
586	SD					5.071	CV					1.6
587	k hat (MLE)					0.28	k star (bias corrected MLE)					0.268

588					Theta hat (MLE)	11.32				Theta star (bias corrected MLE)		11.85
589					nu hat (MLE)	7.839				nu star (bias corrected)		7.493
590					Adjusted Level of Significance (β)	0.0312						
591					Approximate Chi Square Value (7.49, α)	2.445				Adjusted Chi Square Value (7.49, β)		2.08
592					95% Gamma Approximate UCL (use when n>=50)	9.715				95% Gamma Adjusted UCL (use when n<50)		11.42
593												
594					**Estimates of Gamma Parameters using KM Estimates**							
595					Mean (KM)	3.384				SD (KM)		4.752
596					Variance (KM)	22.58				SE of Mean (KM)		1.358
597					k hat (KM)	0.507				k star (KM)		0.446
598					nu hat (KM)	14.2				nu star (KM)		12.49
599					theta hat (KM)	6.672				theta star (KM)		7.586
600					80% gamma percentile (KM)	5.52				90% gamma percentile (KM)		9.368
601					95% gamma percentile (KM)	13.54				99% gamma percentile (KM)		23.9
602												
603					**Gamma Kaplan-Meier (KM) Statistics**							
604					Approximate Chi Square Value (12.49, α)	5.553				Adjusted Chi Square Value (12.49, β)		4.952
605					95% Gamma Approximate KM-UCL (use when n>=50)	7.614				95% Gamma Adjusted KM-UCL (use when n<50)		8.537
606												
607					**Lognormal GOF Test on Detected Observations Only**							
608					Shapiro Wilk Test Statistic	0.934				**Shapiro Wilk GOF Test**		
609					5% Shapiro Wilk Critical Value	0.818				Detected Data appear Lognormal at 5% Significance Level		
610					Lilliefors Test Statistic	0.164				**Lilliefors GOF Test**		
611					5% Lilliefors Critical Value	0.283				Detected Data appear Lognormal at 5% Significance Level		
612					**Detected Data appear Lognormal at 5% Significance Level**							
613												
614					**Lognormal ROS Statistics Using Imputed Non-Detects**							
615					Mean in Original Scale	3.222				Mean in Log Scale		-0.391
616					SD in Original Scale	5.036				SD in Log Scale		2.129
617					95% t UCL (assumes normality of ROS data)	5.606				95% Percentile Bootstrap UCL		5.381
618					95% BCA Bootstrap UCL	6.001				95% Bootstrap t UCL		8.21
619					95% H-UCL (Log ROS)	120.4						
620												
621					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
622					KM Mean (logged)	0.348				KM Geo Mean		1.416
623					KM SD (logged)	1.259				95% Critical H Value (KM-Log)		3.242
624					KM Standard Error of Mean (logged)	0.36				95% H-UCL (KM -Log)		9.705
625					KM SD (logged)	1.259				95% Critical H Value (KM-Log)		3.242
626					KM Standard Error of Mean (logged)	0.36						
627												
628					**DL/2 Statistics**							
629					**DL/2 Normal**					**DL/2 Log-Transformed**		
630					Mean in Original Scale	3.275				Mean in Log Scale		0.0508
631					SD in Original Scale	5.001				SD in Log Scale		1.577
632					95% t UCL (Assumes normality)	5.642				95% H-Stat UCL		19.56
633					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
634												

635	**Nonparametric Distribution Free UCL Statistics**										
636	**Detected Data appear Normal Distributed at 5% Significance Level**										
637											
638	**Suggested UCL to Use**										
639	95% KM (t) UCL				5.789						
640											
641	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
642	Recommendations are based upon data size, data distribution, and skewness.										
643	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
644	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.										
645											
646	**Tetrachloroethene**										
647											
648	**General Statistics**										
649	Total Number of Observations				14			Number of Distinct Observations			11
650	Number of Detects				10			Number of Non-Detects			4
651	Number of Distinct Detects				10			Number of Distinct Non-Detects			1
652	Minimum Detect				0.88			Minimum Non-Detect			0.47
653	Maximum Detect				10			Maximum Non-Detect			0.47
654	Variance Detects				6.604			Percent Non-Detects			28.57%
655	Mean Detects				3.298			SD Detects			2.57
656	Median Detects				2.75			CV Detects			0.779
657	Skewness Detects				2.228			Kurtosis Detects			6.103
658	Mean of Logged Detects				0.97			SD of Logged Detects			0.705
659											
660	**Normal GOF Test on Detects Only**										
661	Shapiro Wilk Test Statistic				0.74			**Shapiro Wilk GOF Test**			
662	5% Shapiro Wilk Critical Value				0.842			Detected Data Not Normal at 5% Significance Level			
663	Lilliefors Test Statistic				0.284			**Lilliefors GOF Test**			
664	5% Lilliefors Critical Value				0.262			Detected Data Not Normal at 5% Significance Level			
665	**Detected Data Not Normal at 5% Significance Level**										
666											
667	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**										
668	KM Mean				2.49			KM Standard Error of Mean			0.683
669	KM SD				2.424			95% KM (BCA) UCL			3.524
670	95% KM (t) UCL				3.7			95% KM (Percentile Bootstrap) UCL			3.576
671	95% KM (z) UCL				3.613			95% KM Bootstrap t UCL			4.352
672	90% KM Chebyshev UCL				4.539			95% KM Chebyshev UCL			5.467
673	97.5% KM Chebyshev UCL				6.755			99% KM Chebyshev UCL			9.286
674											
675	**Gamma GOF Tests on Detected Observations Only**										
676	A-D Test Statistic				0.564			**Anderson-Darling GOF Test**			
677	5% A-D Critical Value				0.734			Detected data appear Gamma Distributed at 5% Significance Level			
678	K-S Test Statistic				0.203			**Kolmogorov-Smirnov GOF**			
679	5% K-S Critical Value				0.269			Detected data appear Gamma Distributed at 5% Significance Level			
680	**Detected data appear Gamma Distributed at 5% Significance Level**										
681											
682	**Gamma Statistics on Detected Data Only**										
683	k hat (MLE)				2.396			k star (bias corrected MLE)			1.744
684	Theta hat (MLE)				1.377			Theta star (bias corrected MLE)			1.891
685	nu hat (MLE)				47.92			nu star (bias corrected)			34.88
686	Mean (detects)				3.298						

	A	B	C	D	E	F	G	H	I	J	K	L
687												
688	**Gamma ROS Statistics using Imputed Non-Detects**											
689	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
690	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
691	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
692	This is especially true when the sample size is small.											
693	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
694					Minimum	0.01				Mean	2.359	
695					Maximum	10				Median	2.45	
696					SD	2.636				CV	1.118	
697					k hat (MLE)	0.438				k star (bias corrected MLE)	0.392	
698					Theta hat (MLE)	5.385				Theta star (bias corrected MLE)	6.021	
699					nu hat (MLE)	12.26				nu star (bias corrected)	10.97	
700					Adjusted Level of Significance (β)	0.0312						
701					Approximate Chi Square Value (10.97, α)	4.556				Adjusted Chi Square Value (10.97, β)	4.022	
702					95% Gamma Approximate UCL (use when n>=50)	5.678				95% Gamma Adjusted UCL (use when n<50)	6.433	
703												
704	**Estimates of Gamma Parameters using KM Estimates**											
705					Mean (KM)	2.49				SD (KM)	2.424	
706					Variance (KM)	5.878				SE of Mean (KM)	0.683	
707					k hat (KM)	1.055				k star (KM)	0.876	
708					nu hat (KM)	29.54				nu star (KM)	24.54	
709					theta hat (KM)	2.36				theta star (KM)	2.841	
710					80% gamma percentile (KM)	4.047				90% gamma percentile (KM)	5.922	
711					95% gamma percentile (KM)	7.817				99% gamma percentile (KM)	12.26	
712												
713	**Gamma Kaplan-Meier (KM) Statistics**											
714					Approximate Chi Square Value (24.54, α)	14.26				Adjusted Chi Square Value (24.54, β)	13.23	
715					95% Gamma Approximate KM-UCL (use when n>=50)	4.285				95% Gamma Adjusted KM-UCL (use when n<50)	4.619	
716												
717	**Lognormal GOF Test on Detected Observations Only**											
718					Shapiro Wilk Test Statistic	0.903				**Shapiro Wilk GOF Test**		
719					5% Shapiro Wilk Critical Value	0.842				Detected Data appear Lognormal at 5% Significance Level		
720					Lilliefors Test Statistic	0.246				**Lilliefors GOF Test**		
721					5% Lilliefors Critical Value	0.262				Detected Data appear Lognormal at 5% Significance Level		
722	**Detected Data appear Lognormal at 5% Significance Level**											
723												
724	**Lognormal ROS Statistics Using Imputed Non-Detects**											
725					Mean in Original Scale	2.505				Mean in Log Scale	0.493	
726					SD in Original Scale	2.504				SD in Log Scale	0.996	
727					95% t UCL (assumes normality of ROS data)	3.691				95% Percentile Bootstrap UCL	3.67	
728					95% BCA Bootstrap UCL	4.036				95% Bootstrap t UCL	4.453	
729					95% H-UCL (Log ROS)	5.808						
730												
731	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
732					KM Mean (logged)	0.477				KM Geo Mean	1.612	
733					KM SD (logged)	0.963				95% Critical H Value (KM-Log)	2.731	
734					KM Standard Error of Mean (logged)	0.271				95% H-UCL (KM -Log)	5.315	
735					KM SD (logged)	0.963				95% Critical H Value (KM-Log)	2.731	
736					KM Standard Error of Mean (logged)	0.271						
737												
738	**DL/2 Statistics**											

739	**DL/2 Normal**						**DL/2 Log-Transformed**					
740				Mean in Original Scale	2.423					Mean in Log Scale	0.279	
741				SD in Original Scale	2.576					SD in Log Scale	1.277	
742				95% t UCL (Assumes normality)	3.642					95% H-Stat UCL	9.522	
743	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
744												
745	**Nonparametric Distribution Free UCL Statistics**											
746	**Detected Data appear Gamma Distributed at 5% Significance Level**											
747												
748	**Suggested UCL to Use**											
749				95% KM Adjusted Gamma UCL	4.619					95% GROS Adjusted Gamma UCL	6.433	
750												
751	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
752	Recommendations are based upon data size, data distribution, and skewness.											
753	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
754	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
755												
756	**Trichloroethene**											
757												
758	**General Statistics**											
759				Total Number of Observations	14					Number of Distinct Observations	6	
760				Number of Detects	5					Number of Non-Detects	9	
761				Number of Distinct Detects	5					Number of Distinct Non-Detects	1	
762				Minimum Detect	0.31					Minimum Non-Detect	0.69	
763				Maximum Detect	1.8					Maximum Non-Detect	0.69	
764				Variance Detects	0.371					Percent Non-Detects	64.29%	
765				Mean Detects	1.024					SD Detects	0.609	
766				Median Detects	1.2					CV Detects	0.595	
767				Skewness Detects	-0.0111					Kurtosis Detects	-1.646	
768				Mean of Logged Detects	-0.162					SD of Logged Detects	0.732	
769												
770	**Normal GOF Test on Detects Only**											
771				Shapiro Wilk Test Statistic	0.94		**Shapiro Wilk GOF Test**					
772				5% Shapiro Wilk Critical Value	0.762		Detected Data appear Normal at 5% Significance Level					
773				Lilliefors Test Statistic	0.214		**Lilliefors GOF Test**					
774				5% Lilliefors Critical Value	0.343		Detected Data appear Normal at 5% Significance Level					
775	**Detected Data appear Normal at 5% Significance Level**											
776												
777	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
778				KM Mean	0.629					KM Standard Error of Mean	0.145	
779				KM SD	0.446					95% KM (BCA) UCL	0.929	
780				95% KM (t) UCL	0.885					95% KM (Percentile Bootstrap) UCL	0.929	
781				95% KM (z) UCL	0.867					95% KM Bootstrap t UCL	0.878	
782				90% KM Chebyshev UCL	1.063					95% KM Chebyshev UCL	1.26	
783				97.5% KM Chebyshev UCL	1.533					99% KM Chebyshev UCL	2.068	
784												
785	**Gamma GOF Tests on Detected Observations Only**											
786				A-D Test Statistic	0.345		**Anderson-Darling GOF Test**					
787				5% A-D Critical Value	0.683		Detected data appear Gamma Distributed at 5% Significance Level					
788				K-S Test Statistic	0.281		**Kolmogorov-Smirnov GOF**					
789				5% K-S Critical Value	0.36		Detected data appear Gamma Distributed at 5% Significance Level					
790	**Detected data appear Gamma Distributed at 5% Significance Level**											

791											
792	**Gamma Statistics on Detected Data Only**										
793					k hat (MLE)	2.842	k star (bias corrected MLE)				1.27
794					Theta hat (MLE)	0.36	Theta star (bias corrected MLE)				0.806
795					nu hat (MLE)	28.42	nu star (bias corrected)				12.7
796					Mean (detects)	1.024					
797											
798	**Gamma ROS Statistics using Imputed Non-Detects**										
799	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs										
800	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)										
801	For such situations, GROS method may yield incorrect values of UCLs and BTVs										
802	This is especially true when the sample size is small.										
803	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates										
804					Minimum	0.01	Mean				0.634
805					Maximum	1.8	Median				0.507
806					SD	0.506	CV				0.798
807					k hat (MLE)	1.212	k star (bias corrected MLE)				1
808					Theta hat (MLE)	0.523	Theta star (bias corrected MLE)				0.634
809					nu hat (MLE)	33.94	nu star (bias corrected)				28
810					Adjusted Level of Significance (β)	0.0312					
811					Approximate Chi Square Value (28.00, α)	16.93	Adjusted Chi Square Value (28.00, β)				15.79
812					95% Gamma Approximate UCL (use when n>=50)	1.048	95% Gamma Adjusted UCL (use when n<50)				1.124
813											
814	**Estimates of Gamma Parameters using KM Estimates**										
815					Mean (KM)	0.629	SD (KM)				0.446
816					Variance (KM)	0.199	SE of Mean (KM)				0.145
817					k hat (KM)	1.991	k star (KM)				1.612
818					nu hat (KM)	55.74	nu star (KM)				45.13
819					theta hat (KM)	0.316	theta star (KM)				0.39
820					80% gamma percentile (KM)	0.966	90% gamma percentile (KM)				1.289
821					95% gamma percentile (KM)	1.601	99% gamma percentile (KM)				2.302
822											
823	**Gamma Kaplan-Meier (KM) Statistics**										
824					Approximate Chi Square Value (45.13, α)	30.72	Adjusted Chi Square Value (45.13, β)				29.15
825					95% Gamma Approximate KM-UCL (use when n>=50)	0.924	95% Gamma Adjusted KM-UCL (use when n<50)				0.974
826											
827	**Lognormal GOF Test on Detected Observations Only**										
828					Shapiro Wilk Test Statistic	0.909	**Shapiro Wilk GOF Test**				
829					5% Shapiro Wilk Critical Value	0.762	Detected Data appear Lognormal at 5% Significance Level				
830					Lilliefors Test Statistic	0.281	**Lilliefors GOF Test**				
831					5% Lilliefors Critical Value	0.343	Detected Data appear Lognormal at 5% Significance Level				
832	**Detected Data appear Lognormal at 5% Significance Level**										
833											

834	**Lognormal ROS Statistics Using Imputed Non-Detects**											
835					Mean in Original Scale	0.645				Mean in Log Scale	-0.663	
836					SD in Original Scale	0.475				SD in Log Scale	0.688	
837					95% t UCL (assumes normality of ROS data)	0.87				95% Percentile Bootstrap UCL	0.874	
838					95% BCA Bootstrap UCL	0.903				95% Bootstrap t UCL	0.967	
839					95% H-UCL (Log ROS)	1.017						
840												
841	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
842					KM Mean (logged)	-0.651				KM Geo Mean	0.522	
843					KM SD (logged)	0.57				95% Critical H Value (KM-Log)	2.129	
844					KM Standard Error of Mean (logged)	0.22				95% H-UCL (KM -Log)	0.859	
845					KM SD (logged)	0.57				95% Critical H Value (KM-Log)	2.129	
846					KM Standard Error of Mean (logged)	0.22						
847												
848	**DL/2 Statistics**											
849	**DL/2 Normal**						**DL/2 Log-Transformed**					
850					Mean in Original Scale	0.588				Mean in Log Scale	-0.742	
851					SD in Original Scale	0.478				SD in Log Scale	0.605	
852					95% t UCL (Assumes normality)	0.814				95% H-Stat UCL	0.829	
853	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
854												
855	**Nonparametric Distribution Free UCL Statistics**											
856	**Detected Data appear Normal Distributed at 5% Significance Level**											
857												
858	**Suggested UCL to Use**											
859					95% KM (t) UCL	0.885						
860												
861	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
862	Recommendations are based upon data size, data distribution, and skewness.											
863	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
864	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
865												
866	**Vinyl chloride**											
867												
868	**General Statistics**											
869					Total Number of Observations	14				Number of Distinct Observations	3	
870					Number of Detects	1				Number of Non-Detects	13	
871					Number of Distinct Detects	1				Number of Distinct Non-Detects	2	
872												
873	**Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!**											
874	**It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).**											
875												
876	**The data set for variable Vinyl chloride was not processed!**											
877												
878												
879	**Xylenes, Total**											
880												
881	**General Statistics**											
882					Total Number of Observations	14				Number of Distinct Observations	8	
883					Number of Detects	8				Number of Non-Detects	6	
884					Number of Distinct Detects	7				Number of Distinct Non-Detects	1	
885					Minimum Detect	1.3				Minimum Non-Detect	0.89	

886				Maximum Detect	61					Maximum Non-Detect	0.89	
887				Variance Detects	513.3					Percent Non-Detects	42.86%	
888				Mean Detects	22.7					SD Detects	22.66	
889				Median Detects	16					CV Detects	0.998	
890				Skewness Detects	0.848					Kurtosis Detects	-0.713	
891				Mean of Logged Detects	2.445					SD of Logged Detects	1.427	
892												
893	**Normal GOF Test on Detects Only**											
894				Shapiro Wilk Test Statistic	0.867	**Shapiro Wilk GOF Test**						
895				5% Shapiro Wilk Critical Value	0.818	Detected Data appear Normal at 5% Significance Level						
896				Lilliefors Test Statistic	0.241	**Lilliefors GOF Test**						
897				5% Lilliefors Critical Value	0.283	Detected Data appear Normal at 5% Significance Level						
898	**Detected Data appear Normal at 5% Significance Level**											
899												
900	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
901				KM Mean	13.35	KM Standard Error of Mean	5.519					
902				KM SD	19.32	95% KM (BCA) UCL	22.76					
903				95% KM (t) UCL	23.13	95% KM (Percentile Bootstrap) UCL	22.98					
904				95% KM (z) UCL	22.43	95% KM Bootstrap t UCL	30.14					
905				90% KM Chebyshev UCL	29.91	95% KM Chebyshev UCL	37.41					
906				97.5% KM Chebyshev UCL	47.82	99% KM Chebyshev UCL	68.27					
907												
908	**Gamma GOF Tests on Detected Observations Only**											
909				A-D Test Statistic	0.331	**Anderson-Darling GOF Test**						
910				5% A-D Critical Value	0.741	Detected data appear Gamma Distributed at 5% Significance Level						
911				K-S Test Statistic	0.21	**Kolmogorov-Smirnov GOF**						
912				5% K-S Critical Value	0.303	Detected data appear Gamma Distributed at 5% Significance Level						
913	**Detected data appear Gamma Distributed at 5% Significance Level**											
914												
915	**Gamma Statistics on Detected Data Only**											
916				k hat (MLE)	0.867	k star (bias corrected MLE)	0.625					
917				Theta hat (MLE)	26.19	Theta star (bias corrected MLE)	36.32					
918				nu hat (MLE)	13.87	nu star (bias corrected)	10					
919				Mean (detects)	22.7							
920												
921	**Gamma ROS Statistics using Imputed Non-Detects**											
922	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
923	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
924	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
925	This is especially true when the sample size is small.											
926	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
927				Minimum	0.01	Mean	12.98					
928				Maximum	61	Median	2.15					
929				SD	20.3	CV	1.565					
930				k hat (MLE)	0.229	k star (bias corrected MLE)	0.228					
931				Theta hat (MLE)	56.57	Theta star (bias corrected MLE)	56.95					
932				nu hat (MLE)	6.422	nu star (bias corrected)	6.379					
933				Adjusted Level of Significance (β)	0.0312							
934				Approximate Chi Square Value (6.38, α)	1.837	Adjusted Chi Square Value (6.38, β)	1.533					
935				95% Gamma Approximate UCL (use when n>=50)	45.07	95% Gamma Adjusted UCL (use when n<50)	54.01					
936												
937	**Estimates of Gamma Parameters using KM Estimates**											

938					Mean (KM)	13.35					SD (KM)	19.32
939					Variance (KM)	373.2					SE of Mean (KM)	5.519
940					k hat (KM)	0.478					k star (KM)	0.423
941					nu hat (KM)	13.38					nu star (KM)	11.85
942					theta hat (KM)	27.95					theta star (KM)	31.56
943					80% gamma percentile (KM)	21.68					90% gamma percentile (KM)	37.34
944					95% gamma percentile (KM)	54.41					99% gamma percentile (KM)	97.1
945												
946	**Gamma Kaplan-Meier (KM) Statistics**											
947					Approximate Chi Square Value (11.85, α)	5.125					Adjusted Chi Square Value (11.85, β)	4.552
948					95% Gamma Approximate KM-UCL (use when n>=50)	30.86					95% Gamma Adjusted KM-UCL (use when n<50)	34.75
949												
950	**Lognormal GOF Test on Detected Observations Only**											
951					Shapiro Wilk Test Statistic	0.914					**Shapiro Wilk GOF Test**	
952					5% Shapiro Wilk Critical Value	0.818					Detected Data appear Lognormal at 5% Significance Level	
953					Lilliefors Test Statistic	0.216					**Lilliefors GOF Test**	
954					5% Lilliefors Critical Value	0.283					Detected Data appear Lognormal at 5% Significance Level	
955	**Detected Data appear Lognormal at 5% Significance Level**											
956												
957	**Lognormal ROS Statistics Using Imputed Non-Detects**											
958					Mean in Original Scale	13.14					Mean in Log Scale	0.797
959					SD in Original Scale	20.19					SD in Log Scale	2.345
960					95% t UCL (assumes normality of ROS data)	22.69					95% Percentile Bootstrap UCL	22.02
961					95% BCA Bootstrap UCL	24.35					95% Bootstrap t UCL	28.05
962					95% H-UCL (Log ROS)	1143						
963												
964	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
965					KM Mean (logged)	1.347					KM Geo Mean	3.846
966					KM SD (logged)	1.62					95% Critical H Value (KM-Log)	3.922
967					KM Standard Error of Mean (logged)	0.463					95% H-UCL (KM -Log)	83.25
968					KM SD (logged)	1.62					95% Critical H Value (KM-Log)	3.922
969					KM Standard Error of Mean (logged)	0.463						
970												
971	**DL/2 Statistics**											
972	**DL/2 Normal**						**DL/2 Log-Transformed**					
973					Mean in Original Scale	13.16					Mean in Log Scale	1.05
974					SD in Original Scale	20.17					SD in Log Scale	1.972
975					95% t UCL (Assumes normality)	22.71					95% H-Stat UCL	250.1
976	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
977												
978	**Nonparametric Distribution Free UCL Statistics**											
979	**Detected Data appear Normal Distributed at 5% Significance Level**											
980												

981	**Suggested UCL to Use**											
982					95% KM (t) UCL	23.13						
983												
984	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
985	Recommendations are based upon data size, data distribution, and skewness.											
986	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
987	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
988												
989	**1,1'-Biphenyl**											
990												
991	**General Statistics**											
992					Total Number of Observations	6			Number of Distinct Observations	6		
993					Number of Detects	5			Number of Non-Detects	1		
994					Number of Distinct Detects	5			Number of Distinct Non-Detects	1		
995					Minimum Detect	0.78			Minimum Non-Detect	0.28		
996					Maximum Detect	2.6			Maximum Non-Detect	0.28		
997					Variance Detects	0.477			Percent Non-Detects	16.67%		
998					Mean Detects	1.656			SD Detects	0.69		
999					Median Detects	1.6			CV Detects	0.417		
1000					Skewness Detects	0.208			Kurtosis Detects	-0.226		
1001					Mean of Logged Detects	0.427			SD of Logged Detects	0.457		
1002												
1003	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1004	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1005	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1006	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1007												
1008	**Normal GOF Test on Detects Only**											
1009					Shapiro Wilk Test Statistic	0.997			**Shapiro Wilk GOF Test**			
1010					5% Shapiro Wilk Critical Value	0.762			Detected Data appear Normal at 5% Significance Level			
1011					Lilliefors Test Statistic	0.132			**Lilliefors GOF Test**			
1012					5% Lilliefors Critical Value	0.343			Detected Data appear Normal at 5% Significance Level			
1013	**Detected Data appear Normal at 5% Significance Level**											
1014												
1015	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1016					KM Mean	1.427			KM Standard Error of Mean	0.348		
1017					KM SD	0.762			95% KM (BCA) UCL	1.88		
1018					95% KM (t) UCL	2.128			95% KM (Percentile Bootstrap) UCL	1.95		
1019					95% KM (z) UCL	1.999			95% KM Bootstrap t UCL	2.047		
1020					90% KM Chebyshev UCL	2.47			95% KM Chebyshev UCL	2.943		
1021					97.5% KM Chebyshev UCL	3.599			99% KM Chebyshev UCL	4.888		
1022												
1023	**Gamma GOF Tests on Detected Observations Only**											
1024					A-D Test Statistic	0.171			**Anderson-Darling GOF Test**			
1025					5% A-D Critical Value	0.68			Detected data appear Gamma Distributed at 5% Significance Level			
1026					K-S Test Statistic	0.143			**Kolmogorov-Smirnov GOF**			
1027					5% K-S Critical Value	0.358			Detected data appear Gamma Distributed at 5% Significance Level			
1028	**Detected data appear Gamma Distributed at 5% Significance Level**											
1029												

1030	**Gamma Statistics on Detected Data Only**											
1031					k hat (MLE)	6.581			k star (bias corrected MLE)			2.766
1032					Theta hat (MLE)	0.252			Theta star (bias corrected MLE)			0.599
1033					nu hat (MLE)	65.81			nu star (bias corrected)			27.66
1034					Mean (detects)	1.656						
1035												
1036	**Gamma ROS Statistics using Imputed Non-Detects**											
1037	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1038	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1039	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1040	This is especially true when the sample size is small.											
1041	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1042					Minimum	0.186			Mean			1.411
1043					Maximum	2.6			Median			1.45
1044					SD	0.861			CV			0.61
1045					k hat (MLE)	2.008			k star (bias corrected MLE)			1.115
1046					Theta hat (MLE)	0.703			Theta star (bias corrected MLE)			1.266
1047					nu hat (MLE)	24.09			nu star (bias corrected)			13.38
1048					Adjusted Level of Significance (β)	0.0122						
1049					Approximate Chi Square Value (13.38, α)	6.148			Adjusted Chi Square Value (13.38, β)			4.499
1050					95% Gamma Approximate UCL (use when n>=50)	3.07			95% Gamma Adjusted UCL (use when n<50)			4.196
1051												
1052	**Estimates of Gamma Parameters using KM Estimates**											
1053					Mean (KM)	1.427			SD (KM)			0.762
1054					Variance (KM)	0.581			SE of Mean (KM)			0.348
1055					k hat (KM)	3.505			k star (KM)			1.863
1056					nu hat (KM)	42.06			nu star (KM)			22.36
1057					theta hat (KM)	0.407			theta star (KM)			0.766
1058					80% gamma percentile (KM)	2.154			90% gamma percentile (KM)			2.821
1059					95% gamma percentile (KM)	3.461			99% gamma percentile (KM)			4.886
1060												
1061	**Gamma Kaplan-Meier (KM) Statistics**											
1062					Approximate Chi Square Value (22.36, α)	12.61			Adjusted Chi Square Value (22.36, β)			10.07
1063					95% Gamma Approximate KM-UCL (use when n>=50)	2.53			95% Gamma Adjusted KM-UCL (use when n<50)			3.168
1064												
1065	**Lognormal GOF Test on Detected Observations Only**											
1066					Shapiro Wilk Test Statistic	0.979			**Shapiro Wilk GOF Test**			
1067					5% Shapiro Wilk Critical Value	0.762			Detected Data appear Lognormal at 5% Significance Level			
1068					Lilliefors Test Statistic	0.16			**Lilliefors GOF Test**			
1069					5% Lilliefors Critical Value	0.343			Detected Data appear Lognormal at 5% Significance Level			
1070	**Detected Data appear Lognormal at 5% Significance Level**											
1071												
1072	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1073					Mean in Original Scale	1.459			Mean in Log Scale			0.231
1074					SD in Original Scale	0.783			SD in Log Scale			0.629
1075					95% t UCL (assumes normality of ROS data)	2.104			95% Percentile Bootstrap UCL			1.95
1076					95% BCA Bootstrap UCL	1.98			95% Bootstrap t UCL			2.143
1077					95% H-UCL (Log ROS)	3.54						
1078												

	A	B	C	D	E	F	G	H	I	J	K	L
1079	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1080					KM Mean (logged)	0.143				KM Geo Mean		1.154
1081					KM SD (logged)	0.735				95% Critical H Value (KM-Log)		3.276
1082					KM Standard Error of Mean (logged)	0.336				95% H-UCL (KM -Log)		4.439
1083					KM SD (logged)	0.735				95% Critical H Value (KM-Log)		3.276
1084					KM Standard Error of Mean (logged)	0.336						
1085												
1086	**DL/2 Statistics**											
1087	**DL/2 Normal**						**DL/2 Log-Transformed**					
1088					Mean in Original Scale	1.403				Mean in Log Scale		0.0277
1089					SD in Original Scale	0.874				SD in Log Scale		1.059
1090					95% t UCL (Assumes normality)	2.123				95% H-Stat UCL		14.02
1091	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1092												
1093	**Nonparametric Distribution Free UCL Statistics**											
1094	**Detected Data appear Normal Distributed at 5% Significance Level**											
1095												
1096	**Suggested UCL to Use**											
1097					95% KM (t) UCL	2.128						
1098												
1099	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1100	Recommendations are based upon data size, data distribution, and skewness.											
1101	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1102	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1103												
1104	**2-Methylnaphthalene**											
1105												
1106	**General Statistics**											
1107					Total Number of Observations	6				Number of Distinct Observations		6
1108					Number of Detects	5				Number of Non-Detects		1
1109					Number of Distinct Detects	5				Number of Distinct Non-Detects		1
1110					Minimum Detect	13				Minimum Non-Detect		0.3
1111					Maximum Detect	30				Maximum Non-Detect		0.3
1112					Variance Detects	47.5				Percent Non-Detects		16.67%
1113					Mean Detects	23				SD Detects		6.892
1114					Median Detects	22				CV Detects		0.3
1115					Skewness Detects	-0.573				Kurtosis Detects		-0.402
1116					Mean of Logged Detects	3.094				SD of Logged Detects		0.336
1117												
1118	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1119	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1120	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1121	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1122												
1123	**Normal GOF Test on Detects Only**											
1124					Shapiro Wilk Test Statistic	0.921	**Shapiro Wilk GOF Test**					
1125					5% Shapiro Wilk Critical Value	0.762	Detected Data appear Normal at 5% Significance Level					
1126					Lilliefors Test Statistic	0.208	**Lilliefors GOF Test**					
1127					5% Lilliefors Critical Value	0.343	Detected Data appear Normal at 5% Significance Level					
1128	**Detected Data appear Normal at 5% Significance Level**											
1129												
1130	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											

1131	KM Mean					19.22	KM Standard Error of Mean					4.638
1132	KM SD					10.16	95% KM (BCA) UCL					25.5
1133	95% KM (t) UCL					28.56	95% KM (Percentile Bootstrap) UCL					25.5
1134	95% KM (z) UCL					26.84	95% KM Bootstrap t UCL					25.04
1135	90% KM Chebyshev UCL					33.13	95% KM Chebyshev UCL					39.43
1136	97.5% KM Chebyshev UCL					48.18	99% KM Chebyshev UCL					65.36
1137												
1138	**Gamma GOF Tests on Detected Observations Only**											
1139	A-D Test Statistic					0.357	**Anderson-Darling GOF Test**					
1140	5% A-D Critical Value					0.679	Detected data appear Gamma Distributed at 5% Significance Level					
1141	K-S Test Statistic					0.225	**Kolmogorov-Smirnov GOF**					
1142	5% K-S Critical Value					0.357	Detected data appear Gamma Distributed at 5% Significance Level					
1143	**Detected data appear Gamma Distributed at 5% Significance Level**											
1144												
1145	**Gamma Statistics on Detected Data Only**											
1146	k hat (MLE)					12.16	k star (bias corrected MLE)					4.996
1147	Theta hat (MLE)					1.892	Theta star (bias corrected MLE)					4.604
1148	nu hat (MLE)					121.6	nu star (bias corrected)					49.96
1149	Mean (detects)					23						
1150												
1151	**Gamma ROS Statistics using Imputed Non-Detects**											
1152	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1153	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1154	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1155	This is especially true when the sample size is small.											
1156	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1157	Minimum					8.337	Mean					20.56
1158	Maximum					30	Median					21.5
1159	SD					8.593	CV					0.418
1160	k hat (MLE)					5.624	k star (bias corrected MLE)					2.923
1161	Theta hat (MLE)					3.655	Theta star (bias corrected MLE)					7.033
1162	nu hat (MLE)					67.48	nu star (bias corrected)					35.07
1163	Adjusted Level of Significance (β)					0.0122						
1164	Approximate Chi Square Value (35.07, α)					22.53	Adjusted Chi Square Value (35.07, β)					18.98
1165	95% Gamma Approximate UCL (use when n>=50)					32.01	95% Gamma Adjusted UCL (use when n<50)					37.99
1166												
1167	**Estimates of Gamma Parameters using KM Estimates**											
1168	Mean (KM)					19.22	SD (KM)					10.16
1169	Variance (KM)					103.2	SE of Mean (KM)					4.638
1170	k hat (KM)					3.577	k star (KM)					1.9
1171	nu hat (KM)					42.93	nu star (KM)					22.8
1172	theta hat (KM)					5.372	theta star (KM)					10.12
1173	80% gamma percentile (KM)					28.94	90% gamma percentile (KM)					37.83
1174	95% gamma percentile (KM)					46.33	99% gamma percentile (KM)					65.25
1175												
1176	**Gamma Kaplan-Meier (KM) Statistics**											
1177	Approximate Chi Square Value (22.80, α)					12.94	Adjusted Chi Square Value (22.80, β)					10.36
1178	95% Gamma Approximate KM-UCL (use when n>=50)					33.86	95% Gamma Adjusted KM-UCL (use when n<50)					42.29
1179												
1180	**Lognormal GOF Test on Detected Observations Only**											
1181	Shapiro Wilk Test Statistic					0.889	**Shapiro Wilk GOF Test**					
1182	5% Shapiro Wilk Critical Value					0.762	Detected Data appear Lognormal at 5% Significance Level					

1183					Lilliefors Test Statistic	0.242	**Lilliefors GOF Test**					
1184					5% Lilliefors Critical Value	0.343	Detected Data appear Lognormal at 5% Significance Level					
1185	**Detected Data appear Lognormal at 5% Significance Level**											
1186												
1187	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1188					Mean in Original Scale	20.8	Mean in Log Scale	2.958				
1189					SD in Original Scale	8.196	SD in Log Scale	0.448				
1190					95% t UCL (assumes normality of ROS data)	27.54	95% Percentile Bootstrap UCL	25.67				
1191					95% BCA Bootstrap UCL	25.5	95% Bootstrap t UCL	26.94				
1192					95% H-UCL (Log ROS)	35.27						
1193												
1194	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1195					KM Mean (logged)	2.378	KM Geo Mean	10.78				
1196					KM SD (logged)	1.625	95% Critical H Value (KM-Log)	6.331				
1197					KM Standard Error of Mean (logged)	0.742	95% H-UCL (KM -Log)	4019				
1198					KM SD (logged)	1.625	95% Critical H Value (KM-Log)	6.331				
1199					KM Standard Error of Mean (logged)	0.742						
1200												
1201	**DL/2 Statistics**											
1202	**DL/2 Normal**						**DL/2 Log-Transformed**					
1203					Mean in Original Scale	19.19	Mean in Log Scale	2.262				
1204					SD in Original Scale	11.18	SD in Log Scale	2.06				
1205					95% t UCL (Assumes normality)	28.39	95% H-Stat UCL	117894				
1206	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1207												
1208	**Nonparametric Distribution Free UCL Statistics**											
1209	**Detected Data appear Normal Distributed at 5% Significance Level**											
1210												
1211	**Suggested UCL to Use**											
1212					95% KM (t) UCL	28.56						
1213												
1214	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1215	Recommendations are based upon data size, data distribution, and skewness.											
1216	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1217	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1218												
1219	**Benzo[a]anthracene**											
1220												
1221	**General Statistics**											
1222					Total Number of Observations	6	Number of Distinct Observations	5				
1223					Number of Detects	0	Number of Non-Detects	6				
1224					Number of Distinct Detects	0	Number of Distinct Non-Detects	5				
1225												

	A	B	C	D	E	F	G	H	I	J	K	L
1226	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1227	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1228	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1229												
1230	**The data set for variable Benzo[a]anthracene was not processed!**											
1231												
1232												
1233	**Benzo(a)pyrene**											
1234												
1235	**General Statistics**											
1236	Total Number of Observations					6	Number of Distinct Observations					5
1237	Number of Detects					0	Number of Non-Detects					6
1238	Number of Distinct Detects					0	Number of Distinct Non-Detects					5
1239												
1240	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1241	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1242	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1243												
1244	**The data set for variable Benzo(a)pyrene was not processed!**											
1245												
1246												
1247	**Benzo[b]fluoranthene**											
1248												
1249	**General Statistics**											
1250	Total Number of Observations					6	Number of Distinct Observations					5
1251	Number of Detects					0	Number of Non-Detects					6
1252	Number of Distinct Detects					0	Number of Distinct Non-Detects					5
1253												
1254	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1255	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1256	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1257												
1258	**The data set for variable Benzo[b]fluoranthene was not processed!**											
1259												
1260												
1261	**Benzo[k]fluoranthene**											
1262												
1263	**General Statistics**											
1264	Total Number of Observations					6	Number of Distinct Observations					5
1265	Number of Detects					0	Number of Non-Detects					6
1266	Number of Distinct Detects					0	Number of Distinct Non-Detects					5
1267												
1268	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1269	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1270	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1271												
1272	**The data set for variable Benzo[k]fluoranthene was not processed!**											
1273												
1274												

	A	B	C	D	E	F	G	H	I	J	K	L
1275	**Chrysene**											
1276												
1277	**General Statistics**											
1278					Total Number of Observations	6			Number of Distinct Observations	5		
1279					Number of Detects	0			Number of Non-Detects	6		
1280					Number of Distinct Detects	0			Number of Distinct Non-Detects	5		
1281												
1282	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1283	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1284	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1285												
1286	**The data set for variable Chrysene was not processed!**											
1287												
1288												
1289	**Dibenz(a,h)anthracene**											
1290												
1291	**General Statistics**											
1292					Total Number of Observations	6			Number of Distinct Observations	5		
1293					Number of Detects	0			Number of Non-Detects	6		
1294					Number of Distinct Detects	0			Number of Distinct Non-Detects	5		
1295												
1296	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1297	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1298	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1299												
1300	**The data set for variable Dibenz(a,h)anthracene was not processed!**											
1301												
1302												
1303	**Indeno[1,2,3-cd]pyrene**											
1304												
1305	**General Statistics**											
1306					Total Number of Observations	6			Number of Distinct Observations	5		
1307					Number of Detects	0			Number of Non-Detects	6		
1308					Number of Distinct Detects	0			Number of Distinct Non-Detects	5		
1309												
1310	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
1311	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
1312	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
1313												
1314	**The data set for variable Indeno[1,2,3-cd]pyrene was not processed!**											
1315												
1316												
1317	**Naphthalene**											
1318												
1319	**General Statistics**											
1320					Total Number of Observations	6			Number of Distinct Observations	6		
1321					Number of Detects	5			Number of Non-Detects	1		
1322					Number of Distinct Detects	5			Number of Distinct Non-Detects	1		
1323					Minimum Detect	4.7			Minimum Non-Detect	0.28		
1324					Maximum Detect	23			Maximum Non-Detect	0.28		
1325					Variance Detects	58.14			Percent Non-Detects	16.67%		
1326					Mean Detects	12.16			SD Detects	7.625		

1327					Median Detects	9.1					CV Detects	0.627
1328					Skewness Detects	0.757					Kurtosis Detects	-1.252
1329					Mean of Logged Detects	2.334					SD of Logged Detects	0.647
1330												
1331	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1332	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1333	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1334	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1335												
1336	**Normal GOF Test on Detects Only**											
1337					Shapiro Wilk Test Statistic	0.913	**Shapiro Wilk GOF Test**					
1338					5% Shapiro Wilk Critical Value	0.762	Detected Data appear Normal at 5% Significance Level					
1339					Lilliefors Test Statistic	0.256	**Lilliefors GOF Test**					
1340					5% Lilliefors Critical Value	0.343	Detected Data appear Normal at 5% Significance Level					
1341	**Detected Data appear Normal at 5% Significance Level**											
1342												
1343	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1344					KM Mean	10.18	KM Standard Error of Mean	3.487				
1345					KM SD	7.64	95% KM (BCA) UCL	15.67				
1346					95% KM (t) UCL	17.21	95% KM (Percentile Bootstrap) UCL	15.55				
1347					95% KM (z) UCL	15.92	95% KM Bootstrap t UCL	21.63				
1348					90% KM Chebyshev UCL	20.64	95% KM Chebyshev UCL	25.38				
1349					97.5% KM Chebyshev UCL	31.96	99% KM Chebyshev UCL	44.88				
1350												
1351	**Gamma GOF Tests on Detected Observations Only**											
1352					A-D Test Statistic	0.266	**Anderson-Darling GOF Test**					
1353					5% A-D Critical Value	0.682	Detected data appear Gamma Distributed at 5% Significance Level					
1354					K-S Test Statistic	0.219	**Kolmogorov-Smirnov GOF**					
1355					5% K-S Critical Value	0.359	Detected data appear Gamma Distributed at 5% Significance Level					
1356	**Detected data appear Gamma Distributed at 5% Significance Level**											
1357												
1358	**Gamma Statistics on Detected Data Only**											
1359					k hat (MLE)	3.205	k star (bias corrected MLE)	1.415				
1360					Theta hat (MLE)	3.794	Theta star (bias corrected MLE)	8.592				
1361					nu hat (MLE)	32.05	nu star (bias corrected)	14.15				
1362					Mean (detects)	12.16						
1363												
1364	**Gamma ROS Statistics using Imputed Non-Detects**											
1365	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1366	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1367	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1368	This is especially true when the sample size is small.											
1369	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1370					Minimum	0.01	Mean	10.14				
1371					Maximum	23	Median	8.05				
1372					SD	8.433	CV	0.832				
1373					k hat (MLE)	0.55	k star (bias corrected MLE)	0.386				
1374					Theta hat (MLE)	18.43	Theta star (bias corrected MLE)	26.25				
1375					nu hat (MLE)	6.598	nu star (bias corrected)	4.633				
1376					Adjusted Level of Significance (β)	0.0122						
1377					Approximate Chi Square Value (4.63, α)	0.986	Adjusted Chi Square Value (4.63, β)	0.513				
1378					95% Gamma Approximate UCL (use when n>=50)	47.6	95% Gamma Adjusted UCL (use when n<50)	91.59				

1379												
1380	**Estimates of Gamma Parameters using KM Estimates**											
1381					Mean (KM)	10.18				SD (KM)	7.64	
1382					Variance (KM)	58.36				SE of Mean (KM)	3.487	
1383					k hat (KM)	1.776				k star (KM)	0.999	
1384					nu hat (KM)	21.31				nu star (KM)	11.99	
1385					theta hat (KM)	5.733				theta star (KM)	10.19	
1386					80% gamma percentile (KM)	16.39				90% gamma percentile (KM)	23.45	
1387					95% gamma percentile (KM)	30.51				99% gamma percentile (KM)	46.91	
1388												
1389	**Gamma Kaplan-Meier (KM) Statistics**											
1390					Approximate Chi Square Value (11.99, α)	5.218				Adjusted Chi Square Value (11.99, β)	3.729	
1391					95% Gamma Approximate KM-UCL (use when n>=50)	23.38				95% Gamma Adjusted KM-UCL (use when n<50)	32.72	
1392												
1393	**Lognormal GOF Test on Detected Observations Only**											
1394					Shapiro Wilk Test Statistic	0.961				**Shapiro Wilk GOF Test**		
1395					5% Shapiro Wilk Critical Value	0.762				Detected Data appear Lognormal at 5% Significance Level		
1396					Lilliefors Test Statistic	0.18				**Lilliefors GOF Test**		
1397					5% Lilliefors Critical Value	0.343				Detected Data appear Lognormal at 5% Significance Level		
1398	**Detected Data appear Lognormal at 5% Significance Level**											
1399												
1400	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1401					Mean in Original Scale	10.45				Mean in Log Scale	2.054	
1402					SD in Original Scale	8				SD in Log Scale	0.899	
1403					95% t UCL (assumes normality of ROS data)	17.03				95% Percentile Bootstrap UCL	15.63	
1404					95% BCA Bootstrap UCL	16.17				95% Bootstrap t UCL	24.76	
1405					95% H-UCL (Log ROS)	53.01						
1406												
1407	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1408					KM Mean (logged)	1.733				KM Geo Mean	5.657	
1409					KM SD (logged)	1.444				95% Critical H Value (KM-Log)	5.68	
1410					KM Standard Error of Mean (logged)	0.659				95% H-UCL (KM -Log)	629.8	
1411					KM SD (logged)	1.444				95% Critical H Value (KM-Log)	5.68	
1412					KM Standard Error of Mean (logged)	0.659						
1413												
1414	**DL/2 Statistics**											
1415	**DL/2 Normal**									**DL/2 Log-Transformed**		
1416					Mean in Original Scale	10.16				Mean in Log Scale	1.617	
1417					SD in Original Scale	8.402				SD in Log Scale	1.849	
1418					95% t UCL (Assumes normality)	17.07				95% H-Stat UCL	10234	
1419	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1420												
1421	**Nonparametric Distribution Free UCL Statistics**											
1422	**Detected Data appear Normal Distributed at 5% Significance Level**											
1423												

	A	B	C	D	E	F	G	H	I	J	K	L
1424	**Suggested UCL to Use**											
1425					95% KM (t) UCL	17.21						
1426												
1427	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1428	Recommendations are based upon data size, data distribution, and skewness.											
1429	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1430	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1431												
1432	**Bis(2-ethylhexyl) phthalate**											
1433												
1434	**General Statistics**											
1435					Total Number of Observations	6			Number of Distinct Observations		5	
1436					Number of Detects	4			Number of Non-Detects		2	
1437					Number of Distinct Detects	3			Number of Distinct Non-Detects		2	
1438					Minimum Detect	0.52			Minimum Non-Detect		30	
1439					Maximum Detect	1.6			Maximum Non-Detect		31	
1440					Variance Detects	0.34			Percent Non-Detects		33.33%	
1441					Mean Detects	1.098			SD Detects		0.583	
1442					Median Detects	1.135			CV Detects		0.532	
1443					Skewness Detects	-0.0569			Kurtosis Detects		-5.672	
1444					Mean of Logged Detects	-0.0286			SD of Logged Detects		0.585	
1445												
1446	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1447	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1448	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1449	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1450												
1451	**Normal GOF Test on Detects Only**											
1452					Shapiro Wilk Test Statistic	0.79			**Shapiro Wilk GOF Test**			
1453					5% Shapiro Wilk Critical Value	0.748			Detected Data appear Normal at 5% Significance Level			
1454					Lilliefors Test Statistic	0.305			**Lilliefors GOF Test**			
1455					5% Lilliefors Critical Value	0.375			Detected Data appear Normal at 5% Significance Level			
1456	**Detected Data appear Normal at 5% Significance Level**											
1457												
1458	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1459					KM Mean	1.098			KM Standard Error of Mean		0.292	
1460					KM SD	0.505			95% KM (BCA) UCL		N/A	
1461					95% KM (t) UCL	1.685			95% KM (Percentile Bootstrap) UCL		N/A	
1462					95% KM (z) UCL	1.577			95% KM Bootstrap t UCL		N/A	
1463					90% KM Chebyshev UCL	1.973			95% KM Chebyshev UCL		2.369	
1464					97.5% KM Chebyshev UCL	2.919			99% KM Chebyshev UCL		4	
1465												
1466	**Gamma GOF Tests on Detected Observations Only**											
1467					A-D Test Statistic	0.553			**Anderson-Darling GOF Test**			
1468					5% A-D Critical Value	0.659			Detected data appear Gamma Distributed at 5% Significance Level			
1469					K-S Test Statistic	0.338			**Kolmogorov-Smirnov GOF**			
1470					5% K-S Critical Value	0.396			Detected data appear Gamma Distributed at 5% Significance Level			
1471	**Detected data appear Gamma Distributed at 5% Significance Level**											
1472												

1473	**Gamma Statistics on Detected Data Only**											
1474					k hat (MLE)	4.27			k star (bias corrected MLE)			1.234
1475					Theta hat (MLE)	0.257			Theta star (bias corrected MLE)			0.889
1476					nu hat (MLE)	34.16			nu star (bias corrected)			9.874
1477					Mean (detects)	1.098						
1478												
1479	**Gamma ROS Statistics using Imputed Non-Detects**											
1480	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1481	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1482	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1483	This is especially true when the sample size is small.											
1484	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1485					Minimum	0.52			Mean			1.082
1486					Maximum	1.6			Median			1.05
1487					SD	0.453			CV			0.418
1488					k hat (MLE)	6.312			k star (bias corrected MLE)			3.267
1489					Theta hat (MLE)	0.171			Theta star (bias corrected MLE)			0.331
1490					nu hat (MLE)	75.74			nu star (bias corrected)			39.2
1491					Adjusted Level of Significance (β)	0.0122						
1492					Approximate Chi Square Value (39.20, α)	25.86			Adjusted Chi Square Value (39.20, β)			22.03
1493					95% Gamma Approximate UCL (use when n>=50)	1.64			95% Gamma Adjusted UCL (use when n<50)			N/A
1494												
1495	**Estimates of Gamma Parameters using KM Estimates**											
1496					Mean (KM)	1.098			SD (KM)			0.505
1497					Variance (KM)	0.255			SE of Mean (KM)			0.292
1498					k hat (KM)	4.718			k star (KM)			2.47
1499					nu hat (KM)	56.61			nu star (KM)			29.64
1500					theta hat (KM)	0.233			theta star (KM)			0.444
1501					80% gamma percentile (KM)	1.602			90% gamma percentile (KM)			2.033
1502					95% gamma percentile (KM)	2.439			99% gamma percentile (KM)			3.328
1503												
1504	**Gamma Kaplan-Meier (KM) Statistics**											
1505					Approximate Chi Square Value (29.64, α)	18.21			Adjusted Chi Square Value (29.64, β)			15.07
1506					95% Gamma Approximate KM-UCL (use when n>=50)	1.786			95% Gamma Adjusted KM-UCL (use when n<50)			2.159
1507												
1508	**Lognormal GOF Test on Detected Observations Only**											
1509					Shapiro Wilk Test Statistic	0.822			**Shapiro Wilk GOF Test**			
1510					5% Shapiro Wilk Critical Value	0.748			Detected Data appear Lognormal at 5% Significance Level			
1511					Lilliefors Test Statistic	0.303			**Lilliefors GOF Test**			
1512					5% Lilliefors Critical Value	0.375			Detected Data appear Lognormal at 5% Significance Level			
1513	**Detected Data appear Lognormal at 5% Significance Level**											
1514												
1515	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1516					Mean in Original Scale	1.056			Mean in Log Scale			-0.0286
1517					SD in Original Scale	0.457			SD in Log Scale			0.453
1518					95% t UCL (assumes normality of ROS data)	1.431			95% Percentile Bootstrap UCL			N/A
1519					95% BCA Bootstrap UCL	N/A			95% Bootstrap t UCL			N/A
1520					95% H-UCL (Log ROS)	1.798						
1521												

	A	B	C	D	E	F	G	H	I	J	K	L
1522	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1523					KM Mean (logged)	-0.0286				KM Geo Mean		0.972
1524					KM SD (logged)	0.507				95% Critical H Value (KM-Log)		2.654
1525					KM Standard Error of Mean (logged)	0.292				95% H-UCL (KM -Log)		2.016
1526					KM SD (logged)	0.507				95% Critical H Value (KM-Log)		2.654
1527					KM Standard Error of Mean (logged)	0.292						
1528												
1529	**DL/2 Statistics**											
1530	**DL/2 Normal**						**DL/2 Log-Transformed**					
1531					Mean in Original Scale	5.815				Mean in Log Scale		0.889
1532					SD in Original Scale	7.324				SD in Log Scale		1.492
1533					95% t UCL (Assumes normality)	11.84				95% H-Stat UCL		367.7
1534	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1535												
1536	**Nonparametric Distribution Free UCL Statistics**											
1537	**Detected Data appear Normal Distributed at 5% Significance Level**											
1538												
1539	**Suggested UCL to Use**											
1540					95% KM (t) UCL	1.685						
1541	**Warning: Recommended UCL exceeds the maximum observation**											
1542												
1543	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1544	Recommendations are based upon data size, data distribution, and skewness.											
1545	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1546	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1547												
1548	**Dibenzofuran**											
1549												
1550	**General Statistics**											
1551					Total Number of Observations	6				Number of Distinct Observations		4
1552					Number of Detects	5				Number of Non-Detects		1
1553					Number of Distinct Detects	3				Number of Distinct Non-Detects		1
1554					Minimum Detect	0.6				Minimum Non-Detect		0.35
1555					Maximum Detect	1.5				Maximum Non-Detect		0.35
1556					Variance Detects	0.158				Percent Non-Detects		16.67%
1557					Mean Detects	1.24				SD Detects		0.397
1558					Median Detects	1.5				CV Detects		0.321
1559					Skewness Detects	-1.408				Kurtosis Detects		1.106
1560					Mean of Logged Detects	0.16				SD of Logged Detects		0.398
1561												
1562	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1563	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1564	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1565	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1566												
1567	**Normal GOF Test on Detects Only**											
1568					Shapiro Wilk Test Statistic	0.764	**Shapiro Wilk GOF Test**					
1569					5% Shapiro Wilk Critical Value	0.762	Detected Data appear Normal at 5% Significance Level					
1570					Lilliefors Test Statistic	0.343	**Lilliefors GOF Test**					

	A	B	C	D	E	F	G	H	I	J	K	L
1571	5% Lilliefors Critical Value					0.343	Detected Data Not Normal at 5% Significance Level					
1572	**Detected Data appear Approximate Normal at 5% Significance Level**											
1573												
1574	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1575	KM Mean					1.092	KM Standard Error of Mean					0.212
1576	KM SD					0.464	95% KM (BCA) UCL					N/A
1577	95% KM (t) UCL					1.518	95% KM (Percentile Bootstrap) UCL					N/A
1578	95% KM (z) UCL					1.44	95% KM Bootstrap t UCL					N/A
1579	90% KM Chebyshev UCL					1.727	95% KM Chebyshev UCL					2.015
1580	97.5% KM Chebyshev UCL					2.414	99% KM Chebyshev UCL					3.199
1581												
1582	**Gamma GOF Tests on Detected Observations Only**											
1583	A-D Test Statistic					0.737	**Anderson-Darling GOF Test**					
1584	5% A-D Critical Value					0.679	Detected Data Not Gamma Distributed at 5% Significance Level					
1585	K-S Test Statistic					0.36	**Kolmogorov-Smirnov GOF**					
1586	5% K-S Critical Value					0.358	Detected Data Not Gamma Distributed at 5% Significance Level					
1587	**Detected Data Not Gamma Distributed at 5% Significance Level**											
1588												
1589	**Gamma Statistics on Detected Data Only**											
1590	k hat (MLE)					9.265	k star (bias corrected MLE)					3.839
1591	Theta hat (MLE)					0.134	Theta star (bias corrected MLE)					0.323
1592	nu hat (MLE)					92.65	nu star (bias corrected)					38.39
1593	Mean (detects)					1.24						
1594												
1595	**Gamma ROS Statistics using Imputed Non-Detects**											
1596	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1597	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1598	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1599	This is especially true when the sample size is small.											
1600	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1601	Minimum					0.521	Mean					1.12
1602	Maximum					1.5	Median					1.3
1603	SD					0.461	CV					0.412
1604	k hat (MLE)					5.798	k star (bias corrected MLE)					3.01
1605	Theta hat (MLE)					0.193	Theta star (bias corrected MLE)					0.372
1606	nu hat (MLE)					69.58	nu star (bias corrected)					36.12
1607	Adjusted Level of Significance (β)					0.0122						
1608	Approximate Chi Square Value (36.12, α)					23.37	Adjusted Chi Square Value (36.12, β)					19.75
1609	95% Gamma Approximate UCL (use when n>=50)					1.732	95% Gamma Adjusted UCL (use when n<50)					2.049
1610												
1611	**Estimates of Gamma Parameters using KM Estimates**											
1612	Mean (KM)					1.092	SD (KM)					0.464
1613	Variance (KM)					0.215	SE of Mean (KM)					0.212
1614	k hat (KM)					5.534	k star (KM)					2.878
1615	nu hat (KM)					66.41	nu star (KM)					34.54
1616	theta hat (KM)					0.197	theta star (KM)					0.379
1617	80% gamma percentile (KM)					1.565	90% gamma percentile (KM)					1.954
1618	95% gamma percentile (KM)					2.319	99% gamma percentile (KM)					3.11
1619												

1620	**Gamma Kaplan-Meier (KM) Statistics**											
1621	Approximate Chi Square Value (34.54, α)					22.09	Adjusted Chi Square Value (34.54, β)					18.59
1622	95% Gamma Approximate KM-UCL (use when n>=50)					1.706	95% Gamma Adjusted KM-UCL (use when n<50)					2.028
1623												
1624	**Lognormal GOF Test on Detected Observations Only**											
1625	Shapiro Wilk Test Statistic					0.736	**Shapiro Wilk GOF Test**					
1626	5% Shapiro Wilk Critical Value					0.762	Detected Data Not Lognormal at 5% Significance Level					
1627	Lilliefors Test Statistic					0.331	**Lilliefors GOF Test**					
1628	5% Lilliefors Critical Value					0.343	Detected Data appear Lognormal at 5% Significance Level					
1629	**Detected Data appear Approximate Lognormal at 5% Significance Level**											
1630												
1631	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1632	Mean in Original Scale					1.116	Mean in Log Scale					0.0169
1633	SD in Original Scale					0.467	SD in Log Scale					0.5
1634	95% t UCL (assumes normality of ROS data)					1.501	95% Percentile Bootstrap UCL					N/A
1635	95% BCA Bootstrap UCL					N/A	95% Bootstrap t UCL					N/A
1636	95% H-UCL (Log ROS)					2.079						
1637												
1638	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1639	KM Mean (logged)					-0.0415	KM Geo Mean					0.959
1640	KM SD (logged)					0.556	95% Critical H Value (KM-Log)					2.777
1641	KM Standard Error of Mean (logged)					0.254	95% H-UCL (KM -Log)					2.233
1642	KM SD (logged)					0.556	95% Critical H Value (KM-Log)					2.777
1643	KM Standard Error of Mean (logged)					0.254						
1644												
1645	**DL/2 Statistics**											
1646	**DL/2 Normal**						**DL/2 Log-Transformed**					
1647	Mean in Original Scale					1.063	Mean in Log Scale					-0.157
1648	SD in Original Scale					0.562	SD in Log Scale					0.855
1649	95% t UCL (Assumes normality)					1.525	95% H-Stat UCL					4.949
1650	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1651												
1652	**Nonparametric Distribution Free UCL Statistics**											
1653	**Detected Data appear Approximate Normal Distributed at 5% Significance Level**											
1654												
1655	**Suggested UCL to Use**											
1656	95% KM (t) UCL					1.518						
1657	**Warning: Recommended UCL exceeds the maximum observation**											
1658												
1659	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
1660	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
1661												
1662	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1663	Recommendations are based upon data size, data distribution, and skewness.											
1664	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1665	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1666												

1667	**Aluminum**											
1668												
1669	**General Statistics**											
1670					Total Number of Observations	6			Number of Distinct Observations	5		
1671					Number of Detects	4			Number of Non-Detects	2		
1672					Number of Distinct Detects	4			Number of Distinct Non-Detects	1		
1673					Minimum Detect	5.5			Minimum Non-Detect	13		
1674					Maximum Detect	920			Maximum Non-Detect	13		
1675					Variance Detects	195898			Percent Non-Detects	33.33%		
1676					Mean Detects	256.9			SD Detects	442.6		
1677					Median Detects	51			CV Detects	1.723		
1678					Skewness Detects	1.986			Kurtosis Detects	3.955		
1679					Mean of Logged Detects	4.098			SD of Logged Detects	2.099		
1680												
1681	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1682	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1683	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1684	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1685												
1686	**Normal GOF Test on Detects Only**											
1687					Shapiro Wilk Test Statistic	0.673			**Shapiro Wilk GOF Test**			
1688					5% Shapiro Wilk Critical Value	0.748			Detected Data Not Normal at 5% Significance Level			
1689					Lilliefors Test Statistic	0.428			**Lilliefors GOF Test**			
1690					5% Lilliefors Critical Value	0.375			Detected Data Not Normal at 5% Significance Level			
1691	**Detected Data Not Normal at 5% Significance Level**											
1692												
1693	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1694					KM Mean	173.1			KM Standard Error of Mean	157.8		
1695					KM SD	334.7			95% KM (BCA) UCL	N/A		
1696					95% KM (t) UCL	491			95% KM (Percentile Bootstrap) UCL	N/A		
1697					95% KM (z) UCL	432.6			95% KM Bootstrap t UCL	N/A		
1698					90% KM Chebyshev UCL	646.4			95% KM Chebyshev UCL	860.7		
1699					97.5% KM Chebyshev UCL	1158			99% KM Chebyshev UCL	1743		
1700												
1701	**Gamma GOF Tests on Detected Observations Only**											
1702					A-D Test Statistic	0.461			**Anderson-Darling GOF Test**			
1703					5% A-D Critical Value	0.687			Detected data appear Gamma Distributed at 5% Significance Level			
1704					K-S Test Statistic	0.374			**Kolmogorov-Smirnov GOF**			
1705					5% K-S Critical Value	0.412			Detected data appear Gamma Distributed at 5% Significance Level			
1706	**Detected data appear Gamma Distributed at 5% Significance Level**											
1707												
1708	**Gamma Statistics on Detected Data Only**											
1709					k hat (MLE)	0.446			k star (bias corrected MLE)	0.278		
1710					Theta hat (MLE)	576.1			Theta star (bias corrected MLE)	923.6		
1711					nu hat (MLE)	3.567			nu star (bias corrected)	2.225		
1712					Mean (detects)	256.9						
1713												
1714	**Gamma ROS Statistics using Imputed Non-Detects**											
1715	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1716	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1717	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1718	This is especially true when the sample size is small.											

1719	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1720					Minimum	0.01				Mean		171.3
1721					Maximum	920				Median		27.75
1722					SD	367.6				CV		2.147
1723					k hat (MLE)	0.188				k star (bias corrected MLE)		0.205
1724					Theta hat (MLE)	909.7				Theta star (bias corrected MLE)		834.4
1725					nu hat (MLE)	2.259				nu star (bias corrected)		2.463
1726					Adjusted Level of Significance (β)	0.0122						
1727					Approximate Chi Square Value (2.46, α)	0.233				Adjusted Chi Square Value (2.46, β)		0.11
1728					95% Gamma Approximate UCL (use when n>=50)	1811				95% Gamma Adjusted UCL (use when n<50)		N/A
1729												
1730	**Estimates of Gamma Parameters using KM Estimates**											
1731					Mean (KM)	173.1				SD (KM)		334.7
1732					Variance (KM)	111991				SE of Mean (KM)		157.8
1733					k hat (KM)	0.268				k star (KM)		0.245
1734					nu hat (KM)	3.21				nu star (KM)		2.938
1735					theta hat (KM)	647				theta star (KM)		706.9
1736					80% gamma percentile (KM)	249.5				90% gamma percentile (KM)		520.3
1737					95% gamma percentile (KM)	843				99% gamma percentile (KM)		1705
1738												
1739	**Gamma Kaplan-Meier (KM) Statistics**											
1740					Approximate Chi Square Value (2.94, α)	0.354				Adjusted Chi Square Value (2.94, β)		0.159
1741					95% Gamma Approximate KM-UCL (use when n>=50)	1435				95% Gamma Adjusted KM-UCL (use when n<50)		3197
1742												
1743	**Lognormal GOF Test on Detected Observations Only**											
1744					Shapiro Wilk Test Statistic	0.94				**Shapiro Wilk GOF Test**		
1745					5% Shapiro Wilk Critical Value	0.748				Detected Data appear Lognormal at 5% Significance Level		
1746					Lilliefors Test Statistic	0.278				**Lilliefors GOF Test**		
1747					5% Lilliefors Critical Value	0.375				Detected Data appear Lognormal at 5% Significance Level		
1748	**Detected Data appear Lognormal at 5% Significance Level**											
1749												
1750	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1751					Mean in Original Scale	172.9				Mean in Log Scale		3.189
1752					SD in Original Scale	366.7				SD in Log Scale		2.194
1753					95% t UCL (assumes normality of ROS data)	474.6				95% Percentile Bootstrap UCL		469
1754					95% BCA Bootstrap UCL	485.3				95% Bootstrap t UCL		3327
1755					95% H-UCL (Log ROS)	1041982						
1756												
1757	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1758					KM Mean (logged)	3.3				KM Geo Mean		27.12
1759					KM SD (logged)	1.864				95% Critical H Value (KM-Log)		7.203
1760					KM Standard Error of Mean (logged)	0.879				95% H-UCL (KM -Log)		62567
1761					KM SD (logged)	1.864				95% Critical H Value (KM-Log)		7.203
1762					KM Standard Error of Mean (logged)	0.879						
1763												

1764	**DL/2 Statistics**											
1765	**DL/2 Normal**						**DL/2 Log-Transformed**					
1766				Mean in Original Scale	173.4					Mean in Log Scale	3.356	
1767				SD in Original Scale	366.4					SD in Log Scale	1.991	
1768				95% t UCL (Assumes normality)	474.8					95% H-Stat UCL	192479	
1769	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1770												
1771	**Nonparametric Distribution Free UCL Statistics**											
1772	**Detected Data appear Gamma Distributed at 5% Significance Level**											
1773												
1774	**Suggested UCL to Use**											
1775				95% KM Bootstrap t UCL	N/A					) Adjusted KM-UCL (use when k<=1 and 15 < n < 50 but k<=1)	3197	
1776												
1777	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1778	Recommendations are based upon data size, data distribution, and skewness.											
1779	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1780	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1781												
1782	**Antimony**											
1783												
1784	**General Statistics**											
1785				Total Number of Observations	6					Number of Distinct Observations	4	
1786				Number of Detects	2					Number of Non-Detects	4	
1787				Number of Distinct Detects	2					Number of Distinct Non-Detects	2	
1788				Minimum Detect	0.094					Minimum Non-Detect	0.019	
1789				Maximum Detect	0.12					Maximum Non-Detect	0.38	
1790				Variance Detects	3.3800E-4					Percent Non-Detects	66.67%	
1791				Mean Detects	0.107					SD Detects	0.0184	
1792				Median Detects	0.107					CV Detects	0.172	
1793				Skewness Detects	N/A					Kurtosis Detects	N/A	
1794				Mean of Logged Detects	-2.242					SD of Logged Detects	0.173	
1795												
1796	**Warning: Data set has only 2 Detected Values.**											
1797	**This is not enough to compute meaningful or reliable statistics and estimates.**											
1798												
1799												
1800	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1801	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1802	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1803	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1804												
1805	**Normal GOF Test on Detects Only**											
1806	**Not Enough Data to Perform GOF Test**											
1807												
1808	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1809				KM Mean	0.063					KM Standard Error of Mean	0.0318	
1810				KM SD	0.0449					95% KM (BCA) UCL	N/A	
1811				95% KM (t) UCL	0.127					95% KM (Percentile Bootstrap) UCL	N/A	
1812				95% KM (z) UCL	0.115					95% KM Bootstrap t UCL	N/A	

1813					90% KM Chebyshev UCL	0.158				95% KM Chebyshev UCL		0.202
1814					97.5% KM Chebyshev UCL	0.261				99% KM Chebyshev UCL		0.379
1815												
1816					**Gamma GOF Tests on Detected Observations Only**							
1817					**Not Enough Data to Perform GOF Test**							
1818												
1819					**Gamma Statistics on Detected Data Only**							
1820					k hat (MLE)	67.41				k star (bias corrected MLE)		N/A
1821					Theta hat (MLE)	0.00159				Theta star (bias corrected MLE)		N/A
1822					nu hat (MLE)	269.6				nu star (bias corrected)		N/A
1823					Mean (detects)	0.107						
1824												
1825					**Estimates of Gamma Parameters using KM Estimates**							
1826					Mean (KM)	0.063				SD (KM)		0.0449
1827					Variance (KM)	0.00202				SE of Mean (KM)		0.0318
1828					k hat (KM)	1.964				k star (KM)		1.093
1829					nu hat (KM)	23.57				nu star (KM)		13.12
1830					theta hat (KM)	0.0321				theta star (KM)		0.0576
1831					80% gamma percentile (KM)	0.101				90% gamma percentile (KM)		0.142
1832					95% gamma percentile (KM)	0.183				99% gamma percentile (KM)		0.277
1833												
1834					**Gamma Kaplan-Meier (KM) Statistics**							
1835										Adjusted Level of Significance (β)		0.0122
1836					Approximate Chi Square Value (13.12, α)	5.973				Adjusted Chi Square Value (13.12, β)		4.353
1837					95% Gamma Approximate KM-UCL (use when n>=50)	0.138				95% Gamma Adjusted KM-UCL (use when n<50)		0.19
1838												
1839					**Lognormal GOF Test on Detected Observations Only**							
1840					**Not Enough Data to Perform GOF Test**							
1841												
1842					**Lognormal ROS Statistics Using Imputed Non-Detects**							
1843					Mean in Original Scale	0.0808				Mean in Log Scale		-2.56
1844					SD in Original Scale	0.0263				SD in Log Scale		0.329
1845					95% t UCL (assumes normality of ROS data)	0.102				95% Percentile Bootstrap UCL		0.0976
1846					95% BCA Bootstrap UCL	0.0976				95% Bootstrap t UCL		0.107
1847					95% H-UCL (Log ROS)	0.114						
1848												
1849					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
1850					KM Mean (logged)	-3.103				KM Geo Mean		0.0449
1851					KM SD (logged)	0.865				95% Critical H Value (KM-Log)		3.668
1852					KM Standard Error of Mean (logged)	0.612				95% H-UCL (KM -Log)		0.27
1853					KM SD (logged)	0.865				95% Critical H Value (KM-Log)		3.668
1854					KM Standard Error of Mean (logged)	0.612						
1855												
1856					**DL/2 Statistics**							
1857					**DL/2 Normal**					**DL/2 Log-Transformed**		
1858					Mean in Original Scale	0.102				Mean in Log Scale		-2.853
1859					SD in Original Scale	0.0812				SD in Log Scale		1.423
1860					95% t UCL (Assumes normality)	0.169				95% H-Stat UCL		5.61
1861					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
1862												
1863					**Nonparametric Distribution Free UCL Statistics**							
1864					**Data do not follow a Discernible Distribution at 5% Significance Level**							

1865												
1866	**Suggested UCL to Use**											
1867				95% KM (t) UCL	0.127			KM H-UCL	0.27			
1868				95% KM (BCA) UCL	N/A							
1869	**Warning: One or more Recommended UCL(s) not available!**											
1870	**Warning: Recommended UCL exceeds the maximum observation**											
1871												
1872	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1873	Recommendations are based upon data size, data distribution, and skewness.											
1874	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1875	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1876												
1877	**Arsenic**											
1878												
1879	**General Statistics**											
1880				Total Number of Observations	6			Number of Distinct Observations	5			
1881				Number of Detects	5			Number of Non-Detects	1			
1882				Number of Distinct Detects	4			Number of Distinct Non-Detects	1			
1883				Minimum Detect	0.59			Minimum Non-Detect	0.29			
1884				Maximum Detect	1.9			Maximum Non-Detect	0.29			
1885				Variance Detects	0.224			Percent Non-Detects	16.67%			
1886				Mean Detects	1.298			SD Detects	0.473			
1887				Median Detects	1.4			CV Detects	0.364			
1888				Skewness Detects	-0.534			Kurtosis Detects	1.58			
1889				Mean of Logged Detects	0.194			SD of Logged Detects	0.436			
1890												
1891	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
1892	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
1893	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
1894	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
1895												
1896	**Normal GOF Test on Detects Only**											
1897				Shapiro Wilk Test Statistic	0.944			**Shapiro Wilk GOF Test**				
1898				5% Shapiro Wilk Critical Value	0.762			Detected Data appear Normal at 5% Significance Level				
1899				Lilliefors Test Statistic	0.218			**Lilliefors GOF Test**				
1900				5% Lilliefors Critical Value	0.343			Detected Data appear Normal at 5% Significance Level				
1901	**Detected Data appear Normal at 5% Significance Level**											
1902												
1903	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
1904				KM Mean	1.13			KM Standard Error of Mean	0.246			
1905				KM SD	0.539			95% KM (BCA) UCL	N/A			
1906				95% KM (t) UCL	1.625			95% KM (Percentile Bootstrap) UCL	N/A			
1907				95% KM (z) UCL	1.534			95% KM Bootstrap t UCL	N/A			
1908				90% KM Chebyshev UCL	1.868			95% KM Chebyshev UCL	2.202			
1909				97.5% KM Chebyshev UCL	2.665			99% KM Chebyshev UCL	3.576			
1910												

1911	**Gamma GOF Tests on Detected Observations Only**											
1912					A-D Test Statistic	0.414	**Anderson-Darling GOF Test**					
1913					5% A-D Critical Value	0.68	Detected data appear Gamma Distributed at 5% Significance Level					
1914					K-S Test Statistic	0.263	**Kolmogorov-Smirnov GOF**					
1915					5% K-S Critical Value	0.358	Detected data appear Gamma Distributed at 5% Significance Level					
1916	**Detected data appear Gamma Distributed at 5% Significance Level**											
1917												
1918	**Gamma Statistics on Detected Data Only**											
1919					k hat (MLE)	7.634	k star (bias corrected MLE)					3.187
1920					Theta hat (MLE)	0.17	Theta star (bias corrected MLE)					0.407
1921					nu hat (MLE)	76.34	nu star (bias corrected)					31.87
1922					Mean (detects)	1.298						
1923												
1924	**Gamma ROS Statistics using Imputed Non-Detects**											
1925	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1926	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1927	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1928	This is especially true when the sample size is small.											
1929	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1930					Minimum	0.338	Mean					1.138
1931					Maximum	1.9	Median					1.3
1932					SD	0.576	CV					0.506
1933					k hat (MLE)	3.529	k star (bias corrected MLE)					1.876
1934					Theta hat (MLE)	0.322	Theta star (bias corrected MLE)					0.607
1935					nu hat (MLE)	42.35	nu star (bias corrected)					22.51
1936					Adjusted Level of Significance (β)	0.0122						
1937					Approximate Chi Square Value (22.51, α)	12.72	Adjusted Chi Square Value (22.51, β)					10.17
1938					95% Gamma Approximate UCL (use when n>=50)	2.014	95% Gamma Adjusted UCL (use when n<50)					2.519
1939												
1940	**Estimates of Gamma Parameters using KM Estimates**											
1941					Mean (KM)	1.13	SD (KM)					0.539
1942					Variance (KM)	0.29	SE of Mean (KM)					0.246
1943					k hat (KM)	4.401	k star (KM)					2.312
1944					nu hat (KM)	52.81	nu star (KM)					27.74
1945					theta hat (KM)	0.257	theta star (KM)					0.489
1946					80% gamma percentile (KM)	1.663	90% gamma percentile (KM)					2.125
1947					95% gamma percentile (KM)	2.562	99% gamma percentile (KM)					3.523
1948												
1949	**Gamma Kaplan-Meier (KM) Statistics**											
1950					Approximate Chi Square Value (27.74, α)	16.73	Adjusted Chi Square Value (27.74, β)					13.73
1951					95% Gamma Approximate KM-UCL (use when n>=50)	1.874	95% Gamma Adjusted KM-UCL (use when n<50)					2.282
1952												
1953	**Lognormal GOF Test on Detected Observations Only**											
1954					Shapiro Wilk Test Statistic	0.87	**Shapiro Wilk GOF Test**					
1955					5% Shapiro Wilk Critical Value	0.762	Detected Data appear Lognormal at 5% Significance Level					
1956					Lilliefors Test Statistic	0.289	**Lilliefors GOF Test**					
1957					5% Lilliefors Critical Value	0.343	Detected Data appear Lognormal at 5% Significance Level					
1958	**Detected Data appear Lognormal at 5% Significance Level**											
1959												

1960	**Lognormal ROS Statistics Using Imputed Non-Detects**											
1961					Mean in Original Scale	1.154				Mean in Log Scale	0.0232	
1962					SD in Original Scale	0.55				SD in Log Scale	0.572	
1963					95% t UCL (assumes normality of ROS data)	1.607				95% Percentile Bootstrap UCL	1.5	
1964					95% BCA Bootstrap UCL	1.482				95% Bootstrap t UCL	1.574	
1965					95% H-UCL (Log ROS)	2.479						
1966												
1967	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
1968					KM Mean (logged)	-0.0447				KM Geo Mean	0.956	
1969					KM SD (logged)	0.642				95% Critical H Value (KM-Log)	3.005	
1970					KM Standard Error of Mean (logged)	0.293				95% H-UCL (KM -Log)	2.783	
1971					KM SD (logged)	0.642				95% Critical H Value (KM-Log)	3.005	
1972					KM Standard Error of Mean (logged)	0.293						
1973												
1974	**DL/2 Statistics**											
1975	**DL/2 Normal**						**DL/2 Log-Transformed**					
1976					Mean in Original Scale	1.106				Mean in Log Scale	-0.16	
1977					SD in Original Scale	0.633				SD in Log Scale	0.951	
1978					95% t UCL (Assumes normality)	1.626				95% H-Stat UCL	7.173	
1979	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
1980												
1981	**Nonparametric Distribution Free UCL Statistics**											
1982	**Detected Data appear Normal Distributed at 5% Significance Level**											
1983												
1984	**Suggested UCL to Use**											
1985					95% KM (t) UCL	1.625						
1986												
1987	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1988	Recommendations are based upon data size, data distribution, and skewness.											
1989	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
1990	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1991												
1992	**Cadmium**											
1993												
1994	**General Statistics**											
1995					Total Number of Observations	6				Number of Distinct Observations	3	
1996					Number of Detects	1				Number of Non-Detects	5	
1997					Number of Distinct Detects	1				Number of Distinct Non-Detects	2	
1998												
1999	**Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!**											
2000	**It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).**											
2001												
2002	**The data set for variable Cadmium was not processed!**											
2003												
2004												
2005												

2006	**Cobalt**											
2007												
2008	**General Statistics**											
2009						Total Number of Observations	6			Number of Distinct Observations	6	
2010										Number of Missing Observations	0	
2011						Minimum	0.077			Mean	16.61	
2012						Maximum	98			Median	0.365	
2013						SD	39.87			Std. Error of Mean	16.28	
2014						Coefficient of Variation	2.401			Skewness	2.449	
2015												
2016	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2017	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2018	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2019	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2020												
2021	**Normal GOF Test**											
2022						Shapiro Wilk Test Statistic	0.502			**Shapiro Wilk GOF Test**		
2023						5% Shapiro Wilk Critical Value	0.788			Data Not Normal at 5% Significance Level		
2024						Lilliefors Test Statistic	0.488			**Lilliefors GOF Test**		
2025						5% Lilliefors Critical Value	0.325			Data Not Normal at 5% Significance Level		
2026	**Data Not Normal at 5% Significance Level**											
2027												
2028	**Assuming Normal Distribution**											
2029						**95% Normal UCL**				**95% UCLs (Adjusted for Skewness)**		
2030						95% Student's-t UCL	49.41			95% Adjusted-CLT UCL (Chen-1995)	60.78	
2031										95% Modified-t UCL (Johnson-1978)	52.12	
2032												
2033	**Gamma GOF Test**											
2034						A-D Test Statistic	1.154			**Anderson-Darling Gamma GOF Test**		
2035						5% A-D Critical Value	0.793			Data Not Gamma Distributed at 5% Significance Level		
2036						K-S Test Statistic	0.449			**Kolmogorov-Smirnov Gamma GOF Test**		
2037						5% K-S Critical Value	0.362			Data Not Gamma Distributed at 5% Significance Level		
2038	**Data Not Gamma Distributed at 5% Significance Level**											
2039												
2040	**Gamma Statistics**											
2041						k hat (MLE)	0.226			k star (bias corrected MLE)	0.224	
2042						Theta hat (MLE)	73.56			Theta star (bias corrected MLE)	74.15	
2043						nu hat (MLE)	2.709			nu star (bias corrected)	2.688	
2044						MLE Mean (bias corrected)	16.61			MLE Sd (bias corrected)	35.09	
2045										Approximate Chi Square Value (0.05)	0.286	
2046						Adjusted Level of Significance	0.0122			Adjusted Chi Square Value	0.13	
2047												
2048	**Assuming Gamma Distribution**											
2049						95% Approximate Gamma UCL (use when n>=50))	155.9			95% Adjusted Gamma UCL (use when n<50)	343.1	
2050												
2051	**Lognormal GOF Test**											
2052						Shapiro Wilk Test Statistic	0.787			**Shapiro Wilk Lognormal GOF Test**		
2053						5% Shapiro Wilk Critical Value	0.788			Data Not Lognormal at 5% Significance Level		
2054						Lilliefors Test Statistic	0.326			**Lilliefors Lognormal GOF Test**		

2055				5% Lilliefors Critical Value		0.325		Data Not Lognormal at 5% Significance Level				
2056	**Data Not Lognormal at 5% Significance Level**											
2057												
2058	**Lognormal Statistics**											
2059				Minimum of Logged Data		-2.564		Mean of logged Data				-0.388
2060				Maximum of Logged Data		4.585		SD of logged Data				2.561
2061												
2062	**Assuming Lognormal Distribution**											
2063				95% H-UCL		1311305		90% Chebyshev (MVUE) UCL				19.54
2064				95% Chebyshev (MVUE) UCL		25.85		97.5% Chebyshev (MVUE) UCL				34.61
2065				99% Chebyshev (MVUE) UCL		51.81						
2066												
2067	**Nonparametric Distribution Free UCL Statistics**											
2068	**Data do not follow a Discernible Distribution (0.05)**											
2069												
2070	**Nonparametric Distribution Free UCLs**											
2071				95% CLT UCL		43.39		95% Jackknife UCL				49.41
2072				95% Standard Bootstrap UCL		40.85		95% Bootstrap-t UCL				4883
2073				95% Hall's Bootstrap UCL		2352		95% Percentile Bootstrap UCL				49.13
2074				95% BCA Bootstrap UCL		65.36						
2075				90% Chebyshev(Mean, Sd) UCL		65.44		95% Chebyshev(Mean, Sd) UCL				87.57
2076				97.5% Chebyshev(Mean, Sd) UCL		118.3		99% Chebyshev(Mean, Sd) UCL				178.6
2077												
2078	**Suggested UCL to Use**											
2079				95% Hall's Bootstrap UCL		2352						
2080												
2081	**Recommended UCL exceeds the maximum observation**											
2082												
2083	**In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL**											
2084												
2085	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2086	Recommendations are based upon data size, data distribution, and skewness.											
2087	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2088	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2089												
2090												
2091	**Copper**											
2092												
2093	**General Statistics**											
2094				Total Number of Observations		6		Number of Distinct Observations				6
2095								Number of Missing Observations				0
2096				Minimum		0.75		Mean				1.405
2097				Maximum		2.6		Median				1.2
2098				SD		0.7		Std. Error of Mean				0.286
2099				Coefficient of Variation		0.499		Skewness				1.114
2100												
2101	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2102	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2103	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2104	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2105												
2106	**Normal GOF Test**											

2107					Shapiro Wilk Test Statistic	0.897	**Shapiro Wilk GOF Test**					
2108					5% Shapiro Wilk Critical Value	0.788	Data appear Normal at 5% Significance Level					
2109					Lilliefors Test Statistic	0.218	**Lilliefors GOF Test**					
2110					5% Lilliefors Critical Value	0.325	Data appear Normal at 5% Significance Level					
2111	**Data appear Normal at 5% Significance Level**											
2112												
2113	**Assuming Normal Distribution**											
2114	**95% Normal UCL**						**95% UCLs (Adjusted for Skewness)**					
2115					95% Student's-t UCL	1.981	95% Adjusted-CLT UCL (Chen-1995)					2.014
2116							95% Modified-t UCL (Johnson-1978)					2.003
2117												
2118	**Gamma GOF Test**											
2119					A-D Test Statistic	0.277	**Anderson-Darling Gamma GOF Test**					
2120					5% A-D Critical Value	0.698	Detected data appear Gamma Distributed at 5% Significance Level					
2121					K-S Test Statistic	0.225	**Kolmogorov-Smirnov Gamma GOF Test**					
2122					5% K-S Critical Value	0.333	Detected data appear Gamma Distributed at 5% Significance Level					
2123	**Detected data appear Gamma Distributed at 5% Significance Level**											
2124												
2125	**Gamma Statistics**											
2126					k hat (MLE)	5.37	k star (bias corrected MLE)					2.796
2127					Theta hat (MLE)	0.262	Theta star (bias corrected MLE)					0.503
2128					nu hat (MLE)	64.44	nu star (bias corrected)					33.55
2129					MLE Mean (bias corrected)	1.405	MLE Sd (bias corrected)					0.84
2130							Approximate Chi Square Value (0.05)					21.31
2131					Adjusted Level of Significance	0.0122	Adjusted Chi Square Value					17.87
2132												
2133	**Assuming Gamma Distribution**											
2134					95% Approximate Gamma UCL (use when n>=50))	2.212	95% Adjusted Gamma UCL (use when n<50)					2.638
2135												
2136	**Lognormal GOF Test**											
2137					Shapiro Wilk Test Statistic	0.952	**Shapiro Wilk Lognormal GOF Test**					
2138					5% Shapiro Wilk Critical Value	0.788	Data appear Lognormal at 5% Significance Level					
2139					Lilliefors Test Statistic	0.197	**Lilliefors Lognormal GOF Test**					
2140					5% Lilliefors Critical Value	0.325	Data appear Lognormal at 5% Significance Level					
2141	**Data appear Lognormal at 5% Significance Level**											
2142												
2143	**Lognormal Statistics**											
2144					Minimum of Logged Data	-0.288	Mean of logged Data					0.244
2145					Maximum of Logged Data	0.956	SD of logged Data					0.472
2146												
2147	**Assuming Lognormal Distribution**											
2148					95% H-UCL	2.455	90% Chebyshev (MVUE) UCL					2.206
2149					95% Chebyshev (MVUE) UCL	2.572	97.5% Chebyshev (MVUE) UCL					3.08
2150					99% Chebyshev (MVUE) UCL	4.077						
2151												
2152	**Nonparametric Distribution Free UCL Statistics**											
2153	**Data appear to follow a Discernible Distribution at 5% Significance Level**											
2154												
2155	**Nonparametric Distribution Free UCLs**											
2156					95% CLT UCL	1.875	95% Jackknife UCL					1.981
2157					95% Standard Bootstrap UCL	1.816	95% Bootstrap-t UCL					2.301
2158					95% Hall's Bootstrap UCL	2.212	95% Percentile Bootstrap UCL					1.867

2159				95% BCA Bootstrap UCL	1.913							
2160				90% Chebyshev(Mean, Sd) UCL	2.263					95% Chebyshev(Mean, Sd) UCL	2.651	
2161				97.5% Chebyshev(Mean, Sd) UCL	3.191					99% Chebyshev(Mean, Sd) UCL	4.25	
2162												
2163				**Suggested UCL to Use**								
2164				95% Student's-t UCL	1.981							
2165												
2166	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2167	Recommendations are based upon data size, data distribution, and skewness.											
2168	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2169	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2170												
2171	**Iron**											
2172												
2173				**General Statistics**								
2174				Total Number of Observations	6					Number of Distinct Observations	6	
2175				Number of Detects	5					Number of Non-Detects	1	
2176				Number of Distinct Detects	5					Number of Distinct Non-Detects	1	
2177				Minimum Detect	18					Minimum Non-Detect	14	
2178				Maximum Detect	60000					Maximum Non-Detect	14	
2179				Variance Detects	7.191E+8					Percent Non-Detects	16.67%	
2180				Mean Detects	12029					SD Detects	26817	
2181				Median Detects	42					CV Detects	2.229	
2182				Skewness Detects	2.236					Kurtosis Detects	5	
2183				Mean of Logged Detects	4.96					SD of Logged Detects	3.419	
2184												
2185	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2186	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2187	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2188	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2189												
2190				**Normal GOF Test on Detects Only**								
2191				Shapiro Wilk Test Statistic	0.553					**Shapiro Wilk GOF Test**		
2192				5% Shapiro Wilk Critical Value	0.762					Detected Data Not Normal at 5% Significance Level		
2193				Lilliefors Test Statistic	0.472					**Lilliefors GOF Test**		
2194				5% Lilliefors Critical Value	0.343					Detected Data Not Normal at 5% Significance Level		
2195	**Detected Data Not Normal at 5% Significance Level**											
2196												
2197	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2198				KM Mean	10027					KM Standard Error of Mean	10201	
2199				KM SD	22349					95% KM (BCA) UCL	30013	
2200				95% KM (t) UCL	30582					95% KM (Percentile Bootstrap) UCL	30009	
2201				95% KM (z) UCL	26805					95% KM Bootstrap t UCL	19824414	
2202				90% KM Chebyshev UCL	40629					95% KM Chebyshev UCL	54491	
2203				97.5% KM Chebyshev UCL	73730					99% KM Chebyshev UCL	111523	
2204												
2205				**Gamma GOF Tests on Detected Observations Only**								
2206				A-D Test Statistic	1.075					**Anderson-Darling GOF Test**		
2207				5% A-D Critical Value	0.803					Detected Data Not Gamma Distributed at 5% Significance Level		
2208				K-S Test Statistic	0.472					**Kolmogorov-Smirnov GOF**		
2209				5% K-S Critical Value	0.393					Detected Data Not Gamma Distributed at 5% Significance Level		
2210	**Detected Data Not Gamma Distributed at 5% Significance Level**											

2211											
2212	**Gamma Statistics on Detected Data Only**										
2213				k hat (MLE)	0.17		k star (bias corrected MLE)	0.201			
2214				Theta hat (MLE)	70716		Theta star (bias corrected MLE)	59734			
2215				nu hat (MLE)	1.701		nu star (bias corrected)	2.014			
2216				Mean (detects)	12029						
2217											
2218	**Gamma ROS Statistics using Imputed Non-Detects**										
2219	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs										
2220	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)										
2221	For such situations, GROS method may yield incorrect values of UCLs and BTVs										
2222	This is especially true when the sample size is small.										
2223	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates										
2224				Minimum	0.01		Mean	10024			
2225				Maximum	60000		Median	31			
2226				SD	24483		CV	2.442			
2227				k hat (MLE)	0.134		k star (bias corrected MLE)	0.178			
2228				Theta hat (MLE)	75011		Theta star (bias corrected MLE)	56338			
2229				nu hat (MLE)	1.604		nu star (bias corrected)	2.135			
2230				Adjusted Level of Significance (β)	0.0122						
2231				Approximate Chi Square Value (2.14, α)	0.17		Adjusted Chi Square Value (2.14, β)	0.0908			
2232				95% Gamma Approximate UCL (use when n>=50)	125612		95% Gamma Adjusted UCL (use when n<50)	235798			
2233											
2234	**Estimates of Gamma Parameters using KM Estimates**										
2235				Mean (KM)	10027		SD (KM)	22349			
2236				Variance (KM)	4.995E+8		SE of Mean (KM)	10201			
2237				k hat (KM)	0.201		k star (KM)	0.212			
2238				nu hat (KM)	2.415		nu star (KM)	2.541			
2239				theta hat (KM)	49815		theta star (KM)	47351			
2240				80% gamma percentile (KM)	13595		90% gamma percentile (KM)	30317			
2241				95% gamma percentile (KM)	50885		99% gamma percentile (KM)	106997			
2242											
2243	**Gamma Kaplan-Meier (KM) Statistics**										
2244				Approximate Chi Square Value (2.54, α)	0.251		Adjusted Chi Square Value (2.54, β)	0.116			
2245				95% Gamma Approximate KM-UCL (use when n>=50)	101697		95% Gamma Adjusted KM-UCL (use when n<50)	218982			
2246											
2247	**Lognormal GOF Test on Detected Observations Only**										
2248				Shapiro Wilk Test Statistic	0.689		**Shapiro Wilk GOF Test**				
2249				5% Shapiro Wilk Critical Value	0.762		Detected Data Not Lognormal at 5% Significance Level				
2250				Lilliefors Test Statistic	0.391		**Lilliefors GOF Test**				
2251				5% Lilliefors Critical Value	0.343		Detected Data Not Lognormal at 5% Significance Level				
2252	**Detected Data Not Lognormal at 5% Significance Level**										
2253											

2254	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2255					Mean in Original Scale	10024				Mean in Log Scale	3.697	
2256					SD in Original Scale	24483				SD in Log Scale	4.35	
2257					95% t UCL (assumes normality of ROS data)	30165				95% Percentile Bootstrap UCL	30009	
2258					95% BCA Bootstrap UCL	40000				95% Bootstrap t UCL	15718188	
2259					95% H-UCL (Log ROS)	4.056E+19						
2260												
2261	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2262					KM Mean (logged)	4.573				KM Geo Mean	96.86	
2263					KM SD (logged)	2.923				95% Critical H Value (KM-Log)	11.11	
2264					KM Standard Error of Mean (logged)	1.334				95% H-UCL (KM -Log)	1.408E+10	
2265					KM SD (logged)	2.923				95% Critical H Value (KM-Log)	11.11	
2266					KM Standard Error of Mean (logged)	1.334						
2267												
2268	**DL/2 Statistics**											
2269					**DL/2 Normal**					**DL/2 Log-Transformed**		
2270					Mean in Original Scale	10025				Mean in Log Scale	4.458	
2271					SD in Original Scale	24482				SD in Log Scale	3.296	
2272					95% t UCL (Assumes normality)	30166				95% H-Stat UCL	2.007E+12	
2273	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2274												
2275	**Nonparametric Distribution Free UCL Statistics**											
2276	**Data do not follow a Discernible Distribution at 5% Significance Level**											
2277												
2278	**Suggested UCL to Use**											
2279					KM Bootstrap t UCL	30009						
2280												
2281	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2282	Recommendations are based upon data size, data distribution, and skewness.											
2283	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2284	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2285												
2286	**Lead**											
2287												
2288	**General Statistics**											
2289					Total Number of Observations	6				Number of Distinct Observations	5	
2290					Number of Detects	4				Number of Non-Detects	2	
2291					Number of Distinct Detects	4				Number of Distinct Non-Detects	1	
2292					Minimum Detect	0.052				Minimum Non-Detect	0.13	
2293					Maximum Detect	1				Maximum Non-Detect	0.13	
2294					Variance Detects	0.221				Percent Non-Detects	33.33%	
2295					Mean Detects	0.295				SD Detects	0.47	
2296					Median Detects	0.0645				CV Detects	1.592	
2297					Skewness Detects	1.998				Kurtosis Detects	3.992	
2298					Mean of Logged Detects	-2.114				SD of Logged Detects	1.417	
2299												
2300	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2301	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2302	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2303	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2304												
2305	**Normal GOF Test on Detects Only**											

2306					Shapiro Wilk Test Statistic	0.646	**Shapiro Wilk GOF Test**					
2307					5% Shapiro Wilk Critical Value	0.748	Detected Data Not Normal at 5% Significance Level					
2308					Lilliefors Test Statistic	0.432	**Lilliefors GOF Test**					
2309					5% Lilliefors Critical Value	0.375	Detected Data Not Normal at 5% Significance Level					
2310					**Detected Data Not Normal at 5% Significance Level**							
2311												
2312					**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**							
2313					KM Mean	0.217	KM Standard Error of Mean	0.165				
2314					KM SD	0.35	95% KM (BCA) UCL	N/A				
2315					95% KM (t) UCL	0.55	95% KM (Percentile Bootstrap) UCL	N/A				
2316					95% KM (z) UCL	0.489	95% KM Bootstrap t UCL	N/A				
2317					90% KM Chebyshev UCL	0.712	95% KM Chebyshev UCL	0.937				
2318					97.5% KM Chebyshev UCL	1.248	99% KM Chebyshev UCL	1.86				
2319												
2320					**Gamma GOF Tests on Detected Observations Only**							
2321					A-D Test Statistic	0.815	**Anderson-Darling GOF Test**					
2322					5% A-D Critical Value	0.673	Detected Data Not Gamma Distributed at 5% Significance Level					
2323					K-S Test Statistic	0.442	**Kolmogorov-Smirnov GOF**					
2324					5% K-S Critical Value	0.406	Detected Data Not Gamma Distributed at 5% Significance Level					
2325					**Detected Data Not Gamma Distributed at 5% Significance Level**							
2326												
2327					**Gamma Statistics on Detected Data Only**							
2328					k hat (MLE)	0.679	k star (bias corrected MLE)	0.336				
2329					Theta hat (MLE)	0.435	Theta star (bias corrected MLE)	0.878				
2330					nu hat (MLE)	5.431	nu star (bias corrected)	2.691				
2331					Mean (detects)	0.295						
2332												
2333					**Gamma ROS Statistics using Imputed Non-Detects**							
2334					GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs							
2335					GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)							
2336					For such situations, GROS method may yield incorrect values of UCLs and BTVs							
2337					This is especially true when the sample size is small.							
2338					For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates							
2339					Minimum	0.01	Mean	0.225				
2340					Maximum	1	Median	0.0645				
2341					SD	0.383	CV	1.699				
2342					k hat (MLE)	0.62	k star (bias corrected MLE)	0.421				
2343					Theta hat (MLE)	0.363	Theta star (bias corrected MLE)	0.535				
2344					nu hat (MLE)	7.443	nu star (bias corrected)	5.055				
2345					Adjusted Level of Significance (β)	0.0122						
2346					Approximate Chi Square Value (5.05, α)	1.178	Adjusted Chi Square Value (5.05, β)	0.636				
2347					95% Gamma Approximate UCL (use when n>=50)	0.967	95% Gamma Adjusted UCL (use when n<50)	N/A				
2348												
2349					**Estimates of Gamma Parameters using KM Estimates**							
2350					Mean (KM)	0.217	SD (KM)	0.35				
2351					Variance (KM)	0.123	SE of Mean (KM)	0.165				
2352					k hat (KM)	0.384	k star (KM)	0.303				
2353					nu hat (KM)	4.603	nu star (KM)	3.635				
2354					theta hat (KM)	0.566	theta star (KM)	0.716				
2355					80% gamma percentile (KM)	0.333	90% gamma percentile (KM)	0.639				
2356					95% gamma percentile (KM)	0.989	99% gamma percentile (KM)	1.899				
2357												

2358	**Gamma Kaplan-Meier (KM) Statistics**											
2359	Approximate Chi Square Value (3.63, α)				0.583	Adjusted Chi Square Value (3.63, β)					0.274	
2360	95% Gamma Approximate KM-UCL (use when n>=50)				1.353	95% Gamma Adjusted KM-UCL (use when n<50)					2.881	
2361												
2362	**Lognormal GOF Test on Detected Observations Only**											
2363	Shapiro Wilk Test Statistic				0.716	**Shapiro Wilk GOF Test**						
2364	5% Shapiro Wilk Critical Value				0.748	Detected Data Not Lognormal at 5% Significance Level						
2365	Lilliefors Test Statistic				0.389	**Lilliefors GOF Test**						
2366	5% Lilliefors Critical Value				0.375	Detected Data Not Lognormal at 5% Significance Level						
2367	**Detected Data Not Lognormal at 5% Significance Level**											
2368												
2369	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2370	Mean in Original Scale				0.223	Mean in Log Scale					-2.296	
2371	SD in Original Scale				0.381	SD in Log Scale					1.178	
2372	95% t UCL (assumes normality of ROS data)				0.537	95% Percentile Bootstrap UCL					0.528	
2373	95% BCA Bootstrap UCL				0.547	95% Bootstrap t UCL					5.568	
2374	95% H-UCL (Log ROS)				2.448							
2375												
2376	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2377	KM Mean (logged)				-2.349	KM Geo Mean					0.0955	
2378	KM SD (logged)				1.059	95% Critical H Value (KM-Log)					4.334	
2379	KM Standard Error of Mean (logged)				0.502	95% H-UCL (KM -Log)					1.302	
2380	KM SD (logged)				1.059	95% Critical H Value (KM-Log)					4.334	
2381	KM Standard Error of Mean (logged)				0.502							
2382												
2383	**DL/2 Statistics**											
2384	**DL/2 Normal**					**DL/2 Log-Transformed**						
2385	Mean in Original Scale				0.219	Mean in Log Scale					-2.32	
2386	SD in Original Scale				0.383	SD in Log Scale					1.143	
2387	95% t UCL (Assumes normality)				0.534	95% H-Stat UCL					2.01	
2388	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2389												
2390	**Nonparametric Distribution Free UCL Statistics**											
2391	**Data do not follow a Discernible Distribution at 5% Significance Level**											
2392												
2393	**Suggested UCL to Use**											
2394	95% KM (Chebyshev) UCL				0.937							
2395												
2396	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2397	Recommendations are based upon data size, data distribution, and skewness.											
2398	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2399	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2400												

	A	B	C	D	E	F	G	H	I	J	K	L
2401	**Manganese**											
2402												
2403	**General Statistics**											
2404	Total Number of Observations					6	Number of Distinct Observations					6
2405	Number of Detects					5	Number of Non-Detects					1
2406	Number of Distinct Detects					5	Number of Distinct Non-Detects					1
2407	Minimum Detect					8.6	Minimum Non-Detect					1.4
2408	Maximum Detect					30000	Maximum Non-Detect					1.4
2409	Variance Detects					1.797E+8	Percent Non-Detects					16.67%
2410	Mean Detects					6023	SD Detects					13403
2411	Median Detects					35	CV Detects					2.225
2412	Skewness Detects					2.236	Kurtosis Detects					5
2413	Mean of Logged Detects					4.621	SD of Logged Detects					3.245
2414												
2415	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2416	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2417	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2418	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2419												
2420	**Normal GOF Test on Detects Only**											
2421	Shapiro Wilk Test Statistic					0.553	**Shapiro Wilk GOF Test**					
2422	5% Shapiro Wilk Critical Value					0.762	Detected Data Not Normal at 5% Significance Level					
2423	Lilliefors Test Statistic					0.472	**Lilliefors GOF Test**					
2424	5% Lilliefors Critical Value					0.343	Detected Data Not Normal at 5% Significance Level					
2425	**Detected Data Not Normal at 5% Significance Level**											
2426												
2427	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2428	KM Mean					5020	KM Standard Error of Mean					5099
2429	KM SD					11172	95% KM (BCA) UCL					15010
2430	95% KM (t) UCL					15295	95% KM (Percentile Bootstrap) UCL					15008
2431	95% KM (z) UCL					13407	95% KM Bootstrap t UCL					4916607
2432	90% KM Chebyshev UCL					20317	95% KM Chebyshev UCL					27246
2433	97.5% KM Chebyshev UCL					36863	99% KM Chebyshev UCL					55755
2434												
2435	**Gamma GOF Tests on Detected Observations Only**											
2436	A-D Test Statistic					1.025	**Anderson-Darling GOF Test**					
2437	5% A-D Critical Value					0.791	Detected Data Not Gamma Distributed at 5% Significance Level					
2438	K-S Test Statistic					0.472	**Kolmogorov-Smirnov GOF**					
2439	5% K-S Critical Value					0.391	Detected Data Not Gamma Distributed at 5% Significance Level					
2440	**Detected Data Not Gamma Distributed at 5% Significance Level**											
2441												
2442	**Gamma Statistics on Detected Data Only**											
2443	k hat (MLE)					0.183	k star (bias corrected MLE)					0.206
2444	Theta hat (MLE)					32950	Theta star (bias corrected MLE)					29175
2445	nu hat (MLE)					1.828	nu star (bias corrected)					2.065
2446	Mean (detects)					6023						
2447												
2448	**Gamma ROS Statistics using Imputed Non-Detects**											
2449	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2450	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2451	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2452	This is especially true when the sample size is small.											

2453	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2454					Minimum	0.01				Mean		5019
2455					Maximum	30000				Median		30
2456					SD	12238				CV		2.438
2457					k hat (MLE)	0.142				k star (bias corrected MLE)		0.182
2458					Theta hat (MLE)	35247				Theta star (bias corrected MLE)		27532
2459					nu hat (MLE)	1.709				nu star (bias corrected)		2.188
2460					Adjusted Level of Significance (β)	0.0122						
2461					Approximate Chi Square Value (2.19, α)	0.179				Adjusted Chi Square Value (2.19, β)		0.0931
2462					95% Gamma Approximate UCL (use when n>=50)	61325				95% Gamma Adjusted UCL (use when n<50)		117976
2463												
2464	**Estimates of Gamma Parameters using KM Estimates**											
2465					Mean (KM)	5020				SD (KM)		11172
2466					Variance (KM)	1.248E+8				SE of Mean (KM)		5099
2467					k hat (KM)	0.202				k star (KM)		0.212
2468					nu hat (KM)	2.423				nu star (KM)		2.545
2469					theta hat (KM)	24863				theta star (KM)		23671
2470					80% gamma percentile (KM)	6811				90% gamma percentile (KM)		15177
2471					95% gamma percentile (KM)	25465				99% gamma percentile (KM)		53524
2472												
2473	**Gamma Kaplan-Meier (KM) Statistics**											
2474					Approximate Chi Square Value (2.54, α)	0.251				Adjusted Chi Square Value (2.54, β)		0.117
2475					95% Gamma Approximate KM-UCL (use when n>=50)	50813				95% Gamma Adjusted KM-UCL (use when n<50)		109492
2476												
2477	**Lognormal GOF Test on Detected Observations Only**											
2478					Shapiro Wilk Test Statistic	0.739				**Shapiro Wilk GOF Test**		
2479					5% Shapiro Wilk Critical Value	0.762				Detected Data Not Lognormal at 5% Significance Level		
2480					Lilliefors Test Statistic	0.391				**Lilliefors GOF Test**		
2481					5% Lilliefors Critical Value	0.343				Detected Data Not Lognormal at 5% Significance Level		
2482	**Detected Data Not Lognormal at 5% Significance Level**											
2483												
2484	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2485					Mean in Original Scale	5019				Mean in Log Scale		3.395
2486					SD in Original Scale	12238				SD in Log Scale		4.177
2487					95% t UCL (assumes normality of ROS data)	15087				95% Percentile Bootstrap UCL		15007
2488					95% BCA Bootstrap UCL	15018				95% Bootstrap t UCL		4620533
2489					95% H-UCL (Log ROS)	1.210E+18						
2490												
2491	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2492					KM Mean (logged)	3.907				KM Geo Mean		49.75
2493					KM SD (logged)	3.093				95% Critical H Value (KM-Log)		11.75
2494					KM Standard Error of Mean (logged)	1.412				95% H-UCL (KM -Log)		6.805E+10
2495					KM SD (logged)	3.093				95% Critical H Value (KM-Log)		11.75
2496					KM Standard Error of Mean (logged)	1.412						
2497												

2498	**DL/2 Statistics**											
2499	**DL/2 Normal**						**DL/2 Log-Transformed**					
2500				Mean in Original Scale	5020					Mean in Log Scale	3.792	
2501				SD in Original Scale	12238					SD in Log Scale	3.543	
2502				95% t UCL (Assumes normality)	15087					95% H-Stat UCL	4.116E+13	
2503	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2504												
2505	**Nonparametric Distribution Free UCL Statistics**											
2506	**Data do not follow a Discernible Distribution at 5% Significance Level**											
2507												
2508	**Suggested UCL to Use**											
2509				KM Bootstrap t UCL	15008							
2510												
2511	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2512	Recommendations are based upon data size, data distribution, and skewness.											
2513	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2514	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2515												
2516	**Mercury**											
2517												
2518	**General Statistics**											
2519				Total Number of Observations	6					Number of Distinct Observations	3	
2520				Number of Detects	1					Number of Non-Detects	5	
2521				Number of Distinct Detects	1					Number of Distinct Non-Detects	2	
2522												
2523	**Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!**											
2524	**It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).**											
2525												
2526	**The data set for variable Mercury was not processed!**											
2527												
2528												
2529	**Nickel**											
2530												
2531	**General Statistics**											
2532				Total Number of Observations	6					Number of Distinct Observations	6	
2533				Number of Detects	3					Number of Non-Detects	3	
2534				Number of Distinct Detects	3					Number of Distinct Non-Detects	3	
2535				Minimum Detect	0.21					Minimum Non-Detect	0.17	
2536				Maximum Detect	110					Maximum Non-Detect	1.7	
2537				Variance Detects	4006					Percent Non-Detects	50%	
2538				Mean Detects	36.92					SD Detects	63.29	
2539				Median Detects	0.54					CV Detects	1.714	
2540				Skewness Detects	1.732					Kurtosis Detects	N/A	
2541				Mean of Logged Detects	0.841					SD of Logged Detects	3.375	
2542												
2543	**Warning: Data set has only 3 Detected Values.**											
2544	**This is not enough to compute meaningful or reliable statistics and estimates.**											
2545												
2546												

	A	B	C	D	E	F	G	H	I	J	K	L
2547	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2548	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2549	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2550	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2551												
2552	**Normal GOF Test on Detects Only**											
2553					Shapiro Wilk Test Statistic	0.752	**Shapiro Wilk GOF Test**					
2554					5% Shapiro Wilk Critical Value	0.767	Detected Data Not Normal at 5% Significance Level					
2555					Lilliefors Test Statistic	0.384	**Lilliefors GOF Test**					
2556					5% Lilliefors Critical Value	0.425	Detected Data appear Normal at 5% Significance Level					
2557	**Detected Data appear Approximate Normal at 5% Significance Level**											
2558												
2559	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2560					KM Mean	18.56	KM Standard Error of Mean	20.45				
2561					KM SD	40.89	95% KM (BCA) UCL	N/A				
2562					95% KM (t) UCL	59.76	95% KM (Percentile Bootstrap) UCL	N/A				
2563					95% KM (z) UCL	52.19	95% KM Bootstrap t UCL	N/A				
2564					90% KM Chebyshev UCL	79.9	95% KM Chebyshev UCL	107.7				
2565					97.5% KM Chebyshev UCL	146.2	99% KM Chebyshev UCL	222				
2566												
2567	**Gamma GOF Tests on Detected Observations Only**											
2568	**Not Enough Data to Perform GOF Test**											
2569												
2570	**Gamma Statistics on Detected Data Only**											
2571					k hat (MLE)	0.256	k star (bias corrected MLE)	N/A				
2572					Theta hat (MLE)	144.4	Theta star (bias corrected MLE)	N/A				
2573					nu hat (MLE)	1.534	nu star (bias corrected)	N/A				
2574					Mean (detects)	36.92						
2575												
2576	**Gamma ROS Statistics using Imputed Non-Detects**											
2577	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2578	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2579	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2580	This is especially true when the sample size is small.											
2581	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2582					Minimum	0.01	Mean	18.46				
2583					Maximum	110	Median	0.11				
2584					SD	44.84	CV	2.429				
2585					k hat (MLE)	0.159	k star (bias corrected MLE)	0.191				
2586					Theta hat (MLE)	116.2	Theta star (bias corrected MLE)	96.9				
2587					nu hat (MLE)	1.906	nu star (bias corrected)	2.286				
2588					Adjusted Level of Significance (β)	0.0122						
2589					Approximate Chi Square Value (2.29, α)	0.197	Adjusted Chi Square Value (2.29, β)	0.0982				
2590					95% Gamma Approximate UCL (use when n>=50)	214.5	95% Gamma Adjusted UCL (use when n<50)	N/A				
2591												
2592	**Estimates of Gamma Parameters using KM Estimates**											
2593					Mean (KM)	18.56	SD (KM)	40.89				
2594					Variance (KM)	1672	SE of Mean (KM)	20.45				
2595					k hat (KM)	0.206	k star (KM)	0.214				
2596					nu hat (KM)	2.473	nu star (KM)	2.57				
2597					theta hat (KM)	90.07	theta star (KM)	86.68				
2598					80% gamma percentile (KM)	25.31	90% gamma percentile (KM)	56.12				

2599					95% gamma percentile (KM)	93.93				99% gamma percentile (KM)		196.9
2600												
2601					**Gamma Kaplan-Meier (KM) Statistics**							
2602					Approximate Chi Square Value (2.57, α)	0.257				Adjusted Chi Square Value (2.57, β)		0.119
2603					95% Gamma Approximate KM-UCL (use when n>=50)	185.4				95% Gamma Adjusted KM-UCL (use when n<50)		401.4
2604												
2605					**Lognormal GOF Test on Detected Observations Only**							
2606					Shapiro Wilk Test Statistic	0.86				**Shapiro Wilk GOF Test**		
2607					5% Shapiro Wilk Critical Value	0.767				Detected Data appear Lognormal at 5% Significance Level		
2608					Lilliefors Test Statistic	0.334				**Lilliefors GOF Test**		
2609					5% Lilliefors Critical Value	0.425				Detected Data appear Lognormal at 5% Significance Level		
2610					**Detected Data appear Lognormal at 5% Significance Level**							
2611												
2612					**Lognormal ROS Statistics Using Imputed Non-Detects**							
2613					Mean in Original Scale	18.47				Mean in Log Scale		-1.778
2614					SD in Original Scale	44.84				SD in Log Scale		3.746
2615					95% t UCL (assumes normality of ROS data)	55.36				95% Percentile Bootstrap UCL		55.02
2616					95% BCA Bootstrap UCL	73.34				95% Bootstrap t UCL		10084
2617					95% H-UCL (Log ROS)	3.958E+12						
2618												
2619					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
2620					KM Mean (logged)	-0.386				KM Geo Mean		0.68
2621					KM SD (logged)	2.314				95% Critical H Value (KM-Log)		8.857
2622					KM Standard Error of Mean (logged)	1.162				95% H-UCL (KM -Log)		94543
2623					KM SD (logged)	2.314				95% Critical H Value (KM-Log)		8.857
2624					KM Standard Error of Mean (logged)	1.162						
2625												
2626					**DL/2 Statistics**							
2627					**DL/2 Normal**					**DL/2 Log-Transformed**		
2628					Mean in Original Scale	18.64				Mean in Log Scale		-0.328
2629					SD in Original Scale	44.76				SD in Log Scale		2.602
2630					95% t UCL (Assumes normality)	55.46				95% H-Stat UCL		2192769
2631					**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
2632												
2633					**Nonparametric Distribution Free UCL Statistics**							
2634					**Detected Data appear Approximate Normal Distributed at 5% Significance Level**							
2635												
2636					**Suggested UCL to Use**							
2637					95% KM (t) UCL	59.76						
2638												
2639					When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test							
2640					When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL							
2641												
2642					Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.							
2643					Recommendations are based upon data size, data distribution, and skewness.							
2644					These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).							
2645					However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.							
2646												
2647	**Selenium**											
2648												
2649					**General Statistics**							
2650					Total Number of Observations	6				Number of Distinct Observations		6

2651					Number of Detects	5				Number of Non-Detects		1
2652					Number of Distinct Detects	5				Number of Distinct Non-Detects		1
2653					Minimum Detect	1.1				Minimum Non-Detect		2.6
2654					Maximum Detect	15				Maximum Non-Detect		2.6
2655					Variance Detects	31.59				Percent Non-Detects		16.67%
2656					Mean Detects	5.86				SD Detects		5.62
2657					Median Detects	4				CV Detects		0.959
2658					Skewness Detects	1.394				Kurtosis Detects		1.683
2659					Mean of Logged Detects	1.371				SD of Logged Detects		1.029
2660												
2661	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2662	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2663	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2664	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2665												
2666	**Normal GOF Test on Detects Only**											
2667					Shapiro Wilk Test Statistic	0.871				**Shapiro Wilk GOF Test**		
2668					5% Shapiro Wilk Critical Value	0.762				Detected Data appear Normal at 5% Significance Level		
2669					Lilliefors Test Statistic	0.23				**Lilliefors GOF Test**		
2670					5% Lilliefors Critical Value	0.343				Detected Data appear Normal at 5% Significance Level		
2671	**Detected Data appear Normal at 5% Significance Level**											
2672												
2673	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2674					KM Mean	5.142				KM Standard Error of Mean		2.223
2675					KM SD	4.865				95% KM (BCA) UCL		8.733
2676					95% KM (t) UCL	9.621				95% KM (Percentile Bootstrap) UCL		8.833
2677					95% KM (z) UCL	8.798				95% KM Bootstrap t UCL		16
2678					90% KM Chebyshev UCL	11.81				95% KM Chebyshev UCL		14.83
2679					97.5% KM Chebyshev UCL	19.03				99% KM Chebyshev UCL		27.26
2680												
2681	**Gamma GOF Tests on Detected Observations Only**											
2682					A-D Test Statistic	0.207				**Anderson-Darling GOF Test**		
2683					5% A-D Critical Value	0.687				Detected data appear Gamma Distributed at 5% Significance Level		
2684					K-S Test Statistic	0.182				**Kolmogorov-Smirnov GOF**		
2685					5% K-S Critical Value	0.362				Detected data appear Gamma Distributed at 5% Significance Level		
2686	**Detected data appear Gamma Distributed at 5% Significance Level**											
2687												
2688	**Gamma Statistics on Detected Data Only**											
2689					k hat (MLE)	1.403				k star (bias corrected MLE)		0.695
2690					Theta hat (MLE)	4.175				Theta star (bias corrected MLE)		8.435
2691					nu hat (MLE)	14.03				nu star (bias corrected)		6.947
2692					Mean (detects)	5.86						
2693												
2694	**Gamma ROS Statistics using Imputed Non-Detects**											
2695	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2696	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2697	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2698	This is especially true when the sample size is small.											
2699	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2700					Minimum	0.741				Mean		5.007
2701					Maximum	15				Median		3
2702					SD	5.444				CV		1.087

2703					k hat (MLE)	1.102				k star (bias corrected MLE)		0.662
2704					Theta hat (MLE)	4.543				Theta star (bias corrected MLE)		7.561
2705					nu hat (MLE)	13.23				nu star (bias corrected)		7.946
2706					Adjusted Level of Significance (β)	0.0122						
2707					Approximate Chi Square Value (7.95, α)	2.704				Adjusted Chi Square Value (7.95, β)		1.73
2708					95% Gamma Approximate UCL (use when n>=50)	14.71				95% Gamma Adjusted UCL (use when n<50)		22.99
2709												
2710					**Estimates of Gamma Parameters using KM Estimates**							
2711					Mean (KM)	5.142				SD (KM)		4.865
2712					Variance (KM)	23.67				SE of Mean (KM)		2.223
2713					k hat (KM)	1.117				k star (KM)		0.669
2714					nu hat (KM)	13.4				nu star (KM)		8.034
2715					theta hat (KM)	4.604				theta star (KM)		7.68
2716					80% gamma percentile (KM)	8.463				90% gamma percentile (KM)		13.04
2717					95% gamma percentile (KM)	17.78				99% gamma percentile (KM)		29.15
2718												
2719					**Gamma Kaplan-Meier (KM) Statistics**							
2720					Approximate Chi Square Value (8.03, α)	2.755				Adjusted Chi Square Value (8.03, β)		1.769
2721					95% Gamma Approximate KM-UCL (use when n>=50)	15				95% Gamma Adjusted KM-UCL (use when n<50)		23.35
2722												
2723					**Lognormal GOF Test on Detected Observations Only**							
2724					Shapiro Wilk Test Statistic	0.987				**Shapiro Wilk GOF Test**		
2725					5% Shapiro Wilk Critical Value	0.762				Detected Data appear Lognormal at 5% Significance Level		
2726					Lilliefors Test Statistic	0.145				**Lilliefors GOF Test**		
2727					5% Lilliefors Critical Value	0.343				Detected Data appear Lognormal at 5% Significance Level		
2728					**Detected Data appear Lognormal at 5% Significance Level**							
2729												
2730					**Lognormal ROS Statistics Using Imputed Non-Detects**							
2731					Mean in Original Scale	5.127				Mean in Log Scale		1.206
2732					SD in Original Scale	5.338				SD in Log Scale		1.006
2733					95% t UCL (assumes normality of ROS data)	9.518				95% Percentile Bootstrap UCL		8.783
2734					95% BCA Bootstrap UCL	9.7				95% Bootstrap t UCL		16.52
2735					95% H-UCL (Log ROS)	35.76						
2736												
2737					**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
2738					KM Mean (logged)	1.209				KM Geo Mean		3.349
2739					KM SD (logged)	0.924				95% Critical H Value (KM-Log)		3.849
2740					KM Standard Error of Mean (logged)	0.427				95% H-UCL (KM -Log)		25.18
2741					KM SD (logged)	0.924				95% Critical H Value (KM-Log)		3.849
2742					KM Standard Error of Mean (logged)	0.427						
2743												

2744	**DL/2 Statistics**											
2745	**DL/2 Normal**						**DL/2 Log-Transformed**					
2746					Mean in Original Scale	5.1				Mean in Log Scale	1.187	
2747					SD in Original Scale	5.361				SD in Log Scale	1.026	
2748					95% t UCL (Assumes normality)	9.51				95% H-Stat UCL	38.42	
2749	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2750												
2751	**Nonparametric Distribution Free UCL Statistics**											
2752	**Detected Data appear Normal Distributed at 5% Significance Level**											
2753												
2754	**Suggested UCL to Use**											
2755					95% KM (t) UCL	9.621						
2756												
2757	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2758	Recommendations are based upon data size, data distribution, and skewness.											
2759	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2760	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2761												
2762	**Thallium**											
2763												
2764	**General Statistics**											
2765					Total Number of Observations	6				Number of Distinct Observations	4	
2766					Number of Detects	2				Number of Non-Detects	4	
2767					Number of Distinct Detects	2				Number of Distinct Non-Detects	2	
2768					Minimum Detect	0.043				Minimum Non-Detect	0.015	
2769					Maximum Detect	0.11				Maximum Non-Detect	0.13	
2770					Variance Detects	0.00224				Percent Non-Detects	66.67%	
2771					Mean Detects	0.0765				SD Detects	0.0474	
2772					Median Detects	0.0765				CV Detects	0.619	
2773					Skewness Detects	N/A				Kurtosis Detects	N/A	
2774					Mean of Logged Detects	-2.677				SD of Logged Detects	0.664	
2775												
2776	**Warning: Data set has only 2 Detected Values.**											
2777	**This is not enough to compute meaningful or reliable statistics and estimates.**											
2778												
2779												
2780	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2781	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2782	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2783	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2784												
2785	**Normal GOF Test on Detects Only**											
2786	**Not Enough Data to Perform GOF Test**											
2787												
2788	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2789					KM Mean	0.0458				KM Standard Error of Mean	0.0274	
2790					KM SD	0.0388				95% KM (BCA) UCL	N/A	
2791					95% KM (t) UCL	0.101				95% KM (Percentile Bootstrap) UCL	N/A	
2792					95% KM (z) UCL	0.0909				95% KM Bootstrap t UCL	N/A	

	A	B	C	D	E	F	G	H	I	J	K	L
2793				90% KM Chebyshev UCL		0.128				95% KM Chebyshev UCL		0.165
2794				97.5% KM Chebyshev UCL		0.217				99% KM Chebyshev UCL		0.319
2795												
2796						**Gamma GOF Tests on Detected Observations Only**							
2797						**Not Enough Data to Perform GOF Test**							
2798												
2799						**Gamma Statistics on Detected Data Only**							
2800						k hat (MLE)	4.858			k star (bias corrected MLE)		N/A
2801						Theta hat (MLE)	0.0157			Theta star (bias corrected MLE)		N/A
2802						nu hat (MLE)	19.43			nu star (bias corrected)		N/A
2803						Mean (detects)	0.0765					
2804												
2805						**Estimates of Gamma Parameters using KM Estimates**							
2806						Mean (KM)	0.0458			SD (KM)		0.0388
2807						Variance (KM)	0.00151			SE of Mean (KM)		0.0274
2808						k hat (KM)	1.389			k star (KM)		0.806
2809						nu hat (KM)	16.67			nu star (KM)		9.668
2810						theta hat (KM)	0.0329			theta star (KM)		0.0568
2811						80% gamma percentile (KM)	0.0747			90% gamma percentile (KM)		0.111
2812						95% gamma percentile (KM)	0.148			99% gamma percentile (KM)		0.235
2813												
2814						**Gamma Kaplan-Meier (KM) Statistics**							
2815										Adjusted Level of Significance (β)		0.0122
2816						Approximate Chi Square Value (9.67, α)	3.736			Adjusted Chi Square Value (9.67, β)		2.531
2817						95% Gamma Approximate KM-UCL (use when n>=50)	0.118			95% Gamma Adjusted KM-UCL (use when n<50)		0.175
2818												
2819						**Lognormal GOF Test on Detected Observations Only**							
2820						**Not Enough Data to Perform GOF Test**							
2821												
2822						**Lognormal ROS Statistics Using Imputed Non-Detects**							
2823						Mean in Original Scale	0.0365			Mean in Log Scale		-3.9
2824						SD in Original Scale	0.04			SD in Log Scale		1.265
2825						95% t UCL (assumes normality of ROS data)	0.0694			95% Percentile Bootstrap UCL		0.0634
2826						95% BCA Bootstrap UCL	0.0653			95% Bootstrap t UCL		0.099
2827						95% H-UCL (Log ROS)	0.782					
2828												
2829						**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**							
2830						KM Mean (logged)	-3.438			KM Geo Mean		0.0321
2831						KM SD (logged)	0.831			95% Critical H Value (KM-Log)		3.568
2832						KM Standard Error of Mean (logged)	0.587			95% H-UCL (KM -Log)		0.171
2833						KM SD (logged)	0.831			95% Critical H Value (KM-Log)		3.568
2834						KM Standard Error of Mean (logged)	0.587					
2835												
2836						**DL/2 Statistics**							
2837						**DL/2 Normal**				**DL/2 Log-Transformed**		
2838						Mean in Original Scale	0.0497			Mean in Log Scale		-3.434
2839						SD in Original Scale	0.0393			SD in Log Scale		1.168
2840						95% t UCL (Assumes normality)	0.082			95% H-Stat UCL		0.749
2841						**DL/2 is not a recommended method, provided for comparisons and historical reasons**							
2842												
2843						**Nonparametric Distribution Free UCL Statistics**							
2844						**Data do not follow a Discernible Distribution at 5% Significance Level**							

2845												
2846	**Suggested UCL to Use**											
2847				95% KM (Chebyshev) UCL	0.165							
2848	**Warning: Recommended UCL exceeds the maximum observation**											
2849												
2850	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2851	Recommendations are based upon data size, data distribution, and skewness.											
2852	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2853	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2854												
2855	**Vanadium**											
2856												
2857	**General Statistics**											
2858				Total Number of Observations	6		Number of Distinct Observations	6				
2859				Number of Detects	5		Number of Non-Detects	1				
2860				Number of Distinct Detects	5		Number of Distinct Non-Detects	1				
2861				Minimum Detect	0.33		Minimum Non-Detect	0.082				
2862				Maximum Detect	5.7		Maximum Non-Detect	0.082				
2863				Variance Detects	4.262		Percent Non-Detects	16.67%				
2864				Mean Detects	2.206		SD Detects	2.064				
2865				Median Detects	1.5		CV Detects	0.936				
2866				Skewness Detects	1.656		Kurtosis Detects	3.173				
2867				Mean of Logged Detects	0.418		SD of Logged Detects	1.03				
2868												
2869	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2870	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2871	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2872	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2873												
2874	**Normal GOF Test on Detects Only**											
2875				Shapiro Wilk Test Statistic	0.841		**Shapiro Wilk GOF Test**					
2876				5% Shapiro Wilk Critical Value	0.762		Detected Data appear Normal at 5% Significance Level					
2877				Lilliefors Test Statistic	0.301		**Lilliefors GOF Test**					
2878				5% Lilliefors Critical Value	0.343		Detected Data appear Normal at 5% Significance Level					
2879	**Detected Data appear Normal at 5% Significance Level**											
2880												
2881	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2882				KM Mean	1.852		KM Standard Error of Mean	0.85				
2883				KM SD	1.862		95% KM (BCA) UCL	3.327				
2884				95% KM (t) UCL	3.565		95% KM (Percentile Bootstrap) UCL	3.297				
2885				95% KM (z) UCL	3.25		95% KM Bootstrap t UCL	4.915				
2886				90% KM Chebyshev UCL	4.402		95% KM Chebyshev UCL	5.557				
2887				97.5% KM Chebyshev UCL	7.16		99% KM Chebyshev UCL	10.31				
2888												
2889	**Gamma GOF Tests on Detected Observations Only**											
2890				A-D Test Statistic	0.259		**Anderson-Darling GOF Test**					
2891				5% A-D Critical Value	0.687		Detected data appear Gamma Distributed at 5% Significance Level					
2892				K-S Test Statistic	0.192		**Kolmogorov-Smirnov GOF**					
2893				5% K-S Critical Value	0.362		Detected data appear Gamma Distributed at 5% Significance Level					
2894	**Detected data appear Gamma Distributed at 5% Significance Level**											
2895												
2896	**Gamma Statistics on Detected Data Only**											

2897					k hat (MLE)	1.483				k star (bias corrected MLE)		0.727
2898					Theta hat (MLE)	1.487				Theta star (bias corrected MLE)		3.036
2899					nu hat (MLE)	14.83				nu star (bias corrected)		7.266
2900					Mean (detects)	2.206						
2901												
2902	**Gamma ROS Statistics using Imputed Non-Detects**											
2903	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
2904	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
2905	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
2906	This is especially true when the sample size is small.											
2907	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
2908					Minimum	0.01				Mean		1.84
2909					Maximum	5.7				Median		1.4
2910					SD	2.053				CV		1.116
2911					k hat (MLE)	0.6				k star (bias corrected MLE)		0.411
2912					Theta hat (MLE)	3.065				Theta star (bias corrected MLE)		4.474
2913					nu hat (MLE)	7.203				nu star (bias corrected)		4.935
2914					Adjusted Level of Significance (β)	0.0122						
2915					Approximate Chi Square Value (4.93, α)	1.122				Adjusted Chi Square Value (4.93, β)		0.6
2916					95% Gamma Approximate UCL (use when n>=50)	8.091				95% Gamma Adjusted UCL (use when n<50)		15.14
2917												
2918	**Estimates of Gamma Parameters using KM Estimates**											
2919					Mean (KM)	1.852				SD (KM)		1.862
2920					Variance (KM)	3.468				SE of Mean (KM)		0.85
2921					k hat (KM)	0.989				k star (KM)		0.606
2922					nu hat (KM)	11.87				nu star (KM)		7.268
2923					theta hat (KM)	1.872				theta star (KM)		3.058
2924					80% gamma percentile (KM)	3.053				90% gamma percentile (KM)		4.807
2925					95% gamma percentile (KM)	6.642				99% gamma percentile (KM)		11.08
2926												
2927	**Gamma Kaplan-Meier (KM) Statistics**											
2928					Approximate Chi Square Value (7.27, α)	2.319				Adjusted Chi Square Value (7.27, β)		1.441
2929					95% Gamma Approximate KM-UCL (use when n>=50)	5.805				95% Gamma Adjusted KM-UCL (use when n<50)		9.34
2930												
2931	**Lognormal GOF Test on Detected Observations Only**											
2932					Shapiro Wilk Test Statistic	0.963				**Shapiro Wilk GOF Test**		
2933					5% Shapiro Wilk Critical Value	0.762				Detected Data appear Lognormal at 5% Significance Level		
2934					Lilliefors Test Statistic	0.24				**Lilliefors GOF Test**		
2935					5% Lilliefors Critical Value	0.343				Detected Data appear Lognormal at 5% Significance Level		
2936	**Detected Data appear Lognormal at 5% Significance Level**											
2937												
2938	**Lognormal ROS Statistics Using Imputed Non-Detects**											
2939					Mean in Original Scale	1.857				Mean in Log Scale		-0.0141
2940					SD in Original Scale	2.034				SD in Log Scale		1.402
2941					95% t UCL (assumes normality of ROS data)	3.531				95% Percentile Bootstrap UCL		3.174

2942					95% BCA Bootstrap UCL	3.488					95% Bootstrap t UCL	5.151
2943					95% H-UCL (Log ROS)	84.51						
2944												
2945	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
2946					KM Mean (logged)	-0.0688					KM Geo Mean	0.933
2947					KM SD (logged)	1.375					95% Critical H Value (KM-Log)	5.431
2948					KM Standard Error of Mean (logged)	0.627					95% H-UCL (KM -Log)	67.7
2949					KM SD (logged)	1.375					95% Critical H Value (KM-Log)	5.431
2950					KM Standard Error of Mean (logged)	0.627						
2951												
2952	**DL/2 Statistics**											
2953	**DL/2 Normal**						**DL/2 Log-Transformed**					
2954					Mean in Original Scale	1.845					Mean in Log Scale	-0.184
2955					SD in Original Scale	2.047					SD in Log Scale	1.739
2956					95% t UCL (Assumes normality)	3.529					95% H-Stat UCL	713.6
2957	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
2958												
2959	**Nonparametric Distribution Free UCL Statistics**											
2960	**Detected Data appear Normal Distributed at 5% Significance Level**											
2961												
2962	**Suggested UCL to Use**											
2963					95% KM (t) UCL	3.565						
2964												
2965	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
2966	Recommendations are based upon data size, data distribution, and skewness.											
2967	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
2968	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
2969												
2970	**Zinc**											
2971												
2972	**General Statistics**											
2973					Total Number of Observations	6					Number of Distinct Observations	5
2974					Number of Detects	4					Number of Non-Detects	2
2975					Number of Distinct Detects	4					Number of Distinct Non-Detects	1
2976					Minimum Detect	2.3					Minimum Non-Detect	3.2
2977					Maximum Detect	160					Maximum Non-Detect	3.2
2978					Variance Detects	6009					Percent Non-Detects	33.33%
2979					Mean Detects	43.78					SD Detects	77.52
2980					Median Detects	6.4					CV Detects	1.771
2981					Skewness Detects	1.994					Kurtosis Detects	3.981
2982					Mean of Logged Detects	2.387					SD of Logged Detects	1.865
2983												
2984	**Note: Sample size is small (e.g., <10), if data are collected using ISM approach, you should use**											
2985	**guidance provided in ITRC Tech Reg Guide on ISM (ITRC, 2012) to compute statistics of interest.**											
2986	**For example, you may want to use Chebyshev UCL to estimate EPC (ITRC, 2012).**											
2987	**Chebyshev UCL can be computed using the Nonparametric and All UCL Options of ProUCL 5.1**											
2988												
2989	**Normal GOF Test on Detects Only**											
2990					Shapiro Wilk Test Statistic	0.658	**Shapiro Wilk GOF Test**					
2991					5% Shapiro Wilk Critical Value	0.748	Detected Data Not Normal at 5% Significance Level					
2992					Lilliefors Test Statistic	0.427	**Lilliefors GOF Test**					
2993					5% Lilliefors Critical Value	0.375	Detected Data Not Normal at 5% Significance Level					

2994	**Detected Data Not Normal at 5% Significance Level**											
2995												
2996	**Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs**											
2997					KM Mean	29.95			KM Standard Error of Mean	27.43		
2998					KM SD	58.2			95% KM (BCA) UCL	N/A		
2999					95% KM (t) UCL	85.23			95% KM (Percentile Bootstrap) UCL	N/A		
3000					95% KM (z) UCL	75.08			95% KM Bootstrap t UCL	N/A		
3001					90% KM Chebyshev UCL	112.3			95% KM Chebyshev UCL	149.5		
3002					97.5% KM Chebyshev UCL	201.3			99% KM Chebyshev UCL	302.9		
3003												
3004	**Gamma GOF Tests on Detected Observations Only**											
3005					A-D Test Statistic	0.604			**Anderson-Darling GOF Test**			
3006					5% A-D Critical Value	0.685			Detected data appear Gamma Distributed at 5% Significance Level			
3007					K-S Test Statistic	0.397			**Kolmogorov-Smirnov GOF**			
3008					5% K-S Critical Value	0.412			Detected data appear Gamma Distributed at 5% Significance Level			
3009	**Detected data appear Gamma Distributed at 5% Significance Level**											
3010												
3011	**Gamma Statistics on Detected Data Only**											
3012					k hat (MLE)	0.462			k star (bias corrected MLE)	0.282		
3013					Theta hat (MLE)	94.76			Theta star (bias corrected MLE)	155.1		
3014					nu hat (MLE)	3.695			nu star (bias corrected)	2.257		
3015					Mean (detects)	43.78						
3016												
3017	**Gamma ROS Statistics using Imputed Non-Detects**											
3018	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
3019	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
3020	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
3021	This is especially true when the sample size is small.											
3022	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
3023					Minimum	0.01			Mean	29.19		
3024					Maximum	160			Median	3.5		
3025					SD	64.16			CV	2.198		
3026					k hat (MLE)	0.219			k star (bias corrected MLE)	0.22		
3027					Theta hat (MLE)	133.4			Theta star (bias corrected MLE)	132.4		
3028					nu hat (MLE)	2.625			nu star (bias corrected)	2.646		
3029					Adjusted Level of Significance (β)	0.0122						
3030					Approximate Chi Square Value (2.65, α)	0.276			Adjusted Chi Square Value (2.65, β)	0.126		
3031					95% Gamma Approximate UCL (use when n>=50)	280.1			95% Gamma Adjusted UCL (use when n<50)	N/A		
3032												
3033	**Estimates of Gamma Parameters using KM Estimates**											
3034					Mean (KM)	29.95			SD (KM)	58.2		
3035					Variance (KM)	3387			SE of Mean (KM)	27.43		
3036					k hat (KM)	0.265			k star (KM)	0.244		
3037					nu hat (KM)	3.178			nu star (KM)	2.922		
3038					theta hat (KM)	113.1			theta star (KM)	123		
3039					80% gamma percentile (KM)	43.08			90% gamma percentile (KM)	90.05		
3040					95% gamma percentile (KM)	146.1			99% gamma percentile (KM)	295.8		
3041												
3042	**Gamma Kaplan-Meier (KM) Statistics**											
3043					Approximate Chi Square Value (2.92, α)	0.35			Adjusted Chi Square Value (2.92, β)	0.157		
3044					95% Gamma Approximate KM-UCL (use when n>=50)	250.2			95% Gamma Adjusted KM-UCL (use when n<50)	557.4		
3045												

	A	B	C	D	E	F	G	H	I	J	K	L
3046	**Lognormal GOF Test on Detected Observations Only**											
3047					Shapiro Wilk Test Statistic	0.866	**Shapiro Wilk GOF Test**					
3048					5% Shapiro Wilk Critical Value	0.748	Detected Data appear Lognormal at 5% Significance Level					
3049					Lilliefors Test Statistic	0.313	**Lilliefors GOF Test**					
3050					5% Lilliefors Critical Value	0.375	Detected Data appear Lognormal at 5% Significance Level					
3051	**Detected Data appear Lognormal at 5% Significance Level**											
3052												
3053	**Lognormal ROS Statistics Using Imputed Non-Detects**											
3054					Mean in Original Scale	29.66			Mean in Log Scale			1.659
3055					SD in Original Scale	63.91			SD in Log Scale			1.865
3056					95% t UCL (assumes normality of ROS data)	82.23			95% Percentile Bootstrap UCL			80.88
3057					95% BCA Bootstrap UCL	83.05			95% Bootstrap t UCL			1121
3058					95% H-UCL (Log ROS)	12170						
3059												
3060	**Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution**											
3061					KM Mean (logged)	1.869			KM Geo Mean			6.481
3062					KM SD (logged)	1.508			95% Critical H Value (KM-Log)			5.91
3063					KM Standard Error of Mean (logged)	0.711			95% H-UCL (KM -Log)			1090
3064					KM SD (logged)	1.508			95% Critical H Value (KM-Log)			5.91
3065					KM Standard Error of Mean (logged)	0.711						
3066												
3067	**DL/2 Statistics**											
3068	**DL/2 Normal**						**DL/2 Log-Transformed**					
3069					Mean in Original Scale	29.72			Mean in Log Scale			1.748
3070					SD in Original Scale	63.87			SD in Log Scale			1.751
3071					95% t UCL (Assumes normality)	82.26			95% H-Stat UCL			5425
3072	**DL/2 is not a recommended method, provided for comparisons and historical reasons**											
3073												
3074	**Nonparametric Distribution Free UCL Statistics**											
3075	**Detected Data appear Gamma Distributed at 5% Significance Level**											
3076												
3077	**Suggested UCL to Use**											
3078					95% KM Bootstrap t UCL	N/A			Adjusted KM-UCL (use when k<=1 and 15 < n < 50 but k<=1)			557.4
3079												
3080	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
3081	Recommendations are based upon data size, data distribution, and skewness.											
3082	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
3083	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
3084												
3085	**Cyanide, Total**											
3086												
3087	**General Statistics**											
3088					Total Number of Observations	6			Number of Distinct Observations			2
3089					Number of Detects	0			Number of Non-Detects			6
3090					Number of Distinct Detects	0			Number of Distinct Non-Detects			2
3091												
3092	**Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!**											
3093	**Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!**											
3094	**The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).**											
3095												
3096	**The data set for variable Cyanide, Total was not processed!**											
3097												

	A	B	C	D	E	F	G	H	I	J	K	L
3098												

APPENDIX D

VOLATILIZATION FACTORS FOR A TRENCH SCENARIO

APPENDIX D
VOLITILIZATION FACTORS FOR TRENCH SCENARIO - CONSTRUCTION WORKER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
VRP PROJECT #20015

For Mass-Transfer Coefficients

Kg,H2O	0.833	cm/s
MWH2O	18	
Kl,O2	0.002	cm/s
MWO2	32	
T	**77**	F
T	298	K
R	8.20E-05	atm-m3/mol-K

For Emission Flux and Concentration in Trench

CF1	1.00E-03	L/cm3
CF2	1.00E+04	cm2/m2
CF3	3600	s/hr
F	**1**	
ACH	2	hr-1

Trench dimensions

Length	**8**	ft
	2.44	m
Width	**3**	ft
	0.91	m
Depth	**8**	ft
	2.44	m
Width/Depth	0.38	

Notes:

1 - **http://www.deq.state.va.us/Programs/LandProtectionRevitalization/RemediationProgram/VoluntaryRemediationProgram/VRPRiskAssessmentGuidance/Guidance.aspx#3.22; Table 3.8 Groundwater less then or equal to 15 feet deep.**

APPENDIX D
VOLITILIZATION FACTORS FOR TRENCH SCENARIO - CONSTRUCTION WORKER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
VRP PROJECT #20015

Table 3.8 Exposure-point concentrations (inhalation) for construction/utility workers in a trench: Groundwater less than 15 feet deep revised 10/5/07	CAS No.	Molecular Weight MWi g/mol	Henry's Law Constant Hi atm-m3/mol	Gas-Phase Mass Transfer Coefficient KiG cm/s	Liquid-Phase Mass Transfer Coefficient KiL cm/s	Overall Mass Transfer Coefficient Ki cm/s	Concentration of Contaminant in Groundwater Cgw ug/L	Volatilization Factor VF L/m3	Concentration of Contaminant in Trench Ctrench ug/m3	Concentration of Contaminant in Trench Ctrench mg/m3
TAL Inorganics										
Mercury	7439-97-6	200.59	1.14E-02	3.71E-01	7.99E-04	7.95E-04	5.00E-02	5.87E+00	2.93E-01	2.93E-04
TCL Volatile Organic Compounds (VOCs)										
Benzene	71-43-2	78.11	5.55E-03	5.09E-01	1.28E-03	1.27E-03	4.65E-01	9.35E+00	4.35E+00	4.35E-03
Chloroform	67-66-3	119.38	3.67E-03	4.42E-01	1.04E-03	1.02E-03	3.50E+00	7.53E+00	2.63E+01	2.63E-02
Dibromochloromethane	124-48-1	208.28	7.83E-04	3.67E-01	7.84E-04	7.35E-04	1.30E+00	5.43E+00	7.05E+00	7.05E-03
1,2-Dichlorobenzene (ortho)	95-50-1	147.00	1.90E-03	4.12E-01	9.33E-04	9.07E-04	3.70E+01	6.69E+00	2.48E+02	2.48E-01
1,4-Dichlorobenzene (para)	106-46-7	147.00	2.43E-03	4.12E-01	9.33E-04	9.12E-04	5.90E-01	6.74E+00	3.97E+00	3.97E-03
1,1-Dichloroethane	75-34-3	98.96	5.62E-03	4.71E-01	1.14E-03	1.13E-03	2.50E-01	8.31E+00	2.08E+00	2.08E-03
cis-1,2-Dichloroethene	156-59-2	96.94	4.08E-03	4.74E-01	1.15E-03	1.13E-03	1.75E+00	8.36E+00	1.46E+01	1.46E-02
Ethylbenzene	100-41-4	106.17	7.88E-03	4.60E-01	1.10E-03	1.09E-03	5.79E+00	8.05E+00	4.66E+01	4.66E-02
Tetrachloroethene	127-18-4	165.83	1.84E-02	3.96E-01	8.79E-04	8.76E-04	4.62E+00	6.47E+00	2.99E+01	2.99E-02
Trichloroethene	79-01-6	131.39	1.03E-02	4.28E-01	9.87E-04	9.82E-04	8.85E-01	7.25E+00	6.41E+00	6.41E-03
Vinyl Chloride	75-01-4	62.50	2.70E-02	5.49E-01	1.43E-03	1.43E-03	4.90E-01	1.05E+01	5.16E+00	5.16E-03
Total Xylenes	1330-20-7	106.16	5.18E-03	4.60E-01	1.10E-03	1.09E-03	2.31E+01	8.02E+00	1.85E+02	1.85E-01
TCL Semivolatile Organic Compounds (SVOCs)										
1,1'-Biphenyl	92-52-4	154.21	3.00E-04	4.06E-01	9.11E-04	7.70E-04	2.13E+00	5.69E+00	1.21E+01	1.21E-02
Dibenzofuran	132-64-9	168.19	1.26E-05	3.94E-01	8.72E-04	1.65E-04	1.50E+00	1.22E+00	1.82E+00	1.82E-03
2-Methylnaphthalene	91-57-6	142.20	5.18E-04	4.17E-01	9.49E-04	8.57E-04	2.86E+01	6.32E+00	1.81E+02	1.81E-01
Naphthalene	91-20-3	128.17	4.83E-04	4.32E-01	9.99E-04	8.95E-04	1.72E+01	6.60E+00	1.14E+02	1.14E-01

Notes:
1 - http://www.deq.state.va.us/Programs/LandProtectionRevitalization/RemediationProgram/VoluntaryRemediationProgram/VRPRiskAssessmentGuidance/Guidance.aspx#3.22; Table 3.8 Groundwater less then or equal to 15 feet deep.

APPENDIX E

RISK SPREADSHEETS

TABLE E-1A
CONSTITUENT-SPECIFIC FACTORS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

Contaminants of Concern	Constituent-Specific Information [1]										
	Soil EPC (mg/kg)	Soil VF (m^3/kg)	RBA (unitless)[2]	Dermal ABS (unitless)	Gastrointestinal Absorption Efficiency (unitless)	Oral RfD (mg/kg-day)	Derm RfD (mg/kg-day)	Inhal. RfC (mg/m^3)	Oral CSF $(mg/kg\text{-}day)^{-1}$	Derm CSF $(mg/kg\text{-}day)^{-1}$	IUR $(mg/m^3)^{-1}$
Benzo[a]anthracene	5.18	3.7E+06	1	0.13	1	NA	NA	NA	1.0E-01	1.0E-01	6.0E-02
Benzo[a]pyrene	4.01		1	0.13	1	3.0E-04	3.0E-04	2.0E-06	1.0E+00	1.0E+00	6.0E-01
Benzo[b]fluoranthene	3.79		1	0.13	1	NA	NA	NA	1.0E-01	1.0E-01	6.0E-02
Benzo[k]fluoranthene	1.36		1	0.13	1	NA	NA	NA	1.0E-02	1.0E-02	6.0E-03
Chrysene	9.45		1	0.13	1	NA	NA	NA	1.0E-03	1.0E-03	6.0E-04
Dibenz(a,h)anthracene	0.53		1	0.13	1	NA	NA	NA	1.0E+00	1.0E+00	6.0E-01
Indeno[1,2,3-cd]pyrene	1.93		1	0.13	1	NA	NA	NA	1.0E-01	1.0E-01	6.0E-02
Naphthalene	2.32	3.9E+04	1	0.13	1	2.0E-02	2.0E-02	3.0E-03	1.2E-01	1.2E-01	3.4E-02
1,1'-Biphenyl	0.036	9.5E+04	1		1	5.0E-01	5.0E-01	4.0E-04	8.0E-03	8.0E-03	NA
2-Methylnaphthalene	6.38	4.9E+04	1	0.13	1	4.0E-03	4.0E-03	NA	NA	NA	NA
Dibenzofuran	1.09	1.3E+05	1		1	1.0E-03	1.0E-03	NA	NA	NA	NA
PCB-1254	0.011	7.1E+05	1	0.14	1	2.0E-05	2.0E-05	NA	2.0E+00	2.0E+00	5.7E-01
PCB-1260	0.80	1.1E+06	1	0.14	1	NA	NA	NA	2.0E+00	2.0E+00	5.7E-01
Antimony	1.25		1		0.15	4.0E-04	6.0E-05	3.0E-04	NA	NA	NA
Arsenic			0.6	0.03	1	3.0E-04	3.0E-04	1.5E-05	1.5E+00	1.5E+00	4.3E+00
Cadmium	2.52		1	0.001	0.025	1.0E-03	2.5E-05	1.0E-05	NA	NA	1.8E+00
Cobalt	16.6		1		1	3.0E-04	3.0E-04	6.0E-06	NA	NA	9.0E+00
Copper	61.2		1		1	4.0E-02	4.0E-02	NA	NA	NA	NA
Iron	122924		1		1	7.0E-01	7.0E-01	NA	NA	NA	NA
Lead			1		1	NA	NA	NA	NA	NA	NA
Manganese	12518		1		0.04	2.4E-02	9.6E-04	5.0E-05	NA	NA	NA
Mercury	0.32	2.9E+04	1		1	1.6E-04	1.6E-04	3.0E-04	NA	NA	NA
Nickel	399		1		0.04	2.0E-02	8.0E-04	9.0E-05	NA	NA	2.6E-01
Thallium	0.11		1		1	1.0E-05	1.0E-05	NA	NA	NA	NA
Vanadium	217		1		0.026	9.0E-03	2.3E-04	7.0E-06	NA	NA	8.3E+00
Zinc	950		1		1	3.0E-01	3.0E-01	NA	NA	NA	NA
Cyanide, Total	2.30	4.5E+04	1		1	6.0E-04	6.0E-04	8.0E-04	NA	NA	NA

Notes:

1 - The source of the constituent-specific information presented in this table is described in Sections 3 and 4 of the report text.

2 - Relative Bioavailability Factor (RBA) that accounts for the differences in the bioavailability of a contaminant between the medium of exposure (e.g., soil) and the media associated with the toxicity value (e.g., the arsenic RfD and CSF are derived from drinking water studies). Based on USEPA (2021a) RSL User's Guide.

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE E-1B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	100	mg/day	AF	0.12	mg/cm^2-event
RECEPTOR:	**FUTURE OUTDOOR WORKER**	EF	250	days/year	ABS	See Table E-1A	unitless
		ED	25	years	EF	250	days/year
		FI	1	unitless	ED	25	years
		BW	80	kg	EV	1	events/day
		AT_{nc}	9125	days	SA	3527	cm^2
		AT_c	25550	days	BW	80	kg
					AT_{nc}	9125	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer (mg/kg-day)**	**Ingestion Intake Cancer (mg/kg-day)**	**HQ**	**ELCR**	**Absorbed Dose Noncancer (mg/kg-day)**	**Absorbed Dose Cancer (mg/kg-day)**	**HQ**	**ELCR**
Benzo[a]anthracene	4.4E-06	1.6E-06	NA	2E-07	2.4E-06	8.7E-07	NA	9E-08
Benzo[a]pyrene	3.4E-06	1.2E-06	1E-02	1E-06	1.9E-06	6.7E-07	6E-03	7E-07
Benzo[b]fluoranthene	3.2E-06	1.2E-06	NA	1E-07	1.8E-06	6.4E-07	NA	6E-08
Benzo[k]fluoranthene	1.2E-06	4.2E-07	NA	4E-09	6.4E-07	2.3E-07	NA	2E-09
Chrysene	8.1E-06	2.9E-06	NA	3E-09	4.5E-06	1.6E-06	NA	2E-09
Dibenz(a,h)anthracene	4.5E-07	1.6E-07	NA	2E-07	2.5E-07	8.8E-08	NA	9E-08
Indeno[1,2,3-cd]pyrene	1.6E-06	5.9E-07	NA	6E-08	9.1E-07	3.2E-07	NA	3E-08
Naphthalene	2.0E-06	7.1E-07	1E-04	9E-08	1.1E-06	3.9E-07	5E-05	5E-08
1,1'-Biphenyl	3.1E-08	1.1E-08	6E-08	9E-11	0.0E+00	0.0E+00	0E+00	0E+00
2-Methylnaphthalene	5.5E-06	1.9E-06	1E-03	NA	3.0E-06	1.1E-06	8E-04	NA
Dibenzofuran	9.4E-07	3.3E-07	9E-04	NA	0.0E+00	0.0E+00	0E+00	NA
PCB-1254	9.4E-09	3.4E-09	5E-04	7E-09	5.6E-09	2.0E-09	3E-04	4E-09
PCB-1260	6.9E-07	2.4E-07	NA	5E-07	4.1E-07	1.5E-07	NA	3E-07
Antimony	1.1E-06	3.8E-07	3E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Arsenic	0.0E+00	0.0E+00	0E+00	0E+00	0.0E+00	0.0E+00	0E+00	0E+00
Cadmium	2.2E-06	7.7E-07	2E-03	NA	9.1E-09	3.3E-09	4E-04	NA
Cobalt	1.4E-05	5.1E-06	5E-02	NA	0.0E+00	0.0E+00	0E+00	NA
Copper	5.2E-05	1.9E-05	1E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Iron	1.1E-01	3.8E-02	2E-01	NA	0.0E+00	0.0E+00	0E+00	NA

TABLE E-1B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	100	mg/day	AF	0.12	mg/cm^2-event
RECEPTOR:	**FUTURE OUTDOOR WORKER**	EF	250	days/year	ABS	See Table E-1A	unitless
		ED	25	years	EF	250	days/year
		FI	1	unitless	ED	25	years
		BW	80	kg	EV	1	events/day
		AT_{nc}	9125	days	SA	3527	cm^2
		AT_c	25550	days	BW	80	kg
					AT_{nc}	9125	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer (mg/kg-day)**	**Ingestion Intake Cancer (mg/kg-day)**	**HQ**	**ELCR**	**Absorbed Dose Noncancer (mg/kg-day)**	**Absorbed Dose Cancer (mg/kg-day)**	**HQ**	**ELCR**
Lead	0.0E+00	0.0E+00	NA	NA	0.0E+00	0.0E+00	NA	NA
Manganese	1.1E-02	3.8E-03	4E-01	NA	0.0E+00	0.0E+00	0E+00	NA
Mercury	2.7E-07	9.8E-08	2E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Nickel	3.4E-04	1.2E-04	2E-02	NA	0.0E+00	0.0E+00	0E+00	NA
Thallium	9.1E-08	3.2E-08	9E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Vanadium	1.9E-04	6.6E-05	2E-02	NA	0.0E+00	0.0E+00	0E+00	NA
Zinc	8.1E-04	2.9E-04	3E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Cyanide, Total	2.0E-06	7.0E-07	3E-03	NA	0.0E+00	0.0E+00	0E+00	NA
TOTAL			**7E-01**	**2E-06**			**8E-03**	**1E-06**

TABLE E-1C
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		FUGITIVE DUST INHALATION			INHALATION - VOLATILE EMISSIONS		
		PEF	1.32E+09	m^3/kg			
MEDIUM:	**SOIL**	EF	250	days/year	EF	250	days/year
RECEPTOR:	**FUTURE OUTDOOR WORKER**	ED	25	years	ED	25	years
		ET	8	hours/day	ET	8	hours/day
		AT_{nc}	219000	hours	AT_{nc}	219000	hours
		AT_c	613200	hours	AT_c	613200	hours

	Fugitive Dust Exposure				Volatile Emissions Exposure			
Contaminants of Concern	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**
Benzo[a]anthracene	9.0E-10	3.2E-10	NA	2E-11	3.2E-07	1.1E-07	NA	7E-09
Benzo[a]pyrene	6.9E-10	2.5E-10	3E-04	1E-10	NA	NA	NA	NA
Benzo[b]fluoranthene	6.6E-10	2.3E-10	NA	1E-11	NA	NA	NA	NA
Benzo[k]fluoranthene	2.4E-10	8.4E-11	NA	5E-13	NA	NA	NA	NA
Chrysene	1.6E-09	5.9E-10	NA	4E-13	NA	NA	NA	NA
Dibenz(a,h)anthracene	9.1E-11	3.3E-11	NA	2E-11	NA	NA	NA	NA
Indeno[1,2,3-cd]pyrene	3.3E-10	1.2E-10	NA	7E-12	NA	NA	NA	NA
Naphthalene	4.0E-10	1.4E-10	1E-07	5E-12	1.4E-05	4.9E-06	5E-03	2E-07
1,1'-Biphenyl	6.3E-12	2.2E-12	2E-08	NA	8.6E-08	3.1E-08	2E-04	NA
2-Methylnaphthalene	1.1E-09	4.0E-10	NA	NA	3.0E-05	1.1E-05	NA	NA
Dibenzofuran	1.9E-10	6.8E-11	NA	NA	1.9E-06	6.8E-07	NA	NA
PCB-1254	1.9E-12	6.8E-13	NA	4E-13	3.6E-09	1.3E-09	NA	7E-10
PCB-1260	1.4E-10	5.0E-11	NA	3E-11	1.7E-07	5.9E-08	NA	3E-08
Antimony	2.2E-10	7.7E-11	7E-07	NA	NA	NA	NA	NA
Arsenic	0.0E+00	0.0E+00	0E+00	0E+00	NA	NA	NA	NA
Cadmium	4.4E-10	1.6E-10	4E-05	3E-10	NA	NA	NA	NA
Cobalt	2.9E-09	1.0E-09	5E-04	9E-09	NA	NA	NA	NA
Copper	1.1E-08	3.8E-09	NA	NA	NA	NA	NA	NA
Iron	2.1E-05	7.6E-06	NA	NA	NA	NA	NA	NA
Lead	0.0E+00	0.0E+00	NA	NA	NA	NA	NA	NA
Manganese	2.2E-06	7.8E-07	4E-02	NA	NA	NA	NA	NA
Mercury	5.5E-11	2.0E-11	2E-07	NA	2.5E-06	9.0E-07	8E-03	NA

TABLE E-1C
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		FUGITIVE DUST INHALATION			INHALATION - VOLATILE EMISSIONS		
		PEF	1.32E+09	m^3/kg			
MEDIUM:	**SOIL**	EF	250	days/year	EF	250	days/year
RECEPTOR:	**FUTURE OUTDOOR WORKER**	ED	25	years	ED	25	years
		ET	8	hours/day	ET	8	hours/day
		AT_{nc}	219000	hours	AT_{nc}	219000	hours
		AT_c	613200	hours	AT_c	613200	hours

	Fugitive Dust Exposure				Volatile Emissions Exposure			
Contaminants of Concern	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**
Nickel	6.9E-08	2.5E-08	8E-04	6E-09	NA	NA	NA	NA
Thallium	1.8E-11	6.6E-12	NA	NA	NA	NA	NA	NA
Vanadium	3.8E-08	1.3E-08	5E-03	1E-07	NA	NA	NA	NA
Zinc	1.6E-07	5.9E-08	NA	NA	NA	NA	NA	NA
Cyanide, Total	4.0E-10	1.4E-10	5E-07	NA	1.2E-05	4.2E-06	1E-02	NA
TOTAL			**5E-02**	**1E-07**			**3E-02**	**2E-07**

TABLE E-1D
SUMMARY OF HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
FUTURE OUTDOOR WORKER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

	CONSTITUENT AND PATHWAY SPECIFIC HQS					CONSTITUENT AND PATHWAY SPECIFIC CANCER RISK				
Contaminants of Concern	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**TOTAL HAZARD INDEX**	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**TOTAL CANCER RISK**
Benzo[a]anthracene	NA	NA	NA	NA	**0E+00**	2E-07	9E-08	2E-11	7E-09	**3E-07**
Benzo[a]pyrene	1E-02	6E-03	3E-04	NA	**2E-02**	1E-06	7E-07	1E-10	NA	**2E-06**
Benzo[b]fluoranthene	NA	NA	NA	NA	**0E+00**	1E-07	6E-08	1E-11	NA	**2E-07**
Benzo[k]fluoranthene	NA	NA	NA	NA	**0E+00**	4E-09	2E-09	5E-13	NA	**6E-09**
Chrysene	NA	NA	NA	NA	**0E+00**	3E-09	2E-09	4E-13	NA	**4E-09**
Dibenz(a,h)anthracene	NA	NA	NA	NA	**0E+00**	2E-07	9E-08	2E-11	NA	**2E-07**
Indeno[1,2,3-cd]pyrene	NA	NA	NA	NA	**0E+00**	6E-08	3E-08	7E-12	NA	**9E-08**
Naphthalene	1E-04	5E-05	1E-07	5E-03	**5E-03**	9E-08	5E-08	5E-12	2E-07	**3E-07**
1,1'-Biphenyl	6E-08	0E+00	2E-08	2E-04	**2E-04**	9E-11	0E+00	NA	NA	**9E-11**
2-Methylnaphthalene	1E-03	8E-04	NA	NA	**2E-03**	NA	NA	NA	NA	**0E+00**
Dibenzofuran	9E-04	0E+00	NA	NA	**9E-04**	NA	NA	NA	NA	**0E+00**
PCB-1254	5E-04	3E-04	NA	NA	**7E-04**	7E-09	4E-09	4E-13	7E-10	**1E-08**
PCB-1260	NA	NA	NA	NA	**0E+00**	5E-07	3E-07	3E-11	3E-08	**8E-07**
Antimony	3E-03	0E+00	7E-07	NA	**3E-03**	NA	NA	NA	NA	**0E+00**
Arsenic	0E+00	0E+00	0E+00	NA	**0E+00**	0E+00	0E+00	0E+00	NA	**0E+00**
Cadmium	2E-03	4E-04	4E-05	NA	**3E-03**	NA	NA	3E-10	NA	**3E-10**
Cobalt	5E-02	0E+00	5E-04	NA	**5E-02**	NA	NA	9E-09	NA	**9E-09**
Copper	1E-03	0E+00	NA	NA	**1E-03**	NA	NA	NA	NA	**0E+00**
Iron	2E-01	0E+00	NA	NA	**2E-01**	NA	NA	NA	NA	**0E+00**
Lead	NA	NA	NA	NA	**0E+00**	NA	NA	NA	NA	**0E+00**
Manganese	4E-01	0E+00	4E-02	NA	**5E-01**	NA	NA	NA	NA	**0E+00**
Mercury	2E-03	0E+00	2E-07	8E-03	**1E-02**	NA	NA	NA	NA	**0E+00**
Nickel	2E-02	0E+00	8E-04	NA	**2E-02**	NA	NA	6E-09	NA	**6E-09**
Thallium	9E-03	0E+00	NA	NA	**9E-03**	NA	NA	NA	NA	**0E+00**
Vanadium	2E-02	0E+00	5E-03	NA	**3E-02**	NA	NA	1E-07	NA	**1E-07**
Zinc	3E-03	0E+00	NA	NA	**3E-03**	NA	NA	NA	NA	**0E+00**
Cyanide, Total	3E-03	0E+00	5E-07	1E-02	**2E-02**	NA	NA	NA	NA	**0E+00**
TOTAL					**8E-01**					**4E-06**

TABLE E-2A
CONSTITUENT-SPECIFIC FACTORS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

Contaminants of Concern	Constituent-Specific Information [1]										
	Soil EPC (mg/kg)	Soil VF (m^3/kg)	RBA (unitless)[2]	Dermal ABS (unitless)	Gastrointestinal Absorption Efficiency (unitless)	Oral RfD (mg/kg-day)	Derm RfD (mg/kg-day)	Inhal. RfC (mg/m^3)	Oral CSF $(mg/kg\text{-}day)^{-1}$	Derm CSF $(mg/kg\text{-}day)^{-1}$	IUR $(mg/m^3)^{-1}$
Benzo[a]anthracene	5.18	3.7E+06	1	0.13	1	NA	NA	NA	*3.0E-01*	*3.0E-01*	*1.8E-01*
Benzo[a]pyrene	4.01		1	0.13	1	3.0E-04	3.0E-04	2.0E-06	*3.0E+00*	*3.0E+00*	*1.8E+00*
Benzo[b]fluoranthene	3.79		1	0.13	1	NA	NA	NA	*3.0E-01*	*3.0E-01*	*1.8E-01*
Benzo[k]fluoranthene	1.36		1	0.13	1	NA	NA	NA	*3.0E-02*	*3.0E-02*	*1.8E-02*
Chrysene	9.45		1	0.13	1	NA	NA	NA	*3.0E-03*	*3.0E-03*	*1.8E-03*
Dibenz(a,h)anthracene	0.53		1	0.13	1	NA	NA	NA	*3.0E+00*	*3.0E+00*	*1.8E+00*
Indeno[1,2,3-cd]pyrene	1.93		1	0.13	1	NA	NA	NA	*3.0E-01*	*3.0E-01*	*1.8E-01*
Naphthalene	2.32	3.9E+04	1	0.13	1	2.0E-02	2.0E-02	3.0E-03	1.2E-01	1.2E-01	3.4E-02
1,1'-Biphenyl	0.036	9.5E+04	1		1	5.0E-01	5.0E-01	4.0E-04	8.0E-03	8.0E-03	NA
2-Methylnaphthalene	6.38	4.9E+04	1	0.13	1	4.0E-03	4.0E-03	NA	NA	NA	NA
Dibenzofuran	1.09	1.3E+05	1		1	1.0E-03	1.0E-03	NA	NA	NA	NA
PCB-1254	0.011	7.1E+05	1	0.14	1	2.0E-05	2.0E-05	NA	2.0E+00	2.0E+00	5.7E-01
PCB-1260	0.80	1.1E+06	1	0.14	1	NA	NA	NA	2.0E+00	2.0E+00	5.7E-01
Antimony	1.25		1		0.15	4.0E-04	6.0E-05	3.0E-04	NA	NA	NA
Arsenic			0.6	0.03	1	3.0E-04	3.0E-04	1.5E-05	1.5E+00	1.5E+00	4.3E+00
Cadmium	2.52		1	0.001	0.025	1.0E-03	2.5E-05	1.0E-05	NA	NA	1.8E+00
Cobalt	16.6		1		1	3.0E-04	3.0E-04	6.0E-06	NA	NA	9.0E+00
Copper	61.2		1		1	4.0E-02	4.0E-02	NA	NA	NA	NA
Iron	122924		1		1	7.0E-01	7.0E-01	NA	NA	NA	NA
Lead			1		1	NA	NA	NA	NA	NA	NA
Manganese	12518		1		0.04	2.4E-02	9.6E-04	5.0E-05	NA	NA	NA
Mercury	0.32	2.9E+04	1		1	1.6E-04	1.6E-04	3.0E-04	NA	NA	NA
Nickel	399		1		0.04	2.0E-02	8.0E-04	9.0E-05	NA	NA	2.6E-01
Thallium	0.11		1		1	1.0E-05	1.0E-05	NA	NA	NA	NA
Vanadium	217		1		0.026	9.0E-03	2.3E-04	7.0E-06	NA	NA	8.3E+00
Zinc	950		1		1	3.0E-01	3.0E-01	NA	NA	NA	NA
Cyanide, Total	2.30	4.5E+04	1		1	6.0E-04	6.0E-04	8.0E-04	NA	NA	NA

Notes:

Red italics indicate the CSF/IUR has been increased by a factor of 3 to account for mutagenic modes of action.

1 - The source of the constituent-specific information presented in this table is described in Sections 3 and 4 of the report text.

2 - Relative Bioavailability Factor (RBA) that accounts for the differences in the bioavailability of a contaminant between the medium of exposure (e.g., soil) and the media associated with the toxicity value (e.g., the arsenic RfD and CSF are derived from drinking water studies). Based on USEPA (2021a) RSL User's Guide.

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE E-2B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	100	mg/day	AF	0.04	mg/cm^2-event
RECEPTOR:	**YOUTH TRESPASSER**	EF	30	days/year	ABS	See Table E-2A	unitless
		ED	5	years	EF	30	days/year
		FI	1	unitless	ED	5	years
		BW	56.8	kg	EV	1	events/day
		AT_{nc}	1825	days	SA	11083	cm^2
		AT_c	25550	days	BW	56.8	kg
					AT_{nc}	1825	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer (mg/kg-day)**	**Ingestion Intake Cancer (mg/kg-day)**	**HQ**	**ELCR**	**Absorbed Dose Noncancer (mg/kg-day)**	**Absorbed Dose Cancer (mg/kg-day)**	**HQ**	**ELCR**
Benzo[a]anthracene	7.5E-07	5.4E-08	NA	2E-08	4.3E-07	3.1E-08	NA	9E-09
Benzo[a]pyrene	5.8E-07	4.1E-08	2E-03	1E-07	3.3E-07	2.4E-08	1E-03	7E-08
Benzo[b]fluoranthene	5.5E-07	3.9E-08	NA	1E-08	3.2E-07	2.3E-08	NA	7E-09
Benzo[k]fluoranthene	2.0E-07	1.4E-08	NA	4E-10	1.1E-07	8.1E-09	NA	2E-10
Chrysene	1.4E-06	9.8E-08	NA	3E-10	7.9E-07	5.6E-08	NA	2E-10
Dibenz(a,h)anthracene	7.6E-08	5.4E-09	NA	2E-08	4.4E-08	3.1E-09	NA	9E-09
Indeno[1,2,3-cd]pyrene	2.8E-07	2.0E-08	NA	6E-09	1.6E-07	1.1E-08	NA	3E-09
Naphthalene	3.4E-07	2.4E-08	2E-05	3E-09	1.9E-07	1.4E-08	1E-05	2E-09
1,1'-Biphenyl	5.2E-09	3.7E-10	1E-08	3E-12	0.0E+00	0.0E+00	0E+00	0E+00
2-Methylnaphthalene	9.2E-07	6.6E-08	2E-04	NA	5.3E-07	3.8E-08	1E-04	NA
Dibenzofuran	1.6E-07	1.1E-08	2E-04	NA	0.0E+00	0.0E+00	0E+00	NA
PCB-1254	1.6E-09	1.1E-10	8E-05	2E-10	9.9E-10	7.1E-11	5E-05	1E-10
PCB-1260	1.2E-07	8.3E-09	NA	2E-08	7.2E-08	5.1E-09	NA	1E-08
Antimony	1.8E-07	1.3E-08	5E-04	NA	0.0E+00	0.0E+00	0E+00	NA
Arsenic	0.0E+00	0.0E+00	0E+00	0E+00	0.0E+00	0.0E+00	0E+00	0E+00
Cadmium	3.7E-07	2.6E-08	4E-04	NA	1.6E-09	1.2E-10	6E-05	NA
Cobalt	2.4E-06	1.7E-07	8E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Copper	8.9E-06	6.3E-07	2E-04	NA	0.0E+00	0.0E+00	0E+00	NA
Iron	1.8E-02	1.3E-03	3E-02	NA	0.0E+00	0.0E+00	0E+00	NA

TABLE E-2B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	100	mg/day	AF	0.04	mg/cm^2-event
RECEPTOR:	**YOUTH TRESPASSER**	EF	30	days/year	ABS	See Table E-2A	unitless
		ED	5	years	EF	30	days/year
		FI	1	unitless	ED	5	years
		BW	56.8	kg	EV	1	events/day
		AT_{nc}	1825	days	SA	11083	cm^2
		AT_c	25550	days	BW	56.8	kg
					AT_{nc}	1825	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer (mg/kg-day)**	**Ingestion Intake Cancer (mg/kg-day)**	**HQ**	**ELCR**	**Absorbed Dose Noncancer (mg/kg-day)**	**Absorbed Dose Cancer (mg/kg-day)**	**HQ**	**ELCR**
Lead	0.0E+00	0.0E+00	NA	NA	0.0E+00	0.0E+00	NA	NA
Manganese	1.8E-03	1.3E-04	8E-02	NA	0.0E+00	0.0E+00	0E+00	NA
Mercury	4.6E-08	3.3E-09	3E-04	NA	0.0E+00	0.0E+00	0E+00	NA
Nickel	5.8E-05	4.1E-06	3E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Thallium	1.5E-08	1.1E-09	2E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Vanadium	3.1E-05	2.2E-06	3E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Zinc	1.4E-04	9.8E-06	5E-04	NA	0.0E+00	0.0E+00	0E+00	NA
Cyanide, Total	3.3E-07	2.4E-08	6E-04	NA	0.0E+00	0.0E+00	0E+00	NA
TOTAL			**1E-01**	**2E-07**			**1E-03**	**1E-07**

TABLE E-2C
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		FUGITIVE DUST INHALATION			INHALATION - VOLATILE EMISSIONS		
		PEF	1.32E+09	m^3/kg			
MEDIUM:	**SOIL**	EF	30	days/year	EF	30	days/year
RECEPTOR:	**YOUTH TRESPASSER**	ED	5	years	ED	5	years
		ET	2	hours/day	ET	2	hours/day
		AT_{nc}	43800	hours	AT_{nc}	43800	hours
		AT_c	613200	hours	AT_c	613200	hours

	Fugitive Dust Exposure				Volatile Emissions Exposure			
Contaminants of Concern	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**
Benzo[a]anthracene	2.7E-11	1.9E-12	NA	3E-13	9.6E-09	6.9E-10	NA	1E-10
Benzo[a]pyrene	2.1E-11	1.5E-12	1E-05	3E-12	NA	NA	NA	NA
Benzo[b]fluoranthene	2.0E-11	1.4E-12	NA	3E-13	NA	NA	NA	NA
Benzo[k]fluoranthene	7.1E-12	5.1E-13	NA	9E-15	NA	NA	NA	NA
Chrysene	4.9E-11	3.5E-12	NA	6E-15	NA	NA	NA	NA
Dibenz(a,h)anthracene	2.7E-12	2.0E-13	NA	4E-13	NA	NA	NA	NA
Indeno[1,2,3-cd]pyrene	1.0E-11	7.2E-13	NA	1E-13	NA	NA	NA	NA
Naphthalene	1.2E-11	8.6E-13	4E-09	3E-14	4.1E-07	2.9E-08	1E-04	1E-09
1,1'-Biphenyl	1.9E-13	1.3E-14	5E-10	NA	2.6E-09	1.9E-10	6E-06	NA
2-Methylnaphthalene	3.3E-11	2.4E-12	NA	NA	9.0E-07	6.4E-08	NA	NA
Dibenzofuran	5.7E-12	4.1E-13	NA	NA	5.7E-08	4.1E-09	NA	NA
PCB-1254	5.7E-14	4.1E-15	NA	2E-15	1.1E-10	7.6E-12	NA	4E-12
PCB-1260	4.2E-12	3.0E-13	NA	2E-13	5.0E-09	3.6E-10	NA	2E-10
Antimony	6.5E-12	4.6E-13	2E-08	NA	NA	NA	NA	NA
Arsenic	0.0E+00	0.0E+00	0E+00	0E+00	NA	NA	NA	NA
Cadmium	1.3E-11	9.4E-13	1E-06	2E-12	NA	NA	NA	NA
Cobalt	8.6E-11	6.2E-12	1E-05	6E-11	NA	NA	NA	NA
Copper	3.2E-10	2.3E-11	NA	NA	NA	NA	NA	NA
Iron	6.4E-07	4.6E-08	NA	NA	NA	NA	NA	NA
Lead	0.0E+00	0.0E+00	NA	NA	NA	NA	NA	NA
Manganese	6.5E-08	4.7E-09	1E-03	NA	NA	NA	NA	NA
Mercury	1.7E-12	1.2E-13	6E-09	NA	7.5E-08	5.4E-09	3E-04	NA

TABLE E-2C
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		FUGITIVE DUST INHALATION			INHALATION - VOLATILE EMISSIONS		
		PEF	1.32E+09	m^3/kg			
MEDIUM:	**SOIL**	EF	30	days/year	EF	30	days/year
RECEPTOR:	**YOUTH TRESPASSER**	ED	5	years	ED	5	years
		ET	2	hours/day	ET	2	hours/day
		AT_{nc}	43800	hours	AT_{nc}	43800	hours
		AT_c	613200	hours	AT_c	613200	hours

	Fugitive Dust Exposure				Volatile Emissions Exposure			
Contaminants of Concern	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**
Nickel	2.1E-09	1.5E-10	2E-05	4E-11	NA	NA	NA	NA
Thallium	5.5E-13	3.9E-14	NA	NA	NA	NA	NA	NA
Vanadium	1.1E-09	8.1E-11	2E-04	7E-10	NA	NA	NA	NA
Zinc	4.9E-09	3.5E-10	NA	NA	NA	NA	NA	NA
Cyanide, Total	1.2E-11	8.5E-13	1E-08	NA	3.5E-07	2.5E-08	4E-04	NA
TOTAL			**2E-03**	**8E-10**			**8E-04**	**1E-09**

TABLE E-2D
SUMMARY OF HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
YOUTH TRESPASSER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

	CONSTITUENT AND PATHWAY SPECIFIC HQS					CONSTITUENT AND PATHWAY SPECIFIC CANCER RISK				
Contaminants of Concern	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**TOTAL HAZARD INDEX**	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**TOTAL CANCER RISK**
Benzo[a]anthracene	NA	NA	NA	NA	**0E+00**	2E-08	9E-09	3E-13	1E-10	**3E-08**
Benzo[a]pyrene	2E-03	1E-03	1E-05	NA	**3E-03**	1E-07	7E-08	3E-12	NA	**2E-07**
Benzo[b]fluoranthene	NA	NA	NA	NA	**0E+00**	1E-08	7E-09	3E-13	NA	**2E-08**
Benzo[k]fluoranthene	NA	NA	NA	NA	**0E+00**	4E-10	2E-10	9E-15	NA	**7E-10**
Chrysene	NA	NA	NA	NA	**0E+00**	3E-10	2E-10	6E-15	NA	**5E-10**
Dibenz(a,h)anthracene	NA	NA	NA	NA	**0E+00**	2E-08	9E-09	4E-13	NA	**3E-08**
Indeno[1,2,3-cd]pyrene	NA	NA	NA	NA	**0E+00**	6E-09	3E-09	1E-13	NA	**9E-09**
Naphthalene	2E-05	1E-05	4E-09	1E-04	**2E-04**	3E-09	2E-09	3E-14	1E-09	**6E-09**
1,1'-Biphenyl	1E-08	0E+00	5E-10	6E-06	**6E-06**	3E-12	0E+00	NA	NA	**3E-12**
2-Methylnaphthalene	2E-04	1E-04	NA	NA	**4E-04**	NA	NA	NA	NA	**0E+00**
Dibenzofuran	2E-04	0E+00	NA	NA	**2E-04**	NA	NA	NA	NA	**0E+00**
PCB-1254	8E-05	5E-05	NA	NA	**1E-04**	2E-10	1E-10	2E-15	4E-12	**4E-10**
PCB-1260	NA	NA	NA	NA	**0E+00**	2E-08	1E-08	2E-13	2E-10	**3E-08**
Antimony	5E-04	0E+00	2E-08	NA	**5E-04**	NA	NA	NA	NA	**0E+00**
Arsenic	0E+00	0E+00	0E+00	NA	**0E+00**	0E+00	0E+00	0E+00	NA	**0E+00**
Cadmium	4E-04	6E-05	1E-06	NA	**4E-04**	NA	NA	2E-12	NA	**2E-12**
Cobalt	8E-03	0E+00	1E-05	NA	**8E-03**	NA	NA	6E-11	NA	**6E-11**
Copper	2E-04	0E+00	NA	NA	**2E-04**	NA	NA	NA	NA	**0E+00**
Iron	3E-02	0E+00	NA	NA	**3E-02**	NA	NA	NA	NA	**0E+00**
Lead	NA	NA	NA	NA	**0E+00**	NA	NA	NA	NA	**0E+00**
Manganese	8E-02	0E+00	1E-03	NA	**8E-02**	NA	NA	NA	NA	**0E+00**
Mercury	3E-04	0E+00	6E-09	3E-04	**5E-04**	NA	NA	NA	NA	**0E+00**
Nickel	3E-03	0E+00	2E-05	NA	**3E-03**	NA	NA	4E-11	NA	**4E-11**
Thallium	2E-03	0E+00	NA	NA	**2E-03**	NA	NA	NA	NA	**0E+00**
Vanadium	3E-03	0E+00	2E-04	NA	**4E-03**	NA	NA	7E-10	NA	**7E-10**
Zinc	5E-04	0E+00	NA	NA	**5E-04**	NA	NA	NA	NA	**0E+00**
Cyanide, Total	6E-04	0E+00	1E-08	4E-04	**1E-03**	NA	NA	NA	NA	**0E+00**
TOTAL					**1E-01**					**3E-07**

TABLE E-3A
CONSTITUENT-SPECIFIC FACTORS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

	Constituent-Specific Information [1]												
Contaminants of Concern	Soil EPC (mg/kg)	Soil VF (m^3/kg)	Groundwater EPC (ug/L)	Ambient Air EPC (Trench) mg/m^3	RBA (unitless)[2]	Dermal ABS (unitless)	Gastrointestinal Absorption Efficiency (unitless)	Oral RfD (mg/kg-day)	Derm RfD (mg/kg-day)	Inhal. RfC (mg/m^3)	Oral CSF $(mg/kg\text{-}day)^{-1}$	Derm CSF $(mg/kg\text{-}day)^{-1}$	IUR $(mg/m^3)^{-1}$
1,1-Dichloroethane			0.25	2.1E-03	1		1	2.0E+00	2.0E+00	NA	5.7E-03	5.7E-03	1.6E-03
1,2-Dichlorobenzene			37	2.5E-01	1		1	6.0E-01	6.0E-01	2.0E+00	NA	NA	NA
cis-1,2-Dichloroethene			1.75	1.5E-02	1		1	2.0E-02	2.0E-02	NA	NA	NA	NA
1,4-Dichlorobenzene			0.59	4.0E-03	1		1	7.0E-02	7.0E-02	1.2E+00	5.4E-03	5.4E-03	1.1E-02
Benzene			0.47	4.3E-03	1		1	1.0E-02	1.0E-02	8.0E-02	5.5E-02	5.5E-02	7.8E-03
Chloroform			3.50	2.6E-02	1		1	1.0E-01	1.0E-01	2.4E-01	3.1E-02	3.1E-02	2.3E-02
Dichlorobromomethane			1.30	7.1E-03	1		1	8.0E-03	8.0E-03	NA	6.2E-02	6.2E-02	3.7E-02
Ethylbenzene			5.79	4.7E-02	1		1	5.0E-02	5.0E-02	9.0E+00	1.1E-02	1.1E-02	2.5E-03
Tetrachloroethene			4.62	3.0E-02	1		1	8.0E-03	8.0E-03	4.1E-02	2.1E-03	2.1E-03	2.6E-04
Trichloroethene			0.89	6.4E-03	1		1	5.0E-04	5.0E-04	2.2E-03	4.6E-02	4.6E-02	4.1E-03
Vinyl chloride			0.49	5.2E-03	1		1	3.0E-03	3.0E-03	7.7E-02	7.2E-01	7.2E-01	4.4E-03
Xylenes, Total			23.1	1.9E-01	1		1	4.0E-01	4.0E-01	4.0E-01	NA	NA	NA
1,1'-Biphenyl	0.033	2.5E+04	2.13	1.2E-02	1		1	1.0E-01	1.0E-01	4.0E-03	8.0E-03	8.0E-03	NA
2-Methylnaphthalene	5.67	1.3E+04	28.6	1.8E-01	1	0.13	1	4.0E-03	4.0E-03	NA	NA	NA	NA
Benzo[a]anthracene	3.00	9.6E+05			1	0.13	1	NA	NA	NA	1.0E-01	1.0E-01	6.0E-02
Benzo(a)pyrene	2.32				1	0.13	1	3.0E-04	3.0E-04	2.0E-06	1.0E+00	1.0E+00	6.0E-01
Benzo[b]fluoranthene	3.09				1	0.13	1	NA	NA	NA	1.0E-01	1.0E-01	6.0E-02
Benzo[k]fluoranthene	1.63				1	0.13	1	NA	NA	NA	1.0E-02	1.0E-02	6.0E-03
Chrysene	5.28				1	0.13	1	NA	NA	NA	1.0E-03	1.0E-03	6.0E-04
Dibenz(a,h)anthracene	0.49				1	0.13	1	NA	NA	NA	1.0E+00	1.0E+00	6.0E-01
Indeno[1,2,3-cd]pyrene	1.94				1	0.13	1	NA	NA	NA	1.0E-01	1.0E-01	6.0E-02
Naphthalene	5.91	1.0E+04	17.2	1.1E-01	1	0.13	1	6.0E-01	6.0E-01	3.0E-03	1.2E-01	1.2E-01	3.4E-02
Bis(2-ethylhexyl) phthalate			1.60		1	0.10	1	2.0E-02	2.0E-02	NA	1.4E-02	1.4E-02	2.4E-03
Dibenzofuran	0.97	3.4E+04	1.50	1.8E-03	1		1	4.0E-03	4.0E-03	NA	NA	NA	NA
PCB-1254	0.043	1.8E+05			1	0.14	1	3.0E-05	3.0E-05	NA	2.0E+00	2.0E+00	5.7E-01
PCB-1260	0.44	2.9E+05			1	0.14	1	NA	NA	NA	2.0E+00	2.0E+00	5.7E-01
Aluminum			920		1		1	1.0E+00	1.0E+00	5.0E-03	NA	NA	NA
Antimony	1.22		0.12		1		0.15	4.0E-04	6.0E-05	1.0E-03	NA	NA	NA
Arsenic			1.63		0.6	0.03	1	3.0E-04	3.0E-04	1.5E-05	1.5E+00	1.5E+00	4.3E+00
Cadmium	2.26		0.84		1	0.001	0.025	5.0E-04	1.3E-05	1.0E-05	NA	NA	1.8E+00
Cobalt	9.47		98		1		1	3.0E-03	3.0E-03	2.0E-05	NA	NA	9.0E+00
Copper	60.7		1.98		1		1	1.0E-02	1.0E-02	NA	NA	NA	NA
Iron	114702		30,013		1		1	7.0E-01	7.0E-01	NA	NA	NA	NA
Lead					1		1	NA	NA	NA	NA	NA	NA
Manganese	11,422		15010		1		0.04	2.4E-02	9.6E-04	5.0E-05	NA	NA	NA
Mercury	0.29	7.5E+03	0.050	2.9E-04	1		1	1.6E-04	1.6E-04	3.0E-04	NA	NA	NA
Nickel	353		59.8		1		0.04	2.0E-02	8.0E-04	2.0E-04	NA	NA	2.6E-01
Selenium			9.62		1		1	5.0E-03	5.0E-03	2.0E-02	NA	NA	NA
Thallium	0.13		0.11		1		1	4.0E-05	4.0E-05	NA	NA	NA	NA
Vanadium	195		3.57		1		0.026	7.0E-04	1.8E-05	1.0E-04	NA	NA	8.3E+00
Zinc	852		160		1		1	3.0E-01	3.0E-01	NA	NA	NA	NA
Cyanide, Total	2.21	1.2E+04			1		1	2.0E-02	2.0E-02	8.0E-04	NA	NA	NA

Notes:

1 - The source of the constituent-specific information presented in this table is described in Sections 3 and 4 of the report text.

2 - Relative Bioavailability Factor (RBA) that accounts for the differences in the bioavailability of a contaminant between the medium of exposure (e.g., soil) and the media associated with the toxicity value (e.g., the arsenic RfD and CSF are derived from drinking water studies). Based on USEPA (2021a) RSL User's Guide.

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE E-3B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	330	mg/day	AF	0.3	mg/cm^2-event
RECEPTOR:	**FUTURE CONSTRUCTION WORKER**	EF	250	days/year	ABS	See Table E-3A	unitless
		ED	1	years	EF	250	days/year
		FI	1	unitless	ED	1	years
		BW	80	kg	EV	1	events/day
		AT_{nc}	365	days	SA	3527	cm^2
		AT_c	25550	days	BW	80	kg
					AT_{nc}	365	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer**	**Ingestion Intake Cancer**	**HQ**	**ELCR**	**Absorbed Dose Noncancer**	**Absorbed Dose Cancer**	**HQ**	**ELCR**
1,1'-Biphenyl	9.2E-08	1.3E-09	9E-07	1E-11	0.0E+00	0.0E+00	0E+00	0E+00
2-Methylnaphthalene	1.6E-05	2.3E-07	4E-03	NA	6.7E-06	9.5E-08	2E-03	NA
Benzo[a]anthracene	8.5E-06	1.2E-07	NA	1E-08	3.5E-06	5.0E-08	NA	5E-09
Benzo(a)pyrene	6.5E-06	9.3E-08	2E-02	9E-08	2.7E-06	3.9E-08	9E-03	4E-08
Benzo[b]fluoranthene	8.7E-06	1.2E-07	NA	1E-08	3.6E-06	5.2E-08	NA	5E-09
Benzo[k]fluoranthene	4.6E-06	6.6E-08	NA	7E-10	1.9E-06	2.7E-08	NA	3E-10
Chrysene	1.5E-05	2.1E-07	NA	2E-10	6.2E-06	8.9E-08	NA	9E-11
Dibenz(a,h)anthracene	1.4E-06	2.0E-08	NA	2E-08	5.8E-07	8.3E-09	NA	8E-09
Indeno[1,2,3-cd]pyrene	5.5E-06	7.8E-08	NA	8E-09	2.3E-06	3.3E-08	NA	3E-09
Naphthalene	1.7E-05	2.4E-07	3E-05	3E-08	7.0E-06	9.9E-08	1E-05	1E-08
Dibenzofuran	2.7E-06	3.9E-08	7E-04	NA	0.0E+00	0.0E+00	0E+00	NA
PCB-1254	1.2E-07	1.7E-09	4E-03	3E-09	5.5E-08	7.8E-10	2E-03	2E-09
PCB-1260	1.3E-06	1.8E-08	NA	4E-08	5.6E-07	8.0E-09	NA	2E-08
Antimony	3.5E-06	4.9E-08	9E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Cadmium	6.4E-06	9.1E-08	1E-02	NA	2.0E-08	2.9E-10	2E-03	NA
Cobalt	2.7E-05	3.8E-07	9E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Copper	1.7E-04	2.4E-06	2E-02	NA	0.0E+00	0.0E+00	0E+00	NA

TABLE E-3B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	330	mg/day	AF	0.3	mg/cm^2-event
RECEPTOR:	**FUTURE CONSTRUCTION WORKER**	EF	250	days/year	ABS	See Table E-3A	unitless
		ED	1	years	EF	250	days/year
		FI	1	unitless	ED	1	years
		BW	80	kg	EV	1	events/day
		AT_{nc}	365	days	SA	3527	cm^2
		AT_c	25550	days	BW	80	kg
					AT_{nc}	365	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer**	**Ingestion Intake Cancer**	**HQ**	**ELCR**	**Absorbed Dose Noncancer**	**Absorbed Dose Cancer**	**HQ**	**ELCR**
Iron	3.2E-01	4.6E-03	5E-01	NA	0.0E+00	0.0E+00	0E+00	NA
Manganese	3.2E-02	4.6E-04	1E+00	NA	0.0E+00	0.0E+00	0E+00	NA
Mercury	8.2E-07	1.2E-08	5E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Nickel	1.0E-03	1.4E-05	5E-02	NA	0.0E+00	0.0E+00	0E+00	NA
Thallium	3.7E-07	5.3E-09	9E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Vanadium	5.5E-04	7.9E-06	8E-01	NA	0.0E+00	0.0E+00	0E+00	NA
Zinc	2.4E-03	3.4E-05	8E-03	NA	0.0E+00	0.0E+00	0E+00	NA
Cyanide, Total	6.2E-06	8.9E-08	3E-04	NA	0.0E+00	0.0E+00	0E+00	NA
TOTAL			**3E+00**	**2E-07**			**1E-02**	**9E-08**

TABLE E-3C
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		FUGITIVE DUST INHALATION			INHALATION - VOLATILE EMISSIONS		
		PEF	6.9E+06	m^3/kg			
MEDIUM:	**SOIL**	EF	250	days/year	EF	250	days/year
RECEPTOR:	**FUTURE CONSTRUCTION WORKER**	ED	1	years	ED	1	years
		ET	8	hours/day	ET	8	hours/day
		AT_{nc}	8760	hours	AT_{nc}	8760	hours
		AT_c	613200	hours	AT_c	613200	hours

	Fugitive Dust Exposure				Volatile Emissions Exposure			
Contaminants of Concern	**Inhalation EC Noncancer**	**Inhalation EC Cancer**	**HQ**	**ELCR**	**Inhalation EC Noncancer**	**Inhalation EC Cancer**	**HQ**	**ELCR**
1,1'-Biphenyl	1.1E-09	1.5E-11	3E-07	NA	3.0E-07	4.3E-09	8E-05	NA
2-Methylnaphthalene	1.9E-07	2.7E-09	NA	NA	1.0E-04	1.5E-06	NA	NA
Benzo[a]anthracene	9.9E-08	1.4E-09	NA	8E-11	7.2E-07	1.0E-08	NA	6E-10
Benzo(a)pyrene	7.6E-08	1.1E-09	4E-02	7E-10	NA	NA	NA	NA
Benzo[b]fluoranthene	1.0E-07	1.5E-09	NA	9E-11	NA	NA	NA	NA
Benzo[k]fluoranthene	5.4E-08	7.7E-10	NA	5E-12	NA	NA	NA	NA
Chrysene	1.7E-07	2.5E-09	NA	1E-12	NA	NA	NA	NA
Dibenz(a,h)anthracene	1.6E-08	2.3E-10	NA	1E-10	NA	NA	NA	NA
Indeno[1,2,3-cd]pyrene	6.4E-08	9.1E-10	NA	5E-11	NA	NA	NA	NA
Naphthalene	1.9E-07	2.8E-09	6E-05	9E-11	1.3E-04	1.9E-06	4E-02	7E-08
Dibenzofuran	3.2E-08	4.6E-10	NA	NA	6.6E-06	9.4E-08	NA	NA
PCB-1254	1.4E-09	2.0E-11	NA	1E-11	5.4E-08	7.7E-10	NA	4E-10
PCB-1260	1.5E-08	2.1E-10	NA	1E-10	3.6E-07	5.1E-09	NA	3E-09
Antimony	4.0E-08	5.8E-10	4E-05	NA	NA	NA	NA	NA
Cadmium	7.4E-08	1.1E-09	7E-03	2E-09	NA	NA	NA	NA
Cobalt	3.1E-07	4.5E-09	2E-02	4E-08	NA	NA	NA	NA
Copper	2.0E-06	2.9E-08	NA	NA	NA	NA	NA	NA
Iron	3.8E-03	5.4E-05	NA	NA	NA	NA	NA	NA
Manganese	3.8E-04	5.4E-06	8E+00	NA	NA	NA	NA	NA
Mercury	9.5E-09	1.4E-10	3E-05	NA	8.8E-06	1.3E-07	3E-02	NA
Nickel	1.2E-05	1.7E-07	6E-02	4E-08	NA	NA	NA	NA
Thallium	4.4E-09	6.2E-11	NA	NA	NA	NA	NA	NA
Vanadium	6.4E-06	9.2E-08	6E-02	8E-07	NA	NA	NA	NA
Zinc	2.8E-05	4.0E-07	NA	NA	NA	NA	NA	NA
Cyanide, Total	7.3E-08	1.0E-09	9E-05	NA	4.4E-05	6.2E-07	5E-02	NA
TOTAL			**8E+00**	**8E-07**			**1E-01**	**7E-08**

TABLE E-3D
CALCULATION OF DERMAL ABSORBED DOSE PER EVENT FOR CONSTITUENTS IN GROUNDWATER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

For organics, if t_{event} is ≤ t* (equation 3.2 of USEPA, 2004):

$$DA_{event} = 2FA \times K_P \times C_W \sqrt{\frac{6\tau_{event} \times t_{event}}{\pi}}$$

For organics, if t_{event} is > t* (equation 3.3 of USEPA, 2004):

$$DA_{event} = FA \times K_P \times C_W \left[\frac{t_{event}}{1+B} + 2\tau_{event} \left(\frac{1+3B+3B^2}{(1+B)^2} \right) \right]$$

For inorganics (equation 3.4 of USEPA, 2004) :

$$DA_{event} = K_P \times C_W \times t_{event}$$

Parameter	Definition	units	Value
DA_{event}	Dermal absorbed dose per event	mg/cm^2-event	Calculated
FA	Fraction absorbed water	unitless	Constituent-specific*
K_P	Dermal permeability coefficient in water	cm/hr	Constituent-specific*
C_w	Constituent Concentration in water	mg/cm^3	Constituent-specific*
τ_{event}	Lag time per event	hr/event	Constituent-specific*
t_{event}	Event duration	hr/event	Assumes work in a trench for 8 hours a day
t*	time to reach steady state	hr	Constituent-specific*
B	ratio of the permeability coefficient of a compound through the stratum corneum relative to its permeability coefficient across the viable epidermis	unitless	Constituent-specific*

* Note: Constituent-specific factors obtained from USEPA (2021a) table of Chemical-Specific Parameters (https://www.epa.gov/risk/regional-screening-levels-rsls-generic-tables).

TABLE E-3D
CALCULATION OF DERMAL ABSORBED DOSE PER EVENT FOR CONSTITUENTS IN GROUNDWATER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

Contaminants of Concern	FA	K_P	Cw	τ_{event}	t_{event}	t*	B	DA_{event}
1,1-Dichloroethane	1	6.8E-03	2.5E-07	3.8E-01	8	9.0E-01	2.6E-02	1.45E-08
1,2-Dichlorobenzene	1	4.5E-02	3.7E-05	7.0E-01	8	1.7E+00	2.1E-01	1.37E-05
cis-1,2-Dichloroethene	1	1.1E-02	1.7E-06	3.7E-01	8	8.8E-01	4.2E-02	1.62E-07
1,4-Dichlorobenzene	1	4.5E-02	5.9E-07	7.0E-01	8	1.7E+00	2.1E-01	2.22E-07
Benzene	1	1.5E-02	4.7E-07	2.9E-01	8	6.9E-01	5.1E-02	5.69E-08
Chloroform	1	6.8E-03	3.5E-06	4.9E-01	8	1.2E+00	2.9E-02	2.10E-07
Dichlorobromomethane	1	4.0E-03	1.3E-06	8.7E-01	8	2.1E+00	2.0E-02	5.03E-08
Ethylbenzene	1	4.9E-02	5.8E-06	4.1E-01	8	9.9E-01	2.0E-01	2.19E-06
Tetrachloroethene	1	3.3E-02	4.6E-06	8.9E-01	8	2.1E+00	1.7E-01	1.38E-06
Trichloroethene	1	1.2E-02	8.9E-07	5.7E-01	8	1.4E+00	5.1E-02	9.05E-08
Vinyl chloride	1	8.4E-03	4.9E-07	2.4E-01	8	5.7E-01	2.5E-02	3.40E-08
Xylenes, Total	1	5.0E-02	2.3E-05	4.1E-01	8	9.9E-01	2.0E-01	8.86E-06
1,1'-Biphenyl	1	9.4E-02	2.1E-06	7.7E-01	8	1.8E+00	4.5E-01	1.54E-06
2-Methylnaphthalene	1	9.2E-02	2.9E-05	6.6E-01	8	1.6E+00	4.2E-01	1.95E-05
Naphthalene	1	4.7E-02	1.7E-05	5.5E-01	8	1.3E+00	2.0E-01	6.39E-06
Bis(2-ethylhexyl) phthalate	1	1.1E+00	1.6E-06	1.6E+01	8	7.3E+01	8.6E+00	5.69E-05
Dibenzofuran	1	9.8E-02	1.5E-06	9.2E-01	8	2.2E+00	4.9E-01	1.17E-06
Aluminum	1	1.0E-03	9.2E-04	1.5E-01	8	3.6E-01	2.0E-03	7.36E-06
Antimony	1	1.0E-03	1.2E-07	5.1E-01	8	1.2E+00	4.2E-03	9.60E-10
Arsenic	1	1.0E-03	1.6E-06	2.8E-01	8	6.6E-01	3.3E-03	1.30E-08
Cadmium	1	1.0E-03	8.4E-07	4.5E-01	8	1.1E+00	4.1E-03	6.72E-09
Cobalt	1	4.0E-04	9.8E-05	2.2E-01	8	5.4E-01	1.2E-03	3.14E-07
Copper	1	1.0E-03	2.0E-06	2.4E-01	8	5.7E-01	3.1E-03	1.58E-08
Iron	1	1.0E-03	3.0E-02	2.2E-01	8	5.2E-01	2.9E-03	2.40E-04
Manganese	1	1.0E-03	1.5E-02	2.1E-01	8	5.1E-01	2.9E-03	1.20E-04
Mercury	1	1.0E-03	5.0E-08	1.4E+00	8	3.4E+00	5.4E-03	4.00E-10
Nickel	1	2.0E-04	6.0E-05	2.2E-01	8	5.4E-01	5.9E-04	9.56E-08
Selenium	1	1.0E-03	9.6E-06	2.9E-01	8	7.0E-01	3.4E-03	7.70E-08
Thallium	1	1.0E-03	1.1E-07	1.5E+00	8	3.5E+00	5.5E-03	8.80E-10
Vanadium	1	1.0E-03	3.6E-06	2.0E-01	8	5.9E-01	1.9E-03	2.85E-08
Zinc	1	6.0E-04	1.6E-04	2.4E-01	8	7.0E+00	3.7E-03	7.68E-07

TABLE E-3E
HAZARD INDICES AND THEORETICAL LIFETIME CANCER RISKS
INGESTION AND DERMAL CONTACT WITH GROUNDWATER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		IR	0.025	L/day	DA_{event}	see Table E-3D	mg/cm^2-event
MEDIUM:	**GROUNDWATER**	EF	30	days/yr	EV	1	events/day
RECEPTOR:	**FUTURE CONSTRUCTION WORKER**	ED	1	yrs	ED	1	yrs
		BW	80	kg	EF	30	days/yr
		AT_{nc}	365	days	SA	6032	cm^2
		AT_c	25550	days	BW	80	kg
					AT_{nc}	365	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer**	**Ingestion Intake Cancer**	**HQ**	**ELCR**	**Absorbed Dose Noncancer**	**Absorbed Dose Cancer**	**HQ**	**ELCR**
1,1-Dichloroethane	6.4E-09	9.2E-11	3E-09	5E-13	9.0E-08	1.3E-09	4E-08	7E-12
1,2-Dichlorobenzene	9.5E-07	1.4E-08	2E-06	NA	8.5E-05	1.2E-06	1E-04	NA
cis-1,2-Dichloroethene	4.5E-08	6.4E-10	2E-06	NA	1.0E-06	1.4E-08	5E-05	NA
1,4-Dichlorobenzene	1.5E-08	2.2E-10	2E-07	1E-12	1.4E-06	2.0E-08	2E-05	1E-10
Benzene	1.2E-08	1.7E-10	1E-06	9E-12	3.5E-07	5.0E-09	4E-05	3E-10
Chloroform	9.0E-08	1.3E-09	9E-07	4E-11	1.3E-06	1.9E-08	1E-05	6E-10
Dichlorobromomethane	3.3E-08	4.8E-10	4E-06	3E-11	3.1E-07	4.5E-09	4E-05	3E-10
Ethylbenzene	1.5E-07	2.1E-09	3E-06	2E-11	1.4E-05	1.9E-07	3E-04	2E-09
Tetrachloroethene	1.2E-07	1.7E-09	1E-05	4E-12	8.5E-06	1.2E-07	1E-03	3E-10
Trichloroethene	2.3E-08	3.2E-10	5E-05	1E-11	5.6E-07	8.0E-09	1E-03	4E-10
Vinyl chloride	1.3E-08	1.8E-10	4E-06	1E-10	2.1E-07	3.0E-09	7E-05	2E-09
Xylenes, Total	5.9E-07	8.5E-09	1E-06	NA	5.5E-05	7.8E-07	1E-04	NA
1,1'-Biphenyl	5.5E-08	7.8E-10	5E-07	6E-12	9.5E-06	1.4E-07	1E-04	1E-09
2-Methylnaphthalene	7.3E-07	1.0E-08	2E-04	NA	1.2E-04	1.7E-06	3E-02	NA
Naphthalene	4.4E-07	6.3E-09	7E-07	8E-10	4.0E-05	5.7E-07	7E-05	7E-08
Bis(2-ethylhexyl) phthalate	4.1E-08	5.9E-10	2E-06	8E-12	3.5E-04	5.0E-06	2E-02	7E-08
Dibenzofuran	3.9E-08	5.5E-10	1E-05	NA	7.3E-06	1.0E-07	2E-03	NA
Aluminum	2.4E-05	3.4E-07	2E-05	NA	4.6E-05	6.5E-07	5E-05	NA
Antimony	3.1E-09	4.4E-11	8E-06	NA	5.9E-09	8.5E-11	1E-04	NA
Arsenic	4.2E-08	6.0E-10	1E-04	9E-10	8.1E-08	1.2E-09	3E-04	2E-09
Cadmium	2.2E-08	3.1E-10	4E-05	NA	4.2E-08	5.9E-10	3E-03	NA

TABLE E-3E
HAZARD INDICES AND THEORETICAL LIFETIME CANCER RISKS
INGESTION AND DERMAL CONTACT WITH GROUNDWATER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		IR	0.025	L/day	DA_{event}	see Table E-3D	mg/cm^2-event
MEDIUM:	**GROUNDWATER**	EF	30	days/yr	EV	1	events/day
RECEPTOR:	**FUTURE CONSTRUCTION WORKER**	ED	1	yrs	ED	1	yrs
		BW	80	kg	EF	30	days/yr
		AT_{nc}	365	days	SA	6032	cm^2
		AT_c	25550	days	BW	80	kg
					AT_{nc}	365	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer**	**Ingestion Intake Cancer**	**HQ**	**ELCR**	**Absorbed Dose Noncancer**	**Absorbed Dose Cancer**	**HQ**	**ELCR**
Cobalt	2.5E-06	3.6E-08	8E-04	NA	1.9E-06	2.8E-08	6E-04	NA
Copper	5.1E-08	7.3E-10	5E-06	NA	9.8E-08	1.4E-09	1E-05	NA
Iron	7.7E-04	1.1E-05	1E-03	NA	1.5E-03	2.1E-05	2E-03	NA
Manganese	3.9E-04	5.5E-06	2E-02	NA	7.4E-04	1.1E-05	8E-01	NA
Mercury	1.3E-09	1.8E-11	8E-06	NA	2.5E-09	3.5E-11	2E-05	NA
Nickel	1.5E-06	2.2E-08	8E-05	NA	5.9E-07	8.5E-09	7E-04	NA
Selenium	2.5E-07	3.5E-09	5E-05	NA	4.8E-07	6.8E-09	1E-04	NA
Thallium	2.8E-09	4.0E-11	7E-05	NA	5.5E-09	7.8E-11	1E-04	NA
Vanadium	9.2E-08	1.3E-09	1E-04	NA	1.8E-07	2.5E-09	1E-02	NA
Zinc	4.1E-06	5.9E-08	1E-05	NA	4.8E-06	6.8E-08	2E-05	NA
TOTAL			**2E-02**	**2E-09**			**8E-01**	**1E-07**

TABLE E-3F
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

		INPUT PARAMETERS					
		VOLATILE EMISSION INHALATION (TRENCH)					
MEDIUM:	**GROUNDWATER**	EF	30	days/year			
RECEPTOR:	**FUTURE CONSTRUCTION WORKER**	ED	1	years			
		ET	8	hours/day			
		AT_{nc}	8760	hours			
		AT_c	613200	hours			

	Volatile Emissions Exposure							
Contaminants of Concern	**Inhalation EC Noncancer**	**Inhalation EC Cancer**	**HQ**	**ELCR**				
1,1-Dichloroethane	5.7E-05	8.1E-07	NA	1E-09				
1,2-Dichlorobenzene	6.8E-03	9.7E-05	3E-03	NA				
cis-1,2-Dichloroethene	4.0E-04	5.7E-06	NA	NA				
1,4-Dichlorobenzene	1.1E-04	1.6E-06	9E-05	2E-08				
Benzene	1.2E-04	1.7E-06	1E-03	1E-08				
Chloroform	7.2E-04	1.0E-05	3E-03	2E-07				
Dichlorobromomethane	1.9E-04	2.8E-06	NA	1E-07				
Ethylbenzene	1.3E-03	1.8E-05	1E-04	5E-08				
Tetrachloroethene	8.2E-04	1.2E-05	2E-02	3E-09				
Trichloroethene	1.8E-04	2.5E-06	8E-02	1E-08				
Vinyl chloride	1.4E-04	2.0E-06	2E-03	9E-09				
Xylenes, Total	5.1E-03	7.3E-05	1E-02	NA				
1,1'-Biphenyl	3.3E-04	4.7E-06	8E-02	NA				
2-Methylnaphthalene	4.9E-03	7.1E-05	NA	NA				
Naphthalene	3.1E-03	4.4E-05	1E+00	2E-06				
Dibenzofuran	5.0E-05	7.1E-07	NA	NA				
Mercury	8.0E-06	1.1E-07	3E-02	NA				
TOTAL			**1E+00**	**2E-06**				

TABLE E-3G
SUMMARY OF HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA
VRP PROJECT # 20015

	CONSTITUENT AND PATHWAY SPECIFIC HQS								CONSTITUENT AND PATHWAY SPECIFIC CANCER RISK							
Contaminants of Concern	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**Ingestion of Water**	**Dermal Contact with Water**	**Inhalation Volatiles (Water)**	**TOTAL HAZARD INDEX**	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**Ingestion of Water**	**Dermal Contact with Water**	**Inhalation Volatiles (Water)**	**TOTAL CANCER RISK**
1,1-Dichloroethane	0E+00	0E+00	NA	NA	3E-09	4E-08	NA	**5E-08**	0E+00	0E+00	0E+00	NA	5E-13	7E-12	1E-09	**1E-09**
1,2-Dichlorobenzene	0E+00	0E+00	0E+00	NA	2E-06	1E-04	3E-03	**4E-03**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
cis-1,2-Dichloroethene	0E+00	0E+00	NA	NA	2E-06	5E-05	NA	**5E-05**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
1,4-Dichlorobenzene	0E+00	0E+00	0E+00	NA	2E-07	2E-05	9E-05	**1E-04**	0E+00	0E+00	0E+00	NA	1E-12	1E-10	2E-08	**2E-08**
Benzene	0E+00	0E+00	0E+00	NA	1E-06	4E-05	1E-03	**2E-03**	0E+00	0E+00	0E+00	NA	9E-12	3E-10	1E-08	**1E-08**
Chloroform	0E+00	0E+00	0E+00	NA	9E-07	1E-05	3E-03	**3E-03**	0E+00	0E+00	0E+00	NA	4E-11	6E-10	2E-07	**2E-07**
Dichlorobromomethane	0E+00	0E+00	NA	NA	4E-06	4E-05	NA	**4E-05**	0E+00	0E+00	0E+00	NA	3E-11	3E-10	1E-07	**1E-07**
Ethylbenzene	0E+00	0E+00	0E+00	NA	3E-06	3E-04	1E-04	**4E-04**	0E+00	0E+00	0E+00	NA	2E-11	2E-09	5E-08	**5E-08**
Tetrachloroethene	0E+00	0E+00	0E+00	NA	1E-05	1E-03	2E-02	**2E-02**	0E+00	0E+00	0E+00	NA	4E-12	3E-10	3E-09	**3E-09**
Trichloroethene	0E+00	0E+00	0E+00	NA	5E-05	1E-03	8E-02	**8E-02**	0E+00	0E+00	0E+00	NA	1E-11	4E-10	1E-08	**1E-08**
Vinyl chloride	0E+00	0E+00	0E+00	NA	4E-06	7E-05	2E-03	**2E-03**	0E+00	0E+00	0E+00	NA	1E-10	2E-09	9E-09	**1E-08**
Xylenes, Total	0E+00	0E+00	0E+00	NA	1E-06	1E-04	1E-02	**1E-02**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
1,1'-Biphenyl	9E-07	0E+00	3E-07	8E-05	5E-07	1E-04	8E-02	**8E-02**	1E-11	0E+00	NA	NA	6E-12	1E-09	NA	**1E-09**
2-Methylnaphthalene	4E-03	2E-03	NA	NA	2E-04	3E-02	NA	**4E-02**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Benzo[a]anthracene	NA	NA	NA	NA	NA	NA	NA	**0E+00**	1E-08	5E-09	8E-11	6E-10	0E+00	NA	NA	**2E-08**
Benzo(a)pyrene	2E-02	9E-03	4E-02	NA	0E+00	NA	NA	**7E-02**	9E-08	4E-08	7E-10	NA	0E+00	NA	NA	**1E-07**
Benzo[b]fluoranthene	NA	NA	NA	NA	NA	NA	NA	**0E+00**	1E-08	5E-09	9E-11	NA	0E+00	NA	NA	**2E-08**
Benzo[k]fluoranthene	NA	NA	NA	NA	NA	NA	NA	**0E+00**	7E-10	3E-10	5E-12	NA	0E+00	NA	NA	**9E-10**
Chrysene	NA	NA	NA	NA	NA	NA	NA	**0E+00**	2E-10	9E-11	1E-12	NA	0E+00	NA	NA	**3E-10**
Dibenz(a,h)anthracene	NA	NA	NA	NA	NA	NA	NA	**0E+00**	2E-08	8E-09	1E-10	NA	0E+00	NA	NA	**3E-08**
Indeno[1,2,3-cd]pyrene	NA	NA	NA	NA	NA	NA	NA	**0E+00**	8E-09	3E-09	5E-11	NA	0E+00	NA	NA	**1E-08**
Naphthalene	3E-05	1E-05	6E-05	4E-02	7E-07	7E-05	1E+00	**1E+00**	3E-08	1E-08	9E-11	7E-08	8E-10	7E-08	2E-06	**2E-06**
Bis(2-ethylhexyl) phthalate	0E+00	0E+00	NA	NA	2E-06	2E-02	NA	**2E-02**	0E+00	0E+00	0E+00	NA	8E-12	7E-08	NA	**7E-08**
Dibenzofuran	7E-04	0E+00	NA	NA	1E-05	2E-03	NA	**3E-03**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
PCB-1254	4E-03	2E-03	NA	NA	0E+00	NA	NA	**6E-03**	3E-09	2E-09	1E-11	4E-10	0E+00	NA	NA	**6E-09**
PCB-1260	NA	NA	NA	NA	NA	NA	NA	**0E+00**	4E-08	2E-08	1E-10	3E-09	0E+00	NA	NA	**5E-08**
Aluminum	0E+00	0E+00	0E+00	NA	2E-05	5E-05	NA	**7E-05**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Antimony	9E-03	0E+00	4E-05	NA	8E-06	1E-04	NA	**9E-03**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Arsenic	0E+00	0E+00	0E+00	NA	1E-04	3E-04	NA	**4E-04**	0E+00	0E+00	0E+00	NA	9E-10	2E-09	NA	**3E-09**
Cadmium	1E-02	2E-03	7E-03	NA	4E-05	3E-03	NA	**3E-02**	NA	NA	2E-09	NA	NA	NA	NA	**2E-09**
Cobalt	9E-03	0E+00	2E-02	NA	8E-04	6E-04	NA	**3E-02**	NA	NA	4E-08	NA	NA	NA	NA	**4E-08**
Copper	2E-02	0E+00	NA	NA	5E-06	1E-05	NA	**2E-02**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Iron	5E-01	0E+00	NA	NA	1E-03	2E-03	NA	**5E-01**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Lead	NA	NA	NA	NA	NA	NA	NA	**0E+00**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Manganese	1E+00	0E+00	8E+00	NA	2E-02	8E-01	NA	**1E+01**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Mercury	5E-03	0E+00	3E-05	3E-02	8E-06	2E-05	3E-02	**6E-02**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Nickel	5E-02	0E+00	6E-02	NA	8E-05	7E-04	NA	**1E-01**	NA	NA	4E-08	NA	NA	NA	NA	**4E-08**
Selenium	0E+00	0E+00	0E+00	NA	5E-05	1E-04	NA	**1E-04**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Thallium	9E-03	0E+00	NA	NA	7E-05	1E-04	NA	**1E-02**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Vanadium	8E-01	0E+00	6E-02	NA	1E-04	1E-02	NA	**9E-01**	NA	NA	8E-07	NA	NA	NA	NA	**8E-07**
Zinc	8E-03	0E+00	NA	NA	1E-05	2E-05	NA	**8E-03**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
Cyanide, Total	3E-04	0E+00	9E-05	5E-02	0E+00	NA	NA	**5E-02**	NA	NA	NA	NA	NA	NA	NA	**0E+00**
TOTAL								**1E+01**								**3E-06**

TABLE E-4A
CONSTITUENT-SPECIFIC FACTORS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA - WOODED HILLSIDE
VRP PROJECT # 20015

	Constituent-Specific Information [1]										
Contaminants of Concern	Soil EPC (mg/kg)	Soil VF (m^3/kg)	RBA (unitless)[2]	Dermal ABS (unitless)	Gastrointestinal Absorption Efficiency (unitless)	Oral RfD (mg/kg-day)	Derm RfD (mg/kg-day)	Inhal. RfC (mg/m^3)	Oral CSF $(mg/kg\text{-}day)^{-1}$	Derm CSF $(mg/kg\text{-}day)^{-1}$	IUR $(mg/m^3)^{-1}$
Arsenic	32		0.6	0.03	1	3.0E-04	3.0E-04	1.5E-05	1.5E+00	1.5E+00	4.3E+00
Iron	51553		1		1	7.0E-01	7.0E-01	NA	NA	NA	NA
Manganese	1955		1		0.04	2.4E-02	9.6E-04	5.0E-05	NA	NA	NA

Notes:

1 - The source of the constituent-specific information presented in this table is described in Sections 3 and 4 of the report text.

2 - Relative Bioavailability Factor (RBA) that accounts for the differences in the bioavailability of a contaminant between the medium of exposure (e.g., soil) and the media associated with the toxicity value (e.g., the arsenic RfD and CSF are derived from drinking water studies). Based on USEPA (2021a) RSL User's Guide.

NA - USEPA-derived toxicity values are not available for this particular exposure route or endpoint.

TABLE E-4B
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INCIDENTAL INGESTION AND DERMAL CONTACT WITH SOIL
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA - WOODED HILLSIDE
VRP PROJECT # 20015

		INPUT PARAMETERS					
		INGESTION			DERMAL CONTACT		
		CF	1E-06	kg/mg	CF	1E-06	kg/mg
MEDIUM:	**SOIL**	IR	100	mg/day	AF	0.04	mg/cm^2-event
RECEPTOR:	**YOUTH TRESPASSER**	EF	30	days/year	ABS	See Table E-4A	unitless
		ED	5	years	EF	30	days/year
		FI	1	unitless	ED	5	years
		BW	56.8	kg	EV	1	events/day
		AT_{nc}	1825	days	SA	11083	cm^2
		AT_c	25550	days	BW	56.8	kg
					AT_{nc}	1825	days
					AT_c	25550	days

	Ingestion Exposure				Direct Dermal Contact			
Contaminants of Concern	**Ingestion Intake Noncancer (mg/kg-day)**	**Ingestion Intake Cancer (mg/kg-day)**	**HQ**	**ELCR**	**Absorbed Dose Noncancer (mg/kg-day)**	**Absorbed Dose Cancer (mg/kg-day)**	**HQ**	**ELCR**
Arsenic	2.8E-06	2.0E-07	9E-03	3E-07	6.2E-07	4.4E-08	2E-03	7E-08
Iron	7.5E-03	5.3E-04	1E-02	NA	0.0E+00	0.0E+00	0E+00	NA
Manganese	2.8E-04	2.0E-05	1E-02	NA	0.0E+00	0.0E+00	0E+00	NA
TOTAL			**3E-02**	**3E-07**			**2E-03**	**7E-08**

TABLE E-4C
HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
INHALATION OF VOLATILE AND PARTICULATE EMISSIONS
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA - WOODED HILLSIDE
VRP PROJECT # 20015

		INPUT PARAMETERS					
		FUGITIVE DUST INHALATION			INHALATION - VOLATILE EMISSIONS		
		PEF	1.32E+09	m^3/kg			
MEDIUM:	**SOIL**	EF	30	days/year	EF	30	days/year
RECEPTOR:	**YOUTH TRESPASSER**	ED	5	years	ED	5	years
		ET	2	hours/day	ET	2	hours/day
		AT_{nc}	43800	hours	AT_{nc}	43800	hours
		AT_c	613200	hours	AT_c	613200	hours

	Fugitive Dust Exposure				Volatile Emissions Exposure			
Contaminants of Concern	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**	**Inhalation EC Noncancer (mg/m^3)**	**Inhalation EC Cancer (mg/m^3)**	**HQ**	**ELCR**
Arsenic	1.7E-10	1.2E-11	1E-05	5E-11	NA	NA	NA	NA
Iron	2.7E-07	1.9E-08	NA	NA	NA	NA	NA	NA
Manganese	1.0E-08	7.3E-10	2E-04	NA	NA	NA	NA	NA
TOTAL			**2E-04**	**5E-11**			**0E+00**	**0E+00**

TABLE E-4D
SUMMARY OF HAZARD INDICES AND THEORETICAL EXCESS LIFETIME CANCER RISKS
YOUTH TRESPASSER
MINGO JUNCTION STEEL WORKS LLC - CAA VIM AND VIIM
WEIRTON, WEST VIRGINIA - WOODED HILLSIDE
VRP PROJECT # 20015

	CONSTITUENT AND PATHWAY SPECIFIC HQS					CONSTITUENT AND PATHWAY SPECIFIC CANCER RISK				
Contaminants of Concern	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**TOTAL HAZARD INDEX**	**Ingestion of Soil**	**Dermal Contact with Soil**	**Inhalation Particulates**	**Inhalation Volatiles (Soil)**	**TOTAL CANCER RISK**
Arsenic	9E-03	2E-03	1E-05	NA	**1E-02**	3E-07	7E-08	5E-11	NA	**4E-07**
Iron	1E-02	0E+00	NA	NA	**1E-02**	NA	NA	NA	NA	**0E+00**
Manganese	1E-02	0E+00	2E-04	NA	**1E-02**	NA	NA	NA	NA	**0E+00**
TOTAL					**3E-02**					**4E-07**