From: Miller, Barbara J
To: Howell, Tonya; fevi.ilesanmi@dnr.mo.gov
Cc: Brown, Randolph; Sperry, Clint; Nicholas Galla; Todd Aseltyne; Meyer, Lisa A
Subject: OU-4 - Huster Substation PZ-11 and CW-6
Date: Friday, May 13, 2022 8:12:32 AM
Attachments: 22050608.pdf
22050608EDD.XLS
22050608EDD_Ameren.csv

Everyone

Here is the 5/9/2022 sampling information for PZ-11 and CW-6

Well ID	Date	cis-DCE	VC	PCE	1,1-DCE	t-1,2-DCE	TCE		
PZ-11	01/14/2022	19.3	18.4						
PZ-11	01/28/2022	30.2	26.2						
PZ-11	02/11/2022	48.9	39.4						
PZ-11	02/25/2022	51.6	35.6		0.2 J	0.2 J			
PZ-11	03/11/2022	69.6	45						
PZ-11	03/25/2022	88.6	48.2						
PZ-11	04/08/2022	83.6	56.8						
PZ-11	04/22/2022	4.3	<0.1					River High	
PZ-11	05/09/2022	65.4	47.7					River even Higher	
CW-6	01/14/2022	2.2	1.1 J						
CW-6	1/14/2022 D	2.2	1.2 J						
CW-6	01/28/2022	1.4 J	0.6J						
CW-6	02/11/2022	0.5 J	0.2 J						
CW-6	02/25/2022	0.5 J	<0.1						
CW-6 - 45'	03/11/2022	<0.2	<0.1	<0.5					
CW-6 - 70'	03/11/2022	<0.2	<0.1	<0.5					
CW-6 - 90'	03/11/2022	<0.2	<0.1	<0.5					
CW-6 - 45'	03/25/2022	<0.2	<0.1	<0.5					
CW-6 - 70'	03/25/2022	<0.2	<0.1	<0.5					
CW-6 - 90'	03/25/2022	<0.2	<0.1	<0.5					
CW-6 - 45'	04/08/2022	<0.2	<0.1	<0.5					
CW-6 - 70'	04/08/2022	<0.2	<0.1	<0.5					
CW-6 - 90'	04/08/2022	<0.2	<0.1	<0.5					
CW-6 - 45'	04/22/2022	<0.2	<0.1	<0.5				River High	
CW-6 - 70'	04/22/2022	<0.2	<0.1	<0.5					
CW-6 - 90'	04/22/2022	<0.2	<0.1	<0.5					
CW-6 - 45'	05/09/2022	0.2 J	<0.1	0.2J				River even Higher	
CW-6 - 70'	05/09/2022	0.2 J	<0.1	0.1 J					
CW-6 - 90'	05/09/2022	0.4 J	1.0 J	<0.5					

Barbara J Miller

: : **Environmental Specialist** : : Working Remotely : : C 314-223-4655
Ameren MO Environmental Services

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.