MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

CHAMPION DYEING & FINISHING CO. INC. **27210021-1**

1. **MONTH OF MARCH 1, 2009 THRU MARCH 31, 2009**

2.	Is Outlet # (8 digit) Correct?	Y	N	N/A
3.	Is average Total flow-gal.day stated in space provided?	Y	N	N/A
4.	Is max. Total flow-gal day stated in space provided?	Y	N	N/A
5.	Is method used to calculate water stated?	Y	N	N/A
6.	Are number of working days stated?	Y	N	N/A
7.	Are there any parameters which have exceeded PVSC Local Limits?	Y	N	N/A
8.	Is proper compliance/non-compliance statement provided?	Y	N	N/A
9.	Have correct number of samples been submitted?	Y	N	N/A
10.	Has PHC result been listed on MR-1 report?	Y	N	N/A
11.	Has sample number been reported in space provided?	Y	N	N/A
12.	Have all regulated parameters been listed on MR-1?	Y	N	N/A
13.	Has sample type been stated on MR-1?	Y	N	N/A
14.	Have all samples been taken during this reporting period?	Y	N	N/A
15.	Has NJDEPE certified lab been used?	Y	N	N/A
16.	Have analytical results been submitted on copies of Laboratory statement?	Y	N	N/A
17.	Have results been written in space designated on MR-1?	Y	N	N/A
18.	Is correct method used to preserve samples stated on MR-1?	Y	N	N/A
19.	Has MR-1 been signed by authorized representative?	Y	N	N/A
20.	Has information been submitted on proper MR-1 form?	Y	N	N/A
21.	Remove Arsenic from report if sampling not required	Y	N	N/A

MAY 2009 2nd Input Industrial Dept.

c.y.m.

MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

CHAMPION DYEING & FINISHING CO. INC. 27210021

First Reviewer: comments on deficiencies_____

_____

Date Reviewed 5/18/09 Date sent to user_____

Date due back_____ Reviewer e.J.m.

Second review comments on deficiencies

_____

_____

_____

Date Reviewed _____ Date sent to user_____

Date due back _____ Reviewer_____

Date _____ Reviewer_____

CAlvin

Original

PRETREATMENT MONITORING REPORT

NAME: CHAMPION DYEING & FINISHING CO., INC

MAILING ADDRESS: 192 PUTNAM STREET PATERSON, NJ 07524

FACILITY LOCATION: 192 PUTNAM STREET PATERSON, NJ 07524

CATEGORY & SUBPART: 9999 OUTLET #: 1

CONTACT OFFICIAL: MOHAMED YOUNES TELEPHONE: 9733459506

NEW CUSTOMER ID / OUTLET ID: 27210021 - 1 OLD OUTLET DESIGNATION: 27400270

MONITORING PERIOD

Start			End		
2	19		3	26	09
MO	DAY	YR	MO	DAY	YR

	Average	Maximum
Regulated Flow-gal/day	N/A	
Total Flow-gal/day	78166 + 7817 = 85983	

Method Used: Purchased Water less 5%
3702600 − 185130 = 3517470 ÷ 45 = 78166

Production Rate (if applicable)

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAM COM
		MON AVG	MAXIMUM	UNITS		
Cadmium	Sample Measurement	9.005				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
Zinc	Sample Measurement	1.3				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

PVSC FORM MR-1 REV: 4 6/87 P 1

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets): Copper, Lead, Mercury Nickel Not used

APR 22 2009

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: Champion Plating. fix. in compliance

Explain Method for preserving samples:

I certify under penalty of law that this document and attachments were prepared under my direction or supervision i accordance with a system designed to assure that qualified personnel properly gather and evaluate the information subm Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gatherin the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Janet Kansco

Signature of Principal Executive or Authorized Agent

Janet Kansco

Bookkeeper

Type Name and Title

4/17/09

Date

PVSC FORM MR-1 REV: 5 3/91 P 2

Industrial Department

Customer/Location Consumption History Inquiry - PASSAIC VALLEY WATER COMMISSION

SONGARD PUBLIC SECTOR
Navigation

OK
Cancel
Print history
Meter reading
Meter service inf...
Pending history...
Budget trans...
Change view
Graph history
Customer loc...
Reading activity

Customer/Location Consumption History Inquiry

Customer ID: 122163 CHAMPION DYE & FIN CO

Location ID: 98112 192 PUTNAM ST PAT

Cycle/route: 01 30

Initiation date : 8/01/76

Termination date: 0/00/00

Customer status: Active

Amount due: 11,681.69

Pending: .00

Customer/location status: A

Service Code	Reading Type	Reading Date	Actual Consumption	Actual Issued	Days	Meter Number	Estimate Code	Issuance Code
WA	REG	3/26/09	4950.00	.00	45	70025599		
WA	REG	2/09/09	1800.00	.00	18	70025599		
WA	REG	1/22/09	3150.00	.00	37	70025599		
WA	REG	12/16/08	1760.00	.00	26	70025599		
WA	REG	11/20/08	3010.00	.00	31	70025599		
WA	REG	10/20/08	3820.00	.00	31	70025599		
WA	REG	9/19/08	3890.00	.00	31	70025599		
WA	REG	8/19/08	5130.00	.00	29	70025599		

2/9 - 3/26

4950 x 7.48 = 37026.00 x 9.5 = 351740 ÷ 45 = 78166

Upstate Laboratories, Inc.

Analytical Report

Date: *20-Mar-09*

CLIENT: Champion Dyeing & Finishing Co
Lab Order: U0903189
Project: Semi-Annual/Monthly Analysis
Lab ID: U0903189-001

Client Sample ID: Discharge Pipe
Collection Date: 3/9/2009 1:20:00 PM
Matrix: WASTE WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
LABORATORY HYDROGEN ION (PH)				**E150.1**		Analyst: **TC**
pH	9.30	2.00		SU	1	3/11/2009 1:37:00 PM
ICP METALS, TOTALS				**E200.7**	**(E200.7)**	Analyst: **DEY**
Arsenic*	ND	0.010		mg/L	1	3/16/2009 6:30:18 PM
Cadmium	ND	0.005		mg/L	1	3/16/2009 6:30:18 PM
Copper	ND	0.020		mg/L	1	3/16/2009 6:30:18 PM
Lead*	0.004	0.003		mg/L	1	3/16/2009 6:30:18 PM
Nickel*	0.003	0.003		mg/L	1	3/16/2009 6:30:18 PM
Zinc	1.3	0.010		mg/L	1	3/16/2009 6:30:18 PM
TOTAL MERCURY WATERS				**E245.2**	**(E245.2)**	Analyst: **DEY**
Mercury	ND	0.0004		mg/L	1	3/19/2009 4:02:41 PM
RESIDUE, SUSPENDED (TSS)				**E160.2**		Analyst: **VAW**
Residue, Suspended (TSS)	15	1.0		mg/L	1	3/11/2009
BIOCHEMICAL OXYGEN DEMAND (5 DAY BOD)				**E405.1**		Analyst: **KAM**
Biochemical Oxygen Demand	84.0	60.0		mg/L	1	3/11/2009 8:00:00 AM

Approved By: CZH

Date: 3/20/09

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Chain of Custody Record

6034 Corporate Drive E. Syracuse New York 13057
Phone (315) 437 0255 Fax (315) 437 1209

Client: CHAMPION DYEING & FINISHING

Project #/ Project Name: SEMI-ANNUAL & MONTHLY ANALYSIS

Client Contact: ROCCO ZAGRA

Phone #: 345-9506

Location (city/state) Address: PATERSON, NJ

Sample ID	Date	Time	Matrix	GRAB OR COMP	ULI Internal Use Only	Number of Containers	1	2	3	4	5	6	7	8	9	10	Remarks
DISCHARGE PIPE	3/9/09	1:20p	WASTE H20	COMP	U0903189	2	X	X									

	Parameter and Method	Sample bottle: Type	Size	Preservative
1	BOD, TSS, PH	PLASTIC	1000ML	NONE
2	TOTAL- AS*, CD, CU, HG, PB*, NI*, ZN,	PLASTIC	500ML	HNO3
3				
4				
5				
6				
7				
8				
9				
10				

Sampled by (Print): Rocco Zagra
Company: CHAMPION

Name of Courier:

Relinquished by: (sign)	Date	Time	Received by: (sign)
Rocco Zagra	3/9/09	1:30	Karen Amend
Karen Amend	3/9/09	4p	
	3/10/9	1400	Elaina Schroeder

Rec'd for Lab by: Elaina Schroeder

Syracuse Rochester Buffalo Albany Binghamton BERGENFIELD (NJ)

CAWW

Original

RECEIVED
APR 20 2009
INDUSTRIAL DEPARTMENT

PRETREATMENT MONITORING REPORT

NAME: CHAMPION DYEING & FINISHING CO., INC

MAILING ADDRESS: 192 PUTNAM STREET PATERSON, NJ 07524

FACILITY LOCATION: 192 PUTNAM STREET PATERSON, NJ 07524

CATEGORY & SUBPART: 9999 **OUTLET #:** 1

CONTACT OFFICIAL: MOHAMED YOUNES **TELEPHONE:** 9733459506

NEW CUSTOMER ID / OUTLET ID: 27210021 - 1 **OLD OUTLET DESIGNATION:** 27400270

MONITORING PERIOD

Start			End		
2	9		3	26	09
MO	DAY	YR	MO	DAY	YR

	Average	Maximum
Regulated Flow-gal/day	N/A	
Total Flow-gal/day	78166 + 7817 = 85983	

Method Used: Purchased Water less 5%
3702600 - 185130 = 3517470 ÷ 45 = 78166

Production Rate (if applicable)

FAXED

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAM
		MON AVG	MAXIMUM	UNITS		CO
Cadmium	Sample Measurement	<.005				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
Zinc	Sample Measurement	1.3				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

PVSC FORM MR-1 REV: 4 6/87 P 1

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets): Copper, Lead Mercury Nickel Not used

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: Champion Dyeing. fix. in compliance

Explain Method for preserving samples:

I certify under penalty of law that this document and attachments were prepared under my direction or supervision accordance with a system designed to assure that qualified personnel properly gather and evaluate the information sub Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathari the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Janet Kansco
Signature of Principal
Executive or Authorized Agent

Janet Kansco
Bookkeeper
Type Name and Title

4/17/09
Date

FAXED

PVSC FORM MR-1 REV: 5 3/91 P.2

Upstate Laboratories, Inc.

Analytical Report

Date: *20-Mar-09*

CLIENT: Champion Dyeing & Finishing Co
Lab Order: U0903189
Project: Semi-Annual/Monthly Analysis
Lab ID: U0903189-001

Client Sample ID: Discharge Pipe
Collection Date: 3/9/2009 1:20:00 PM
Matrix: WASTE WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
LABORATORY HYDROGEN ION (PH)				E150.1		Analyst: TC
pH	9.30	2.00		SU	1	3/11/2009 1:37:00 PM
ICP METALS, TOTALS				E200.7	(E200.7)	Analyst: DEY
Arsenic*	ND	0.010		mg/L	1	3/16/2009 6:30:18 PM
Cadmium	ND	0.005		mg/L	1	3/16/2009 6:30:18 PM
Copper	ND	0.020		mg/L	1	3/16/2009 6:30:18 PM
Lead*	0.004	0.003		mg/L	1	3/16/2009 6:30:18 PM
Nickel*	0.003	0.003		mg/L	1	3/16/2009 6:30:18 PM
Zinc	1.3	0.010		mg/L	1	3/16/2009 6:30:18 PM
TOTAL MERCURY WATERS				E245.2	(E245.2)	Analyst: DEY
Mercury	ND	0.0004		mg/L	1	3/19/2009 4:02:41 PM
RESIDUE, SUSPENDED (TSS)				E160.2		Analyst: VAW
Residue, Suspended (TSS)	15	1.0		mg/L	1	3/11/2009
BIOCHEMICAL OXYGEN DEMAND (5 DAY BOD)				E405.1		Analyst: KAM
Biochemical Oxygen Demand	84.0	60.0		mg/L	1	3/11/2009 8:00:00 AM

Approved By: CZH **Date:** 3/20/09 Page 1 of 1

Qualifiers:
- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Customer/Location Consumption History Inquiry - PASSAIC VALLEY WATER COMMISSION

Customer/Location Consumption History Inquiry

Customer ID: 122163 CHAMPION DYE & FIN CO

Location ID: 98112 192 PUTNAM ST PAT

Cycle/route:	01 30	**Amount due:**	11,681.69
Initiation date:	8/01/76	**Pending:**	.00
Termination date:	0/00/00	**Customer/location status:**	A
Customer status:	Active		

NA	REG	3/26/09	4950.00	.00	45 70025599
NA	REG	2/09/09	1800.00	.00	18 70025599
NA	REG	1/22/09	3150.00	.00	37 70025599
NA	REG	12/16/08	1760.00	.00	26 70025599
NA	REG	11/20/08	3010.00	.00	31 70025599
NA	REG	10/20/08	3020.00	.00	31 70025599
NA	REG	9/19/08	3890.00	.00	31 70025599
NA	REG	8/19/08	5130.00	.00	29 70025599

2/9 - 3/26

4950 x 7.48 = 37026.00 x 9.5 = 351970 ÷ 45 = 78166

Upstate Laboratories, Inc.

6034 Corporate Drive E. Syracuse New York 13057
Phone (315) 437 0255 Fax (315) 437 1209

Chain of Custody Record

Client: CHAMPION DYEING & FINISHING

Project # / Project Name: SEMI-ANNUAL & MONTHLY ANALYSIS

Client Contact: ROCCO ZAGRA

Phone #: 345-9506

Location (city/state) Address: PATERSON, NJ

Sample ID	Date	Time	Matrix	GRAB OR COMP	ULI Internal Use Only	Number of Containers	1	2	3	4	5	6	7	8	9	10	Remarks
DISCHARGE PIPE	3/9/09	1:200	WASTE H2O	COMP	U0903189	2	X	X									

	Parameter and Method	Sample bottle:	Type	Size	Preservative
1	BOD, TSS, PH		PLASTIC	1000ML	NONE
2	TOTAL- AS*, CD, CU, HG, PB*, NI*, ZN,		PLASTIC	500ML	HNO3
3					
4					
5					
6					
7					
8					
9					
10					

Sampled by (Print): Rocco Zagra
Company: CHAMPION

Name of Courier:

Relinquished by: (sign)	Date	Time	Received by: (sign)
Rocco Zagra	3/9/09	1:30	Karen Romano
Karen Romano	3/9/09	4P	
	3/10/9	1400	Claire Schroeder

Rec'd for Lab by: Claire Schroeder

Syracuse Rochester Buffalo Albany Binghamton BERGENFIELD (NJ)

CHAMPION
DYEING AND FINISHING CO., INC.
192 Putnam Street . Paterson, New Jersey 07524 . P.O. Box 359
Phone : (973) 345-9506 Fax: (973) 345-2955

FACSIMILE TRANSMITTAL SHEET

FROM: Janet

TO: Sal Bigado

COMPANY: Passaic Valley Sewerage

PHONE NUMBER:

FAX NUMBER: 973-344-4876

DATE: 4/17/09

PAGES INCLUDING COVER SHEET 9

COMMENTS:

Have not rec'd original invoice yet!