MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

CHAMPION DYEING & FINISHING CO. INC. **27210021-1**

1. **MONTH OF AUGUST 1, 2008 THRU AUGUST 31, 2008**

2.	Is Outlet # (8 digit) Correct?	Y	N	N/A
3.	Is average Total flow-gal.day stated in space provided?	Y	N	N/A
4.	Is max. Total flow-gal day stated in space provided?	Y	N	N/A
5.	Is method used to calculate water stated?	Y	N	N/A
6.	Are number of working days stated?	Y	N	N/A
7.	Are there any parameters which have exceeded PVSC Local Limits?	Y	N	N/A
8.	Is proper compliance/non-compliance statement provided?	Y	N	N/A
9.	Have correct number of samples been submitted?	Y	N	N/A
10.	Has PHC result been listed on MR-1 report?	Y	N	N/A
11.	Has sample number been reported in space provided?	Y	N	N/A
12.	Have all regulated parameters been listed on MR-1?	Y	N	N/A
13.	Has sample type been stated on MR-1?	Y	N	N/A
14.	Have all samples been taken during this reporting period?	Y	N	N/A
15.	Has NJDEPE certified lab been used?	Y	N	N/A
16.	Have analytical results been submitted on copies of Laboratory stationery?	Y	N	N/A
17.	Have results been written in space designated on MR-1?	Y	N	N/A
18.	Is correct method used to preserve samples stated on MR-1?	Y	N	N/A
19.	Has MR-1 been signed by authorized representative?	Y	N	N/A
20.	Has information been submitted on proper MR-1 form?	Y	N	N/A
21.	Remove Arsenic from report if sampling not required	Y	N	N/A

OCT 2008 2nd Input Industrial Dept

e.j.m.

MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

CHAMPION DYEING & FINISHING CO. INC. 27210021

First Reviewer: comments on deficiencies_____

_____

Date Reviewed 10/27/08 Date sent to user_____

Date due back_____ Reviewer e.J.m.

Second review comments on deficiencies

_____

_____

_____

Date Reviewed _____ Date sent to user_____

Date due back _____ Reviewer_____

Date _____ Reviewer_____

Original

PRETREATMENT MONITORING REPORT

RECEIVED SEP 2 0 2008 INDUSTRIAL DEPARTMENT

NAME: CHAMPION DYEING & FINISHING CO., INC

MAILING ADDRESS: 192 PUTNAM STREET PATERSON, NJ 07524

FACILITY LOCATION: 192 PUTNAM STREET PATERSON, NJ 07524

CATEGORY & SUBPART: 9999 OUTLET #: 1

CONTACT OFFICIAL: MOHAMED YOUNES TELEPHONE: 9733459506

NEW CUSTOMER ID / OUTLET ID: 27210021 - 1 OLD OUTLET DESIGNATION: 27400270

MONITORING PERIOD

Start			End		
8	1	08	8	31	08
MO	DAY	YR	MO	DAY	YR

	Average	Maximum
Regulated Flow-gal/day	N/A	
Total Flow-gal/day	165699 + ~~[illegible]~~ = 182269	

Method Used: PURCHASE WATER LESS 5%

3837240 - 191862 = 3645378 ÷ 22 = 165699

Production Rate (if applicable)

PARAMETER	11	MASS OR CONCENTRATION MON AVG	MAXIMUM	UNITS	# OF SAMPLES	SAMPLE COMP/G
Cadmium	Sample Measurement	~~0.005~~	<0.005 ✓		1	comp
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
Zinc	Sample Measurement	0.25 ✓			1	comp
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

OCT 2008 1st Input

PVSC FORM MR-1 REV: 4 6/87 P 1

RECEIVED
SEP 2 0 2008
INDUSTRIAL DEPARTMENT

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets): Copper, Lead
Mercury Nickel Not used

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: Champion Dyeing - fix in compliance

Explain Method for preserving samples:

I certify under penalty of law that this document and attachments were prepared under my direction or supervision accordance with a system designed to assure that qualified personnel properly gather and evaluate the information sub Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gatheri the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Janet Kansco
Signature of Principal
Executive or Authorized Agent

Janet Kansco
Bookkeeper
Type Name and Title

9/19/08
Date

PVSC FORM MR-1 REV: 5 3/91 P 2

Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

Bill Date	Aug 29, 2008
Account Number	122163-98112
Date of Last Payment	Jul 22, 2008
Amount of Last Payment	$ 3,447.52
Previous Balance	$ 5,539.28
Current Charges	$ 6,317.02 ✓
Total Amount Due	**$ 11,856.30**
Due Date	Sep 28, 2008

SERVICE ADDRESS **192 PUTNAM ST, PATERSON** BILL TYPE **MONTHLY BILL**

Billing Period
Jul 21, 2008--Aug 19, 2008

Services

Description	Charge
SERVICE CHARGE	337.60
FIRST 333 CCF	462.87
NEXT 9,999,999 CCF	5516.55

Meters

Meter No	Meter Size	Current	Previous	Consumption
70025599	4 INCH	1809	1296	5130

Usage History (most recent first)



9/11

5130 x 748 = 3837240 x 95 = 3645378 ÷ 22 = 165699

Message Center

Our records indicate that your account is delinquent in the amount of $5539.28. Failure to pay your past due amount within 30 days may result in service being shut off without further notice. After 60 days a $40 late penalty will be applied to your account and a door tag notification will be generated. A $115.00 reconnection fee will be charged if service is shut off. Please visit www.pvwc.com to view or pay your account online or call our Customer Service Department at 973-340-4300.

DETACH HERE AND RETURN LOWER PORTION WITH YOUR CHECK OR MONEY ORDER

Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300

☐ To change mailing address check here and fill out back of form. Please include account number on check or money order. Make check or money order payable to PVWC.

Account Number	122163-98112
Due Date	Sep 28, 2008
Total Amount Due	**$ 11,856.30**
Amount Enclosed	

Mailing Address:

*B-00-Z4D-CM-00036

CHAMPION DYE & FIN CO
PO BOX 359
PATERSON NJ 07544-0359

Service Address:
192 PUTNAM ST, PATERSON

PASSAIC VALLEY WATER COMMISSION
PO BOX 11393
NEWARK NJ 07101-4393

0001221630000981120000118563 07

Upstate Laboratories, Inc.

Analytical Report

Date: *12-Aug-08*

CLIENT: Champion Dyeing & Finishing Co
Lab Order: U0807531
Project: Monthly Analysis
Lab ID: U0807531-001

Client Sample ID: Discharge Pipe
Collection Date: 7/28/2008 11:30:00 AM
Matrix: WASTE WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS, TOTALS				E200.7	(E200.7)	Analyst: GEL
Cadmium	ND	0.005		mg/L	1	8/11/2008 4:45:21 PM
Zinc	0.25	0.010		mg/L	1	8/11/2008 4:45:21 PM
LABORATORY HYDROGEN ION (PH)				E150.1		Analyst: TC
pH	8.90	2.00		SU	1	7/29/2008 1:59:00 PM
RESIDUE, SUSPENDED (TSS)				E160.2		Analyst: KAM
Residue, Suspended (TSS)	26	1.0		mg/L	1	7/30/2008
BIOCHEMICAL OXYGEN DEMAND (5 DAY BOD)				E405.1		Analyst: MCD
Biochemical Oxygen Demand	206	60.0		mg/L	1	7/30/2008 8:00:00 AM

Approved By: CZ61

Date: 8/12/08

Qualifiers:
- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Chain of Custody Record

6034 Corporate Drive E. Syracuse New York 13057
Phone (315) 437 0255 Fax (315) 437 1209

Client: CHAMPION DYEING & FINISHING

Project # / Project Name: MONTHLY ANALYSIS

Client Contact: ROCCO ZAGRA

Phone #: 345-9506

Location (city/state) Address: PATERSON, NJ

Sample ID	Date	Time	Matrix	GRAB OR COMP	ULI Internal Use Only	Number of Containers	1	2	3	4	5	6	7	8	9	10	Remarks
DISCHARGE PIPE	7/28/08	11:30A	WASTE H2O	COMP	U0807531	2	X	X									

	Parameter and Method	Sample bottle: Type	Size	Preservative
1	BOD, TSS, PH	PLASTIC	1000ML	NONE
2	TOTAL CD, ZN	PLASTIC	500ML	HNO3
3				
4				
5				
6				
7				
8				
9				
10				

Sampled by (Print): Rocco Zagra
Company: CHAMPION

Name of Courier: UP

Relinquished by: (sign)	Date	Time	Received by: (sign)
[signature]	7/28/08	11:40P	[signature]
Relinquished by: (sign)	Date	Time	Received by: (sign)
[signature]	7/28/08		
Relinquished by: (sign)	Date	Time	Rec'd for Lab by:
	7-29-08	1300	[signature]

Syracuse Rochester Buffalo Albany Binghamton BERGENFIELD (NJ)

Sep 19 2008 9:18AM HP LASERJET FAX p.4

Original

PRETREATMENT MONITORING REPORT

RECEIVED SEP 19 2008 INDUSTRIAL DEPARTMENT

NAME: CHAMPION DYEING & FINISHING CO., INC.

MAILING ADDRESS: 192 PUTNAM STREET PATERSON, NJ 07524

FACILITY LOCATION: 192 PUTNAM STREET PATERSON, NJ 07524

CATEGORY & SUBPART: 9999 OUTLET #: 1

CONTACT OFFICIAL: MOHAMED YOUNES TELEPHONE: 9733459506

NEW CUSTOMER ID / OUTLET ID: 27210021 - 1 OLD OUTLET DESIGNATION: 27400270

MONITORING PERIOD

Start MO	Start DAY	Start YR	End MO	End DAY	End YR
8	1	08	8	31	08

	Average	Maximum
Regulated Flow-gal/day	N/A	
Total Flow-gal/day	165699 + 16570 = 182269	

Method Used: Purchase Water less 5%

3837240 - 191862 = 3645378 ÷ 22 = 165699

Production Rate (if applicable)

PARAMETER		MASS OR CONCENTRATION MON AVG	MAXIMUM	UNITS	# OF SAMPLES	SAMPL COMP/
Cadmium	Sample Measurement	0.005				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
Zinc	Sample Measurement	0.25				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

PVSC FORM MR-1 REV: 4 6/87 P 1

RECEIVED SEP 19 2008 ENVIRONMENTAL DEPARTMENT

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets): Copper, Lead Mercury Nickel Not used

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: Champion Dyeing. fix in compliance

Explain Method for preserving samples:

I certify under penalty of law that this document and attachments were prepared under my direction or supervision accordance with a system designed to assure that qualified personnel properly gather and evaluate the information sub Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gather the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Janet Kansco
Signature of Principal Executive or Authorized Agent

Janet Kansco
Bookkeeper
Type Name and Title

9/19/08
Date

PVSC FORM MR-1 REV: 5 3/91 P 2

Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

Bill Date	Aug 29, 2008
Account Number	22 165 99 12
Date of Last Payment	Jul 22, 2008
Amount of Last Payment	$ 1,135.52
Previous Balance	$5,539.28
Current Charges	$ 6,317.02 ✓
Total Amount Due	$ 11,856.30
Due Date	Sep 26, 2008

SERVICE ADDRESS **192 PUTNAM ST, PATERSON** BILL TYPE **MONTHLY BILL**

Billing Period
Jul 21, 2008--Aug 19, 2008

Services

Description	Charge
SERVICE CHARGE	337.60
FIRST 333 CCF	462.87
NEXT 9,999,999 CCF	5516.55

Meters

Meter No	Meter Size	Current	Previous	Consumption
70025588	4 INCH	1809	1296	5130

Usage History (most recent first)

9/11

5130 x 748 = 3837240 x 95 = 3645378 ÷ 22 = 165699

Message Center

Our records indicate that your account is delinquent in the amount of $5539.28. Failure to pay your past due amount within 30 days may result in service being shut off without further notice. After 60 days a $40 late penalty will be applied to your account and a door tag notification will be generated. A $115.00 reconnection fee will be charged if service is shut off. Please visit www.pvwc.com to view or pay your account online or call our Customer Service Department at 973-340-4300.

DETACH HERE AND RETURN LOWER PORTION WITH YOUR CHECK OR MONEY ORDER

Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300

☐ To change mailing address check here and fill out back of form. Please include account number on check or money order. Make check or money order payable to PVWC.

Account Number	22 165 99 12
Due Date	Sep 26, 2008
Total Amount Due	$ 11,856.30
Amount Enclosed	

Mailing Address:

*B-00-Z4D-CM-00036

CHAMPION DYE & FIN CO
PO BOX 359
PATERSON NJ 07544-0359

Service Address:
192 PUTNAM ST, PATERSON

PASSAIC VALLEY WATER COMMISSION
PO BOX 11393
NEWARK NJ 07101-4393

Upstate Laboratories, Inc.

Analytical Report

Date: *12-Aug-08*

CLIENT: Champion Dyeing & Finishing Co
Lab Order: U0807531
Project: Monthly Analysis
Lab ID: U0807531-001

Client Sample ID: Discharge Pipe
Collection Date: 7/28/2008 11:30:00 AM
Matrix: WASTE WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS, TOTALS				E200.7	(E200.7)	Analyst: GEL
Cadmium	ND	0.005		mg/L	1	8/11/2008 4:45:21 PM
Zinc	0.25	0.010		mg/L	1	8/11/2008 4:45:21 PM
LABORATORY HYDROGEN ION (PH)				E150.1		Analyst: TC
pH	8.90	2.00		SU	1	7/28/2008 1:59:00 PM
RESIDUE, SUSPENDED (TSS)				E160.2		Analyst: KAM
Residue, Suspended (TSS)	28	1.0		mg/L	1	7/30/2008
BIOCHEMICAL OXYGEN DEMAND (5 DAY BOD)				E405.1		Analyst: MCD
Biochemical Oxygen Demand	206	60.0		mg/L	1	7/30/2008 8:00:00 AM

Approved By: CZW **Date:** 8.12.08 Page 1 of 1

Qualifiers:
- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Chain of Custody Record

6034 Corporate Drive E. Syracuse New York 13057
Phone (315) 437 0255 Fax (315) 437 1209

Client: CHAMPION DYEING & FINISHING

Project ID/Project Name: MONTHLY ANALYSIS

Client Contact: ROCCO ZAGRA

Phone #: 345-9506

Location (sampling) Address: PATERSON, NJ

Sample ID	Date	Time	Matrix	GRAB OR COMP	UPI Internal Use Only	Number of Containers	1	2	3	4	5	6	7	8	9	10	Remarks
DISCHARGE PIPE	7/28/08	11:35A	WASTE H2O	COMP	[illegible]	2	X	X									

	Parameter and Method	Sample bottle: Type	Size	Preservative
1	BOD, TSS, PH	PLASTIC	1000ML	NONE
2	TOTAL CD, ZN	PLASTIC	500ML	HNO3
3				
4				
5				
6				
7				
8				
9				
10				

Sampled by (Print): Rocco Zagra

Company: CHAMPION

Name of Courier: UP

Relinquished by: (sign)	Date	Time	Received by: (sign)
[signature]	7/28/08	11:35A	[signature]
Relinquished by: (sign)	Date	Time	Received by: (sign)
[signature]	7/28/08		
Relinquished by: (sign)	Date	Time	Rec'd for Lab by:
	7-29-08	1300	[signature]

Syracuse Rochester Buffalo Albany Binghamton BERGENFIELD (NJ)