CAUW

RECEIVED MAY 21 2008 INDUSTRIAL DEPARTMENT

USER CHARGE SELF MONITORING REPORT

NAME: Brown Chemical Co., Inc.
ADDRESS: PO Box 440, 302 West Oakland Avenue, Oakland, NJ 07436
FACILITY LOCATION: 195 Keen Street, Paterson, NJ 07524
NEW CUSTOMER ID / OUTLET ID: 27220007-2 **OLD OUTLET DESIGNATION:**

MONITORING PERIOD

START			END		
4	1	08	4	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD
494 GALS
CU. FT X 7.48 = GALLONS
EFFLUENT METER READING LAST DAY THIS PERIOD

.001

DATE	BOD	TSS
4/30	136	132
N/A		

DATE	BOD	TSS

MAY 2008 2nd Input Industrial Dept.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
J.H. Brown	Douglas Brown	201-337-0900
	President	
		DATE 5/20/2008

PVSC FORM MR-2 REV.3 6/93

RECEIVED
MAY 21 2008
INDUSTRIAL DEPARTMENT

USER CHARGE SELF MONITORING REPORT

NAME: Brown Chemical Co., Inc.
ADDRESS: PO Box 440, 302 West Oakland Avenue, Oakland, NJ 07436
FACILITY LOCATION: 195 Keen Street, Paterson, NJ 07524
NEW CUSTOMER ID / OUTLET ID: 27220007-1 **OLD OUTLET DESIGNATION:**

MONITORING PERIOD

START			END		
4	1	08	4	30	08
MO	DAY	YR	MO	DAY	YR

.050

VOL DISCHARGED THIS PERIOD
49856 GALS
CU. FT X 7.48 = GALLONS
EFFLUENT METER READING LAST DAY THIS PERIOD

DATE	BOD	TSS
~~04/07/08~~	2.00 mg/L ✓	
04/02/08		4.0 mg/L ✓
N/A		

DATE	BOD	TSS

Industrial Dept

MAY 2008
2nd Input
Industrial Dept.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Douglas Brown	201-337-0900
	President	
		DATE 05/20/2008

PVSC FORM MR-2 REV.3 6/93

PVSC MONTHLY WORKSHEET

Reporting Period: Aprl 1, 2008 to April 30, 2008 Date: 5/20/2008

RESIDENTIAL

Warren Street (Acct. # 202-06485)

24553 cu. ft. this month

24487 cu. ft. last month

66 cu. ft. used X 7.48 = 494 Residential Gallons

INDUSTRIAL

Office (Acct. # 202-06480)

3570 cu. ft. this month

2924 cu. ft. last month

646 cu. ft. used

KEEN St. (Acct. # 702-00565)

652420 cu. ft. this month

646050 cu. ft. last month

6370 cu. ft. used

646 cu. ft. + 6370 cu.ft = 7016 total cu. ft.

7016 total cu. Ft. X 7.48 = 52480 Gallons

52480 Gallons - 5% = 49856 Total Industrial Gallons Discharged

ANALYTICAL TESTING LABORATORIES

NJDEP CERTIFICATION NO. 20477
PO BOX 368, KENILWORTH N.J. 07033 (908)241-5040 fax (908)241-5356

ANALYSIS REPORT

ATT: DOUG BROWN
BROWN CHEMICAL
302 W OAKLAND AVENUE
OAKLAND, NEW JERSEY 07436

CODE NO: 22745
DATE RECEIVED: 04/02/08
DATE SENT: 05/15/08
SAMPLE TYPE: WATER

SAMPLE ID: WASTEWATER 03/04/08

DATE	PARAMETER	RESULT	ANALYZED	UNITS	MDL	METHOD
22745-01	BOD_5	< 2.00	04/07/08	mg/L	2.00	5210B
	TSS	4.00	04/02/08	mg/L	4.00	2540D
	METALS:					
	LEAD	0.035	05/02/08	mg/L	0.025	3111BC
	ZINC	0.011	05/02/08	mg/L	0.005	3111BC

REMARKS: MDL = METHOD DETECTION LIMIT
J = DETECTED BUT BELOW MDL

Rose M Koplin
ROSE M. KOPLIN
DIRECTOR

ANALYTICAL TESTING LABORATORIES, INC. NJDEP ID 20477

CHAIN OF CUSTODY

840 COLFAX AVENUE, PO BOX 368, KENILWORTH NJ 07033-0368
PHONE (908) 241-5040 FAX (908) 241-5356

LAB CODE # 22745

PROJECT NAME: Brown Chemical

ADDRESS: 197 Kean Street, Paterson

SAMPLER(S): NAME AND AFFILIATION

SAMPLE NO	DATE	TIME	SOIL	AQUEOUS	DESCRIPTION	# BOTTLES	BOD/TSS	COD(H_2SO_4)	METALS (HNO_3)	CYANIDES AMENABLE (NaOH)	CYANIDES TOTAL (NaOH)	SGT-HEM(HCl)	OIL GREASE (HCl)	TOC (HCl)						RUSH	pH	^{0}C
	4/2/08	06:30		X	wastewater	2	X		X												7.09	12.8

Relinquished by: (signature date and time)	Received by: Signature	Relinquished by: (signature date and time)	Received by: signature
4/2/08 1120	[illegible]	[illegible] 4/2/08 1245	Rose Kaplan

Comments:

REDUCED FULL (STD) DELIVERABLES
(CIRCLE ONE)
PROPERLY PRESERVED (YES) NO
COOLER TEMP 4^{0}C (YES) NO

CALCIN
5/20/2008 3:08:15 PM

4/13

RECEIVED
MAY 20 2008
INDUSTRIAL DEPARTMENT

USER CHARGE SELF MONITORING REPORT

NAME: Brown Chemical Co., Inc.
ADDRESS: PO Box 440, 302 West Oakland Avenue, Oakland, NJ 07436
FACILITY LOCATION: 195 Keen Street, Paterson, NJ 07524
NEW CUSTOMER ID / OUTLET ID: 27220007-1 **OLD OUTLET DESIGNATION:**

MONITORING PERIOD

START			END		
4	1	08	4	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD
494 GALS
CU. FT X 7.48 = GALLONS
EFFLUENT METER READING LAST DAY THIS PERIOD

FAXED

DATE	BOD	TSS
N/A		

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
D H Brown	Douglas Brown	201-337-0900
	President	
		DATE 5/20/2008

PVSC FORM MR-2 REV.3 6/93

5/20/2008 3:08:15 PM

RECEIVED MAY 20 2008

USER CHARGE SELF MONITORING REPORT

NAME: Brown Chemical Co., Inc.
ADDRESS: PO Box 440, 302 West Oakland Avenue, Oakland, NJ 07436
FACILITY LOCATION: 195 Keen Street, Paterson, NJ 07524
NEW CUSTOMER ID / OUTLET ID: 27220007-1 OLD OUTLET DESIGNATION:

MONITORING PERIOD

START			END		
4	1	08	4	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD
49856 GALS
CU. FT X 7.48 = GALLONS
EFFLUENT METER READING LAST DAY THIS PERIOD

FAXED

DATE	BOD	TSS
04/07/08	< 2.00 mg/L	
04/02/08		4.0 mg/L
N/A		

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Douglas Brown	201-337-0900
	President	
		DATE 05/20/2008

PVSC FORM MR-2 REV.3 6/93

PVSC MONTHLY WORKSHEET

Reporting Period: Apri 1, 2008 to April 30, 2008 Date: 5/20/2008

RESIDENTIAL

Warren Street (Acct. # 202-06485)

24553 cu. ft. this month

24487 cu. ft. last month

66 cu. ft. used X 7.48 = 494 Residential Gallons

INDUSTRIAL

Office (Acct. # 202-06480)

3570 cu. ft. this month

2924 cu. ft. last month

646 cu. ft. used

KEEN St. (Acct. # 702-00565)

652420 cu. ft. this month

646050 cu. ft. last month

6370 cu. ft. used

646 cu. ft. + 6370 cu.ft = 7016 total cu. ft.

7016 total cu. Ft. X 7.48 = 52480 Gallons

52480 Gallons - 5% = 49856 Total Industrial Gallons Discharged

ANALYTICAL TESTING LABORATORIES

NJDEP CERTIFICATION NO. 20477
PO BOX 368, KENILWORTH N.J. 07033 (908)241-5040 fax (908)241-5356

ANALYSIS REPORT

ATT: DOUG BROWN
BROWN CHEMICAL
302 W OAKLAND AVENUE
OAKLAND, NEW JERSEY 07436

CODE NO: 22745
DATE RECEIVED: 04/02/08
DATE SENT: 05/15/08
SAMPLE TYPE: WATER

SAMPLE ID: WASTEWATER 03/04/08

DATE	PARAMETER	RESULT	ANALYZED	UNITS	MDL	METHOD
22745-01	BOD_5	< 2.00	04/07/08	mg/L	2.00	5210B
	TSS	4.00	04/02/08	mg/L	4.00	2540D
	METALS:					
	LEAD	0.035	05/02/08	mg/L	0.025	3111BC
	ZINC	0.011	05/02/08	mg/L	0.005	3111BC

REMARKS: MDL = METHOD DETECTION LIMIT
J = DETECTED BUT BELOW MDL

Rose M Koplin
ROSE M. KOPLIN
DIRECTOR

ANALYTICAL TESTING LABORATORIES, INC. NJDEP ID 20477

840 COLFAX AVENUE, PO BOX 368, KENILWORTH NJ 07033-0368
PHONE (908) 241-5040 FAX (908) 241-5356

CHAIN OF CUSTODY

LAB CODE # 22745

PROJECT NAME: Brown Chemical

ADDRESS: 197 Kean Street, Paterson

SAMPLER(S): NAME AND AFFILIATION

SAMPLE NO	DATE	TIME	SOIL	AQUEOUS	DESCRIPTION	# BOTTLES	BOD/TSS	COD(H_2SO_4)	METALS (HNO_3)	CYANIDES AMENABLE (NaOH)	CYANIDES TOTAL (NaOH)	SGT-HEM(HCl)	OIL GREASE (HCl)	TOC (HCl)						RUSH	pH	°C
	4/2/08	0630		X	wastewater	2	X		X												7.09	12.8

Relinquished by: (signature date and time) 4/2/08 1120 Received by: Signature

Relinquished by: (signature date and time) 4/2/08 1245 Received by: signature Rose Kaplan

Comments:

REDUCED FULL (STD) DELIVERABLES
(CIRCLE ONE)
PROPERLY PRESERVED (YES) NO
COOLER TEMP 4°C (YES) NO